# BELLSOUTH® / CLEC Agreement

# Customer Name: 1-800-RECONEX, Inc.

1-800-RECONEX, Inc. Renegotiation	2
1-800-RECONEX Title Page	3
1-800-RECONEX Table of Contents	4
General Terms & Conditions	6
Attach. 1 - Resale	26
Attach. 1 - Resale Rates	46
Attach. 2 - UNEs	47
Attach. 2, UNE Rates	127
Attach. 3, Interconnection	552
Attach. 3 - Interconnection Rates	581
Attach. 4, Collocation - Central Office	590
Attach. 4, Collocation - Remote Site	632
Attach. 4, Collocation Rates	670
Attach. 5 - Number Assignment & Port	707
Attach. 6, Ordering	711
Attach. 7, Billing	718
Attach. 7, ODUF, ADUF Rates	734
Attach. 8, Rights-of-Way	743
Attach. 9, Performance Measurements	745
Attach. 10, Disaster Recovery	898
Attach, 11, BFR-NBR Process	907

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

# By and Between

BellSouth Telecommunications, Inc.

And 1-800-RECONEX, Inc.

# INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC. AND 1-800-RECONEX, INC.

# TABLE OF CONTENTS

#### **General Terms and Conditions**

#### **Definitions**

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version 2Q02: 05/31/02

# TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

Version 2Q02: 05/31/02

# AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and 1-800-RECONEX, Inc., an Oregon corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or 1-800-RECONEX, Inc. or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, 1-800-RECONEX, Inc. is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, 1-800-RECONEX, Inc. wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and 1-800-RECONEX, Inc. agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communications Commission.

**General Terms and Conditions** means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 ("Act")** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- Prior to execution of this Agreement, 1-800-RECONEX, Inc. agrees to provide BellSouth in writing 1-800-RECONEX, Inc.'s CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- To the extent 1-800-RECONEX, Inc. is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, 1-800-RECONEX, Inc. will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

# 2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms

and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to 1-800-RECONEX, Inc. pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

## 3. Operational Support Systems

1-800-RECONEX, Inc. shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

# 4. Parity

When 1-800-RECONEX, Inc. purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to 1-800-RECONEX, Inc. shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of 1-800-RECONEX, Inc. shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by 1-800-RECONEX, Inc..

# 5. White Pages Listings

- 5.1 BellSouth shall provide 1-800-RECONEX, Inc. and its customers access to white pages directory listings under the following terms:
- Listings. 1-800-RECONEX, Inc. shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include 1-800-RECONEX, Inc. residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between 1-800-RECONEX, Inc. and BellSouth subscribers.
- 5.2.1 Rates. So long as 1-800-RECONEX, Inc. provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to 1-800-RECONEX, Inc. one (1) primary White Pages listing per 1-800-RECONEX, Inc. subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting 1-800-RECONEX, Inc. SLI are found in The BellSouth Business Rules for Local Ordering.
- 1-800-RECONEX, Inc. authorizes BellSouth to release all 1-800-RECONEX, Inc. SLI provided to BellSouth by 1-800-RECONEX, Inc. to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such 1-800-RECONEX, Inc. SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to 1-800-RECONEX, Inc. for BellSouth's receipt of 1-800-RECONEX, Inc. SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of 1-800-RECONEX, Inc.'s SLI, or costs on an ongoing basis to administer the release of 1-800-RECONEX, Inc. SLI, 1-800-RECONEX, Inc. shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of 1-800-RECONEX, Inc.'s SLI, 1-800-RECONEX, Inc. will be notified. If 1-800-RECONEX, Inc. does not wish to pay its proportionate share of these reasonable costs, 1-800-RECONEX, Inc. may instruct BellSouth that it does not wish to release its SLI to independent publishers, and 1-800-RECONEX, Inc. shall amend this Agreement accordingly. 1-800-RECONEX, Inc. will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by 1-800-RECONEX, Inc. under this Agreement. 1-800-RECONEX, Inc. shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits,

judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate 1-800-RECONEX, Inc. listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to 1-800-RECONEX, Inc. any complaints received by BellSouth relating to the accuracy or quality of 1-800-RECONEX, Inc. listings.

- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. 1-800-RECONEX, Inc. will be required to provide to BellSouth the names, addresses and telephone numbers of all 1-800-RECONEX, Inc. customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff.
- 5.6 Inclusion of 1-800-RECONEX, Inc. End Users in Directory Assistance Database.
  BellSouth will include and maintain 1-800-RECONEX, Inc. subscriber listings in
  BellSouth's Directory Assistance databases at no recurring charge and 1-800RECONEX, Inc. shall provide such Directory Assistance listings to BellSouth at
  no recurring charge.
- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford 1-800-RECONEX, Inc.'s directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to 1-800-RECONEX, Inc. subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

# 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for 1-800-RECONEX, Inc., BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to 1-800-RECONEX, Inc. End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for 1-800-RECONEX, Inc. End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to 1-800-RECONEX, Inc.</u>. Where BellSouth is providing to 1-800-RECONEX, Inc. Telecommunications Services for resale or providing to 1-800-RECONEX, Inc. the local switching function, then 1-800-RECONEX, Inc.

agrees that in those cases where 1-800-RECONEX, Inc. receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to 1-800-RECONEX, Inc. End Users, and where 1-800-RECONEX, Inc. does not have the requested information, 1-800-RECONEX, Inc. will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 6.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

# 7. Liability and Indemnification

- 7.1 <u>1-800-RECONEX, Inc. Liability</u>. In the event that 1-800-RECONEX, Inc. consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of 1-800-RECONEX, Inc. under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to 1-800-RECONEX, Inc. for any act or omission of another Telecommunications company providing services to 1-800-RECONEX, Inc..

# 7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor 1-800-RECONEX, Inc. shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the

furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.

- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 8. Intellectual Property Rights and Indemnification

8.1 <u>No License.</u> No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing,

promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.

- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

# 9. Proprietary and Confidential Information

- 9.1 Proprietary and Confidential Information. It may be necessary for BellSouth and 1-800-RECONEX, Inc., each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise

authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

## 10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

# 11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 11.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such

contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such

contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

# 12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by 1-800-RECONEX, Inc., or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to 1-800-RECONEX, Inc. any

interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

# 14. Modification of Agreement

- 14.1 If 1-800-RECONEX, Inc. changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of 1-800-RECONEX, Inc. to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of 1-800-RECONEX, Inc. or BellSouth to perform any material terms of this Agreement, 1-800-RECONEX, Inc. or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

## 15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

# 18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

# 19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of 1-800-RECONEX, Inc., the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, 1-800-RECONEX, Inc. shall not assign this

Agreement to any Affiliate or non-affiliated entity unless either (1) 1-800-RECONEX, Inc. pays all bills, past due and current, under this Agreement, or (2) 1-800-RECONEX, Inc.'s assignee expressly assumes liability for payment of such bills.

#### 20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

# **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

#### 1-800-RECONEX, Inc.

William E. Braun Vice-President & General Counsel 2500 Industrial Avenue Hubbard, Oregon 97032

and

Dennis Kelley Director of LEC Operations 2500 Industrial Avenue Hubbard, Oregon 97032

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

Version 2Q02: 07/11/02

20.3 Notwithstanding the foregoing, BellSouth may provide 1-800-RECONEX, Inc. notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

## 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

# 23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

# 24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, 1-800-RECONEX, Inc. shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by 1-800-RECONEX, Inc.. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as 1-800-RECONEX, Inc. is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

# 25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection

with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

# 28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to 1-800-RECONEX, Inc. as a requesting carrier under the Act).

# 29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and 1-800-RECONEX, Inc. specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

# 31. Entire Agreement

31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and 1-800-RECONEX, Inc. acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

31.2 This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

**Network Interconnection** 

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

**Billing** 

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by 1-800-RECONEX, Inc. pursuant to the terms and conditions set forth in this Agreement. 1-800-RECONEX, Inc. may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	1-800-RECONEX, Inc.
By: Signature on File	By: Signature on File
Name: Elizabeth R. A. Shiroishi	Name: William E. Braun
Title: Assistant Director	Title: Vice-President & General Counsel
Date: November 13, 2002	Date: November 5, 2002

Attachment 1

Page 1

# **Attachment 1**

Resale

Version: 2Q02: 05/31/02

# **Table of Contents**

1. Discount Rates	3
2. Definition of Terms	
3. General Provisions	4
4. BellSouth's Provision of Services to 1-800-RECONEX, Inc	8
5. Maintenance of Services	9
6. Establishment of Service	9
7. Discontinuance of Service	10
8. Operator Services (Operator Call Processing and Directory Assistance)	10
9. Line Information Database (LIDB)	15
10. RAO Hosting	15
Resale Restrictions	Exhibit A
Line Information Database (LIDB) Storage Agreemt	Exhibit B
Resale Discounts and Rates	Exhibit C

#### RESALE

#### 1. Discount Rates

- 1.1 The discount rates applied to 1-800-RECONEX, Inc. purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit C. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by 1-800-RECONEX, Inc. for the purposes of resale to 1-800-RECONEX, Inc.'s End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit C to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as 1-800-RECONEX, Inc., subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

Version: 2Q02: 05/31/02

#### 3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to 1-800-RECONEX, Inc. for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When 1-800-RECONEX, Inc. provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if 1-800-RECONEX, Inc. does not resell Lifeline services to any end users, and if 1-800-RECONEX, Inc. agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event 1-800-RECONEX, Inc. resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon 1-800-RECONEX, Inc. and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 1-800-RECONEX, Inc. must provide written notification to BellSouth within 30 days prior to providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 1-800-RECONEX, Inc. may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 1-800-RECONEX, Inc. must resell services to other End Users.
- 3.2.2 1-800-RECONEX, Inc. cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 1-800-RECONEX, Inc. will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from 1-800-RECONEX, Inc. for said services.

- 3.4 1-800-RECONEX, Inc. will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of 1-800-RECONEX, Inc.. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of 1-800-RECONEX, Inc.. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of 1-800-RECONEX, Inc. or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and 1-800-RECONEX, Inc. will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or 1-800-RECONEX, Inc. to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to 1-800-RECONEX, Inc., BellSouth will provide 1-800-RECONEX, Inc. with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. 1-800-RECONEX, Inc. acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, 1-800-RECONEX, Inc. shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

Version: 2Q02: 05/31/02

- 3.8 BellSouth will allow 1-800-RECONEX, Inc. to designate up to 100 intermediate telephone numbers per CLLIC, for 1-800-RECONEX, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to 1-800-RECONEX, Inc.'s End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If 1-800-RECONEX, Inc. or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, 1-800-RECONEX, Inc. has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to 1-800-RECONEX, Inc. remain the property of BellSouth.
- 3.15 White page directory listings for 1-800-RECONEX, Inc. End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 1-800-RECONEX, Inc. must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which 1-800-RECONEX, Inc. may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.

Version: 2Q02: 05/31/02

- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit C to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit C to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event 1-800-RECONEX, Inc. provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 Cancellation OSS Charge. 1-800-RECONEX, Inc. will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for 1-800-RECONEX, Inc. per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of the General Terms and Conditions.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event 1-800-RECONEX, Inc. acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to 1-800-RECONEX, Inc. that Special Assembly at the wholesale discount at 1-800-RECONEX, Inc.'s option. 1-800-RECONEX, Inc. shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for 1-800-RECONEX, Inc. customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate 1-800-RECONEX, Inc. customer information to the PSAP.

BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the 1-800-RECONEX, Inc. customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

- 3.22 BellSouth shall bill, and 1-800-RECONEX, Inc. shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to 1-800-RECONEX, Inc., and 1-800-RECONEX, Inc. shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4. BellSouth's Provision of Services to 1-800-RECONEX, Inc.

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by 1-800-RECONEX, Inc. to establish authenticity of use. Such audit shall not occur more than once in a calendar year. 1-800-RECONEX, Inc. shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by 1-800-RECONEX, Inc. for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 1-800-RECONEX, Inc. may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

4.4 If 1-800-RECONEX, Inc. cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 1-800-RECONEX, Inc. or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 1-800-RECONEX, Inc. accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 1-800-RECONEX, Inc. will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, 1-800-RECONEX, Inc. shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill 1-800-RECONEX, Inc. for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact 1-800-RECONEX, Inc.'s End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, 1-800-RECONEX, Inc. will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for 1-800-RECONEX, Inc.'s resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 1-800-RECONEX, Inc. shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that 1-800-RECONEX, Inc. will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to

Version: 2Q02: 05/31/02

establishing service for 1-800-RECONEX, Inc.'s End User customer. 1-800-RECONEX, Inc. must, however, be able to demonstrate End User authorization upon request.

BellSouth will accept a request directly from the End User for conversion of the End User's service from 1-800-RECONEX, Inc. to BellSouth or will accept a request from another CLEC for conversion of the End User's service from 1-800-RECONEX, Inc. to such other CLEC. Upon completion of the conversion BellSouth will notify 1-800-RECONEX, Inc. that such conversion has been completed.

## 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to 1-800-RECONEX, Inc.'s End User on behalf of, and at the request of, 1-800-RECONEX, Inc.. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of 1-800-RECONEX, Inc..
- 7.1.2 At the request of 1-800-RECONEX, Inc., BellSouth will disconnect a 1-800-RECONEX, Inc. End User customer.
- 7.1.3 All requests by 1-800-RECONEX, Inc. for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 1-800-RECONEX, Inc. will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise 1-800-RECONEX, Inc. when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by 1-800-RECONEX, Inc. and/or the End User against any claim, loss or damage arising from providing this information to 1-800-RECONEX, Inc.. It is the responsibility of 1-800-RECONEX, Inc. to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

# 8.0 Operator Services (Operator Call Processing and Directory Assistance)

8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.

Version: 2Q02: 05/31/02

8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 8.2.1 Process 0+ and 0- dialed local calls 8.2.2 Process 0+ and 0- intraLATA toll calls. 8.2.3 Process calls that are billed to 1-800-RECONEX, Inc. end user's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 8.2.9 Process emergency call trace originated by Public Safety Answering Points. 8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing 1-800-RECONEX, Inc. local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to 1-800-RECONEX, Inc. that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by 1-800-RECONEX, Inc.. 8.2.15 Provide call records to 1-800-RECONEX, Inc. in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 **Directory Assistance Service** 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.

- 8.3.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by 1-800-RECONEX, Inc.'s end user. BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Exhibit C to one of the provided listings.
- 8.3.3 Directory Assistance Service Updates
- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 Branding for Operator Call Processing and Directory Assistance
- 8.4.1 BellSouth's branding feature provides a definable announcement to 1-800-RECONEX, Inc. end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows 1-800-RECONEX, Inc.'s name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit C.
- 8.4.2 BellSouth offers three branding offering option to 1-800-RECONEX, Inc. when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from 1-800-RECONEX, Inc., the order is considered firm after ten (10) business days. Should 1-800-RECONEX, Inc. decide to cancel the order, written notification to 1-800-RECONEX, Inc.'s BellSouth Account Executive is required. If 1-800-RECONEX, Inc. decides to cancel after ten (10) business days from receipt of the branding order, 1-800-RECONEX, Inc. shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where 1-800-RECONEX, Inc. resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route 1-800-RECONEX, Inc.'s end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for 1-800-RECONEX, Inc. to have its OCP/DA calls routed to BellSouth's

OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

- 8.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- Where available, 1-800-RECONEX, Inc. specific and unique line class codes are programmed in each BellSouth end office switch were 1-800-RECONEX, Inc. intends to service end users with customized OCP/DA branding. The line class codes specifically identify 1-800-RECONEX, Inc.'s end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and 1-800-RECONEX, Inc. intends to provide 1-800-RECONEX, Inc.-branded OCP/DA to its end users in these multiple rate areas.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require 1-800-RECONEX, Inc. to order dedicated transport and trunking from each BellSouth end office identified by 1-800-RECONEX, Inc., either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the 1-800-RECONEX, Inc. Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit C of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by 1-800-RECONEX, Inc. to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, 1-800-RECONEX, Inc. shall not be required to purchase direct trunking.
- For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, 1-800-RECONEX, Inc.

must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, 1-800-RECONEX, Inc. must submit a manual order form which requires, among other things, 1-800-RECONEX, Inc.'s OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. 1-800-RECONEX, Inc. shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon 1-800-RECONEX, Inc.'s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all 1-800-RECONEX, Inc. end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit C of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill 1-800-RECONEX, Inc. applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, 1-800-RECONEX, Inc. shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit C of this Attachment.
- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which 1-800-RECONEX, Inc. requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of 1-800-RECONEX, Inc.
- 8.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of 1-800-RECONEX, Inc.
- 8.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina)
- 8.4.5.6.3 the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

# 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to 1-800-RECONEX, Inc.'s Account Manager stating a requested activation date.

# 10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)**

	Type of Service	AL		FL		GA		KY		LA		MS		NC		SC		TN	
	Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1	Grandfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Services (Note 1)																		
2	Promotions - > 90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
_	Days(Note 2)																		
3	Promotions - $\leq$ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7	MemoryCall <sup>®</sup> Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11	End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13	Inside Wire Maint	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Service Plan																		
	Applicable No																		
		Grandfathered services can be resold only to existing subscribers of the grandfathered service.																	
		Where available for resale, <b>promotions</b> will be made available only to End Users who would have qualified for the promotion had it been provided by BellSouth directly.																	
		In Tennessee, long-term <b>promotions</b> (offered for more than ninety (90) days) may be obtained at one of the following rates:																	
	(a) the state	(a) the stated tariff rate, less the wholesale discount;																	
	` ′ 1	(b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)																	
	4. Lifeline/Link l								t the crite	ria that	BellSouth	current	ly applies	to subsc	cribers of t	hese sei	vices as s	et forth	in
		Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.																	
	5. Some of BellSo	outh's lo	cal exchar	ige and	toll teleco	mmunio	cations ser	vices are	e not avail	able in	certain cer	ntral off	ices and ar	reas.					

#### LINE INFORMATION DATA BASE (LIDB)

#### RESALE STORAGE AGREEMENT

#### I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by 1-800-RECONEX, Inc..
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by 1-800-RECONEX, Inc..

## II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of 1-800-RECONEX, Inc. and pursuant to which BellSouth, its LIDB customers and 1-800-RECONEX, Inc. shall have access to such information. In addition, this Agreement sets forth the terms and conditions for 1-800-RECONEX, Inc.'s provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. 1-800-RECONEX, Inc. understands

that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of 1-800-RECONEX, Inc., pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to 1-800-RECONEX, Inc.'s account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

#### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether 1-800-RECONEX, Inc. has identified the billing number as one that should not be billed for collect or third number calls.

#### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify 1-800-RECONEX, Inc. of fraud alerts so that 1-800-RECONEX, Inc. may take action it deems appropriate.

# III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by 1-800-RECONEX, Inc. pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to 1-800-RECONEX, Inc. for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

#### B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate 1-800-RECONEX, Inc.'s data from BellSouth's data, the following shall apply:

- 1-800-RECONEX, Inc. will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for 1-800-RECONEX, Inc.'s End User accounts which are resident in LIDB pursuant to this Agreement. 1-800-RECONEX, Inc. authorizes BellSouth to place such charges on 1-800-RECONEX, Inc.'s bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 1-800-RECONEX, Inc. shall have the responsibility to render a billing statement to its End Users for these charges, but 1-800-RECONEX, Inc. shall pay BellSouth for the charges billed regardless of whether 1-800-RECONEX, Inc. collects from 1-800-RECONEX, Inc.'s End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between 1-800-RECONEX, Inc. and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to 1-800-RECONEX, Inc.. It shall be the responsibility of 1-800-RECONEX, Inc. and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. 1-800-RECONEX, Inc. will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name

of 1-800-RECONEX, Inc.. BellSouth will not issue line-based calling cards in the name of 1-800-RECONEX, Inc.'s individual End Users. In the event that 1-800-RECONEX, Inc. wants to include calling card numbers assigned by 1-800-RECONEX, Inc. in the BellSouth LIDB, a separate agreement is required.

#### IV. Fees for Service and Taxes

- A. 1-800-RECONEX, Inc. will not be charged a fee for storage services provided by BellSouth to 1-800-RECONEX, Inc., as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by 1-800-RECONEX, Inc. in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

# RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
APPLICABI	LE DISCOU	INTS								
RESIDENCE	3	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in	n this row, the d	liscount for Busir	ness will be the applical	ble discount rate for	r CSAs.					
<b>OPERATIO</b>	NAL SUPPO	ORT SYSTE	MS (OSS) RATES	<b>S</b>						
ELEMENT	USOC									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

l	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	25
4	LOCAL SWITCHING	36
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	43
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	51
7 SCR	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT EENING SERVICE	56
8	LINE INFORMATION DATABASE (LIDB)	56
9	SIGNALING	59
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE).	65
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	71
12	CALLING NAME (CNAM) DATABASE SERVICE	72
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	74
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	75
LID	B Storage Agreement Exhibit	A
Rate	es Exhibit	В

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to 1-800-RECONEX, Inc. in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to 1-800-RECONEX, Inc.. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require 1-800-RECONEX, Inc. to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment 1-800-RECONEX, Inc. used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of 1-800-RECONEX, Inc., and to the extent technically feasible, provide to 1-800-RECONEX, Inc. access to its Network Elements for the provision of 1-800-RECONEX, Inc.'s telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 1-800-RECONEX, Inc. may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner 1-800-RECONEX, Inc. chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by 1-800-RECONEX, Inc. to the demarcation point associated with 1-800-RECONEX, Inc.'s collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 1-800-RECONEX, Inc. may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that 1-800-RECONEX, Inc. shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If 1-

800-RECONEX, Inc. purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If 1-800-RECONEX, Inc. modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by 1-800-RECONEX, Inc. in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

### 2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to 1-800-RECONEX, Inc.'s collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then 1-800-RECONEX, Inc. can use the Special Construction process to request that BellSouth place facilities in order to meet 1-800-RECONEX, Inc.'s loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to

issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to 1-800-RECONEX, Inc. in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 1-800-RECONEX, Inc. may utilize the unbundled Loops to provide telecommunications services, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where 1-800-RECONEX, Inc. has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and 1-800-RECONEX, Inc. shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by 1-800-RECONEX, Inc. using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

### 2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 1-800-RECONEX, Inc. will be responsible for testing and isolating troubles on the Loops. 1-800-RECONEX, Inc. must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, 1-800-RECONEX, Inc. will be required to provide the results of the 1-800-RECONEX, Inc. test which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once 1-800-RECONEX, Inc. has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If 1-800-RECONEX, Inc. reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge 1-800-RECONEX, Inc. for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If 1-800-RECONEX, Inc. reports trouble on a designed loop and no trouble is found, BellSouth will charge 1-800-RECONEX, Inc. for any dispatch and testing outside the central office.

### 2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.9.1 "Order Coordination" (OC) allows BellSouth and 1-800-RECONEX, Inc. to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to 1-800-RECONEX, Inc.'s facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows 1-800-RECONEX, Inc. to order a specific time for OC to take place. BellSouth will make every effort to accommodate 1-800-RECONEX, Inc.'s specific conversion time request. However, BellSouth reserves the right to negotiate with 1-800-RECONEX, Inc. a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. 1-800-RECONEX, Inc. may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If 1-800-RECONEX, Inc. specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by 1-800-RECONEX, Inc. when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in 1-800-RECONEX, Inc.'s Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to 1-800-RECONEX, Inc. pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found	
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office	
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office	
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office	
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office	
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office	

For UVL-SL1 and UCLs, 1-800-RECONEX, Inc. must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that 1-800-RECONEX, Inc. will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that 1-800-RECONEX, Inc. may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to 1-800-RECONEX, Inc.. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow 1-800-RECONEX, Inc. to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

#### 2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs: 2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. 1-800-RECONEX, Inc. will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is

- a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or

base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

# 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

## 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by 1-800-RECONEX, Inc..
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by 1-800-RECONEX, Inc. to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short

- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

## 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, 1-800-RECONEX, Inc. can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that 1-800-RECONEX, Inc. may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by 1-800-RECONEX, Inc. to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 1-800-RECONEX, Inc. may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by 1-800-RECONEX, Inc., whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, 1-800-RECONEX, Inc. will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that 1-800-RECONEX, Inc. can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. 1-800-RECONEX, Inc. will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where 1-800-RECONEX, Inc. has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 1-800-RECONEX, Inc. shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that 1-800-RECONEX, Inc. desires BellSouth to condition.
- When requesting ULM for a loop that BellSouth has previously provisioned for 1-800-RECONEX, Inc., 1-800-RECONEX, Inc. will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by 1-800-RECONEX, Inc. is available at the location for which the ULM was requested, 1-800-RECONEX, Inc. will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, 1-800-RECONEX, Inc. will not be charged for ULM but will only be charged the service order charges for submitting an order.

#### 2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

2.6.1 Where 1-800-RECONEX, Inc. has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth

will make such alternative facilities available to 1-800-RECONEX, Inc.. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to 1-800-RECONEX, Inc. (e.g. hairpinning).

- 2.6.2 BellSouth will select one of the following arrangements:
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. 1-800-RECONEX, Inc. will then have the option of paying the one-time SC rates to place the loop.

### 2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit 1-800-RECONEX, Inc. to connect 1-800-RECONEX, Inc.'s Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

2.7.3.1 1-800-RECONEX, Inc. may access the end user's customer-premises wiring by any of the following means and 1-800-RECONEX, Inc. shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

- 2.7.3.1.1 1) BellSouth shall allow 1-800-RECONEX, Inc. to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be 1-800-RECONEX, Inc.'s responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with 1-800-RECONEX, Inc. to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to 1-800-RECONEX, Inc.'s NID.
- 2.7.4.3 Existing BellSouth NIDS will be provided in "as is" condition. 1-800-RECONEX, Inc. may request BellSouth do additional work to the NID on a time and material basis. When 1-800-RECONEX, Inc. deploys its own local loops with respect to multiple-line termination devices, 1-800-RECONEX, Inc. shall specify the quantity of NIDs connections that it requires within such device.

### 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

#### 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If 1-800-RECONEX, Inc. requests a UCSL and it is not available, 1-800-RECONEX, Inc. may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.

- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for 1-800-RECONEX, Inc.'s use on this cross-connect panel. 1-800-RECONEX, Inc. will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, 1-800-RECONEX, Inc. shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. 1-800-RECONEX, Inc.'s cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by 1-800-RECONEX, Inc. is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet 1-800-RECONEX, Inc.'s request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the Website address: http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate 1-800-RECONEX, Inc.'s request for Unbundled Sub-Loops, 1-800-RECONEX, Inc. may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. 1-800-RECONEX, Inc. will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before 1-800-RECONEX, Inc. can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice 1-800-RECONEX, Inc.'s cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

- 2.8.2.10 Once the site set-up is complete, 1-800-RECONEX, Inc. will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when 1-800-RECONEX, Inc. requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by 1-800-RECONEX, Inc. for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

# 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

#### 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire ("Provisioning Party") will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing Multi-Dwelling Units (MDUs) and/or Multi-Tenant Units (MTUs) in which BellSouth does not own or control wiring (INC/NTW) to the end users premises, 1-800-RECONEX, Inc. will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate 1-800-RECONEX, Inc. for each pair activated commensurate to the price specified in 1-800-RECONEX, Inc.'s Agreement.

- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.
- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.

- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

## 2.8.4 <u>Unbundled Sub-Loop Feeder</u>

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth crossbox. This element will allow for the connection of 1-800-RECONEX, Inc.'s loop distribution elements onto BellSouth's feeder system.

#### 2.8.4.5 Requirements

2.8.4.5.1 1-800-RECONEX, Inc. will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, 1-800-RECONEX, Inc. may request, through the BellSouth Special Construction process, a determination of costs to provide the sub-loop feeder element to 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. will then have the option of paying the special construction charges or canceling the order.

2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element. BellSouth will provide USLF elements in accordance with applicable industry 2.8.4.5.3 standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters. 2.8.4.6 Unbundled Sub-Loop Feeder – (USLF DS3 and above) 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location. 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities. 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces. 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher. 2.8.4.7 Requirements 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect. 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element. 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles. 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards. 2.8.5 <u>Unbundled Loop Concentration (ULC)</u> 2.8.5.1 BellSouth will provide to 1-800-RECONEX, Inc. Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

2.8.5.2

ULC will be offered in two system options. System A will allow up to 96 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to 1-800-RECONEX, Inc. at 1-800-RECONEX, Inc.'s collocation site.

System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to 1-800-RECONEX, Inc.'s collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

## 2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, 1-800-RECONEX, Inc. may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of 1-800-RECONEX, Inc.'s sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of 1-800-RECONEX, Inc.'s sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to 1-800-RECONEX, Inc.'s demarcation point associated with 1-800-RECONEX, Inc.'s collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 1-800-RECONEX, Inc. is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow 1-800-RECONEX, Inc.'s sub-loops to be placed on the USLC and transported to 1-800-RECONEX, Inc.'s collocation space at a DS1 level.

#### 2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with 1-800-RECONEX, Inc.'s collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for 1-800-RECONEX, Inc. to utilize Dark Fiber Loops.

### 2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 1-800-RECONEX, Inc. is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to 1-800-RECONEX, Inc. information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from 1-800-RECONEX, Inc..
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to 1-800-RECONEX, Inc. within twenty (20) business days after 1-800-RECONEX, Inc. submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable 1-800-RECONEX, Inc. to connect 1-800-RECONEX, Inc. provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

#### 2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to 1-800-RECONEX, Inc. (LMU) information so that 1-800-RECONEX, Inc. can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment 1-800-RECONEX, Inc. intends to install and the services 1-800-RECONEX, Inc. wishes to provide. This section addresses LMU as a preordering transaction, distinct from 1-800-RECONEX, Inc. ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide 1-800-RECONEX, Inc. LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other

remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to 1-800-RECONEX, Inc. as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI (Loop Makeup Service Inquiry) submitted by the requesting CLEC.
- 2.9.1.5 1-800-RECONEX, Inc. may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop so long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by 1-800-RECONEX, Inc. and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee 1-800-RECONEX, Inc.'s ability to provide advanced data services over the ordered loop type. Further, if 1-800-RECONEX, Inc. orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. 1-800-RECONEX, Inc. is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

#### 2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 1-800-RECONEX, Inc. may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if 1-800-RECONEX, Inc. needs further loop information in order to determine loop service capability, 1-800-RECONEX, Inc. may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual

Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

## 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, 1-800-RECONEX, Inc. may reserve up to ten Loop facilities. For a Manual LMUSI, 1-800-RECONEX, Inc. may reserve up to three Loop facilities.
- 2.9.3.2 1-800-RECONEX, Inc. may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to 1-800-RECONEX, Inc.. During and prior to 1-800-RECONEX, Inc. placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If 1-800-RECONEX, Inc. does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

## 2.9.4 <u>Ordering of Other UNE Services</u>

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. 1-800-RECONEX, Inc. will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, 1-800-RECONEX, Inc. does not reserve facilities upon an initial LMUSI, 1-800-RECONEX, Inc.'s placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where 1-800-RECONEX, Inc. has reserved multiple Loop facilities on a single reservation, 1-800-RECONEX, Inc. may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to 1-800-RECONEX, Inc., subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by 1-800-RECONEX, Inc. If the ordered Loop type is not available, 1-800-RECONEX, Inc. may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

## 3 High Frequency Spectrum Network Element

- 3.1 General
- 3.1.1 BellSouth shall provide 1-800-RECONEX, Inc. access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth

is the voice service provider to the end user at the rates set forth in this Attachment.

- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow 1-800-RECONEX, Inc. the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. 1-800-RECONEX, Inc. shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to 1-800-RECONEX, Inc. on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If 1-800-RECONEX, Inc. requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, 1-800-RECONEX, Inc. shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and 1-800-RECONEX, Inc. desires to continue providing xDSL service on such Loop, 1-800-RECONEX, Inc. shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give 1-800-RECONEX, Inc.

notice in a reasonable time prior to disconnect, which notice shall give 1-800-RECONEX, Inc. an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and 1-800-RECONEX, Inc. purchases the full stand-alone loop, 1-800-RECONEX, Inc. may elect the type of loop it will purchase. 1-800-RECONEX, Inc. will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event 1-800-RECONEX, Inc. purchases a voice grade Loop, 1-800-RECONEX, Inc. acknowledges that such Loop may not remain xDSL compatible.

Only one competitive local exchange carrier (CLEC) shall be permitted access to the High Frequency Spectrum of any particular loop.

#### 3.2 Provisioning of High Frequency Spectrum and Splitter Space

- 3.2.1 BellSouth will provide 1-800-RECONEX, Inc. with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, 1-800-RECONEX, Inc. must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 1-800-RECONEX, Inc. may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of 1-800-RECONEX, Inc.'s submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of 1-800-RECONEX, Inc. in a central office in which 1-800-RECONEX, Inc. is located, 1-800-RECONEX, Inc. shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and 1-800-RECONEX, Inc. shall pay the electronic or manual ordering charges as applicable when 1-800-RECONEX, Inc. orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for 1-800-RECONEX, Inc.'s data.

#### 3.3 **BellSouth Provided Splitter**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide 1-800-RECONEX, Inc. access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to 1-800-RECONEX, Inc.'s xDSL equipment in 1-800-RECONEX, Inc.'s collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide 1-800-RECONEX, Inc. with a carrier notification letter, informing 1-800-RECONEX, Inc. of change. 1-800-RECONEX, Inc. shall purchase ports on the

splitter in increments of 8, 24, or 96 ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. 1-800-RECONEX, Inc. shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to 1-800-RECONEX, Inc.'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to 1-800-RECONEX, Inc.'s DS0 termination point as possible. 1-800-RECONEX, Inc. shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for 1-800-RECONEX, Inc. on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified 1-800-RECONEX, Inc. DS0 at such time that a 1-800-RECONEX, Inc. end user's service is established.

#### 3.4 **CLEC Provided Splitter**

- 3.4.1 1-800-RECONEX, Inc. may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. 1-800-RECONEX, Inc. may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.
- 3.4.2 Any splitters installed by 1-800-RECONEX, Inc. in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. 1-800-RECONEX, Inc. may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

#### 3.5 **Ordering**

- 3.5.1 1-800-RECONEX, Inc. shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide 1-800-RECONEX, Inc. the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.

3.5.4 BellSouth will provide 1-800-RECONEX, Inc. access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and 1-800-RECONEX, Inc. shall pay the rates for such services, as described in Exhibit B.

## 3.6 **Maintenance and Repair**

- 3.6.1 1-800-RECONEX, Inc. shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If 1-800-RECONEX, Inc. is using a BellSouth owned splitter, 1-800-RECONEX, Inc. may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If 1-800-RECONEX, Inc. provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. 1-800-RECONEX, Inc. will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 1-800-RECONEX, Inc. shall inform its end users to direct data problems to 1-800-RECONEX, Inc., unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to 1-800-RECONEX, Inc., BellSouth will notify 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, 1-800-RECONEX, Inc. will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue 1-800-RECONEX, Inc.'s access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

## 3.7 Line Splitting

- 3.7.1 General
- 3.7.2 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different

carriers. 1-800-RECONEX, Inc. shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if 1-800-RECONEX, Inc. will not provide voice and data services.

- 3.7.3 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by 1-800-RECONEX, Inc. or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.7.4 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing 1-800-RECONEX, Inc. for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of 1-800-RECONEX, Inc. or its authorized agent to determine if the loop is compatible for Line Splitting Service. 1-800-RECONEX, Inc. or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and 1-800-RECONEX, Inc. or its authorized agent submits an LSR to BellSouth to change the loop.

# 3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When 1-800-RECONEX, Inc. or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, Bellsouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

## 3.9 Ordering

- 3.9.1 1-800-RECONEX, Inc. shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.9.2 BellSouth shall provide 1-800-RECONEX, Inc. the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.9.4 BellSouth will provide 1-800-RECONEX, Inc. access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and 1-800-RECONEX, Inc. shall pay the rates for such services as described in Exhibit B.
- 3.9.5 BellSouth will provide loop modification to 1-800-RECONEX, Inc. on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

#### 3.10 Maintenance

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. 1-800-RECONEX, Inc. will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 1-800-RECONEX, Inc. shall inform its end users to direct data problems to 1-800-RECONEX, Inc., unless both voice and data services are impaired, in which event the end users should call BellSouth.

- 3.10.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.10.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.10.5 If 1-800-RECONEX, Inc. is not the data provider, 1-800-RECONEX, Inc. shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions, related to the data provider.

## 3.11 Remote Site High Frequency Spectrum

- 3.11.1 General
- 3.11.2 BellSouth shall provide 1-800-RECONEX, Inc. access to the high frequency spectrum of the local sub-loop as an unbundled network element (UNE) only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.11.3 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow 1-800-RECONEX, Inc. the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. 1-800-RECONEX, Inc. shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.11.4 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.11.5 BellSouth will provide Loop Modification to 1-800-RECONEX, Inc. on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site)
  Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at
  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If 1-800-RECONEX, Inc. requests modifications on a sub loop longer than 18,000 ft. and requested modifications significantly degrades the voice services on the loop, 1-800-RECONEX, Inc. shall pay for the loop to be restored to its original state.
- 3.11.6 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and 1-800-RECONEX, Inc. desires to continue providing xDSL service on such sub-loop, 1-800-RECONEX, Inc. shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give 1-800-RECONEX, Inc. notice in a reasonable time prior to disconnect, which notice shall give 1-800-RECONEX, Inc. an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and 1-800-RECONEX, Inc. purchases the full stand-alone sub-loop, 1-800-RECONEX, Inc. may elect the type of sub-loop it will purchase. 1-800-RECONEX, Inc. will pay the appropriate recurring and non-recurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event 1-800-RECONEX, Inc. purchases a voice grade Loop, 1-800-RECONEX, Inc. acknowledges that such sub-loop may not remain xDSL compatible.
- Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.12 Provisioning of High Frequency Spectrum and Splitter Space
- 3.12.1 BellSouth will provide 1-800-RECONEX, Inc. with access to the High Frequency Spectrum as follows:

- 3.12.1.1 To order High Frequency Spectrum on a particular sub-loop, 1-800-RECONEX, Inc. must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated at the remote site that serves the end-user of such sub-loop.
- 3.12.1.2 1-800-RECONEX, Inc. may provide its own splitters or may order splitters in a remote site once the 1-800-RECONEX, Inc. has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of 1-800-RECONEX, Inc.'s submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.12.1.3 Once a splitter is installed on behalf of 1-800-RECONEX, Inc. in a remote site in which 1-800-RECONEX, Inc. is located, 1-800-RECONEX, Inc. shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and 1-800-RECONEX, Inc. shall pay applicable for High Frequency Spectrum end-user activation.

## 3.13 BellSouth Owned Splitter

- 3.13.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. The 1-800-RECONEX, Inc.'s meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). The 1-800-RECONEX, Inc. will provide a cable facility to the BellSouth FDI. BellSouth will splice the 1-800-RECONEX, Inc.'s cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect the 1-800-RECONEX, Inc.'s cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to the 1-800-RECONEX, Inc.'s xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.13.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in the 1-800-RECONEX, Inc.'s Remote Terminal (RT) collocation space and routed back to the 1-800-RECONEX, Inc.'s network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide 1-800-RECONEX, Inc. with a carrier notification letter, informing 1-800-RECONEX, Inc. of change. 1-800-RECONEX, Inc. shall purchase ports on the splitter in increments of 24 ports.
- 3.13.3 BellSouth will install the splitter in (i) a common area close to 1-800-RECONEX, Inc.'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to 1-800-RECONEX, Inc.'s DS0 termination point as possible. 1-800-RECONEX, Inc. shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the remote site in which both Parties have

access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified 1-800-RECONEX, Inc. DS0 at such time that a 1-800-RECONEX, Inc. end user's service is established.

#### 3.14 **CLEC Owned Splitter**

- 3.14.1 1-800-RECONEX, Inc. may at its option purchase, install and maintain splitters in its collocation arrangements. 1-800-RECONEX, Inc. may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. The CLEC will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.14.2 Any splitters installed by 1-800-RECONEX, Inc. in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. 1-800-RECONEX, Inc. may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

## 3.15 **Ordering**

- 3.15.1 1-800-RECONEX, Inc. shall use BellSouth's Remote Splitter Ordering Document ("RSOD") to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.15.2 BellSouth will provide 1-800-RECONEX, Inc. the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.15.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.15.4 BellSouth will provide 1-800-RECONEX, Inc. access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and 1-800-RECONEX, Inc. shall pay the rates for such services, as described in Exhibit B.
- 3.15.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for 1-800-RECONEX, Inc.'s data.

## 3.16 **Maintenance and Repair**

3.16.1 1-800-RECONEX, Inc. shall have access for repair and maintenance purposes, to any sub-loop for which it has access to the High Frequency Spectrum. If 1-800-RECONEX, Inc. is using a BellSouth owned splitter, 1-800-RECONEX, Inc. may access the sub-loop at the point where the data signal exits. If 1-800-RECONEX, Inc. provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.16.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. 1-800-RECONEX, Inc. will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.16.3 1-800-RECONEX, Inc. shall inform its end users to direct data problems to 1-800-RECONEX, Inc., unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.16.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.16.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to 1-800-RECONEX, Inc., BellSouth will notify 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. will provide at least one but no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, 1-800-RECONEX, Inc. will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue 1-800-RECONEX, Inc.'s access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

#### 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to 1-800-RECONEX, Inc. for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to 1-800-RECONEX, Inc. for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

#### 4.2 <u>Local Circuit Switching Capability, including Tandem Switching Capability</u>

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as

well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for 1-800-RECONEX, Inc. when 1-800-RECONEX, Inc. serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that 1-800-RECONEX, Inc. orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge 1-800-RECONEX, Inc. the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to 1-800-RECONEX, Inc.'s end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that 1-800-RECONEX, Inc. purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an 1-800-RECONEX, Inc. local end user, or originated by a BellSouth local end user and terminated to an 1-800-RECONEX, Inc. local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge 1-800-RECONEX, Inc. the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between

BellSouth and 1-800-RECONEX, Inc. shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

- Where 1-800-RECONEX, Inc. purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an 1-800-RECONEX, Inc. end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge 1-800-RECONEX, Inc. the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and 1-800-RECONEX, Inc. shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill 1-800-RECONEX, Inc. the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

#### 4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to 1-800-RECONEX, Inc. selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by 1-800-RECONEX, Inc. will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

## 4.2.10 **Remote Call Forwarding**

4.2.10.1 As an option, BellSouth shall make available to 1-800-RECONEX, Inc. an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, 1-800-RECONEX, Inc. will ensure that the following conditions are satisfied:

- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge 1-800-RECONEX, Inc. the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage, incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

# 4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to 1-800-RECONEX, Inc. all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by 1-800-RECONEX, Inc..

#### 4.2.12 Local Switching Interfaces.

- 4.2.12.1 1-800-RECONEX, Inc. shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;
- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

#### 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

#### 4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by 1-800-RECONEX, Inc. and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to 1-800-RECONEX, Inc..
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from 1-800-RECONEX, Inc.'s local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon 1-800-RECONEX, Inc.'s purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for 1-800-RECONEX, Inc.'s traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of 1-800-RECONEX, Inc.. AIN Selective Carrier Routing will provide 1-800-RECONEX, Inc. with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 1-800-RECONEX, Inc. shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.

- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by 1-800-RECONEX, Inc., the routing of 1-800-RECONEX, Inc.'s end user calls shall be pursuant to information provided by 1-800-RECONEX, Inc. and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, 1-800-RECONEX, Inc. shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each 1-800-RECONEX, Inc. end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. 1-800-RECONEX, Inc. shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to 1-800-RECONEX, Inc.'s fully completed firm order as a Regional Service Order. With the delivery of this firm order response to 1-800-RECONEX, Inc., BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to 1-800-RECONEX, Inc. following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to 1-800-RECONEX, Inc. following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to 1-800-RECONEX, Inc. following the normal billing cycle for per query charges.

4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

## 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services 1-800-RECONEX, Inc. seeks to offer;
- 4.5.2.3 BellSouth has not permitted 1-800-RECONEX, Inc. to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has 1-800-RECONEX, Inc. obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

#### 5 Unbundled Network Element Combinations

- For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by 1-800-RECONEX, Inc. are in fact already combined by BellSouth in the BellSouth network.
- 5.2 Unbundled Network Element Combinations shall include:
- 5.2.1 Density Zone 1 Enhanced Extended Links (EELs);

5.2.2 Ordinarily Combined UNE Combinations; 5.2.3 Special Access Service to UNE Conversions; 5.2.4 Currently Combined Transport Element Combination Conversions; and 5.2.5 UNE Loop/Port Combinations. 5.3 **Density Zone 1 EELs** 5.3.1 EELs are a combination of unbundled loop and transport. BellSouth shall provide 1-800-RECONEX, Inc. with EELs where they are available. 5.3.2 Density Zone 1 EELs, as they relate to the FCC's Unbundled Switching Option, are comprised of the configurations in Section 5.3.4 consisting of Local Loop and Interoffice Channel terminating in the requesting CLEC's collocation in the Point of Presence (POP) Serving Wire Center (SWC). 5.3.3 Density Zone 1 EELs are intended to provide new service connectivity from an end user's location through that end user's SWC to 1-800-RECONEX, Inc.'s collocation space in a BellSouth central office. The circuit must be connected to the 1-800-RECONEX, Inc.'s switch for the purpose of provisioning circuit telephone exchange service to the 1-800-RECONEX, Inc.'s end-user customers. These new EELs may be connected within the 1-800-RECONEX, Inc.'s collocation to other transport terminating into 1-800-RECONEX, Inc.'s switch. 5.3.4 Density Zone 1 EELs are: 5.3.4.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop 5.3.4.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 5.3.4.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 5.3.4.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 5.3.4.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 5.3.4.6 DS1 Interoffice Channel + DS1 Local Loop

5.3.4.7	DS3 Interoffice Channel + DS3 Local Loop
5.3.4.8	STS-1 Interoffice Channel + STS-1 Local Loop
5.3.4.9	DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
5.3.4.10	STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
5.3.4.11	2-wire VG Interoffice Channel + 2-wire VG Local Loop
5.3.4.12	4wire VG Interoffice Channel + 4-wire VG Local Loop
5.3.4.13	4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
5.3.4.14	4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
5.3.5	Density Zone 1 EELs as described in Section 5.3.4 shall be made available to 1-800-RECONEX, Inc. as new service in density zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA MSAs.
5.3.6	Density Zone 1 EELs as described in Section 5.3.4 are subject to the restrictions of Sections 5.6.1.1, 5.6.1.2, 5.6.2, and 5.6.3.
5.3.7	Rates
5.3.7.1	Density Zone 1 EEL rates as described in Section 5.3.4 shall be the sum of the recurring rates for that combination as set forth in Exhibit B of this Attachment.
5.4	Ordinarily Combined UNE Combinations
5.4.1	BellSouth shall provide Ordinarily Combined UNE Combinations to 1-800-RECONEX, Inc. as new service in all states, where available, regardless of whether or not such network element combinations are Currently Combined. Ordinarily Combined UNE Combinations consist of a loop-transport combination,

where the transport may consist of an Interoffice Channel, a Local Channel, or a Local Channel and an Interoffice Channel. These combinations may terminate to 1-800-RECONEX, Inc. 's collocation; however collocation is not required. BellSouth does not connect Ordinarily Combined UNEs Combinations to tariffed services.

- 5.4.2 Rates
- 5.4.2.1 The rates for Ordinarily Combined UNE Combinations, which replicate the architecture described in Section 5.3.4, shall be the sum of the recurring and non-recurring rates for that combination as set forth in Exhibit B of this Attachment.
- 5.4.2.2 The rates for Ordinarily Combined UNE Combinations which do not replicate a combination described in Section 5.3.4, shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment.
- To the extent that 1-800-RECONEX, Inc. seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, 1-800-RECONEX, Inc., at its option, may request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.5 Currently Combined Combinations to UNE Conversions
- 5.5.1 In every state within which BellSouth operates, 1-800-RECONEX, Inc.'s existing network transport element combinations may be converted to UNEs, if requested. These combinations may not be connected to tariffed services.
- 5.5.2 Rates
- 5.5.3 The rates for the Conversion of Currently Combined Combinations which replicate a configuration described in Section 5.3.4 shall be the sum of the recurring rates for that combination and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- The rates for the Conversion of Currently Combined Combinations which <u>do not</u> replicate a configuration described in Section 5.3.4 shall be the sum of the recurring rates for the stand-alone network elements and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- 5.5.5 To the extent BellSouth has not developed methods and procedures to provide any specific combination of network elements requested by 1-800-RECONEX, Inc.,

whether or not Currently Combined, such methods and procedures shall be established pursuant to the BFR/NBR process.

## 5.6 Special Access Service to UNE Conversions

- 5.6.1 In every state within which BellSouth operates, 1-800-RECONEX, Inc. may not convert existing special access services to combinations of loop and transport network elements, whether or not 1-800-RECONEX, Inc. self-provides its entrance facilities (or obtains entrance facilities from a third party), unless 1-800-RECONEX, Inc. uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent 1-800-RECONEX, Inc. requests to convert any special access services to combinations of loop and transport network elements at UNE prices, 1-800-RECONEX, Inc. shall provide to BellSouth a certification that 1-800-RECONEX, Inc. is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option 1-800-RECONEX, Inc. seeks to qualify for conversion of special access circuits. 1-800-RECONEX, Inc. shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.6.1.1 **Option 1:** 1-800-RECONEX, Inc. certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at 1-800-RECONEX, Inc.'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, 1-800-RECONEX, Inc. is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. 1-800-RECONEX, Inc. can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- Option 2: 1-800-RECONEX, Inc. certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at 1-800-RECONEX, Inc.'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to

BellSouth tariffed services; or

- 5.6.1.3 **Option 3:** 1-800-RECONEX, Inc. certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. 1-800-RECONEX, Inc. does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- In addition, there may be extraordinary circumstances where 1-800-RECONEX, Inc. is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.6. In such case, 1-800-RECONEX, Inc. may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon 1-800-RECONEX, Inc.'s request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.6.3 BellSouth may, at its sole discretion, audit 1-800-RECONEX, Inc.'s records in order to verify compliance with the local usage option provided by 1-800-RECONEX, Inc. pursuant to Section 5.6.1. The audit shall be conducted by a third party independent auditor, and 1-800-RECONEX, Inc. shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, 1-800-RECONEX, Inc. shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that 1-800-RECONEX, Inc. is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from 1-800-RECONEX, Inc..
- 5.6.4 1-800-RECONEX, Inc. may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

- 5.6.5 Rates
- 5.6.5.1 For a Special Access network element combination which replicates a configuration described in Section 5.3.4, the rates for the UNEs resulting from a Special Access conversion shall be the sum of the recurring charges for the combinations and a one-time conversion charge as set forth in Exhibit B of this Attachment.
- 5.6.5.2 For a Special Access network element combination which <u>does not</u> replicate a configuration described in Section 5.3.4, the rates for the UNEs resulting from a Special Access conversion shall be the sum of recurring charges of the stand-alone network elements and a conversion charge as set forth in Exhibit B of this Attachment.

# 5.7 UNE Port/Loop Combinations

- 5.7.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.7.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.7.3 Except as set forth in section 5.7.6 below, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.7.4 Left blank intentionally
- 5.7.5 Left blank intentionally
- 5.7.6 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

- 5.7.6.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to 1-800-RECONEX, Inc. if 1-800-RECONEX, Inc.'s customer has 4 or more DS0 equivalent lines.
- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.7.7 BellSouth shall make 911 updates in the BellSouth 911 database for 1-800-RECONEX, Inc.'s UNE port/loop combinations. BellSouth will not bill 1-800-RECONEX, Inc. for 911 surcharges. 1-800-RECONEX, Inc. is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.7.8 Combination Offerings
- 5.7.8.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

- 5.7.8.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.7.8.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

## 6 Transport, Channelization and Dark Fiber

# 6.1 **Transport**

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to 1-800-RECONEX, Inc. for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and 1-800-RECONEX, Inc..
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

#### 6.1.2 BellSouth shall:

- 6.1.2.1 Provide 1-800-RECONEX, Inc. exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services:

- 6.1.2.3 Permit, to the extent technically feasible, 1-800-RECONEX, Inc. to connect such interoffice facilities to equipment designated by 1-800-RECONEX, Inc., including but not limited to, 1-800-RECONEX, Inc.'s collocated facilities; and
- Permit, to the extent technically feasible, 1-800-RECONEX, Inc. to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

## 6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- Unbundled Local Channel, defined as the dedicated transmission path between 1-800-RECONEX, Inc.'s Point of Presence ("POP") and 1-800-RECONEX, Inc.'s collocation space in the BellSouth Serving Wire Center for 1-800-RECONEX, Inc.'s POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to 1-800-RECONEX, Inc..

twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to 1-800-RECONEX, Inc. designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1; 6.2.2.4.3 DS3; and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. 1-800-RECONEX, Inc. shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 **BellSouth Technical References:** 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, 6.2.2.7.2 June 1995.

Dedicated Transport may be provided over facilities such as optical fiber, copper

6.2.1.4

6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

## 6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, 1-800-RECONEX, Inc. may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- In order to assure proper operation with BellSouth provided central office multiplexing functionality, 1-800-RECONEX, Inc.'s channelization equipment must adhere strictly to form and protocol standards. 1-800-RECONEX, Inc. must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization

- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.
- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

## 6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between 1-800-RECONEX, Inc.'s collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from 1-800-RECONEX, Inc.'s POP to 1-800-RECONEX, Inc.'s collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for 1-800-RECONEX, Inc. to utilize Dark Fiber Transport.
- 6.4.2 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.2.2 1-800-RECONEX, Inc. is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

- 6.4.2.3 BellSouth shall use its best efforts to provide to 1-800-RECONEX, Inc. information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from 1-800-RECONEX, Inc.. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to 1-800-RECONEX, Inc. within twenty (20) business days after 1-800-RECONEX, Inc. submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable 1-800-RECONEX, Inc. to connect 1-800-RECONEX, Inc. provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

# 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At 1-800-RECONEX, Inc.'s option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by 1-800-RECONEX, Inc..
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

#### 8 Line Information Database (LIDB)

8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, 1-800-RECONEX, Inc. must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between

BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to 1-800-RECONEX, Inc. any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process 1-800-RECONEX, Inc.'s Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to 1-800-RECONEX, Inc. what additional functions (if any) are performed by LIDB in the BellSouth network.
- Within two (2) weeks after a request by 1-800-RECONEX, Inc., BellSouth shall provide 1-800-RECONEX, Inc. with a list of the customer data items, which 1-800-RECONEX, Inc. would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of 1-800-RECONEX, Inc. data to the LIDB shall be solely at the direction of 1-800-RECONEX, Inc.. Such direction from 1-800-RECONEX, Inc. will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card autodeactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for 1-800-RECONEX, Inc. data upon 1-800-RECONEX, Inc.'s request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of 1-800-RECONEX, Inc. customer records will be missing from LIDB, as measured by 1-800-RECONEX, Inc. audits. BellSouth will audit 1-800-RECONEX, Inc. records in LIDB against DBAS to identify record mismatches and provide this data to a designated 1-800-RECONEX, Inc. contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer

record of mis-matches to 1-800-RECONEX, Inc. within one business day of audit. Once reconciled records are received back from 1-800-RECONEX, Inc., BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact 1-800-RECONEX, Inc. to negotiate a time frame for the updates, not to exceed three business days.

- 8.2.10 BellSouth shall perform backup and recovery of all of 1-800-RECONEX, Inc.'s data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide 1-800-RECONEX, Inc. with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between 1-800-RECONEX, Inc. and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of 1-800-RECONEX, Inc. data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by 1-800-RECONEX, Inc. in writing.
- 8.2.13 BellSouth shall provide 1-800-RECONEX, Inc. performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by 1-800-RECONEX, Inc. at least at parity with BellSouth Customer Data. BellSouth shall obtain from 1-800-RECONEX, Inc. the screening information associated with LIDB Data Screening of 1-800-RECONEX, Inc. data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to 1-800-RECONEX, Inc. under the BFR/NBR process as set forth in Attachment 12.
- 8.2.14 BellSouth shall accept queries to LIDB associated with 1-800-RECONEX, Inc. customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. 1-800-RECONEX, Inc. shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. 1-800-RECONEX, Inc. shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

## 9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

#### 9.2 **Signaling Link Transport**

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between 1-800-RECONEX, Inc.-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

- 9.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.4.1 An A-link layer shall consist of two links.
- 9.2.4.2 A B-link layer shall consist of four links.
- 9.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.4.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.4.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
- 9.2.5 Interface Requirements
- 9.2.5.1 There shall be a DS1 (1.544 Mbps) interface at 1-800-RECONEX, Inc.'s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that

neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a 1-800-RECONEX, Inc. local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between 1-800-RECONEX, Inc. local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a 1-800-RECONEX, Inc. or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a 1-800-RECONEX, Inc. database, then 1-800-RECONEX, Inc. agrees to provide BellSouth with the Destination Point Code for 1-800-RECONEX, Inc. database.
- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a 1-800-RECONEX, Inc. or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

#### 9.4 SS7 Advanced Intelligent Network (AIN) Access

9.4.1 When technically feasible and upon request by 1-800-RECONEX, Inc., SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is

the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with 1-800-RECONEX, Inc.'s SS7 network to exchange TCAP queries and responses with a 1-800-RECONEX, Inc. SCP.

- 9.4.2 SS7 AIN Access shall provide 1-800-RECONEX, Inc. SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and 1-800-RECONEX, Inc. SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the 1-800-RECONEX, Inc. SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from 1-800-RECONEX, Inc. local switching systems; and,
- 9.4.3.1.2 A B-link interface from 1-800-RECONEX, Inc. local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from 1-800-RECONEX, Inc. local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the 1-800-RECONEX, Inc. switching system has a valid signaling relationship.

- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from 1-800-RECONEX, Inc. local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the 1-800-RECONEX, Inc. switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from 1-800-RECONEX, Inc. from any signaling point or network interconnected through BellSouth's SS7 network where the 1-800-RECONEX, Inc. SCP has a valid signaling relationship.

## 9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

### 9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of 1-800-RECONEX, Inc. local signaling transfer point switches or 1-800-RECONEX, Inc. local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, 1-800-RECONEX, Inc. local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and 1-800-RECONEX, Inc. or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a 1-800-RECONEX, Inc. local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the 1-800-RECONEX, Inc. local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a 1-800-RECONEX, Inc. local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of 1-800-RECONEX, Inc. local STPs, and shall not include SCCP Subsystem Management of the destination.
- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.

- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from 1-800-RECONEX, Inc. local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from 1-800-RECONEX, Inc. STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from 1-800-RECONEX, Inc. local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the 1-800-RECONEX, Inc. switching system has a valid signaling relationship.

## 10 Operator Services (Operator Call Processing and Directory Assistance)

Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.

10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 10.2.1 Process 0+ and 0- dialed local calls. 10.2.2 Process 0+ and 0- intraLATA toll calls. 10.2.3 Process calls that are billed to 1-800-RECONEX, Inc. end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing 1-800-RECONEX, Inc. local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to 1-800-RECONEX, Inc. that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by 1-800-RECONEX, Inc.. 10.2.15 Provide call records to 1-800-RECONEX, Inc. in accordance with ODUF standards specified in Attachment 7. 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 10.3 **Directory Assistance Service** 10.3.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.

- 10.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by 1-800-RECONEX, Inc.'s end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.
- 10.3.3 <u>Directory Assistance Service Updates</u>
- 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.3.1.1 New end user connections
- 10.3.3.1.2 End user disconnections
- 10.3.3.1.3 End user address changes
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

## 10.4 Branding for Operator Call Processing and Directory Assistance

- 10.4.1 BellSouth's branding feature provides a definable announcement to 1-800-RECONEX, Inc. end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows 1-800-RECONEX, Inc. to have its calls custom branded with 1-800-RECONEX, Inc.'s name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- 10.4.2 BellSouth offers three branding offering options to 1-800-RECONEX, Inc. when ordering BellSouth's Directory Assistance and Operator Call Processing: BellSouth Branding, Unbranding and Custom Branding.
- 10.4.3 Upon receipt of the custom branding order from 1-800-RECONEX, Inc., the order is considered firm after ten business days. Should 1-800-RECONEX, Inc. decide to cancel the order, written notification to <customer\_short\_name's> BellSouth Account Executive is required. If 1-800-RECONEX, Inc. decides to cancel after ten business days from receipt of the custom branding order, 1-800-RECONEX, Inc. shall pay all charges per the order.
- 10.4.4 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 10.4.4.1 Where 1-800-RECONEX, Inc. purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route 1-800-RECONEX, Inc.'s end user calls to that provider through Selective Call Routing.

- Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for 1-800-RECONEX, Inc. to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.3 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 10.4.4.4 Where available, 1-800-RECONEX, Inc. specific and unique line class codes are programmed in each BellSouth end office switch where 1-800-RECONEX, Inc. intends to serve end users with customized OCP/DA branding. The line class codes specifically identify 1-800-RECONEX, Inc.'s end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and 1-800-RECONEX, Inc. intends to provide 1-800-RECONEX, Inc. -branded OCP/DA to its end users in these multiple rate areas.
- 10.4.4.5 BellSouth Branding is the default branding offering.
- 10.4.4.6 SCR-LCC supporting Custom Branding and Self Branding require 1-800-RECONEX, Inc. to order dedicated trunking from each BellSouth end office identified by 1-800-RECONEX, Inc., either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the 1-800-RECONEX, Inc. Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.7 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by 1-800-RECONEX, Inc. to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.8 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

- 10.4.4.9 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.4.4.10 BellSouth Branding, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, 1-800-RECONEX, Inc. shall not be required to purchase dedicated trunking.
- 10.4.4.11 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, 1-800-RECONEX, Inc. must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, 1-800-RECONEX, Inc. must submit a manual order form which requires, among other things, 1-800-RECONEX, Inc.'s OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. 1-800-RECONEX, Inc. shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon 1-800-RECONEX, Inc.'s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all 1-800-RECONEX, Inc. end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.12 BellSouth Branding is the default branding offering.
- 10.4.4.13 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill 1-800-RECONEX, Inc. applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, 1-800-RECONEX, Inc. shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where 1-800-RECONEX, Inc. is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

#### 10.4.5 **Facilities Based Carrier Branding**

- 10.4.5.1 All Service Levels require 1-800-RECONEX, Inc. to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.5.2 Unbranding is the default branding offering.

- 10.4.5.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which 1-800-RECONEX, Inc. requires service.
- 10.4.5.5 Directory Assistance customized branding uses:
- 10.4.5.5.1 the recording of 1-800-RECONEX, Inc.;
- 10.4.5.5.2 the loading on the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.5.6 Operator Call Processing customized branding uses:
- 10.4.5.6.1 the recording of 1-800-RECONEX, Inc.;
- 10.4.5.6.2 the loading on the DRAM in the TOPS Switch (North Carolina);
- the loading on the Network Applications Vehicle (NAV). All NAV shelves within the region where the customer is offering service must be loaded.

# 10.5 <u>Directory Assistance Database Service (DADS)</u>

- BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to 1-800-RECONEX, Inc. end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). 1-800-RECONEX, Inc. agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, 1-800-RECONEX, Inc. agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.5.2 BellSouth shall initially provide 1-800-RECONEX, Inc. with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from 1-800-RECONEX, Inc. to prepare the Base File.
- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since 1-800-RECONEX, Inc.'s previous update.

Delivery of updates will commence immediately after 1-800-RECONEX, Inc. receives the Base File. Updates will be provided via magnetic tape unless BellSouth and 1-800-RECONEX, Inc. mutually develop CONNECT: Direct TM electronic connectivity. 1-800-RECONEX, Inc. will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.

10.5.4 1-800-RECONEX, Inc. authorizes the inclusion of 1-800-RECONEX, Inc. Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

## 10.6 **Direct Access to Directory Assistance Service**

- Direct Access to Directory Assistance Service (DADAS) will provide 1-800-RECONEX, Inc.'s directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide 1-800-RECONEX, Inc. with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be provided to 1-800-RECONEX, Inc. by BellSouth upon subscription to the service. Subscription to DADAS requires that 1-800-RECONEX, Inc. utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

## 11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide 1-800-RECONEX, Inc. access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to 1-800-RECONEX, Inc. after 1-800-RECONEX, Inc. provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be

maintained unless 1-800-RECONEX, Inc. requests otherwise and shall be updated if 1-800-RECONEX, Inc. requests, provided 1-800-RECONEX, Inc. supplies BellSouth with the updates.

- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for 1-800-RECONEX, Inc. end users shall meet industry standards.

## 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides 1-800-RECONEX, Inc. the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 1-800-RECONEX, Inc. shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to 1-800-RECONEX, Inc.'s access to BellSouth's CNAM Database Services and shall be addressed to 1-800-RECONEX, Inc.'s Local Contract Manager.
- BellSouth's provision of CNAM Database Services to 1-800-RECONEX, Inc. requires interconnection from 1-800-RECONEX, Inc. to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, 1-800-RECONEX, Inc. shall provide its own CNAM SSP. 1-800-RECONEX, Inc.'s CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If 1-800-RECONEX, Inc. elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface

Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that 1-800-RECONEX, Inc. desires to query.

- 12.6 If 1-800-RECONEX, Inc. queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by 1-800-RECONEX, Inc. for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by 1-800-RECONEX, Inc. in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of 1-800-RECONEX, Inc. to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 1-800-RECONEX, Inc. CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- 13 Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide 1-800-RECONEX, Inc. the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to 1-800-RECONEX, Inc.. Training, documentation, and technical support will address use of SCE and SMS access and administrative

functions, but will not include support for the creation of a specific service application.

- 13.3 BellSouth SCP shall partition and protect 1-800-RECONEX, Inc. service logic and data from unauthorized access.
- When 1-800-RECONEX, Inc. selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable 1-800-RECONEX, Inc. to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 1-800-RECONEX, Inc. access will be provided via remote data connection (e.g., dial-in, ISDN).
- 13.6 BellSouth shall allow 1-800-RECONEX, Inc. to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

#### 14 Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to 1-800-RECONEX, Inc. a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. 1-800-RECONEX, Inc. will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. 1-800-RECONEX, Inc. will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, 1-800-RECONEX, Inc. will be required to begin using E911 procedures.
- 14.3 <u>E911 Service Provisioning.</u> 1-800-RECONEX, Inc. shall install a minimum of two dedicated trunks originating from the 1-800-RECONEX, Inc. serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. 1-800-RECONEX, Inc. will be required to provide BellSouth daily updates to the E911 database. 1-800-RECONEX, Inc. will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current

E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, 1-800-RECONEX, Inc. will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. 1-800-RECONEX, Inc. shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on 1-800-RECONEX, Inc. beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to 1-800-RECONEX, Inc. shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- 14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

## 15 Operational Support Systems (OSS)

15.1 BellSouth has developed and made available the following electronic interfaces by which 1-800-RECONEX, Inc. may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

- LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.
- 15.3 Denial/Restoral OSS Charge
- 15.3.1 In the event 1-800-RECONEX, Inc. provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 1-800-RECONEX, Inc. will incur an OSS charge for an accepted LSR that is later canceled.

- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

#### **EXHIBIT A**

#### LINE INFORMATION DATA BASE (LIDB)

#### FACILITIES BASED STORAGE AGREEMENT

#### I. Definitions

- A. Billing number a number that 1-800-RECONEX, Inc. creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by 1-800-RECONEX. Inc..
- C. Special billing number a ten-digit number that identifies a billing account established by 1-800-RECONEX, Inc..
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by 1-800-RECONEX, Inc. that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by 1-800-RECONEX, Inc..
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by 1-800-RECONEX, Inc..

#### II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of 1-800-RECONEX, Inc. and pursuant to which BellSouth, its LIDB customers and 1-800-RECONEX, Inc. shall have access to such information. In addition, this Agreement sets forth the terms and conditions for 1-800-RECONEX, Inc.'s provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. 1-800-RECONEX, Inc. understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of 1-800-RECONEX, Inc., pursuant to this Agreement, shall be available to those telecommunications service providers. The

Version 2Q02: 08/07/02

terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to 1-800-RECONEX, Inc.'s account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

### 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether 1-800-RECONEX, Inc. has identified the billing number as one that should not be billed for collect or third number calls.

### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify 1-800-RECONEX, Inc. of fraud alerts so that 1-800-RECONEX, Inc. may take action it deems appropriate.

## **III.** Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by 1-800-RECONEX, Inc. pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to 1-800-RECONEX, Inc. for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

## B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate 1-800-

RECONEX, Inc.'s data from BellSouth's data, the following terms and conditions shall apply:

- 1-800-RECONEX, Inc. will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for 1-800-RECONEX, Inc.'s End User accounts which are resident in LIDB pursuant to this Agreement. 1-800-RECONEX, Inc. authorizes BellSouth to place such charges on 1-800-RECONEX, Inc.'s bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. 1-800-RECONEX, Inc. shall have the responsibility to render a billing statement to its End Users for these charges, but 1-800-RECONEX, Inc. shall pay BellSouth for the charges billed regardless of whether 1-800-RECONEX, Inc. collects from 1-800-RECONEX, Inc.'s End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between 1-800-RECONEX, Inc. and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to 1-800-RECONEX, Inc.. It shall be the responsibility of 1-800-RECONEX, Inc. and the B&C Customers to negotiate and arrange for any appropriate adjustments.

# C. SPNP Arrangements

- BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. 1-800-RECONEX, Inc. will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of 1-800-RECONEX, Inc.. BellSouth will not issue line-based calling cards in the name of 1-800-RECONEX, Inc.'s individual End Users. In the event that 1-800-

RECONEX, Inc. wants to include calling card numbers assigned by 1-800-RECONEX, Inc. in the BellSouth LIDB, a separate agreement is required.

#### IV. Fees for Service and Taxes

- A. 1-800-RECONEX, Inc. will not be charged a fee for storage services provided by BellSouth to 1-800-RECONEX, Inc., as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by 1-800-RECONEX, Inc. in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

IINDI	NDI EI	O NETWORK ELEMENTS - Alabama												Attachment:	<u> </u>	Evhi	bit: B
ONDO	NULLI	J NETWORK ELEMENTS - Alabama										Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc		Manual Svo
CAILG	OKI	RATE ELEMENTS	m	Zone	603	0300			KAIL3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonred	urring	Nonrocurring	Disconnect		l	066	Rates(\$)		l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Tho "70	one" shown in the sections for stand-alone loops or loops as	part of	2 com	hination refers to G	nographically	, Dogyoragod II									SOWAN	JOWIAN
						eograpincan	Deaveraged U	NE Zones. 10	view Georgrap	Dilically Deaver	aged ONE ZOI	e Desiganti	ons by C O,	reier to inter	net website.		
ODED		ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS	connec	tion.nt	im .	1		1									
OPERA		SUPPORT SYSTEMS  (1) Electronic Service Order: CLEC should contact its contract			( ) t manafama tha atata	an acidia alaa				the Ctete Ce						manimani in Abi	
																	is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		lements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that v	vould be billed	to a CLEC on	ce electronic o	ordering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	to BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
		Manual Service Order Charge, per LSR, Disconnect Only (AL)				SOMAN				1.97							
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	CC No.1 Tariff, Section	on 5 as appli	cable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per															
		Day		1	ALL UNE	SDASP		200.00									
UNBU	DLED E	XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30		15.66				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16					15.66				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85					15.66				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				15.66				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15									
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15		15.66				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		Ť				•									
		Designed (per loop)			UEQ	USBMC		8.15									
$\vdash$		Unbundled Copper Loop, Non-Designed Billing for BST			-	1											l
		providing make-up			UEQ	UEQMU		13.44					15.66				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16				İ	15.66				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85				İ	15.66				
		CLEC to CLEC Conversion Charge Without Outside Dispatch				1									İ		İ
		(UCL-ND)		1	UEQ	UREWO		14.27	7.43				15.66				
UNBU	DLED E	XCHANGE ACCESS LOOP			-	1											l
		ANALOG VOICE GRADE LOOP			1	1											l
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			1	1											l
		Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66				
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		† ·			00	2			2.00	i	12.30				
1		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		Ė		1	.2.50	331	50	20.70	0.30		.0.00		1		1
1		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30	I	15.66				1
$\vdash$		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<del>  -</del>			200	301	00	20.40	3.00	i	.5.50				
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		┢▔		1	250	331	50	20.70	0.30		.0.00		1		1
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30		15.66				
$\vdash$		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť	CL. OK OLI OD	SE/KEO	54.54	57.01	17.50	20.40	3.30	<b>-</b>	10.00				1
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66				
1		op Rates for Line Splitting		Ť		3200	54.54	57.51	17.50	20.70	0.00		10.00				1
<u> </u>	IUNF ! ^				1	1	1			1			l		<b>!</b>		<b> </b>
	UNE Lo			1	LIFPRX	UFPLX	12 70										
	UNE Lo	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX UEPRX	UEPLX	12.70 21.19										

Version 3Q02: 10/07/02 Page 1 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted			Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	Disconnect		l l	oss	Rates(\$)	l.	.11
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP															ļ
2-WIR	E ANALOG VOICE GRADE LOOP															ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					44.00		== 00				4= 00				
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	22.00	00.00	55.00	41.24	7.44		13.00			1	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.11	18.09	00.00				10.00				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		15.66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09	00.00				45.00				
4 14/10	CLEC to CLEC Conversion Charge without outside dispatch  E ANALOG VOICE GRADE LOOP			UEA	UREWO		87.72	36.36				15.66				
4-WIR	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	4-Wire Analog Voice Grade Loop - Zone 1  4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66			-	
	4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UEA	OCOSL	00.02	18.09	34.51	33.14	14.50		13.00				<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch		1	UEA	UREWO		87.72	36.36				15.66				<del>                                     </del>
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				1
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				15.66				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	- 1	1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	١.	2	UDC	LIBOOV	32.85	447.04	79.77	50.00	40.54		45.00				
	2 Wine Universal Digital Channel (UDC) Competible Long Zone	- '		UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				<b></b>
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54		15.66				
-	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	40.55	91.63	44.16	32.00	10.54		15.66				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF		OILEVIO		31.00	44.10				10.00				<del>                                     </del>
	2 Wire Unbundled ADSL Loop including manual service inquiry				1											
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44	1	15.66			I	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del>                                     </del>	+-	UAL	UALZVV	11.01	90.00	57.00	41.24	7.44	-	10.00			<del></del>	<del>                                     </del>
1	facility reservaton - Zone 2	1	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44	1	15.66				
<u> </u>	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ť			.2.70	22.00	300	2-			.0.00			1	
	facility reservaton - Zone 3	1	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44	1	15.66			I	
İ	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				15.66				
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP					·								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44		15.66			_	
<del>                                     </del>	2 Wire Unbundled HDSL Loop including manual service inquiry	<del>                                     </del>	+-	OI IL	UI ILZA	0.74	110.00	00.00	41.24	7.44		13.00			<del>                                     </del>	<del>                                     </del>
	& facility reservation - Zone 2	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44	l	15.66			1	

Version 3Q02: 10/07/02 Page 2 of 425

<u> UNBUN</u> DL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
-	2 Wire Unbundled HDSL Loop including manual service inquiry						FIRST	Add I	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)		Ů	UHL	OCOSL	111.44	18.09	00.00	77.27	7		10.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				
-	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.44	18.09	57.00	47.24	7.44		13.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	01.12	U.L.IVO		00	10.10				10.00		1	1	
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		15.66				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	15.25	18.09	68.00	51.70	9.73		15.00				
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFF	OCOSE		10.09									
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry			01.12	0112111	10.00	0 1.00	07.00	00	0.10		10.00		1	1	
	and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
4 14/1	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-001	RE DS1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop - Zone 1  4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	0.1.10	18.09					10.00				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05				15.66				
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	37.88 26.09	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		15.66 15.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66		-	-	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	07.00	18.09	00.00	00			10.00				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09					4 = 6 -				
0.14	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				15.66				1
2-WI	RE Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop/Short including manual service	<del>                                     </del>			+									<del>                                     </del>	<del>                                     </del>	1
	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44		15.66		I	I	
	2-Wire Unbundled Copper Loop/Short including manual service	1	<u> </u>		002.0	11.01	112.70	00.00	77.27	71-4		10.00		<b>†</b>	<b>†</b>	
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66		I	I	
	2 Wire Unbundled Copper Loop/Short including manual service					_										Ì
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop/Short without manual service	Ι.	١.,		LIGI DIA	44.01	04 10	54.00	47.0.	<b></b>		45.00		I	I	
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66		<del>                                     </del>	<del>                                     </del>	ļ
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		15.66		1	1	

Version 3Q02: 10/07/02 Page 3 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	urring Add'l	Nonrecurring	Disconnect Add'l	SOMEC	COMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
+	2-Wire Unbundled Copper Loop/Short without manual service						FIRST	Add I	First	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66				
+	2-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLZL	55.01	112.40	65.30	47.24	7.44		13.00				1
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.00	112.46	65.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	2-Wire Unbundled Copper Loop/Long - without manual service						· · · · · ·									
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				<u> </u>
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLZVV	55.01	91.40	54.50	47.24	7.44		13.00				1
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	33.33	8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.23	42.48				15.66				
4-WIR	E COPPER LOOP															ļ
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
+	4-Wire Copper Loop/Short - including manual service inquiry		<u>'</u>	UCL	UCL45	17.30	135.21	66.03	51.70	9.73		13.00				1
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				
+	4-Wire Copper Loop/Short - without manual service inquiry and	- '	<u>'</u>	UCL	UCL4VV	17.36	114.21	67.05	51.70	9.73		13.00				1
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73		15.66				
+	4-Wire Unbundled Copper Loop/Long - includes manual svc.		-	UCL	UCL4L	49.35	133.21	00.03	51.70	9.73		13.00				1
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	١.,	1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66				
+	4-Wire Unbundled Copper Loop/Long - without manual svc.	- '		UCL	UCL4U	49.33	114.21	07.03	31.70	9.73		13.00				
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15				45.00				<b>_</b>
LOOP MODIFI	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48	-			15.66				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	ı		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL, UEPSR, UEPSB	ULM2L		0.00	0.00				15.66				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	ı		UCL, ULS, UEQ, UEPSR, UEPSB	ULM2G		170.51	170.51				15.66				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	<u> </u>		UHL. UCL	ULM4L		0.00	0.00				15.66				

Version 3Q02: 10/07/02 Page 4 of 425

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	pair greater than 18k ft	1		UCL	ULM4G		170.51	170.51				15.66				
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL, UEPSR, UEPSB	ULMBT		32.41	32.41				15.66				
	Loop Distribution															
Sub-i	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	- 1		UEANL	USBSA		244.42					15.66				
										_		48.65				
-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			UEANL	USBSB		22.64					15.66			-	
	Facility Set-Up	1		UEANL	USBSC		177.45					15.66				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	ı		UEANL	USBSD		55.15					15.66				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		15.66				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>	OLANE	OODINZ	11.21	05.00	30.90	40.20	0.70		15.00				
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		15.66				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					40.00				. =-		4= 00				
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70		15.66				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		15.66				
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		15.66				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		15.66				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66				
	<u> </u>															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	5.40	8.15	8.15	40.74	0.07		45.00				
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1	<b> </b>	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	<u> </u>	15.66			-	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC		8.15	8.15	<u> </u>					<u> </u>	<u> </u>	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70		15.66				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76 11.27	65.80	30.96 30.96	45.25	6.70		15.66				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		15.66			<del>                                     </del>	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07		15.66				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS4X UCS4X	12.61 15.36	79.03 79.03	44.19 44.19	49.71 49.71	9.07 9.07		15.66 15.66				
<del>                                     </del>	4 write Copper Unburidied Sub-Loop Distribution - Zone 3		3	OLF	UU34X	15.36	79.03	44.19	49.71	9.07		10.00			<del> </del>	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u>L</u> _	UEF	USBMC		8.15	8.15								
Unbu	ndled Sub-Loop Modification		igsqcut					-								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10				15.66				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		1	OLI	ULIVIZA		173.76	5.10				13.00				
	Coil/Equip Removal per 4-W PR		<u>L</u> _	UEF	ULM4X		175.78	5.10				15.66				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged											,				
Hnbu	Tap Removal, per PR unloaded  Indled Network Terminating Wire (UNTW)		-	UEF	ULM4T		278.20	6.11			<del>                                     </del>	15.66			<del>                                     </del>	
Olibu	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01					15.66		1	<del> </del>	1

Version 3Q02: 10/07/02 Page 5 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1							ı		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Netwo	ork Interface Device (NID)						40.00					4= 00				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38				15.66				
	Network Interface Device (NID) - 1-6 lines			UENTW UENTW	UND16 UNDC2		63.97	49.11				15.66				
-	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87 5.87	5.87 5.87				15.66 15.66				
SUB-LOOPS	Network interface Device Cross Connect - 4vv			UEINTW	UNDC4		5.01	5.67				13.00				
	oop Feeder															
Oub L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UDN,UCL,UDL,UDC UEA.	USBFW		244.42					15.66				
	set-up			UDN,UCL,UDL,UDC	USBFX		22.64	22.64				15.66				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32				15.66			<b>-</b>	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	1	<b>!</b>		-05.2		310.00	11.02			1	10.00		<b> </b>	<b>I</b>	1
	Grade - Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	12.00	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	20.39	93.00	56.48	54.51	13.67		15.66				<u></u>
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.09	•		•						
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	8.03	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	12.00	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	20.39	93.00		54.51	13.67		15.66				
-	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	20.39	18.09	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,					0.00		50.40	54.54	10.07		45.00				
	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15.66				
	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		2	UEA	USBFC	12.00	93.00	56.48	54.51	13.67		15.66				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		2	UEA	USBFD			70.09	62.05	17.40						
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice					23.47	107.56					15.66				
	Grade - Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66				
$\vdash$	Order Coordination For Specified Conversion Time, Per LSR		<b>!</b>	UEA	OCOSL		18.09				1					1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	23.47	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	33.03	18.09	70.09	02.03	17.40		10.00				
<u> </u>	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.87	106.16	68.69	55.64	13.29		15.66		Ì	1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66		<u> </u>		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	32.51	106.16	68.69	55.64	13.29		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.09									
$\sqsubseteq$	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.87	106.16	68.69	55.64	13.29		15.66			ļ	
$\vdash$	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21.69	106.16	68.69	55.64	13.29		15.66			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	3	UDC USL	USBFS USBFG	32.51 55.09	106.16 101.85	68.69 64.38	55.64 62.05	13.29 17.40	1	15.66 15.66			<del>                                     </del>	
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	1	2	USL	USBFG	124.69	101.85	64.38	62.05	17.40		15.66		1	<del> </del>	1
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1		USL	USBFG	294.62	101.85	64.38	62.05	17.40	1	15.66		1	t	1
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	USL	OCOSL	204.02	18.09	04.30	02.03	17.40		10.00			t	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.75	83.78	46.32	53.02	10.67		15.66		<del> </del>	t	1

Version 3Q02: 10/07/02 Page 6 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_	UCL	USBFH	4.93	00.70	46.32	53.02	10.07		45.00				
-	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	4.93	83.78	46.32	53.02	10.67		15.66				
	3		3	UCL	USBFH	3.96	83.78	46.32	53.02	10.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	5.30	18.09	40.52	33.02	10.07		13.00				-
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	12.71	100.99	63.53	57.90	13.26		15.66				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	9.69	100.99	63.53	57.90	13.26		15.66			1	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	14.37	100.99	63.53	57.90	13.26		15.66			1	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.09									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	19.20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.75	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -												_	_		
	Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				ļ
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -														1	
<b></b>	Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40		15.66		ļ	ļ	<b></b>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.09									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			LIBI	HODED	40.00	404.05	04.00	00.05	47.40		45.00				
-	Zone 1		1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40		15.66			-	<del> </del>
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40		15.66				
-	Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFF	21.04	101.00	04.30	62.05	17.40		15.00				
	Zone 3		3	UDL	USBFP	23.75	101.85	64.38	62.05	17.40		15.66				
+	Order Coordination For Specified Conversion Time, per LSR		_ J	UDL	OCOSL	23.13	18.09	04.30	02.03	17.40		13.00				
SUB-LOOPS	Order Coordination For Specified Conversion Time, per Lorc			ODL	OCCOL		10.03		1							1
	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	13.55										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	332.40	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	13.55										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	357.36	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	- 1		UDLO3	1L5SL	10.28										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															ĺ
	Month	- 1		UDLO3	USBF5	54.89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	- 1		UDLO3	USBF2	538.69	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	I		UDL12	1L5SL	12.66										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month			UDL12	USBF6	620.18										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	!	<u> </u>	UDL12	USBF3	1,729.00	3,400.58	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	41.51										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	310.30										
-	Sub Loop Feeder - OC-48 - Facility Termination Per Month	-	-	UDL48	USBF4	1,495.00	3,586.58	407.00	160.47	90.97		15.66				
<b>-</b>	Sub Loop Feeder - OC-46 - Pacificy Termination Fer Month	-		UDL48	USBF8	350.09	804.67	407.00	160.47	90.97		15.66			-	<del> </del>
LINBLINDI ED	LOOP CONCENTRATION			UDL46	USBF0	350.09	004.07	407.00	160.47	90.97		15.00				1
CHECHEL	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	364.17	325.41	325.41	+ +			15.66		<del>                                     </del>	t	+
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8B	43.70	135.59	135.59	+ +			15.66		<del>                                     </del>	t	<del>                                     </del>
	Unbundled Loop Concentration - System & (TR303)			ULC	UCT3A	395.12	325.41	325.41	† †			10.00		<b> </b>	<b>I</b>	<b>†</b>
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	73.64	135.59	135.59	1			15.66		1	1	1
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	46.07	16.79	4.70		15.66		İ	İ	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite				1		22.20		1						1	İ
	Card)		1	UDN	ULCC1	6.60	10.54	10.48	5.39	5.36		15.66		1	I	
1	Unbundled Loop Concentration - UDC Loop Interface (Brite					-		-								1
<u> </u>	Card)		L	UDC	ULCCU	6.60	10.54	10.48	5.39	5.36	<u></u>	15.66		<u> </u>	<u> </u>	<u></u>
	Unbundled Loop Concentration2 Wire Voice-Loop Start or					_		-								
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.65	10.54	10.48	5.39	5.36		15.66				<u> </u>
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery														1	
1	Loop Interface (SPOTS Card)	l	1	UEA	ULCCR	9.81	10.54	10.48	5.39	5.36	1	15.66		1	1	

Version 3Q02: 10/07/02 Page 7 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(Specials Card)			UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	28.60	10.54	10.48	5.39	5.36		15.66				<u> </u>
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIDI		0.07	40.54	10.10	5.00	5.00		45.00				
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66				+
	Interface			UDL	ULCC6	8.67	10.54	10.48	5.39	5.36		15.66				
UNE OTHER,	PROVISIONING ONLY - NO RATE								0.00							
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,U												
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE				1											+
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			027,0214,002,020	CCDI Q	0.00	0.00									1
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	TY UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per															-
	month			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility			OBLOX	ILOIND	0.00										<u> </u>
	Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or				J (E)		21.00	21.00			<b>†</b>					<del>†                                    </del>
	spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								
	ENCY SPECTRUM															
	SHARING TERS-CENTRAL OFFICE BASED															
SPLII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15.66				+
	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00		15.66				+
l	Line Sharing Splitter, Per System, 8 Line Capacity	Ι		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00		15.66				<b>†</b>
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00		15.66				<u> </u>
END U	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM		05 -							,				<u> </u>
<b> </b>	Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92	-	15.66				<del></del>
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19				15.66				
	Line Sharing - per Subsequent Activity per Line				l											
	Rearrangement(DLEC Owned Splitter	<u> </u>		ULS	ULSCS	2.2.	16.39	8.19	20.00	2.55		15.66				<del>                                     </del>
I INF	Line Sharing - per Line Activation (DLEC owned Splitter) SPLITTING		1	ULS	ULSCC	0.61	47.44	19.31	20.02	9.83	1	15.66				+
	ISER ORDERING-CENTRAL OFFICE BASED				1						1				1	<del>                                     </del>
F	Line Splitting - per line activation DLEC owned splitter		t	UEPSR UEPSB	UREOS	0.61									1	1

Version 3Q02: 10/07/02 Page 8 of 425

ONRONDI	DLED NETWORK ELEMENTS - Alabama			1		1							Attachment:			bit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
L							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
<b>  </b>	Line Splitting - per line activation BST owned - physical	l l		UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83		15.66				
L	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83		15.66				
	MOTE SITE HIGH FREQUENCY SPECTRUM LITTERS-REMOTE SITE				+											
SFL	Remote Site Line Share BellSouth Owned Splitter, 24 Port	-		ULS	ULSRB	38.18	221.09	0.00	254.79	0.00		15.66				
<del>                                     </del>	Remote Site Line Share Cable Pair Activation CLEC Owned at			ULS	OLOND	30.10	221.09	0.00	234.79	0.00		13.00				
	RS and Deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00		15.66				
ENC	D USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	M AKA	REMOT				7 1.00	0.00		0.00		10.00				
	Remote Site Line Share Line Activationfor End User Served at															
	RS, BST Splitter	- 1		ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
	RS Line Share Line Activation for End User served at RS, CLEC															
$oxed{oxed}$	Splitter	1	<u> </u>	ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66				
	ED DEDICATED TRANSPORT															
	TE: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	ım billir	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
INT	TEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATION	41.577	0.000000										
$\vdash$	Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.008838										
	Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
$\vdash$	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1		UTIVA	UTIVZ	21.13	40.34	27.41	10.74	0.90	1	15.00				
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	_		OTTVX	LOTOR	0.000000										
	Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-				-										
	Per Mile per month			U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility											4= 00				
$\vdash$	Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.008838										
$\vdash$	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		UTIDA	ILJAA	0.000030					1					
	Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIBA	01100	10.12	40.04	27.41	10.74	0.00		10.00				
	month			U1TD1	1L5XX	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
<b></b>	month			U1TD3	1L5XX	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	LIATEO	703.52	070 75	100 70	60.20	50.40		45.00				
$\vdash$	Termination per month  Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	month			U1TS1	1L5XX	4.09										
$\vdash$	Interoffice Channel - Dedicated Transport - STS-1 - Facility			01131	ILJAA	4.09										
	Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
LOC	CAL CHANNEL - DEDICATED TRANSPORT	1	<b>†</b>		1		2.00	.020	33.20	33.10		70.00		1		
	TE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one month,	DS3/STS-1=	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	14.93	193.53	33.60	27.11	3.67		15.66	-			
lacksquare	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66				
$\vdash \vdash$	Local Channel - Dedicated - DS1 - Zone 2	1	2	ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
$\vdash \vdash$	Local Channel - Dedicated - DS1 - Zone 3	1	3	ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66			1	
$\vdash \vdash \vdash$	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination	1	<b>!</b>	ULDD3 ULDD3	1L5NC ULDF3	6.92 416.54	451.52	263.94	119.49	83.58	-	15.66			-	<del>                                     </del>
	Local Charmer - Dedicated - D53 - Facility Termination	1		ULDS1	1L5NC		401.02	203.94	119.49	83.38	<b>!</b>	00.01			ļ	1
$\vdash$	Local Channel - Dedicated - STS-1- Per Mile per month					6.92										

Version 3Q02: 10/07/02 Page 9 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
DARK FIBER							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				-				-							
	Thereof per month - Local Channel			UDF	1L5DC	60.32										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.32	639.09	137.87	317.06	197.66		15.66				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	001 04		033.03	137.07	317.00	137.00		13.00				
	Thereof per month - Interoffice Channel			UDF	1L5DF	22.34										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		639.09	137.87	317.06	197.66		15.66				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	60.32										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		639.09	137.87	317.06	197.66		15.66				
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX				I							l		1	_	_
$\vdash$	Number Reserved		<u> </u>	OHD	N8R1X		2.58	0.44	ļ		ļ	15.66		ļ	ļ	ļ
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			l	1									1	I	I
$\vdash$	POTS Translations		<u> </u>	OHD	+		5.94	0.81	4.57	0.54	ļ	15.66		<b> </b>	<b>!</b>	<b>!</b>
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54		15.66				
-	8XX Access Ten Digit Screening, Customized Area of Service			ОНО	INSFIA		5.94	0.81	4.57	0.54		15.00				
	Per 8XX Number			OHD	N8FCX		2.58	1.29				15.66				
+	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OLID	INOI CA		2.30	1.29	<u> </u>		1	13.00				
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.02	0.44				15.66				
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15	1.01701		0.02	0.11				10.00				
	Features			OHD	N8FDX		2.58					15.66				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD		0.000565										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU		0.012002										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.32		42.08			15.66				
SIGNALING (C						15.10	0	0.5.50	10.11			1= 00				
-	CCS7 Signaling Connection, Per 56Kbps Facility			LIDD	DTOCY	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per Call Setup Message			UDB	PT8SX	130.83 0.0000142			-							
-	CCS7 Signaling Usage, Per Call Setup Message  CCS7 Signaling Usage, Per TCAP Message			UDB	+	0.0000142					1				-	-
+	CCS7 Signaling Osage, Fer TCAP Message  CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D			ODD	111177	13.40	33.33	33.33	10.44	10.44		13.00				
	link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57		15.66				
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20		15.66				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility											,			1	
<del>                                     </del>	Termination		<u> </u>		+	21.13	40.54	27.41	16.74	6.90	<u> </u>	15.66		1	1	
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2		1		+	35.76 49.98	177.47 177.47	153.72 153.72	22.19 22.19	15.26 15.26	1	15.66 15.66		<b> </b>	<del>                                     </del>	<del>                                     </del>
	Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	-	<del>                                     </del>		+	49.98 107.63	1//.4/ 177.47	153.72 153.72	22.19	15.26 15.26	1	15.66		-	<del></del>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 - Zone 3	1	<del>                                     </del>		+	0.18	1//.4/	153.72	22.19	15.26	1	00.01		1	<del> </del>	<del>                                     </del>
<del>                                     </del>	interoffice transport - Dedicated - DOT Fel Iville				+	0.10			1		1			1	<del> </del>	1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	60.16	89.27	81.81	16.35	14.44		15.66		1	I	I
CALLING NAM	IE (CNAM) SERVICE	1	<b>1</b>		1	55.10	00.27	01.01	10.00	17.77		10.00		1	<b>†</b>	<b>†</b>
	CNAM For DB Owners - Service Establishment		1	OQV			22.95		21.11						1	1
<del>-                                    </del>	CNAM For Non DB Owners - Service Establishment			OQV			22.95		21.11							
	CNAM For DB Owners - Service Provisioning With Point Code		i –		İ										1	
	Establishment			oqv	1		990.88	732.84	268.93	197.74						

Version 3Q02: 10/07/02 Page 10 of 425

IINRIINDI F	D NETWORK ELEMENTS - Alabama												Attachment:	2	Evhi	bit: B
CADONDEE	- HETTIGITE ELEMENTO - Alabama	l									Svc Order	Svc Order	Incremental			
												Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	<b>-</b>	500				DATEO(6)			Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	_	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			342.33	245.14	275.25	197.74						
	CNAM for DB Owners, Per Query			OQV		0.000902										
	CNAM for Non DB Owners, Per Query			OQV		0.000902										
LNP Query Ser																
	LNP Charge Per query					0.000757										
	LNP Service Establishment Manual						12.52		11.51			15.66				
	LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74		15.66				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB		<u> </u>			1.20										1
	Oper. Call Processing - Oper. Provided, Per Min Using	l	1									l			Ì	1
	Foreign LIDB				]	1.24									ļ	
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING															
Facility	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00				15.66				
UNEP (	CLEC															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						500.00	500.00				15.66				
Unbrar	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.66				
DIRECTORY A	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	DACC)	1													
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt	l	1			0.10									l	1
NUMB	ER SERVICES INTERCEPT ACCESS SERVICE											İ				
	SSISTANCE SERVICES															
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - D	IRECTORY ASSISTANCE															
	Based CLEC															
	Recording and Provisioning of DA Custom Branded		1													
	Announcement	l	1	AMT	CBADA		6,000.00	6,000.00				15.66			l	1
	Loading of Custom Branded Announcement per Switch		1	AMT	CBADC		1,170.00	1,170.00				15.66			İ	1
UNEP (							,	, , , , , , , , , , , , , , , , , , , ,								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.66			İ	
	Loading of DA Custom Branded Announcement per Switch per	1	<b>†</b>				2,300.00	2,300.00							1	1
	OCN	l	1				1,170.00	1,170.00				15.66			l	1
Unbrar	nding via OLNS for UNEP CLEC	1	1		1		.,	.,							<del> </del>	t
J	Loading of DA per OCN (1 OCN per Order)	l			1		420.00	420.00			<b>-</b>	15.66			<del> </del>	
	Loading of DA per Switch per OCN	1	1		1		16.00	16.00				15.66				1
SELECTIVE RO		1	1				10.00	10.00				10.00				1
J_LLOTIVE NO	Selective Routing Per Unique Line Class Code Per Request Per	1	1													1
	Switch	l	1		USRCR		84.70	84.70	14.11	14.11	1	15.66			Ì	1
			1		JUNUIN		04.70	04.70	14.11	14.11	1	10.00	ı		1	1

Version 3Q02: 10/07/02 Page 11 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama			,									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Application Cost			AMTFS	EAF		1,205.26	1,205.26	0.51	0.51		15.66				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		859.71	859.71	22.49	22.49		15.66				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	14.97										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
				UEA,UHL,UCL,UDL,												
	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73		15.66				
	virtual Collocation - 4-wire Cross Connects (loop)	-		AMTFS,UDL12,	UEAC4	0.05	12.39	11.87	6.39	5.73	1	15.00			-	+
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
	Virtual Collocation - 4-1 iber Cross Connects	1		USL,ULC,AMTFS,	CINC4I	3.09	25.55	19.00	9.71	0.23		13.00				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0026										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			AMTFS	VE1CC		535.37					15.66				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTEC	VE105		FOF 07					45.00			1	
-	Cable Support Structure, per cable	<b> </b>	<u> </u>	AMTFS AMTFS	VE1CE VE1BA		535.37 1.518.57	4 540 57	265.99	265.99	ļ	15.66 15.66		1	<del>                                     </del>	<del> </del>
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable	+	<del>                                     </del>	AIVITO	VEIBA		1,578.57	1,518.57	265.99	∠65.99	1	15.66		-	<del></del>	<del> </del>
	record			AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each									-						
	100 pair	<u> </u>		AMTFS	VE1BC		9.62	9.62	11.79	11.79	ļ	15.66		ļ	1	<u> </u>
	Virtual Collocation Cable Records - DS1, per T1TIE	ļ		AMTFS	VE1BD		4.50	4.50	5.52	5.52	ļ	15.66		ļ	1	<b>ļ</b>
	Virtual Collocation Cable Records - DS3, per T3TIE	ļ	<u> </u>	AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66			<b>.</b>	ļ
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				
j	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	10.73				15.66				
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.05	13.86				15.66				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.17	16.98				15.66				
l.	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.93	10.73				15.66				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86				15.66				

UNBUNDLE	D NETWORK ELEMENTS - Alabama		_			· <u></u>							Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	ne BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svo Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec First	curring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN		SOMAN
+							FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98				15.66				
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	\/E4D0	0.00	40.00	44.00	0.00	- 44		45.00				
	Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETILE	0.00	12.00	11.00	0.00	0.44		10.00				
	Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			HEDEV	VE1R4	0.05	40.00	44.07	0.00	5.44		45.00				
VIRTUAL COL				UEPEX	VETR4	0.05	12.39	11.87	6.39	5.44		15.66				
VIKTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
PHYSICAL CO				02. 0.1, 02. 02	12.20	0.00	12.00	11100	0.00	0.11		10.00				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44		15.66				
AIN SELECTI	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,098.91	100.00	8,590.70	. =-		15.66				
	End Office Establishment Query NRC, per query			SRC SRC	SRCEO	0.002749	169.88	169.88	1.70	1.70		15.66				
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE			SKC	+	0.002749										
AIIT BEEFEC	AIN SMS Access Service - Service Establishment, Per State,				+											
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service - User Identification Codes - Per User											4= 00				
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71		15.66				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			Ally	CAWITO	0.002188	41.00	41.00	11.71	11.71		13.00				
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.73										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,								40.00	40.00		4= 00				
	Initial Setup			CAM	BAPSC BAPVX		39.44 4,202.17	39.44 4.202.17	40.69	40.69		15.66 15.66				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,202.17	4,202.17				15.00				
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						7.00	7.55	5.59	5.55		10.00				
	DN, Off-Hook Delay		l		BAPTD		7.83	7.83	9.09	9.09	1	15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66		ļ	ļ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		l		DARTO						1	,=				
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36		15.66		1	1	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP		l		BAPTC		34.47	34.47	14.36	14.36	1	15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFIC		34.47	34.47	14.36	14.36		13.00		1	1	
	DN. Feature Code				BAPTF		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service - Query Charge, Per Query				1	0.05	J /	0		50	l	.0.00				<del>                                     </del>

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1	0.00002										
	Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service						= 00	=				4= 00				
	Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		15.66				
	Subscription			CAM	BAPLS	2.87	8.66	8.66				15.66				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service					-										
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
	AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8.66				15.66				
NHANCED E	EXTENDED LINK (EELs)			CAIVI	DAPES	0.10	0.00	0.00				13.00				
	: New Density Zone 1 EELs are available in the following MSA:	s: Orlan	do, FL	; Miami, FL; Ft. Lau	derdale, FL;	Atlanta, Ga; Ne	w Orleans, LA,									
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
	: In all states, EEL network elements shown below also apply t												UNEs.(Non-re	curring rates	do not apply	<u>'.)</u>
	E: In All States the EEL network elements apply to ordinarily con RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				TCN AS IS CN	arge.) when or	dering ordinar	ily combined i	letwork elemen	its, Non-recuri	ing rates de	э арріу.				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	LICOLL														
	Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			ONOVA	OL/ LL	00.14	00.00	00.00	47.24	7		10.00				
	per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	60.16 107.19	89.27 91.04	81.81 62.57	16.35 10.54	14.44 9.79		15.66 15.66				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.58	4.72	10.54	9.79		15.66				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOVA	15110	0.00	0.00	7.72				10.00				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								4= 0.4			4= 00				
	Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ť	0.10171	O E / LEE	00.11	00.00	00.00				10.00				
	per month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY			5.50	5.50	0.00	0.00		45.00				
4-WIF	Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFF	ICE TE	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
7 1111	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			LANGI GIVI (EEE)												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ī				121707	2								
	Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINCAY	U1TF1	00.40	00.07	04.04	40.05	44.44		45.00				
+	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UIIFI	60.16	89.27	81.81	16.35	14.44		15.66				
1	Month		1	UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
1	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
-+	Additional 4-Wire Analog Voice Grade Loop in same DS1		<del></del>	0140 V A	JLAL4	23.34	131.37	34.JI	35.14	14.30		13.00				<del>                                     </del>
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				

Version 3Q02: 10/07/02 Page 14 of 425

ONBONDE	D NETWORK ELEMENTS - Alabama										I	• • •	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	d Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
						Rec	Nonrecurring Nonrecurring Disconn							Rates(\$)		COMAN
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	44.50		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.00				
	per month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)	1											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDLS6	35.95	120.27	88.80	59.14	14.50		15.00				
	Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.1027	02200	07.00	120.21	00.00	00			10.00				
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.19	6.58	4.72				15.00				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -							. =-								
	combination per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Inonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	DEFICE		UNCCC		3.35	5.55	0.90	0.90		13.00				
7 1111	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			THAMOI OILI (EEE)	1											
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.18										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination Per			0.10171		00.10	00.2.	01.01	10.00			10.00				
	Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
<del>                                     </del>	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66			1	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1	<b>-</b>	<del>  '</del>	OINCDA	UDLU4	33.85	120.27	00.00	39.14	14.50		10.00			1	<del>                                     </del>
1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System		Ť		1	550	.20.27	33.30	554	50		70.00			1	
<u> </u>	combination - per month (2.4-64kbs)	L		UNCDX	1D1DD	1.19	6.58	4.72			<u> </u>	15.66		<u> </u>		
	Nonrecurring Currently Combined Network Elements Switch -As-															
$oxed{oxed}$	Is Charge		<u> </u>	UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR	ANSPORT (EEL)	1											
1 1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	I	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	I	15.66				

Version 3Q02: 10/07/02 Page 15 of 425

NBUNDLE	D NETWORK ELEMENTS - Alabama	1	1		1						Cura Circle	Comp Control	Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
_	Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.18										
_	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		011000		0.00	0.00	0.50	0.00		10.00				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72				15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
_	DS3 Interface Unit (DS1 COCI) combination per month		Ŭ	UNC1X	UC1D1	13.47	6.58	4.72	44.70			10.00				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC	10.11	5.59	5.59	6.98	6.98		15.66				
2-WIRI	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TF	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
4-WID	Is Charge  E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EPOFE	ICE TE	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
7 11111	4-WireVG Loop used with 4-wire VG Interoffice Transport	I .	1	I												
	Combination - Zone 1  4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66				
_	Combination - Zone 2  4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.008838										
1	combination - Facility Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
_	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				

Version 3Q02: 10/07/02 Page 16 of 425

UNDUNDL	ED NETWORK ELEMENTS - Alabama				1						C C1		Attachment:			ibit: B Incrementa
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Ci Manual Svc Mai Order vs. Or Electronic- Ele	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Add'l  Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Dee	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month			UNC3X	1L5ND	8.89										
	High Capacity Unbundled Local Loop - DS3 combination -			LINIONY	LIEODY	007.74	454.50	200.04	440.40	00.50		45.00				
	Facility Termination per month  Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X UNC3X	UE3PX 1L5XX	327.71 4.09	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month  Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	ILSXX	4.09									1	
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-								77.27						İ	
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month			UNCSX	1L5ND	8.89										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	339.21	451.52	263.94	119.49	83.58		15.66				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCOX	UDLST	339.21	451.52	203.94	119.49	03.30		13.00				
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility			0.100/1	120701										1	
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				
2-WII	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	LINIONIN	1141.00/	04.00	447.04	70.77	50.00	10.51		45.00				
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONONA	OTLZX	32.03	117.24	13.11	32.00	10.54		13.00				<del></del>
	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18		-								
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.56	6.58	4.72				15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UCICA	2.56	6.36	4.12				13.00				
	Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0.10.10.	O I LLEX	21.00			02.00	10.01		10.00			İ	
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINICNIY	UC1CA	2.56	6.58	4.72								
	combintaion- per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UCTCA	2.56	6.58	4.72								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		011000		0.00	0.00	0.50	0.50		10.00				<del> </del>
	First DS1 Loop in STS1 Interoffice Transport Combination -		<u> </u>													
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	LINGAY	LICLYY	244.50	050.47	457.54	44.70	44.74		45.00				
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66			<del>                                     </del>	<del> </del>
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility		<del>                                     </del>	0.4007	ILOAA	4.09			+ -						<b> </b>	<del>                                     </del>
	Termination			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72								
	Additional DS1Loop in STS1 Interoffice Transport Combination -						_			-						
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66			L	<u> </u>

Version 3Q02: 10/07/02

<u>UNBU</u> NDLE	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs.	Charge -	
						Rec	Nonrec		Nonrecurring					Rates(\$)			
	A LISS of DOMESTIC OTTO A Live William Transport Over Live View						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66					
	Additional DS1Loop in STS1 Interoffice Transport Combination -			UNCIX	USLAA	134.10	252.41	137.34	44.70	11.71		13.00					
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66					
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72									
	Nonrecurring Currently Combined Network Elements Switch -As-																
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66					
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)													
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	LIDI FC	20,00	400.07	88.80	59.14	14.50		45.00					
	Combination - Zone 1 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66					
	Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66					
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			CHODA	ODLOG	00.00	120.21	00.00	00.14	14.00		10.00					
	Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -																
	Per Mile			UNCDX	1L5XX	0.008838											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -																
	Facility Termination			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX			5 50	5.50	0.00	0.00		45.00					
4-WID	Is Charge  E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	DANG		UNCCC		5.59	5.59	6.98	6.98	-	15.66					
4-7711	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANS	I LELL													
	Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66					
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport																
	Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66					
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport																
	Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.008838											
	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	ILSXX	0.008838											
	Facility Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-			CHODA	01120	10.12	40.04	27.41	10.74	0.00		10.00					
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66					
ADDITIONAL	NETWORK ELEMENTS																
	used as a part of a currently combined facility, the non-recurr																
	used as ordinarily combined network elements in All States, t					As Is Charge of	loes not.										
Nonre	curring Currently Combined Network Elements "Switch As Is"		(One a	applies to each con	nbination)												
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG		1	UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-		1	OINCVA	UNCCC		5.59	5.59	86.0	0.98	-	10.00				}	
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	0.1000		0.00	0.00	0.00	0.00		10.00					
	Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-																
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66					
	Nonrecurring Currently Combined Network Elements Switch -As-																
NOTE	Is Charge - STS1  : Local Channel - Dedicated Transport - minimum billing perio		D00	UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66					
NOTE	Local Channel - Dedicated Transport - minimum billing perior	a - Beio	W D53	IUNCXV	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66					
	Local Channel - Dedicated - 2-Wire Voice Grade  Local Channel - Dedicated - 4-Wire Voice Grade		<del>                                     </del>	UNCXV	ULDV2	14.93	193.10	33.60	37.11	3.67	-	15.66			1	1	
	Local Channel - Dedicated - 4-Wire voice Grade  Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66			1		
İ	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66					
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66					
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92											
	Local Channel - Dedicated - DS3 - Facility Termination		<u> </u>	UNC3X	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66					
	Local Channel - Dedicated - STS-1- Per Mile per month	1	1	UNCSX	1L5NC	6.92					ļ				ļ	1	
	Local Channel Dedicated CTC 4 Facility Targets at 1			LINICOV	III DEC	400 40	AEA EO		440 40								
Ontion	Local Channel - Dedicated - STS-1 - Facility Termination nal Features & Functions:			UNCSX	ULDFS	408.49	451.52	263.94	119.49	83.58		15.66					

Version 3Q02: 10/07/02 Page 18 of 425

UNB	UNDLE	D NETWORK ELEMENTS - Alabama			1							·		Attachment:			ibit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79	CONIEC	15.66	COMPAN	COMPAR	COMPAR	COMPAR
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per								1,010							
		month (2.4-64kbs)			UDL	1D1DD	1.12	6.58	4.72				15.66				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month			UDN	UC1CA	2.41	6.58	4.72				15.66				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.53	6.58	4.72				15.66				
		DS3 to DS1 Channel System per month			UXTD3	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	166.13	178.14	93.97	33.26	31.83		15.66				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.70	6.58	4.72				15.66				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	12.70	6.58	4.72				15.66				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
<u> </u>	0	per month			U1TD1	UC1D1	12.70	6.58	4.72				15.66			ļ	ļ
<u> </u>	Sub-Lo	pop Feeder		<del>   </del>	LINGAY	HODEO										ļ.	ļ
	+	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW 1	UNC1X	USBFG USBFG	55.09	101.85	64.38	62.05	17.40					1	<del> </del>
	-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		2	UNC1X		55.09 124.69	101.85	64.38	62.05 62.05	17.40						<u> </u>
	-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X UNC1X	USBFG USBFG	124.69 294.62	101.85	64.38	62.05	17.40						<u> </u>
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			UNC1X	USBFG	294.02	101.00	04.30	02.03	17.40						
LINIDI	INDI ED I	LOCAL EXCHANGE SWITCHING(PORTS)		-	UNCIX	USDI G											1
OND		nge Ports		1						1							
		Although the Port Rate includes all available features in GA, I	(Y I A	& TN t	he desired features	will need to h	e ordered usin	n retail USOCs		<u> </u>							
		VOICE GRADE LINE PORT RATES (RES)	11, EA	, .	lie desired realures	will fieed to b	e ordered dani	ig retail 00003	•	1							
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Forts 2 Wile / trialog Eine Fort Res.			OLI OIL	OLI ILL	1.00	2.00	2.21	1.72	1.00		10.00				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15.66				
		Excitating 1 or a 2 with 7 that og Eine 1 or with caller 15 1 (co.			OLI OIX	OLI ILO	1.00	2.00	2.21	1.42	1.00		10.00				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Ports - 2-Wire VG unbundled AL extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port								1							
		with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan															
		without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33		15.66				
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33		15.66				
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.66				
	FEATU																
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00				15.66				
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Ports - 2-Wire VG unbundled Line Port with															
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33		15.66				
													4= 00				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33		15.66				
		Exchange Ports - 2-Wire VG unbundled AL extended local			LIEDOD	LIEDAM	4.00	0.00	0.07	4.40	4.00		45.00				
		dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33		15.66				
l		Exnange Ports - 2-wire vG unbundled incoming only port with Caller ID - Bus		1	UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33	1	15.60				
<b>-</b>	-	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan	-		ULFOD	UEPBI	1.38	2.38	2.21	1.42	1.33	1	15.66				1
		without Caller ID		1	UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33	1	15.66				
	-	2-Wire voice unbundled Incoming Only Port without Caller ID	-		OLFOD	ULFWD	1.38	2.38	2.21	1.42	1.33	1	10.00				<b> </b>
		Capability		1	UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33	1	15.66				
	+	Subsequent Activity		<del>                                     </del>	UEPSB	USASC	0.00	0.00	0.00	1.42	1.33		15.66			1	<del>                                     </del>
	FEATU			1	JE1 0D	30,00	0.00	0.00	0.00	<del>                                     </del>			10.00				1
<b></b>		All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00				15.66				1
		NGE PORT RATES (DID & PBX)		t		1		0.00	3.30	1		<b> </b>	.0.00			<b>†</b>	1
	EXCHA	INGE PORT RATES (DID & PBX)															

Version 3Q02: 10/07/02 Page 19 of 425

	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: B
											Svc Order	Svc Order		Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
AILGORI	NATE ELEMENTS	m	ZOITE	B03	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		-	UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90		15.66				
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l	l	İ	1											
	Capable Port	<u></u>	<u> </u>	UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								i							
	Administrative Calling Port	l	l	UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	l	l	UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90		15.66				
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		<del>                                     </del>	02.01	OLI AIVI	1.30	51.27	17.00	15.54	0.90		13.00				
				UEPSP	UEPXO	4.00	04.07	44.05	40.04	0.90		45.00				
	Discount Room Calling Port					1.38	31.27	14.85	13.94			15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90		15.66				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.66				
FEATU																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33		15.66				
NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to c	ircuit switche	d voice and/or	circuit switch	ed data transm	ission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess	
				<i>j</i>												
	LOCAL EXCHANGE SWITCHING(PORTS)  ANGE PORT RATES															
	ANGE PORT RATES			LIEDEY	LIEDD2	9.05	110.21	10.74	50.00	2.76		15.66		•		
	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76		15.66				
	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			-				-						•		
	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46		15.66				
	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPDD UEPTX UEPSX	UEPDD U1PMA	60.09 9.79	202.02 72.77	95.69 52.99								
EXCHA	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered			UEPDD UEPTX UEPSX UEPTX UEPSX	UEPDD U1PMA UEPVF	60.09 9.79 1.98	202.02 72.77 0.00	95.69 52.99 0.00	72.59 47.79	2.46 10.74		15.66 15.66				
EXCHA	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)	vitched	usage	UEPDD UEPTX UEPSX UEPTX UEPSX	UEPDD U1PMA UEPVF	60.09 9.79 1.98	202.02 72.77 0.00	95.69 52.99 0.00	72.59 47.79	2.46 10.74	ated with 2-	15.66 15.66	orts.			
EXCH/	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c	UEPDD U1PMA UEPVF	60.09 9.79 1.98 ed voice and/or	202.02 72.77 0.00 circuit switch	95.69 52.99 0.00 ed data transm	72.59 47.79 ission by B-Ch	2.46 10.74 annels associ		15.66 15.66 wire ISDN p				
EXCH/	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sw  Access to B Channel or D Channel Packet capabilities will be			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to copy through BFR/New	UEPDD U1PMA UEPVF ircuit switcher Business Re	60.09 9.79 1.98 ed voice and/or quest Process.	202.02 72.77 0.00 circuit switch Rates for the	95.69 52.99 0.00 ed data transm	72.59 47.79 ission by B-Ch	2.46 10.74 annels associ		15.66 15.66 wire ISDN p				
EXCH/	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA	60.09 9.79 1.98 ed voice and/or quest Process. 0.00	202.02 72.77 0.00 circuit switch Rates for the	95.69 52.99 0.00 ed data transm packet capabi 0.00	72.59 47.79 ission by B-Chlities will be det	2.46 10.74 annels associtermined via the		15.66 15.66 wire ISDN p				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sv  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port	availab		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to copy through BFR/New	UEPDD U1PMA UEPVF ircuit switcher Business Re	60.09 9.79 1.98 ed voice and/or quest Process.	202.02 72.77 0.00 circuit switch Rates for the	95.69 52.99 0.00 ed data transm packet capabi	72.59 47.79 ission by B-Ch	2.46 10.74 annels associ		15.66 15.66 wire ISDN p				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA	60.09 9.79 1.98 ed voice and/or quest Process. 0.00	202.02 72.77 0.00 circuit switch Rates for the	95.69 52.99 0.00 ed data transm packet capabi 0.00	72.59 47.79 ission by B-Chlities will be det	2.46 10.74 annels associtermined via the		15.66 15.66 wire ISDN p				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sv:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 ission by B-Ch lities will be de	2.46 10.74 annels associatermined via the 20.06		15.66 15.66 wire ISDN p le Request/N				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA	60.09 9.79 1.98 ed voice and/or quest Process. 0.00	202.02 72.77 0.00 circuit switch Rates for the	95.69 52.99 0.00 ed data transm packet capabi 0.00	72.59 47.79 ission by B-Chlities will be det	2.46 10.74 annels associtermined via the		15.66 15.66 wire ISDN p				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX	UEPDD U1PMA UEPVF iricuit switche Business Re U1UMA UEPEX	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabii 0.00 101.56	72.59 47.79 ission by B-Ch ities will be det 79.18	2.46 10.74 annels associ termined via tl 20.06		15.66 15.66 wire ISDN p le Request/h 15.66				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UERAC UERAC	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 ission by B-Ch ities will be de 79.18	2.46 10.74 annels associ termined via th 20.06 1.33		15.66 15.66 wire ISDN p le Request/N 15.66				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sv:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, Local Calling - Res	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX	UEPDD U1PMA UEPVF iricuit switche Business Re U1UMA UEPEX	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81	95.69 52.99 0.00 ed data transm packet capabi 101.56 2.27 2.27	72.59 47.79 ission by B-Ch ities will be det 79.18	2.46 10.74 annels associ termined via tl 20.06		15.66 15.66 wire ISDN p le Request/h 15.66				
NOTE:	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPEX UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UERAC UERAC	60.09 9.79 1.98 ed voice and/or quest Process. 0.00 84.32 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56	72.59 47.79 ission by B-Ch ities will be de 79.18	2.46 10.74 annels associ termined via th 20.06 1.33		15.66 15.66 wire ISDN p le Request/N 15.66				
NOTE: NOTE: UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sv:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, Local Calling - Res	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF U1CUIT SWITCH U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch- Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 101.56 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66				
NOTE: NOTE: UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF U1CUIT SWITCH U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch- Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 101.56 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66				
NOTE: NOTE: UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - DUTS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UEPEX UERAC UERLC UERTE UERTR	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch- Rates for the 0.00 203.81 2.38 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56 2.27 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sv  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy UEPTX UEPSX UEPTX UEPSX UEPTX UEPSX UEPTX UEPTX UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF U1CUIT SWITCH U1UMA UEPEX UERAC UERAC UERLC UERTE	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch- Rates for the 0.00 203.81 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 101.56 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66				
NOTE: NOTE: UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX U1UMA UEPEX UERAC UERAC UERTE UERTR	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81 2.38 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	Exchange Ports - 2-Wire DID Port  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with  allowed change (PIC and LPIC)	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UEPEX UERAC UERLC UERTE UERTR	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch- Rates for the 0.00 203.81 2.38 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56 2.27 2.27 2.27	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX U1UMA UEPEX UERAC UERAC UERTE UERTR	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81 2.38 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX UERAC UERAC UERTE UERTR USAC2 USAC2	60.09 9.79 1.98 3d voice and/or quest Process. 0.00 84.32 1.38 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81  2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10 0.10	72.59 47.79 ission by B-Ch ities will be de 79.18 1.42 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33 1.33		15.66 15.66 wire ISDN p e Request/N 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	Exchange Ports - 2-Wire DID Port  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with  allowed change (PIC and LPIC)	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX U1UMA UEPEX UERAC UERAC UERTE UERTR	60.09 9.79 1.98 8d voice and/or quest Process. 0.00 84.32 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81 2.38 2.38 2.38	95.69 52.99 0.00 ed data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sv  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with  allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy through BFR/New UEPTX UEPSX UEPEX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC  UERAC  UERTE UERTR  USACC  USACC  UERAC	60.09 9.79 1.98 d voice and/or quest Process. 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 203.81 2.38 2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 101.56 2.27 2.27 2.27 0.10 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42 1.42	2.46 10.74 annels associatermined via the 20.06 20.06 1.33 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  'Transmission/usage charges associated with POTS circuit sw:  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with  allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC UERAC UERTE UERTR  USAC2 USACC UERAC UERAC UERAC	60.09 9.79 1.98 8d voice and/or quest Process. 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81  2.38 2.38 2.38 2.38 0.10 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33 1.33 1.33		15.66 15.66 wire ISDN p e Request/N 15.66 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DITS Port - 4-Wire DS1 Port with DID  capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sv  Access to B Channel or D Channel Packet capabilities will be  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 2-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY  NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with  allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy through BFR/New UEPTX UEPSX UEPEX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC  UERAC  UERTE UERTR  USACC  USACC  UERAC	60.09 9.79 1.98 d voice and/or quest Process. 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 203.81 2.38 2.38 2.38 2.38 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 101.56 2.27 2.27 2.27 0.10 0.10	72.59 47.79 ission by B-Ch lities will be de 79.18 1.42 1.42 1.42	2.46 10.74 annels associatermined via the 20.06 20.06 1.33 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC UERAC UERTE UERTR  USAC2 USACC UERAC UERAC UERAC	60.09 9.79 1.98 d voice and/or quest Process. 1.38 1.38 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switche Rates for the 0.00 203.81  2.38 2.38 2.38 2.38 0.10 0.10 0.10	95.69 52.99 0.00 ad data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 iission by B-Ch lities will be de 79.18 1.42 1.42 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33 1.33 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered:  Transmission/usage charges associated with POTS circuit sy:  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE  Unbundled Remote Call Forwarding Service, Area Calling , Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to cy through BFR/New UEPTX UEPSX UEPEX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC UERAC UERTE UERTR  USAC2 USACC UERAC UERAC	60.09 9.79 1.98 8d voice and/or quest Process. 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81  2.38 2.38 2.38 0.10 0.10 0.10 2.38	95.69 52.99 0.00 od data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 ission by B-Ch ities will be det 79.18 1.42 1.42 1.42 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33 1.33 1.33		15.66 15.66 wire ISDN p e Request/N 15.66 15.66 15.66 15.66 15.66 15.66				
NOTE: NOTE: UNBUI UNBUI	ANGE PORT RATES  Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability  Exchange Ports - 2-Wire ISDN Port (See Notes below.)  All Features Offered  Transmission/usage charges associated with POTS circuit sw  Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port  NDLED PORT with REMOTE CALL FORWARDING CAPABILITY NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE Unbundled Remote Call Forwarding Service, Area Calling, Res  Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res  Unbundled Remote Call Forwarding Service, IntraLATA - Res  ecurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus	availat		UEPDD UEPTX UEPSX UEPTX UEPSX will also apply to c y through BFR/New UEPTX UEPSX UEPTX UEPSX UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR UEPVR	UEPDD U1PMA UEPVF ircuit switche Business Re U1UMA UEPEX  UERAC UERAC UERTE UERTR  USAC2 USACC UERAC UERAC	60.09 9.79 1.98 d voice and/or quest Process. 1.38 1.38 1.38 1.38 1.38 1.38 1.38	202.02 72.77 0.00 circuit switch Rates for the 0.00 203.81  2.38 2.38 2.38 0.10 0.10 0.10 2.38	95.69 52.99 0.00 od data transm packet capabi 0.00 101.56  2.27 2.27 2.27 0.10 0.10 2.27 2.27	72.59 47.79 ission by B-Ch ities will be det 79.18 1.42 1.42 1.42 1.42 1.42	2.46 10.74 annels associ termined via tl 20.06 1.33 1.33 1.33 1.33 1.33		15.66 15.66 wire ISDN p le Request/N 15.66 15.66 15.66 15.66 15.66 15.66				

Version 3Q02: 10/07/02 Page 20 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.10	0.10				15.66				
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10				15.66				
	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007025										
	End Office Trunk Port - Shared, Per MOU					0.0001638										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000095										
	Tandem Trunk Port - Shared, Per MOU					0.0002015										
Comm	on Transport				1									ļ		1
	Common Transport - Per Mile, Per MOU					0.0000023										1
	Common Transport - Facilities Termination Per MOU					0.0003224										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC ar															
	es shall apply to the Unbundled Port/Loop Combination - Cos															
	ffice and Tandem Switching Usage and Common Transport Us															
	st and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cur	rrently Comb	ined Combos tl	he nonrecurrin	g charges sha	II be those ider	ntified in the N	onrecurring	ı - Currently	Combined se	ections.		
2-WIRI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing															1
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID															1
	(LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															1
	without Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled Low Usage Line Port without Caller ID															1
	Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63		15.66				
FEATU																1
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00				15.66				
LOCAL	NUMBER PORTABILITY			02.101	02	1.00	0.00	0.00				10.00				+
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										+
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.101	2.11 0/1	0.00										+
HOME	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											+
	Switch-as-is			UEPRX	USAC2		0.10	0.10				15.66				
ADDIT	IONAL NRCs			OLITOX	00/102		0.10	0.10				10.00				+
7.5511	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											+
	Activity		l	UEPRX	USAS2	0.00	0.00	0.00				15.66			1	1
2-WIDI	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<del>                                     </del>	021100	30,102	0.00	0.00	0.00			l	10.00			<b> </b>	+
	ort/Loop Combination Rates		<del>                                     </del>		1	<b> </b>					l				<b> </b>	+
OIAL	2-Wire VG Loop/Port Combo - Zone 1		1		1	12.70								1	<del> </del>	+
1	2-Wire VG Loop/Port Combo - Zone 1		2		1	21.19					-			1	<del> </del>	+
	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3		1	34.80								1	<del> </del>	+
LINE	oop Rates		3		1	34.60					-			1	<del> </del>	+
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55					-			1	<del> </del>	+
	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	20.04									<b>-</b>	+
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3			UEPBX	UEPLX	33.65								-	<del>                                     </del>	+
	2-vviie voice Grade Loop (SLT) - Zone 3		3	ULFBA	UEPLA	33.05					l	l				

Version 3Q02: 10/07/02 Page 21 of 425

ONBOND	)LED	NETWORK ELEMENTS - Alabama												Attachment:			bit: B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V		/oice Grade Line Port (Bus)															
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus		<u> </u>	UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			LIEDDY	LIEDWD	1.15	40.40	19.83	24.04	6.63		45.00				
		2-Wire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63		15.66				
		Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63		15.66				
10		NUMBER PORTABILITY		1	OLFBX	OLFBL	1.13	40.19	19.03	24.51	0.03		13.00				
		Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35										
FF	ATUR						0.00			†		<u> </u>			<b> </b>	1	
		All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00				15.66		1		
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1 1		0.00	0.00				.0.00		İ		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		0.10	0.10				15.66				
AD	DITIC	DNAL NRCs															
	2	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPBX	USAS2		0.00	0.00				15.66				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UN		op Rates		<u> </u>	LIEDDO	LIEDLY	44.55										
	- 4	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX UEPLX	11.55										
	- 4	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG UEPRG	UEPLX	20.04 33.65										
2 W		/oice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	33.00										
Z-V		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1								1					
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20		15.66				
10	-	NUMBER PORTABILITY		1	OLI INO	OLIND	1.13	03.00	32.41	57.45	0.20		13.00				
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.66				
FE	ATUR				CLINO	LIVI OI	0.10	0.00	0.00				10.00				
		All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00				15.66				
NO	NRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90				15.66				
AD		ONAL NRCs												_			
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.66				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1	1										1		
		Group		<u> </u>		_		7.32	7.32				15.66			ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<del>                                     </del>	ļ												
UN		rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1	ļ		40.70										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2	-	+	12.70 21.19			<del>                                     </del>						-	
<b></b>		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3	-	+ +	34.80			-							
IIN		op Rates	-	, J	<del> </del>	+ -	34.00			1					<del> </del>		
OIN		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55			<del>                                     </del>							
		2-Wire Voice Grade Loop (SL 1) - Zone 1	<del></del>	2	UEPPX	UEPLX	20.04			1					<del>                                     </del>	1	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65			†		<u> </u>			<b> </b>	1	1
2-V		/oice Grade Line Port Rates (BUS - PBX)			İ	1									İ		
	Ť					1				1							
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		15.66		1		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20		15.66				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		15.66				

Version 3Q02: 10/07/02 Page 22 of 425

UNDUNDL	LED NETWORK ELEMENTS - Alabama	1	1	1							C C1	Com Cont	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
									T. N	B'						
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama				-		First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SOMAN	SUMAN
	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20		15.66				<del>                                     </del>
+	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20		15.66				+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															Ì
	Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		15.66				ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		<u> </u>							1			<u> </u>		
	Room Calling Port	<u> </u>	<u> </u>	UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66				ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20		15.66				
LOC	CAL NUMBER PORTABILITY			LIEDDY	LNDOD	0.45	0.00	0.00				45.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.66				
FEA	All Features Offered			UEPPX	LIED\/E	1.98	0.00	0.00				45.00				-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	1.98	0.00	0.00				15.66				<del> </del>
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											<del>                                     </del>
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90				15.66				
ADD	DITIONAL NRCs			ULFFX	USACZ		7.91	1.50				13.00				+
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											-
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.66				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI I X	CONOL	0.00	0.00	0.00				10.00				1
	Group						7.32	7.32				15.66				
2-WI	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates															1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										i .
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
2-Wi	ire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without			UEPCO	UEPRF	4.45	40.40	40.00	04.04	0.00		45.00				
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRE	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				-
	2-Wire Coin 2-Way with Operator Screening (AL, KY)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63		15.00				<del>                                     </del>
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			ULFCO	OLFKA	1.15	40.19	19.03	24.91	0.03		13.00				+
	(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				
<del></del>	2-Wire Coin 2-Way with Operator Screening & Blocking:	1		OLI OO	OLIND	1.13	40.13	19.03	24.31	0.03		13.00				+
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66				
-+	2-Wire Coin Outward with Operator Screening and 011 Blocking	1	<b>†</b>			0		.0.50	201	3.30		.0.00		1		
	(AL, FL)	1		UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63	1	15.66		1		
	2-Wire Coin Outward with Operator Screening and Blocking:	1	i –		1 1									İ		1
	011, 900/976, 1+DDD (AL, KY, LA, MS)	1		UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63	1	15.66		1		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Coin Outward Smartline with 900/976 (all states except					_	_									
	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63		15.66				ļ
	DITIONAL UNE COIN PORT/LOOP (RC)			UEPCO	URECU	1.56		19.83	24.91	6.63		15.66				
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)						40.19									

Version 3Q02: 10/07/02 Page 23 of 425

ONBONDLED N	ETWORK ELEMENTS - Alabama										12		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring					Rates(\$)		
	al New Lord Dord LT2 - (A a see a set)			UEPCO	LNPCX		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	cal Number Portability (1 per port) RRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										
	Vire Voice Grade Loop / Line Port Combination - Conversion -		-													
	itch-as-is			UEPCO	USAC2		0.10	0.10				15.66				
ADDITIONA				02. 00	00/102		00	00				10.00				
	Vire Voice Grade Loop/Line Port Combination - Subsequent															
Acti				UEPCO	USAS2		0.00	0.00				15.66				
2-WIRE VO	ICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												
	oop Combination Rates															
	Vire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	Vire VG Loop/IO Tranport/Port Combo - Zone 2		2	ļ		24.23								ļ	ļ	
	Vire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52									1	
UNE Loop			<u> </u>	LIEDED	UEOE2											
	Vire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38			<del>                                     </del>					1	1	
	Vire Voice Grade Loop (SL2) - Zone 2		3	UEPFR UEPFR	UECF2 UECF2	22.85			1		1			<del>                                     </del>	<del>                                     </del>	-
	Vire Voice Grade Loop (SL2) - Zone 3 ce Grade Line Port Rates (Res)		3	UEPFK	UECF2	36.14			+					-	<del></del>	<del>                                     </del>
	Vire voice unbundled port - residence		-	UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77		15.66				
	Vire voice unburidled port - residence Vire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77		15.66				1
	Vire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77		15.66				
	Vire voice Grade unbundled Alabama extended local dialing			OLITIK	OLITIO	1.50	30.30	51.21	40.00	0.11		13.00				
	ity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77		15.66				
	Vire voice unbundles res, low usage line port with Caller ID			02	02.741		00.00	02.	.0.00	0		10.00				
(LU				UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77		15.66				
2-W	Vire Voice Unbundled Alabama Residence Dialing Plan															
with	nout Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77		15.66				
	ICE TRANSPORT															
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	mination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	raction Mile			UEPFR	1L5XX	0.008838										
FEATURES				HEDED	LIEDVE	4.00	0.00	0.00				45.00				
	Features Offered MBER PORTABILITY			UEPFR	UEPVF	1.98	0.00	0.00				15.66			-	
	cal Number Portability (1 per port)		-	UEPFR	LNPCX	0.35										
	RRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIK	LINECX	0.33										
	Vire Loop / Dedicated IO Transport / 2 Wire Line Port															
	mbination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66				
	Vire Loop / Dedicated IO Transport / 2 Wire Line Port															
	mbination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66				
	NICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	BUS)												
UNE Port/L	oop Combination Rates		,													
2-W	Vire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	Vire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	Vire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE Loop																
	Vire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	Vire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85			ļ						ļ	
	Vire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14			ļ					ļ	-	
	ce Grade Line Port (Bus)			UEPFB	LIEDDI	4.00	00.00	F7.07	40.00	0.77		45.00		<b> </b>	<b>!</b>	
	Vire voice unbundled port without Caller ID - bus Vire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBL UEPBC	1.38 1.38	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77	1	15.66 15.66			<del>                                     </del>	-
	Vire voice unbundled port with Caller + E484 ID - bus Vire voice unbundled port outgoing only - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66 48.66	8.77	1	15.66			<del>                                     </del>	-
	Vire voice unbundled port outgoing only - bus  Vire voice Grade unbundled Alabama extended local dialing	-		OLFID	ULFBU	1.38	90.38	51.21	40.00	0.77	}	10.00		1	<del> </del>	-
	ity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77		15.66		1	I	
	Vire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77	1	15.66		<b> </b>	<b>I</b>	<del>                                     </del>
	Vire Voice Unbundled Alabama Business Dialing Plan without			1			00.00	027	.5.50	0.77		70.00		İ	1	
	ler ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77		15.66		1	I	
	MBER PORTABILITY			1							İ			1	1	

Version 3Q02: 10/07/02 Page 24 of 425

ONBONDE	D NETWORK ELEMENTS - Alabama			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										<u> </u>
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.008838										
FEAT	URES															1
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00				15.66				1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87				15.66				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															†
	Combination - Conversion - Switch with change	l		UEPFB	USACC		8.48	1.87				15.66		1	1	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		<del> </del>	1 2 2 3 2 2		30					70.00		t	t	†
	Port/Loop Combination Rates	1		<del> </del>	1									t	t	†
O.L.	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1	<del> </del>	1	15.76								t	t	†
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										†
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		_	37.52										+
LINE	Loop Rates		J			37.32										+
ONE E	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38										+
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85										+
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14										+
2 Wire	e Voice Grade Line Port Rates (BUS - PBX)		3	ULFIF	ULCI Z	30.14										+
2-99116	Voice Grade Line Fort Rates (BOS - FBX)				+				-		-			-	-	+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34		15.66				
			-	UEPFP	UEPPC	1.38	119.27	69.85		8.34 8.34		15.66				<del>                                     </del>
	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPPO UEPP1	1.38	119.27	69.85	61.18 61.18	8.34						<del> </del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPFP	UEPPT	1.38	119.27	69.85	61.18	8.34		15.66				<del>                                     </del>
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			LIEDED	LIEDAG	4.00	440.07	00.05	04.40	0.04		45.00				
	Calling Port		<u> </u>	UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34		15.66				4
	2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34		15.66				4
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34		15.66				4
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34		15.66				<u> </u>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34		15.66				<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port	l	1	UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34		15.66		1	1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port		]	UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34		15.66				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.008838										
FEAT									1					1	1	†
1	All Features Offered	1		UEPFP	UEPVF	1.98	0.00	0.00				15.66		1	t	1
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		1 · · ·	1		3.50	5.50				,0.00		t	t	†
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		<del> </del>	1									t	t	†
	Combination - Conversion - Switch-as-is	l	1	UEPFP	USAC2		8.48	1.87				15.66		I	I	
<del>-  </del>	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		52.11	30,102		0.40	1.07				10.00		<u> </u>	<u> </u>	†
	Combination - Conversion - Switch with change	l	1	UEPFP	USACC		8.48	1.87				15.66		1	1	
LINDUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES		<b>-</b>	02.11	30,100		0.40	1.07	<del>                                     </del>			10.00		1	<del> </del>	+

Version 3Q02: 10/07/02 Page 25 of 425

	1	1	ı	1													
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs. Electronic Disc Add
$\overline{}$								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<del></del>
-+						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates								7.00.		71	0020	00	00			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				22.40										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.88										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				44.17										
UNE L	oop Rates																1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.38										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	22.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	36.14										1
UNE P	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
I	Switch-as-is	<u></u>	L	UEPPX		USAC1		7.31	1.87	<u>                                      </u>		<u></u>			<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																ĺ
	with BellSouth Allowable Changes	<u></u>	<u></u>	UEPPX		USA1C		7.31	1.87	<u> </u>		<u> </u>					
ADDIT	IONAL NRCs																1
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.78	26.78								
Teleph	one Number/Trunk Group Establisment Charges																ĺ
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								ĺ
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								1
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								ĺ
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT														
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		27.28										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		37.86										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										1
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60										
UNE P	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		15.66				
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			1													
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02				15.66				
	IONAL NRCs																
LOCAL	NUMBER PORTABILITY				LIEBBB	LLIBOY											
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<del>                                     </del>
B-CHA	NNEL USER PROFILE ACCESS:			LIEDDE	HERRE	LIALICA	0.00	0.00	2.00								<b></b>
$\longrightarrow$	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						-		<del>                                     </del>
	CVS (EWSD)	-	<b> </b>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1			1	1	<del>                                     </del>
- B 6114	CSD	C MC ^	TAN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1			<del>                                     </del>	1	<del>                                     </del>
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	U,IVIS, &	IN)	UEPPB	LIEDDD	HALICE	0.00	0.00	0.00			1			-	-	<del>                                     </del>
$\longrightarrow$	CVS/CSD (DMS/5ESS)		<u> </u>		UEPPR	U1UCD		0.00	0.00						-		<del>                                     </del>
$\longrightarrow$	CVS (EWSD)	-	<b> </b>	UEPPB UEPPB	UEPPR UEPPR	U1UCE	0.00	0.00	0.00			1			1	1	<del>                                     </del>
Here	CSD TERMINAL PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1			-	-	<del>                                     </del>
USER	User Terminal Profile (EWSD only)		-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						-	<b> </b>	<del>                                     </del>
<del></del>	User Terminal Profile (EWSD only)  CAL FEATURES	-	<b>-</b>	UEPPB	UEPPR	UTUIVIA	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>			-	1	<del>                                     </del>
			1			1				1		1			1		1
VERTI	All Vertical Features - One per Channel B User Profile			HEDDD	UEPPR	HED\/E	1.98	0.00	0.00								

Version 3Q02: 10/07/02 Page 26 of 425

	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	- Diagonna - t	1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-+					-	Rec	First	Add'l			COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and						FIRST	Add I	First	Add'l	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SOMAN
	facilities termination			UEPPB UEPPR	M1GNC	21.14	40.54	27.41	16.74	6.90						
+-	Interoffice Channel mileage each, additional mile		1	UEPPB UEPPR	M1GNM	0.008838	0.00	0.00	10.74	0.90	1	0.00				+
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT		OLITE OLITIC	IVITOIVIVI	0.000000	0.00	0.00				0.00				
	Port/Loop Combination Rates	I	1		1	1										+
UNL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1		1	1										+
	Zone 1		1	UEPPP		166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del>- '</del> -	OLITI		100.07										+
	Zone 2		2	UEPPP		238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		230.30										+
	Zone 3		3	UEPPP		398.85										
LINE	Loop Rates		3	OLFFF		390.03										+
OIVE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	82.55					<del>                                     </del>			<del> </del>	<del> </del>	+
$\longrightarrow$	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	154.18					-			-	-	+
-+	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	314.52					1			1	1	+
LINE	Port Rate		3	UEPPP	USL4F	314.32					-			-	-	+
UNE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	84.32	456.28	259.10	123.88	31.77	-	15.66		-	-	+
NON	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEFFF	UEFFF	04.32	430.20	259.10	123.00	31.77		15.00				+
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		<u> </u>		-											+
				UEPPP	LICACD	0.00	440.07	70.50				45.00				
400	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.07	78.56				15.66				+
ADDI	ITIONAL NRCs				-											
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
LOCA	AL NUMBER PORTABILITY			LUEDDD	LUBOU											
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)				<b></b>											
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel				ļ											
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53									
	New or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BF	0.00	14.53									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.53									
CALL	L TYPES		<u> </u>	LIEDDD	DD704	0.00	0.00	0.00			ļ					
	Inward			UEPPP	PR7C1	0.00	0.00	0.00						-	-	
	Outward		<u> </u>	UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way		ļ	UEPPP	PR7CC	0.00	0.00	0.00						-	-	
Interd	office Channel Mileage		ļ	LIEDDO					10							<b>↓</b>
	Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44		15.66				
	Each Airline-Fractional Additional Mile		<u> </u>	UEPPP	1LN1B	0.18								<b>.</b>	<b>.</b>	
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>	<u> </u>	1									<b>.</b>	<b>.</b>	
UNE	Port/Loop Combination Rates		<u> </u>	LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	142.64								<b>.</b>	<b>.</b>	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.26										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		374.61										
UNE	Loop Rates		<u> </u>	LIEBBO												
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	154.18								<b>.</b>	<b>.</b>	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	314.52								<b>.</b>	<b>.</b>	<b>↓</b>
UNE	Port Rate		<u> </u>		<u> </u>	<b>.</b>								<b>.</b>	<b>.</b>	
	4-Wire DDITS Digital Trunk Port		<u> </u>	UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17		15.66				
NON	RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<u> </u>		1											<b>↓</b>
															1	1

ONRONDER	D NETWORK ELEMENTS - Alabama										12		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		129.49	67.02				15.66				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		129.49	67.02				15.66				
ADDIT	FIONAL NRCs		-	UEPDC	USAVVD		129.49	67.02				15.00				
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.48	14.48				15.66				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 00	021171			0				10.00				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48				15.66				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48				15.66				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48				15.66				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.48	14.48				15.66				
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
A14	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Altern	ate Mark Inversion  AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00							-	
	AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0.00								<b> </b>
Toloni	hone Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00								
relepi	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
-	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS 1	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		15.66				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.18	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	ILINOB	0.18	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination)			OLFDC	ILINOS	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00			0.00						1	
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
Each	System can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports used												
UNE D	OS1 Loop							•		•			_			
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00			ļ					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00							-	<b></b>
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	15)		LIEDMO	V/LINAC 4	404.40	0.00	0.00						ļ	-	<del>                                     </del>
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24 VUM48	101.40	0.00	0.00						<b> </b>	<b>!</b>	1
	48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s		-	UEPMG UEPMG	VUM48 VUM96	202.80 405.60	0.00	0.00			1			<del>                                     </del>	<del>                                     </del>	1
-+	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s	<b>-</b>	-	UEPMG	VUM96 VUM14	405.60 608.40	0.00	0.00	<del>                                     </del>		<del>                                     </del>			-	<del></del>	<del>                                     </del>
	192 DS0 Channel Capacity - 1 per 6 DS1s	-		UEPMG	VUM14 VUM19	811.20	0.00	0.00			}			1	<del> </del>	<b>}</b>
	1194 DOO CHAIHEL CADACILY "1 DELO DO 15										<u> </u>				ļ	<b></b>
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,014.00	0.00	0.00								

Version 3Q02: 10/07/02 Page 28 of 425

ONRONDL	ED NETWORK ELEMENTS - Alabama			1	1	1							Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
		1				_	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00								1
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
A Mi	nimum System configuration is One (1) DS1, One (1) D4 Channe	el Bank,	and U	o To 24 DSO Ports v	with Feature A	Activations.										
Multi	iples of this configuration functioning as one are considered A	dd'l afte	r the m	ninimum system co	nfiguration is	counted.										ĺ
	NRC - Conversion (Currently Combined) with or without															Ī
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36				15.66				
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop w	ith Char	neliza	tion with Port Comb	ination Curre	ently Exists and										1
New	(Not Currently Combined) in all states, except in Density Zone	1 of Top	8 MS/	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66				
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent	1	1	l	I									1	_	
	Activity Only	<u> </u>		UEPMG	CCOSF	0.00	0.00	600.00							ļ	
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								1
	ange Ports Associated with 4-Wire DS1 Loop with Channelizat	ion with	Port													
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00		15.66				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00		15.66				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		15.66				1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		15.66				
	2-Wire Channelized PBX Area Calling Service Combination Port															
	(AL Only)			UEPPX	UEPA4	1.15	0.00	0.00				15.66				
	2 Wire Channelized PBX Area Calling Service Outgoing Only											4= 00				
	Port (AL Only)			UEPPX	UEPA3	1.15	0.00	0.00				15.66				
Feati	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4											4= 00				
	Bank		<u> </u>	UEPPX	1PQWM	0.56	54.55					15.66				4
	Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	4000441	0.50	77.00					45.00				
	D4 Bank		<u> </u>	UEPPX	1PQWU	0.56	77.03					15.66				4
i eiep	phone Number/ Group Establishment Charges for DID Service			LIEDDY	NDT	0.00	0.00	0.00								
	DID Trunk Termination (1 per Port)	1	<u> </u>	UEPPX UEPPX	NDT	0.00	0.00	0.00			ļ			1	<del>                                     </del>	<del>                                     </del>
	DID Numbers - groups of 20 - Valid all States	1	<u> </u>		ND4	0.00	0.00	0.00			ļ			1	<del>                                     </del>	<del>                                     </del>
	Non-Consecutive DID Numbers - per number	1	<del>                                     </del>	UEPPX UEPPX	ND5	0.00	0.00	0.00			ļ			1	<b>!</b>	₩
	Reserve Non-Consecutive DID Numbers	1	<u> </u>	UEPPX	ND6	0.00	0.00	0.00			ļ			1	<del>                                     </del>	<del>                                     </del>
1	Reserve DID Numbers	1	<u> </u>	UEPPA	NDV	0.00	0.00	0.00			ļ			1	<del>                                     </del>	<del>                                     </del>
Loca	Number Portability	<del>                                     </del>	1	LIEDDY	LNPCP	2.45	0.00	0.00							<del>                                     </del>	<del>                                     </del>
EE 43	Local Number Portability - 1 per port	<del>                                     </del>	1	UEPPX	LINPUP	3.15	0.00	0.00			<u> </u>			-	<del>                                     </del>	<del>                                     </del>
	TURES - Vertical and Optional	<del>                                     </del>	1	<b></b>	+										<del>                                     </del>	<del>                                     </del>
Loca	All Features Offered with Line Side Ports Only All Features Available	+	-	UEPPX	UEPVF	1.98	0.00	0.00			<u> </u>			-	-	<del> </del>
	2-Wire Voice Unbundled Alabama Business Dialing Plan withou		<del>                                     </del>	ULPPA	UEFVF	1.98	0.00	0.00			1			-	<del></del>	<del>                                     </del>
	2-wire voice Unbundled Alabama Business Dialing Plan Without Caller ID	Ί	1	UEPBX	UEPWB	14.00	90.00	90.00				15.66		l	I	
2_14/11	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	I Eline:	ODT /		UEFWB	14.00	90.00	90.00	-		<b> </b>	00.01		-	<del></del>	<del> </del>
	Port/Loop Combination Rates	LLINE	-UKI (	ne <b>o</b> j	+						<u> </u>			-	<del>                                     </del>	<del>                                     </del>
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del>                                     </del>	1	<b>—</b>	+	28.38					<u> </u>			-	<del>                                     </del>	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<del>                                     </del>	2	<b>—</b>	+	28.38 36.85					<u> </u>			-	<del>                                     </del>	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	+	3	-	+	36.85 50.14					<u> </u>			-	-	$\vdash$
LINE		<del>                                     </del>	3	<b>—</b>	+	50.14					<u> </u>			-	<del>                                     </del>	<del>                                     </del>
UNE	Loop Rates	1	1	UEPFR	LIECES	14.38					ļ			1	<del>                                     </del>	<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1	1			UECF2						<b>!</b>			ļ		<del>                                     </del>
1	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	22.85			l		1	l		l		<u> </u>

Version 3Q02: 10/07/02 Page 29 of 425

ONRONDLE	D NETWORK ELEMENTS - Alabama			1	1	1					1 -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.10			UEPFR			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.14/:	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14			-							+
z-wire	Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	125.00	80.00	70.00	15.00		15.66				+
	2-Wire voice unbundled port vith Caller ID - res		1	UEPFR	UEPRC	14.00	125.00	80.00	70.00	15.00		15.66				+
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	125.00	80.00	70.00	15.00		15.66				+
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPFR	UEPAR	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID ((LUM)			UEPFR	UEPAP	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire Voice Unbundled Alabama Residence Dialing Plan			-												
	without Caller ID		<u></u>	UEPFR	UEPWA	14.00	125.00	80.00	70.00	15.00		15.66		<u> </u>	<u></u>	<u> </u>
INTER	OFFICE TRANSPORT									-						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.008838										
FEATU																
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.66				
LOCAL	NUMBER PORTABILITY															
NONE	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1						+ +						-	+
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87				15.66				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87				15.66				
2-WIDI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (		USACC		0.40	1.07	+			13.66				+
	ort/Loop Combination Rates		J	l .												<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.38			† †						1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			36.85										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										1
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-Wire	Voice Grade Line Port (Bus)			LIEDED	LIEDDI	44.00	105.00	00.00	70.00	45.00		45.00				
	2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPFB UEPFB	UEPBL UEPBC	14.00 14.00	125.00 125.00	80.00 80.00	70.00 70.00	15.00 15.00		15.66 15.66				+
	2-Wire voice unbundled port with Callet + £464 ID - bus  2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	125.00	80.00	70.00	15.00		15.66			-	+
	2-Wire voice Grade unbundled Alabama extended local dialing			OLITB	OLI BO	14.00	123.00	00.00	70.00	13.00		13.00				+
	parity port with Caller ID - bus			UEPFB	UEPAW	14.00	125.00	80.00	70.00	15.00		15.66				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	125.00	80.00	70.00	15.00		15.66				1
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															1
	Caller ID			UEPFB	UEPWB	14.00	125.00	80.00	70.00	15.00		15.66				
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.008838										
FEATU					1				ļ							<u> </u>
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.66				<u> </u>
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>						ļ						ļ	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port											4= 00				
	Combination - Conversion - Switch-as-is		-	UEPFB	USAC2		8.48	1.87	<del>                                     </del>			15.66		<del> </del>	1	+
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		8.48	1.87				15.66				<u> </u>
			1	1	1				•		•			•	1	1

Version 3Q02: 10/07/02 Page 30 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		-1			28.38	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			36.85					1					<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			50.14										<b> </b>
UNE Lo	pop Rates		Ť			00										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	36.14										<b></b>
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															<b></b>
	Live Cite Hele will I Combined to OWN DDV To all Dark Dark			UEPFP	UEPPC	44.00	440.07	00.05	04.40	0.04		45.00				ĺ
-	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPC	14.00 14.00	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34		15.66 15.66				<del> </del>
	Line Side Unbundled Outward PBX Trunk Port - Bus  Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPPO UEPP1	14.00	119.27	69.85	61.18	8.34		15.66			<del> </del>	
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			Q=111	52	14.00	110.21	09.03	01.10	0.34		13.00				<del>                                     </del>
	Calling Port			UEPFP	UEPA2	14.00	119.27	69.85	61.18	8.34		15.66			1	İ
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	119.27	69.85	61.18	8.34		15.66				<b>L</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	119.27	69.85	61.18	8.34		15.66				<b> </b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	119.27	69.85	61.18	8.34		15.66				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	119.27	69.85	61.18	8.34		15.66				1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFF	UEFAL	14.00	119.27	09.00	01.10	0.34	1	15.00				<del>                                     </del>
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	14.00	119.27	69.85	61.18	8.34		15.66				
	Discount Room Calling Port			UEPFP	UEPXO	14.00	119.27	69.85	61.18	8.34		15.66				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	119.27	69.85	61.18	8.34	1	15.66				
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.66				
INTER	OFFICE TRANSPORT															<b>L</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.008838										ĺ
FEATU				UEPFP	ILSAA	0.008838					1	-				<b></b>
FEATO	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.66				<b> </b>
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	02	0.00	0.00	0.00				10.00				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								i i				1	1		
	Combination - Conversion - Switch-as-is			UEPFP	USAC2	<u>                                       </u>	8.48	1.87			<u></u>	15.66	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port									· · · · · · · · · · · · · · · · · · ·					1	
	Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87	ļ ļ			15.66			ļ	<b></b>
	pop Rates	<u> </u>			4						<u> </u>		ļ	ļ	ļ	<b>├</b>
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC		State C	ommission rule t-	provide Urb	undled Leest C	witching or C:	itch Dorto								⊢
	Based Rates are applied where Bellsouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Pate	Exhibit	1	1	1	1	
	Office and Tandem Switching Usage and Common Transport											Coin Port/I	op Combinat	ions.		
	first and additional Port nonrecurring charges apply to Not Cu														Additional NE	Cs may
	ilso and are categorized accordingly.		2011101		- u J. 111 J J J		,	g changes	25 11036			Julie	,			- Jy
	ket Rates for Unbundled Centrex Port/Loop Combination will	be nea	otiated	on an Individual Ca	ase Basis. un	til further notice	e.		l I							
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only				1				İ				1	1		
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo					<u> </u>										
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP91	1	12.70			ļ ļ						ļ	<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEDO4		04.45			]						1	İ
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91	1	21.19										<del>                                     </del>
	Non-Design		3	UEP91		34.80										1
	Inon-peakin		3	OLFSI	1	34.80	l l		1		<u> </u>	1	l .	l .	l	

Version 3Q02: 10/07/02 Page 31 of 425

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP91		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 91												
	Design		2	UEP91		24.00										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		37.29										
UNE	Loop Rate		Ŭ	02. 0.		01.20										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										
UNE	Ports															
	tates (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									-						
	Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 31	OLI TIVI	1.10	30.30	51.21	40.00	0.11		13.00				+
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															1
A1 1	Basic Local Area (Y, LA, MS, & TN Only			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, r	2-Wire Voice Grade Port (Centrex )		-	UEP91	UEPQA	4.45	40.19	40.00	24.91	0.00	-	45.00				
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP91	UEPQA	1.15 1.15	40.19	19.83 19.83	24.91	6.63 6.63	-	15.66 15.66				
				UEP91	UEPQB											
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated in 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
Loca	Switching			OLI 31	OLI QZ	1.10	40.13	13.03	24.31	0.03		15.00				<b>+</b>
Loca	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										<b>+</b>
Loca	Number Portability			OLI 01	ONLOG	0.0400										<b>+</b>
Loca	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										+
Featu		1		02101	111 00	0.55					1			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
· satt	All Standard Features Offered, per port	l		UEP91	UEPVF	1.98					1			<del> </del>	<b>—</b>	†
	All Select Features Offered, per port	1		UEP91	UEPVS	0.00	405.52				İ			1	1	1
<del>                                      </del>	All Centrex Control Features Offered, per port	1		UEP91	UEPVC	1.98	.00.02							<del> </del>	t	<b>†</b>
NARS		1		1 ·										<del> </del>	t	<b>†</b>
	Unbundled Network Access Register - Combination	1		UEP91	UARCX	0.00	0.00	0.00						1	t	
	Unbundled Network Access Register - Indial	1		UEP91	UAR1X	0.00	0.00	0.00						1	t	
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00						İ	İ	
Misc	ellaneous Terminations	1		<u> </u>		2.20	2.20	2.30						1	t	
	re Trunk Side			İ							1			İ	1	<u> </u>
1	Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76		15.66		İ	İ	1
Inter	office Channel Mileage - 2-Wire				1	2.20			55.50	2.70				İ	İ	1
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.008838					İ			İ	İ	î .
F4.	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	-							1		1			1		1

Featurn Featurn Slot Featurn Featurn Slot Featurn Featurn Slot Featurn Slot Featurn Conver change Conver New C	RATE ELEMENTS  Bank Feature Activations  Irre Activation on D-4 Channel Bank Centrex Loop Slot  Irre Activation on D-4 Channel Bank FX line Side Loop Slot  Irre Activation on D-4 Channel Bank FX Trunk Side Loop  Irre Activation on D-4 Channel Bank Centrex Loop Slot -  Irre Activation on D-4 Channel Bank Private Line Loop Slot  Irre Activation on D-4 Channel Bank Private Line Loop Slot  Irre Activation on D-4 Channel Bank Tjie Line/Trunk Loop  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot  Irre Activation on D-4 Channel Bank WATS Loop Slot	Interi m	Zone	BCS UEP91 UEP91	USOC 1PQWS	Rec	Nonrec First		Nonrocussia			Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic
Featurn Featurn Slot Featurn Featurn Slot Featurn Featurn Slot Featurn Slot Featurn Conver change Conver New C	ure Activation on D-4 Channel Bank Centrex Loop Slot ure Activation on D-4 Channel Bank FX line Side Loop Slot ure Activation on D-4 Channel Bank FX Trunk Side Loop ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot				1PQWS	Rec			Monrooverin		1	i	1st	, ,	Disc 1st	Disc Add
Featurn Featurn Slot Featurn Featurn Slot Featurn Featurn Slot Featurn Slot Featurn Conver change Conver New C	ure Activation on D-4 Channel Bank Centrex Loop Slot ure Activation on D-4 Channel Bank FX line Side Loop Slot ure Activation on D-4 Channel Bank FX Trunk Side Loop ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot				1PQWS	Nec	First			Disconnect				Rates(\$)		
Featurn Featurn Slot Featurn Featurn Slot Featurn Featurn Slot Featurn Slot Featurn Conver change Conver New C	ure Activation on D-4 Channel Bank Centrex Loop Slot ure Activation on D-4 Channel Bank FX line Side Loop Slot ure Activation on D-4 Channel Bank FX Trunk Side Loop ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot ure Activation On D-4 Channel Bank WATS Loop Slot				1PQWS	I		Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featurn Slot Featurn Differer Featurn Slot Featurn Slot Featurn Slot Featurn Non-Recurring Conver change Conver New C New C Second UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2 - Wire Non-D 2 - Wire Non-D	ure Activation on D-4 Channel Bank FX line Side Loop Slot ure Activation on D-4 Channel Bank FX Trunk Side Loop ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot				1PQWS									<b></b> '	<b></b> '	ļ
Featurn Slot Featurn Featurn Slot Featurn Featurn Slot Featurn Non-Recurring Conver change Conver New C New C New C New C UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2 Vire Non-D	ure Activation on D-4 Channel Bank FX Trunk Side Loop ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ng Charges (NRC) Associated with UNE-P Centrex			UEP91		0.56								<u>'</u>		
Featurn Differei Featurn Slot Featurn Non-Recurring Conver change Conver New Conver New Conver New Conver New Conver Very Conver New	ure Activation on D-4 Channel Bank Centrex Loop Slot - ent Wire Center  ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot ure Activation on D-4 Channel Bank WATS Loop Slot				1PQW6	0.56										
Differer Feature Feature Slot Feature Non-Recurring Conver Change Conver New	ent Wire Center  ure Activation on D-4 Channel Bank Private Line Loop Slot ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ng Charges (NRC) Associated with UNE-P Centrex			UEP91	1PQW7	0.56										
Featuri Slot Featuri Non-Recurring Conver change Conver New Co New Co Second NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Looj 2-Wire Non-Do	ure Activation on D-4 Channel Bank Tjie Line/Trunk Loop ure Activation on D-4 Channel Bank WATS Loop Slot ng Charges (NRC) Associated with UNE-P Centrex		i .	UEP91	1PQWP	0.56										
Slot Featuring Non-Recurring Conver change Conver New C New C Secon NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2 Vire Non-D Non-D	ure Activation on D-4 Channel Bank WATS Loop Slot ng Charges (NRC) Associated with UNE-P Centrex			UEP91	1PQWV	0.56										
Non-Recurring Conver change Conver New Cr New Cr Second UNEP CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Dn	ng Charges (NRC) Associated with UNE-P Centrex											, <del> 1</del>		i ——		
Non-Recurring Conver change Conver New C. New C. Second UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-D	ng Charges (NRC) Associated with UNE-P Centrex		<u> </u>	UEP91	1PQWQ	0.56			<b>↓</b>					ļ'	<b></b> '	<u> </u>
Conver change Conver New Co New Co Second NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do		ļ	<u> </u>	UEP91	1PQWA	0.56			<b>↓</b>			<del></del>		<u>'</u>	<b></b> '	<u> </u>
Change Conver New Conver New Conver New Conver New Conver Second NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-Do					-				<del>                                     </del>			<del></del>				<b></b>
Conver New Co New Co Second NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Loop 2-Wire Non-De	ersion - Currently Combined Switch-As-Is with allowed		1	UEP91	USAC2		0.10	0.10			]	15.66	,	, '	1 '	
New Control New Co	ersion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58	+		$\vdash$	15.66				1
New Cr Second NAR E UNE-P CENTR 2-Wire VG Loc UNE Port/Loop 2-Wire Non-De	Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21	10.56	+		$\vdash$	15.66				
Second NAR E: UNE-P CENTR 2-Wire VG Loo UNE Port/Loo 2-Wire Non-De	Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21		+		<del> </del>	15.66				+
UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-De	ndary Block, per Block			UEP91	M2CC1	0.00	78.02		<del>                                     </del>			15.66		$\overline{}$		
UNE-P CENTR 2-Wire VG Loc UNE Port/Loo 2-Wire Non-De	Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73					15.66				
2-Wire VG Loc UNE Port/Loo 2-Wire Non-De	REX - 5ESS (Valid in All States)															
2-Wire Non-De	pop/2-Wire Voice Grade Port (Centrex) Combo															1
Non-De	op Combination Rates (Non-Design)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -											i		i i		
	Design		1	UEP95		12.70						ı		<u> </u>		
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		21.19										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		34.80										
	op Combination Rates (Design)		Ŭ	02.00		0 1.00										
	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP95		15.53										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		24.00										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95		24.00			+		$\vdash$	$\longrightarrow$				
Design			3	UEP95		37.29						ı l		, '		
UNE Loop Rat			Ŭ	OLI SO		07.20			<del>                                     </del>			$\overline{}$		$\overline{}$		
	e Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55										
	e Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04				-				,		
2-Wire	e Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65								i		
	e Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38										
	e Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85										
	e Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14					$oxed{\Box}$				$lue{}$	<u> </u>
UNE Port Rate	te	ļ	<u> </u>						<b> </b>		$\longmapsto$	<b></b>		ļ!	<b></b> '	ļ
All States	Noise Conde Dest (Content) Desir Level Acce		<u> </u>	LIEDOE	LIEDYA		10.10	10.00	242	2.00	$\longmapsto$	45.00			$\longleftarrow$	<b></b>
	e Voice Grade Port (Centrex ) Basic Local Area	1	<del>                                     </del>	UEP95 UEP95	UEPYA UEPYB	1.15	40.19	19.83 19.83	24.91 24.91	6.63 6.63	$\longmapsto$	15.66			<b>├</b> ──	<b>├</b>
	e Voice Grade Port (Centrex 800 termination) e Voice Grade Port (Centrex with Caller ID)1Basic Local		1			1.15	40.19				<del>                                     </del>	15.66				-
Area 2-Wire	e Voice Grade Port (Centrex from diff Serving Wire			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
Center	er)2 Basic Local Area e Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77	$\longrightarrow$	15.66				
Term -	- Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
- Basic	e Voice Grade Port terminated in on Megalink or equivalent ic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				<u> </u>
	e Voice Grade Port Terminated on 800 Service Term - : Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63	1	15.66	, ,	, '	1	

Version 3Q02: 10/07/02 Page 33 of 425

UNBUNDLE	D NETWORK ELEMENTS - Alabama			,		•							Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						_	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching								ļ							
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488			ļ .							
Local	Number Portability			LIEBAE	LNBSS				1					ļ		
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35			ļ						ļ	
Featur					<b>_</b>											
	All Standard Features Offered, per port		<u> </u>	UEP95	UEPVF	1.98	105.50									
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98										
NARS			<u> </u>	LIEDOS												
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
80' 1	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0.00	0.00								
	laneous Terminations															
z-wire	Trunk Side			LIEDOE	CEND6	8.05	119.31	18.74	59.90	0.70		45.00				
4 18/:	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-wire	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, each			UEP95	M1HD0	0.00	14.46	95.69	72.59	2.40		15.66				
Interes	fice Channel Mileage - 2-Wire			ULF 93	WITIDO	0.00	14.40		-			13.00				-
intero	Interoffice Channel Facilities Termination			UEP95	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	MIGBM	0.008838	40.54	21.41	10.74	0.90		13.00				
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	6		OLI 93	IVIIODIVI	0.000000										
	annel Bank Feature Activations															
D-7 O.I.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	r datare / terreation on B i originalist Bank Control 200p old			02. 00	46	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP95	1PQW6	0.56								1		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					5.50			† †					1		
	Slot			UEP95	1PQW7	0.56			1							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			İ	1				† †					İ		
	Different Wire Center		1	UEP95	1PQWP	0.56								1		
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56			1							
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
L	Slot	<u></u>	L	UEP95	1PQWQ	0.56			<u>                                      </u>					<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					15.66		ļ		
	CENTREX - DMS100 (Valid in All States)								ļ							
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)				$\bot$				1					ļ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1											1		
	Non-Design		1	UEP9D		12.70			ļ							<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	1						1		]			Ì		I
1	Non-Design	1	2	UEP9D		21.19			1					I	1	

UNBUNDL	LED NETWORK ELEMENTS - Alabama												Attachment:			ibit: B
CATEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		34.80										
LINE	Non-Design E Port/Loop Combination Rates (Design)		3	UEP9D		34.80										
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI OD		10.00										
	Design		2	UEP9D		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55				_			•			
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
	E Port Rate L STATES															
ALL				LIEDOD	UEPYA	1 15	40.10	10.02	24.01	6.63		15.66			-	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPTA	1.15	40.19	19.83	24.91	6.63		15.66				
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEF9D	UEPTB	1.15	40.19	19.03	24.91	0.03		15.00				
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI OD	OLI 10	1.10	40.10	10.00	24.01	0.00		10.00				
	Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			02.02	02. 15	0	10.10	10.00	21.01	0.00		10.00				
	Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	LIEDVO	4.45	40.40	40.00	24.04	0.00		45.00				
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66				
	Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLF3D	OLFIII	1.13	40.19	19.03	24.51	0.03		13.00				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3		1	OLI OD	OLI IVV	1.10	40.10	10.00	24.01	0.00		10.00				
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66			1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					0			251	5.50		.0.00		Ì	1	
	2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66		1	I	
İ	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3													1		
	Basic Local Area		<u>L</u>	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		15.66		<u> </u>	<u></u>	<u></u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3												_	_		
	Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1												1	_	
	Basic Local Area		<u> </u>	UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3				1									1	I	
	Basic Local Area		<u> </u>	UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIEDVO		00.55	F7.00	40.00			45.00		1	I	
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66		ļ	-	ļ
			1	1					1		1				1	1

NRONDFI	ED NETWORK ELEMENTS - Alabama			ı							12		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		T
	O Miss Vaiss Crade Dark (Contravidiffer CMC /EDC MESSON)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLI 3D	OLI 13	1.15	30.30	51.21	40.00	0.11		15.00				+
	Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77		15.66			-	+
	Term			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 3D	OLI 12	1.15	30.30	51.21	40.00	0.11		15.00				+
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				1
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66			<del>                                     </del>	+
	2-Wire Voice Grade Fort (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				<b>†</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQT UEPQU	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				
_	2-Wire Voice Grade Port (Centrex / EBS-M5208)3  2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63		15.66				+
	2-Wire Voice Grade Fort (Centrex / EBS-M5216)3			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63		15.66				+
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66			İ	
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								40.00			4= 00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2. 3			UEP9D UEP9D	UEPQM UEPQO	1.15 1.15	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77		15.66 15.66				
	2-Wile Voice Glade Port (Certifex diller SWC /EBS-PSE1)2, 3			UEP9D	UEPQU	1.15	90.36	51.21	40.00	0.77		13.00				+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77		15.66				
	, , , , , , , , , , , , , , , , , , ,															1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66				
	2 Miss Vaiss Conds Dark (Contract/differ SMC /EDC ME242)2 2			LIEDOD	LIEDOC	4.45	00.20	57.27	40.00	8.77		45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		1	UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77		15.66				
_	2 WHO VOICE GRADE FOR (SCHILEWAITER GWO/EBG WIGGOO)2, 0			OLI OD	OLI QT	1.10	30.00	07.27	40.00	0.11		10.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77		15.66				
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66				
	0.117 1/1 0 1 0 1 0 1 17 17 17 17 17 17 17 17 17 17 17 17 1								40.00			4= 00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66			-	
	Term			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	· <del>- · · · · · · · · · · · · · · · · · ·</del>				J J_	1.15	55.56	01.21	40.00	0.77		10.00				<b>†</b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	L	UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66		<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching		<u> </u>	LIEDAD	LIDECS	0 = 10-										
11	Centrex Intercom Funtionality, per port		<u> </u>	UEP9D	URECS	0.5488									1	
Local	Number Portability  Local Number Portability (1 per port)		-	UEP9D	LNPCC	0.35									-	+
Featu			1	OLI 3D	LINFOO	0.35			<del> </del>						<del> </del>	+
	All Standard Features Offered, per port			UEP9D	UEPVF	1.98										<del>                                     </del>
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										

NRONDI	LED	NETWORK ELEMENTS - Alabama			1									Attachment:			bit: B
ATEGORY	, <u> </u>	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NAR																	
	L	Inbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00								
	L	Jnbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00								
		Inbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00								
		neous Terminations															
2-Wi		runk Side															
		runk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wi		igital (1.544 Megabits)															
	С	OS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	С	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.46					15.66				
Inter		ce Channel Mileage - 2-Wire															
		nteroffice Channel Facilities Termination			UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	lr	nteroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.008838										
Feat		Activations (DS0) Centrex Loops on Channelized DS1 Service	е							1							
D4 C	Chan	nel Bank Feature Activations															
		eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56			1							
	T									1							
	l <sub>F</sub>	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		eature Activation on D-4 Channel Bank FX Trunk Side Loop		t			5.20			1		1			1	1	
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	02. 02		0.00										
		Different Wire Center			UEP9D	1PQWP	0.56										
		Silicion Wile Conter			OLI OD	11 Q 111	0.00										
	l <sub>F</sub>	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tire Line/Trunk Loop			OLI OD	11 Q 11 1	0.00										
		Slot			UEP9D	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot		<del>                                     </del>	UEP9D	1PQWA	0.56			+							
Non		urring Charges (NRC) Associated with UNE-P Centrex			OLI 3D	II QWA	0.50										
NOI		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10				15.66				
		Conversion of existing Centrex Common Block, each		<del>                                     </del>	UEP9D	USACN		37.75	16.58	+			15.66				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21	10.56				15.66				
		New Centrex Standard Common Block			UEP9D	M1ACC	0.00	667.21		+			15.66			-	ļ
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73		+			15.66				1
LINE		ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLF 9D	UNLUA	0.00	12.13		+			13.00			-	ļ
						+				+						-	ļ
		G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design)				+				+						-	ļ
UNE				<u> </u>		-											
		P-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP9E		12.70									1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	UEF9E	-	12.70										
				2	UEP9E		21.19			1		]			Ì	I	
-+	1	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEPSE	+	∠1.19			<del>                                     </del>						<b>-</b>	
				2	UEP9E		04.00								l	I	
1167-		Non-Design		3	UEPSE	1	34.80								1	<del>                                     </del>	<del>                                     </del>
UNE		t/Loop Combination Rates (Design)		ļ	-	1										-	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		١.,	LIEBOE		45 -0									1	
		Design		1	UEP9E	1	15.53									-	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOE										l	I	
		Design		2	UEP9E	1	24.00			<b> </b>							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEDOE										l	I	
		Design		3	UEP9E	1	37.29										
UNE		op Rate		<u> </u>	LIEBAE	LIEGS:				<b> </b>							
_		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55								ļ	<b>.</b>	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04									ļ	ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65									ļ	
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38									1	
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14								ļ		
		t Rate															
- 1	EI L	KY, LA, MS, & TN only			1												

NNRANDL	ED NETWORK ELEMENTS - Alabama			1							1 -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching			LIEBOE	LIDEOO	0.5400										
Local	Centrex Intercom Funtionality, per port  Number Portability			UEP9E	URECS	0.5488			-							
LUCA	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35			†						1	
Featu				02. 02	2.1. 00	0.00										
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP9E UEP9E	UAR1X UAROX	0.00	0.00	0.00	-						-	
Misca	ellaneous Terminations			UEP9E	UARUX	0.00	0.00	0.00								
	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76		15.66			İ	
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.46					15.66				
Interd	office Channel Mileage - 2-Wire			LIEBOE	MODO	04.40	40.54	07.44	40.74	0.00		45.00				
	Interoffice Channel Facilities Termination			UEP9E UEP9E	MIGBC	21.13 0.008838	40.54	27.41	16.74	6.90		15.66				
Foatu	Interoffice Channel mileage, per mile or fraction of mile are Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBM	0.008838			-							
D4 CI	nannel Bank Feature Activations	e							+						1	
5-7 (1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56							-			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	.=											
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9E	1PQW7	0.56										
_	Different Wire Center			UEP9E	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9E	1PQWV	0.56										<u> </u>
	Slot			UEP9E	1PQWQ	0.56									1	
-	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56			† †					<del> </del>	t	1

Version 3Q02: 10/07/02 Page 38 of 425

MDUNUL	ED NETWORK ELEMENTS - Alabama			T	1								Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
- 1.0	NRC Conversion Currently Combined Switch-As-Is with allowed		1													
	changes, per port			UEP9E	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58				15.66				1
	New Centrex Standard Common Block		<del>                                     </del>	UEP9E	M1ACS	0.00	667.21	10.30				15.66				
	New Centrex Standard Common Block		<del>                                     </del>	UEP9E	M1ACC	0.00	667.21					15.66				
			<u> </u>													
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73					15.66				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	1							1					
	Non-Design		1	UEP93		12.70								<u> </u>		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93	1	21.19					I	]				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		34.80					1					
UNE	Port/Loop Combination Rates (Design)		ľ	02. 00		01.00										
OILL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del>                                     </del>	<u> </u>												
	Design		1	UEP93		15.53										
			<u> </u>	UEF93		15.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		l _													
	Design		2	UEP93		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		37.29										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85										
-+	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	36.14										<del>                                     </del>
LINE	Port Rate		3	ULF 93	ULCGZ	30.14										<del>                                     </del>
			<del>                                     </del>													
AL, r	(Y, LA, MS, & TN only			LIEDOO	LIEDVA	4.45	10.10	10.00	04.04	0.00		45.00				
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area		<u> </u>	UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1		1 7						i			1		
	Area	<u></u>	<u>L</u>	UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63	<u> </u>	15.66		<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area		1	UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77	1	15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area		1	UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77	1	15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1		J	0	55.50	JE/	.0.00	5.77	1	.5.50			1	1
	- Basic Local Area		1	UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63	1	15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	OE1 30	OL: 13	1.13	40.19	13.03	24.31	0.03	<del> </del>	15.00		1	}	
			1	LIEDOS	LIEDYO		10.10	10.00	04.01	0.00	I	45.00				
	Basic Local Area		1	UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63	1	15.66		1	1	
	2-Wire Voice Grade Port (Centrex )		<u> </u>	UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63	ļ	15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1		1 7						i			1		
	Center)2		<u></u>	UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77	<u></u>	15.66		<u></u>		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		1	UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77	I	15.66				
			t								i				Ì	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63	1	15.66				
	2-Wire Voice Grade Fort Terminated in on 800 Service Term		<b>!</b>	UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63	ł – – –	15.66			<del> </del>	
	2-vviile voice Grade Fort Terminated on our Service Term			OLI 30	ULFUZ	1.13	40.19	13.03	24.91	0.03	1	13.00			<b> </b>	<del>                                     </del>
Loca	Switching															
Loca	Switching			LIEDOS	LIBECC	0.5400										
	Switching   Centrex Intercom Funtionality, per port     Number Portability			UEP93	URECS	0.5488										

DONDELL	D NETWORK ELEMENTS - Alabama												Attachment:			ibit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs.	Charge
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electron Disc Add
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature	es															1
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										1
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00								
	aneous Terminations															
	Trunk Side															1
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				1
	Digital (1.544 Megabits)					0.00										1
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				1
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46					15.66				
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.008838	10.01	2,,,,,	10 1	0.00		10.00				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 00		0.000000										
	nnel Bank Feature Activations	Ĩ			+											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										
+	r catare / lotration on B   Charmer Barm Control 2005 Clot			02. 00	4	0.00										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			0L1 00	11 00110	0.00										
	Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 30	11 0,117	0.00										
	Different Wire Center			UEP93	1PQWP	0.56										
	Different Wife Genter			OLI 93	II QVVI	0.50										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10			İ	15.66		1		
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73					15.66				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	- Requres Interoffice Channel Mileage					i i										1
	- Requires Specific Customer Premises Equipment		1		T)	1			1			1		İ	1	

IINBI	NDI EI	NETWORK ELEMENTS - Florida												Attachment:	2	Evhi	bit: B
ONDO	NULLI	S NET WORK ELEMENTS - 1 IOIIda					1					Svc Order	Svc Order	Incremental		Incremental	
													Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISL	DISC Add I
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Ge	eographically	/ Deaveraged Ul	NE Zones. To	view Georgrap	hically Deaver	aged UNE Zon	e Desiganti	ons by C O,	refer to Inter	net Website:		
	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
OPERA	TIONAL	SUPPORT SYSTEMS															
	NOTE: (	(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator if	it prefers the state	specific elect	tronic service o	rdering charge	s as ordered b	y the State Co	mmissions. T	he electron	ic service o	dering charg	e currently co	ntained in th	is rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ct either the state s	pecific Comr	nission ordered	rates for the	electronic serv	ice ordering ch	narges, or CLE	C may elect	the regiona	al electronic s	service orderii	ng charge.	
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rdina	o the SOMEC rate li	isted in this (	rategory Pleas	e refer to Relis	South's Rusine	es Rules for L	ocal Ordering	(BBR-I O) to	determine	if a product of	an he ordere	d electronical	lly For
		lements that cannot be ordered electronically at present per t															
		g charge, SOMAN, will be applied to a CLECs bill when it sub				e iii tiiis cate	gory reflects th	s charge that v	vould be billed	to a ollo on	ce electronic c	ruering cap	abilities co	ine on-ine io	i tilat elelilelli	Otherwise,	tile illalitual
	orderiii	Manual Service Order Charge, per LSR, Disconnect Only (FL)	Jillits ai	LOK	bensouth.	SOMAN				1.83			1		1	1	
<b>—</b>		Electronic OSS Charge, per LSR, submitted via BST's OSS		<del>                                     </del>		JOINAIN	<del>                                     </del>			1.00							t
1		interactive interfaces (Regional)		1		SOMEC	]	3.50					1				I
UNF SE	RVICE	DATE ADVANCEMENT CHARGE		1		JOINEO		5.50					l				<b> </b>
OIAL OI		The Expedite charge will be maintained commensurate with	ReliSou	th's FC	C No 1 Tariff Section	on 5 as annli	cable										
	INOTE.	UNE Expedite Charge per Circuit or Line Assignable USOC, per	Denoor	1111310	C NO.1 Tallii, Occili	он з аз аррн	Cable.										
		Day		1	ALL UNE	SDASP		200.00									1
LINBUN	DI ED E	XCHANGE ACCESS LOOP		<del>                                     </del>	ALL OINL	JUNGE	†	200.00									t
		ANALOG VOICE GRADE LOOP															
-	Z-VVIIXL	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		11.90				
		Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	20.31	48.65	22.00	25.02	0.57		11.90				
-		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95					11.90				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OL7 II IL	ORLIN		20.00					11.00				-
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			OL/ WIL	CINETVO		10.70	0.04				11.00				
		billing for BST providing make-up			UEANL	UEANM		13.49									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00									
		Order Coordination for Specified Conversion Time for UVL-SL1			OL/ WIL	OL7 WIO		0.00									
		(per LSR)			UEANL	OCOSL		23.02									
	2-WIRE	Unbundled COPPER LOOP			02/11/2	00002		20.02									-
	_ *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	10.92	44.98	20.90	19.65	5.09		11.90				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	19.38	44.98	20.90	19.65	5.09		11.90				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00									
		Unbundled Copper Loop, Non-Designed Billing for BST						0.00									
		providing make-up			UEQ	UEQMU		13.49					11.90				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1	į į	48.65					11.90				
		Loop Testing - Basic Additional Half Hour		1	UEQ	URETA	†	23.95					11.90		İ	İ	1
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)		1	UEQ	UREWO		14.27	7.43				11.90				1
UNBUN	DLED E	XCHANGE ACCESS LOOP											-				
	2-WIRE	ANALOG VOICE GRADE LOOP					İ										
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90				1
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-											-				
		Zone 1	<u></u>	_1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57	<u> </u>	11.90		<u> </u>	<u> </u>	<u> </u>
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
L		Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		11.90				<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57		11.90				I
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-					İ										
		Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57		11.90				<u> </u>
	UNE Lo	op Rates for Line Splitting															
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	12.94	0.102	0.102								
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	17.06	0.102	0.102								
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2			UEPRX	UEPLX	31.87	0.102	0.102								

Version 3Q02: 10/07/02 Page 41 of 425

ONBONDE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1		LIEALO	40.04	405.75	00.47	62.52	40.04		44.00				
	Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01		11.90				-
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	ULALZ	17.40	133.73	02.47	03.33	12.01		11.50				
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	00.01	23.02	02	00.00	.2.01		11.00				1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01		11.90				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				
4-WIR	E ANALOG VOICE GRADE LOOP					10.00	107.00					44.00				
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56		11.90				
	4-Wire Analog Voice Grade Loop - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	47.62	167.86 23.02	115.15	67.08	15.56		11.90				
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		23.02 87.71	36.35				11.90				
2-WIB	E ISDN DIGITAL GRADE LOOP			UEA	UKEWU		07.71	30.33				11.90		-	-	
2-1111	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				+
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71		11.90				+
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)		_	UDN	OCOSL		23.02	-								1
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15				11.90				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_													
	3		3	UDC	UDC2X	48.62	147.69	94.41	62.23	10.71		11.90				
0.14/10	CLEC to CLEC Conversion Charge without outside dispatch E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	1.00	UDC	UREWO		91.61	44.15				11.90				
Z-WIR	2 Wire Unbundled ADSL Loop including manual service inquiry	AIIBLE	LOUP	1												-
	& facility reservation - Zone 1		4	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		11.90				
1	2 Wire Unbundled ADSL Loop including manual service inquiry			UAL	UALZA	0.30	149.55	103.63	75.05	15.63		11.90				<del>                                     </del>
	& facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		11.90				
	2 Wire Unbundled ADSL Loop including manual service inquiry			07 IL	OTILEX	11.00	140.00	100.00	70.00	10.00		11.50				+
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
I	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12	<u> </u>	11.90		<u> </u>	<u> </u>	<u></u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		11.90				ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &										]			_	_	
ļļ	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12		11.90				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02	10.00				44.00				<b></b>
0.1405	CLEC to CLEC Conversion Charge without outside dispatch	TID: F :	000	UAL	UREWO		86.19	40.39				11.90		1	1	<b></b>
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LOUP	<del>                                     </del>	+									<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63	1	11.90		1	1	
<del>                                     </del>	2 Wire Unbundled HDSL Loop including manual service inquiry	<b>-</b>		O. IL	OI ILZA	1.22	109.09	113.41	75.05	10.03	<b> </b>	11.50		t	t	<b>-</b>
1 1	& facility reservation - Zone 2	l	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63	1	11.90		1	1	

ONBONDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2 Wire Unbundled HDSL Loop including manual service inquiry		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.21	23.02	110.41	73.03	13.03		11.50				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12		11.90				
	2 Wire Unbundled HDSL Loop without manual service inquiry			l												
	and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	OCOSL UREWO		23.02 86.12	40.39				11.90				
4-WIE	CLEC to CLEC Conversion Charge without outside dispatch RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOP	UHL	UREWU		86.12	40.39				11.90				
4-7711	4 Wire Unbundled HDSL Loop including manual service inquiry	IIIBLE	LOOF												1	
	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry				_											
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL4W	45.44	400.00	445 47	CO 74	44.00		11.90				
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4VV	15.44	168.62	115.47	62.74	11.22		11.90				
	and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	21.55	23.02	113.47	02.74	11.22		11.30				1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIF	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02	10.01				44.00				
4 10/15	CLEC to CLEC Conversion Charge without outside dispatch RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.07	43.04				11.90				
4-111	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90		-	-	1
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	55.99	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64 OCOSL	55.99	161.56	108.85	67.08	15.56		11.90			-	
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		23.02 102.11	49.74				11.90				
2-WIF	RE Unbundled COPPER LOOP		<del>                                     </del>	UDL	OINEVVO		102.11	45.14				11.50		<b>†</b>	t	
Z-4VII	2-Wire Unbundled Copper Loop/Short including manual service		<del>                                     </del>		+									<b>†</b>	t	
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63		11.90		I		
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63		11.90				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90		L	1	ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								ļ
. 1	2-Wire Unbundled Copper Loop/Short without manual service			LICI	LICE DIA	0.00	400.01	70.00	20.01	0.40		44.00		I		
<del></del>	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Short without manual service	1	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90		1	1	

Version 3Q02: 10/07/02 Page 43 of 425

<u>UNBUNDLE</u>	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring		001150	001441		Rates(\$)	0011411	
	O Wine Hab and Connect Land (Chart with said second assiss				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.94	9.00	9.00	60.64	9.12		11.90				
-	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	OCLIVIC		9.00	9.00								<del>                                     </del>
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				
-	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	002	OOLEL	17.72	140.00	102.02	70.00	10.00		11.00				1
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															Ì
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Long - without manual service		_			40.04		=								
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47				11.90				
4 WID	E COPPER LOOP			UCL	UREWU		97.21	42.47				11.90				
4-9915	4-Wire Copper Loop/Short - including manual service inquiry				1											+
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				
+	4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL43	11.03	177.07	132.70	77.13	17.73		11.90				+
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				
-	4-Wire Copper Loop/Short - including manual service inquiry			002	002.0	10.01	111101	102.10				11.00				1
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop/Short - without manual service inquiry and															1
	facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22		11.90				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.				1101.41	04.40	477.07	100.70	77.45	47.70		44.00				
	inquiry and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	31.10	177.87	132.76	77.15	17.73		11.90				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90				
-	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL4L	44.20	177.07	132.70	77.13	17.73		11.90				+
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	70.42	9.00	9.00	77.10	17.70		11.00				1
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	002.110		0.00	0.00								Ì
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	31.10	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	44.20	153.18	100.03	62.74	11.22		11.90				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	78.42	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90		ļ	ļ	ļ
OOP MODIF	ICATION				1									-	-	<del>                                     </del>
				UAL, UHL, UCL,										I		
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEQ, ULS, UEA, UEANL. UDL. UDC.	1									I	I	
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		0.00	0.00				11.90		I	I	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	-		ODIA, ODE, OOL	CLIVIEL		0.00	0.00				11.30		<del> </del>	<del>                                     </del>	<del>                                     </del>
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		343.12	343.12				11.90		I	I	
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire			- J-, J-J, J-Q	3		5-10.12	5-10.12				11.00		1	1	<del>                                     </del>
	less than or equal to 18K ft	l	1	UHL, UCL	ULM4L		0.00	0.00			I	11.90		1	1	

Version 3Q02: 10/07/02 Page 44 of 425

ONDUND	LED NETWORK ELEMENTS - Florida	1	1		1 1						Com Cont	Cura Curt	Attachment:			ibit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft  Unbundled Loop Modification Removal of Bridged Tap Removal,			UCL UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,	ULM4G		343.12	343.12				11.90				
	per unbundled loop			USL	ULMBT		10.52	10.52				11.90				
SUB-LOOP																
Sub	o-Loop Distribution															<b>.</b>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		487.23					11.90				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		6.25					11.90				
	Facility Set-Up	1		UEANL	USBSC		169.25					11.90				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		38.65					11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		11.90				
	Order Consideration for Habrardted Cab Leave and all leave are			LIFANII	LICDMC		0.00									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>		UEANL UEANL	USBMC USBR2	3.96	9.00 51.84	13.44	47.50	5.26		11.90				-
	Cub-Loop 2-vviile intrabuliumg Network Cable (INC)	<u> </u>		OLANE	OODINZ	3.30	31.04	13.44	47.50	5.20		11.30				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26		11.90				-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	l i		UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		11.90				1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF	UCS2X	12.98	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	Т	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90				<b>†</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		11.90				
<u></u>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00									
Uni	bundled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load	<b>!</b>	-	-	1										-	<del>                                     </del>
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		10.11					11.90				
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11					11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58					11.90				
Uni	bundled Network Terminating Wire (UNTW)	ļ		LIENITA/	LIENDD	0.4570	40.00					44.00			ļ	<u> </u>
	Unbundled Network Terminating Wire (UNTW) per Pair work Interface Device (NID)			UENTW	UENPP	0.4572	18.02					11.90				ļ

Version 3Q02: 10/07/02 Page 45 of 425

ONBONDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87				11.90				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07				11.90				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63				11.90				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63				11.90				1
SUB-LOOPS																1
Sub-L	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		487.23					11.90				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC	USBFX		6.25	6.25				11.90				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522.41	11.32				11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice	1			i											
	Grade - Zone 1		1	UEA	USBFA	6.41	92.75	51.24	58.45	13.07		11.90				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07		11.90				
	Grade - Zone 2		2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			-				-								
	Grade - Zone 3		3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_	LIEA	LICDEC	0.40	00.75	54.04	50.45	12.07		44.00				
	Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		2	UEA	USBFC	9.10	92.75	51.24	58.45	13.07		11.90				-
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR		Ū	UEA	OCOSL	10.10	23.02	01.24	00.40	10.01		11.50				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLIT	CCCCL		20.02									+
	Grade - Zone 1		1	UEA	USBFD	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2	<b> </b>	2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90			1	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	1	3	UEA	USBFD	31.45	106.92	64.46	63.54	14.83		11.90				
$\vdash$	Order Coordination For Specified Conversion Time, Per LSR	<del>                                     </del>	3	UEA	OCOSL	31.45	106.92 23.02	64.46	63.54	14.83	-	11.90		-	1	<del>                                     </del>
<b></b>				UEA	UCUSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1	1	UEA	USBFE	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90				
	Grade - Zone 3		3	UEA	USBFE	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	31.43	23.02	04.40	03.54	14.03	1	11.90				
<del> </del>	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21.07	109.71	66.68	60.21	12.49		11.90				-
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90				+
	Order Coordination For Specified Conversion Time, Per LSR	1	Ŭ	UDN	OCOSL	07.00	23.02	00.00	00.21	1210	<u> </u>	11.00			1	<b>†</b>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	2	UDC	USBFS	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	3	UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	1	USL	USBFG	42.59	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	l		USL	USBFG	60.53	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3			USL	USBFG	107.39	133.77	78.02	85.16	21.21		11.90		İ		<b>†</b>
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	121.00	23.02		22.10			50				
<del></del>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	3.76	85.27	42.24	58.54	10.82	1	11.90		1	t	<del>                                     </del>

Version 3Q02: 10/07/02 Page 46 of 425

UNBUNDL	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	5.35	85.27	42.24	58.54	10.82		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UCL	USBFH	5.35	05.27	42.24	36.34	10.62		11.90				1
	3		3	UCL	USBFH	9.49	85.27	42.24	58.54	10.82		11.90				
	Order Coordination For Specified Conversion Time, per LSR		_	UCL	OCOSL		23.02								1	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	7.32	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	10.40	99.66	57.20	60.98	12.28		11.90				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	18.46	99.66	57.20	60.98	12.28		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -														1	
$\longmapsto$	Zone 1		1	UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90		ļ	ļ	<b></b>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			l										1	I	
$\vdash$	Zone 2		2	UDL	USBFO	20.59	100.62	58.16	63.54	14.83		11.90			-	<b>↓</b>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			UDL	HODEO	00.50	400.00	50.40	00.54	44.00		44.00				
	Zone 3		3	UDL	USBFO	36.53	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		-	UDL	OCOSL		23.02									
	Zone 1		1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_ '	UDL	USBFF	14.40	100.62	36.10	63.34	14.03	1	11.90				1
	Zone 2		2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	ODL	CODIT	20.00	100.02	00.10	00.04	14.00		11.00				1
	Zone 3		3	UDL	USBFP	36.53	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, per LSR		Ť	UDL	OCOSL	00.00	23.02	00.10	00.01	1 1.00		11.00				
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	- 1		UDLSX	1L5SL	15.69										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	I		UDLO3	1L5SL	11.90										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	_ !		UDLO3	USBF5	62.98			100.00			44.00				
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	547.22	3,402.59	407.15	166.83	94.58		11.90				
-	Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	14.65										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	502.47										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1.577.00	3,402.59	407.15	166.83	94.58		11.90				
<del>                                     </del>	Sub Loop Feeder - OC-12 - Facility Termination Per Month  Sub Loop Feeder - OC-48 - Per Mile Per Month		1	UDL12 UDL48	1L5SL	1,577.00 48.06	3,402.59	407.15	100.83	94.58	1	11.90		1	<del> </del>	+
<del>                                     </del>	Sub Loop Feeder - OC-48 - Fel Wille Fel Worth			UDL40	ILJOL	40.00			<del>                                     </del>					<del> </del>	<del>                                     </del>	<del>                                     </del>
	Month	1		UDL48	USBF9	251.80										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	i i		UDL48	USBF4	1,589.00	3,588.59	407.15	168.35	95.43		11.90				-
	Sub Loop Feeder - OC-12 Interface On OC-48	i		UDL48	USBF8	331.15	804.98	407.15	168.35	95.43		11.90				
UNBUNDLED	LOOP CONCENTRATION	-		022.0	002.0	001110	00 1.00		100.00	00.10		11.00			1	
i i	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42	1			11.90			1	1
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76	1			11.90			1	1
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				1
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite						_			-						
	Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				<u> </u>
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
<b></b>	Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90		ļ	ļ	<b>ļ</b>
1 1	Unbundled Loop Concentration2 Wire Voice-Loop Start or		1	l	0.5-									1	I	
$\vdash \vdash \vdash$	Ground Start Loop Interface (POTS Card)		<u> </u>	UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				<b>↓</b>
1 1	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	l	1	l										l	I	
l 1	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				

Version 3Q02: 10/07/02 Page 47 of 425

UNBUNDL	LED NETWORK ELEMENTS - Florida			I	, ,						1_	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	History Hadden Considering AME and Considering						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop						40.50									
	Interface Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1	UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
UNE OTHER	R, PROVISIONING ONLY - NO RATE			ODL	OLOGO	10.01	10.00	10.00	0.77	0.70		11.00				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Haland Hall Control Name Book in the Control Name			UEANL,UEF,UEQ,U	LINEON											
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate R, PROVISIONING ONLY - NO RATE		-	ENTW	UNECN	0.00	0.00									1
ONE OTHER	K, FROVISIONING UNLT - NU KATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
<b>—</b>	rate Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00								-	
	Unbundled DS1 Loop - Expanded Superframe Format option -			OOL	00001	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UES	UESPA	300.00	556.57	343.01	139.13	90.04		11.90			1	
	month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility			-												
	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		52.17	52.17							1	
	queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or														1	
	spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								
HIGH FREQ	UENCY SPECTRUM E Sharing		1												<u> </u>	
	E SHARING ITTERS-CENTRAL OFFICE BASED		-												-	
JOP L	Line Sharing Splitter, per System 96 Line Capacity - True up		1													
	pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
	Line Sharing Splitter, per System 24 Line Capacity - True up															
$oxed{oxed}$	pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				
$\vdash$	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00		11.90				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM		SEGDG		173.00	0.00	31.42	0.00		11.50			<b>†</b>	1
<u> </u>	Line Sharing - per Line Activation -(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
	Line Sharing - per Subsequent Activity per Line Rearrangement	_			L											
$\vdash$	- True up pending approval by PSC(BST Owned Splitter)	R	1	ULS	ULSDS		21.68	16.44				11.90				
1 1	Line Sharing - per Subsequent Activity per Line Rearrangement															
1															•	1

Version 3Q02: 10/07/02 Page 48 of 425

UNBL	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		Line Sharing - per Line Activation (DLEC owned Splitter)	-		ULS	ULSCC	0.61	First 47.44	Add'l 19.31	First 20.67	Add'I 12.74	SOMEC	<b>SOMAN</b> 11.90	SOMAN	SOMAN	SOMAN	SOMAN
	LINES	PLITTING	-	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				1
		SER ORDERING-CENTRAL OFFICE BASED		1													1
	LIVE O	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										+
		Line Splitting - per line activation BST owned - physical	i		UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		11.90				
		Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90				
	REMO	TE SITE HIGH FREQUENCY SPECTRUM															
	SPLITT	TERS-REMOTE SITE															
		Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	25.00	150.00	0.00	150.00	0.00		11.90				
		Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and deactivation	I		ULS	ULSTG		74.38	0.00	46.77	0.00		11.90				
	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	/ AKA	REMO	TE SITE LINE SHARI	ING											
		Remote Site Line Share Line Activationfor End User Served at				LII CDC	0.04	40.00	22.00	40.57	0.04		44.00				
	1	RS, BST Splitter		1	ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				<u> </u>
		RS Line Share Line Activation for End User served at RS, CLEC Splitter			ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
LINBLIN	NDI ED I	DEDICATED TRANSPORT	-	1	ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				1
ONDO		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hillin	a neri	nd - helow DS3-one	month DS3/	STS-1-four mo	nths									
		OFFICE CHANNEL - DEDICATED TRANSPORT		ig pen	DC:011 DC0=0110	1	1										<del> </del>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.500/	0.0004										
	1	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	U1TDX	1L5XX	0.0091										<u> </u>
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	UTIDA	OTTDO	10.44	47.33	31.76	10.31	7.03		11.90				1
		Imonth			U1TD1	1L5XX	0.1856										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	120/01	0.1000										
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	3.87			<u>                                      </u>		<u> </u>					
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	1	month			U1TS1	1L5XX	3.87										<b></b>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				===				=							
	1.0041	Termination		-	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90		<b> </b>	ļ.	<del> </del>
		. CHANNEL - DEDICATED TRANSPORT LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a nori-	d - bal	DE2-one merth	Designe 4	four months								<b> </b>	1	<del> </del>
	NOTE:	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	y perio		ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90		1	1	<del>                                     </del>
	1	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1  Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90		1	1	<del>                                     </del>
	<u> </u>	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2			UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90			1	<del>                                     </del>
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		Ť	1	1		200.04	.0.01	350	50		700		İ		1
	1	Zone 1	l	1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00		11.90			1	1

Version 3Q02: 10/07/02 Page 49 of 425

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00		11.90				
-	Zone 2 Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		2	ULDVX	ULDRZ	27.94	205.84	46.97	37.03	4.00		11.90				<b></b>
	Zone 3		3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				<del>                                     </del>
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90			1	
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.50										
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				ĺ
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50										
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
DARK FIBER																
1 1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l													1	
	Thereof per month - Local Channel			UDF	1L5DC	55.04										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		751.34	193.88				11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF UDF	1L5DF UDF14	26.85	754.04	100.00				44.00				
<b></b>				UDF	UDF14		751.34	193.88				11.90			-	<u> </u>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop		-	UDF	UDFL4	55.04	751.34	193.88				11.90				
RYY ACCESS	TEN DIGIT SCREENING			ODI	ODI L4		731.34	193.00				11.90				<del>                                     </del>
OXX ACCEDS	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X	0.0000202	4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OLID	HOICIX		4.10	0.70				11.00				<del> </del>
	POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service															1
	Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															Ì
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.15	4.15				11.90				
				0.15												
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006252										
I INE INEODM	query ATION DATA BASE ACCESS (LIDB)			OHD		0.0006252										
LINE INFORM	LIDB Common Transport Per Query			OQT		0.0000203									-	<del> </del>
	LIDB Validation Per Query			OQU		0.0136959										1
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0130939	55.13	55.13	55.13	55.13		11.90				
SIGNALING (				001,000	INICI DX		33.13	33.13	33.13	33.13		11.50				
1	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
	CCS7 Signaling Usage, Per TCAP Message	1		UDB		0.0000607								1	1	1
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90		İ	İ	
	CCS7 Signaling Connection, Per link (B link) (also known as D														1	İ
	link)	1		UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90		1	I	
i i	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code							<u> </u>								
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				<b></b>
E911 SERVICI		ļ													ļ	<b></b>
1 1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
			1								Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc		
CATEGORY	KAIE ELEMENIS	m	Zone	BCS	USUC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
																<u> </u>
						Rec	Nonrec		Nonrecurring					Rates(\$)	_	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00		11.90				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					25.32	47.35	31.78	18.31	7.03		11.90				
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05	<b> </b>	11.90				<del>                                     </del>
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54	21.47	19.05	ļ	11.90				<del>                                     </del>
						0.1856	210.00	183.54	21.47	19.05		11.90				
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
		l	1									I	Ì	Ì	Ì	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			88.44	105.54	98.47	21.47	19.05		11.90	ļ			ļ
CALLING NAM	IE (CNAM) SERVICE		<u> </u>								<u></u>	<u> </u>				<u> </u>
	CNAM For DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Provisioning With Point Code										1	1				
	Establishment	l	1	OQV			1,592.00	1,177.00	352.36	259.09		11.90	Ì	Ì	Ì	
	CNAM For Non DB Owners - Service Provisioning With Point		1		1		.,002.00	.,	332.00	200.00	1		1	1	1	<b>†</b>
	Code Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
-	CNAM for DB Owners, Per Query			OQV	1	0.001024	340.31	393.02	330.00	239.09		11.90				<del> </del>
-					-						1	ļ				<u> </u>
	CNAM for Non DB Owners, Per Query			OQV		0.001024										ļ
LNP Query Se																<u> </u>
	LNP Charge Per query			OQV		0.000852										
	LNP Service Establishment Manual						13.83	13.83	12.71	12.71		11.90				
	LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40		11.90				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
+	Oper. Call Processing - Fully Automated, per Call - Using BST					1.24					1	1				
	LIDB					0.00										
-						0.20					ļ					
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Call					1.95										
BRANDING - C	PERATOR CALL PROCESSING															
	/ based CLEC										1	1				
	Recording of Custom Branded OA Announcement		1		CBAOS		7,000.00	7,000.00			Ì	11.90	1	1	1	1
	Loading of Custom Branded OA Announcement per shelf/NAV		1 -		32, 30		.,500.00	.,500.00			1	11.50	<b> </b>	<b>†</b>	<b>†</b>	<b>†</b>
	per OCN		1		CBAOL		500.00	500.00			1	11.90				
UNEP					CDAOL		300.00	300.00				11.90				+
UNEF					-		7 000 00	7 000 00			1	44.00				<u> </u>
	Recording of Custom Branded OA Announcement		<del> </del>		1		7,000.00	7,000.00			1	11.90				<b>↓</b>
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						500.00	500.00				11.90				1
Unbrar	nding via OLNS for UNEP CLEC									<u></u>		<u> </u>				
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90				
DIRECTORY A	SSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE				1						1		İ	İ	İ	
	Directory Assistance Access Service Calls, Charge Per Call		1		İ	0.275					İ	İ				
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)	1		1	5.2.0					Ì	1	1	1	1	1
DINEO	Directory Assistance Call Completion Access Service (DACC),		+		+						<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	Per Call Attempt		1			0.10					1	1				
DIDECTORY 1		<b>-</b>	+		+	0.10					-	1				<del>                                     </del>
	SSISTANCE SERVICES		1		1					1	1	1	1			<del>                                     </del>
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)		1		ļ						<b> </b>	<b> </b>				<b></b>
	Directory Assistance Data Base Service Charge Per Listing		1			0.04						Į				1
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - F	DIRECTORY ASSISTANCE										1	1				1

Version 3Q02: 10/07/02 Page 51 of 425

UNBUNDL	ED NETWORK ELEMENTS - Florida			T	1	1						-	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
L							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Facil	ity Based CLEC														-	
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00				11.90				
-	Loading of Custom Branded Announcement per Switch			AMT	CBADA		1,170.00	1,170.00				11.90				
UNF	P CLEC			7 4411	OBNEO		1,170.00	1,170.00				11.00				
0.1.2.	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90			1	
	Loading of DA Custom Branded Announcement per Switch per						0,000.00	-,,,,,,,,,								
	OCN						1,170.00	1,170.00				11.90				
Unbr	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				11.90				
	Loading of DA per Switch per OCN						16.00	16.00				11.90				
SELECTIVE																
	Selective Routing Per Unique Line Class Code Per Request Per	l			LIODOS				ll						1	
MDTIME	Switch	<u> </u>	<u> </u>		USRCR		93.55	93.55	11.46	11.46		11.90		ļ	-	-
VIRTUAL CO		1	<b> </b>	AMTEC	EAF		4,122.00	1.249.00				44.00		<del> </del>	1	1
<del></del>	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable	<del>                                     </del>	<b>-</b>	AMTFS AMTFS	ESPCX	12.45	4,122.00 965.00	1,249.00			<b>—</b>	11.90 11.90		-	<del></del>	<del>                                     </del>
<b></b>	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25	905.00					11.90			-	-
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
<del>                                     </del>	Virtual Collocation - Cable Support Structure, per entrance			744111 0	201700	0.55										
	cable			AMTFS	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX UEA,UHL,UCL,UDL,	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF	CNC2F	6.71	2,431.00	11.37				11.90				
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL, ULC, AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS,CLO	VE1CB	0.0028	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<del>                                     </del>	<del>                                     </del>	, aviii O,OLO	VL TOD	0.0020								1	t	<del>                                     </del>
	Cable Support Structure, per linear ft	1	l	AMTFS, CLO	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			AMTFS	VE1CC	0.0041	535.54					11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per cable			AMTFS	VE1CE		535.54					11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	rurring	Nonrecurring	Disconnect			oss	Rates(\$)	l	I
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,525.00	1,525.00	267.08	267.08	JONIEC	JOHIAN	JONAN	JOINAIN	JOHAN	JOMAN
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			7	12.07		1,020.00	1,020.00	201.00	201.00					1	
	record			AMTFS	VE1BB		656.50	656.50	379.78	379.78						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		9.66	9.66	11.84	11.84						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52	4.52	5.54	5.54						
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.82	15.82	19.40	19.40						
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		169.67	169.67	154.89	154.89						
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89					11.90				
	Virtual collocation - Security Escort - Overtime, per quarter hour		1	AMTFS	SPTOQ		13.64		1			11.90		1	I	
<del>                                     </del>	virtual collocation - Security Escort - Overtime, per quarter nour		-	AIVIIFO	SFIUU		13.04		+ +			11.90		<del>                                     </del>	<del></del>	-
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40		1			11.90		I		
<del>                                     </del>	Tribus Concession Cooding Ecoort 1 Torniam, per quarter from				51 11 Q		10.40		+			11.30		<b>-</b>	<b>-</b>	1
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11S	226.39	1,950.00					11.90		1	1	
	Virtual Concocation Do 1/DCC Cross Connection, 1 Erv 20 Crv C			7	120	220.00	1,000.00					11.00			1	
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS			AMTFS	VE11X	11.51	1,950.00					11.90				
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	56.97	528.00					11.90				
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTFS	SPTRE		10.89					11.90				
	Virtual collocation - Maintenance in CO - Overtime, per quarter															
	hour			AMTFS	SPTOE		13.64					11.90				
	Virtual collocation - Maintenance in CO - Premium per quarter															
METHALOG	hour			AMTFS	SPTPE		16.40					11.90				
VIRTUAL COI	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				-				<u> </u>						-	
	Wire Analog - Res			UEPSR	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFSK	VLINZ	0.0302	11.57	11.57	1			11.90				
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			02. 0.	722	0.0002	11.01	11.01				11.00				
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			1			_			-						
	ISDN			UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire								1 7			,			_	
L	ISDN		ļ	UEPTX	VE1R2	0.0502	11.57	11.57	1			11.90				<u> </u>
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		1	LIEDEY	VE1R4	0.0500	44.57	44.53	1			44.00		I	I	
VIRTUAL COI			<u> </u>	UEPEX	VE1K4	0.0502	11.57	11.57	++			11.90		<del>                                     </del>	<b>-</b>	<b> </b>
VIKTUAL COI	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		<u> </u>	-	+				+					<del>                                     </del>	<b>-</b>	<b> </b>
	Splitting			UEPSR, UEPSB	VE1LS	0.0502	11.57					11.90				
PHYSICAL CO				OLI OIX, OLI OB	VETEO	0.0002	11.07		<u> </u>			11.50				
THIOIDAL O	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90				
AIN SELECTI	VE CARRIER ROUTING			, , , , , , , , , , , , , , , , , , , ,			-									
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				
	Query NRC, per query			SRC		0.0031868										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,		1	l	I				1 7					_	_	
	Initial Setup			A1N	CAMSE	ļ	43.56	43.56	44.93	44.93		11.90		ļ	ļ	ļ
	ANI ONO Assess Oscilla Bost Co. 11 St. 1201		1	l	04455							,		I	I	
	AIN SMS Access Service - Port Connection - Dial/Shared Access		-	A1N	CAMAR		8.64	8.64	10.03	10.03		11.90		<del>                                     </del>	<del>                                     </del>	<del> </del>
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User		-	A1N	CAM1P		8.64	8.64	10.03	10.03		11.90		<del>                                     </del>	<del>                                     </del>	<del> </del>
	Taux civic access dervice - user identification codes - Per USer		1	1	1	1			1		1			1	1	1

Version 3Q02: 10/07/02 Page 53 of 425

UNBUNDLE	D NETWORK ELEMENTS - Florida			ı							1 -	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,				041400		75.40	75.40	40.00	40.00		44.00				
-	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0028	75.10	75.10	12.93	12.93		11.90			-	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute				1	0.7809								-	-	
	AIN SMS Access Service - Company Performed Session, Per					0.7003										
	Minute					0.4609										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00				11.90				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTT		0.04	0.04	40.00	40.00		44.00				
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		8.64	8.64	10.03	10.03		11.90				
	DN. Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 1D		0.04	0.04	10.00	10.00		11.00				
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		38.06	38.06	15.06	15.00		11.90				
<b></b>	AIN Toolkit Service - Query Charge, Per Query		<u> </u>		BAPIF	0.0535927	38.06	38.06	15.86	15.86		11.90				
<del>                                     </del>	AIN Toolkit Service - Query Charge, 1 et Query  AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0555521										
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	DADLO	2.72	0.50	0.50				44.00				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAIVI	BAPLS	3.73	9.56	9.56				11.90		-	-	
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			07 111	5, 11 50	0	0.01	0.01	0.00	0.00		11.00				
	Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
	XTENDED LINK (EELs)															
	New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Nev	v Orleans, LA,									
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem- In all states, EEL network elements shown below also apply t	-High P	oint, N	C; and Nashville, Ti	N.	anta d ta IINIT na	taa A Cuultah	A a la Channa a			faa:  it aa aa		UNITA (Name and			
	In All States the EEL network elements apply to ordinarily co												UNES.(NOII-16	l ates	по посарріу	'. <b>)</b>
	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				TICH AS IS ONE	ilge./ Wileii Ol	dering ordinar	ny combined	lietwork elemen	its, Non-recur	Ing rates ut	σαρριγ.				1
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	_	LINGVOV	LIENIO	20.07	407.50	60.54	40.70	0.04		44.00		I		
<b>  </b>	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90		-	<del>                                     </del>	
	per month	1	1	UNC1X	1L5XX	0.1856								I		
	Interoffice Transport - Dedicated - DS1 combination - Facility	<u> </u>		0.101/	TEONY	5.1050			<del>                                     </del>		1			<b>†</b>	<b>†</b>	1
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	DS1 Channelization System Per Month			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
1 1 -	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1		l <u> </u>	L										_	
ļ	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90		1	1	
$\vdash$	Each Additional 2-Wire VG Loop(SL2) in the same DS1	<del>                                     </del>		ONCVA	UEAL2	17.40	127.59	bU.54	42.79	2.81		11.90		<del>                                     </del>	<del></del>	
	Laci Maditional 2-11116 10 Loop(GLZ) III the Same DOT	1	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81	1	11.90		1	1	1

Version 3Q02: 10/07/02 Page 54 of 425

UNBUNDLE	D NETWORK ELEMENTS - Florida				1								Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)		
	Voice Grade COCI - DS1 to DS0 Channel System combination -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	.5		12.10	0	0.7 1			11.00				
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	RANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75				11.90	-			
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		Ü	UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	1.00	8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.30	0.30	0.30		11.30				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.77	51.83	10.75		30		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)		J	UNCDX	1D1DD	2.10	127.59	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC	2.10	8.98	8.98	8.98	8.98		11.90				
4-WIR	Is Charge E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.98	0.98	0.98	0.98		11.90			<b> </b>	
7.4	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				

Version 3Q02: 10/07/02 Page 55 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
					<u> </u>	Rec	Nonred First	urring Add'l	Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				1		FIRST	Add I	First	Add'l	SOWIEC	SOMAN	SUMAN	SOMAN	SUMAN	SOWAN
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.105/1	02201	00.00	.27.00	00.01	12.70	2.0.		11.00				1
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization - Channel System DS1 to DS0 combination Per			LINICAV	MQ1	146.77	54.00	10.75				11.90				
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	IVIQT	146.77	51.83	10.75				11.90				+
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			0.1027	10.00	20	12.10	0	0.7 1			11.00		İ	İ	†
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_	LINODY	LIDLA	55.00	407.50	00.54	40.70	0.04		44.00				
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	2.10	12.10	0.77	0.71	4.04		11.50				+
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	ROFFI	CE TR	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	LINIOAV	1101.307	400.54	047.75	121.62	54.44	44.45		44.00				
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				<del></del>
	Transport - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			0.10.17	002.01	170.00	20	121.02	0			11.00				
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	8.98	8.98	8.98		44.00				
/-WID	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEEL	CE TR		UNCCC		8.98	8.98	8.98	8.98		11.90				+
7-1111	First DS1Loop in DS3 Interoffice Transport Combination - Zone	I	CL III	I												+
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															1
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone					4=0.00										
_	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				+
	Per Month			UNC3X	1L5XX	3.87										
-	Interoffice Transport - Dedicated - DS3 - Facility Termination per			01100/1	120701	0.07										+
	month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			LINICAV	LICLYY	70.74	047.75	404.00	54.44	44.45		44.00				
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
1	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90		I		
	Additional DS1Loop in DS3 Interoffice Transport Combination -			551/	302700	100.04	217.75	121.02	01.44	1-1.40		11.50		1	1	<del>                                     </del>
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90		1	1	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			l												
0.1000	Is Charge		ICE T	UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EKUFF	ICE IF	KANSPORT (EEL)												4
2-WIR	2-WireVG Loop used with 2-wire VG Interoffice Transport															

<u>UNBUND</u> LF	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
-+-	2-WireVG Loop used with 2-wire VG Interoffice Transport						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			ONCVA	OLALZ	17.40	127.55	00.54	42.73	2.01		11.50				
	Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			LINIOVA	LINICOC		8.98	8.98	8.98	8.98		11.90				
4-WID	IS Charge  E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	FROFE	ICE TE	UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-1111	4-WireVG Loop used with 4-wire VG Interoffice Transport	LICOLI	IOL II	(AROTORT (LLL)	+											
	Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per				41 =>04											
	Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	01174	22.30	94.70	52.59	50.49	21.55		11.90				
	Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOF													
	High Capacity Unbundled Local Loop - DS3 combination - Per			` ′												
	Mile per month			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSA	UTIFS	1,071.00	314.45	130.00	30.00	10.23		11.90				
	Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	RANSP		0.1000		0.00	0.00	0.00	0.00		11.00				
	High Capacity Unbundled Local Loop - STS1 combination - Per			` ′												
	Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINIOOV	1L5XX	0.07										
	per month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	3.87										
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-			CHOOK	01110	1,000.00	014.40	100.00	00.00	10.20		11.00				
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	LINICNIY	1141.07	07.40	407.50	00.00	40.70	0.01		44.00				
$-\!+\!-$	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90			-	
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856	127.00	00.00	72.13	2.01		11.50				
	Interoffice Transport - Dedicated - DS1 combintion - Facility			- ,		2200										
	Termination per month		<u></u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	<u> </u>	11.90		<u> </u>		L
	Channelization - Channel System DS1 to DS0 combination -							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
J					MQ1	4 40 77	E4 00	10.75			1	11.90		1	1	1
	per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	IVIQT	146.77	51.83	10.75				11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19		3.39								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				ļ
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE 1	RANS	PORT (EEL)												<u> </u>
	Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										
I	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
ADDITIONAL	NETWORK ELEMENTS															1

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted			Incremental Charge -	
							I	Nonrec	curring	Nonrecurring	Disconnect		lI	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	When u	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is c	harge does app	oly.									
	When u	used as ordinarily combined network elements in All States, the	he non-	recurri	ng charges apply ar	nd the Switch	n As Is Charge o	does not.									1
	Nonrec	urring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		0.00	0.00	0.00	0.00		44.00				
		Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	l - Bolo	W DS2			r monthe	0.90	0.90	0.90	0.90		11.90				<del> </del>
-	NOIL.	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1	I - Beio		UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				-
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 1  Local Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				1
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				+
		Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		1	UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				+
		Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				1
		Local Channel - Dedicated - 4-Wire Voice Grade Zone3		3	UNCXV	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.49	216.65	183.54	24.30	16.95		11.90				
		Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	51.85	216.65	183.54	24.30	16.95		11.90				
		Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				
		Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	8.50										1
		Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	8.50										
		Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90				
		al Features & Functions:															
	MULTII	PLEXERS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per						40.00	= 00								
		month (2.4-64kbs)			UDL	1D1DD	2.10	10.07	7.08				11.90				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	3.66	10.07	7.08				11.90				
		month			UEA	1D1VG		10.07	7.08				11.90				
		Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month			UXTD3	MQ3	1.38 211.19	199.28	118.64	40.34	39.07		11.90				<del> </del>
-		STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				-
-		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08	40.54	39.07		11.90				-
		DS3 Interface Unit (DS1 COCI) used with Local Channel per				30101	13.70	10.07	7.00				11.30		<del>                                     </del>	1	<b>-</b>
		month	l		ULDD1	UC1D1	13.76	10.07	7.08				11.90		1		
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel							7.50				753		İ		
		per month	l		U1TD1	UC1D1	13.76	10.07	7.08				11.90		1		
	Sub-Lo	op Feeder											1				
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21			_			
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
		OCAL EXCHANGE SWITCHING(PORTS)															<u> </u>
		ige Ports	<u> </u>			1									ļ		<b></b>
		Although the Port Rate includes all available features in GA, I	KY, LA	L×TN, t	ne desired features	will need to I	be ordered usin	g retail USOC	5						ļ	ļ	<del>                                     </del>
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)	<u> </u>		LIEDOD	LIEDE	4.40	0.71	0.00	1.00	1.00		44.00		ļ	ļ	<del>                                     </del>
		Exchange Ports - 2-Wire Analog Line Port- Res.	<u> </u>		UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90		ļ	ļ	<del>                                     </del>
		Funkanna Darta - O Mina Analan I i - Barta - M. O-Har / D. D.	l		LIEDOD	LIEDEO	4.40	0.71	0.00	4.00	4.00		44.00				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<del>                                     </del>		UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90		<del>                                     </del>	1	<del></del>
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l		UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				
$\longrightarrow$		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled Florida area calling with	1		OLFOR	JLFRU	1.40	3.14	3.03	1.08	1.60		11.90		1		<del>                                     </del>
		Caller ID - Res.	l	1	UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80	I	11.90		1		

Version 3Q02: 10/07/02 Page 59 of 425

ONRONDL	ED NETWORK ELEMENTS - Florida			T							I 0 C .	06	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area															
	Calling Plan, without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	UEPAP	4.40	2.74	2.02	4.00	4.00		44.00				
	with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00		11.90				
FEAT	TURES			02. O.K	00/100	0.00	0.00	0.00				11.00				
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90				
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
												44.00				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPBI	1.40	3.74	3.03	1.00	1.00		11.90				
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00		1.00		11.90				
FEAT	TURES			02. 02	00/100	0.00	0.00	0.00				11.00				
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXC	HANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.00	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPSP UEPSP	UEPLD UEPLD	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		<u> </u>	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			İ		_										
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			1				· · · · · · · · · · · · · · · · · · ·								
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port		ļ	UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90			ļ	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	LIEBOD	LIEDYO	4 40	20.22	40.40	40.05	0.7407		44.00				
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPSP UEPSP	UEPXO UEPXS	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90			<b> </b>	
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	12.33	0.7107		11.90		-	1	1
FEAT	TURES	1			0000	0.00	0.00	0.00				11.00			1	
· ·	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
EXCI	HANGE PORT RATES (COIN)													1		
	Exchange Ports - Coin Port					1.40	3.74	3.63		1.80		11.90				
	E: Transmission/usage charges associated with POTS circuit so															
	E: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	termined via t	he Bona Fic	le Request/I	New Business	Request Pro	ocess.	
	D LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>													
EXC	HANGE PORT RATES		<u> </u>	LIEDEY	LIEDEO	0.70	70.41	15.00	44.01	1.00		44.00			1.00	
-	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		<del>                                     </del>	UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	1
1	Exchange Forts - DDITS Port - 4-Wire DST Port With DID		I	UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10		11.90		l	1.83	I

Version 3Q02: 10/07/02 Page 60 of 425

UNBUNDLED NE	ETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	hange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	
	Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	nsmission/usage charges associated with POTS circuit sv													<u> </u>		
	ess to B Channel or D Channel Packet capabilities will be	availat	ole oni						lities will be det	ermined via t	he Bona Fic	le Request/	New Busines	s Request Pro	ocess.	
	hange Ports - 2-Wire ISDN Port Channel Profiles hange Ports - 4-Wire ISDN DS1 Port			UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 82.74	0.00 174.61	0.00 95.17	49.80	18.23		11.90			1.83	
	DOINGS - 4-WIRE ISON DO FOR THE PORT OF TH			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23	-	11.90			1.83	
UNBUNDLE	D REMOTE CALL FORWARDING CAPABILITY D REMOTE CALL FORWARDING SERVICE - RESIDENCE										-					
Linh	undled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
Onb	randica remote dan Forwarding dervice, ruca daning, reco			OLI VIX	OLIVIO	1.40	0.74	0.00	1.00	1.00		11.00				
Unh	undled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				1
	undled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	undled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		11.90	İ			İ
Non-Recurri																
Swite	undled Remote Call Forwarding Service - Conversion - tch-as-is			UEPVR	USAC2		0.102	0.102				11.90				
	undled Remote Call Forwarding Service - Conversion with															
allov	wed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
UNBUNDLE	D REMOTE CALL FORWARDING - Bus															
Unb	undled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	undled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	undled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	undled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
Exce	undled Remote Call Forwarding Service Expanded and eption Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				
Non-Recurri																
	oundled Remote Call Forwarding Service - Conversion -															
	tch-as-is			UEPVB	USAC2		0.102	0.102				11.90				
	undled Remote Call Forwarding Service - Conversion with wed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
	AL SWITCHING, PORT USAGE		-	UEFVB	USACC		0.102	0.102								
	Switching (Port Usage)															
	Office Switching Function, Per MOU					0.0007662										
	Office Trunk Port - Shared, Per MOU					0.000164										
	vitching (Port Usage) (Local or Access Tandem)					0.000.0										
	dem Switching Function Per MOU					0.0001319										
Tand	dem Trunk Port - Shared, Per MOU					0.000235										
Common Tr							_	•		•						
	nmon Transport - Per Mile, Per MOU					0.0000035										
	nmon Transport - Facilities Termination Per MOU					0.0004372										L
	T/LOOP COMBINATIONS - COST BASED RATES	- 1/a = 6*	-4		andala Hele		ablaa e a Oct	h Dant-	<b> </b>					1	ļ	<b></b>
	Rates are applied where BellSouth is required by FCC ar								l Domt coeticii	-f 4h :- D-4 : T			1	1	1	<b> </b>
	all apply to the Unbundled Port/Loop Combination - Cos and Tandem Switching Usage and Common Transport Us											n Dort/I oc	Combination	ne	-	
The first and	and Tandem Switching Osage and Common Transport Os d additional Port nonrecurring charges apply to Not Curr	ently C	ombin	ed Combos For Cur	rrently Comb	ined Combos 4h	e nonrecurrin	n charges sha	II he those ident	ified in the N	onrecurring	Currently	Combined	ections	1	1
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Citaly Co		Ca Combos. For Cur	Toning Comb	III OOIIII OO II	io nomecurilli	y onaryes slid	Se those fuelit	cu iii uie N		Junendy	Johnshied S			1
	oop Combination Rates			İ	1											1
	ire VG Loop/Port Combo - Zone 1		1			10.94										
2-Wi	ire VG Loop/Port Combo - Zone 2		2			15.05								<u> </u>		<u> </u>
2-Wi	ire VG Loop/Port Combo - Zone 3		3			25.80										
UNE Loop F																
	ire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77		•								
	ire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88										
	ire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63								ļ	ļ	<u> </u>
	e Grade Line Port Rates (Res)			LIEDDY	LIEDE:	ļ	=0.0:		20.00					ļ	ļ	<u> </u>
	ire voice unbundled port - residence			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37		11.90	ļ			ļ
,    2-001	ire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37	<u> </u>	11.90	l	1	1	L

Version 3Q02: 10/07/02

UNBUNDL	LED NETWORK ELEMENTS - Florida			1							1 -		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID	-	1	UEPRA	UEPAF	1.17	55.51	20.40	27.50	0.37		11.90				
	(LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled Florida extended dialing port for use															
	with CREX7 and Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled Florida extended dialing port for use															
	with CREX7, without Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled Florida Area Calling Port without Caller			HEDDY	LIEDAG	4.47	50.04	00.40	07.50	0.07		44.00				
	ID Capability  2-Wire voice unbundled Low Usage Line Port without Caller ID		1	UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37		11.90				
	Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90				
FEA	TURES		1	OLI IOX	OLIKI	1.17	33.31	20.40	27.50	0.57		11.30				
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00	† †			11.90				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	-	-	UEPRX	USAC2		0.102	0.102	1			11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1		UEPRX	USACC		0.102	0.102				11.90				
ΔDD	DITIONAL NRCs	-	1	UEPRA	USACC		0.102	0.102				11.90				
700	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1													
	Activity			UEPRX	USAS2	0.00	0.00	0.00				11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
LIME	2-Wire VG Loop/Port Combo - Zone 3		3			25.80			-							
UNE	Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	13.88			<del>                                     </del>							
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	24.63										
2-W	ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Incoming Only Port without Caller ID	1	-	UEPBX	UPEB1	1.17	53.31	26.46	27.50	8.37		11.90				-
	2-Wire voice unbundled incoming Only Port without Caller ID Capability		1	UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		11.90				
LOC	CAL NUMBER PORTABILITY	<del>                                     </del>	1	OLI DA	OLI DL	1.17	55.51	20.40	21.30	0.37		11.50			-	<del>                                     </del>
-00	Local Number Portability (1 per port)	†		UEPBX	LNPCX	0.35										
FEA	TURES								1							1
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	LIEDDY	110465							,				
	Switch-as-is	1	-	UEPBX	USAC2		0.102	0.102	<del>                                     </del>			11.90				-
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	1	1	UEPBX	USACC		0.102	0.102	[ ]			11.90				
ADD	DITIONAL NRCs	1	1	OLI DA	JUAGO		0.102	0.102	<del>                                     </del>			11.50			<u> </u>	
1.00	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	1	İ					† †							
	Activity	1	1	UEPBX	USAS2		0.00	0.00	[ ]			11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates					•		•		•						
	2-Wire VG Loop/Port Combo - Zone 1	1	1			10.94			ļ							
	2-Wire VG Loop/Port Combo - Zone 2	<del> </del>	2	<del> </del>	+ +	15.05 25.80									1	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates	1	3			25.80					1			<b> </b>	ļ	<b></b>

ONBONDLED NE I	ΓWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
0.145			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	9.77										
	e Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88 24.63										4
	e Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										4
	Grade Line Port Rates (RES - PBX)															-
Res	WG Unbundled Combination 2-Way PBX Trunk Port -			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				
	BER PORTABILITY															
	Number Portability (1 per port)			UEPRG	LNPCP	0.00	0.00	0.00				11.90				
FEATURES																
	atures Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
	ING CHARGES (NRCs) - CURRENTLY COMBINED															
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	ersion - Switch-As-Is	ļ		UEPRG	USAC2		8.45	1.91				11.90			ļ	ļ
	e Voice Grade Loop/ Line Port Combination (PBX) -	1													<u> </u>	
	rsion - Switch with Change	ļ		UEPRG	USACC		8.45	1.91				11.90			ļ	ļ
ADDITIONAL																
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	equent Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				
PBX S	Subsequent Activity - Change/Rearrange Multiline Hunt															
Group							7.86	7.86				11.90				
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	p Combination Rates															
	e VG Loop/Port Combo - Zone 1		1			10.94										
	VG Loop/Port Combo - Zone 2		2			15.05										
	e VG Loop/Port Combo - Zone 3		3			25.80										
UNE Loop Ra																
	e Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77										
	e Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
	e Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63										
2-Wire Voice	Grade Line Port Rates (BUS - PBX)															
	ide Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
	ide Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		11.90				
	ide Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled PBX LD DDD Terminals Port e Voice Unbundled PBX LD Terminal Switchboard Port	<b>!</b>	-	UEPPX UEPPX	UEPXC UEPXD	1.17 1.17	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	-	11.90 11.90			<del>                                     </del>	<del>                                     </del>
		<u> </u>		UEPPA	UEPAD	1.17	174.81	100.65	75.88	12.73		11.90				<del>                                     </del>
	e Voice Unbundled PBX LD Terminal Switchboard IDD	l		UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAE	1.17	174.81	100.05	75.88	12.73	-	11.90				-
	istrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	unt Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				
	e Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				
	BER PORTABILITY	l													1	<b>†</b>
	Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90			İ	1
FEATURES								<del></del>								
	atures Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
	ING CHARGES (NRCs) - CURRENTLY COMBINED						-									
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	ersion - Switch-As-Is	1		UEPPX	USAC2		8.45	1.91				11.90			Ì	1
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	ersion - Switch with Change	l		UEPPX	USACC		8.45	1.91				11.90				
ADDITIONAL			1												İ	İ

Version 3Q02: 10/07/02 Page 63 of 425

UNDUNDLE	ED NETWORK ELEMENTS - Florida			1							Cura Cura	Cura Curt	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt											44.00				
0.14/15	Group						7.86	7.86				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates	KI .													-	
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94									-	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	15.05										1
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			25.80										
UNE I	Loop Rates		Ŭ			20.00										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77			†							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88			1							İ
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
2-Wire	e Voice Grade Line Ports (COIN)						_									
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				1						1					
	(FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37		11.90		ļ	ļ	
	2-Wire Coin 2-Way with Operator Screening and Blocking:			LIEBOO	LIEDGG						1	,				
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37		11.90		<b> </b>	<b>!</b>	}
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL. FL)			UEPCO	UEPRK	1.17	E2 24	26.40	27.50	0.07	1	11.90		1	I	
<del></del>	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPKK	1.17	53.31	26.46	27.50	8.37		11.90			<b>-</b>	-
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90			1	
<b>-</b>	2-Wire Coin Outward with Operator Screening and Blocking:			021 00	OLI OI	1.17	ا د.دا	20.40	21.50	0.37		11.50		1	t	1
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37	1	11.90		1	I	
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37		11.90			1	
	2-Wire Coin Outward Smartline with 900/976 (all states except				1									Ì	1	
	LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37	1	11.90		1	I	
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	53.31	26.46	27.50	8.37		11.90				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEBCO	LICACO		0.400	0.465			1	44.00				
<b></b>	Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90		<del> </del>	1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.102	0.102			1	11.90		1	I	
ADDI	TIONAL NRCs			ULPCU	USACC		0.102	0.102				11.90			+	
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+				<del>                                     </del>					1	t	1
	Activity			UEPCO	USAS2		0.00	0.00			1	11.90				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (		30,102		0.00	0.00				11.30			1	<del>                                     </del>
	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	13.64			†							
t	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80								<u> </u>		
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40			ļļ					ļ	ļ	
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										ļ
2-Wire	e Voice Grade Line Port Rates (Res)			LIEDED	LIEDDI	4 10	474.01	100.00	75.00	10 =-		44.00		ļ	-	<u> </u>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73		11.90		1	1	1
	2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRC UEPRO	1.40 1.40	174.81	100.65	75.88	12.73		11.90		<b> </b>	<b>!</b>	1
<b></b>	2-Wire voice unbundled port outgoing only - res			UEPFK	UEPRU	1.40	174.81	100.65	75.88	12.73		11.90			<b>-</b>	<b> </b>
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90			1	
<del>                                     </del>	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			OLFIN	ULFAF	1.40	1/4.01	100.05	15.08	12.73		11.90		1	t	1
	(LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90			1	
INTE	ROFFICE TRANSPORT		<del>                                     </del>	J 1 K	JE174	1.40	174.01	100.00	, 5.00	12.75	<del> </del>	11.50		<del> </del>	1	<del>                                     </del>

Version 3Q02: 10/07/02 Page 64 of 425

ONRONDF	ED NETWORK ELEMENTS - Florida			1							1_		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Interesting Transport Dedicated O.Wire Value Conda Facility				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTIVE	20.02	47.55	31.70								+
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT	URES															1
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00				11.90				
LOCA	AL NUMBER PORTABILITY															1
NONE	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										-
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				-											+
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			J. 110	30/102		10.01	5.75				11.30		1	1	<del>                                     </del>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)				•		•						
UNE	Port/Loop Combination Rates															
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										-
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2		+	18.80 32.27									-	+
LINE	Loop Rates		3		+	32.21					1			-	-	+
OI4L I	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										+
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										1
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPFB UEPFB	UEPBC UEPBO	1.40 1.40	174.81 174.81	100.65 100.65	75.88	12.73		11.90 11.90				+
	2-Wire voice unbundled port outgoing only - bus 2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPFB	UEPB0	1.40	174.81	100.65	75.88 75.88	12.73 12.73		11.90				+
LOCA	AL NUMBER PORTABILITY			OLFIB	OLFBI	1.40	174.01	100.03	73.00	12.73		11.50			1	+
100	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										1
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.5307	0.0004										
FEAT	or Fraction Mile		1	UEPFB	1L5XX	0.0091										+
FEAT	All Features Offered		1	UEPFB	UEPVF	2.26	0.00	0.00				11.90				+
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITB	OLI VI	2.20	0.00	0.00				11.30				
1.5	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1									1	İ	†
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) Port/Loop Combination Rates															+
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+	18.80								<b>+</b>	<del> </del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27								1	1	<b>†</b>
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24		•								
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40	,							ļ	ļ	
0.12"	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87					<u> </u>					<del></del>
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)				+						1			-	<del>                                     </del>	<del> </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73		11.90		<b>+</b>	<del> </del>	+
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73		11.90				<b>†</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73	İ.,	11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73		11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73		11.90				
1	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73		11.90				<u> </u>

Version 3Q02: 10/07/02 Page 65 of 425

UNBUN	IDLEI	NETWORK ELEMENTS - Florida											T -	1 -	Attachment:			bit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	U	JSOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Rec	Nonrec		Nonrecurring					Rates(\$)		
									First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEP	PXD	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEP	PXE	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEP	PΥI	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI	//L	1.40	174.01	100.03	75.00	12.75		11.30				
		Room Calling Port			UEPFP	UEP	PXM	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	HED	PXO	1.40	174.81	100.65	75.88	12.73		11.90				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEP		1.40	174.81	100.65	75.88	12.73		11.90				
L	OCAL	NUMBER PORTABILITY			OLITI	OLI	ΛΟ	1.40	174.01	100.00	70.00	12.70		11.00				
		Local Number Portability (1 per port)		i –	UEPFP	LNP	CP	3.15	0.00	0.00	†			11.90			İ	
II.		OFFICE TRANSPORT		1														
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1T\	V2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5X	xx	0.0091										
F	EATU										†							
		All Features Offered			UEPFP	UEP	PVF	2.26	0.00	0.00				11.90				
N	IONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USA	AC2		16.97	3.73				11.90				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																
		Combination - Conversion - Switch with change			UEPFP	USA	ACC		16.97	3.73				11.90				
		ORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK ort/Loop Combination Rates	PORT		1						ļ							
-	JNE PC	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			-	20.95			-							
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2				26.11			1							
-		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				39.58										
U	JNE Lo	op Rates																
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UEC	CD1	12.24						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UEC	CD1	17.40						11.90			1.83	
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UEC	CD1	30.87						11.90			1.83	
U	JNE Po	ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX	UEP	PD1	8.71	214.16	98.29				11.90			1.83	
N	IONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USA	AC1		7.85	1.87				11.90				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA	110		7.85	1.87				11.90				
Δ	ודוחח	ONAL NRCs			UEPPA	USA	AIC .		7.00	1.07	1			11.90				
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USA	AS1		32.26	32.26	+			11.90				
T		one Number/Trunk Group Establisment Charges			02	00/1			02.20	02.20				11.00				
		DID Trunk Termination (One Per Port)			UEPPX	NDT	Г	0.00	0.00	0.00				11.90			1.83	
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	7	0.00	0.00	0.00				11.90			1.83	
		Additional DID Numbers for each Group of 20 DID Numbers	1	<b>†</b>	UEPPX	ND4		0.00	0.00	0.00	†			11.90		1	1.83	
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5		0.00	0.00	0.00	†			11.90			1.83	
		Reserve Non-Consecutive DID numbers			UEPPX	ND6		0.00	0.00	0.00				11.90			1.83	
		Reserve DID Numbers			UEPPX	NDV	/	0.00	0.00	0.00		•		11.90			1.83	
L		NUMBER PORTABILITY			L			Ţ	Ť									
-		Local Number Portability (1 per port)	L 6:-	 	UEPPX	LNP	CP	3.15	0.00	0.00	ļļ							
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT														
U		ort/Loop Combination Rates	l	1	<del>                                     </del>						<del>                                     </del>					<b> </b>	-	
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UE	PPR		22.63										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEF	PPR		29.05					<u></u>					

Version 3Q02: 10/07/02 Page 66 of 425

ONRONDLE	ED NETWORK ELEMENTS - Florida			1		т								Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec First		Nonrecurring First		SOMEC	001441		Rates(\$)	2011411	SOMAN
+	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					+		FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Zone 3		3	UEPPB	UEPPR		45.84										
UNE L	oop Rates		_													1	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE	Port Rate			LIEDDD	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
NONE	Exchange Port - 2-Wire ISDN Line Side Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
NONK	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port															1	
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
ADDIT	TIONAL NRCs	<u> </u>		1		1	5.50	20.22	50						1	50	
	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
<del>-  </del>	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								ļ
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S TERMINAL PROFILE	C,MS, &	i IN)													-	<b> </b>
USER	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							-	
VERT	ICAL FEATURES			UEPPB	UEPPK	UTUMA	0.00	0.00	0.00								
V=IX.1	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTER	ROFFICE CHANNEL MILEAGE			02	OL: IX	02	2.20	0.00	0.00				11.00				
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	PORT															
UNE F	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			450.40										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP			153.48									-	
	Zone 2		2	UEPPP			183.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI			103.20										
	Zone 3		3	UEPPP			261.12										
UNE L	oop Rates		Ť														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	70.74						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	100.54						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	178.38						11.90			1.83	
UNE F	Port Rate							100.00					44.00				
NONE	Exchange Ports - 4-Wire ISDN DS1 Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPP		UEPPP	82.74	488.36	276.65				11.90			1.83	
NONK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					-											
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
ADDIT	FIONAL NRCs			OLITI		OOAOI	0.00	04.17	01.50				11.30			1.03	
7.5511	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	<b>1</b>				1									Ì	1	
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		l		L										_	
	Subsequent Inward Tel Numbers	ļ	<u> </u>	UEPPP		PR7ZT		25.42	25.42				11.90			1.83	1
LOCA	L NUMBER PORTABILITY	<b> </b>	<u> </u>	LIEDDO		LNDCN	4 75								1	1	1
INITE	Local Number Portability (1 per port)  RFACE (Provsioning Only)	<u> </u>		UEPPP		LNPCN	1.75					<b>-</b>				<del>                                     </del>	1
INTER	Voice/Data	1	<del>                                     </del>	UEPPP		PR71V	0.00	0.00	0.00						1	<del> </del>	<del>                                     </del>
	Digital Data	<b> </b>		UEPPP		PR71D	0.00	0.00	0.00							<b>-</b>	
	Inward Data	<b>†</b>		UEPPP		PR71E	0.00	0.00	0.00						<b> </b>	<b>I</b>	<b>†</b>
New c	or Additional "B" Channel	1				1	2.00	2.00	2.00						1	1	1

Version 3Q02: 10/07/02

ONRONDL	ED NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					11.90			1.83	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					11.90			1.83	
CALI	L TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates		<u> </u>	L												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		125.69						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		155.49						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		233.33						11.90			1.83	
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	70.74						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	178.38						11.90			1.83	
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	54.95	464.86	259.23				11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADD	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDITO		15.09	15.09				11.90			1.03	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		15.05	15.05				11.30			1.00	
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPC	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telei	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90		İ	1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group		1													
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers		1	UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90		İ	1.83	
	Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers		1	UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop													
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)	1		UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05	I	11.90		]	1.83	

Version 3Q02: 10/07/02 Page 68 of 425

MRONDFI	ED NETWORK ELEMENTS - Florida			ı		1					1		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	ILITOIT	0.1000	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	41 NO2	0.00	0.00	0.00	0.00							
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00		-					
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used												
UNE	OS1 Loop		1	LIEDMO	1101.00	70.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2			UEPMG UEPMG	USLDC	70.74 100.54	0.00	0.00			1				-	
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	178.38	0.00	0.00			-					
LINE	DSO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	ULFIVIG	USLDC	176.36	0.00	0.00								
ONL	24 DSO Channel Capacity - 1 per DS1	13)		UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM57 VUM67	2,833.44 3,305.68	0.00	0.00			1	11.90 11.90			1.83 1.83	
Non-I	672 DS0 Channel Capacity - 1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop witl	. Chanı	oliztio					0.00			+	11.90			1.83	
	imum System configuration is One (1) DS1, One (1) D4 Channe						Stelli				1					
	ples of this configuration functioning as one are considered Ac															
	NRC - Conversion (Currently Combined) with or without				1											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				
	m Additions at End User Locations Where 4-Wire DS1 Loop with				bination Curre	ently Exists and										
New (	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			LIEDIAO			===									1
D: 1	and Assoc Fea Activation ar 8 Zero Substitution	-		UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24	1	11.90		-	1	<del>                                     </del>
Ribol	ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent				-				-		<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
	Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -			OLI WO	00001	0.00	0.00	000.00			+	11.50				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Alterr	nate Mark Inversion (AMI)					0.00	2.00									
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	ange Ports														1	
	Live Otto Occupione Observer 1889/7 18 18 18	l		LIEDDY	LIEDOY											
_	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90		1	1.83	<b> </b>
-	Line Side Outward Channelized PBX Trunk Port - Business			UEPPA	UEPOX	1.38	0.00	0.00	0.00	0.00	<del>                                     </del>	11.90			1.83	<del>                                     </del>
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	1
+	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	1
Featu	re Activations - Unbundled Loop Concentration				72. 2	5.71	2.00	3.00	3.00	3.00		50				
	Feature (Service) Activation for each Line Port Terminated in D4				1									İ	1	
	Bank	ı	1	UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93	1	11.90		1	1.83	1

Version 3Q02: 10/07/02 Page 69 of 425

			1	1	1					Cur Ouden	Cura Oudan	Attachment:			bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
					Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature (Service) Activation for each Trunk Port Terminated in															
D4 Bank		1	UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	
Telephone Number/ Group Establishment Charges for DID Service  DID Trunk Termination (1 per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00				11.90				
Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	-		UEPPX	NDZ	0.00	0.00	0.00	-			11.90				
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				11.90				
Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				11.90				
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only		1	LIEBBY .	LIED /		2.22					44.00				
All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
NBUNDLED PORT LOOP COMBINATIONS - MARKET RATES  Market Rates shall apply where BellSouth is not required to provide	···nb···n	dlad la	al awitching or aw	itah narta na	FCC and/or Ct	ata Cammissia	n rulos								
This includes:	unbunc	alea lo	cai switching or sw	ton ports per	r FCC and/or St	ate Commissio	n ruies.	-							
Unbundled port/loop combinations that are Currently Combined or	Not Cur	rently (	Combined in Zone 1	of the Ton 8	MSAS in BallS	outh's region f	or and usars v	with 4 or more I	naleviuna 020	t lines					
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Laudero											e).				
BellSouth currently is developing the billing capability to mechanic												. In the interi	m where Bell	South cannot	bill Market
Rates, BellSouth shall bill the rates in the Cost-Based section prece									•						
The Market Rate for unbundled ports includes all available features															
End Office and Tandem Switching Usage and Common Transport U (USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.															
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges ar Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges ar Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates		in the I			s for each Port										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		in the I			as for each Port										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  WIE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		in the I			23.77 27.88										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3		in the I			as for each Port										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges ar Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates		in the I	First and Additional		23.77 27.88 38.63										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3		1 2 3		NRC column	23.77 27.88										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges an Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		1 2 3 1	First and Additional	NRC column	23.77 27.88 38.63										
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges ar Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX	NRC column  UEPLX  UEPLX  UEPLX  UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	USOC. For Cu	urrently Combi				s are listed				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt.Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00	urrently Combi				s are listed i				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  [2-Wire voice unbundled port - residence] [2-Wire voice unbundled port - with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00 90.00	90.00 90.00				11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00	urrently Combi				s are listed i				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	23.77 27.88 38.63 9.77 13.88 24.63	90.00 90.00	90.00 90.00				11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundleds Florida Area Calling with Caller ID - res  2-Wire voice unbundleds Florida Area Calling with Caller ID - res		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundleds res, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  [2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled Florida Area Calling with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundled sres, low usage line port with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing port or use		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrtLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller Without Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing Port ouse with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID res  2-Wire voice unbundled Low Usage Line Port with Caller ID Capability  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPA1 UEPA8 UEPA9	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID (LUM)  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID (Capability Caller ID Capability)  2-Wire voice unbundled Florida Area Calling Port without Caller ID (Capability)  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAF UEPAF	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire VG Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida extended dialing Port or use with CREX7, without Caller ID capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAP UEPA1 UEPA8 UEPA9	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WiRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  1-COCAL NUMBER PORTABILITY  1-COCAL NUMBER PORTABILITY  1-COCAL NUMBER PORTABILITY  1-COCAL NUMBER PORTABILITY  2-WIRE VOICE RAME SAME AND AREA CALLER BOTTABILITY  1-COCAL PORTABILITY  2-WIRE VOICE AND AREA CALLER BOTTABILITY  2-WIRE VOICE AND AREA CALLER BOTTABILITY  3-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY  4-COCAL PORTABILITY		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAF UEPA1 UEPA8 UEPA9	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				
(USOC: URECU).  For Not Currently Combined scenarios the Nonrecurring charges at Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE POrt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Florida extended dialing port for use with CREX7 and Caller ID  2-Wire voice unbundled Florida extended dialing port for use with CREX7, without Caller ID capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability  2-Wire voice unbundled Florida extended dialing Port without Caller ID Capability  2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability  LOCAL NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2 3 1 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPAP UEPA1 UEPA8 UEPA9	23.77 27.88 38.63 9.77 13.88 24.63 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00 90.00				11.90 11.90 11.90 11.90 11.90 11.90				

Version 3Q02: 10/07/02 Page 70 of 425

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	2 Wire Veice Conde Lees / Line Book Constringstion Contact with						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41.50	41.50				11.90				
ADD	ITIONAL NRCs			02.101	00.100		11.00					11100				
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			23.77										
	2-Wire VG Loop/Port Combo - Zone 2		2			27.88										
	2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wi	re Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	14.00	90.00	90.00	-	1	<b> </b>	11.90				-
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	14.00	90.00	90.00				11.90				
	2-Wire voice unbundled Incoming Only Port without Caller ID			-												
	Capability			UEPBX	UEPBE	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY															
, ion	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
<del> </del>	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			OLI DX	OOAOZ		41.50	41.50				11.30				
	change			UEPBX	USACC		41.50	41.50				11.90				
ADD	ITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
0.140	Subsequent RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	USAS2		0.00	0.00				11.90				
	Port/Loop Combination Rates															
ONL	2-Wire VG Loop/Port Combo - Zone 1		1			23.77										
	2-Wire VG Loop/Port Combo - Zone 2		2			27.88										
	2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG UEPRG	UEPLX	13.88 24.63										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLA	24.03										
2-111	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES			LIEBBO								44.00				
NON	All Features Offered RECURRING CHARGES - CURRENTLY COMBINED			UEPRG	UEPVF	0.00	0.00	0.00				11.90				
NON	NEGOTING CHARGES - CORRENTET COMIDINED		<b>!</b>	<del> </del>	+				1	1	<del>                                     </del>					
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPRG	USACC		41.50	41.50			ļ	11.90				
ADD	ITIONAL NRCs		<u> </u>	ļ												
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00				11.90				
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<u> </u>		+		0.00	0.00				11.90			-	
	Group			1	1		7.09	7.09				11.90				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											50				
	Port/Loop Combination Rates					<u> </u>										
	2-Wire VG Loop/Port Combo - Zone 1		1			23.77										

Version 3Q02: 10/07/02 Page 71 of 425

JINDUNDLI	ED NETWORK ELEMENTS - Florida	1	1							,	0	06	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
						Boo	Nonrec	urring	Nonrecurring D	Disconnect	1		oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2		2			27.88										
	2-Wire VG Loop/Port Combo - Zone 3		3			38.63										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
					EDDO											
$\longrightarrow$	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled PBX LD Terminal Ports	<b> </b>	<del>                                     </del>	UEPPX UEPPX	UEPLD	14.00	90.00	90.00				11.90			<b>!</b>	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<b> </b>	<u> </u>	UEPPX	UEPXA UEPXB	14.00 14.00	90.00 90.00	90.00 90.00				11.90 11.90			<del>                                     </del>	
		-														
$\longrightarrow \longmapsto$	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<del>                                     </del>	<del>                                     </del>	UEPPX UEPPX	UEPXD	14.00 14.00	90.00	90.00	<del>                                     </del>			11.90 11.90			<del></del>	<b>_</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPX	UEPAD	14.00	90.00	90.00				11.90				
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				
$\longrightarrow$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFA	UEFAE	14.00	90.00	90.00				11.90				
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAL	14.00	90.00	90.00				11.90				
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
$\longrightarrow \longleftarrow$	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	<u> </u>	UEFFA	UEPAIVI	14.00	90.00	90.00				11.90				
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				11.90				
-+-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPPX	UEPXS	14.00	90.00	90.00				11.90				
1.00/	AL NUMBER PORTABILITY			ULFFX	ULFAS	14.00	90.00	90.00				11.90				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	<b>-</b>							
FFΔT	URES			OLITA	LIVI OI	0.10	0.00	0.00	<b>-</b>							
<del></del>	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
NONE	RECURRING CHARGES - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50				11.90				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring	1	1				0.00	0.00	]			11.90			I	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.09	7.09				11.90				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POP	₹T														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			23.77										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			27.88										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			38.63										
UNE	Loop Rates							-								
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88							·			
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63									1	
2-Wir	e Voice Grade Line Port Rates (Coin)	<u> </u>		ļ											ļ	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90			1	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1												I	
	(FL)	ļ	<u> </u>	UEPCO	UEPFA	14.00	90.00	90.00				11.90			<b>.</b>	
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1	1												I	
															1	
	900/976, 1+DDD, 011+, and Local (FL)  2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCG	14.00	90.00	90.00				11.90				

Version 3Q02: 10/07/02

NARONDF	ED NETWORK ELEMENTS - Florida			1							Ia		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Coin Outward with Operator Screening and Blocking:				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:			02. 00	02. 0.	1 1.00	00.00	00.00	İ			11.00				
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCA	AL NUMBER PORTABILITY			LIEBOO	LUBOY	0.05										
NONE	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED				+										-	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPCO	USACC		41.50	41.50								
ADDI	TIONAL NRCs															
	2 Miss Vaisa Carda Lass/Line Bart Cardination C. Lass Cardination		1	UEPCO	USAS2		0.00	0.00				44.00				
2 WIE	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	DODT /		USAS2		0.00	0.00				11.90			-	
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	-OKI (	ne <b>o</b> j	-				<del>                                     </del>		<del>                                     </del>					
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26.24										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	31.40									1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.87										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
2-Wir	2-Wire Voice Grade Loop (SL2) - Zone 3 re Voice Grade Line Port Rates (Res)		3	UEPFR	UECF2	30.87									-	
2-4411	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID						400.00									
INITE	(LUM) ROFFICE TRANSPORT			UEPFR	UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1										İ	
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				11.90				
LOCA	AL NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	LNPCX	0.35										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1		+											
1	Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		16.97	3.73				11.90				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73				11.90				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE	Port/Loop Combination Rates		1			00.04					<u> </u>					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	26.24 31.40			<del>                                     </del>		<b> </b>				<del>                                     </del>	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3		+	44.87									<del> </del>	
UNE	Loop Rates		Ť						1						1	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										
2-Wir	e Voice Grade Line Port (Bus)		<u> </u>	LIEDED	HEDE:		/00.0-		0.00	***	<u> </u>					
-+	2-Wire voice unbundled port without Caller ID - bus	1	<u> </u>	UEPFB UEPFB	UEPBL UEPBC	14.00	180.00 180.00	110.00 110.00	85.00 85.00	20.00	<del>                                     </del>	11.90 11.90			1	<del>                                     </del>
-+-	2-Wire voice unbundled port with Caller + E484 ID - bus 2-Wire voice unbundled port outgoing only - bus		<u> </u>	UEPFB UEPFB	UEPBC	14.00 14.00	180.00	110.00	85.00 85.00	20.00	<b> </b>	11.90 11.90			<del>                                     </del>	-
	2-Wire voice unburidled port outgoing only - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus	-	1	UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00	1	11.90			1	

Version 3Q02: 10/07/02 Page 73 of 425

UNBUN	DLED	NETWORK ELEMENTS - Florida										•		Attachment:			ibit: B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L		NUMBER PORTABILITY				LUBOY											
		Local Number Portability (1 per port) PFICE TRANSPORT			UEPFB	LNPCX	0.35										
IIV		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			-	-				ļ						-	
		Termination			UEPFB	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLFIB	01172	25.52	47.33	31.70	+							
		or Fraction Mile			UEPFB	1L5XX	0.0091										
FI	EATU				CLITE	TEO/OX	0.0001										
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				11.90				
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is	L		UEPFB	USAC2		16.97	3.73	<u> </u>			11.90		<u> </u>	<u> </u>	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73				11.90				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
U		rt/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			26.24										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			31.40										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3  op Rates		3	-	-	44.87			ļ						-	
U		op kates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24			-							-
		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40			-						-	
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	30.87										
2.		/oice Grade Line Port Rates (BUS - PBX)			OLITI	OLOI Z	30.07			t							
	******	roise Grade Eine Fort Nates (BOO F BA)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90			1	
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDED	LIEDYA	44.00	400.00	440.00	05.00	20.00		44.00			1	
		Room Calling Port		<del>                                     </del>	UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00		11.90		<b> </b>	<b>!</b>	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		1	UEPFP	UEPXO	14.00	180.00	110.00	85.00	20.00		11.90		1	I	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPFP	UEPXS	14.00	180.00	110.00	85.00 85.00	20.00		11.90		1	+	}
- 1.		NUMBER PORTABILITY	-	-	OLFIF	ULFAS	14.00	100.00	110.00	00.00	20.00		11.90		1	+	}
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00	1			11.90		1	t	<del>                                     </del>
IN		OFFICE TRANSPORT		<u> </u>			0.10	0.00	0.00	<del>                                     </del>			11.00		<b> </b>	<b>I</b>	1
- 1		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			İ	1				†					İ	1	
		Termination		1	UEPFP	U1TV2	25.32	47.35	31.78	]					1	I	
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-								
		or Fraction Mile			UEPFP	1L5XX	0.0091			<u> </u>							
FI	EATU																
		All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				11.90				
N	ONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	l	1				I T					1	_	
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73	<b>.</b>			11.90		ļ	ļ	
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1						]			,		1	I	
		Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73	<b> </b>			11.90		ļ	-	<del>                                     </del>
		ORT/LOOP COMBINATIONS - MARKET BASED RATES VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DOD-			1				<b> </b>					ļ	-	<del>                                     </del>
	-wike	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PURI	<u> </u>													

Version 3Q02: 10/07/02 Page 74 of 425

ONBONDLED N	ETWORK ELEMENTS - Florida											1		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	cs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				67.24										
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				72.40										
	/ire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				85.87										
UNE Loop I																	
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	12.24						11.90			1.83	
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	17.40						11.90			1.83	
	/ire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.87						11.90			1.83	
UNE Port R																	
	hange Ports - 2-Wire DID Port			UEPPX		UEPD1	55.00	850.00	75.00				11.90			1.83	
	RRING CHARGES - CURRENTLY COMBINED																
	/ire Voice Grade Loop / 2-Wire DID Trunk Port Combination - tch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00				11.90				
2-W	/ire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00				11.90				
ADDITIONA	AL NRCs																
2-W	/ire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.26	32.26				11.90				
	Number/Trunk Group Establisment Charges																
	Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	
	Numbers, Establish Trunk Group and Provide First Group																
	0 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
Add	litional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
DID	Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
	serve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
Res	serve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
	MBER PORTABILITY																
Loca	al Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	ON DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														
	oop Combination Rates																
2W	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE	E Zone 1		1	UEPPB	UEPPR		85.25										
2W	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE	E Zone 2		2	UEPPB	UEPPR		91.67										
2W	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UNE	E Zone 3		3	UEPPB	UEPPR		108.46										
UNE Loop I	Rates																
2-W	/ire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
2-W	/ire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	/ire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE Port R	Rate																
	hange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
NONRECUR	RRING CHARGES - CURRENTLY COMBINED																
2-W	/ire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	mbination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	
ADDITIONA																	
	MBER PORTABILITY																
	al Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	L USER PROFILE ACCESS:																
	S/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	S (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
CSE				UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	L AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)			Į J						ļ					
	MINAL PROFILE															ļ	
	er Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	FEATURES		<u> </u>														
	Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00			ļ	11.90				
	CE CHANNEL MILEAGE		<u> </u>			ļ .											
	eroffice Channel mileage each, including first mile and			l		[]											1
I Ifacil	lities termination	1	1	UEPPB	UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90		1	1.83	l

Version 3Q02: 10/07/02 Page 75 of 425

ONRONDFFD NE	ETWORK ELEMENTS - Florida												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	roffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
	pop Combination Rates															
Zone			1	UEPPP		970.74										
4W E Zone	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP		1,000.54										
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			02		1,000.01										
Zone			3	UEPPP		1,078.39										
UNE Loop R	Rates					,										
	ire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	70.74						11.90			1.83	
	ire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	100.54						11.90			1.83	
	ire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	178.39			+		1	11.90			1.83	<b> </b>
UNE Port Ra		1			100.11	170.00					<b>†</b>	11.00			1.55	
	nange Ports - 4-Wire ISDN DS1 Port	1	1	UEPPP	UEPPP	900.00	1.150.00	1.150.00			<b>†</b>	11.90			1.83	
	RING CHARGES - CURRENTLY COMBINED	1	1	0_111	JE111	300.00	1,100.00	1,130.00			<b>†</b>	11.00			1.00	
	ire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	1	<b> </b>	1						<b>†</b>				<b> </b>	
Com	abination - Conversion -Switch-As-Is Top 8 MSAs only	l	1	UEPPP	USACP	0.00	925.00	925.00			1	11.90		l	1.83	
ADDITIONAL				OLITI	00/101	0.00	020.00	020.00			+	11.00			1.00	
	ire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1		1				+ +		1					
	ard/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLFFF	FIXIII		0.3412					11.90			1.03	
	ward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	ire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLFFF	FK/IO		12.71	12.71	-		+	11.50			1.03	<b> </b>
	sequent Inward Telephone Numbers			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
	MBER PORTABILITY			UEPPP	PR/ZI		25.42	25.42	-		+	11.90			1.03	ļ
	Al Number Portability (1 per port)			UEPPP	LNPCN	1.75			-		+				-	ļ
	(Provsioning Only)			OLFFF	LINE CIN	1.73			-		+				-	ļ
	e/Data		<u> </u>	UEPPP	PR71V	0.00	0.00	0.00			-					
	tal Data			UEPPP	PR71D	0.00	0.00	0.00	-		+				-	<b> </b>
	iai Data ard Data			UEPPP	PR71E	0.00	0.00	0.00								
	itional "B" Channel			UEPPP	PR/IE	0.00	0.00	0.00	-		+				-	<b></b>
	or Additional - Voice/Data B Channel		<u> </u>	UEPPP	PR7BV	0.00	20.00				-	11.90			1.83	
	or Additional - Digital Data B Channel		<u> </u>	UEPPP	PR7BF	0.00	20.00				-	11.90			1.83	
	or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	20.00				-	11.90			1.83	
CALL TYPES			<u> </u>	UEPPP	PR/BD	0.00	20.00				-	11.90			1.83	
			-	LIEDDD	PR7C1	0.00	0.00	0.00								<u> </u>
Inwa			<b>_</b>	UEPPP		0.00	0.00	0.00								
Outw		1	<b>_</b>	UEPPP UEPPP	PR7C0	0.00	0.00	0.00			+			1	<del>                                     </del>	<del>                                     </del>
Two-		l	-	UEPPP	PR7CC	0.00	0.00	0.00	<del>                                     </del>		+			<del>                                     </del>	1	<del>                                     </del>
	Channel Mileage	1	<u> </u>	HEDDD	di Nid A	00.0050	405.51	20.7=	24.4-	10.0=	1	44.00		-	1.00	<del>                                     </del>
	d Each Including First Mile		<u> </u>	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05	1	11.90			1.93	
	h Airline-Fractional Additional Mile	<u> </u>	<u> </u>	UEPPP	1LN1B	0.1856			<b> </b>		+				-	<del>                                     </del>
	DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>		ļ				<b></b>		-					
	pop Combination Rates	<b> </b>	<b>L</b> .	LIEBBO	ļ				<b> </b>						L	
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<u> </u>	1	UEPDC	1	820.74			<b> </b>		+	11.90			1.83	<del>                                     </del>
4W [	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC	1	850.54			<b> </b>		+	11.90			1.83	
	DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<b> </b>	3	UEPDC	ļ	928.39			ļ			11.90			1.83	
UNE Loop R		<b> </b>	L.,	LIEDDO	LIOL DO	70 71			<b> </b>			44.00			4.00	
	ire DS1 Digital Loop - UNE Zone 1	<u> </u>	1	UEPDC	USLDC	70.74			<b> </b>		+	11.90			1.83	
	ire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	100.54			<b></b>		-	11.90			1.83	
	ire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	178.39			<b> </b>		+	11.90			1.83	
UNE Port Ra		<b> </b>	<u> </u>	LIEDDO	LIDDAT	750.00	4 040 ==	470.00	004.00	00.10		44.00			4.00	
	ire DDITS Digital Trunk Port	<u> </u>	<u> </u>	UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10	+	11.90			1.83	<u> </u>
	RING CHARGES - CURRENTLY COMBINED		<u> </u>		ļ				<b></b>		-					
	ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1								1			l		
- Swi	ritch-As-Is Top 8 MSAs only	<u> </u>	<u> </u>	UEPDC	USAC4		95.31	46.71	<b> </b>		+	11.90			1.83	<del>                                     </del>
	Su DOA Bishell and / AlWin DOTTO To all Day of the single	l	1								1			l	I	
	ire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1	l	I				1		1			1		
I I- Cor	nversion with DS1 Changes Top 8 MSAs only	l	l	UEPDC	USAWA		95.31	46.71			1	11.90		ĺ	1.83	

Version 3Q02: 10/07/02 Page 76 of 425

OMBONDL	ED NETWORK ELEMENTS - Florida			1							Ia		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1445 BOARS N. 1445 BRITOT LB 10 11 11															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	110 414/5		05.04	40.74				44.00			4.00	
ADD	- Conversion with Change - Trunk Top 8 MSAs only ITIONAL NRCs			UEPDC	USAWB		95.31	46.71				11.90			1.83	
AUU	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		-		-											
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		15.05	15.05				11.50			1.00	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			02. 50	05.15		10.00	10.00				11.00				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPC	DLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			LIEDDO	41.004	00.44	105.51	00.47	04.47	10.05		44.00			4.00	
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Later William Observat AMI and A Lift and Later and A Lift and A L			LIEDDO	1LNOA	0.4050	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	TLNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25		-	UEPDC	ILINOZ	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLFDC	ILINOB	0.1050	0.00	0.00			1					
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination)			OLI DO	TENOS	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							1
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
	stem can have various rate combinations based on type and nui			used	1									İ	1	
	DS1 Loop															
İ	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
İ	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ıs)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	

Version 3Q02: 10/07/02 Page 77 of 425

JNBUNDLEI	D NETWORK ELEMENTS - Florida			T	1						1 -	1 -	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM38	1,888.96 2,361.20	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40 VUM57	2,833.44	0.00	0.00				11.90 11.90			1.83 1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,833.44 3,305.68	0.00	0.00				11.90			1.83	
Non-Re	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	eliztio					0.00				11.90			1.03	
	mum System configuration is One (1) DS1, One (1) D4 Channel						stem									
	es of this configuration functioning as one are considered Ad															
	NRC - Conversion (Currently Combined) with or without				1											
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
System	Additions Where Currently Combined and New (Not Currently	y Comb	ined)													
	sity Zone 1 Top 8 MSAs		L ´						<u>                                       </u>							
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
Bipolar	8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Alterna	te Mark Inversion (AMI)			LIEDMO	140005	0.00	0.00	0.00								
	Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
Evolum	Extended Superframe Format ige Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Dort	UEPING	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-wire DST Loop with Channelization	on with	FOIL		1											
EXCITATI	ige Forts															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Elifo dido datmara difarinidizad i Extitutivi di C. Eddinoco			02.17	02. OX	1 1.00	0.00	0.00	0.00	0.00		11.00				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Feature	Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Port Terminated in															
	D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
Teleph	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00	ļļ			11.90				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				<b></b>
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				11.90				
$\rightarrow$	Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00	<del>                                     </del>			11.90 11.90				
	Number Portability	-		OLPPA	INDA	0.00	0.00	0.00	<del>                                     </del>			11.90				<b> </b>
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional			OLIFA	LINFOF	3.15	0.00	0.00								
	Switching Features Offered with Line Side Ports Only				1											<del>                                     </del>
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	<del>                                     </del>
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S			1	20	2.30	2.00				50				
	Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	provide Unbu	indled Local S	witching or Sw	itch Ports.								
	ures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
	Office and Tandem Switching Usage and Common Transport											coin Port/Lo	op Combinati	ions.		
	first and additional Port nonrecurring charges apply to Not Cu								•				•		Additional ND	Ce may
	ilso and are categorized accordingly.	arrenny	Jonnbi	nica combos. For	Janeining CO		o, ale nomecu	g charges	Silan be those	idontined III t	iic itoinecu	ining - ourie	y combine	a sections.	-aditional NN	.co may
	ket Rates for Unbundled Centrex Port/Loop Combination will	he nego	ntiated	on an Individual Ca	se Rasis unt	il further notice			ı ı							
			riated	on an marvidual Ca	T Dasis, ulli	runner notic	••		1		1					<del>                                     </del>
	CENTREX - 14ESS - (Valid in AL EL GARYLAMS XIN Only)	1)														
UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	)					+									

Version 3Q02: 10/07/02 Page 78 of 425

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		25.80										
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design Control of the		1	UEP91		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDO4		40.57									l	
<del></del>	Design		2	UEP91	+	18.57										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP91		32.04									1	
IINE I	Design		3	OEF91	+	32.04										<del>                                     </del>
UNE L			1	UEP91	UECS1	9.77									-	<u> </u>
-+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91 UEP91	UECS1	13.88									1	<b> </b>
-+	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63					1					1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP91	UECS2	12.24					-					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP91	UECS2	17.40					1					1
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										1
UNE P			3	OLI 31	OLCOZ	30.07										
	ates (Except North Carolina and Sout Carolina)															
7.11 0.11	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 0.	02		00.01	20.10	27.00	0.01		11.00				
	Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Georg	ia and Florida Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOA	UEPHM	1.17	100.10	00.40	05.44	40.04		44.00				
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
				l	1					_						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
11	2-Wire Voice Grade Port Terminated on 800 Service Term	-	<del>                                     </del>	UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37	-	11.90			<del>                                     </del>	<b> </b>
Local	Switching Centrex Intercom Funtionality, per port	-	<del>                                     </del>	UEP91	URECS	0.7384									-	1
Local	Number Portability			UEF91	UKECS	0.7364										
Local	Local Number Portability (1 per port)		<b>!</b>	UEP91	LNPCC	0.35									1	<del>                                     </del>
Featur		1	<b>!</b>	02101	2141 00	0.55					<u> </u>				<b> </b>	
, catal	All Standard Features Offered, per port		<b>†</b>	UEP91	UEPVF	2.26						11.90			1	
_	All Select Features Offered, per port		<b>†</b>	UEP91	UEPVS	0.00	370.70					11.90			1	
	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.26	2. 2 0					11.90			İ	
NARS				_					_			11.00				
NARS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
NARS	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91 UEP91	UARCX UAR1X UAROX	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00				11.90 11.90 11.90				

Version 3Q02: 10/07/02 Page 79 of 425

NRONDLED N	ETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electron Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire Trun																
	nk Side Terminations, each			UEP91	CENA6	8.73										
	Channel Mileage - 2-Wire															
	eroffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
	eroffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	tivations (DS0) Centrex Loops on Channelized DS1 Service	e														
	Bank Feature Activations			LIEBOA	400040	0.00										
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	. Asia Banka Banka Banka				4001440											
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	ature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDO1	100\47	0.00									1	
Slot		-		UEP91	1PQW7	0.66					1				1	<del></del>
	ature Activation on D-4 Channel Bank Centrex Loop Slot - erent Wire Center			UEP91	1PQWP	0.66										
Dille	elent whe center		-	UEF91	IFQWF	0.00					-					
Foo	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	ature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP91	IFQWV	0.00										+
Slot				UEP91	1PQWQ	0.66										
0.00	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.66										
	ring Charges (NRC) Associated with UNE-P Centrex		-	UEF91	IFQWA	0.00										
					-											┼──
	nversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		21.50	8.42				11.90				
	anges, per port			UEP91	USACZ		5.17	8.42				11.90				<del>                                     </del>
	nversion of Existing Centrex Common Block  W Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82	8.32				11.90				
	w Centrex Standard Common Block			UEP91	M1ACC	0.00	618.82					11.90				<del>                                     </del>
	condary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				<del>                                     </del>
	R Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				+
	VTREX - 5ESS (Valid in All States)			OLF91	UNLUA	0.00	00.40					11.90				+
	Loop/2-Wire Voice Grade Port (Centrex) Combo				+											<del>                                     </del>
	oop Combination Rates (Non-Design)															+
2-1//	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															+
	n-Design		1	UEP95		10.94										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SO		10.04										<del>                                     </del>
	n-Design		2	UEP95		15.05										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 00	+	10.00										+
	n-Design		3	UEP95		25.80										
	.oop Combination Rates (Design)		Ť	02. 00		20.00										<b>—</b>
	Vire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											+
Des			1	UEP95		13.41									1	
	/ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1										1	<b>†</b>
Des			2	UEP95		18.57										
	Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															†
Des			3	UEP95		32.04										
UNE Loop I																1
	Vire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
	Vire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88										
2-W	/ire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
2-W	/ire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										
	/ire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
	/ire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87										
UNE Port R																
All States																
	/ire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	Vire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
2-W Area	/ire Voice Grade Port (Centrex with Caller ID)1Basic Local a			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90		_		
2-W	Vire Voice Grade Port (Centrex from diff Serving Wire															I
Con	nter)2 Basic Local Area		I	UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81	I	11.90			ĺ	1

Version 3Q02: 10/07/02 Page 80 of 425

UNBUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge Manual S Order vs Electroni Disc Add
					Rec	Nonred		Nonrecurring					Rates(\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Port, Diff Serving Wire Center -	800 Service														
Term - Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
2-Wire Voice Grade Port terminated in on Megalink	or equivalent					=0.04									
- Basic Local Area	_		UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port Terminated on 800 Service	Term -		LIEBOE	LIEDVO	4.47	50.04	00.40	07.50	0.07		44.00				
Basic Local Area		1	UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
AL, KY, LA, MS, SC, & TN Only															
FL & GA Only  2-Wire Voice Grade Port (Centrex )		1	UEP95	UEPHA	4.47	50.04	26.46	27.50	8.37		11.90				
		1			1.17	53.31									
2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPHB UEPHH	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		11.90				
2-Wire Voice Grade Port (Centrex with Caller ID)1	Alian	1	UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port (Centrex from diff Serving \	vvire		UEP95	UEPHM	1.17	420.40	86.10	65.41	13.81		44.00				
Center)2  2-Wire Voice Grade Port, Diff Serving Wire Center -	000 Camina	1	UEP95	UEPHIVI	1.17	139.49	86.10	65.41	13.81		11.90				
	800 Service		LIEDOS		4.47	100.10	00.40	05.44	40.04		44.00				
Term		1	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90			<del>                                     </del>	
2 Mira Vaira Canda Dark torrain stad in an Manaliala			UEP95	UEPH9	4 47	53.31	00.40	07.50	8.37		11.90				
2-Wire Voice Grade Port terminated in on Megalink of 2-Wire Voice Grade Port Terminated on 800 Service		1	UEP95	UEPH9	1.17 1.17	53.31	26.46 26.46	27.50 27.50	8.37		11.90				
Local Switching	rem	1	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
		1	LIEDOE	LIDECC	0.7004										
Centrex Intercom Funtionality, per port  Local Number Portability			UEP95	URECS	0.7384										
Local Number Portability (1 per port)			UEP95	LNPCC	0.35									-	<b> </b>
Features			UEF95	LINECC	0.33										
All Standard Features Offered, per port			UEP95	UEPVF	2.26										
All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	370.70					11.90			-	ļ
NARS			UEF95	UEPVC	2.20									-	ļ
Unbundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00				11.90				1
Unbundled Network Access Register - Indial		1	UEP95	UAR1X	0.00	0.00	0.00				11.90				1
Unbundled Network Access Register - Outdial		1	UEP95	UAROX	0.00	0.00	0.00				11.90				
Miscellaneous Terminations			OLI 33	UAROX	0.00	0.00	0.00				11.50				
2-Wire Trunk Side															
Trunk Side Terminations, each			UEP95	CEND6	8.73										
4-Wire Digital (1.544 Megabits)		1	02.00	02.120	0.70										1
DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Interoffice Channel Mileage - 2-Wire											11100				
Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
Interoffice Channel mileage, per mile or fraction of m	nile		UEP95	MIGBM	0.0091										
Feature Activations (DS0) Centrex Loops on Channelized															
D4 Channel Bank Feature Activations															
Feature Activation on D-4 Channel Bank Centrex Lo	op Slot		UEP95	1PQWS	0.66										
Feature Activation on D-4 Channel Bank FX line Sid	le Loop Slot		UEP95	1PQW6	0.66									1	
Feature Activation on D-4 Channel Bank FX Trunk S								İ						1	
Slot			UEP95	1PQW7	0.66									1	
Feature Activation on D-4 Channel Bank Centrex Lo Different Wire Center	op Slot -		UEP95	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Private Line			UEP95	1PQWV	0.66								-		
Feature Activation on D-4 Channel Bank Tjie Line/Tr	runk Loop	1		1 7						1				_	
Slot			UEP95	1PQWQ	0.66										
Feature Activation on D-4 Channel Bank WATS Loop			UEP95	1PQWA	0.66										
Non-Recurring Charges (NRC) Associated with UNE-P Co															
NRC Conversion Currently Combined Switch-As-Is v	with allowed													1	
changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90			1	
Conversion of Existing Centrex Common Block, each	h		UEP95	USACN		5.17	8.32				11.90				
New Centrex Standard Common Block		1	UEP95	M1ACS	0.00	618.82				<u> </u>	11.90				
New Centrex Customized Common Block		1	UEP95	M1ACC	0.00	618.82				<u> </u>	11.90				<u></u>

Version 3Q02: 10/07/02 Page 81 of 425

UNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				
	-P CENTREX - DMS100 (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-											
	Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINIE	Non-Design		3	UEP9D	-	25.80										
UNE	Port/Loop Combination Rates (Design)	1	<b>!</b>						<del>                                     </del>		<b>-</b>				-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32.04										
UNF	Loop Rate	1	- 3	021 00	+	32.04			+						<del> </del>	
0.1.2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87										
	Port Rate															
ALL	STATES				<u> </u>											
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37		11.90				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
	Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		-	UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				
	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37		11.90				
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2 Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				

ONBONDLE	D NETWORK ELEMENTS - Florida											•	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
	0.145 A 1 1 0 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	LIEDVO	1 17	120.40	96 10	GE 41	12.01		11.00				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				<b></b>
	Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81		11.90				<del> </del>
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLF3D	OLFTO	1.17	139.49	80.10	05.41	13.01		11.50				
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic						== =									
EI 0 /	Local Area  GA Only			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL & C	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				1
	2-Wire Voice Grade Fort (Centrex)  2-Wire Voice Grade Fort (Centrex 800 termination)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPHV UEPH3	1.17	53.31	26.46	27.50	8.37		11.90 11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPH3	1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPHH	1.17	55.51	20.40	27.50	0.37	1	11.90				
	Indication)3			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						90.01									
	2			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90				
	2-wire voice Grade Fort (Gentlewainer GWG/EBG-WST12)2, 3			OLI 3D	OLITIK	1.17	133.43	00.10	05.41	13.01		11.30				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81		11.90				
	,,,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81		11.90				
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81		11.90				
	O.M. To. Veign One In Book (On the Alliffer OMO /EBO MEDIO)			LIEBOD	LIEDLIO	4.47	400.40	00.40	05.44	40.04		44.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81	<del>                                     </del>	11.90		<del> </del>		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90				
	2-Wire Voice Grade Port (Certifie Valler Swc /EB3-N3310/2, 3			021 00	02.717	1.17	133.49	55.10	05.41	15.51	<b> </b>	11.30			<u> </u>	<del>                                     </del>
	Term			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
								22.10								1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	L	UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37	<u></u>	11.90		<u>                                     </u>		<u></u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				

Version 3Q02: 10/07/02 Page 83 of 425

ONRONDI	LED NETWORK ELEMENTS - Florida											,	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Loca	al Number Portability			LIEDAD	LUBOO											
	Local Number Portability (1 per port)		<u> </u>	UEP9D	LNPCC	0.35										
Feat	tures	1	1	UEP9D	UEPVF	2.26					1				-	
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D	UEPVF	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26	370.70					11.90				
NAR			1	OLF 9D	OLF VC	2.20					1					1
10/31	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Inward	1		UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial	1		UEP9D	UAROX	0.00	0.00	0.00	1		1	11.90		1	1	
Misc	cellaneous Terminations	1				5.55	3.55	3.30	1	1				1	1	
	ire Trunk Side	1			İ	İ			1	1				İ	1	
	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-W	ire Digital (1.544 Megabits)	i i														
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
Inte	roffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	IPQW/	0.00					+					
	Different Wire Center			UEP9D	1PQWP	0.66										
	Different Wife Center		1	UEP9D	IFQWF	0.00					1					1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tilvate Line/Trunk Loop		1	OLI 3D	II QVVV	0.00					1					
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42				11.90				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48	-				11.90				
	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	ļ				ļ					1				1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1 .								1				1	
	Non-Design	<del>                                     </del>	1	UEP9E	1	10.94				ļ						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1	2	UEP9E		45.05								1	I	
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1	- 2	UEP9E	+	15.05			ļ	<b> </b>	1			<del>                                     </del>	<del>                                     </del>	1
	Non-Design	1	3	UEP9E		25.80								1	I	
LINE	Fort/Loop Combination Rates (Design)	1	3	OLPSE	+	∠5.80			1	1	1			1	<del> </del>	<del>                                     </del>
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			+	ł								1	<del> </del>	
	Design	1	1	UEP9E		13.41									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	.	† ·			10.11					1				<u> </u>	
	Design	1	2	UEP9E		18.57								1	I	
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo				1	.0.07			1	1				İ	1	
	Design	1	3	UEP9E		32.04					1				1	
LINE	Loop Rate	1	t -	-							1				1	<del>                                     </del>

Version 3Q02: 10/07/02 Page 84 of 425

BUNDLED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
EGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremen Charge
					Rec	Nonrec		Nonrecurring					Rates(\$)		
		<b>.</b>	LIEBAE			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.40										<u> </u>
2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87										<u> </u>
UNE Port Rate															
AL, FL, KY, LA, MS, & TN only															
2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port (Centrex from diff Serving Wire															
Center)2 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	Э														
Term - Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
2-Wire Voice Grade Port terminated in on Megalink or equivale	nt														
- Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port Terminated on 800 Service Term -															
Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Florida Only															1
2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				1
2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				1
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	Э														1
Term			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
2-Wire Voice Grade Port terminated in on Megalink or equivale	nt		UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Local Switching															
Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Local Number Portability															
Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Features															
All Standard Features Offered, per port			UEP9E	UEPVF	2.26										1
All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS															
Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				1
Miscellaneous Terminations															1
2-Wire Trunk Side															1
Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wire Digital (1.544 Megabits)															
DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32										
Interoffice Channel mileage, per mile or fraction of mile		1	UEP9E	MIGBM	0.0091										1
Feature Activations (DS0) Centrex Loops on Channelized DS1 Serv	rice	1													1
D4 Channel Bank Feature Activations			1										İ	İ	1
Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	1	UEP9E	1PQWS	0.66					İ			İ	1	1
	1	1			2.00										<b>†</b>
Feature Activation on D-4 Channel Bank FX line Side Loop Slo	t		UEP9E	1PQW6	0.66					1					

Version 3Q02: 10/07/02 Page 85 of 425

ONRONDL	ED NETWORK ELEMENTS - Florida			ı									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					_	Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEF9E	IPQW/	0.00										
ı l	Different Wire Center			UEP9E	1PQWP	0.66										
igwdow	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
i l	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	1PQWQ	0.00										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E UEP9E	1PQWQ 1PQWA	0.66 0.66										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex		1	OLI 3L	II QWA	0.00										
110111	NRC Conversion Currently Combined Switch-As-Is with allowed															
ı l	changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
$\longrightarrow$	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
$\vdash$	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
Note	NAR Establishment Charge, Per Occasion  1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			UEP9E	URECA	0.00	66.48					11.90			-	
	2 - Required Port for Centrex Control III TAESS, 5ESS & EWSD		1								-			-	-	
	3 - Requires Specific Customer Premises Equipment				+											
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES				1									İ	İ	
1. Ma	rket Rates are applied where BellSouth is not required by FCC	and/or	State C	commission rule to	provide Unbu	ndled Local Sw	itching or Swi	tch Ports.								
	curring Charges for all Standard Centrex and Centrex Conrol Fe															
13. En		Usage	rates II	n the Port Section (	of this rate exh	ibit snali abbiv	to all complina	itions of loop/	port network e	lements excer	T TOT UNE C		ob Combinat			
4. The	d Office and Tandem Switching Usage and Common Transport e first and additional Port nonrecurring charges apply to Not Co												•		Additional NR	Cs may
4. The	e first and additional Port nonrecurring charges apply to Not Co	urrently											•		Additional NR	Cs may
4. The apply UNE-F	e first and additional Port nonrecurring charges apply to Not Co	urrently											•		Additional NR	Cs may
4. The apply UNE-F	e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	urrently											•		Additional NR	Cs may
4. The apply UNE-F 2-Wire	e first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	urrently	Comb	ined Combos. Fo		mbined Combo							•		Additional NR	Cs may
4. The apply UNE-F 2-Wire	e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	urrently											•		Additional NR	Cs may
4. The apply UNE-F	e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	urrently	Comb	UEP91		mbined Combo							•		Additional NR	Cs may
4. The apply UNE-F 2-Wire	e first and additional Port nonrecurring charges apply to Not Ct ralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	urrently	Comb	ined Combos. Fo		mbined Combo							•		Additional NR	CS may
4. The apply UNE-F	e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	urrently	1 2	UEP91		26.94 31.06							•		Additional NR	CS may
4. The apply UNE-I 2-Wirr UNE F	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	urrently	Comb	UEP91		mbined Combo							•		Additional NR	CCs may
4. The apply UNE-I 2-Wird UNE I	e first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	urrently	1 2	UEP91		26.94 31.06							•		Additional NR	CCs may
4. The apply UNE-I 2-Wird UNE I	e first and additional Port nonrecurring charges apply to Not Ci also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	urrently	1 2	UEP91		26.94 31.06							•		Additional NR	CCs may
4. The apply UNE-I 2-Wirr UNE F	e first and additional Port nonrecurring charges apply to Not Cir also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	urrently	1 2 3 1	UEP91 UEP91 UEP91		26.94 31.06 45.87 29.36							•		Additional NR	PCS may
4. The apply UNE-I 2-Wirr UNE I	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	urrently	1 2 3	UEP91 UEP91		26.94 31.06 45.87							•		Additional NR	PCS may
4. The apply UNE-I 2-Wirr UNE F	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	urrently	1 2 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91		26.94 31.06 45.87 29.36 34.43							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE F	e first and additional Port nonrecurring charges apply to Not Cir also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Dosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	urrently	1 2 3 1	UEP91 UEP91 UEP91		26.94 31.06 45.87 29.36							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE F	e first and additional Port nonrecurring charges apply to Not Citalso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	urrently	1 2 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	r Currently Co	26.94 31.06 45.87 29.36 34.43 50.68							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE F	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	urrently	1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	r Currently Co	26.94 31.06 45.87 29.36 34.43							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE F	e first and additional Port nonrecurring charges apply to Not Citalso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	urrently	1 2 3 1 2 3 1 1 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	r Currently Co	26.94 31.06 45.87 29.36 34.43 50.68							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE I	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	urrently	1 1 2 3 3 1 1 2 3 3 1 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36							•		Additional NR	PCS may
4. The apply UNE-1-2-Wird UNE F	e first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43							•		Additional NR	PCS may
4. The apply UNE-1-2-Wire UNE I	e first and additional Port nonrecurring charges apply to Not Cir also and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Dosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	urrently	1 1 2 3 3 1 1 2 3 3 1 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36							•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE F	e first and additional Port nonrecurring charges apply to Not Citalso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43							•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE F	er first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev G Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  Ports  ates (Except North Carolina and Sout Carolina)	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68	s, the nonrecu	rring charges	shall be those	identified in t		rring - Curre	•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE F	e first and additional Port nonrecurring charges apply to Not Citalso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43							•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE I	er first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev G Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  [2-Wire Voice Grade Port (Centrex) Basic Local Area	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68	s, the nonrecu	rring charges	shall be those	identified in t		rring - Curre	•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE I	er first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev G Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68	70.00 70.00	35.00 35.00	35.00	10.00 10.00		11.90	•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE I	er first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - TAESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev GL Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex ) Basic Local Area	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	26.94 31.06 45.87 29.36 34.43 50.68 17.06 31.87 15.36 20.43 36.68	70.00	arring charges	shall be those	identified in 1		11.90	•		Additional NR	PCS may
4. The apply UNE-1 2-Wing UNE I	er first and additional Port nonrecurring charges apply to Not Ciralso and are categorized accordingly.  P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only ev G Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  Ports  ates (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	urrently	1 1 2 3 3 1 1 2 2 3 3 1 2 2	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2	26.94 31.06 45.87 29.36 34.43 50.68 12.94 17.06 31.87 15.36 20.43 36.68	70.00 70.00	35.00 35.00	35.00	10.00 10.00		11.90	•		Additional NR	PCS may

Version 3Q02: 10/07/02 Page 86 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
-						1	Nonrec	rurring	Nonrecurring	Disconnect				Rates(\$)	DISC 1St	DISC Add
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						11130	Addi	11130	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	- Basic Local Area			UEP91	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Georg	jia and Florida Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP91	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	O Wire Vales Conde Bottomineted in an Manellat and in the		1	LIEDOA	LIEDUO	44.00	70.00	25.00	25.00	40.00		44.00		I	I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<b> </b>	UEP91	UEPH9 UEPH2	14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00	1	11.90		<del>                                     </del>	<del>                                     </del>	1
1 00-1	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90		<del>                                     </del>	<del>                                     </del>	1
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384					-			-	-	
Local	Number Portability			OLF91	UNLUS	0.7304					1					
Local	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				OLI OI	LIVI OO	0.00										
i cutu	All Standard Features Offered, per port			UEP91	UEPVF	0.00						11.90				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	0.00					11.90				
NARS					1											
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.81										
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										
Feetu	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е			+											1
D4 Ch	Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
+	Feature Activation on D-4 Channel Bank Centrex Loop Stot			UEP91	IFQWS	0.00					1					
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP91	1PQW6	0.66								I	I	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 01	.1 9,110	0.00			1					<b>-</b>	<b>-</b>	
	Slot		l	UEP91	1PQW7	0.66								1	1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			-	1	2.20										
	Different Wire Center		l	UEP91	1PQWP	0.66								1	1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.66								1	1	
<u> </u>	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP91	1PQWA	0.66										<u> </u>
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		1									-	-	ļ
	Conversion - Currently Combined Switch-As-Is with allowed		1	UEP91	LIEACO		04.50	0.40				44.00		I	I	
	changes, per port Conversion of Existing Centrex Common Block		<b>-</b>	UEP91 UEP91	USAC2 USACN		21.50 5.17	8.42 8.32	<del>                                     </del>			11.90 11.90		<del></del>	<del></del>	1
	New Centrex Standard Common Block	-	<b> </b>	UEP91	M1ACS	0.00	618.82	8.32				11.90		<del> </del>	<del> </del>	<b> </b>
	New Centrex Standard Common Block	-	<b> </b>	UEP91	M1ACS	0.00	618.82					11.90		<del> </del>	<del> </del>	<b> </b>
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90		t	t	<del>                                     </del>
	NAR Establishment Charge, Per Occasion	<b>-</b>		UEP91	URECA	0.00	66.48					11.90		t	t	<b> </b>
UNF-F	P CENTREX - 5ESS (Valid in All States)			02. 01	SILLOIL	0.00	00.40					11.30		1	1	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<b>-</b>	1	+ +									t	t	1
	Port/Loop Combination Rates (Non-Design)				+ +				1		1			<b>-</b>	<b>-</b>	1

Version 3Q02: 10/07/02

ONBONDL	ED NETWORK ELEMENTS - Florida												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		26.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		31.06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		31.00										
	Non-Design		3	UEP95		45.87										
UNE	Port/Loop Combination Rates (Design)		Ŭ	OLI SO		40.07										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		29.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		34.43										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Design		3	UEP95		50.68										
UNE	Loop Rate		L .	LIEBAE	115004	10.01										
<b></b>	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1 UECS1	12.94 17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.87					1				-	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP95	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.68										
UNE	Port Rate		Ť			00.00										
	tates															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI SO	OLI III	14.00	70.00	00.00	00.00	10.00		11.00				
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
ļ., .	Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
	(Y, LA, MS, SC, & TN Only GA Only														-	
FL &	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	14.00	70.00	35.00	35.00	10.00	1	11.90			-	
	2-Wire Voice Grade Fort (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00	<b> </b>	11.90			t	1
	2-Wire Voice Grade Port (Centrex With Galler IB)			1				55.50	55.50					1	1	
	Center)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90			1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													1		
	Term			UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00	ļ	11.90			ļ	1
Loca	I Switching		<u> </u>	LIEDOE	LIDECC	0.7384					ļ			ļ	-	<u> </u>
1 000	Centrex Intercom Funtionality, per port  I Number Portability			UEP95	URECS	0.7384			<del> </del>		<del>                                     </del>				<del>                                     </del>	1
Loca	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					1				-	
Featu		<del></del>	<b>†</b>	OLI 30	LIVIOU	0.35			<del> </del>		<b> </b>			<del>                                     </del>	t	<del>                                     </del>
, care	All Standard Features Offered, per port			UEP95	UEPVF	0.00									1	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90			1	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NAR									<u>                                     </u>					<u> </u>		
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				
Misc	ellaneous Terminations															

Version 3Q02: 10/07/02 Page 88 of 425

ONBONDE	ED NETWORK ELEMENTS - Florida										1 -	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.81										
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
lates	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90			-	<del>                                     </del>
inter	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32									-	<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091									-	<del>                                     </del>
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLF 93	IVIIGDIVI	0.0091										+
	Channel Bank Feature Activations	1														+
5.70	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop														1	
	Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2	0.00	21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP95 UEP95	M1ACS M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	618.82 66.48					11.90 11.90				
LINE	-P CENTREX - DMS100 (Valid in All States)	1		OLF 93	UNLOA	0.00	00.40					11.90				+
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-											<del>                                     </del>
	Port/Loop Combination Rates (Non-Design)														1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9D		26.94										
	Non-Design		2	UEP9D		31.06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		45.87										
UNE	Port/Loop Combination Rates (Design)		3	OLF 9D		45.07										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				-											<del>                                     </del>
	Design		1	UEP9D		29.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		34.43										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Design		3	UEP9D		50.68										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94								ļ	1	<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9D	UECS1	17.06										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	31.87									1	<b></b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D UEP9D	UECS2	15.36 20.43					-				<b>-</b>	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2 UECS2	36.68									+	<del>                                     </del>
LINE	Port Rate	1	<u> </u>	OLPAD	UEUSZ	30.08									+	<del>                                     </del>
	STATES	1	<b>-</b>	<del>                                     </del>		+					1			1	t	<del></del>
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	<b>1</b>	UEP9D	UEPYA	14.00						11.90		1	<b>†</b>	<b>†</b>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	70.00	35.00	35.00	10.00	1	11.90				

Version 3Q02: 10/07/02 Page 89 of 425

ONBONDER	D NETWORK ELEMENTS - Florida			1	<del>-</del>						C C1	C C1-	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	14.00	70.00	35.00	35.00	10.00		11.90				
	Area			UEP9D	UEPYE	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local				_											
	Area			UEP9D	UEPYF	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPTG	14.00	70.00	35.00	35.00	10.00		11.90				
	Area			UEP9D	UEPYT	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	14.00	70.00	35.00	35.00	10.00		11.90				
	Area			UEP9D	UEPYV	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPTH	14.00	70.00	35.00	35.00	10.00		11.90				
	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2 Basic Local Area			UEP9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3				_											
	Basic Local Area			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLF3D	OLFIF	14.00	70.00	33.00	33.00	10.00		11.50				
	Basic Local Area			UEP9D	UEPYQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
-	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90				
	Basic Local Area			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLF3D	OLF 13	14.00	100.00	110.00	83.00	20.00		11.50				
	Basic Local Area			UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
-	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14.00	180.00	110.00	85.00	20.00		11.90				
	Term			UEP9D	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
FL & (	GA Only			OLI 3D	ULF 12	14.00	70.00	33.00	33.00	10.00		11.30				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPHC UEPHD	14.00 14.00	70.00	35.00 35.00	35.00 35.00	10.00 10.00		11.90 11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3  2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHD	14.00	70.00 70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	70.00	35.00	35.00	10.00		11.90				
<b> </b>	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPHU UEPHV	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00		11.90 11.90			1	

Version 3Q02: 10/07/02 Page 90 of 425

MOUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp					44.00	=					44.00				
	Indication)3			UEP9D UEP9D	UEPHW UEPHJ	14.00	70.00 70.00	35.00 35.00	35.00	10.00		11.90 11.90				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHJ	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wile voice Grade Port (Centrex from all Serving Wile Center)			UEP9D	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
_	2-vviile voice Grade i ort (Centrex diller GWC /EBG-1 GE 1)2, 3			OLI 3D	OLITIO	14.00	100.00	110.00	05.00	20.00		11.50				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2 Trie Tolog Glade For (Control and Cro / EBC G200)2, G			02. 02	02	1 1100	100.00	110.00	00.00	20.00		11.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
	, ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		<u> </u>	UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	O.W. Villa Co. In Book to all the Manufactures and the			UEP9D	UEPH9	14.00	70.00	05.00	05.00	10.00		11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9 UEPH2	14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00		11.90				
L ocal f	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		<u> </u>	UEP9D	UEPHZ	14.00	70.00	35.00	35.00	10.00		11.90				-
Local c	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.7384										
Local	Number Portability			OLI OD	OILEGO	0.700+										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature						0.00										
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00		•		11.90				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90		1		
	laneous Terminations														ļ	1
2-Wire	Trunk Side			LIEDOD	OFNES										ļ	ļ
	Trunk Side Terminations, each			UEP9D	CEND6	8.81										
4-Wire	Digital (1.544 Megabits)			LIEDOD	MALIDA	54.05										
-+-	DS1 Circuit Terminations, each DS0 Channels Activiated per Channel			UEP9D UEP9D	M1HD1 M1HDO	54.95 0.00	15.69					11.90				
Interef				UEP9D	MIHDO	0.00	15.09					11.90				
interon	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination	-		UEP9D	MIGBC	25.32			ŀ					<del> </del>		}
_	Interoffice Channel mileage, per mile or fraction of mile	-	<del>                                     </del>	UEP9D	MIGBM	0.0091								<del> </del>	1	1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<u> </u>	1	05/11/	3.0001			<b> </b>					<b>I</b>	1	1
	annel Bank Feature Activations			1	1									1		
2.010	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66								1		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.66								1		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				i i				ĺ							
	Slot	l	1	UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															

Version 3Q02: 10/07/02 Page 91 of 425

DURONDEED	NETWORK ELEMENTS - Florida												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Frivate Line Loop Slot			UEP9D	IFQVV	0.00									-	-
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
	curring Charges (NRC) Associated with UNE-P Centrex					2.22										
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		21.50	8.42				11.90				
(	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48					11.90				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		UEP9E		20.04										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		26.94									-	
	2-wire vG Loop/2-wire voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		31.06										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF9E		31.06									-	
	Non-Design		3	UEP9E		45.87										
	rt/Loop Combination Rates (Design)		3	OLF3L		45.67										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		29.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		34.43										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		50.68										
UNE Loc	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68										
UNE Poi	KY, LA, MS, & TN only														-	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex ) Basic Local 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OL	OLI IIX	14.00	70.00	00.00	00.00	10.00		11.00				
	Area			UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local					1.0.22										
	Area			UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l														
	Term - Basic Local Area	ļ		UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		LIEDOE	LIEDY CO		=								1	
	- Basic Local Area	<b>!</b>		UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90		ļ	-	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	l		UEP9E	UEPY2	14.00	70.00	25.02	25.00	10.00		11.90			1	
Florida	Basic Local Area	1		UEPSE	UEPYZ	14.00	70.00	35.00	35.00	10.00		11.90			+	1
	2-Wire Voice Grade Port (Centrex )	<del>                                     </del>		UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90		1	<del> </del>	
	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)	<del>                                     </del>		UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00	1	11.90		1	t	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90			<b>-</b>	1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				7	00	. 2.00	22.00	22.00			50			1	
	Center)2	1		UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90		1	I	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term	l		UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90		1		

ONBONDL	ED NETWORK ELEMENTS - Florida			ı		1					12 -		Attachment:			ibit: B
															Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
1							Manne		Name a comina	Diagonuset			220	Detec(f)		
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	001111
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Mira Vaira Carda Barttarrainatad in an Manalini, an anni miant			LIEDOE	UEPH9	44.00	70.00	25.00	25.00	40.00		44.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP9E UEP9E	UEPH9 UEPH2	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00 10.00		11.90 11.90				
1 000	I Switching			UEP9E	UEPHZ	14.00	70.00	35.00	35.00	10.00		11.90				+
LOCA	Centrex Intercom Funtionality, per port	<u> </u>		UEP9E	URECS	0.7384										+
Loop	I Number Portability			UEP9E	URECS	0.7384										+
Loca	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35	+							-	-	+
Featu				ULF 9L	LINECC	0.55	+							-	-	+
realt	All Standard Features Offered, per port			UEP9E	UEPVF	0.00	+							-	-	+
	All Select Features Offered, per port	-	<del>                                     </del>	UEP9E	UEPVS	0.00	370.70		1			11.90		<del></del>	<del></del>	+
	All Centrex Control Features Offered, per port	-	<del>                                     </del>	UEP9E UEP9E	UEPVS	0.00	3/0./0		1			11.90		<del></del>	<del></del>	+
NARS		1	1	OLFSE	DEFVC	0.00					1			1	1	+
INAKS	Unbundled Network Access Register - Combination	-	<del>                                     </del>	UEP9E	UARCX	0.00	0.00	0.00	1			11.90		<del></del>	<del></del>	+
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial	<del>                                     </del>	1	UEP9E	UARCX UAR1X	0.00	0.00	0.00				11.90		-	-	+
	Unbundled Network Access Register - Indial  Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90		-	-	+
Mico	ellaneous Terminations			UEF9E	UARUX	0.00	0.00	0.00				11.90		-	-	+
	e Trunk Side				_		+							-	-	+
2-9911	Trunk Side Terminations, each	<u> </u>		UEP9E	CEND6	8.81										+
4_Wir	re Digital (1.544 Megabits)			UEF9E	CENDO	0.01										+
4-4411	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95	+							-	-	+
	DS0 Channel Activated Per Channel			UEP9E	M1HD0	0.00	15.69					11.90				+
Intore	office Channel Mileage - 2-Wire			OLF 9L	WITTE	0.00	13.09					11.50				+
interc	Interoffice Channel Facilities Termination			UEP9E	MIGBC	25.32	+							-	-	+
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091										+
Feati	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	`^		OLI OL	IVIIODIVI	0.0001										+
	hannel Bank Feature Activations	,e			+		1					1				+
D4 0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										+
	realtire Activation on B-4 charmer Bank Centrex Loop Glot			OLI SL	II QWO	0.00	1					1				+
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OL	11 00110	0.00										+
	Slot			UEP9E	1PQW7	0.66										
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OL	11 Q 117	0.00	1									+
	Different Wire Center			UEP9E	1PQWP	0.66										
-	Zindront Triid Contoi			02. 02		0.00										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 02		0.00										
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex					0.00										1
1	NRC Conversion Currently Combined Switch-As-Is with allowed				1		İ							İ	İ	1
1	changes, per port			UEP9E	USAC2		21.50	8.42				11.90		1	1	1
1	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90		İ	İ	1
1	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90		İ	İ	1
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82				İ	11.90		1	1	1
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48				İ	11.90		1	1	
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD				1	2.00	22.10					50		İ	İ	<b>†</b>
	2 - Requres Interoffice Channel Mileage				1		İ							İ	İ	<b>†</b>
	3 - Requires Specific Customer Premises Equipment				1						İ			1	1	<del></del>
	Rates displaying an "R" in Interim column are interim and sub-	iect to	rate tri	ie-up as set forth i	n General Tern	ne and Conditio	ne				<b>†</b>			<del>                                     </del>	<del>                                     </del>	<del></del>

UNBUI	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	<b>Manual Svc</b>	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												_	_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							1	Manus		Managarania.	Dia			000	Detec(f)		
							Rec	Nonred First	Add'l	First	g Disconnect Add'l	COMEC	COMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Tho "7	l one" shown in the sections for stand-alone loops or loops as	nart of	a comi	ination refers to Go	ographically	Desversand III									SOWAN	SOWAN
		www.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaveraged Of	NE ZUITES. 10	view Georgia	ilically Deavel	ageu ONE ZOI	ie Desigani	ons by C O,	reier to litter	net website.		
		. SUPPORT SYSTEMS	Connec	lion.nt	III	ı	l l				1		1			l	1
		(1) Electronic Service Order: CLEC should contact its contract	ct nego	iator if	it prefers the state :	specific elect	ronic service o	rdering charge	es as ordered b	v the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
	NOTE:	is the BellSouth regional electronic service ordering charge. (2) Any element that can be ordered electronically will be bill	ed acco	rding t	o the SOMEC rate li	sted in this	category. Pleas	e refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) t	o determine	if a product of	can be ordere	d electronical	ly. For
	those e	elements that cannot be ordered electronically at present per t	the BBR	LO, th	e listed SOMEC rate	e in this cate	gory reflects the	e charge that v	would be billed	I to a CLEC on	ce electronic o	ordering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
		DATE ADVANCEMENT CHARGE	<u> </u>			L					ļ				ļ		ļ
$\vdash$	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	on 5 as appli	cable.									ļ	
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			ALL LINE	CDACD		000.00							1		
LINIBLITI	DI ED -	Day	<u> </u>		ALL UNE	SDASP		200.00							-	ļ	ļ
		EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP	<del>                                     </del>			1					<del> </del>	1	1		1		
<b>  </b>	∠-WIKE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	├	1	UEANL	UEAL2	14.21	42.54	31.33			-		18.94	8.42		-
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		2	UEANL	UEAL2	16.41	42.54	31.33			1		18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33			1		18.94	8.42		
-		Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	20.00	78.92	78.92					18.94	8.42		
		Loop Testing - Basic 1st Hair Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch			OL/ WIL	OREIN		20.00	20.00					10.54	0.42		
		(UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		28.72	28.72								
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		35.74	35.74								
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1			UEQ	UEQ2X		11.02	44.69	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X		12.72	44.69	25.65	7.06			18.94	8.42		
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X		20.22	44.69	25.65	7.06			18.94	8.42		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		
		Unbundled Copper Loop, Non-Designed Billing for BST			UEO			00.70	00.70					40.04	0.40		
		providing make-up Loop Testing - Basic 1st Half Hour			UEQ UEQ	UEQMU URET1		28.72 78.92	28.72 78.92					18.94 18.94	8.42 8.42		
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42	-	1
<b> </b>		CLEC to CLEC Conversion Charge Without Outside Dispatch	<del>                                     </del>		0LQ	JILIA		23.33	20.00					10.94	0.42		<del>                                     </del>
		(UCL-ND)	1		UEQ	UREWO	]	14.25	7.42					18.94	8.42		1
UNBUN	DLED F	EXCHANGE ACCESS LOOP				1		20	2								
		ANALOG VOICE GRADE LOOP				İ					İ				1	İ	İ
		oop Rates for Line Splitting (In Ga. PSC ordered the line spli	tting lo			port- loop c	ombo rates UE	PLX)									
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ī	1	UEPSR, UEPSB	UEALS,	12.59										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPSR, UEPSB	UEABS	12.59										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	I	2	UEPSR, UEPSB	UEALS,	14.26										
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	2	UEPSR, UEPSB	UEABS	14.26				ļ				ļ		ļ
$\vdash \vdash \vdash$		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	1	3	UEPSR, UEPSB	UEALS	21.62										
LINISHE	DI ES -	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	- 1	3	UEPSR, UEPSB	UEABS	21.62								-	ļ	ļ
		EXCHANGE ACCESS LOOP  ANALOG VOICE GRADE LOOP	<del>                                     </del>			<del> </del>					ļ	1	-		<del>                                     </del>	-	<del>                                     </del>
<del>     </del>	∠-WIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>			1	<del>                                     </del>					-			<del></del>		-
1 1		Z-write Analog voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		1
<b> </b>		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<del>                                     </del>	-	OLA	ULALZ	10.04	104.17	70.10					10.94	0.42		<del> </del>
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b>†</b>	_		2-1	10.40	10-1.17	70.70			t		10.54	U.7 <u>Z</u>		<b> </b>
1 1		Ground Start Signaling - Zone 3	1	3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		1
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	33.32	35.74	73.70		1			.0.04	J. 72		İ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1										1	
1				1	UEA	UEAR2	16.84	104.17	78.10		I	1	1	18.94	8.42		I

Version 3Q02: 10/07/02 Page 94 of 425

JNBUNDLE	ED NETWORK ELEMENTS - Georgia		_		· <u></u>								Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	OME Andrew Vein On International Officers						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEARZ	19.45	104.17	76.10			-		10.94	0.42		
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	00.02	35.74	70.10						02		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		
4-WIR	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		
2-WIR	RE ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1		-	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 1  2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	40.17	233.38	180.35			1		18.94	8.42		1
	Order Coordination For Specified Conversion Time (per LSR)		_ J	UDN	OCOSL	40.17	35.74	100.33					10.54	0.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		
2-WIR	RE Universal Digital Channel (UDC) COMPATIBLE LOOP			05.1	0.1.2.110		120.00	00.01					10.01	0.12		1
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1	- 1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2	- 1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	- 1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UDC	UREWO		44.69	31.55					18.94	8.42		
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF													
	2 Wire Unbundled ADSL Loop including manual service inquiry	١.	Ι.	l												
	& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry	'		UAL	UALZA	12.97	44.09	31.33	25.65	7.00			10.94	0.42		
	& facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UAL	OCOSL	20.02	35.74	01.00	20.00	7.00			10.04	0.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry	١.	Ι.	l												
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry	- 1	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry	<u>'</u>		OFIL	UTILZX	5.05	44.03	31.33	25.05	7.00			10.54	0.42		
	& facility reservation - Zone 3	1	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	Ť	UHL	OCOSL	40	35.74	300	20.00							
	2 Wire Unbundled HDSL Loop without manual service inquiry	<b>1</b>		i - :-	1		оо т									
	and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1					-									
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry			1						-						
	and facility reservation - Zone 3	I	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
1	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74	31.55						8.42		
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69						18.94			

Version 3Q02: 10/07/02 Page 95 of 425

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	0011411	
	4 Wire Unbundled HDSL Loop including manual service inquiry						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	OTIL	OTILAX	10.00	11.00	01.00	20.00	7.00			10.04	0.42		+
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									4
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry	- '	1	UHL	UHL4VV	10.39	44.69	31.55	25.65	7.06			18.94	8.42		+
	and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OTILAVV	12.00	44.03	31.33	25.05	7.00			10.54	0.42		+
	and facility reservation - Zone 3	- 1	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	_		UHL	UREWO		44.69	31.55					18.94	8.42		1
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	55.53	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64.13	429.98	268.18					18.94	8.42		<b>_</b>
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		-
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			USL	OCOSL UREWO		35.74 100.91	42.97					18.94	8.42		+
4-W/IE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKEWU		100.91	42.97					10.94	0.42		+
7-4411	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		+
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.74	348.55	241.20					18.94	8.42		1
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		35.74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1 2	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL UDL	UDL64 UDL64	29.74 47.27	348.55 348.55	241.20 241.20					18.94 18.94	8.42 8.42		
+	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL OCOSL	41.21	35.74	241.20					10.94	0.42		+
	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66					18.94	8.42		+
2-WIR	E Unbundled COPPER LOOP			002	0.1.2.7.0		101.00	10.00					10.01	0.12		1
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2	ı	2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		1
	2 Wire Unbundled Copper Loop/Short including manual service	١.	_		LIOL DD	00.07	44.00	04.55	05.05	7.00			40.04	0.40		
	inquiry & facility reservation - Zone 3	ı	3	UCL	UCLPB UCLMC	22.07	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		<del></del>
-	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLIVIC		16.11	16.11								+
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service	<u> </u>	Ė	002	002. 11	12.02		01.00	20.00	7.00			10.01	0.12		1
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11							1	
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	١.	١.													
<del>                                     </del>	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06	1	1	18.94	8.42	1	+
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42	1	
<del>                                     </del>	2-Wire Unbundled Copper Loop/Long - includes manual svc.			UUL	UULZL	41.07	44.09	31.35	20.05	7.06	1	1	10.94	0.42	<del> </del>	+
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	Ť	UCL	UCLMC	55.20	16.11	16.11	20.00				.5.54	3.42	1	<del>                                     </del>
	2-Wire Unbundled Copper Loop/Long - without manual service												1			1
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42	I	1

Version 3Q02: 10/07/02 Page 96 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service						FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
1	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		44.69	31.55					18.94	8.42		
4-WIR	E COPPER LOOP	-		UCL	UREWU		44.69	31.55					18.94	8.42		
4-7711	4-Wire Copper Loop/Short - including manual service inquiry															
1	and facility reservation - Zone 1	1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		16.11	16.11								
.	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and	- 1	-	UCL	UCL4VV	12.02	44.09	31.33	25.05	7.00			10.94	0.42		
1	facility reservation - Zone 2	1	2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
i 1	4-Wire Copper Loop/Short - without manual service inquiry and	<u> </u>	<u> </u>	002	002	10.00	1 1100	01.00	20.00	1.00			10.01	02		
1	facility reservation - Zone 3	1	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
1	4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	1101.41	44.07	44.00	04.55	05.05	7.00			40.04	8.42		
	inquiry and facility reservation - Zone 2  4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
1	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	03.20	16.11	16.11	25.05	7.00			10.54	0.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
1	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	I	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
1	4-Wire Unbundled Copper Loop/Long - without manual svc.	١.	_							=						
	inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL	UCL4O UCLMC	65.28	44.69 16.11	31.55 16.11	25.65	7.06			18.94	8.42		
	CLEC to CLEC conversion Charge without outside dispatch		1	UCL	UREWO		44.69	31.55					18.94	8.42		
LOOP MODIFI			1	OCL	OKEWO		44.03	31.33					10.54	0.42		
				UAL, UHL, UCL,												
1				UEQ, ULS, UEA,												
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft	I		UDN, UDL, USL	ULM2L		0.00	0.00					18.94	8.42		
1	Unbundled Loop Modification, Removal of Load Coils - 2 wire						0.00	0.00					40.04	0.40		
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire	ı	1	UCL, ULS, UEQ	ULM2G		0.00	0.00					18.94	8.42		
1	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OFIE, OOL	OLIVIAL		0.00	0.00					10.54	0.42		
1	pair greater than 18k ft	- 1		UCL	ULM4G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		0.00	0.00					18.94	8.42		
SUB-LOOPS							_									
Sub-L	oop Distribution							-		-						
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA		421.08	421.08					18.94	8.42		
	ОР	<del></del>	-		_											

Version 3Q02: 10/07/02

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Facility Set-Up	١,		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	· ·		OL7 HAL	CODOC		004.74	004.74					10.54	0.42		<del> </del>
	Set-Up	- 1		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBKD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -	l														
	Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -	· ·	1	027.412	005.12	1.07	2.10	11.00	110.00				10.01	02		
	Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.74	176.46	55.11	122.17	19.57			18.94	8.42		
	Out Loop 4 Wile intrabaliantly Network Gable (into)	· ·		OL7 HAL	COBICT	2.00	170.40	00.11	122.17	10.07			10.54	0.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	!		UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		_
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	İ	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Unbur	Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		-
Netwo	rk Interface Device (NID)			OLIVIV	OLIVIT	1.07	2.40	2.40	1.74	1.74			10.54	0.42		<del> </del>
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86.37	56.69					18.94	8.42		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 W	- 1		UENTW	UNDC2		6.15	6.15					18.94	8.42		
SUB-LOOPS	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6.15	6.15								
	oop Feeder															
Sub-L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		<del>                                     </del>	UEA,	<b>—</b>				+							<del>                                     </del>
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08						18.94	8.42		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up		<u> </u>	UDN,UCL,UDL,UDC	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination	ļ	<u> </u>	USL	USBFZ		521.57	11.30	1				18.94	8.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
1	Order Coordination for Specified Conversion Time, per LSR		SW	UEA	OCOSL	0.08	35.74	170.05	1				10.94	0.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice				3000L		00.74									
	Grade - Statewide	<u> </u>	sw	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,				HODEO	0 =0		470.05					40.01			
<b>—</b>	Voice Grade Loop - Statewide		SW	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		<b>├</b>
	Order Coordination For Specified Conversion Time, per LSR	l		UEA	OCOSL		35.74				1	l .	l	l	l	<b>1</b>

Version 3Q02: 10/07/02 Page 98 of 425

ONRONDER	D NETWORK ELEMENTS - Georgia	,		•		1							Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Statewide		sw	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -															
	Statewide		SW	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		35.74									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.9
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	ļ	SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, Per LSR		<u> </u>	USL	OCOSL		35.74								<b>.</b>	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
	Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		ļ
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									ļ
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	21.52	35.74	21.00		20.00			10.00	10.00	10.00	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	LIODED	04.50	040.44	04.00	404.77	00.00			40.00	40.00	40.00	40.0
	Statewide		SW		USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.9
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		35.74									
SUB-LOOPS	- Forder															
Sub-L	oop Feeder	<b>.</b>		UE3	1L5SL	12.80					-					<del>                                     </del>
	Sub Loop Feeder - DS3 - Per Mile Per Month Sub Loop Feeder - DS3 - Facility Termination Per Month	H		UE3	USBF1	329.94	3,396.56	406.50	163.61	92.75			18.94	8.42		<b></b>
	Sub Loop Feeder - STS-1 - Per Mile Per Month	<del>-                                    </del>		UDLSX	1L5SL	12.80	3,390.30	406.50	103.01	92.75	-		10.94	0.42		<del>                                     </del>
	Sub Loop Feeder - STS-1 - Fer Mile Fer Month	<del></del>		UDLSX	USBF7	372.78	3,396.56	406.50	163.61	92.75			18.94	8.42		<del> </del>
	Sub Loop Feeder - OC-3 - Per Mile Per Month	H		UDLO3	1L5SL	9.71	3,390.30	406.50	103.01	92.75			10.94	0.42	-	<del> </del>
	Sub Loop Feeder - OC-3 - Fer Mile Fer Month?  Sub Loop Feeder - OC-3 - Facility Termination Protection Per	<u> </u>		UDLU3	ILJOL	5.71										-
	Month	١.,		UDLO3	USBF5	57.79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	H		UDLO3	USBF2	524.13	3,396.56	406.50	163.61	92.75			18.94	8.42		-
	Sub Loop Feeder - OC-12 - Per Mile Per Month	H		UDL12	1L5SL	11.95	3,330.30	400.50	100.01	32.73			10.54	0.42		+
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>		ODLIZ	TESSE	11.33										<del> </del>
	Month	1 .		UDL12	USBF6	519.09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<del>l i</del>		UDL12	USBF3	1,570.00	3,396.56	406.50	163.61	92.75			18.94	8.42		<del> </del>
	Sub Loop Feeder - OC-48 - Per Mile Per Month	l i		UDL48	1L5SL	39.20	0,000.00	100.00	.00.01	02.70			10.01	02		†
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month	L		UDL48	USBF9	259.99										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	i		UDL48	USBF4	1,505.00	3,582.56	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 Interface On OC-48	i i		UDL48	USBF8	323.43	803.69	406.50	163.61	92.75			18.94	8.42		
UNBUNDLED	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81					19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery						-									
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.9
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
1	(Specials Card)	l	1	UEA	ULCC4	7.09	21.07	20.96	10.78	10.71	1		19.99	19.99	19.99	19.9

Version 3Q02: 10/07/02 Page 99 of 425

UNBUNDLE	D NETWORK ELEMENTS - Georgia											1	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card		1	ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop		1	ODL	OLOGI	10.51	21.07	20.30	10.70	10.71			13.33	13.33	13.33	13.33
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL.UEF.UEQ.U	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
LINE OTHER	PROVISIONING ONLY - NO RATE			LINIVV	UNLCIN	0.00	0.00									
1	The same of the same															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA.UHL,ULC	LINECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			0211,0271,0112,020	0112011	0.00	0.00							1	İ	
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00									
HIGH CABACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									1
HIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per				1										1	
	month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	020. X	000.01	000.00	120.10					07.00	01.00	10.00	10.00
	month			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or Without Reservation, per working or			OWIN	OWINE		43.00	45.00	1							
	spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
HIGH FREQUE	NCY SPECTRUM															
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			18.94	8.42		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB ULSD8	32.00 11.00	0.00	0.00	0.00	0.00			18.94 18.94	8.42 8.42		
	Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>		ULS	ULSD8	11.00	0.00	0.00	0.00	0.00			18.94	8.42		
	deactivation (per LSOD)			ULS	ULSDG		0.00	0.00	0.00	0.00			18.94	8.42		
END U	ISER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM				0.00	0.00	0.00	0.00			10.04	<del>1</del> 2	<b>†</b>	1
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	10.51	7.70	0.00	0.00			18.94	8.42		
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23					18.94	8.42		
	Line Sharing - per Subsequent Activity per Line															
ļļ	Rearrangement(DLEC Owned Splitter	<u> </u>		ULS	ULSCS		36.23	13.23	ļ				18.94	8.42	1	ļ
	Line Sharing - per Line Activation (DLEC owned Splitter)		1	ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			18.94	8.42	1	
	SPLITTING ISER ORDERING-CENTRAL OFFICE BASED		1						<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
ENDU	Line Splitting - per line activation DLEC owned splitter	<u> </u>		UEPSR UEPSB	UREOS	0.61			1					<del> </del>	<del> </del>	1
1	Line Splitting - per line activation BST owned - physical	H			UREBP	0.61	53.48	34.48	16.45	12.75			18.94	8.42	19.99	19.99

Version 3Q02: 10/07/02 Page 100 of 425

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	TE SITE HIGH FREQUENCY SPECTRUM															
SPLITT	ERS-REMOTE SITE					22.22							1001	0.10	40.00	10.00
	Remote Site Line Share BellSouth Owned Splitter, 24 Port	- 1		ULS	ULSRB	32.00	0.00	0.00	0.00	0.00			18.94	8.42	19.99	19.99
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation			ULS	ULSTG		74.38	0.00	46.77	0.00			18.94	8.42	19.99	19.99
END H	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	/ VKV	DEMOT				14.30	0.00	40.77	0.00			10.94	0.42	19.99	19.99
LIND O	Remote Site Line Share Line Activationfor End User Served at	I AIXA	LIVIOI	L OH L LINE OHAKI	l l											
	RS, BST Splitter	1		ULS	ULSRC	0.61	10.51	7.70	0.00	0.00			18.94	8.42	19.99	19.99
	RS Line Share Line Activation for End User served at RS, CLEC									0.00						
	Splitter	- 1		ULS	ULSTC	0.61	10.51	7.70	0.00	0.00			18.94	8.42	19.99	19.99
	Remote Site Line Share Subsequent Activity-RS BST Owned															
	Splitter	- 1		ULS	ULSRS		2.00	3.00	<u> </u>	<u> </u>			18.94	8.42	19.99	19.99
	Remote Site Line Share Subsequent Activity-RS CLEC Owned					_									_	_
	Splitter	- 1		ULS	ULSTS	1.00	2.00	3.00	4.00	5.00			18.94	8.42	19.99	19.99
	DEDICATED TRANSPORT															
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimus	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths			ļ			ļ	ļ		
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			U1TVX	1L5XX	0.0222										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSAA	0.0222										
	Facility Termination			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			UTIVA	UTIVZ	17.07	79.01	30.06					10.94	10.94		
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			01177	TEO/O	0.0222										
	Facility Termination			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			01117	011112	11.01	70.01	00.00					10.01	10.01		
	per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			וטווט	UIIFI	78.47	147.07	111.75					18.94	18.94		
	month			U1TD3	1L5XX	2.72										
-	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.100	. 20/01	2.12										
1	Termination per month			U1TD3	U1TF3	788.00	511.10	330.77				1	37.55	37.55	18.03	18.03
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			-			20						21130	130		
	month			U1TS1	1L5XX	2.72						1		1		1
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	783.63	511.10	449.91		<u> </u>			61.19	61.19	3.17	3.17
	CHANNEL - DEDICATED TRANSPORT							•	_							
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo													
	Local Channel - Dedicated - 2-Wire Voice Grade		<b>.</b>	ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		1	ULDVX	ULDR2	13.91	382.95	62.40	<b> </b>	<b> </b>			18.94	18.94	1	
	Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1			UNDVX ULDD1	ULDV4 ULDF1	14.99 38.36	368.44 356.15	64.05 312.89					18.94 44.22	8.42 44.22	18.03	18.03
+	Local Channel - Dedicated - DS1 Local Channel - Dedicated - DS3 - Per Mile per month		1	ULDD1 ULDD3	1L5NC	38.36 6.92	330.15	312.89	1	1	1		44.22	44.22	18.03	18.03
+	Local Channel - Dedicated - DS3 - Per Mile per month  Local Channel - Dedicated - DS3 - Facility Termination		1	ULDD3	ULDF3	515.91	639.50	426.31	1	1	1		37.55	37.55	18.03	18.03
+	Local Channel - Dedicated - BSS - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92	555.50	720.31		<u> </u>		<b> </b>	57.55	57.55	10.03	10.00
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	517.56	639.50	426.31			<u> </u>	<b> </b>	18.94	18.94	1	
DARK FIBER					322.0	317.50	300.00	720.01	1	1			10.54	10.54		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				İ				İ	İ			İ		İ	İ
		1	1	UDF	1L5DC	44.22			I	ı	1	I	l		l	
1	Thereof per month - Local Channel			ODI	ILSDC	44.22	1,355.29	273.69								

Version 3Q02: 10/07/02 Page 101 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect	001150	001111		Rates(\$)	001141	T 00MAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Thereof per month - Interoffice Channel			UDF	1L5DF	44.22										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	44.22	1,355.29	273.69		1	1		18.94	18.94		+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						1,000.00				1					1
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		1
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX				l											
	Number Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			12.81	1.45					18.94	18.94		
-	8XX Access Ten Digit Screening, Per 8XX No. Established With			OnD	-		12.01	1.45			+		10.94	10.94		+
	POTS Translations			OHD	N8FTX		12.81	1.45					18.94	18.94		
	8XX Access Ten Digit Screening, Customized Area of Service			0.15	1101 171		.2.01						10.01	10.01		<b>†</b>
	Per 8XX Number			OHD	N8FCX		4.46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															1
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15			. =0									
LINE INCORM	Features   IATION DATA BASE ACCESS (LIDB)			OHD	N8FDX		4.72	4.46					18.94	18.94		<del> </del>
LINE INFORM	LIDB Common Transport Per Query			OQT	-	0.0000338				-						+
	LIDB Validation Per Query			OQU		0.0105974					+					+
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0100011	50.30						18.94	18.94		<b>†</b>
SIGNALING (																
, i	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000087										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		-
	CCS7 Signaling Usage, Per ISUP Message			UDB UDB	STU56	0.0000354 340.67				-	1					+
-	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code			UDB	31036	340.67					+					+
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code			ODD	00/11/0		40.00	40.00					10.54	10.54		1
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING NA	ME (CNAM) SERVICE															1
	CNAM for DB Owners, Per Query			OQV		0.01										
	CNAM for Non DB Owners, Per Query			OQV		0.01										4
	CNAM (Non-Databs Owner), NRC, applies when using the			001	ODDOLL		505.00	505.00					40.04	40.04		
ODERATOR (	Character Based User Interface (CHUI) CALL PROCESSING			OQV	CDDCH		595.00	595.00					18.94	18.94		+
OPERATOR C	Oper. Call Processing - Oper. Provided, Per Min Using BST				-						+					+
	LIDB					1,20										
	Oper. Call Processing - Oper. Provided, Per Min Using					1.20										<b>†</b>
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
<u> </u>	Foreign LIDB		<u> </u>			0.20					1					1
INWARD OPE	RATOR SERVICES	ļ	ļ			4.15				ļ	<u> </u>					<del></del>
<del>                                     </del>	Inward Operator Society Verification, Per Minute	1				1.15			<del> </del>	<del> </del>	1			<del> </del>	<del> </del>	+
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute	1				1.15										
BRANDING -	OPERATOR CALL PROCESSING	-	1			1.15					<b> </b>					<del>                                     </del>
	ty based CLEC	1							1	1	1			1	1	<del>                                     </del>
	Recording of Custom Branded OA Announcement	1	<u> </u>		CBAOS	1	7,000.00	7,000.00	1	1	1	i	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Georgia			T									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Loading of Custom Branded OA Announcement per shelf/NAV						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per OCN				CBAOL		500.00	500.00					19.99	19.99		
UNEP					OBNOL		000.00	000.00					10.00	10.00		
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00					19.99	19.99		
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00					19.99	19.99		
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
DIDEO	Directory Assistance Access Service Calls, Charge Per Call	DACC)				0.275					-					
DIKEC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (Directory Assistance Call Completion Access Service (DACC),	DACC)									<b>-</b>					
	Per Call Attempt		1			0.10										
DIRECTORY A	ASSISTANCE SERVICES	1				3.10										
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1														
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE															
Facilit	y Based CLEC															
	Recording and Provisioning of DA Custom Branded			ANAT	CBADA		6,000.00	6,000.00					18.94	8.42		
	Announcement Loading of Custom Branded Announcement per Switch		<u> </u>	AMT AMT	CBADA		1,170.00	1,170.00					18.94	8.42		
UNEP		1		AWI	CBADC		1,170.00	1,170.00					10.94	0.42		
OIVE	Recording of DA Custom Branded Announcement						3.000.00	3.000.00					18.94	8.42		
	Loading of DA Custom Branded Announcement per Switch per						0,000.00	0,000.00					10.01	0.12		
	OCN						1,170.00	1,170.00					18.94	8.42		
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					18.94	8.42		
	Loading of DA per Switch per OCN						16.00	16.00					18.94	8.42		
SELECTIVE R		1														
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		199.56	199.56					33.67	7.88		
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30					19.99	19.99		
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	0.00	2,750.00	2,750.00					19.99	19.99		
	Virtual Collocation - Floor Space, per sq. ft.  Virtual Collocation - Power, per fused amp			AMTFS AMTFS	ESPVX ESPAX	3.20 3.48										
	Virtual Collocation - Power, per fused amp  Virtual Collocation - Cable Support Structure, per entrance			AWIIFS	ESPAN	3.40										
	cable			AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)	<u></u>	<u> </u>	UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,											10.00	10.00
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20		
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					1	Rec	Nonrec First	curring Add'l	First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1 USL,ULC,AMTFS,U	CNC1X	7.50	155.00	14.00	FIISL	Addi	SOMEC	SUMAN	19.99	19.99	SOWAN	SOMAN
	Virtual collocation - Special Access & UNE, cross-connect per DS3			E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					19.99	19.99		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANTEO	VE40D	0.0000										
	Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0023										
	Cable Support Structure, per linear ft  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0034										
	Support Structure,per cable			AMTFS	VE1CC		553.43						19.99			
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		553.43						19.99			
-	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,706.00	1,706.00					15.55			
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		922.38	922.38								
	100 pair			AMTFS	VE1BC		18.00	18.00								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.43	8.43								
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		29.49	29.49								
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		278.61	278.61								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					19.99	19.99		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		48.00	30.00					19.99	19.99		
	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	SPTPX CTRLX		55.00 30.64	35.00 30.64					19.99 19.99	19.99 19.99		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					19.99	19.99		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					19.99	19.99		
VIRTUAL COL				AWITS	SFIFIVI		40.90	40.90					19.99	19.99		
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		
VIRTUAL COL				OLI LA	V L 11\4	0.50	12.00	12.00					10.54	0.42		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99		
PHYSICAL CO																
AIN SELECTION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99		
IAIN SELECTI\	/E CARRIER ROUTING			SRC	SRCEC		391,788.00				1	1			19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
						1							1st	Add'l	Disc 1st	Disc Add'l
		-			_	Rec	Nonred First	curring Add'l		g Disconnect	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	End Office Establishment		<u> </u>	SRC	SRCEO		320.53	320.53	First	Add'l	SOMEC	SOMAN	19.99	<b>SOMAN</b> 19.99	19.99	19.99
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
	Query NRC, per end user			SRC	OROLI	0.000448	2.00	2.00			-		13.33	15.55	13.33	15.55
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
	AIN SMS Access Services Port Connection Diol/Shared Access			A4NI	CAMDP		29.66	20.66					18.94	10.04		
<b></b>	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	<del>                                     </del>	-	A1N A1N	CAMDP CAM1P		29.66	29.66 29.66		<del>                                     </del>	1		18.94	18.94 18.94	-	
+	AIN SMS Access Service - Port Connection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		29.00	29.00					10.54	10.94		
	ID Code			A1N	CAMAU		84.43	84.43					18.94	18.94		
	AIN SMS Access Service - Security Card, Per User ID Code,			7111	O7 11 VII 10		04.40	04.40					10.54	10.04		
	Initial or Replacement			A1N	CAMRC		35.44	35.44					18.94	18.94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service - Session, Per Minute					0.0795604										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					2.08										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
-	Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<u> </u>		BAPVX		8,348.00	8,348.00			+		18.94	18.94		
	All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt  All Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		19.13	19.13					18.94	18.94		
	DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
	AllN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		19.13	19.13					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		70.06	70.06					18.94	18.94		
	DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Query Charge, Per Query					0.0209223										
	AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query					0.0053137										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
	Subscription			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.0028704	22.64	22.64			<u> </u>	<u> </u>	18.94	18.94		
	XTENDED LINK (EELs)															
NOTE:	New Density Zone 1 EELs are available in the following MSA	s: Orlar	do, FL	; Miami, FL; Ft. La	uderdale, FL;	Atlanta, Ga; Nev	w Orleans, LA,	·								
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem									l						l
	In all states, EEL network elements shown below also apply t												UNEs.(Non-re	curring rates	do not apply	.)
	In All States the EEL network elements apply to ordinarily con				VITCH AS IS Ch	arge.) When or	dering ordinal	ily combined i	ietwork eleme	nts, Non-recui	rring rates d	o appiy.				
Z-WIRI	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	ERUFF	ICE IK	ANSPUKI (EEL)	+	-				<b>-</b>	-			-	-	-
	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		

Version 3Q02: 10/07/02 Page 105 of 425

<u> INBUNDLE</u>	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect	201150	001111		Rates(\$)	001441	001111
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120/01	0.4020										
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	DS1 Channelization System Per Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١					=0.40								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	UEALZ	19.45	104.14	76.10					10.94	0.42		
	Interoffice Transport Combination - Zone 3	l	3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ŭ	0.1017	O E / LEE	00.02		70.10					10.01	02		
	per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		١.													
	Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVA	UEAL4	25.70	206.95	170.57					10.94	0.42		
	Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.1017	02/121	10.00	200.00	110.01					10.01	02		
	Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			LINGVA	4041/0	4 47	40.00	0.00								
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	1.17	12.02	8.66								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OL/1L4	22.20	200.00	170.07					10.04	0.42		
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		40.07	11.27					45.46	15.72		
4 WID	Is Charge  E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	EEICE				12.97	11.27					45.46	15.72		
4-WIR	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	TFICE	I KANSPORT (EEL	,											
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1	Ė			200	5050	220					.0.04	J. 72		
	Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			l	1											
	Per Month	ļ	ļ	UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - combination Facility	1	1	LINCAY	LIATE4	70.47	404.00	444 54					20.00	07.40	40.00	4.4
-	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per	1		UNC1X	U1TF1	78.47	194.63	141.51			1		33.63	27.49	19.88	11.
	Month	1	1	UNC1X	MQ1	126.22										1
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1		0.101/	771041	120.22										
	month (2.4-64kbs)	1	1	UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
1	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		

ONBONDLE	ED NETWORK ELEMENTS - Georgia			1	1						1_		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		2	RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec			Disconnect	001150	001441		Rates(\$)	0011411	001441
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	UNCCC		12.97	11.27					18.94	8.42		
4-WID	Is Charge E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	EFICE	UNC1X			12.97	11.27					18.94	8.42		
4-4411	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSFORT (EEL)	'											
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility						404.00	444.54					20.00	07.40	40.00	44.0
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	126.22										
	combination - per month (2.4-64kbs)  Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-					1.00										
4 WID	Is Charge  E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	BOEEL	CE TD	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KOFFI	CE IK	ANSPORT (EEL)												
	Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	Nonrecurring Currently Combined Network Elements Switch -As-					10.41									10.00	11.0
4-1W1D	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEE	CE TD	UNC1X	UNCCC		12.97	11.27		-	-		45.46	15.72		
4-VVIR	First DS1Loop in DS3 Interoffice Transport Combination - Zone	NOFFI	OE IK	THOFUNI (EEL)												
	1 First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per						400.15	450 :-					07	07	40.00	46.00
	month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	788.00 137.73	198.45 196.66	153.15 204.61					37.55 18.94	37.55 8.42	18.03	18.00
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		

ONBONDLE	D NETWORK ELEMENTS - Georgia				1						1		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred			g Disconnect				Rates(\$)		
	Additional DC4I and in DC2 Interesting Transport Combination						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -		†	ONOTA	OOLOG	00.00	440.20	100.00					10.04	0.42		
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	101.93 11.02	443.20 12.02	138.69 8.66	-	-			18.94 18.94	8.42 8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	11.02	12.02	0.00					10.94	0.42	1	
	Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	TEROF	ICE TI	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		١.					==						0.40		
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42	1	
	Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport		<u> </u>	O. CO VA	OL/ ILL	10.10		70.10					10.01	0.12		
	Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	01172	17.07	75.01	30.00					10.54	10.54		
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	TEROFF	ICE TI	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport		١.,	11110101		00.00	000.05	470.57					40.04	0.40		
	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	22.26	206.95	170.57	-	-			18.94	8.42		
	Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per			111000	41.5307	0.0000										
-	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.0222									-	
	combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-					-										
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 combination -		1	0.100/	120110	0.30			-						<b>†</b>	
	Facility Termination per month	<u>L</u>	<u>L</u>	UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 combination - Facility			LINGOV	LIATEO	700.00	400.45	450.45					27.55	07.55	40.00	40.00
	Termination per per month  Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	1	UNC3X	U1TF3	788.00	198.45	153.15	+	1			37.55	37.55	18.03	18.03
	Is Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TI	RANSP				:=:01									
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month	<u> </u>	1	UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			011007	ODLOT	721.35	059.50	720.40					31.33	31.33	10.03	10.00
	per month	L		UNCSX	1L5XX	2.72								<u> </u>	<u> </u>	
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month	<u> </u>	1	UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCSX	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	)	UNUUA	UNCCC		12.97	11.27					45.40	13.72		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(===	ĺ													
	Transport - Zone 1	1	1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42	I	

ONRONDLE	D NETWORK ELEMENTS - Georgia			ı									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		
	51 - 0 M5 - 10 D M - 1 - 10 D M - 1 - 15						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINGNIV	1141.07/	40.47	000.00	400.00					40.04	0.40		
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX UNC1X	U1L2X 1L5XX	40.17 0.4523	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Fer Mile  Interoffice Transport - Dedicated - DS1 combination - Facility			ONCIA	ILSAA	0.4525										
	Termination per month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.8
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.8
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>					100.38						0.42		
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-					0.01									10.00	11.00
	Is Charge	<u></u>	L	UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443,20	138.69					18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Per Month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.0
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	18.03
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
	Additional DS1Loop in STS1 Interoffice Transport Combination -		l .													
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443,20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	OCIDI	11.02	12.02	0.00					10.34	0.42		
	Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS											-		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1	Ť				3000	211.20					10.04	J. 72		
	Per Mile Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		-	UNCDX	1L5XX	0.0222										
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.8
	Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Fyhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonred		Nonrecurring					Rates(\$)		
<b></b>	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		ĺ
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_	0.1027	0220.	20.7 .	0.0.00	211.20					10.01	02		
	Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				41 = 204											İ
-	Per Mile Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.0222										<del>                                     </del>
	Facility Termination			UNCDX	U1TD6	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	CIIDO	10.40	147.07	111.70					00.00	27.40	10.00	11.00
	Is Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72		
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, t					As Is Charge o	loes not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Cnarge	(One a	applies to each com	pination)											
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		12.97	11.27					18.94	18.94		İ
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	UNCCC		12.51	11.21					10.54	10.94		<u> </u>
	Is Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		İ
	Nonrecurring Currently Combined Network Elements Switch -As-						-									
	ls Charge - DS1			UNC1X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		12.97	11.27					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UNCCC		40.07	44.07					18.94	40.04		İ
NOTE	Is Charge - STS1 :: Local Channel - Dedicated Transport - minimum billing perior	l Dala	DC2				12.97	11.27					18.94	18.94		
NOTE	Local Channel - Dedicated Transport - minimum billing perior	i - Belo	W D53	UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94		-
	Local Channel - Dedicated - 2-Wire Voice Grade  Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	14.99	272.07	60.43					18.94	18.94		<del></del>
<del>                                     </del>	Local Channel - Dedicated - 4-Wile Voice Grade			UNC1X	ULDF1	38.36	356.15	312.89					10.54	10.34		-
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92	000.10	012.00								
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	6.92										
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		
Optio	nal Features & Functions:															
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											İ
	month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.70	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.37	12.02	8.66					14.75	6.55	10.70	
<del>                                     </del>	Voice Grade COCI - DS1 to DS0 Channel System - per month	<del>                                     </del>		UEA	1D1VG	1.17	12.02	8.66			1		14.75	6.55	10.70	<del>                                     </del>
	DS3 to DS1 Channel System per month	1		UXTD3	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	<b>—</b>
	STS1 to DS1 Channel System per month			UXTS1	MQ3	182.04	265.91	188.78					14.75	6.55	10.70	
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8.66					14.75	6.55	10.70	
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	11.02	12.02	8.66			ļ		14.75	6.55	10.70	<b>└</b>
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel	1		l==.												1
e 1	per month	<b> </b>	-	U1TD1	UC1D1	11.02	12.02	8.66			1		14.75	6.55	10.70	<del>                                     </del>
Sub-L	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	<u> </u>	SW	UNC1X	USBFG	79.30	203.69	128.76	124.09	34.80	-			-	-	<del></del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide  Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<del>                                     </del>	5W	UNC1X	USBFG	19.30	203.09	120.70	124.09	34.00	1			1	1	<del>                                     </del>
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	2	UNC1X	USBFG	<del>                                     </del>										
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4			UNC1X	USBFG	1										
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to I	be ordered usin	g retail USOC:	5								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)			L	1						<u> </u>					1
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.85	17.16	17.16			l		18.94	8.42		1

Version 3Q02: 10/07/02 Page 110 of 425

OMBONDE	ED NETWORK ELEMENTS - Georgia			T									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.85		17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPSR	UEPWQ	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.85	17.16	17.16					18.94	8.42		
<u> </u>	Subsequent Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		
FEAT	All Available Vertical Features		<b></b>	UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
2-WIE	RE VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEFVF	0.00	0.00	0.00					10.94	0.42		<del></del>
2-1111	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability			UEPSB	UEPWP	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID			UEPSB	UEPWD	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.85	17.16	17.16					18.94	8.42		
EEAT	Subsequent Activity TURES			UEPSB	USASC	0.00	0.00	0.00					18.94	8.42		<b></b>
FEAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		<del>                                     </del>
FXCH	HANGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00					10.34	0.42		<del></del>
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire voice unbundled Georgia extended dialing port, PBX 1-			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
	Way Outdial Trunk	l		UEPSE	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	ļ		UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<u> </u>	UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	ļ	1	UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Vice Unbundled PBX LD Terminal Ports	1	-	UEPSP	UEPLD	1.85	17.16 17.16	17.16 17.16					18.94	8.42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPSP UEPSP	UEPXA UEPXB	1.85 1.85	17.16	17.16	-				18.94 18.94	8.42 8.42	1	<del>                                     </del>
	2-Wire Voice Unburidled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16	+				18.94	8.42		<del></del>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	1.85	17.16	17.16	<del>                                     </del>				18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPSP	UEPWS	1.85	17.16	17.16					18.94	8.42		

Version 3Q02: 10/07/02 Page 111 of 425

UNBUNDLED N	ETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
	2.Work Elemento Goorgia											Svc Order Submitted	Incremental Charge -		Incremental Charge -	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add
							Nonred	curring	Nonrecurrin	a Disconnect				Rates(\$)	Disc 1st	DISC Add
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-W	/ire voice unbundled Georgia basic dialing port - 2-Way															
Trur				UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		
2-W Trur	/ire voice unbundled Georgia basic dialing port - 2-way PBX			UEPSP	UEPPQ	1.85	17.16	17.16					18.94	8.42		
	/ire voice unbundled Georgia basic dialing port - PBX LD			UEPSP	UEPPQ	1.85	17.16	17.16					18.94	8.42		
	minal Ports			UEPSP	UEPPS	1.85	17.16	17.16					18.94	8.42		
	/ire voice unbundled Georgia basic dialing port - PBX Toll						17.10									
	minal Ports /ire voice unbundled Georgia basic dialing port - PBX LD			UEPSP	UEPPT	1.85	17.16	17.16					18.94	8.42		
	D Terminal Port			UEPSP	UEPPU	1.85	17.16	17.16					18.94	8.42		
	/ire voice unbundled Georgia basic dialing port - PBX LD		<b>†</b>	OL: 01	02110	1.00	17.10	17.10					10.34	0.42		
Terr	minal Switchboard Port		<u></u>	UEPSP	UEPPV	1.85	17.16	17.16					18.94	8.42	<u> </u>	<u></u>
	/ire voice unbundled Georgia basic dialing port - PBX LD															
	minal Switchboard DDD Capable Port			UEPSP	UEPPW	1.85	17.16	17.16					18.94	8.42		
FEATURES	osequent Activity		1	UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
	Available Vertical Features		<b>†</b>	UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
EXCHANGE	E PORT RATES (COIN)															
	hange Ports - Coin Port					2.05	17.16	17.16					18.94	8.42		
NOTE: Trai	nsmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	ission by B-C	hannels associ	iated with 2	wire ISDN	oorts.	l		
	cess to B Channel or D Channel Packet capabilities will be	availal	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fid	de Request/	New Business	s Request Pro	cess.	
	AL EXCHANGE SWITCHING(PORTS) E PORT RATES									<b> </b>						
	change Ports - 2-Wire DID Port			UEPEX	UEPP2	11.35	61.91	61.91		1			19.99	19.99	19.99	19.9
	change Ports - DDITS Port - 4-Wire DS1 Port with DID															
	ability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.9
	change Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
	Features Offered	اد د دا د دا		UEPTX UEPSX	UEPVF	0.00	0.00	0.00	iaaiaa bu D C	 	: -4d:4b. 0	ina ICDNI a				
	nsmission/usage charges associated with POTS circuit so sess to B Channel or D Channel Packet capabilities will be													Poguest Bro	2000	
Fxcl	change Ports - 2-Wire ISDN Port Channel Profiles	availai	l one	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	ities will be u	T T T T T T T T T T T T T T T T T T T	lie Bolla Fit	ie Requesti	New Busilies:	Nequest FIG	l	
	change Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
	ED PORT with REMOTE CALL FORWARDING CAPABILITY															
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Unb	bundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.85	17.16	17.16					18.94	8.42		
Llob	bundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.85	17.16	17.16					18.94	8.42		
	bundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERTE	1.85	17.16	17.16					18.94	8.42		
	bundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.85	17.16	17.16					18.94	8.42		
Non-Recurr	ring															
	oundled Remote Call Forwarding Service - Conversion -															
	tch-as-is			UEPVR	USAC2		2.01	0.31					33.67	7.88	11.17	3.9
	bundled Remote Call Forwarding Service - Conversion with wed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
	ED REMOTE CALL FORWARDING - Bus			OLFVK	USACC		2.01	0.31								
ONBONDE	TEMOTE GALL FORWARDING BUS															
Unb	bundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.85	17.16	17.16					18.94	8.42		
Unh	bundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.85	17.16	17.16					18.94	8.42		
	bundled Remote Call Forwarding Service, InterLATA - Bus		<b>†</b>	UEPVB	UERTE	1.85	17.16	17.16		1			18.94	8.42		
Unb	oundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.85	17.16	17.16					18.94	8.42		
Unb	oundled Remote Call Forwarding Service Expanded and							· ·								
	eption Local Calling		<u> </u>	UEPVB	UERVJ	1.85	17.16	17.16					18.94	8.42		
Non-Recurr			<u> </u>		1					1	1					
	oundled Remote Call Forwarding Service - Conversion - tch-as-is			UEPVB	USAC2		2.01	0.31					33.67	7.88	11.17	3.9
	bundled Remote Call Forwarding Service - Conversion with		1	OLI VD	JUNUZ		2.01	0.31		<b>†</b>	1		33.07	1.00	11.17	3.8
			1	1	i .	1			i	1	1	ĺ	1	i	1	
	wed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								

Version 3Q02: 10/07/02 Page 112 of 425

IINRIINDI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Evhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'l
						Rec	Nonre			Disconnect				Rates(\$)		
End	Office Switching (Port Usage)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Ena	End Office Switching Function, Per MOU	1				0.0016333										<del>                                     </del>
	End Office Trunk Port - Shared, Per MOU					0.0001564										<del> </del>
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0006757										
	Tandem Trunk Port - Shared, Per MOU					0.0002126										
Com	mon Transport  Common Transport - Per Mile, Per MOU					0.000008										<b>_</b>
	Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU				-	0.0004152										<b></b>
UNBUNDI FE	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0004132										
	Based Rates are applied where BellSouth is required by FCC at	nd/or St	ate Cor	nmission rule to pro	vide Unbun	dled Local Swi	tching or Swit	ch Ports.								
Featu	ures shall apply to the Unbundled Port/Loop Combination - Cos	st Based	l Rate s	ection in the same r	nanner as th	ey are applied	to the Stand-A	lone Unbundle								
	Office and Tandem Switching Usage and Common Transport Usage															
	irst and additional Port nonrecurring charges apply to Not Curr	rently C	ombine	d Combos. For Curi	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	ll be those ider	ntified in the N	onrecurring	- Currently	Combined s	ections.		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates	-			<del>                                     </del>				-	-				<del>                                     </del>		<del> </del>
OINE	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		<del>                                     </del>	12.59						<b> </b>		<b>†</b>		<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										1
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX UEPRX	UEPLX UEPLX	12.47 19.83										ļ
2-Wii	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port Rates (Res)		3	UEPRX	UEPLX	19.83										-
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.79	22.14	45.05	0.45	3.91			33.67	7.88	44.47	2.0
	2-Wire voice unbundled Georgia basic dialing port without Caller			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	ID capability - res			UEPRX	UEPWC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port for use with			02.100	020			10.20	0.10	0.01			00.01	7.00		0.0
	Caller ID - res			UEPRX	UEPWQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPRX	UEPWR	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
FEA1	TURES			OLI IOX	OLIKI	1.75	22.14	10.20	0.43	3.91			33.07	7.00	11.17	5.5
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI TOX	OOMOZ		2.01	0.0100					00.01	7.00		0.0
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.14/1	Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates															<del>                                     </del>
OITE	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3	•		21.62	•	-								
UNE	Loop Rates		$oxed{oxed}$	LIEBBY .												<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPBX	UEPLX	10.80								1		<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPBX UEPBX	UEPLX UEPLX	12.47 19.83										<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 3															

Version 3Q02: 10/07/02 Page 113 of 425

ONRONDI	ED NETWORK ELEMENTS - Georgia			1	<u> </u>						1 -		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port, without					. =0										
	Caller ID capability - bus			UEPBX	UEPWD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port for use with			HEDDY	LIEDWD	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	0.04
	Caller ID - bus			UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
1.00	AL NUMBER PORTABILITY		1	UEPBA	UEPBE	1.79	22.14	15.25	0.40	3.91			33.07	7.00	11.17	3.91
LOC	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FFA	TURES			OLI DA	LIVIOA	0.33			<del>                                     </del>					1	1	
I LA	All Features Offered	<b>-</b>		UEPBX	UEPVF	0.00	0.00	0.00	+ +				33.67	7.88	11.17	3.91
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1			) vi	0.00	0.00	0.00	<del>                                     </del>				30.07	7.50		0.01
1.31	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			İ	1				†							
	Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		2.01	0.3108								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE	Loop Rates		1	LIEDDO	UEPLX	40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG UEPRG	UEPLX	10.80 12.47			<b>-</b>							
			_	UEPRG	UEPLX	12.47										
2-1/1	2-Wire Voice Grade Loop (SL 1) - Zone 3 re Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	19.83			-							
2-771	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1													
	Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
-	2-Wire voice unbundled Georgia extended dialing port, PBX 1-			02.110	02.110	0		10.20	0.10	0.01			00.01	7.00		0.01
	Way Outdial Trunk			UEPRG	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
FEA	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
455	Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity  Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00	[				33.67	7.88	11.17	3.91
- H	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLI INO	UUAUZ	0.00	0.00	0.00	<del>                                     </del>				33.07	7.00	11.17	3.91
	Group		1	ĺ			14.64	14.64	]				19.99	19.99	19.99	19.99
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			1	1			0-1	† †					.0.00		.5.55
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80	, in the second second									
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83									]	l

Version 3Q02: 10/07/02 Page 114 of 425

NRONDL	ED NETWORK ELEMENTS - Georgia												Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
	Live Oille Hele of Hell Or of Confirm O May DDV Total Death Death			UEPPX	UEPPC	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus	5	1	UEPPX	UEPPC	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17 11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus		-	UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	+	1	UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.5
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1							
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPPX	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Ports			UEPPX	UEPPS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll			LIEDDY	UEPPT	4.70	00.44	15.25	0.45	0.04			33.67	7.00	44.47	
	Terminal Ports		1	UEPPX	UEPPT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port			UEPPX	UEPPU	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
-	2-Wire voice unbundled Georgia basic dialing port - PBX LD	+	1	UEFFA	UEPPU	1.79	22.14	15.25	0.40	3.91			33.07	1.00	11.17	3.
	Terminal Switchboard Port			UEPPX	UEPPV	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - PBX LD			OLITA	OLITV	1.73	22.17	13.23	0.43	3.31	1		33.07	7.00	11.17	J.
	Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.
	Tommar Omtonboard BBB Odpablo Fort			02.17	02	0		10.20	0.10	0.01			00.07	7.00	11.17	3.
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way															, .
	Trunk			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
LOC	AL NUMBER PORTABILITY								1							
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -												·			
	Conversion - Switch-As-Is	_		UEPPX	USAC2		2.01	0.3108	ļl				33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change		1	UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400	0.00	0.00	0.00					00.07	7.00	44.47	_
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+	1	UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.
	Group  Group						14.64	14.64					19.99	19.99	19.99	19.
3-7911	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	DT.	1	-	+		14.04	14.04					19.99	19.99	19.99	19.
	Port/Loop Combination Rates	1	1		+ +											1
ONE	2-Wire VG Coin Port/Loop Combo – Zone 1	+	1		+ -	12.69			<del>                                     </del>						<del> </del>	1
	2-Wire VG Coin Port/Loop Combo – Zone 2	+	2	<del> </del>	+ -	14.36									<del>                                     </del>	<del>                                     </del>
-+	2-Wire VG Coin Port/Loop Combo – Zone 2	1	3		+	21.72										<del> </del>
IINE	Loop Rates	+	-	1	+ -	21.12			+						<del>                                     </del>	+
- U.V.L	2-Wire Voice Grade Loop (SL1) - Zone 1	+	1	UEPCO	UEPLX	10.80			+		1				1	1

Version 3Q02: 10/07/02 Page 115 of 425

ONROND	ED NETWORK ELEMENTS - Georgia		1										Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates(\$)		
	O Mire Veire Crede Lees (CLA). Zees O		_	UEPCO	UEPLX	12.47	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
2-Wi	ire Voice Grade Line Ports (COIN)		3	UEPCO	UEPLA	19.03									-	
2-771	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			02. 00	02. 00			10.20	0.10	0.01			00.07	1.00		0.0
	900/976, 1+DDD (GA)			UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin Outward with Operator Screening and 011 Blocking													=		
	(GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEBOO	LIEBOO	4.00	00.44	45.05	0.45	0.04			00.07	7.00	44.47	0.0
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO UEPCO	UEPCQ UEPCK	1.89 1.89	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88	11.17 11.17	3.9
-	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.09	22.14	15.25	0.40	3.91			33.07	7.00	11.17	3.9
	LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
ADD	OITIONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIX	1.03	22.14	10.20	0.40	5.51			33.07	7.00	11.17	5.5
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.9
LOC	AL NUMBER PORTABILITY				0	0.00										
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.9
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
0.140	Activity RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE		ODT (	UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	Port/Loop Combination Rates	LINE	OKI (	KES)												
ONL	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.69										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			21.30										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.77										
UNE	Loop Rates					02									1	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.84										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	19.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.92										
2-Wi	ire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.85	121.33	95.26	8.45	3.91			37.06	7.88		3.9
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPWC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
-	2-Wire voice unbundled Georgia basic dialing port for use with			UEFFR	UEPWC	1.00	121.33	95.20	0.40	3.91			33.07	7.00	11.17	3.9
	Caller ID - res			UEPFR	UEPWQ	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port - outgoing	<b> </b>		OLI I IX	JLI WW	1.00	121.33	35.20	0.40	5.91			55.07	7.00	11.17	3.9
	only			UEPFR	UEPWR	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
INTE	EROFFICE TRANSPORT						50	22.20	20					1.50	1	5.0
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1						1	
	Termination	<u> </u>	L	UEPFR	U1TV2	17.07	79.61	36.08	<u>                                      </u>		<u> </u>			<u> </u>	<u> </u>	<u></u>
. — T	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							-		-						
	or Fraction Mile			UEPFR	1L5XX	0.0222										
FEA	TURES							-		-						
_	All Features Offered	1	1	UEPFR	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY						FIISL	Auu i	FIISL	Auu i	SOIVIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
LOGA	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			18.69										<b>↓</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<b> </b>	2	1	+	21.30								1	1	<b>├</b>
IIN-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3  oop Rates	<b> </b>	3	1	+	32.77								1	1	<del> </del>
UNE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.84										<b></b>
-+	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFB	UECF2	19.45					-			1	1	<del>                                     </del>
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.92										
2-Wire	e Voice Grade Line Port (Bus)		3	OLITB	OLOI Z	30.32										<del> </del>
2 *****	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus			UEPFB	UEPWD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus			UEPFB	UEPWP	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										<u> </u>
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	17.07	79.61	36.08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	UEPFB	UTIVZ	17.07	79.01	30.06								1
	or Fraction Mile			UEPFB	1L5XX	0.0222										
FEAT			1	OLITB	TESAX	0.0222										1
, LAI	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00										
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
İ	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		93.83	93.83								<u> </u>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															<b>↓</b>
UNE P	Port/Loop Combination Rates	ļ	<u> </u>			10.55										<b>↓</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	ļ	1			18.69										<b>↓</b>
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	1	+	21.30										<b>├</b>
IINE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3  oop Rates	<b>!</b>	3	-	+	32.77										<del>├</del>
UNE L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.84					1			1	1	+
	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	19.45										<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFP	UECF2	30.92					<u> </u>			1	1	<b>†</b>
2-Wire	Voice Grade Line Port Rates (BUS - PBX)		Ť		1											1
																1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u></u>	L	UEPFP	UEPPC	1.85	121.33	95.26	8.45	3.91	<u> </u>		33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.85	121.33	95.26	8.45	3.91			37.06	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<u> </u>	UEPFP	UEPXB	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		<u> </u>	UEPFP	UEPXC	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.9
l	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPFP	UEPXD	1.85	121.33	95.26	8.45	3.91	1		33.67	7.88	11.17	3.9

Version 3Q02: 10/07/02 Page 117 of 425

ONBONDL	ED NETWORK ELEMENTS - Georgia			1	,						Γ-		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPFP	UEPXE	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPFP	UEPWS	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	1.85	121.33	95.26	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY			OLFIF	OLFWI	1.65	121.33	95.20	0.45	3.51			33.07	7.00	11.17	3.91
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	17.07	79.61	36.08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0222										
FEA1	TURES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	3.91
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	28.19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42.27										
UNE	Loop Rates		3			42.21										
ONE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	104.17	78.10								<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.45	104.17	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.92	104.17	104.10								
UNE	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88		
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
	ITIONAL NRCs															
Telep	phone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
+	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								İ
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	†							
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	POR		ļ									ļ	ļ	
HINE	Port/Loop Combination Rates	l														ļ

Version 3Q02: 10/07/02 Page 118 of 425

UNBUNDL	ED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	USOC			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
							Rec	Nonred			g Disconnect		001111		Rates(\$)	201111	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Zone 2		2	UEPPB	UEPPR		38.74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITB	OLITIK		30.74				+	-					
	UNE Zone 3		3	UEPPB	UEPPR		53.64										
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77		1			19.99	19.99		
	O Miller IODNI Biolinel Overland and LINE 7 and 0			LIEDDD	LIEDDD	1101 01	05.07	050.00	100 77					40.00	40.00		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	25.27 40.17	252.32 252.32	188.77 188.77		1			19.99 19.99	19.99 19.99		
LINE	Port Rate		3	UEPPB	UEPPK	USLZA	40.17	252.52	100.77			+		19.99	19.99		
UNL	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	13.47	47.37	47.37		+	-		19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLITB	OLITIK	OLITB	10.47	47.07	47.07		1			10.00	10.00		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	93.38	93.38					19.99	19.99		
ADDI	TIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	t															
1.00	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
LOCA	AL NUMBER PORTABILITY  Local Number Portability (1 per port)		1	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00			+					<u> </u>
R-CH	ANNEL USER PROFILE ACCESS:			UEPPB	UEPPK	LINPUX	0.35	0.00	0.00		1						-
D-011	CVS/CSD (DMS/5ESS)		1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<del>                                     </del>
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00		1	1					
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	k TN)														
USEF	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99		
INTE	ROFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		-	-		19.99	19.99		
INTE	Interoffice Channel mileage each, including first mile and					1					†	+					
	facilities termination			UEPPB	UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
	Interoffice Channel mileage each, additional mile				UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															1
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			218.69										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			227.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPP			221.29				1						
	Zone 3		3	UEPPP			265.09										
UNE	Loop Rates			02		1	200.00				1	1					
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate					LIEBBB	100.10	100.00	100.00					10.00	10.00		
NON	Exchange Ports - 4-Wire ISDN DS1 Port RECURRING CHARGES - CURRENTLY COMBINED			UEPPP		UEPPP	163.16	186.80	186.80		<del>                                     </del>			19.99	19.99		
NON	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<del>                                     </del>	1	1		1					+						<del>                                     </del>
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	269.96	269.96		1			19.99	19.99		
ADDI	TIONAL NRCs			1			5.50		200.00	1	1	1			.0.00		<b>†</b>
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			1													1
	Inward/two way Tel Nos. (except NC)	<u></u>		UEPPP		PR7TF	<u> </u>	0.9686			<u> </u>						
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)	<u> </u>		UEPPP		PR7TO		22.75	22.75		<b></b>	1					<b></b>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		DD77T		45 40	45.40		1						
1.00	Subsequent Inward Tel Numbers AL NUMBER PORTABILITY	<b>-</b>	<del>                                     </del>	UEPPP		PR7ZT		45.49	45.49	-	+	+			-		<del> </del>
LUCA	Local Number Portability (1 per port)	<u> </u>	1	UEPPP		LNPCN	1.75			1	+	1			1		<del>                                     </del>
INITE	RFACE (Provsioning Only)	1	1	JEI I I		,,	1.73				+	1					<del>                                     </del>

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								ļ
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71				1		19.99	19.99	-	
	New or Additional - Voice/Data B Channel			UEPPP	PR7BF	0.00	28.71				+		19.99	19.99	-	
+	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71				1		19.99	19.99		
CALL	TYPES			OLITI	TRADO	0.00	20.71				1		13.33	13.33		
UALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								+
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								1
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	ffice Channel Mileage						0.00									
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00		1		19.99	19.99	1	1
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523		-								
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<u></u>														
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
UNE	Loop Rates															1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate				<b>-</b>											
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAC4		269.96	209.90			+		19.99	19.99		
	- Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		209.90	209.90			1		19.99	19.99		-
	- Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDI	FIONAL NRCs			OLI DO	OOAWD		203.30	203.30			1		13.33	13.33		+
АВВІ	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															+
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>		UEPDC	UDTTB		28.71	28.71	<u> </u>		<u> </u>		19.99	19.99	<u> </u>	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1												1	_	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1		l	1									1	I	
	Activation / Chan - 2-Way DID w User Trans	ļ		UEPDC	UDTTE		28.71	28.71					19.99	19.99	-	<b></b>
BIPO	LAR 8 ZERO SUBSTITUTION			LIEDDO	00005		0.00	200.00			-				1	<b></b>
-+	B8ZS - Superframe Format B8ZS - Extended Superframe Format	<b> </b>		UEPDC	CCOSF CCOEF		0.00	600.00			1			1	<b>!</b>	<b>↓</b>
Alter	nate Mark Inversion	<u> </u>	-	UEPDC	CCUEF		0.00	600.00			1				<b>-</b>	<del>                                     </del>
Aiteri	AMI -Superframe Format	1		UEPDC	MCOSF		0.00	0.00			<del>                                     </del>				+	<del> </del>
	AMI - Extended SuperFrame Format	1		UEPDC	MCOPO		0.00	0.00			<del>†</del>			<del> </del>	<del>                                     </del>	<del>                                     </del>
Telen	hone Number/Trunk Group Establisment Charges			021 00	IVICOFO		0.00	0.00			1			<del>                                     </del>	t	<b>-</b>
reiep	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00					1			<del>                                     </del>	t	<b>-</b>
	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0.00					<u> </u>			<b> </b>	<b>I</b>	
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00								1	1	
	DID Numbers, Establish Trunk Group and Provide First Group			1		0.00								İ	1	
	of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00						1	I	
1	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00			İ		1			İ	İ	1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00					1				1	

INBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR			Incremental Charge -	Incrementa Charge -
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								]
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS T	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				l											
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	lateraffica Channel Milenes Additional asternas mile O Consiler			LIEDDO	1LNOA	0.4500	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	ILNOA	0.4523	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLFDC	TLINO2	0.00	0.00	0.00								+
	miles	l		UEPDC	1LNOB	0.4523	0.00	0.00							I	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			02. 00		0.4020	0.00	0.00							1	
	Termination)	l		UEPDC	1LNO3	0.00	0.00	0.00							1	
	,				1										1	1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC	0.4523	0.00	0.00	<u> </u>		<u> </u>				<u> </u>	<u></u>
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															1
	System can have up to 24 combinations of rates depending on	type ar	nd nun	nber of ports used	ļ											
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3			UEPMG UEPMG	USLDC	64.13 101.93	0.00	0.00								
LINE D	SO Channelization Capacities (D4 Channel Bank Configuration		3	UEFIVIG	USLDC	101.93	0.00	0.00								<del> </del>
ONE D	24 DSO Channel Capacity - 1 per DS1	15)		UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		1
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		+
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		<del>                                     </del>
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		1
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		1
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		1
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		1
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		<u> </u>
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	mum System configuration is One (1) DS1, One (1) D4 Channe															<u> </u>
Multip	les of this configuration functioning as one are considered Ac	ia'i afte	r the m	ninimum system con	itiguration is	counted.									1	<b></b>
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
Syston	n Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nolizat					10.52			1		19.99	19.99		
	Not Currently Combined) in all states, except in Density Zone 1				T Curre	IIIIy Exists and										<del></del>
ivew (i	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	l lob	U WIO	1	+											<del>                                     </del>
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99	19.99		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	l		UEPMG	CCOSF	0.00	0.00	600.00							I	
	Clear Channel Capability Format - Extended Superframe -												_			
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								<u> </u>
Altern	ate Mark Inversion (AMI)			ļ	1											<u> </u>
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								<del>                                     </del>
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	1	1										1	<b>↓</b>
Excha	nge Ports	<del>                                     </del>	-	<del>                                     </del>	+	<del>                                     </del>					-				<del>                                     </del>	<del></del>
				i	1						1				l .	1
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		

Version 3Q02: 10/07/02 Page 121 of 425

	IULEI	D NETWORK ELEMENTS - Georgia												Attachment: 2	2	Exhil	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
-							Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-								FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOMAN	SUMAN	SOWAN
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
	eature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
		Feature (Service) Activation for each Trunk Port Terminated in															
<b></b>	olonh	D4 Bank cone Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04			33.67	7.88		
<del></del>	elebii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
<u> </u>		Non-Consecutive DID Numbers - per number			UEPPX	ND5 ND6	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers Reserve DID Numbers			UEPPX UEPPX	NDV	0.00	0.00	0.00								
L	ocal N	Number Portability			OLITA	INDV	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		JRES - Vertical and Optional Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
UNBUNE		PORT LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	0.00	0.00	0.00								
		Rates shall apply where BellSouth is not required to provide	unbund	dled lo	cal switching or swi	itch ports pe	r FCC and/or St	ate Commissio	n rules.								
		icludes:				<u> </u>											
		dled port/loop combinations that are Currently Combined or Nop 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											۵)				
		uth currently is developing the billing capability to mechanica												. In the interior	m where Bells	South cannot	bill Market
R	Rates,	BellSouth shall bill the rates in the Cost-Based section preced	ding in	lieu of													
		arket Rate for unbundled ports includes all available features i				<u> </u>											
		ffice and Tandem Switching Usage and Common Transport Us :: URECU).	sage rat	tes in th	ne Port section of th	nis rate exhib	it shall apply to										
		ot Currently Combined scenarios the Nonrecurring charges are						an combination	ons of loop/po	rt network eiem	ents except	IOI UNE COI	n Port/Loop	Combination	ns which have	a flat rate us	age charge
		n Currently Combined Scenarios the Nomecurring charges are	licted	in the I	First and Additional	NPC column	e for each Bort										
		onal NRCs may apply also and are categorized accordingly.	listed	in the I	First and Additional	NRC column	s for each Port										
U	-AAIIVE	onal NRCs may apply also and are categorized accordingly.  E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	listed	in the I	First and Additional	NRC column	s for each Port										
		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	listed		First and Additional	NRC column											
. — —		E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	listed	1	First and Additional	NRC column	24.80										
$\vdash \Box$	JNE Po	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2	e listed	1 2	First and Additional	NRC column	24.80 26.47										
	JNE Po	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	e listed	1	First and Additional		24.80 26.47 33.83										
U	JNE Po	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1	e listed	1 2 3	UEPRX	UEPLX	24.80 26.47 33.83										
l	JNE Po	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   2-Wire VG Loop/Port Combo - Zone 3   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2	e listed	1 2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	24.80 26.47 33.83										
	JNE Po	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3 oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2	elisted	1 2 3	UEPRX	UEPLX	24.80 26.47 33.83										
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   2-Wire VG Loop/Port Combo - Zone 3   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2	isted	1 2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	24.80 26.47 33.83										
	JNE Lo	CVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  cop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	isted	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	24.80 26.47 33.83 10.80 12.47 19.83	90.00 90.00	90.00 90.00					33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res	isted	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	24.80 26.47 33.83 10.80 12.47 19.83	90.00	grrently Combi					in the NRC - C	Currently Com	bined section	3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID	isted	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00					33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res	isted	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC	24.80 26.47 33.83 10.80 12.47 19.83	90.00 90.00	90.00 90.00					33.67 33.67	7.88 7.88	11.17 11.17	3.91 3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res	listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00					33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled Georgia basic dialing port without Caller ID [LUM] [2-Wire voice unbundled Georgia basic dialing port without Caller ID [2-Wire voice unbundled Georgia basic dialing port for use with	listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91
	JNE Lo	TVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res	e listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPAP	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00					33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
	JNE Lo	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates [2-Wire VG Loop/Port Combo - Zone 1 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 2 [2-Wire VG Loop/Port Combo - Zone 3 oop Rates [2-Wire Voice Grade Loop (SL1) - Zone 1 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 2 [2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port (Res) [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled Georgia basic dialing port without Caller ID [LUM] [2-Wire voice unbundled Georgia basic dialing port without Caller ID [2-Wire voice unbundled Georgia basic dialing port for use with	isted	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPAP	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67	7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91
	JNE Lo	TOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID	listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91 3.91
2	JNE PC	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res  2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - Outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability	listed listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91
22	JNE PC	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID  (LUM)  2-Wire voice unbundled Georgia basic dialing port for use with  Caller ID - res  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  - NUMBER PORTABILITY	listed listed	1 2 3 1 2	UEPRX X UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91 3.91	
22	JNE PC	EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Fort outgoing only - res  2-Wire voice unbundled Georgia basic dialing port without Caller ID  1D capability - res  2-Wire voice unbundled Georgia basic dialing port outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Georgia basic dialing port - outgoing only  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability - NUMBER PORTABILITY  Local Number Portability (1 per port)	listed listed	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP UEPWC UEPWQ UEPWR	24.80 26.47 33.83 10.80 12.47 19.83 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 90.00					33.67 33.67 33.67 33.67 33.67	7.88 7.88 7.88 7.88 7.88 7.88	11.17 11.17 11.17 11.17 11.17 11.17	3.91 3.91 3.91 3.91 3.91 3.91

Version 3Q02: 10/07/02 Page 122 of 425

ONRONDI	LED NETWORK ELEMENTS - Georgia			T							_		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NON	NRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Switch with		1	OLITIX	UUAUZ		41.50	41.50					33.07	7.00	11.17	5.5
	change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADD	DITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
L	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			33.83								ļ		
UNE	Loop Rates	1	<u> </u>	LIEDDY	LIEF: Y				-	ļ			ļ	ļ	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1 2	UEPBX	UEPLX	10.80			<del>                                     </del>		1				<del> </del>	1
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX UEPBX	UEPLX	12.47 19.83			<del>                                     </del>	-	1	-	-	<b> </b>	-	
2-W	ire Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	19.03			-							-
2-77	2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus			UEPBX	UEPWD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus			UEPBX	UEPWP	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	TURES			UEDDV												
NO	All Features Offered		1	UEPBX	UEPVF	0.00	0.00	0.00	-				33.67	7.88	11.17	3.9
NON	NRECURRING CHARGES - CURRENTLY COMBINED		1						-							
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop / Line Port Combination - Switch with		1	OLFBX	USACZ		41.50	41.50					33.07	7.00	11.17	3.5
	change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADE	DITIONAL NRCs			OLI DX	00/100		41.00	41.00					00.07	7.00	11.17	0.0
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE	Loop Rates			LIEDDO	LIEDLY	40.00										
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	1 2	UEPRG UEPRG	UEPLX UEPLX	10.80 12.47			-	-	-		-	-		
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRG	UEPLX	12.47			-	-	-		-	-		
2-W	ire Voice Grade Line Port Rates (RES - PBX)	1	3	OLI INO	OLI LA	19.03			<del> </del>	1			1	1	1	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1	<b> </b>					<b>-</b>		1			1		<u> </u>
	Res			UEPRG	UEPRD	14.00	90.00	90.00	1				33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia extended dialing port, PBX 1-	1				00	22.00	22.00					22701			0.0
	Way Outdial Trunk			UEPRG	UEPPO	14.00	90.00	90.00	1				33.67	7.88	11.17	3.9
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	1		UEPRG	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered	<u> </u>	1	UEPRG	UEPVF	0.00	0.00	0.00	L			<u> </u>	33.67	7.88	11.17	3.9

NRONDLE	D NETWORK ELEMENTS - Georgia			ı									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI IKO	00/102		41.50	41.50					33.07	7.00	11.17	-
	Change			UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3
ADDIT	IONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	;
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates		<u> </u>			0.1.00										
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			26.47 33.83										
LINE	.oop Rates		3			33.83										
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	(======================================															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			HEDDY	LIEDVE	44.00	00.00	00.00					00.07	7.00	44.47	
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	
_	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAL	14.00	90.00	90.00					33.67	7.88	11.17	
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFFA	ULFAIVI	14.00	90.00	90.00					33.07	7.00	11.17	<del>                                     </del>
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk	L		UEPPX	UEPWS	14.00	90.00	90.00	<u>                                     </u>	<u>                                     </u>	<u> </u>		33.67	7.88	11.17	<u></u>
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPPX	UEPWT	14.00	90.00	90.00					33.67	7.88	11.17	<u></u>
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX														_	
	Trunk			UEPPX	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	1							]	]				]		
	Terminal Ports	ļ		UEPPX	UEPPS	14.00	90.00	90.00	ļ	ļ			33.67	7.88	11.17	ļ
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll				1											
	Terminal Ports			UEPPX	UEPPT	14.00	90.00	90.00					33.67	7.88	11.17	<u> </u>
	2-Wire voice unbundled Georgia basic dialing port - PBX LD	l		UEPPX	UEPPU	14.00	90.00	90.00					33.67	7.88	11.17	
	DDD Terminal Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD	<b>!</b>	-	UEPPA	UEPPU	14.00	90.00	90.00		-	<b>—</b>		33.67	7.88	11.17	<del>                                     </del>
	Terminal Switchboard Port	l		UEPPX	UEPPV	14.00	90.00	90.00					33.67	7.88	11.17	
+	2-Wire voice unbundled Georgia basic dialing port - PBX LD	<del>                                     </del>		OLITA	JLFF V	14.00	90.00	50.00					33.67	1.00	11.17	
	Terminal Switchboard DDD Capable Port	l		UEPPX	UEPPW	14.00	90.00	90.00					33.67	7.88	11.17	
LOCA	L NUMBER PORTABILITY				· · · ·	14.00	55.56	55.56		1			55.57	7.50	/	<del>                                     </del>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	1	1				1		<del>                                     </del>
FEAT					Ţ.	50	2.20	2.30	İ	İ					İ	1
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	
NONR	ECURRING CHARGES - CURRENTLY COMBINED															

ONBONDLE	D NETWORK ELEMENTS - Georgia			ı									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADDIT	TIONAL NRCs			-												
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	! ?⊤			+		14.64	14.64					19.99	19.99	19.99	19.9
	Port/Loop Combination Rates	Ì			+						1					1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			24.80										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47										
I INCE	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83										
UNE L			1	UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+,and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.9
LOCA	L NUMBER PORTABILITY			OLI CO	OLI CQ	14.00	30.00	30.00					33.07	7.00	11.17	5.5
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50					33.67	7.88	11.17	3.9
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												
UNE P	Port/Loop Combination Rates				$\bot$											
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	30.84			-	-	<u> </u>					<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+ +	33.45 44.92					<b> </b>					<b> </b>
UNF I	Loop Rates				+	44.52					<b> </b>					<b> </b>
J L	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.84			İ	İ						
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	19.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.92										
2-Wire	e Voice Grade Line Port Rates (Res)			LIEDED	LIEDS	44.00	400.00	105.00	-	-	<u> </u>		00.07	7.00	44.7-	-
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPFR UEPFR	UEPRL	14.00 14.00	160.00 160.00	125.00 125.00			<del>                                     </del>		33.67 37.06	7.88 7.88	11.17 11.17	3.9
-	2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	160.00	125.00	1	1	<del>                                     </del>		37.06	7.88	11.17	3.9
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	14.00	160.00	125.00					33.67	7.88	11.17	3.9

Version 3Q02: 10/07/02 Page 125 of 425

ONBONDI	LED NETWORK ELEMENTS - Georgia											T -	Attachment:			ibit: B
CATEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect	201150	0011411		Rates(\$)	2011411	001141
	2-Wire voice unbundled Georgia basic dialing port, without						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Caller ID capability - res			UEPFR	UEPWC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res		-	UEPFR	UEPWQ	14.00	160.00	125.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	14.00	160.00	125.00					33.67	7.88	11.17	3.9
INTE	EROFFICE TRANSPORT			02	02		100.00	120.00					00.01	7.00		0.0
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	17.07	79.61	36.08								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0222										
FEA	ATURES			OLFIK	ILJAA	0.0222										
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.9
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USAC2		93.83	93.83					33.67	7.88	11.17	3.8
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		93.83	93.83					33.67	7.88		
2-W	TIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	PORT (		00/100		30.00	30.00					00.07	7.00		
	Port/Loop Combination Rates	T	1													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.84										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			33.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			44.92										
UNE	E Loop Rates		1	HEDED	LIEOEO	10.01										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB UEPFB	UECF2 UECF2	16.84 19.45										
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFB	UECF2	30.92					1				-	
2-W	lire Voice Grade Line Port (Bus)			OLITB	OLOI Z	30.32										
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	14.00	160.00	125.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	14.00	160.00	125.00					33.67	7.88		3.9
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	14.00	160.00	125.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	14.00	160.00	125.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus			UEPFB	UEPWD	14.00	160.00	125.00					33.67	7.88	11.17	3.9
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPFB	UEPWP	14.00	160.00	125.00					33.67	7.88	11.17	3.9
LOC	CAL NUMBER PORTABILITY	1		UEFFB	UEPWP	14.00	160.00	125.00					33.67	7.00	11.17	3.8
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT			02.1.0	2.11 0/1	0.00									İ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility														1	
	Termination			UEPFB	U1TV2	17.07	79.61	36.08			ļ					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	<u> </u>	-	UEPFB	1L5XX	0.0222			1	<del> </del>	<b> </b>					1
FEA	All Features Offered	1	1	UEPFB	UEPVF	0.00	0.00	0.00			1		33.67	7.88	11.17	3.9
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	OLI I D	JLI VI	0.00	0.00	0.00					33.07	7.00	11.17	3.8
1.31	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<b>†</b>		1	1				1	1						
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		93.83	93.83			<u> </u>		33.67	7.88	11.17	3.9
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						<u> </u>	· · · · · · · · · · · · · · · · · · ·						1		
	Combination - Conversion - Switch with change			UEPFB	USACC		93.83	93.83							1	
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1	1								<u> </u>					
UNE	E Port/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1	1	+	30.84			<del> </del>	<del> </del>	<del>                                     </del>			<del> </del>	1	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2	1	+	30.84			-	-	<b> </b>			-	<del></del>	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		+	44.92									<del> </del>	
UNE	E Loop Rates	1	Ť												1	
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.84			İ	İ	İ	İ		İ	İ	1

Version 3Q02: 10/07/02 Page 126 of 425

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonred			Disconnect				Rates(\$)		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	19.45	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del>                                     </del>	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFP	UECF2	30.92										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		3	OLITI	OLOI Z	30.92										
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	160.00	125.00					33.67	7.88	11.17	3.91
-	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP UEPFP	UEPLD UEPXA	14.00 14.00	160.00 160.00	125.00 125.00					33.67 37.06	7.88 7.88	11.17 11.17	3.91 3.91
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	160.00	125.00					33.67	7.88	11.17	3.91
<del>                                     </del>	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPFP	UEPXC	14.00	160.00	125.00			+		33.67	7.88	11.17	3.91
<u> </u>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	Discount Room Calling Port			UEPFP	UEPXO	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPFP	UEPWS	14.00	160.00	125.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	14.00	160.00	125.00					33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	17.07	79.61	36.08								
FEAT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0222										
FEAT	URES All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIF	OLF VI	0.00	0.00	0.00					33.07	7.00	11.17	3.91
- Itolti	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1													
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		93.83	93.83					33.67	7.88	11.17	3.91
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		93.83	93.83					33.67	7.88	11.17	3.91
	PORT/LOOP COMBINATIONS - MARKET BASED RATES RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT														ļ
	Port/Loop Combination Rates	PURI														
ORE:	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			99.84					+					<del>                                     </del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			102.45										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			113.92										
UNE I	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.84	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.45	104.78	78.10								
I INIT I	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 Port Rate		3	UEPPX	UECD1	30.92	104.78	104.10								<del>                                     </del>
UNE	Exchange Ports - 2-Wire DID Port		1	UEPPX	UEPD1	83.00	850.00	75.00					33.67	7.88		+
NONE	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	52. T A	JEI D I	55.00	000.00	75.00					55.07	7.00		
1.2.11	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		850.00	75.00					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		850.00	75.00					33.67	7.88		
ADDI	TIONAL NRCs				222		222.00	. 2.00					22.01			
Telep	hone Number/Trunk Group Establisment Charges							-					-			
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00		1	1					1

Version 3Q02: 10/07/02 Page 127 of 425

ONDONDEL	ED NETWORK ELEMENTS - Georgia					1	1					Ι -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							Rec	Nonrec			Disconnect				Rates(\$)		
	DID Novel on Establish Total Occupant Decide First Occupa							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
-+	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								+
-+	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								+
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								1
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								1
LOCA	L NUMBER PORTABILITY																1
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								1
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR	T													
UNE F	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		81.89										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		85.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		100.17										
UNE L	Loop Rate			<u> </u>													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		_
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		
+-	2-Wire ISDN Digital Grade Loop - UNE Zone 2  2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		25.27 40.17	252.32	188.77					19.99	19.99		+
LINE	Port Rate		3	UEPPB	UEPPK	USLZA	40.17	252.52	100.77					19.99	19.99		+
- ONE I	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	60.00	525.00	400.00					19.99	19.99		+
NONE	RECURRING CHARGES - CURRENTLY COMBINED			02	OL: III	025	00.00	020.00						10.00	10.00		1
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		
ADDI	FIONAL NRCs			OLFFB	ULFFR	USACE	0.00	213.00	213.00					15.55	19.99		+
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Active			1		1											+
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		
LOCA	L NUMBER PORTABILITY																1
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								1
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														<b></b>
USER	TERMINAL PROFILE		<u> </u>	UEPPB	UEPPR	11411848	0.00	0.00	0.00								
VEDT	User Terminal Profile (EWSD only)			UEPPB	UEPPR	UTUMA	0.00	0.00	0.00							-	+
VERT	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					19.99	19.99	-	+
INTER	ROFFICE CHANNEL MILEAGE			OLFFB	ULFFR	OLF VI	0.00	0.00	0.00					15.55	19.99		+
	Interoffice Channel mileage each, including first mile and																1
	facilities termination			UEPPB	UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00								1
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE F	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			955.53										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			964.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			1,001.93										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64.13	448.92	276.60					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
	Port Rate	1		UEPPP		UEPPP		1,200.00	1,200.00					19.99			
UNE F	Exchange Ports - 4-Wire ISDN DS1 Port						900.00								19.99		

Version 3Q02: 10/07/02 Page 128 of 425

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
ADD	ITIONAL NRCs		1	02	00/101	0.00	020.00	020.00					10.00	10.00		
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Telephone Numbers (except NC)			UEPPP	PR7TF		0.9686									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.75	22.75								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEDDD	DD77T		45.40	45.40								
1.00	Subsequent Inward Telephone Numbers AL NUMBER PORTABILITY			UEPPP	PR7ZT		45.49	45.49								
LOC	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					1				-	
INTE	ERFACE (Provsioning Only)			OLFFF	LINFOIN	1.75										
	Voice/Data	1		UEPPP	PR71V	0.00	0.00	0.00	<del>                                     </del>						<b>-</b>	
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00						Ì	1	
New	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99		
CAL	L TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								ļ
	Outward Two-way			UEPPP UEPPP	PR7C0 PR7CC	0.00	0.00	0.00								
Into	roffice Channel Mileage			UEPPP	PR/CC	0.00	0.00	0.00								
inter	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523	147.07	111.75	0.00				15.55	19.99		
4-W!	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			02	12.11.2	0.1020									1	
	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC UEPDC	USLDC	64.13 101.93	448.92 448.92	276.60 276.60					19.99 19.99	19.99 19.99	-	
LINE	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
UNE	4-Wire DDITS Digital Trunk Port	l -		UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70	1		19.99	19.99	<del> </del>	
NON	RECURRING CHARGES - CURRENTLY COMBINED	<b>-</b>	<b>-</b>	OLI DO	00011	730.00	1,011.43	411.01	200.70	20.70	<del>                                     </del>		13.33	19.99	t	<del>                                     </del>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<u> </u>						1					1	1	
.	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAD		000.00	200.00					40.00	40.00		
ADE	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADD	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	-	1		+ +				+						+	
.	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		1		1				1						1	
.	Subsequent Channel Activation/Chan - 2-Way Trunk	ĺ		UEPDC	UDTTA		28.71	28.71					19.99	19.99	1	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk		<u> </u>	UEPDC	UDTTB		28.71	28.71					19.99	19.99		
. —	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID	<u> </u>	<u> </u>	UEPDC	UDTTC		28.71	28.71			ļ		19.99	19.99	ļ	1
.	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			LIEDDO	LIDTTO		00.71	00 =:					10.00	10.00		
	Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<u> </u>	UEPDC	UDTTD		28.71	28.71			<u> </u>		19.99	19.99	1	<del>                                     </del>
				1							1			•	1	1

Version 3Q02: 10/07/02 Page 129 of 425

ONRONDF	ED NETWORK ELEMENTS - Georgia		1	1							T -		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual So Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alter	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group			1												
	of 20 DID Numbers	1		UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLI DO	TENOZ	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLFDC	ILINOB	0.4323	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	3		UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac			<u> </u>												
	stem can have various rate combinations based on type and nu	imber of	ports	used												
UNE	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	1	UEPMG	USLDC	55.53	0.00	0.00		ļ						
	4-Wire DS1 Loop - UNE Zone 2	-		UEPMG	USLDC	64.13	0.00	0.00		ļ						
	4-Wire DS1 Loop - UNE Zone 3	1	3	UEPMG	USLDC	101.93	0.00	0.00		1						
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	<b>!</b>	LIEDMO	\ // IN 40 4	400.01	0.00	2.22		<b> </b>			10.00	10.00	1	
	24 DSO Channel Capacity - 1 per DS1	+	<b>!</b>	UEPMG	VUM24	102.64	0.00	0.00		<b> </b>			19.99	19.99	1	
	48 DSO Channel Capacity - 1 per 2 DS1s	1	1	UEPMG	VUM48	205.28	0.00	0.00		ļ			19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s	-	<u> </u>	UEPMG	VUM96	410.56	0.00	0.00		ļ			19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s	-	<u> </u>	UEPMG	VUM14	615.84	0.00	0.00		1			19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s	1		UEPMG	VUM19	821.12	0.00	0.00		1			19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s	1		UEPMG	VUM20	1,026.40	0.00	0.00		1			19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s	-	<u> </u>	UEPMG	VUM28	1,231.68	0.00	0.00		1			19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s	-	<u> </u>	UEPMG	VUM38	1,642.24	0.00	0.00		1			19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s	1		UEPMG	VUM40	2,052.80	0.00	0.00		1			19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s	1		UEPMG	VUM57	2,463.36	0.00	0.00		1			19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s	1 2:		UEPMG	VUM67	2,873.92	0.00	0.00		1			19.99	19.99		
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wi						stem			ļ					ļ	
	nimum System configuration is One (1) DS1, One (1) D4 Chann									ļ					ļ	
Multi	ples of this configuration functioning as one are considered A	ad'i afte	r the m	nınımum system co	onriguration is	counted.				ļ						
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99		
Syste	em Additions Where Currently Combined and New (Not Curren	tly Com	oined \		30,10.	3.00	.00.00	33.00		1	i			.0.00	1	
	ensity Zone 1 Top 8 MSAs	,	u )	<del>                                     </del>												

Version 3Q02: 10/07/02 Page 130 of 425

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	bit: B
												1	Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
			Interi									Elec	Manually		Manual Svc	Manual Svc	
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
-		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		1
	Bipola	r 8 Zero Substitution					0.00										
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	600.00					-			<b></b>
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								Ĭ
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	F	Extended Superframe Format Ige Ports Associated with 4-Wire DS1 Loop with Channelization		D	UEPMG	MCOPO	0.00	0.00	0.00								
		nge Ports Associated with 4-wire DS1 Loop with Channelization	on with	Port		1								1			<del>                                     </del>
	Exorial																
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
-		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
	Featur	e Activations - Unbundled Loop Concentration			OLITA	OLI DIVI	03.00	0.00	0.00	0.00	0.00			33.07	7.00		
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
		Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		ĺ
	Telenh	one Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		
	relepii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers			UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
-		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local I	Number Portability			CELLX	1454	0.00	0.00	0.00								
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional															
	Local	Switching Features Offered with Line Side Ports Only			UEPPX	UEPVF	0.00	0.00	0.00								1
UNBU	IDI ED (	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S		UEPPX	UEPVF	0.00	0.00	0.00					1			<del>                                     </del>
CITECI		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unbu	indled Local S	witching or Sw	itch Ports.								
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	they are applie	d to the Stand	-Alone Unbun								
		Office and Tandem Switching Usage and Common Transport								•							
		first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
<b>-</b>		Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	ho no	otiotod	on an Individual Ca	eo Bacie una	il further netic			1						1	
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juaieu	on an murvicual Ca	Dasis, ulli	rartiler notic	c.					<u> </u>				<b>—</b>
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)			-				-								
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		10.50										
-		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91	-	12.59					-	-				<del>                                     </del>
		Non-Design		2	UEP91		14.26							1			1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>		Non-Design		3	UEP91		21.62										
<u> </u>	UNE P	ort/Loop Combination Rates (Design)												<b>!</b>			<del>                                     </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP91		18.63										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>			10.00										
		Design		2	UEP91		21.24										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEBOA								I				
<b>-</b>	LINE	Design		3	UEP91		32.71					<u> </u>		<del>                                     </del>			<del>                                     </del>
	JOINE L	op nate	L	<del></del>						I .			1	I		L	L

Version 3Q02: 10/07/02 Page 131 of 425

NNRONDLE	D NETWORK ELEMENTS - Georgia			1	•						Ι -		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92										
UNE P																
All Sta	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Georgi	a and Florida Only			02. 0.	022	0		10.20	0.10	0.01			00.01	7.00		
	2-Wire Voice Grade Port (Centrex )		<b>†</b>	UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated in 61 Meganink of equivalent			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
Local	Switching			OLI 01	OLITIZ	1.70	22.17	10.20	0.40	0.01			00.01	7.00		
Locui	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554			1							
Local	Number Portability			02. 0.	0.1.200	0.0001										1
Local	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur				02. 0.	2.1. 00	0.00										
	All Standard Features Offered, per port		<b>†</b>	UEP91	UEPVF	0.00										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Interof	fice Channel Mileage - 2-Wire				1											
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0222										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										<del> </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.62										
	Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	1PQW7	0.62										
	Different Wire Center			UEP91	1PQWP	0.62										

Version 3Q02: 10/07/02 Page 132 of 425

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Factors Activistics on D. 4 Channel Book British Line Land Clat			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	TPQVVV	0.62			-							
1	Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			02. 0.		0.02										
	Conversion - Currently Combined Switch-As-Is with allowed															
1	changes, per port			UEP91	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		
	P CENTREX - 5ESS (Valid in All States)								ļ .						ļ	
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
ı İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	Ι.			40.50										
	Non-Design		1	UEP95		12.59										
ı İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOE		44.00										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		14.26										
ı İ	Non-Design		3	UEP95		21.62										
LINE	Port/Loop Combination Rates (Design)		3	UEP95	1	21.02										
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	_			1											
ı İ	Design		1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 00		10.00										
ı İ	Design		2	UEP95		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
ı İ	Design		3	UEP95		32.71										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
	Port Rate															
All S	tates															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
ı İ	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEBOE	UEPYH	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
	Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
ı İ	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	-		UEF95	UEPTIVI	1.79	22.14	15.25	0.40	3.91			33.67	7.00		
.	Term - Basic Local Area		1	UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	1	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		OLI 33	OLI IZ	1.79	22.14	10.20	0.43	3.31	<b> </b>	<b> </b>	33.07	1.00	<del> </del>	<b> </b>
	- Basic Local Area	1	1	UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	1	1
	2-Wire Voice Grade Port Terminated on 800 Service Term -				132	0		.0.20	5.40	0.01	1		33.07			
.	Basic Local Area			UEP95	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL &	GA Only	1							1					1.00		
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
. T	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														]	
'			1	UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91	1	i	33.67	7.88	Ì	l
	Term			UEF95	OLITIZ	1.73	22.17	10.20	0.40	0.01			33.07	7.00		

Version 3Q02: 10/07/02 Page 133 of 425

NRUNDLE	D NETWORK ELEMENTS - Georgia			1		1					_		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Б	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00	45.4.00						33.67	7.88		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
NADO	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		
NARS		-		UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
-	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	1	<del>                                     </del>	UEP95	UAR1X	0.00	0.00	0.00	<del> </del>				33.67	7.88		
_	Unbundled Network Access Register - Outdial	1	<del>                                     </del>	UEP95	UAROX	0.00	0.00	0.00	<del> </del>				33.67	7.88		
Miscel	laneous Terminations	1	<b>!</b>		0, 0, 1	0.00	0.00	0.00	1		<u> </u>		55.57	7.50	1	<b> </b>
	Trunk Side		1	1												
1	Trunk Side Terminations, each	1	i –	UEP95	CEND6	11.35	61.91	61.91	1	l			33.67	7.88	İ	
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
					450140											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	-		UEF95	IFQW/	0.62										
	Different Wire Center			UEP95	1PQWP	0.62										
	Different Wife Center			OLF 93	IFQVVF	0.02										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop			021 00	11 Q 11 1	0.02										
	Slot			UEP95	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed	1					İ									
	changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88	<u> </u>	
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		<u> </u>
	NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	71.88						33.67	7.88		Ļ
	CENTREX - DMS100 (Valid in All States)	1	<u> </u>													<u> </u>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	<u> </u>		1				ļ				ļ			
UNE P	ort/Loop Combination Rates (Non-Design)	1	<u> </u>	<del> </del>	1				1	-			1	1	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	4	UEP9D		12.59										1
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OFLAD	+	12.59			1							-
	Non-Design		2	UEP9D		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		02.1 00	+	17.20			<del> </del>							<b> </b>
	Non-Design		3	UEP9D		21.62										1
UNE P	ort/Loop Combination Rates (Design)	1	Ť						1							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1							1							
	Design		1	UEP9D		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		21.24				<u></u>						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													_	_	
1	Design		3	UEP9D	<u> </u>	32.71								<u> </u>	<u> </u>	
UNE L	oop Rate													1	1	

ONBONDER	D NETWORK ELEMENTS - Georgia	ı		1							100	001	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	10.80										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83										<b></b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										<b></b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										<del>                                     </del>
	ort Rate															<b></b>
ALL S	TATES			LIEDAD	1155)(4	. =0	20.11							=		<b></b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

NRONDFE	D NETWORK ELEMENTS - Georgia			•									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FI & C	GA Only			OLI OD	OLI 12	1.70	22.17	10.20	0.40	0.01			00.07	7.00		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPHD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.79	22.14	15.25	8,45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		1	UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)		1	UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
1	Indication)3	1	1	UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
				l	[ l									1		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		<b> </b>	UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		<b> </b>	UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
			1													
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
1	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		ļ
Local	Switching			LIEDOD	LIDEOO	0.5554										
1	Centrex Intercom Funtionality, per port		1	UEP9D	URECS	0.5554								-		-
Local	Number Portability		<u> </u>	LIEDOD	LNDCC	0.05								<del> </del>		ļ
F4	Local Number Portability (1 per port)		<del>                                     </del>	UEP9D	LNPCC	0.35										
Featur	All Standard Features Offered, per port		<del>                                     </del>	UEP9D	UEPVF	0.00										
	All Select Features Offered, per port		<del>                                     </del>	UEP9D	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port		<del>                                     </del>	UEP9D	UEPVS	0.00	404.09		-				33.07	1.08		
NARS			1	OLI: 3D	JLF VC	0.00			-							1
CANI	Unbundled Network Access Register - Combination		1	UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		<del>                                     </del>
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Inward	-	<del>                                     </del>	UEP9D	UAR1X	0.00	0.00	0.00	-				33.67	7.88		
	Unbundled Network Access Register - Undural	-	<del>                                     </del>	UEP9D	UAROX	0.00	0.00	0.00	<del> </del>				33.67	7.88		
Miscel	laneous Terminations		1	OLI 3D	OAROX	0.00	0.00	0.00					33.07	7.00		
	Trunk Side	<del>                                     </del>		<del> </del>	+									<del> </del>		<del>                                     </del>
			<del>                                     </del>	UEP9D	CEND6	11.35			<del> </del>							<del>                                     </del>
2 ******	Trunk Side Terminations each															1
	Trunk Side Terminations, each  Digital (1.544 Megabits)			OLI 3D	02.150	11.00										
	Irunk Side Terminations, each Digital (1.544 Megabits) IDS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		

	ED NETWORK ELEMENTS - Georgia				-								Attachment:	2	Exhi	bit: B
24 <b>7</b> 5000V	DATE SURVEYO	Interi		BCS				D.4.T.F.O(A)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Incrementa Charge - Manual Sve
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interd	office Channel Mileage - 2-Wire						101	7144		7.00	0020	00				
1	Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0222										
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cł	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -													1	1	
	Different Wire Center		<u> </u>	UEP9D	1PQWP	0.62				ļ				<b>↓</b>		
	Frankrich Anticologie de D. A. Charcel Berl, Del etc. Live L. Cit.			LIEDOD	4001407	2.00								1	1	
<b></b>	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP9D	1PQWV	0.62								<b>├</b>	<b>.</b>	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.62								1	1	
$\vdash \vdash \vdash$	Slot			UEP9D UEP9D	1PQWQ 1PQWA	0.62								$\vdash$	<del>                                     </del>	
Non	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	IPQWA	0.62										
Non-r	NRC Conversion Currently Combined Switch-As-Is with allowed				-											
	changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	659.41	0.3106					33.67	7.88		
<del></del>	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OLI OD	ONLON	0.00	7 1.00						00.07	7.00		
	2 - Regures Interoffice Channel Mileage															
	3 - Requires Specific Customer Premises Equipment															
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	arket Rates are applied where BellSouth is not required by FCC	and/or	State C	commission rule to	provide Unbu	indled Local Sw	itching or Sw	tch Ports.								
2. Re	curring Charges for all Standard Centrex and Centrex Conrol Fe	eatures	are Inc	luded in the Marke	t Rate											
3. En	d Office and Tandem Switching Usage and Common Transport	Usage	rates i	n the Port section o	f this rate exh	ibit shall apply	to all combina	ations of loop	port network e	elements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
4. Th	e first and additional Port nonrecurring charges apply to Not C	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in	he Nonrecu	ring - Curre	ntly Combine	ed sections.	Additional NR	A
	y also and are categorized accordingly.		•••••		<b>Cuo</b> , <b>C</b>		,		o 20 ti			9 • • • • • • • • • • • • • • • • •	,	,		
																Cs may
	.P CENTREX - 14ESS - (Valid in AL EL GARY LAMS & IN Only	1							1		1				1	Cs may
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only te VG Loop/2-Wire Voice Grade Port (Centrex) Combo	)														Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	)														Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	)														Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	)	1	UEP91		24.80										Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo  Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	)	1	UEP91		24.80										Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	)	1 2	UEP91		24.80 26.47										Cs may
2-Wire	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	)	2	UEP91		26.47										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design															Cs may
2-Win	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  Port/Loop Combination Rates (Design)		2	UEP91		26.47										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-		3	UEP91		26.47 33.83										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		2	UEP91		26.47										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		3	UEP91 UEP91 UEP91		26.47 33.83 30.84										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		3	UEP91		26.47 33.83										Cs may
2-Wir	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		2 3	UEP91 UEP91 UEP91 UEP91		26.47 33.83 30.84 33.45										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP91 UEP91 UEP91		26.47 33.83 30.84										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate		3	UEP91 UEP91 UEP91 UEP91 UEP91		26.47 33.83 30.84 33.45 44.92										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	26.47 33.83 30.84 33.45 44.92										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	26.47 33.83 30.84 33.45 44.92 10.80 12.47										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84										Cs may
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1		2 3 1 2 3 1 2 3 1 2 2 3	UEP91  br>UECS1 UECS2 UECS2	26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84 19.45										Cs may	
2-Win UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2		2 3 1 2 3 1 2 3 1	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84										Cs may
UNE I	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1		2 3 1 2 3 1 2 3 1 2 2 3	UEP91  br>UECS1 UECS2 UECS2	26.47 33.83 30.84 33.45 44.92 10.80 12.47 19.83 16.84 19.45										Cs may	

Version 3Q02: 10/07/02 Page 137 of 425

NRONDLE	D NETWORK ELEMENTS - Georgia			1	<u> </u>								Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O Mine Maior Condo Bost (Control 2000 torreinstine) Bosis Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Wire Voice Grade Port terminated in on Megalink or equivalent     Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Georg	ia and Florida Only				132	00	22.00	.0.00	20.00				33.01			
Ů	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	Term			UEP91	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP91 UEP91	UEPH9 UEPH2	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00			33.67 33.67	7.88 7.88		-
Local	Switching				1		55.56	.0.50	20.00				00.01	7.50		
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Local	Number Portability			luspa.	LVIDGE											
Featur	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
reatur	All Standard Features Offered, per port		<del>                                     </del>	UEP91	UEPVF	0.00										<del>                                     </del>
_	All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69		1							
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
-	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91	UAR1X UAROX	0.00	0.00	0.00					33.67 33.67	7.88 7.88		
Miscel	Ilaneous Terminations		<del>                                     </del>	OLFSI	UARUX	0.00	0.00	0.00					33.07	7.88		+
	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
Intero	ffice Channel Mileage - 2-Wire							· · · · ·		· · · · ·						
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	17.07										
Fastur	Interoffice Channel mileage, per mile or fraction of mile re Activations (DS0) Centrex Loops on Channelized DS1 Service	_		UEP91	M1GBM	0.0222										
	annel Bank Feature Activations	-	<del>                                     </del>		+											<del>                                     </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port		1	UEP91	USAC2		2.01	0.3108					33.67	7.88		
			•													

Version 3Q02: 10/07/02 Page 138 of 425

ONRONDFF	D NETWORK ELEMENTS - Georgia			1							1 -	_	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		1
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10						33.67	7.88		1
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		1
	CENTREX - 5ESS (Valid in All States)															1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
UNE P	ort/Loop Combination Rates (Non-Design)															<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Non-Design		1	UEP95		24.80										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Non-Design		2	UEP95		26.47										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Non-Design		3	UEP95		33.83										<b>!</b>
UNE P	ort/Loop Combination Rates (Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Design		1	UEP95		30.84										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
	Design		2	UEP95		33.45										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Design		3	UEP95		44.92										1
UNE L	pop Rate															1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										1
	ort Rate															1
All Sta																1
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b></b>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															i
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															i
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															i
	Term - Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b></b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port Terminated on 800 Service Term -			l										I	1	1
	Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b>└</b>
FL & G	A Only															<b></b>
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	14.00	90.00	45.00		10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															i
	Center)2			UEP95	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															i
	Term			UEP95	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
		1		İ										I	Ì	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88	ļ	<b></b>
Local	Switching			L										1		
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										<b></b>
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35								1		
Featur																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88	ļ	<b></b>
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00							33.67	7.88		1

UNBUN	DLE	NETWORK ELEMENTS - Georgia										,		Attachment:			bit: B
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec			g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	NARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations															
2		Frunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	11.35	61.91	61.91					33.67	7.88		
4		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
		DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
lı		ice Channel Mileage - 2-Wire				1						ļ					↓
		Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07				]	ļ			ļ		
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.62										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.62										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP95	1PQWQ	0.62										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
N	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP95	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
L	JNE-P	CENTREX - DMS100 (Valid in All States)															
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
L		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9D		24.80										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP9D		26.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9D		33.83										
L		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		30.84									<u> </u>	<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1												1	1
		Design		2	UEP9D		33.45									<u> </u>	<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Design		3	UEP9D		44.92										
L	JNE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80				]						
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83		-								
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.84		-								
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	19.45										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.92										
		rt Rate															
	ALL ST	ATES															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		

ONBONDLE	D NETWORK ELEMENTS - Georgia			1							Γ-	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)		
	O Wine Vision Condo Book (Contract 2000 to recipation) Books Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI SD	OLI IB	14.00	50.00	40.00	20.00	10.00			00.07	7.00		
	Area			UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			LIEDOD	LIEDVD	44.00	00.00	45.00	00.00	40.00			00.07	7.00		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	Area			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02. 02	020		00.00	.0.00	20.00	10.00			00.01	1.00		
	Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEF9D	UEPTU	14.00	90.00	45.00	20.00	10.00			33.07	7.00		<del> </del>
	Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02. 02	02		00.00	.0.00	20.00	10.00			00.01	1.00		
	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF3D	OLFIJ	14.00	90.00	45.00	20.00	10.00			33.07	7.00		<del>                                     </del>
	2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OLI 3D	OLI IIX	14.00	30.00	45.00	20.00	10.00			33.07	7.00		
	Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEP14	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del>                                     </del>
	Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															1
	Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEF9D	UEFT9	14.00	90.00	45.00	20.00	10.00			33.07	7.00		<del>                                     </del>
	Local Area		<u>L</u>	UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
FL & 0	GA Only															
	2-Wire Voice Grade Port (Centrex)		<u> </u>	UEP9D	UEPHA	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)		<del>                                     </del>	UEP9D	UEPHB	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		<b>!</b>	UEP9D	UEPHC	14.00	90.00	45.00	20.00	10.00	1		33.67	7.88	-	<del> </del>
<del></del>	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3		<del>                                     </del>	UEP9D	UEPHD UEPHE	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<del> </del>
	12-your voice Grade Port (Centrex / EBS-M520913		1	UEP9D	IUEPHE	14.00	90.00	45.00	20.00	10.00	İ		33.67	7.88	1	1

BUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge -		Incremer Charge
													1st	Add'I	Disc 1st	Disc Ad
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	14.00	90.00	45.00	20.00	10.00			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPHW	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPHM	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
																T
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	14.00	90.00	45.00	20.00	10.00			33.67	7.88		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPHZ	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	14.00	90.00	45.00	20.00	10.00			33.67	7.88		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										<u> </u>
Local	Number Portability															<u> </u>
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										ļ
Featur				LIEDOD	LUEDVE											<del>                                     </del>
-	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	454.00						20.00	7.00	ļ	₩
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69						33.67	7.88		₩
NADO	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00			<del>                                     </del>		ļ		1	<del>                                     </del>	1	<del> </del>
NARS				UEP9D	UARCX	0.00	0.00	0.00					33.67	7.00	-	+
-	Unbundled Network Access Register - Combination			UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	<del>                                     </del>		ļ		33.67	7.88 7.88	1	<del> </del>
-	Unbundled Network Access Register - Inward			UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00	<del>                                     </del>		ļ		33.67	7.88	1	<del> </del>
Minnel	Unbundled Network Access Register - Outdial			UEP9D	UARUX	0.00	0.00	0.00					33.67	7.88		+
	Ianeous Terminations Trunk Side				+								-	-	-	+
z-wire	Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	11.35						1		1		+
4-Wiro	Digital (1.544 Megabits)			טבו שט	CLINDO	11.33						1		1		+
vvii e	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46	1		-	1	33.67	7.88	1	+
-	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.71	52.70	<del>                                     </del>				33.67	7.88	<del>                                     </del>	+
Interof	fice Channel Mileage - 2-Wire			OLI 3D	טטוווואו	0.00	20.11		<del>                                     </del>				33.07	7.00	<del>                                     </del>	+
meror	Interoffice Channel Facilities Termination			UEP9D	MIGBC	17.07			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
+	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBO	0.0222			1		-	1	1	<del> </del>	1	+
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3D	ואום טוואי	0.0222			1		-	1	1	<del> </del>	1	+
	annel Bank Feature Activations	Ť			+				1		-	1	1	<del> </del>	1	+
D-1 C(1)	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
+	1 Sature Activation on D-4 Chamilet Bank Centrex Loop Stot		1	OLI 3D	11 4770	0.02			<del> </del>		l	1	1	t	1	+
		1	1	UEP9D	1PQW6	1					1	I	I	l .	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD							•								
	2 - Requres Interoffice Channel Mileage															
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ns.									

DUNDL	ED NETWORK ELEMENTS - Kentucky					ı							Attachment: 2		Exhi	
											Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
						Rec		curring	Nonrecurring			1		Rates(\$)	1	1
T1 11							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	one" shown in the sections for stand-alone loops or loops as par www.interconnection.bellsouth.com/become_a_clec/html/interco			ion refers to Geogra	ipnically Deav	eraged UNE Zo	nes. To view (	seorgraphically	Deaveraged U	NE Zone Desiga	intions by C	O, refer to i	internet websit	e:		
	L SUPPORT SYSTEMS															
	: (1) Electronic Service Order: CLEC should contact its contract													contained in	this rate exhib	it is the
	uth regional electronic service ordering charge. CLEC may elect															
	: (2) Any element that can be ordered electronically will be billed a															
	nnot be ordered electronically at present per the BBR-LO, the list blied to a CLECs bill when it submits an LSR to BellSouth.	tea SOIVI	EC rate	e in this category ren	ects the char	ge that would b	e billed to a CL	EC once electro	onic ordering ca	ipabilities come	on-line for	tnat element	t. Otnerwise, t	ne manuai ord	iering charge,	SOMAN, WIII
De up	Manual Service Order Charge, per LSR, Disconnect Only (KY)				SOMAN				0.99							
	Electronic OSS Charge, per LSR, submitted via BST's OSS															
	interactive interfaces (Regional)				SOMEC		3.50									
	DATE ADVANCEMENT CHARGE  The Expedite charge will be maintained commensurate with Be	IIS out to	ECC I	No 1 Tariff Continu	ac applicable	<u> </u>	<del>                                     </del>									
NOIE	UNE Expedite Charge will be maintained commensurate with Be UNE Expedite Charge per Circuit or Line Assignable USOC, per	iiiooutn's	FUU	vo. i Tariii, Section 5	as applicable	e. I	1	1				1				
1	Day		l	ALL UNE	SDASP	1	200.00									
	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				
-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<b>.</b>	2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65		7.86				
+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Loop Testing - Basic 1st Half Hour	<del>                                     </del>	3	UEANL UEANL	UEAL2 URET1	31.11	46.66 46.88	22.57 46.88	26.65	7.65		7.86 7.86				
+-	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA	<b> </b>	24.16	24.16				7.86	<del>                                     </del>			
1	CLEC to CLEC Conversion Charge Without Outside Dispatch						2 2.10	210					† †			
	(UVL-SL1)			UEANL	UREWO	<u> </u>	15.78	8.94				7.86				
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop, billing						40 :-	40 :-								
-	for BST providing make-up  Manual Order Coordination for UVL-SL1s (per loop)	<b> </b>		UEANL UEANL	UEANM UEAMC		13.49 9.00	13.49 9.00								
+	Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMU		9.00	9.00								
	(per LSR)			UEANL	OCOSL		23.01	23.01								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	Ī		UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65		7.86				
+-	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<u> </u>		UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65		7.86				
+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				
	Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)		l	UEQ	USBMC	1	9.00	9.00					1			
+	Unbundled Copper Loop, Non-Designed Billing for BST providing				300.00	1	3.30	5.50								
	make-up			UEQ	UEQMU	<u> </u>	13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88				7.86				
-	Loop Testing - Basic Additional Half Hour	ļ		UEQ	URETA	ļ	24.16	24.16				7.86				
	CLEC to CLEC Conversion Charge Without Outside Dispatch		l	UEQ	UREWO	1	14.27	7.43				7.86				
JNDLED	EXCHANGE ACCESS LOOP			ULU	OKEWO		14.27	1.43				7.00				
	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1	ļ	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		-1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65		7.86				
+	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<del>                                     </del>	<del></del>	OLFON UEPOB	DEMBO	10.36	40.00	22.57	20.05	7.05		7.00				
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86				
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	LIEDOD LIEDOS	LIEALO				20.5-	=						
-	Zone 3	<del>                                     </del>	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65		7.86				
1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86	1			
UNE	oop Rates for Line Splitting		-	OLI OK OLI OD	32,100	31.11	40.00	22.31	20.00	7.00		7.00				
1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	10.79		İ								
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	15.52										
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	31.74										
	EXCHANGE ACCESS LOOP	ļ			1	ļ	ļ	ļ								
12-WIR	ANALOG VOICE GRADE LOOP				-											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															

ATEGORY	RATE ELEMENTS			1		I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	1
		Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l	
-+-						Rec	Nonre		Nonrecurring		SOMEC	COMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	⊢
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						First	Add'l	First	Add'l	SUIVIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN	┢
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or																
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88		7.86					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86					İ
_	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	UEA	UEARZ	12.07	134.09	61.07	73.03	14.00		7.00					<u> </u>
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86					İ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse																
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86					<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	$\vdash$		UEA UEA	OCOSL UREWO	1	23.01 87.72	36.36	<del>                                     </del>	1		7.86					₩
4-WIRE	E ANALOG VOICE GRADE LOOP	$\vdash$		UEA	UKEWU	<del> </del>	81.72	36.36	1	<del> </del>		7.86					$\vdash$
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86					Т
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66		7.86					
	4-Wire Analog Voice Grade Loop - Zone 3	$\Box$	3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66		7.86					┖
	Order Coordination for Specified Conversion Time (per LSR)	$\vdash$		UEA	OCOSL	1	23.01	26.20	-	1		7.00					⊢
2-WIPE	CLEC to CLEC Conversion Charge without outside dispatch  EISDN DIGITAL GRADE LOOP	$\vdash$		UEA	UREWO	<del> </del>	87.72	36.36	1	<del> </del>		7.86					$\vdash$
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86					$\vdash$
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86					
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01	11.10				7.00					<u> </u>
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch Universal Digital Channel (UDC) COMPATIBLE LOOP			UDN	UREWO	-	91.63	44.16		-		7.86					⊢
Z-WIKE	Offiversal Digital Charmer (ODC) COMPATIBLE LOOP																┢
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86					İ
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86					
	2-vviile Offiversal Digital Charmer (ODC) Companie 2005 - 2016 2			ODC	ODOZA	25.00	140.77	33.02	71.30	10.00		7.00					
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86					<u> </u>
2 WIDE	CLEC to CLEC Conversion Charge without outside dispatch  ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	000	UDC	UREWO		91.63	44.16				7.86					⊨
Z-WIRE	2 Wire Unbundled ADSL Loop including manual service inquiry &	I IBLE L	UUP			1				1							┢
	facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86					İ
	2 Wire Unbundled ADSL Loop including manual service inquiry &																
	facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86					<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry &		3		1141.07	40.07	444.00	70.70	00.00	44.47		7.00					İ
_	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	$\vdash$	3	UAL	UAL2X OCOSL	12.87	141.98 23.01	79.73	69.02	11.47		7.86					$\vdash$
_	2 Wire Unbundled ADSL Loop without manual service inquiry &			U. 1L	COOOL	1	20.01		1	1							Т
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86					
	2 Wire Unbundled ADSL Loop without manual service inquiry &			l							1						1
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86					⊢
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86					1
_	Order Coordination for Specified Conversion Time (per LSR)		J	UAL	OCOSL	12.07	23.01	03.00	03.09	11.54		1.00					$\vdash$
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO	<u> </u>	86.20	40.40				7.86					
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LO	OP														
	2 Wire Unbundled HDSL Loop including manual service inquiry &			L				20.0-			1						1
$-\!\!\!+\!\!\!-\!\!\!\!-$	facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry &		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54	-	7.86					├
	facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54	1	7.86					1
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_														
	facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86					<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01										$\vdash$
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		4	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54	1	7.86					1
-	2 Wire Unbundled HDSL Loop without manual service inquiry and			UITL	UNLZVV	0.75	130.74	70.00	09.09	11.54	-	7.00					$\vdash$
	facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86					1
	2 Wire Unbundled HDSL Loop without manual service inquiry and																Г
	facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL2W OCOSL	10.61	130.74 23.01	78.56	69.09	11.54		7.86					<u> </u>

INRONDLE	D NETWORK ELEMENTS - Kentucky			,	•								Attachment: 2		Exhi	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disgon	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40	FIISL	Auu i	SOIVIEC	7.86	SOWAN	SOWAN	JOIVIAN	SOWAN
4 WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IDIEIO	OB	UHL	UKEWO		00.14	40.40				7.00				
4-WINE	4 Wire Unbundled HDSL Loop including manual service inquiry and		JOF		+											
	facility reservation - Zone 1		4	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry and			UHL	UHL4A	13.93	165.75	123.30	74.90	14.09		7.00				
	facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry and			0.12	0.112.174	10.00	100.70	120.00	7 1.00	11.00		7.00				
	facility reservation - Zone 3		3	инг	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.00	23.01	120.00	7 1.00	11.00		7.00				
	4-Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	COOCE		20.01									
	facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	4-Wire Unbundled HDSL Loop without manual service inquiry and		Ė		1	.5.55	.000		52	.5.00		50				
	facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86				
	4-Wire Unbundled HDSL Loop without manual service inquiry and		Ė		1	.5.50			52	.0.50						
	facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	12.00	23.01		02			50				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				
4-WIRE	DS1 DIGITAL LOOP					l .										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		_	USL	OCOSL		23.01		22.00							
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO	i e	101.09	43.04								
4-WIRF	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				1	1		.0.54	1							
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86				
1	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	1	23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	1	23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIRE	Unbundled COPPER LOOP											-				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short including manual service					1										
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
	2 Wire Unbundled Copper Loop/Short including manual service					1										
L	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		7.86				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service									·						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1_	UCL	UCL2L	24.91	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service				1				1					-		T
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - without manual service				1				1					-		T
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	36.94	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Long - without manual service															
1	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				

NBUNDLE	D NETWORK ELEMENTS - Kentucky				1	1							Attachment: 2		Exhib	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	First	urring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00	11131	Auu	JOIVILO	JOINAIN	JOHAN	JOHAN	JOHAN	JOINAIN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-			002	0020		0.00	0.00								
	Des)			UCL	UREWO		97.23	42.48				7.86				
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - including manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				
-	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4VV	16.92	149.52	97.33	74.95	14.69		7.86				
	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				
	4-Wire Copper Loop/Short - without manual service inquiry and			332	COLTIV	17.50	140.02	37.33	7 7.93	14.09		7.50				
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2	$\vdash$	2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		3	UCI	UCL4L	171.34	170.31	100.00	74.95	14.69		7.00				
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCL4L UCLMC	1/1.34	170.31 9.00	108.06 9.00	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry			UCL	UCLIVIC		9.00	9.00	-				-			
	and facility reservation - Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry		Ė		1			27.30	150	50						
	and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86			_	
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry															
	and facility reservation - Zone 3			UCL	UCL40	171.34	149.52	97.33	74.95	14.69		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)	i l		UCL	UREWO		97.23	42.48				7.86				
OP MODIFIC				UCL	UKEWU		91.23	42.40				7.00				
J. WODII IC	Anon			UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		9.24	9.24				7.86			_	
	Unbundled Loop Modification, Removal of Load Coils - 2 wire					]							T			
_	greater than 18k ft			UCL, ULS, UEQ	ULM2G	<del> </del>	342.24	342.24	1			7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		9.24	9.24				7.86				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OI IL, UCL	OLIVI4L	<del> </del>	9.24	5.24				1.00				
	pair greater than 18k ft		l	UCL	ULM4G	]	342.24	342.24				7.86				
	(			UAL, UHL, UCL,		Ì	312.24	J.L.L.								
			l	UEQ, UEF, ULS,		]										
				UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,												
	per unbundled loop			USL	ULMBT		10.47	10.47				7.86				
S-LOOPS	 op Distribution	-			-											
Jub-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					<del> </del>										
	Up			UEANL	USBSA		207.91	207.91				7.86				
												50				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	L		UEANL	USBSB	<u> </u>	12.50	12.50	<u> </u>			7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility					]										
	Set-Up	I		UEANL	USBSC	ļ	80.87	80.87				7.86				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	1	l	LIFANII	Henen	]	45.04	45.04				7.00				
+	Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBSD	-	45.04	45.04				7.86				
	Zone 1	1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				332.12	0.04	00.00	00.00	55.51	7.30		7.00	-			
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				

PINDONDE	ED NETWORK ELEMENTS - Kentucky	1	1	1		ı					0	0	Attachment: 2			oit: B	<b>!</b>
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring					Rates(\$)			<u> </u>
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	١.	3	UEANL	USBN2	14.82	85.03	39.05	EO 04	7.00		7.00					
	Zone 3		3	UEANL	USDINZ	14.02	65.03	39.05	59.81	7.90		7.86					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OL7 WIL	CODIIIO		0.00	0.00									
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -																
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86					
	Order Coordination for Linburdled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00									
_	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	<u> </u>	<del>                                     </del>	UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86					$\vdash$
-	200 200 2 Title initiabaliding Network Gable (1140)	<u> </u>	<del>                                     </del>	OE/ 111L	CODINA	2.37	00.00	22.30	33.01	1.30		7.00					H
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u></u>	UEANL	USBMC		9.00	9.00						<u></u>			L
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86					
	Onder Or collington for Holoughla 10.11		1	LIFANI	HODAGO												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	5.45	9.00 85.03	9.00 39.05	59.81	7.90		7.86					┡
_	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<u> </u>	<u> </u>	-	UCS2X UCS2X	7.06	85.03 85.03	39.05	59.81 59.81	7.90		7.86					H
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>l i</del>			UCS2X	9.67	85.03	39.05	59.81	7.90		7.86					H
	The second secon	t i	Ť		/ \	5.57	55.55	55.55	55.51								T
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86					L
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86					1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00									
Unbur	adled Sub-Loop Modification			OLI	CODIVIO		3.00	3.00									Ħ
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load																
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23				7.86					
	Unbundled Sub-loop Modification - 4-W Copper Dist Load																
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		-	UEF	ULM4X		5.23	5.23				7.86					┢
	Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97				7.86					
Unbur	ndled Network Terminating Wire (UNTW)			OLI	OLIVITI		7.57	7.57				7.00					H
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86					Ħ
Netwo	ork Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47				7.86					<u> </u>
	Network Interface Device (NID) - 1-6 lines		-	UENTW UENTW	UND16		115.96	91.91				7.86					⊬
_	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	1	<del>                                     </del>	UENTW	UNDC2 UNDC4		8.56 8.56	8.56 8.56				7.86 7.86					┢
IB-LOOPS	TOOLS OF THE PROPERTY OF THE P	1	<b>†</b>	02.1111	5.1D0+		0.00	0.00				7.50					H
	oop Feeder																L
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,						_							
	Distribution Facility set-up	1	<u> </u>	UDN,UCL,UDL,UDC	USBFW		207.91					7.86					<u> </u>
1	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-	1		UEA, UDN,UCL,UDL,UDC	USBFX		12.50	12.50				7.86					
	Ιψ	1	1	USL	USBFZ	1	527.98	12.50	<del> </del>			7.86		1			H
	IUSL Feeder DS1 Set-up at DSX location, per DS1 termination					1	321.30	11.02				7.00					H
	USL Feeder DS1 Set-up at DSX location, per DS1 termination Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice								72.34	17.21		7.86	1	<u> </u>			L
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	7.67	114.83	64.61	12.34	17.21							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		1														
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		1 2	UEA UEA	USBFA USBFA	7.67 9.70	114.83	64.61	72.34	17.21		7.86					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		1 2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		1 2 3	UEA	USBFA USBFA		114.83 114.83					7.86 7.86					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1 2 3	UEA UEA UEA	USBFA USBFA OCOSL	9.70 19.53	114.83 114.83 23.01	64.61 64.61	72.34 72.34	17.21 17.21		7.86					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1 2 3	UEA	USBFA USBFA	9.70	114.83 114.83	64.61	72.34	17.21							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		1 2 3	UEA UEA UEA	USBFA USBFA OCOSL	9.70 19.53	114.83 114.83 23.01	64.61 64.61	72.34 72.34	17.21 17.21		7.86					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3 Order Coordination for Specified Conversion Time, per LSR Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1 2 3	UEA UEA UEA	USBFA USBFA OCOSL USBFB	9.70 19.53 7.67	114.83 114.83 23.01 114.83	64.61 64.61	72.34 72.34 72.34	17.21 17.21		7.86					

ONRONDLE	D NETWORK ELEMENTS - Kentucky	1		1	1	T					I	I	Attachment: 2			bit: B	<del></del>
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec		curring	Nonrecurring					Rates(\$)			<u> </u>
			<u> </u>		<b> </b>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Ь—
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice					7.07	44400		=0.04	47.04		7.00					Ì
-	Grade - Zone 1		1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86					Ь—
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice		2		HODEO	0.70	444.00	04.04	70.04	47.04		7.00					Ì
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			UEA	USBFC	9.70	114.83	64.61	72.34	17.21	-	7.86					├──
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86					Ì
	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	19.55	23.01	04.01	12.34	17.21		7.00					├──
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			OLA	COOOL		20.01				<b>†</b>	<b>-</b>			1		1
	Grade - Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86					ì
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		Ė	0271	005.5	22.02	101110	7 0.00	01.02	01.00		7.00					<b>-</b>
	Grade - Zone 2		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86					Ì
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			-													
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86					İ
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice																
	Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice								-								1
	Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice																Ì
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86					<u> </u>
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.01										
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	13.00	131.79	80.04	74.16	16.60		7.86					
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86					
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86					<u> </u>
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.01										<u> </u>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60	ļ	7.86					<u> </u>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC UDC	USBFS	16.95 28.95	131.79 131.79	80.04 80.04	74.16 74.16	16.60 16.60		7.86 7.86					<del></del>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		3	USL	USBFG	62.57	125.43	73.68	81.82	21.56	<b> </b>	7.86	-		-		-
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	87.71	125.43	73.68	81.82	21.56		7.86					-
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	273.33	125.43	73.68	81.82	21.56		7.86					<del>                                     </del>
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	270.00	23.01	70.00	01.02	21.00		7.00					<del>                                     </del>
<b></b>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61	<b> </b>	7.86			1		<del>                                     </del>
	01.00.00.00.00.00.00.00.00.00.00.00.00.0		Ė	002	005	0.11	100.01	00.07	711.10	10.01		7.00					
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61		7.86					Ì
					1												
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86					Ì
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01										
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86					
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.18	125.55	73.80	77.12	16.86		7.86					
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10.32	125.55	73.80	77.12	16.86		7.86					
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01										1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56		7.86					
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86					
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86					Щ
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone		١.	l	l							_					1
	1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86					1
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone						405 :-	<b>30</b>		04							1
<b> </b>	Oct Land Fooder Bond Miles FOLK Division Inc.		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86	-		-		₽
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone		,	LIDI	LICREO	22.40	105 10	70.00	04.00	24.50		7.00					1
	3 Order Coordination For Specified Time Conversion, per LSR		3	UDL UDL	USBFO OCOSL	23.10	125.43 23.01	73.68	81.82	21.56		7.86	<b>-</b>		<del>                                     </del>		<del></del>
<del></del>	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone			UDL	OCOSL	1	23.01			-	1	1	-		-		<del>                                     </del>
1	1		4	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86					1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone		<u> </u>	UDL	USBFF	20.70	120.43	13.00	01.02	∠1.50	<del>                                     </del>	1.00					$\vdash$
1	2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86					1
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone		_		CODIT	20.41	120.40	70.00	01.02	21.00	<b>†</b>	7.00					<del>                                     </del>
	3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86					1
1	Order Coordination For Specified Conversion Time, per LSR		Ť	UDL	OCOSL	20.70	23.01	7 0.50	51.52	250					1		
SUB-LOOPS	The second secon				1		20.01			1					1		
	op Feeder			İ	1	1				İ					1		1
	Sub Loop Feeder - DS3 - Per Mile Per Month	I		UE3	1L5SL	15.38											
1	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	346.30	3,402.59	407.14	160.86	91.19		7.86					
1	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.38											

ONBONDLE	D NETWORK ELEMENTS - Kentucky			1		ı							Attachment: 2			bit: B	╄
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	╄
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	1		UDLSX	USBF7	372.80	3,402.59	407.14	160.86	91.19	SOIVIEC	7.86	SOWAN	SOWAN	SOWAN	JUNAN	十
	Sub Loop Feeder – OC-3 – Per Mile Per Month	İ		UDLO3	1L5SL	11.67	5,100.00										T
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per																Г
	Month S. J. Co. S.			UDLO3	USBF5	58.27	0.400.50	107.11	100.00			7.00					+
	Sub Loop Feeder - OC-3 - Facility Termination Per Month Sub Loop Feeder - OC-12 - Per Mile Per Month	I		UDLO3 UDL12	USBF2 1L5SL	564.68 14.36	3,402.59	407.14	160.86	91.19		7.86					₩
	Sub Loop Feeder - OC-12 - Fer Mile Fer Month?  Sub Loop Feeder - OC-12 - Facility Termination Protection Per			UDL12	ILSSL	14.30											十
	Month	- 1		UDL12	USBF6	658.35											
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	ı		UDL12	USBF3	1,778.00	3,402.59	407.14	160.86	91.19		7.86					
	Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	47.11											1
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	١.,		LIDI 40	LICDEO	330.39					1						
	Month Sub Loop Feeder - OC-48 - Facility Termination Per Month	<u> </u>		UDL48 UDL48	USBF9 USBF4	1,533.00	3,587.59	407.14	160.86	91.19		7.86					+
	Sub Loop Feeder - OC-12 Interface On OC-48	H	1	UDL48	USBF8	372.76	804.96	407.14	160.86	91.19	1	7.86					t
	OOP CONCENTRATION			1		5.20	5550		.00.00	010							T
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86					I
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86					Ļ
	Unbundled Loop Concentration - System A (TR303)	<b> </b>		ULC	UCT3A	460.27	359.34	359.34				7.86				ļ	+
	Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card	<del>                                     </del>	1	ULC	UCT3B UCTCO	86.95 4.90	149.72 71.69	149.72 51.51	22.99	6.00	-	7.86 7.86			<b> </b>	-	╁
	Onburidied Loop Concentration - DOT Loop Interrace Card	<del>                                     </del>		ULU	00100	4.90	71.09	01.51	22.99	0.00		1.00					t
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86					ļ
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86					
	Unbundled Loop Concentration2 Wire Voice-Loop Start or																T
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86					L
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery					44.50	40.50	40.50	0.40			7.00					
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86					╁
	(Specials Card)			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86					
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86					T
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86					
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86					
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop																Г
	Interface			UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86					Ļ
	ROVISIONING ONLY - NO RATE	<b> </b>		LIENTIA	LINDDV	0.00	0.00										+
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW UENTW	UNDBX UENCE	0.00	0.00										+
	OTT TO GROUNT ID ESTADIISTIFFICHT, 1-10VISIOTHING OTHY - 140 Kate			UEANL,UEF,UEQ,U	OLINOE	0.00	0.00										t
	Unbundled Contract Name, Provisioning Only - No Rate	L_		ENTW	UNECN	0.00	0.00										$\perp$
E OTHER, P	ROVISIONING ONLY - NO RATE																Ţ
				HALLIOLUBOUS:	1						1						1
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00				1						1
-	Onbundied Contact Name, Flovisioning Only - no rate	$\vdash$		ODIN, OEA, UTL, ULC	UNEUN	0.00	0.00										+
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00										
																	T
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00										1
	Unbundled DS1 Loop - Superframe Format Option - no rate	<u> </u>		USL	CCOSF	0.00	0.00										+
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00										
H CAPACIT	Y UNBUNDLED LOCAL LOOP			001	COOLI	0.00	0.00										t
1				İ													T
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25											L
	High Capacity Unbundled Local Loop - DS3 - Facility Termination			l													
	per month	<b></b>		UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86					+
	High Congains I John and Loop CTC 1 Des Mile see month	]		LIDLEY	1L5ND	9.25					1						1
-+	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month High Capacity Unbundled Local Loop - STS-1 - Facility	1		UDLSX	ILDIND	9.25											t
	Termination per month	1		UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				1	1
OOP MAKE-UP		<del>                                     </del>	1	<del></del>		020.01	301.00	300.00		120.12	<del>                                     </del>				1	<b> </b>	+

Spa Loo que Loo finder FREQUENCY LINE SHAR SPLITTERS Line Line Line		Interim	Zone	BCS	USOC	Rec		RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	
Loo spa Loo quel Loo facil HIGH FREQUENCY LINE SHAR SPLITTERS Line Line Line Line	op Makeup - Preordering Without Reservation, per working or are facility queried (Manual).  op Makeup - Preordering With Reservation, per spare facility eried (Manual).  op MakeupWith or Without Reservation, per working or spare slitly queried (Mechanized)  Y SPECTRUM  RING	Interim	Zone		usoc	Rec		RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
Spa Loo que Loo finder FREQUENCY LINE SHAR SPLITTERS Line Line Line	are facility queried (Manual).  op Makeup - Preordering With Reservation, per spare facility eried (Manual).  op MakeupWith or Without Reservation, per working or spare ility queried (Mechanized) Y SPECTRUM RING			UMK		Rec							Electronic-	Electronic-	Electronic-	Electronic-	
Spa Loo que Loo finder FREQUENCY LINE SHAR SPLITTERS Line Line Line	are facility queried (Manual).  op Makeup - Preordering With Reservation, per spare facility eried (Manual).  op MakeupWith or Without Reservation, per working or spare ility queried (Mechanized) Y SPECTRUM RING			UMK		Rec							181	Add'l	Disc 1st	Disc Add'l	<u> </u>
Spa Loo que Loo finder FREQUENCY LINE SHAR SPLITTERS Line Line Line	are facility queried (Manual).  op Makeup - Preordering With Reservation, per spare facility eried (Manual).  op MakeupWith or Without Reservation, per working or spare ility queried (Mechanized) Y SPECTRUM RING			UMK				curring	Nonrecurring					Rates(\$)			
Spa Loo que Loo find HIGH FREQUENCY LINE SHAR SPLITTERS Line Line Line	are facility queried (Manual).  op Makeup - Preordering With Reservation, per spare facility eried (Manual).  op MakeupWith or Without Reservation, per working or spare ility queried (Mechanized) Y SPECTRUM RING			UMK	1	1	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	$\vdash$
quel Loo facii HIGH FREQUENCY LINE SHAR SPLITTERS Line Line Line	eried (Manual).  op MakeupWith or Without Reservation, per working or spare  cility queried (Mechanized)  Y SPECTRUM  RING			•	UMKLW		23.40	23.40									
facil HIGH FREQUENCY LINE SHAR SPLITTERS Line Line Line	zility queried (Mechanized) Y SPECTRUM RING		_	UMK	UMKLP		24.85	24.85									<u></u>
HIGH FREQUENCY LINE SHAR SPLITTERS Line Line Line	Y SPECTRUM RING			UMK	PSUMK		0.67	0.67									İ
SPLITTERS Line Line Line				O.M. C	. com.		0.01	0.01									
Line Line Line	S-CENTRAL OFFICE BASED																<u> </u>
Line Line				ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86					
Line	ne Sharing Splitter, per System 96 Line Capacity ne Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA	49.71	379.05	0.00	358.55	0.00		7.86					<del></del>
	ne Sharing Splitter, Per System 24 Line Capacity	1		ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86					
	ne Sharing-DLEC Owned Splitter in CO-CFA activaton-																
	activation (per LSOD)	(0050		ULS	ULSDG		173.62	0.00	100.40	0.00		7.86					₩
	R ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY ne Sharing - per Line Activation (BST Owned Splitter)	SPECT	KUM	ULS	ULSDC	0.61	37.16	21.28	20.17	9.90		7.86			-		<del>                                     </del>
	ne Sharing - per Line Activation (BST Owned Splitter)  ne Sharing - per Subsequent Activity per Line	<b> </b>	1	ULO	ULUDU	10.0	37.16	21.28	20.17	9.90		7.00					
Rea	earrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43				7.86					
	ne Sharing - per Subsequent Activity per Line earrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43				7.86					1
Line	ne Sharing - per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		7.86					
LINE SPLIT																	
	R ORDERING-CENTRAL OFFICE BASED			LIEBOD LIEBOD	LIDEOO	2.21											<b>—</b>
	ne Splitting - per line activation DLEC owned splitter ne Splitting - per line activation BST owned - physical	-		UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	37.02	21.20	21.10	9.87		7.86					<del>                                     </del>
	ne Splitting - per line activation BST owned - priysical	i i		UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10			7.86					
	SITE HIGH FREQUENCY SPECTRUM																
	S-REMOTE SITE																
	emote Site Line Share BellSouth Owned Splitter, 24 Port	I		ULS	ULSRB	50.83	377.71	0.00	357.29	0.00		7.86					₩
	emote Site Line Share Cable Pair Activation CLEC Owned at RS d Deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00		7.86					
	R ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	M AKA F	REMOT	E SITE LINE SHARIN													
	emote Site Line Share Line Activationfor End User Served at																
	S, BST Splitter S Line Share Line Activation for End User served at RS, CLEC	I		ULS	ULSRC	0.61	37.16	21.28	20.17	9.90		7.86					<del></del>
Spli	litter	- 1		ULS	ULSTC	0.61	37.16	21.28	20.17	9.90		7.86					
	DICATED TRANSPORT	L	<u> </u>	1		<u> </u>											<u> </u>
	TEROFFICE CHANNEL DEDICATED TRANSPORT - minimur FICE CHANNEL - DEDICATED TRANSPORT	m billing	period	- below DS3=one mo	onth, DS3/ST	S-1=four month	is I										<del></del>
	eroffice Channel - Dedicated Transport - 2-Wire Voice Grade -	$\vdash$	<del>                                     </del>	<del> </del>	<del>                                     </del>	<u> </u>											$\vdash$
Per	r Mile per month			U1TVX	1L5XX	0.01											
	eroffice Channel - Dedicated Transport- 2- Wire Voice Grade - cility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75		7.86					İ
Inte	eroffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			LIATIVY													
Rev	ev Bat Per Mile per month eroffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1	1	U1TVX	1L5XX	0.01											<del>                                     </del>
Fac	cility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86					<u> </u>
	eroffice Channel - Dedicated Transport - 4-Wire Voice Grade - er Mile per month			U1TVX	1L5XX	0.01											l
Inte	eroffice Channel - Dedicated Transport - 4- Wire Voice Grade - cility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86					
Inte	eroffice Channel - Dedicated Transport - 56 kbps - per mile per						47.34	31.70	24.11	0.75		7.00					
mor Inte	onth eroffice Channel - Dedicated Transport - 56 kbps - Facility	-	-	U1TDX	1L5XX	0.0115											<del>                                     </del>
Ten	rmination eroffice Channel - Dedicated Transport - 50 kbps - 1 admity rmination eroffice Channel - Dedicated Transport - 64 kbps - per mile per	-		U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86					<del></del>
mor	onth			U1TDX	1L5XX	0.0115											
	eroffice Channel - Dedicated Transport - 64 kbps - Facility rmination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86					l
	eroffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TD1	1L5XX	0.23	47.00	01.70	22.11	0.70		7.00					
Inte	ontil eroffice Channel - Dedicated Tranport - DS1 - Facility rmination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86					

MBUNDLI	D NETWORK ELEMENTS - Kentucky												Attachment: 2			it: B	₩
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
-			-			Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN	⊢
_	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		<b>-</b>		+	<del>                                     </del>	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN	$\vdash$
	month			U1TD3	1L5XX	4.97											İ
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILUXX	4.51											┢
	Termination per month			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86					İ
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01100	01110	1,170.10	000.40	210.24	03.07	07.70		7.00					
	month			U1TS1	1L5XX	4.97											İ
	Interoffice Channel - Dedicated Transport - STS-1 - Facility																
	Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86					
	CHANNEL - DEDICATED TRANSPORT																
NOTE	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	period -															
	Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86					L
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	<b> </b>		ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86					⊢
	Local Channel - Dedicated - 4-Wire Voice Grade	<b> </b>	<u> </u>	UNDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86					₩
_	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	<del>                                     </del>		ULDD1 ULDD1	ULDF1 ULDF1	40.46 43.39	209.60 209.60	176.51 176.51	30.21 30.21	21.07 21.07		7.86 7.86					⊢
+	Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	$\vdash$	3	ULDD1 ULDD1	ULDF1 ULDF1	43.39 164.50	209.60	176.51	30.21	21.07		7.86					⊢
-	Local Channel - Dedicated - DS1 - Zone 3  Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD1	1L5NC	8.74	209.60	170.01	30.21	21.07		7.00					۲
	Local Channel - Dedicated - DS3 - Fer Wile per Horitin		<del>                                     </del>	ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86					۲
1	Local Channel - Dedicated - DSS-1 actify 1 emination  Local Channel - Dedicated - STS-1- Per Mile per month		<b>-</b>	ULDS1	1L5NC	8.74	331.30	300.00	170.00	120.42		7.00	+				Н
	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86					T
RK FIBER	The state of the s				1		221.00	222.00				50					$\vdash$
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof																
	per month - Local Channel			UDF	1L5DC	47.01											İ
	NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof																Г
	per month - Interoffice Channel			UDF	1L5DF	30.74											İ
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86					П
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof																П
	per month - Local Loop			UDF	1L5DL	47.01											
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86					<u> </u>
X ACCESS	TEN DIGIT SCREENING			O. I.B.		0.0000470											▙
_	8XX Access Ten Digit Screening, Per Call			OHD	-	0.0006478											<b>Ļ</b>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.14	0.70				7.86					İ
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			טחט	NOR IA	-	4.14	0.70				7.00	-				⊢
	POTS Translations			OHD			8.78	1.18	7.08	0.86		7.86					İ
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD			0.70	1.10	7.00	0.00		7.00					۲
	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86		7.86					İ
	8XX Access Ten Digit Screening, Customized Area of Service Per			01.15	1101 171		0.10		7.00	0.00		7.00					H
	8XX Number			OHD	N8FCX		4.14	2.07				7.86					İ
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing																Г
	Per CXR Requested Per 8XX No.			OHD	N8FMX	<u> </u>	4.85	2.78	<u> </u>			7.86					L
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86					匚
	8XX Access Ten Digit Screening, Call Handling and Destination								I	-							Ī
	Features			OHD	N8FDX	<b>.</b>	4.14	4.14				7.86					L
_	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD	1	0.0006478											╙
E INICOS:	8XX Access Ten Digit Screening, w/ POTS No. Delivery,	<b> </b>		OHD		0.0006478											L
∟ INFORM	ATION DATA BASE ACCESS (LIDB)	<b> </b>	<u> </u>	007		0.000000			-								⊢
_	LIDB Common Transport Per Query			OQT	+	0.000023											⊢
-	LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change		<b>-</b>	OQU OQT, OQU	NRPBX	0.0137322	55.12		67.59			7.86					⊢
NALING (C		$\vdash$	<del>                                     </del>	UQ1, UQU	INICEDA	<del> </del>	55.12		07.09			7.00					⊢
HALING (C	CCS7 Signaling Connection, Per 56 Kbps Facility		<del>                                     </del>	UDB	TPP++	20.71	43.56	43.56	22.45	22.45							$\vdash$
-	CCS7 Signaling Connection, Per St Robs Facility  CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39	45.50	45.50	22.40	22.40			+				Н
_	CCS7 Signaling Termination, Fer STI Fort			UDB		0.0000656											H
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86					Г
	3 3 , - , , ,																Г
	CCS7 Signaling Connection, Per link (B link) (also known as D link)	<u>L</u> .	L_	UDB	TPP++	20.71	43.56	43.56	22.45	22.45	<u> </u>	7.86					L
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164											Г
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08											匚
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86					ĺ
+	CCS7 Signaling Point Code, per Destination Point Code	$\vdash$		סטס	COAPO	<del>                                     </del>	40.02	40.02	50.43	50.43		7.00					۲
1	Establishment or Change, Per Stp Affected			UDB	CCAPD	1	46.02	46.02	56.43	56.43		7.86					1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			ı									Attachment: 2			oit: B	—
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		<u> </u>	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonred		Nonrecurring		001150	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	<b>├</b>
E911 SERVICE							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SOMAN	SOWAN	├──
Lation	Local Channel - Dedicated - 2-wr Voice Grade				+	18.57	265.78	46.96	46.79	4.98		7.86					├──
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115	200.10	10.00	10.110			7.00					
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility																
	Termination					29.11	47.34	31.78	22.77	8.75		7.86					
	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07		7.86					<u> </u>
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3				+	43.39 164.50	209.60 209.60	176.51 176.51	30.21 30.21	21.07 21.07		7.86 7.86					├
	Interoffice Transport - Dedicated - DS1 Per Mile	1			+	0.23	209.00	170.51	30.21	21.07		7.00					<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49		7.86					
CALLING NAME	(CNAM) SERVICE	ļ								ļ							Щ
-	CNAM For DB Owners - Service Establishment	<b>!</b>		OQV OQV	1	1	25.34	25.34	23.30	23.30		7.86					—
	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	1	<b>!</b>	UUV	+	1	25.34	25.34	23.30	23.30	1	7.86					$\vdash$
	Establishment	1		oqv	1		1,591.54	1,177.08	431.95	317.61		7.86					ĺ
	CNAM For Non DB Owners - Service Provisioning With Point							,				,					
	Code Establishment			OQV	1		546.40	393.74	438.93	317.61		7.86					
	CNAM for DB Owners, Per Query	<u> </u>	<u> </u>	OQV	1	0.0010348											₽
	CNAM for Non DB Owners, Per Query			OQV	+	0.0010348											<del>                                     </del>
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00				7.86					Ì
NP Query Serv				ouv	ODDON		000.00	000.00				7.00					
	LNP Charge Per query					0.0008695											
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86					
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86					<u> </u>
OPERATOR CA	ALL PROCESSING																<b>├</b>
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20											Ì
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign					1.20											
	LIDB					1.24											
	Oper. Call Processing - Fully Automated, per Call - Using BST																
	LIDB					0.20											<u> </u>
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20											Ì
NWARD OPER	ATOR SERVICES	1			+	0.20											<del></del>
	Inward Operator Services - Verification, Per Call					1.00											
	Inward Operator Services - Verification and Emergency Interrupt -																
DD AND TO	Per Call	ļ	1		1	1.95											ــــــ
	PERATOR CALL PROCESSING based CLEC	1	<u> </u>	-	+	-			-	<del>                                     </del>		-					$\vdash$
racility	Recording of Custom Branded OA Announcement	1	1		CBAOS		7,000.00	7,000.00		<del>                                     </del>		7.86					<b>—</b>
	Loading of Custom Branded OA Announcement per shelf/NAV per							.,									
	OCN	1			CBAOL		500.00	500.00				7.86					
UNEP C		1					7.000	7.000									
	Recording of Custom Branded OA Announcement	1			+		7,000.00	7,000.00		<b>-</b>		7.86					⊢
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	1			1		500.00	500.00				7.86					1
Unbran	ding via OLNS for UNEP CLEC	1	<u> </u>		1		300.00	300.00		1		7.00					
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86					
	SSISTANCE SERVICES																
	ORY ASSISTANCE ACCESS SERVICE	<b>!</b>	1		1	0.075			-	1							<b>├</b>
	Directory Assistance Access Service Calls, Charge Per Call ORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I	DACCI	1		+	0.275				<del> </del>							+
DINECT	Directory Assistance Call Completion Access Service (DACC),	100,	<u> </u>		1					1							<u> </u>
	Per Call Attempt	<u>L</u>		<u> </u>		0.10			<u></u>	<u> </u>	<u> </u>	<u> </u>				<u> </u>	L
	SSISTANCE SERVICES																
DIRECT	ORY ASSISTANCE DATA BASE SERVICE (DADS)																$ldsymbol{oxtop}$
	Directory Assistance Data Base Service Charge Per Listing	<b>!</b>	1		DDCCE	0.04			-	1							Ь—
	Directory Assistance Data Base Service, per month RECTORY ASSISTANCE	1	<u> </u>	-	DBSOF	150.00			-	<del>                                     </del>		-					$\vdash$
	Based CLEC	<b>!</b>	1		+					<del>                                     </del>							$\vdash$
. comby	Recording and Provisioning of DA Custom Branded	<b>i</b>	1							1							<u> </u>
1	Announcement		1	AMT	CBADA		6,000.00	6,000.00	]	1		7.86					ĺ

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2	2	Exhi	bit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	$\overline{}$
	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00	1 1130	Addi	CONLO	7.86	COMPAR	COMPAR	COMPAN	COMPAR	
UNEP C							,	,									
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				7.86					
	Loading of DA Custom Branded Announcement per Switch per																i
Umbron	OCN ding via OLNS for UNEP CLEC		-				1,170.00	1,170.00				7.86					_
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				7.86					$\overline{}$
	Loading of DA per Switch per OCN						16.00	16.00				7.86					
LECTIVE RO	UTING																
	Selective Routing Per Unique Line Class Code Per Request Per																i
	Switch				USRCR		93.53	93.53	15.58	15.58		7.86					<u> </u>
RTUAL COLL	OCATION Virtual Collocation - Application Cost	1	<b>-</b>	AMTFS	EAF		2,419.86	2,419.86	1.01	1.01	-	7.86					_
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable	1		AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16		7.86					
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	7.99	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,120.11	45.10	70.10		7.00					
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.06											
																	1
	Virtual Collocation - Cable Support Structure, per entrance cable	1	<b> </b>	AMTFS	ESPSX	17.38											-
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,													]
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		7.86					i
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03,	UEAC4	0.0619	24.88	23.82	12.77	11.46		7.86					
	Virtual Collocation - 2-Fiber Cross Connects			ULDO3, ULD12, ULD48, UDF AMTFS,UDL12,	CNC2F	3.80	41.94	30.51	14.76	11.84		7.86					
				UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	011015	7.50	54.00			40.40		7.00					
	Virtual Collocation - 4-Fiber Cross Connects	-		ULD48, UDF USL,ULC,AMTFS,	CNC4F	7.59	51.29	39.87	19.41	16.49		7.86					_
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.48	44.23	31.98	12.81	11.57							
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83							
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.003											
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0045											<u> </u>
	Support Structure,per cable Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		535.55										<del>                                     </del>
	Cable Support Structure, per cable			AMTFS	VE1CE		535.55				ļ						
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02	267.02							<u> </u>
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AMTFS	VE1BB		656.07	656.07	379.70	379.70							ı
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS AMTFS	VE1BB VE1BC		656.37 9.65	656.37 9.65	379.70	379.70							_
	Virtual Collocation Cable Records -DS1, per T1TIE	1		AMTFS	VE1BD		4.52	4.52	5.54	5.54							$\overline{}$
	Virtual Collocation Cable Records - DS3, per T3TIE	1		AMTFS	VE1BE		15.81	15.81		19.39							-

UNDUNDLE	D NETWORK ELEMENTS - Kentucky			1	1	1							Attachment: 2			bit: B	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonre		Nonrecurring					Rates(\$)			┷
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	ـــــ
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber																
	records			AMTFS	VE1BF		169.63	169.63	154.85	154.85							╄
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.98	21.53									4
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		44.26	27.81									_
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		54.54	34.09									_
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		56.07	21.53									_
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81									
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09									
TUAL COLL				7 1111 11 0	0		00.00	01.00									+
J JUL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire			1	İ				1	1							T
	Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					퇶
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		l		VE 45 -												1
	Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					+
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	HEDGE	VE4D0	0.0000	04.00	00.00	40.44	10.05		7.00					1
_	Voice Grade PBX Trunk - Res		-	UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					+
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire				1	0.0000	250	20.50	.2.14	.0.50							t
	ISDN			UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86					
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEFIX	VEINZ	0.0309	24.00	23.00	12.14	10.95		7.00					+
	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86					
RTUAL COLL				OL: EX			11.20	01.00	12.01	11.01		7.00					t
110/12 0022	37.11.01.																t
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86					
IYSICAL COL					1	0.000											T
	Physical Collocation-2 Wire Cross Connects (Loop) for Line																T
	Splitting			UEPSR, UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95		7.86					
N SELECTIVI	CARRIER ROUTING			, , , , , , , , , , , , , , , , , , , ,													T
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34		7.86					T
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85		7.86					T
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86					T
	Query NRC, per query			SRC		0.0037502											T
	TH AIN SMS ACCESS SERVICE																Т
	AIN SMS Access Service - Service Establishment, Per State,																Т
	Initial Setup		<u></u>	A1N	CAMSE		43.55	43.55	44.93	44.93		7.86					$\perp$
																	Г
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		7.86					1
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86					ـــــــــــــــــــــــــــــــــــــ
	AIN SMS Access Service - User Identification Codes - Per User		l -	l	I				<u> </u>	<u> </u>	1		$\neg$				1
	ID Code		<u> </u>	A1N	CAMAU		38.65	38.65	29.88	29.88		7.86					1
	AIN SMS Access Service - Security Card, Per User ID Code,		l -	l					<u> </u>	]	1		$\neg$				1
	Initial or Replacement		<u> </u>	A1N	CAMRC		75.08	75.08	12.93	12.93		7.86					1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<u> </u>			0.0025				ļ							1
	AIN SMS Access Service - Session, Per Minute		<u> </u>			0.666				ļ							1
	AIN SMS Access Service - Company Performed Session, Per		l						Ì	Ì							1
L	Minute					0.4608											+
I - BELLSOU	TH AIN TOOLKIT SERVICE		<u> </u>		1					ļ							+
	AIN Toolkit Service - Service Establishment Charge, Per State,		l		DARCO												1
-	Initial Setup		<b> </b>	CAM	BAPSC		43.55	43.55	44.93	44.93		7.86					+
-	AIN Toolkit Service - Training Session, Per Customer		<b> </b>	ļ	BAPVX		8,436.93	8,436.93	<del>                                     </del>	<del>                                     </del>		7.86					+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,				BAPTT		0.04	0.04	10.03	10.03		7.86					1
	Term. Attempt		-		DAPII		8.64	8.64	10.03	10.03		7.86					+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delav				BAPTD		8.64	8.64	40.00	10.03		7.00					
_					DAPID		8.64	8.64	10.03	10.03		7.86					+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,				BAPTM		0.64	0.64	40.00	40.00		7.00					
	Off-Hook Immediate				DAPIM		8.64	8.64	10.03	10.03		7.86					+
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50		7.86					
-	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN,								1	1							T
																	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2	!	Exhi	oit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonre		Nonrecurring		001150			Rates(\$)		0011111	
	AIN Toollis Consider Trianna Access Observa Des Trianna Des DN						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50		7.86					
	AIN Toolkit Service - Query Charge, Per Query				DAPIF	0.0549207	51.01	51.01	16.50	16.50		7.00					
	AIN Toolkit Service - Query Charge, Per Query  AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0349207											
	Subscription, Per Node, Per Query					0.0066492											
_	AIN Toolkit Service - SCP Storage Charge, Per SMS Access																
	Account, Per 100 Kilobytes					0.07											
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service																
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86					
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service																
	Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86					
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service																
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86				1	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.11	9.56	9.56				7.86				l	
IHANCED E	XTENDED LINK (EELs)			CAIVI	DAPES	0.11	9.56	9.56				7.00					
	New Density Zone 1 EELs are available in the following MSAs:	Orlando	FL: Mi	iami, FL: Ft. Lauderd	ale. FL: Atlant	a. Ga: New Orl	eans. LA									1	
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-Hi					1	June, 271,										
	In all states, EEL network elements shown below also apply to				are converted	to UNE rates.	A Switch As Is	Charge applies	to currently cor	nbined facilities	converted	to UNEs.(No	n-recurring ra	tes do not app	oly.)		
	In All States the EEL network elements apply to ordinarily comb											, i	Ĭ		•		
2-WIRI	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFFI	CE TR	ANSPORT (EEL)						Ŭ							
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport																
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86					
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport																
	Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86					
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport																
	Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19											
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCTX	1L5XX	0.19											
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86					
	DS1 Channelization System Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86					
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.62	6.71	4.84				7.86					
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1																
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1																
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice																
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86					
	Voice Grade COCI - DS1 to DS0 Channel System combination -		1	Lucas													
-+	per month	-	<del>                                     </del>	UNCVX	1D1VG	0.62	6.71	4.84				7.86					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		l	UNC1X	UNCCC	1	8.98	8.98	11.17	11.17		7.86					
4-WIRI	Charge  VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	CE TP		514000	<del> </del>	0.90	0.90	11.17	11.17		1.00				1	
-7-VVII\	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>		1	<b> </b>										1	
		1	۱.	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86					
	Transport Combination - Zone 1		- 1						22.30							İ	
	Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		1														
			2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			UNCVX		34.25		60.48		7.84							
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		2				125.22 125.22	60.48	59.69 59.69	7.84 7.84		7.86 7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNCVX	UEAL4	34.25 85.06	125.22										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNCVX	UEAL4	34.25	125.22										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCVX UNCVX UNC1X	UEAL4 UEAL4 1L5XX	34.25 85.06 0.19	125.22	60.48	59.69	7.84		7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNCVX	UEAL4	34.25 85.06	125.22										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNCVX UNCVX UNC1X UNC1X	UEAL4 UEAL4 1L5XX U1TF1	34.25 85.06 0.19 79.02	125.22	60.48	59.69 56.72	7.84		7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month			UNCVX UNCVX UNC1X	UEAL4 UEAL4 1L5XX	34.25 85.06 0.19	125.22	60.48	59.69	7.84		7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX UNC1X UNC1X UNC1X	UEAL4  UEAL4  1L5XX  U1TF1  MQ1	34.25 85.06 0.19 79.02 113.33	125.22 181.24 57.26	60.48 123.53 14.74	59.69 56.72	7.84		7.86 7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX UNCVX UNC1X UNC1X	UEAL4 UEAL4 1L5XX U1TF1	34.25 85.06 0.19 79.02	125.22	60.48	59.69 56.72	7.84		7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG	34.25 85.06 0.19 79.02 113.33	125.22 181.24 57.26 6.71	123.53 14.74 4.84	59.69 56.72 1.86	7.84 22.32 1.67		7.86 7.86 7.86 7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1			UNCVX UNC1X UNC1X UNC1X	UEAL4  UEAL4  1L5XX  U1TF1  MQ1	34.25 85.06 0.19 79.02 113.33	125.22 181.24 57.26	60.48 123.53 14.74	59.69 56.72	7.84		7.86 7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X	UEAL4 UEAL4 1L5XX U1TF1 MQ1 1D1VG	34.25 85.06 0.19 79.02 113.33	125.22 181.24 57.26 6.71	123.53 14.74 4.84	59.69 56.72 1.86	7.84 22.32 1.67		7.86 7.86 7.86 7.86					
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per Month Voice Grade COCI - DS1 to DS0 Channel System combination - per month Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		3	UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL4  UEAL4  1L5XX  U1TF1  MQ1  1D1VG  UEAL4	34.25 85.06 0.19 79.02 113.33 0.62 29.26	125.22 181.24 57.26 6.71 125.22	123.53 14.74 4.84 60.48	59.69 56.72 1.86 59.69	7.84 22.32 1.67		7.86 7.86 7.86 7.86					

INBUNDLE	D NETWORK ELEMENTS - Kentucky					,							Attachment: 2			oit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
					-	Rec	First	urring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.62	6.71	4.84	Filst	Addi	SOWEC	7.86	SOWAN	SOWAN	SOWAN	SOWAN	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86					
4-WIRE	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NTERO	FFICE :	TRANSPORT (EEL)													
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86					
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86					
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19											
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86					
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86					
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86					
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86					
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86					
4 14/10	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 I	NEEDO		UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86					
4-WIRI	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	NIEROF		, í													
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86					_
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86					_
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86					_
+	Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.19											_
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86					_
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System combination -			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86					_
	per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.32	6.71	4.84				7.86					_
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86					_
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86					_
+	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System combination -		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86					
	per month (2.4-64kbs) Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	1D1DD	1.32	6.71	4.84				7.86					
4-WIRI	Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFIC	E TRA	UNC1X NSPORT (EEL)	UNCCC		8.98	8.98	11.17	11.17		7.86					
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86					
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86					
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.19		<u> </u>									

NRUNDL	D NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhi		丰
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
_					-	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	+
	Interoffice Transport - Dedicated - DS1 combination - Facility						1 1131	Auu i	1 1131	Auu	JOINEC	JOINAIN	SOWAN	SOMAN	JOINAIN	JOINAIN	+
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86					Ш
	Nonrecurring Currently Combined Network Elements Switch -As-Is																Ī
4 WID	Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	POEEIC	ETDA	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86					╀
4-4411	E D31 DIGITAL EXTENDED LOOF WITH DEDICATED D33 INTE	KOFFIC	LIKA	NOFORT (EEL)	-												十
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86					
																	T
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86					+
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per			CNOTA	OOLAA	257.70	210.70	114.00	00.00	17.57		7.00					t
	Month			UNC3X	1L5XX	4.09											$\perp$
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINOOV	LIATES	200.5-			40.0-	20.5-		7.00					1
	month DS3 to DS1 Channel System combination per month			UNC3X UNC3X	U1TF3 MQ3	966.89 158.20	350.56 115.48	141.58 56.53	48.00 15.12	23.39 5.30		7.86 7.86					+
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84	13.12	5.30		7.86					t
	Additional DS1Loop in DS3 Interoffice Transport Combination -																T
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86					
	Additional DS1Loop in DS3 Interoffice Transport Combination -		2	LINIOAV	1101 777	44440	040.70	444.00	00.00	47.07		7.00					
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86					+
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86					
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86					t
	Nonrecurring Currently Combined Network Elements Switch -As-Is																Τ
2 WID	Charge E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EBOEEK	CE TR	UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86					+
Z-VVIR	2-WireVG Loop used with 2-wire VG Interoffice Transport	EKUFFI	CE IK	ANSPORT (EEL)					1								+
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86					
	2-WireVG Loop used with 2-wire VG Interoffice Transport																Τ
-	Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86					+
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86					
	Interoffice Transport - Dedicated - 2-wire VG combination - Per			CHOTA	OL/ ILL	00.22	120.22	00.10	00.00	7.01		7.00					t
	Mile Per Month			UNCVX	1L5XX	0.01											
	Interoffice Transport - Dedicated - 2- Wire Voice Grade							50.07	50.04	00.40		= 00					
_	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86					+
	Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86					
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFFIC	CE TR	ANSPORT (EEL)													I
	4-WireVG Loop used with 4-wire VG Interoffice Transport		,	LINGVY	LIEAL 4	00.00	405.00	00.40	50.00	7.01		7.00					
+	Combination - Zone 1 4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84	-	7.86					+
	Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86					
	4-WireVG Loop used with 4-wire VG Interoffice Transport																Τ
	Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86					+
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.01											1
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			5.10¥X	ILOAA	0.01											t
	combination - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86					1
	Nonrecurring Currently Combined Network Elements Switch -As-Is			LINOVY	LINOSS							7.00					
Dean	Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	FTDAN	SPOP	UNCVX	UNCCC		8.98	8.98	11.17	11.17	<b> </b>	7.86					+
D03 D	High Capacity Unbundled Local Loop - DS3 combination - Per	- IIVAN	OI OK	. ()													t
	Mile per month			UNC3X	1L5ND	9.25											
	High Capacity Unbundled Local Loop - DS3 combination - Facility										]						ľ
	Termination per month	1		UNC3X UNC3X	UE3PX 1L5XX	308.31 4.09	237.36	147.69	83.43	32.67		7.86					+
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility			OINOOA	ILUAA	4.09			<del>                                     </del>		-						t
L	Termination per per month		L	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	<u> </u>	7.86					_
	Nonrecurring Currently Combined Network Elements Switch -As-Is																Τ
1	Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86					丄

DUNDLE	D NETWORK ELEMENTS - Kentucky			1	1								Attachment: 2			oit: B	_
regory	RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	<u></u>
-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	_
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9.25	Filst	Auu i	Filst	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN	
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86					
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09											<u></u>
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86					<u> </u>
2-WIRE	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination	RT (EEL)															
+	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNX	U1L2X	18.44	125.22	60.48		7.84		7.86					_
+	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86					
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	U1L2X 1L5XX	42.87 0.19	125.22	60.48	59.69	7.84		7.86					_
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month Channelization - Channel System DS1 to DS0 combination - per			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86					_
	Channelization - Channel System DS1 to DS0 combination - per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86					-
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	2.84	6.71	4.84				7.86					_
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86					_
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86					_
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86					_
	Combination- per month  Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCNX	UC1CA	2.84	6.71	4.84				7.86					_
4-WIRE	Charge DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN:	TEROFF	ICE TR	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86					
4 11111	First DS1 Loop in STS1 Interoffice Transport Combination - Zone	LICIT	OL	CANOI OILI (LLL)													_
	1 First DS1 Loop in STS1 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86					_
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86					_
	3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86					_
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	4.09											_
	Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86					
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86					_
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X UNC1X	UC1D1 USLXX	11.80 86.47	6.71 210.70	114.60		17.97		7.86 7.86					_ 
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60		17.97		7.86					-
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86					_
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86					Ξ
4 14/15	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	FIGE T		UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86					<u> </u>
4-WIRE	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROI	FICE TE	KANSP	ORT (EEL)	<b> </b>	<b>!</b>			1								_
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport  Combination - Zone 1  4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86					<u> </u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86					-
	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86					i .

100NDL	ED NETWORK ELEMENTS - Kentucky	, ,			1						0		Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		22152			Rates(\$)		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1			+	<del>                                     </del>	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per Mile			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			CNODX	TEORIX	0.01										
	Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TE	RANSP	ORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			CNODX	ODLOT	27.00	120.22	00.40	00.00	7.04		7.00				
	Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport								1	1						
	Combination - Zone 3	<b> </b>	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.01			1							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	ILUAA	0.01										
	Facility Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC	ļ	8.98	8.98	11.17	11.17		7.86				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurring used as ordinarily combined network elements in All States, the						ot									
	curring Currently Combined Network Elements "Switch As Is" Cl					Charge does i	OL.									
	Nonrecurring Currently Combined Network Elements Switch -As-Is				1											
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCIX	UNCCC		6.96	0.90	11.17	11.17		7.00				
	Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Local Channel - Dedicated - 2-Wire Voice Grade	Below D		e month, DS3 and a	ULDV2	nths 18.57	265.78	46.96	46.79	4.98		7.86				
	Local Channel - Dedicated - 2-Wire Voice Grade  Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
-	Local Channel - Dedicated - DS3 - Per Mile per month	1		UNC3X	1L5NC	8.74	FF4.00	000.00	470.00	100.10		7.00				
-	Local Channel - Dedicated - DS3 - Facility Termination Local Channel - Dedicated - STS-1- Per Mile per month	1		UNC3X UNCSX	ULDF3 1L5NC	576.05 8.74	551.38	338.08	173.00	120.42		7.86				
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
MULT	PLEXERS															
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month			LIBI	10100			= 0-	1							
	(2.4-64kbs)  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per	1		UDL	1D1DD	1.32	10.07	7.08				7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.84	10.07	7.08	1			7.86				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6228	10.07	7.08				7.86				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
_	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08	<b> </b>	1		7.86				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	J		ULDD1	UC1D1	11.80	10.07	7.08	1			7.86				
_	DS3 Interface Unit (DS1 COCI) used with Local Channel per montr			OLDDI	00101	11.00	10.07	1.00	<b> </b>	<del> </del>		1.00				
	month			U1TD1	UC1D1	11.80	10.07	7.08	1			7.86				
Sub-L	oop Feeder								<u> </u>	<u> </u>						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	<b> </b>		UNC1X	USBFG	62.57	125.43	73.68	81.82	21.56						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	UNC1X UNC1X	USBFG	87.71 273.33	125.43 125.43	73.68 73.68	81.82 81.82	21.56 21.56						
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3  Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	$\vdash$		UNC1X UNC1X	USBFG	213.33	120.43	13.08	01.62	21.06						
	LOCAL EXCHANGE SWITCHING(PORTS)		-	J. 10 IA	00010	1				<u> </u>						

NDUNDLE	D NETWORK ELEMENTS - Kentucky				1						-		Attachment: 2		Exhi	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Evcha	Inge Ports						FIISt	Add I	riist	Add I	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Although the Port Rate includes all available features in GA, KY	LA & TI	N. the	desired features will n	need to be ord	dered using reta	il USOCs									
	VOICE GRADE LINE PORT RATES (RES)	1	1,	oon ou routuroo wan	1000 10 20 01	ioroa aoing roa	0000									
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing															
	parity Port with Caller ID - Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan			LIEDED	HEDWE	1 10	274	2.00	2.00	2.40		7.00				
-	without Caller ID	<del>                                     </del>		UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13		7.86				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		1	UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13		7.86	]			
+	Subsequent Activity	1	<del>                                     </del>	UEPSR UEPSR	USASC	0.00	0.00	0.00	2.23	2.13	1	7.86				
FEATU		<del>                                     </del>	<del>                                     </del>	OLI OIL	JUNUU	0.00	0.00	0.00	<del>                                     </del>			1.00				1
ILAIC	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				7.86				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)	1	<del>                                     </del>	021 OIX	OL: VI	0.00	0.00	0.00				7.00				1
2 *****	TOTAL STREET ON THAT ES (BOO)				<b>-</b>				<del> </del>							1
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		l	UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13	1	7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled			02.05	02. 02	11.10	0.7 1	0.00	2.20	2.10		7.00				
1	port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
+						10	54	5.50	2.20	2.10						
1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing															
	parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan															
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				7.86				
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				7.86				
EXCH	ANGE PORT RATES (DID & PBX)	ļ							ļ							
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	ļ	<u> </u>	UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89		7.86	ļ			L .
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1	<u> </u>	UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	1	<u> </u>	UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	ļ		UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
-	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1	<u> </u>	UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
-	2-Wire Vice Unbundled PBX LD Terminal Ports	1	<u> </u>	UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
-	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	<u> </u>	UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86				
+	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	<b> </b>	UEPSP	UEPXB	1.49	39.05	18.17 18.17	15.38	0.89		7.86	<b> </b>			<b>-</b>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPSP	UEPXD	1.49	39.05		15.38			7.86				-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				-
1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				l
-	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling	<b>!</b>	<del>                                     </del>	UEPOP	UEPAE	1.49	39.05	18.17	15.38	0.89		7.86	-			<b></b>
	Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				l
+	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	1		UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				1
+	2-Wire Voice Unbundled PBX Kentucky LOD Area Calling Port  2-Wire Voice Unbundled PBX Kentucky Premium Callling Port	1	<del>                                     </del>	UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				1
1 -	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port			02101	OEI AII	1.48	33.03	10.17	15.56	0.09	1	7.00				<del> </del>
	Without LUD		l	UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89	1	7.86	]			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			0.		0	55.00	10.17	.0.00	0.00						
	Administrative Calling Port		l	UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89	1	7.86	]			
+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			- · <del>-</del> ·		10	55.56	10.17	.5.50	0.50						
	Room Calling Port		l	UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89	1	7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-												
	Discount Room Calling Port		1	UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89		7.86	]			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				i
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00			Ì	7.86				l

INBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2			oit: B	Ш
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental	1
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -	İ
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	İ
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	İ
													Electronic-	Electronic-	Electronic-	Electronic-	İ
													1st	Add'l	Disc 1st	Disc Add'l	İ
																	▙
						Rec	Nonrec		Nonrecurring					Rates(\$)			▙
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	▙
FEATU																	▙
= 1/011	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86					⊢
EXCH	ANGE PORT RATES (COIN)					4.40			0.00	0.40		7.00					⊢
1 1 6	Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13		7.86					⊢
Local	Switching Features offered with Port	Made and see		III - l l l l-		-1	de accidente al dat		D. Ob		l. 0' 105	N t					⊢
	Transmission/usage charges associated with POTS circuit sw Access to B Channel or D Channel Packet capabilities will be a												inaaa Baawaa	Dunnan			⊢
NOTE		valiable	only thi	rough brk/new busi	ness Reques	St Process. Rat	es for the packe	t capabilities w	ili be determin	ed via the bona	ride Keque	St/New Dus	liness Reques	rocess.			⊢
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	101.60	188.36	95.15	61.92	22.67		7.86					İ
BUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)				UEPEA	101.60	100.30	95.15	01.92	22.07		7.00					⊢
	ANGE PORT RATES																⊢
EXCH		1		LIEDEV	UEPP2	10.51	00.40	15.82	52.16	5.30		7.86				-	$\vdash$
_	Exchange Ports - 2-Wire DID Port	1		UEPEX	UEPP2	10.51	92.18	15.82	5∠.16	5.30		7.86					⊢
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			HEDDD	LIEDES	74	404.00		00.00	0.00		7.00					ĺ
-	capability	1		UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86					⊢
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	1		UEPTX UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17		7.86					⊢
NOTE	All Features Offered	lanke -1 ·		UEPTX UEPSX	UEPVF	0.00	0.00	0.00	hu B C! :	annalists de la	h 0' IC-	M mart-					⊢
	Transmission/usage charges associated with POTS circuit sw												iness Press	. Dunna			⊢
NOTE:	Access to B Channel or D Channel Packet capabilities will be a	valiable	only thi						ııı be aetermin	eu via the Bona	riae Reque	st/New Bus	mess Request	rrocess.			⊢
-	Exchange Ports - 2-Wire ISDN Port Channel Profiles	1			U1UMA	0.00	0.00	0.00	04.00	00.07		7.00					⊢
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86					₩
	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY																⊢
UNBUI	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE			11501/0		4.40	0.74					7.00					⊢
_	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63				7.86					⊢
																	1
	Unbundled Remote Call Forwarding Service, Local Calling - Res	<b> </b>		UEPVR	UERLC	1.49	3.74	3.63				7.86					ऻ_
	Unbundled Remote Call Forwarding Service, InterLATA - Res	<b> </b>		UEPVR	UERTE	1.49	3.74	3.63				7.86					ऻ_
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	ļ		UEPVR	UERTR	1.49	3.74	3.63				7.86					⊢
Non-Re	ecurring	1				1											⊢
	Unbundled Remote Call Forwarding Service - Conversion - Switch	1		LIEDVD	110466												ĺ
	as-is	<b> </b>		UEPVR	USAC2	1	0.10	0.10				7.86					⊢
	Unbundled Remote Call Forwarding Service - Conversion with			LIEDVD	110466												1
	allowed change (PIC and LPIC)	<u> </u>		UEPVR	USACC		0.10	0.10									₩
UNBU	NDLED REMOTE CALL FORWARDING - Bus	1															₩
																	1
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1		UEPVB	UERAC	1.49	3.74	3.63				7.86					₩
																	İ
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	<b> </b>		UEPVB	UERLC	1.49	3.74	3.63				7.86					ऻ_
_	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<b>↓</b>		UEPVB	UERTE	1.49	3.74	3.63				7.86					ــــ
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	<b> </b>		UEPVB	UERTR	1.49	3.74	3.63				7.86					⊢
	Unbundled Remote Call Forwarding Service Expanded and																İ
- I	Exception Local Calling	<b> </b>		UEPVB	UERVJ	1.49	3.74	3.63				7.86					⊢
Non-Re	ecurring	<b> </b>				1											⊢
	Unbundled Remote Call Forwarding Service - Conversion - Switch-	1 1		LIEDVD	110466												ĺ
	as-is	<b> </b>		UEPVB	USAC2		0.10	0.10				7.86					⊢
	Unbundled Remote Call Forwarding Service - Conversion with							= :									ĺ
DUNE: EE	allowed change (PIC and LPIC)	<b> </b>		UEPVB	USACC	1	0.10	0.10									⊢
	LOCAL SWITCHING, PORT USAGE	<b> </b>															ऻ_
End Of	ffice Switching (Port Usage)	<b> </b>															⊢
	End Office Switching Function, Per MOU	<b> </b>				0.0011971											ऻ_
	End Office Trunk Port - Shared, Per MOU	<b> </b>				0.0002112											⊢
ı ande	m Switching (Port Usage) (Local or Access Tandem)	<b> </b>				0.00015											⊢
	Tandem Switching Function Per MOU	<b> </b>				0.000194											⊢
-	Tandem Trunk Port - Shared, Per MOU	1				0.0002416											$\vdash$
Comm	on Transport	1				0.000000											$\vdash$
_	Common Transport - Per Mile, Per MOU	1				0.000003											$\vdash$
DUNE: 55	Common Transport - Facilities Termination Per MOU	1				0.0007466											⊢
	PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>		la atau mula d	Habar 9 11	L		_									⊢
	ased Rates are applied where BellSouth is required by FCC and																⊢
	es shall apply to the Unbundled Port/Loop Combination - Cost B												<u>.                                    </u>				₩
	ffice and Tandem Switching Usage and Common Transport Usa																⊢
	st and additional Port nonrecurring charges apply to Not Current	ly Combi	ined Co	ombos. For Currently	Combined C	ombos the non	recurring charg	es shall be thos	se identified in t	ne Nonrecurrin	g - Currently	Combined	sections.			L .	₽
12_W/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																ــــ
																	1
	ort/Loop Combination Rates																

HOUNDELL	NETWORK ELEMENTS - Kentucky	1	_	1	1						la - ·		Attachment: 2			bit: B	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)	I Name	None	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	:
				-	_	Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	+
	2-Wire VG Loop/Port Combo - Zone 2		2		+	15.52	FIISL	Auu i	FIISL	Auu i	SOIVIEC	JOWAN	SOWAN	JOWAN	SOWAN	SOWAN	+
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74											+
UNE Loc			Ŭ			0											+
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64											T
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37											T
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59											$\mathbb{I}$
	oice Grade Line Port Rates (Res)																l
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67		7.86					4
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire voice Grade unbundled Kentucky extended local dialing			LIEDDY	LIEDDM	4.45	04.00	45.40	0.05	0.07		7.00					
	parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	1	1	UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without	<del>                                     </del>	<del>                                     </del>	OLI IIX	OLI AI	1.13	21.29	15.49	2.00	2.07		7.00					+
	Caller ID	1	1	UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67		7.86	]				
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1			1	1	21.20	10.10	2.50	2.07			İ				T
	Capability	1	1	UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		7.86					1
FEATUR																	I
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				7.86					
LOCAL N	NUMBER PORTABILITY																I
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35											4
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED																4
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEDDV			0.40	0.40				7.00					
	Switch-as-is			UEPRX	USAC2		0.10	0.10				7.86					+
4	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USACC		0.10	0.10				7.86					
ADDITIO	Switch with change			UEPKA	USACC		0.10	0.10				7.00					+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+												+
	Activity			UEPRX	USAS2	0.00	0.00	0.00				7.86					
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																T
UNE Por	rt/Loop Combination Rates																Т
2	2-Wire VG Loop/Port Combo - Zone 1		1			10.79											I
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52											l
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74											1
UNE Loc																	4
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64											+
	2-Wire Voice Grade Loop (SL1) - Zone 2	1		UEPBX	UEPLX	14.37			-	<del>                                     </del>							+
	2-Wire Voice Grade Loop (SL1) - Zone 3	<del> </del>	3	UEPBX	UEPLX	30.59			-	-							+
	oice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus	<del>                                     </del>	$\vdash$	UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire voice unbundled port with Caller + E484 ID - bus	<del>                                     </del>	<del>                                     </del>	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire voice unbundled port outgoing only - bus	1		UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86					t
	2-Wire voice Grade unbundled Kentucky extended local dialing																T
	parity port with Caller ID - bus	<u>L</u>	<u></u>	UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67	<u> </u>	7.86	<u>                                       </u>				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86					Ι
12	2-Wire Voice Unbundled Kentucky Business Dialing Plan without																Γ
	Caller ID	<u> </u>		UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire voice unbundled Incoming Only Port without Caller ID	1			1					1							
	Capability	<b>!</b>		UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.86					+
	NUMBER PORTABILITY	<b>!</b>		HEDDY	LNDOV	0.05			1	-			ļ				+
	Local Number Portability (1 per port)	<del>                                     </del>		UEPBX	LNPCX	0.35				<del>                                     </del>							+
FEATUR	All Features Offered	1		UEPBX	UEPVF	0.00	0.00	0.00	1	<del> </del>	1	7.86					+
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>†</b>		OLI DA	JLI VI	0.00	0.00	0.00		<del> </del>		7.00					+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		1	1				1	t							+
	Switch-as-is	1		UEPBX	USAC2		0.10	0.10		1		7.86					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1		50	5.70		t							Ť
	Switch with change	1	1	UEPBX	USACC		0.10	0.10		I		7.86	]				1
ADDITIO	NAL NRCs																T
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent																T
	Activity			UEPBX	USAS2		0.00	0.00	<u> </u>	<u> </u>		7.86	L				_
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																

HOUNDEL	D NETWORK ELEMENTS - Kentucky	1	1		1	1					0	0	Attachment: 2			oit: B
rEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)	T			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First		Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
_	2-Wire VG Loop/Port Combo - Zone 1		1		+	10.79	riist	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	2-Wire VG Loop/Port Combo - Zone 2		2		+	15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wire \	/oice Grade Line Port Rates (RES - PBX)															
LOCAL	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
FEATU																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED							-								
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEDDO												
	Conversion - Switch-As-Is	1	<u> </u>	UEPRG	USAC2	ļ	8.45	1.91	<del> </del>			7.86				
1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8.45	1.91				7.86				
ADDIT	ONAL NRCs	<del>                                     </del>	<del>                                     </del>	OLI NO	USACC	1	0.45	1.91	<del> </del>			1.00	-			
וווטטה	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	<del>                                     </del>		+	†							1			
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86				7.86				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+		7.00	7.00				7.00				
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-wire	/oice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				
	Line Side Unburdled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<b>.</b>		UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	HEDDY	HEDVE		04.00	45.00	0.00	0.00		7.00				
	Capable Port 2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				
	Port without LUD		1	UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86				
1	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86	l			
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD	1		UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
	NUMBER PORTABILITY								ļ							
	Local Number Portability (1 per port)	1	<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00	<b> </b>							
FEATU	All Features Offered	<del>                                     </del>		UEPPX	UEPVF	0.00	0.00	0.00				7.86				
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFA	UEFVF	0.00	U.UU	U.UU	1		1	7.00	l			

DOMDE	ED NETWORK ELEMENTS - Kentucky			1	_						0		Attachment: 2		Exhil		₩
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
_						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'I	SOMEC	NAMOS	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	₩
+	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<b>-</b>		+	t	FIIST	Auti I	FifSt	Add I	JUNEC	JOINAIN	JUNIAN	JUNIAN	JOWAN	JUNAN	+
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI I X	00/102		0.10					7.00					H
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86					
ADDII	FIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -																Г
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86					
																	Г
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86				7.86					
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	Ţ															
UNE	Port/Loop Combination Rates																╄
_	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	10.79											+
-	2-Wire VG Coin Port/Loop Combo – Zone 2		2		-	15.52					<b> </b>						+
UNIE :	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74											₩
UNE	_oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64											+
	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	14.37											+
+	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	30.59											+
2-Wire	e Voice Grade Line Ports (COIN)			02.1 00	OLI LA	30.39	<b>-</b>										H
	2-Wire Coin 2-Way without Operator Screening and without		<b>-</b>		1	<b>†</b>											H
	Blocking (AL, KY, LA, MS)		1	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86					1
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86					T
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,																T
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking																T
	(KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976,																П
	1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Coin Outward without Blocking and without Operator																
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Coin Outward with Operator Screening and 011 Blocking																
	(GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86					╄
	2-Wire Coin Outward with Operator Screening and Blocking: 011,						04.00	4= 40				7.00					
_	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			LIEDOO	LIEDON	4.45	04.00	45.40	0.05	0.07		7.00					
_	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.86 7.86					₩
-	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67		7.00					₩
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67		7.86					1
Δηρη	FIONAL UNE COIN PORT/LOOP (RC)		<del>                                     </del>	JE1 00	OLI OR	1.15	21.29	10.49	2.05	2.07		1.00					+
ווטטה	UNE Coin Port/Loop Combo Usage (Flat Rate)		<b>-</b>	UEPCO	URECU	2.57	21.29	15.49	2.85	2.67							$\vdash$
LOCA	L NUMBER PORTABILITY				0.1200	2.57	21.20	10.49	2.00	2.07							t
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35											T
NONF	RECURRING CHARGES - CURRENTLY COMBINED																Г
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -																
	Switch-as-is		<u> </u>	UEPCO	USAC2		0.10	0.10				7.86					$\perp$
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -							-									
	Switch with change			UEPCO	USACC		0.10	0.10				7.86					
ADDII	FIONAL NRCs																丄
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		l -		L						1						1
	Activity	L	L	UEPCO	USAS2		0.00	0.00				7.86					ـــــ
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE PO	URT (R	ES)	+	-											+
UNE	Port/Loop Combination Rates		<b>-</b>		+	40.00											+
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1 2		-	13.90 18.68											+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	18.68 34.45	-										+
LINE !	_oop Rates		3		+	34.45											+
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67											+
-	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR	UECF2	17.45											+
-	2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFR	UECF2	33.22	-										+
2-Wire	e Voice Grade Line Port Rates (Res)			021111	02012	35.22	<b>-</b>										۲
2 .7110	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97		7.86					t
+	2-Wire voice unburidled port - residence			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97		7.86					H
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97	1	7.86					+

Version 3Q02: 10/07/02

DUNDEL	D NETWORK ELEMENTS - Kentucky	1	1	ı	1						Cura Cura		Attachment: 2		Exhib		+
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
					+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN	+
	2-Wire voice Grade unbundled Kentucky extended local dialing				+		FIISL	Auu i	FIISL	Auu	SOIVIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN	╁
	parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		7.86					
	2-Wire voice unbundles res, low usage line port with Caller ID							• • • • • • • • • • • • • • • • • • • •									T
	(LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97		7.86					
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without																
	Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97		7.86					+
INTER	DFFICE TRANSPORT				_												₩
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	011172	25.95	30.03	33.07	30.31	22.42		7.00					۲
	or Fraction Mile			UEPFR	1L5XX	0.0095											
FEATU	RES																
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				7.86					L
	NUMBER PORTABILITY			LIEBER	LUBOY					ļ							+
	Local Number Portability (1 per port)	<del>                                     </del>		UEPFR	LNPCX	0.35	<del>                                     </del>		<del>                                     </del>	1	1						⊢
NONRE	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+	<del> </del>				1							۰
	Combination - Conversion - Switch-as-is	1	l	UEPFR	USAC2	I	9.03	1.87	1			7.86					
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1	1	5.55		1								T
	Combination - Conversion - Switch-With-Change	<u> </u>		UEPFR	USACC	<u> </u>	9.03	1.87	<u> </u>		<u> </u>	7.86					L
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE PO	ORT (B	US)									_				Γ
UNE Po	ort/Loop Combination Rates	ļ				ļ	$\vdash$		ļ		1						Ļ
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1			13.90					<u> </u>						+
+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<del>                                     </del>	2		+	18.68 34.45	<del>                                     </del>		<del>                                     </del>	1	1						⊢
IINE I	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<b> </b>	3		+	34.45											╁
OINE LO	2-Wire Voice Grade Loop (SL2) - Zone 1	<del>                                     </del>	1	UEPFB	UECF2	12.67	<del>                                     </del>		<del> </del>	1	<del>                                     </del>						H
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45											H
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	33.22											Γ
2-Wire	Voice Grade Line Port (Bus)							•									Г
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97		7.86					┺
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97		7.86					+
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97		7.86					╀
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97		7.86					
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97		7.86					╁
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without			02.13	02. 5.	1.20	120.00	0	01.02	0.01		7.00					H
	Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97		7.86					
	NUMBER PORTABILITY																Γ
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35											Ļ
INTER	DFFICE TRANSPORT	<del>                                     </del>			1	1	<del>                                     </del>		<del>                                     </del>		1						⊬
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination	1	l	UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86					1
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<b> </b>		OLITO	011172	20.90	30.09	33.07	50.51	22.42		1.00					t
	or Fraction Mile			UEPFB	1L5XX	0.0095											1
FEATU	RES	<u> </u>							<u> </u>								Γ
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				7.86					Г
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED																Į
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	l	LIEDED	110463	1	0.0-		1								
	Combination - Conversion - Switch-as-is	-		UEPFB	USAC2	<del>                                     </del>	9.03	1.87	<b> </b>	1	-	7.86					₩
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC	1	9.03	1.87				7.86					
2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<del>                                     </del>		OLI FD	USACC	<del>                                     </del>	9.03	1.07	<del> </del>	+	<b> </b>	1.00					+
	ort/Loop Combination Rates					1											t
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90											L
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68		•									Γ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45											Ĺ
UNE Lo	pop Rates	ļ	L.	LIEDED	115.050					ļ	ļ						1
-	2-Wire Voice Grade Loop (SL2) - Zone 1	<del>                                     </del>	1	UEPFP	UECF2	12.67	<del>                                     </del>		<del>                                     </del>	1	1						₩
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	<del>                                     </del>	2	UEPFP UEPFP	UECF2	17.45 33.22	<b>-</b>		1		1						+
2 14/1-0	Voice Grade Line Port Rates (BUS - PBX)		3	ULITE	DEGFZ	33.22	<del>                                     </del>		<del> </del>	1							+
											•						

DURONDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2			bit: B	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring		201150			Rates(\$)			4
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	First 164.27	Add'I 78.65	First 75.05	Add'l 8.73	SOMEC	SOMAN 7.86	SOMAN	SOMAN	SOMAN	SOMAN	+
-	Line Side Unbundled Outward PBX Trunk Port - Bus		1	UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		7.86					+
-	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73		7.86					+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		7.86					+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73		7.86					T
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73		7.86					T
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73		7.86					Τ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD																Т
	Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73		7.86					┸
1	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling	1			1	Ι.				_					l	1	1
	Port without LUD	<u> </u>	<u> </u>	UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73		7.86			-		+
_	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port	<b> </b>	<b>-</b>	UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73		7.86			1	ļ	+
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port	<del>                                     </del>	1	UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73		7.86			<b></b>		+
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without	1		UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73		7.86			l	1	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	$\vdash$	OLFFF	UEFAJ	1.23	104.27	70.05	75.05	0.73		7.00			<del>                                     </del>		+
	Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73		7.86					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<u> </u>	<b>1</b>		32.7.2	20	.527	. 5.00	. 0.00	5.10		50			i		t
	Room Calling Port	1		UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73		7.86			l	1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital																T
	Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73		7.86					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73		7.86					I
LOCAL	NUMBER PORTABILITY																Ι
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00									┸
INTER	OFFICE TRANSPORT																+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility							50.07	50.04	00.40		7.00					
	Termination	<u> </u>	<u> </u>	UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86					+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0095											
FEATU				UEPFP	ILSAA	0.0095											+
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				7.86					+
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.11	02. 1.	0.00	0.00	0.00				7.00					t
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																T
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				7.86					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port																Т
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87				7.86					
	ORT/LOOP COMBINATIONS - COST BASED RATES																┸
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>														4
UNE Po	ort/Loop Combination Rates	<u> </u>	<u> </u>		1	21.5-											+
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2		+	21.30											+
_	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	-	3		+	26.08 41.85							<b> </b>		<del> </del>		+
	op Rates	<del>                                     </del>	- 3		+	41.05									<del>                                     </del>		+
0112 20	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67						7.86					t
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	<u> </u>	2	UEPPX	UECD1	17.45						7.86			i		t
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22						7.86			İ		Ť
UNE Po																	Ī
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86					Ι
NONRE	CURRING CHARGES - CURRENTLY COMBINED													-			Ţ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with	1				I									l	1	
455-	BellSouth Allowable Changes	<u> </u>	<u> </u>	UEPPX	USA1C	-	7.85	1.87				7.86			-		+
	ONAL NRCs	<b> </b>	<b>-</b>	HEDDA	110404	<del>                                     </del>	22.05	22.25				7.00			1	ļ	+
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	-	<del>                                     </del>	UEPPX	USAS1	<del></del>	32.25	32.25				7.86	<b> </b>		<del> </del>		+
i eiepho	one Number/Trunk Group Establisment Charges  DID Trunk Termination (One Per Port)		<b>-</b>	UEPPX	NDT	0.00	0.00	0.00				7.86			1		+
-	Additional DID Numbers for each Group of 20 DID Numbers	1	<del>                                     </del>	UEPPX	ND4	0.00	0.00	0.00				7.86				<b> </b>	+
	DID Numbers, Non- consecutive DID Numbers , Per Number	1	t	UEPPX	ND5	0.00	0.00	0.00				7.86			<del>l</del>		t
	Reserve Non-Consecutive DID numbers	<b>†</b>		UEPPX	ND6	0.00	0.00	0.00				7.86			i		Ť
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86					Ť
LOCAL	NUMBER PORTABILITY																Ť
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00									I
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	E SIDE F	PORT														Ι
LINE PO	ort/Loop Combination Rates																Т

NDONDEL	D NETWORK ELEMENTS - Kentucky													Attachment: 2		Exhil		₩
ΓEGORY	RATE ELEMENTS	Interim	Zone	В	cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)			$\vdash$
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	t
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																	
	UNE Zone 1		1	UEPPB	UEPPR		25.69											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																	
	UNE Zone 2		2	UEPPB	UEPPR		31.92											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																	
	UNE Zone 3		3	UEPPB	UEPPR		50.21											₽
UNE L	pop Rates		<u> </u>	LIEDDD	LIEBBB	1101 01	10.10						7.00					₩
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10						7.86					₩
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33						7.86					
_	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1		UEPPB	UEPPR	USL2X USL2X	40.63						7.86					⊢
UNF P	ort Rate	1	3	JLIFB	OLITER	JULZA	40.03			<del>                                     </del>			1.00					$\vdash$
JIL I	Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86	+				$\vdash$
NONR	ECURRING CHARGES - CURRENTLY COMBINED					T	0.00	320.00		52.75	50							t
2	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1								İ								T
L	Combination - Conversion	<u></u>		UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86					L
	ONAL NRCs																	匚
LOCAL	NUMBER PORTABILITY																-	匚
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	ļ								Ļ
B-CHA	NNEL USER PROFILE ACCESS:																	<u> </u>
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00									↓
	CVS (EWSD)				UEPPR	U1UCB	0.00	0.00	0.00									╄
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00									₩
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	,MS, &	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00									₩
	CVS/CSD (DMS/5ESS) CVS (EWSD)		-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00									⊬
+	CSD	1	-	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00									⊦
USER	TERMINAL PROFILE			OLITE	OLITIK	01001	0.00	0.00	0.00									╁
002	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00									T
VERTI	CAL FEATURES																	T
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00									T
INTER	OFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities																	
	termination			UEPPB		M1GNC	29.12	47.34	31.78	22.77	8.75		7.86					
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86					
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT																₩
UNE P	ort/Loop Combination Rates																	₩
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			HEDDD			470.00											1
-	Zone 1	<del>                                     </del>	1	UEPPP		<u> </u>	170.06											⊢
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			197.70			]								1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<b>-</b>		UEFFF		<del> </del>	191.70											╁
	Zone 3		3	UEPPP			381.35			]								1
UNE L	pop Rates	İ					2200			İ								T
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86.47						7.86					T
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	114.10						7.86					Г
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76						7.86					
UNE P	ort Rate								·									ഥ
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				-	匚
NONR	ECURRING CHARGES - CURRENTLY COMBINED									ļ								Ļ
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																	1
	Combination - Conversion - Switch-as-is	<u> </u>		UEPPP		USACP	0.00	81.70	61.37	<b> </b>			7.86					₩
ADDIT	ONAL NRCs  I A Wire DC4 Loop /4 W/ ICDN Digit Tels Dock - Cubook Actor	<del>                                     </del>		-		<u> </u>												⊢
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.54					7.86	]				1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward	1		UEFFF		I INTE	<del>                                     </del>	0.54		<del> </del>			1.00	1				+
	Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71	]			7.86					1
-	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	1		JE111		. 10, 10	<del>                                     </del>	12.11	12.11				7.00	-				H
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		25.41	25.41	]			7.86					ĺ
LOCAL	NUMBER PORTABILITY	1		J = . 1 1				20.71	20.71	1			7.00	+				$\vdash$
	Local Number Portability (1 per port)	ì		UEPPP		LNPCN	1.75			1								t
INTER	FACE (Provsioning Only)	İ								İ								T
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00									Г
	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00			t						_

NEUNDLE	D NETWORK ELEMENTS - Kentucky			1	_	1							Attachment: 2			oit: B	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonred	urring	Nonrecurring	Disconnect		Į	oss	Rates(\$)			+
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00									
	Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48					7.86					4
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48					7.86					
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					7.86					
CALL T																	_
	Inward			UEPPP	PR7C1	0.00	0.00	0.00									4
	Outward			UEPPP	PR7C0	0.00	0.00	0.00									
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00									4
Interoffi	ice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86					4
	Each Airline-Fractional Additional Mile	ļ		UEPPP	1LN1B	0.23											4
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	ļ															4
UNE Po	ort/Loop Combination Rates	ļ															4
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		_1_	UEPDC		147.99											4
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62											4
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	ļ	3	UEPDC		359.28											4
UNE Lo	oop Rates	ļ			1												4
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47						7.86					
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPDC	USLDC	114.10						7.86					_
	4-Wire DS1 Digital Loop - UNE Zone 3	<u> </u>	3	UEPDC	USLDC	297.76				1		7.86					1
UNE Po																	
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86					
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination																
	Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination																Т
	Conversion with DS1 Changes			UEPDC	USAWA		92.84	46.70				7.86					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination																
	Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86					
ADDITIO	ONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent																T
	Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent																1
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel																
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan																1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						. 5.00	. 2.00				50					$\mathbf{T}$
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86					
BIPOLA	AR 8 ZERO SUBSTITUTION	1		T	1	İ	.0.00	.0.00	İ	1							T
	B8ZS -Superframe Format	1		UEPDC	CCOSF	İ	0.00	730.00	İ	1		7.86					T
1	B8ZS - Extended Superframe Format	1		UEPDC	CCOEF	İ	0.00	730.00	İ	1		7.86					T
Alternat	te Mark Inversion	<b>†</b>			1		5.50	. 55.56		1							<b>†</b>
,	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00		1							+
-	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		1							+
	one Number/Trunk Group Establisment Charges	1					5.50	0.00		t							+
. cicpiic	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00	0.00	0.00		t		7.86					+
1	Telephone Number for 1-Way Outward Trunk Group	1		UEPDC	UDTGY	0.00	5.50	0.00		t		7.86					+
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00	0.00	0.00		t		7.86					+
	DID Numbers for each Group of 20 DID Numbers	1		UEPDC	ND4	0.00	0.00	0.00				7.86					+
	DID Numbers, Non- consecutive DID Numbers , Per Number	1		UEPDC	ND5	0.00	0.00	0.00				7.86					+
1	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00		1		7.86					+
	Reserve DID Numbers	1		UEPDC	NDV	0.00	0.00	0.00	1			7.86					+
Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 D	igital I o	on with			0.00	0.00	0.00		1		7.00					+
Deulcal	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	igitai EU	איז אלי	e DDII 3 11ui	IK I OIL					1							+
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86					1
	1 GITHINGUOTI)	1		UEFDO	ILINUI	90.04	105.52	90.46	23.09	20.49		7.00	-				+
	Intereffice Channel Milegge Additional rate nor mile CO	1		LIEBDO	1LNOA	0.23	0.00	0.00									1
-+	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1		UEPDC	ILNUA	0.23	0.00	0.00		-							+
1	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	1		LIEBDO	41.000	0.00	0.00	0.00									1
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	ļ								+

	D NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhib		+
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)			+
	latera files Observat Miles en Files desta OF certific (Feetible)				+	<del>                                     </del>	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	+
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00		ł				ı .			
	Termination)			UEPDC	ILINO3	0.00	0.00	0.00							$\longmapsto$		+
	Intereffice Channel Mileage Additional rate per mile 25 miles			UEPDC	1LNOC	0.45	0.00	0.00		í				ı .	1	, ,	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00							$\longmapsto$		+
-	Central Office Termininating Point	-		UEPDC	CTG	0.00	0.00	0.00									+
4-WIRE	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00	<del>                                     </del>										+
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa	tions				+	<del>                                     </del>								<del> </del>		+
	System can have up to 24 combinations of rates depending on ty		umber	of ports used		+	<del>                                     </del>							(			十
UNE D	S1 Loop	DO GING I		o. porto acca	_	1											+
1	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00		<del></del>							T
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	114.10	0.00	0.00	İ								T
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	297.76	0.00	0.00		i Total					<del>                                     </del>		1
UNE D	SO Channelization Capacities (D4 Channel Bank Configurations)				1					1				i			T
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00		1		7.86					Ι
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00				7.86					Ι
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00				7.86					ፗ
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86					ፗ
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86					
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86					
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86					Ĺ
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00		<u> </u>		7.86					Ĺ
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86					Ĺ
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86					Ţ
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,112.48	0.00	0.00		<u> </u>		7.86					Ĺ
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with 0														$ldsymbol{ldsymbol{\sqcup}}$		┸
	num System configuration is One (1) DS1, One (1) D4 Channel B						ldot								$ldsymbol{oxed}$		╨
Multiple	es of this configuration functioning as one are considered Add'l a	fter the	minimu	ım system configur	ation is counte	₃d.	<b></b>			<b></b>							4
	NRC - Conversion (Currently Combined) with or without BellSouth					1				1				, ,	1 1	, ,	
	Allowed Changes	01		UEPMG	USAC4	0.00	94.30	4.24				7.86			$\vdash$		+
	Additions at End User Locations Where 4-Wire DS1 Loop with			with Port Combina	ion Currently I	Exists and	<del> </del>								<b>├</b>		+
new (N	Not Currently Combined) in all states, except in Density Zone 1 of		ioA'S		+	+	<del>                                     </del>								$\vdash$		+
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and		l	UEPMG	VUMD4	0.00	718.89	460.06	140.00	17.77		7.86		, ,	1 1	, ,	1
Dinat	Assoc Fea Activation	-	<b>-</b>	UEPINIG	V UIVID4	0.00	/18.89	469.86	149.83	17.77		7.86					+
Dipolar	Clear Channel Capability Format, superframe - Subsequent Activity		-		+	+	<del></del>							$\longrightarrow$			+
1		1	l	UEPMG	1					1							
					CCOSE	0.00	0.00	720.00				700		, ,	ļ l	' l	
+	Only Clear Channel Canability Format - Extended Superframe -			UEPINIG	CCOSF	0.00	0.00	730.00				7.86		<u> </u>			+
	Clear Channel Capability Format - Extended Superframe -																T
Altorna	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86 7.86					Ļ
Alterna	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only te Mark Inversion (AMI)			UEPMG	CCOEF	0.00		730.00									L
Alterna	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only						0.00										
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format	with Po	rt	UEPMG UEPMG	CCOEF	0.00	0.00	730.00									† + +
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only te Mark Inversion (AMI) Superframe Format Extended Superframe Format	with Po	rt	UEPMG UEPMG	CCOEF	0.00	0.00	730.00									
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization	with Po	rt	UEPMG UEPMG	CCOEF	0.00	0.00	730.00									
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization	with Po	rt	UEPMG UEPMG	CCOEF	0.00	0.00	730.00	0.00	0.00							
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports	with Po	rt	UEPMG UEPMG UEPMG	CCOEF MCOSF MCOPO	0.00 0.00 0.00	0.00 0.00 0.00	730.00 0.00 0.00	0.00	0.00		7.86					
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	with Po	rt	UEPMG UEPMG UEPMG UEPPX	MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 1.15	0.00 0.00 0.00	730.00 0.00 0.00				7.86					
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID	with Po	rt	UEPMG UEPMG UEPMG UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 1.15	0.00 0.00 0.00	730.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00		7.86 7.86 7.86					
Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	with Po	rt	UEPMG UEPMG UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00	730.00 0.00 0.00 0.00	0.00	0.00		7.86 7.86 7.86					† 
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only the Mark Inversion (AMI)  Superframe Format Extended Superframe Format Extended Superframe Format Textended Superfram	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00	730.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00		7.86 7.86 7.86					+
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Channelized DID Trunk Port e Activations - Unbundled Channelized DID Trunk Port e Feature (Service) Activation for each Line Port Terminated in D4	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM	0.00 0.00 0.00 1.15 1.15 1.15 8.65	0.00 0.00 0.00 0.00 0.00 0.00 0.00	730.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00		7.86 7.86 7.86 7.86					† - - - - -
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format gap Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 1.15 1.15	0.00 0.00 0.00 0.00 0.00	730.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00		7.86 7.86 7.86					
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port  - Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOEF  MCOSF MCOPO  UEPCX UEPOX UEPOX UEP1X UEPDM	0.00 0.00 0.00 1.15 1.15 1.15 8.65	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86					
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port  - Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	MCOSF MCOPO UEPCX UEPOX UEP1X UEPDM	0.00 0.00 0.00 1.15 1.15 1.15 8.65	0.00 0.00 0.00 0.00 0.00 0.00 0.00	730.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00		7.86 7.86 7.86 7.86					
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI)  Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business  Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank One Number/ Group Establishment Charges for DID Service	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOEF  MCOSF MCOPO  UEPCX UEPOX  UEP1X UEPDM  1PQWM	0.00 0.00 0.00 1.15 1.15 1.15 0.62	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00  0.00 0.00 0.00 0.00 0.00 0.00 13.41 19.68	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86					
Exchar Exchar Feature	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port  - Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank One Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port)	with Po	rt	UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOEF  MCOSF MCOPO  UEPCX UEPOX UEPOX UEP1X UEPDM  1PQWM  1PQWU	0.00 0.00 0.00 1.15 1.15 1.15 0.62 0.62	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41 19.68	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86					
Exchar Exchar Feature	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port  - Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank One Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port)	with Po	rt	UEPMG UEPMG UEPPX EPDM  1PQWM  1PQWU  NDT ND4	0.00 0.00 0.00 1.15 1.15 1.15 8.65 0.62 0.62	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00 0.00 0.00 0.00 0.00 0.00 13.41 19.68 0.00 0.00	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86 7.86						
Exchar Exchar	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI)  Superframe Format Extended Superframe Format Textended Superfra	with Po	rt	UEPMG UEPMG UEPPX	CCOEF  MCOSF MCOPO  UEPCX UEPOX  UEP1X UEPDM  1PQWM  1PQWU  NDT ND4 ND5	0.00 0.00 0.00 1.15 1.15 1.15 0.62 0.62 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00  0.00 0.00 0.00 0.00 0.00 0.00 13.41 19.68 0.00 0.00 0.00	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86					
Exchar Exchar Feature	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	with Po	rt	UEPMG UEPMG UEPPX PQWM  1PQWU  NDT ND4 ND5 ND6	0.00 0.00 0.00 1.15 1.15 1.15 8.65 0.62 0.62 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.15	730.00  0.00  0.00  0.00  0.00  13.41  19.68  0.00  0.00  0.00  0.00  0.00	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86						
Exchar Exchar Feature	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port  - Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank One Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers Reserve DID Numbers	with Po	rt	UEPMG UEPMG UEPPX EPDM  1PQWM  1PQWU  NDT ND4 ND5	0.00 0.00 0.00 1.15 1.15 1.15 0.62 0.62 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	730.00  0.00 0.00 0.00 0.00 0.00 0.00 13.41 19.68 0.00 0.00 0.00	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86						
Exchar Exchar Feature	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only tet Mark Inversion (AMI) Superframe Format Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port a Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	with Po	rt	UEPMG UEPMG UEPPX PQWM  1PQWU  NDT ND4 ND5 ND6	0.00 0.00 0.00 1.15 1.15 1.15 8.65 0.62 0.62 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.15	730.00  0.00  0.00  0.00  0.00  13.41  19.68  0.00  0.00  0.00  0.00  0.00	0.00 0.00 0.00 4.17	0.00 0.00 0.00 4.15		7.86 7.86 7.86 7.86 7.86 7.86 7.86 7.86						

Version 3Q02: 10/07/02

UNDLE	D NETWORK ELEMENTS - Kentucky												Attachment: 2	!		oit: B	丰
SORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	
OKT	RATE ELEMENTS	interim	Zone	всэ	USUC						per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l	
						Rec	Nonre		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN	+
Local S	l witching Features Offered with Line Side Ports Only						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	+
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00									+
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	S		OZI I X	02	0.00	0.00	0.00									t
	Based Rates are applied where BellSouth is required by FCC an		te Con	mission rule to prov	ide Unbundle	ed Local Switch	ing or Switch P	orts.									T
2. Feat	ures shall apply to the Unbundled Port/Loop Combination - Cost	Based R	ate se	ction in the same ma	nner as they	are applied to the	ne Stand-Alone	Unbundled Por									Ι
3. End	Office and Tandem Switching Usage and Common Transport Us	sage rate	s in th	e Port section of this	rate exhibit s	shall apply to all	combinations of	of loop/port net	work elements	except for UNI	Coin Port/	Loop Combi	inations.				+
	first and additional Port nonrecurring charges apply to Not Curre rized accordingly.	ntly Con	nbined	Combos. For Curre	ntly Combine	ed Combos, the	nonrecurring cl	narges shall be	those identified	I in the Nonrect	urring - Curr	ently Combi	ned sections.	Additional NR	Cs may apply	also and are	
5. Mari	ket Rates for Unbundled Centrex Port/Loop Combination will be	negotiat	ed on a	n Individual Case Ba	sis, until furt	her notice.											1
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)																+
JIL C	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1	1			<b> </b>								t
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		1	UEP91		10.79											Ŧ
-	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		15.52											¥
UNE D	Non-Design		3	UEP91		31.74											ļ
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																+
<u> </u>	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP91		13.82											ļ
<b>—</b>	Design		2	UEP91		18.60											ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP91		34.37											ļ
UNE L	pop Rate		4	UEP91	LIECC1	9.64						7.86					+
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1 UECS1	14.37						7.86					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59						7.86					t
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP91	UECS2	12.67						7.86					t
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45						7.86					Ī
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22						7.86					Ι
UNE P					1												+
All Stat	es (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire Voice Grade Port (Centrex ) Basic Edea Med 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI SI	OLI IX	1.10	21.25	10.40	2.00	2.01		7.00					t
	Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire Voice Grade Fort (Centrex from diff Serving Wire Center)2			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86					ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					ļ
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86					ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86					ļ
AL IV	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area  LA, MS, & TN Only			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86					ļ
AL, KY	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86					+
	2-Wire Voice Grade Fort (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86					t
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86					Ŧ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86					ļ
	Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86					ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91 UEP91	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86					ļ
Local S	witching			OL1 31	ULI WZ	1.15	21.29	15.49	2.05	2.07		7.00					t
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873			1			7.86					T
Local N	lumber Portability																I
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35											I
Feature																	

Version 3Q02: 10/07/02

PONDE	NETWORK ELEMENTS - Kentucky										1		Attachment: 2		Exhib		₩
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring					Rates(\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Щ
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86					Щ.
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86					┺
NARS	III. II III.			LIEBO4		0.00	0.00					7.00					╄
	Unbundled Network Access Register - Combination		-	UEP91 UEP91	UARCX UAR1X	0.00	0.00	0.00				7.86 7.86					╀
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86					┿
	neous Terminations			OLI 31	OAROX	0.00	0.00	0.00				7.00					╁
	runk Side																H
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86					T
	ce Channel Mileage - 2-Wire																T
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	29.11						7.86					Г
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01						7.86					
	Activations (DS0) Centrex Loops on Channelized DS1 Service																Ļ
	nnel Bank Feature Activations	ļ		LIEBO	100:::												╄
+ +	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.62					<b>!</b>	7.86					╀
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86					L
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62						7.86					L
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center	l		UEP91	1PQWP	0.62						7.86					1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWP	0.62						7.86					T
	•			UEP91													H
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP91	1PQWQ 1PQWA	0.62 0.62						7.86 7.86					╁
	curring Charges (NRC) Associated with UNE-P Centrex			UEP91	IPQVVA	0.62					1	7.00					╁
	Conversion - Currently Combined Switch-As-Is with allowed				+						1						t
	changes, per port			UEP91	USAC2		0.102	0.102				7.86					
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32									Г
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86					
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86					╙
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86					┺
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75					7.86					╄
	CENTREX - 5ESS (Valid in All States) /G Loop/2-Wire Voice Grade Port (Centrex) Combo				_												╄
	rt/Loop Combination Rates (Non-Design)																╁
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+						1						+
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		10.79											╀
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		15.52											1
	Non-Design		3	UEP95		31.74											
UNE Po	rt/Loop Combination Rates (Design)																Г
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		13.82											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP95		18.60											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			UEP95		34.37											Г
UNE Lo																	Г
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	9.64						7.86					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	14.37						7.86					匚
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30.59						7.86					₩
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<b> </b>		UEP95	UECS2	12.67						7.86					₽
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95 UEP95	UECS2 UECS2	17.45 33.22						7.86 7.86					t
UNE Po		ļ				<b>—</b>											Ļ
All State		l		LIEDOE	LIEDY/A		04.00	45.40	0.05	0.07	1	7.00					╀
+	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)	<b>-</b>		UEP95 UEP95	UEPYA UEPYB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	-	7.86 7.86	-				╁
++++	2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		OE1 30	OLI ID	1.15	21.23	10.49	2.05	2.07		1.00	<b> </b>				۲
i i	Area	l	1	UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67	1	7.86					Ì

MOUNDLE	NETWORK ELEMENTS - Kentucky	1		1		1							Attachment: 2			bit: B	+
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec		curring	Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2				+		First	Add'l	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN	+
	2-wire voice Grade Port (Centrex from diff Serving wire Center)2.  Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service																T
	Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic			UEF93	OEF 19	1.15	21.29	15.49	2.65	2.07		7.00					╁
	Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86					
AL, KY,	LA, MS, SC, & TN Only																T
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2	ļ		UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86					4
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		l	l				l	I							1
	Term	<b>!</b>		UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				1	+
	2 Wire Value Crade Dark terminated in a Manufall and it	1		LIEDOE	LIEDOS		04.00	45.40	0.05	0.07		7.00					1
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l		UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86			-	-	+
	2-Wire Voice Grade Port Terminated on 800 Service Term	1		UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86			<b> </b>	<b> </b>	+
Local S				UEP95	URECS	0.8873						7.86					+
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873						7.86					+
Local N				UEP95	LNPCC	0.35											+
Facture	Local Number Portability (1 per port)			UEP95	LINPCC	0.35											+
Feature				UEP95	UEPVF	0.00						7.86					+
	All Standard Features Offered, per port  All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66					7.86					+
	All Centrex Control Features Offered, per port			UEP95	UEPVS	0.00	405.00			-		7.86					+
NARS	All Certifiex Contitor realtires Offered, per port			OLI 93	OLI VC	0.00						7.00					+
NANG	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				7.86					+
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86					+
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86					十
	neous Terminations			OLI 30	OAIROA	0.00	0.00	0.00				7.00					+
	runk Side																+
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86					+
	Digital (1.544 Megabits)									0.00							T
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86					T
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86					T
	ce Channel Mileage - 2-Wire																T
	Interoffice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86					T
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86					I
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service																Ι
D4 Char	nnel Bank Feature Activations																Ţ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62						7.86					Ţ
										1						1	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP95	1PQW6	0.62				ļ		7.86					1
		1			1					1							1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	<b>!</b>		UEP95	1PQW7	0.62						7.86					4
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -	1		LIEBOE	4001175					1							1
	Different Wire Center	<b>!</b>		UEP95	1PQWP	0.62				1		7.86					+
	Facture Astination on D.4 Channel Bank British Line La Chi	1		LIEDOE	4001407	0.00			l	I		7.00			l		1
-+-+	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP95	1PQWV	0.62	-		1	<del>                                     </del>	<b> </b>	7.86			<b> </b>	-	+
	Facture Activistics on D. 4 Channel Book Tile Line/T	1		LIEBOE	10000	0.00			Ì	I		7.00			1	1	1
+	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot	1		UEP95	1PQWQ	0.62				<del>                                     </del>	-	7.86			-	-	+
Non De	Feature Activation on D-4 Channel Bank WATS Loop Slot curring Charges (NRC) Associated with UNE-P Centrex	1		UEP95	1PQWA	0.62				<del>                                     </del>	-	7.86			-	-	+
	NRC Conversion Currently Combined Switch-As-Is with allowed	1		1	+	}	-		<del> </del>	<del>                                     </del>	-		<del> </del>		<b> </b>	<b> </b>	+
	changes, per port	1		UEP95	USAC2		0.102	0.102	Ì	I		7.86			1	1	1
	Conversion of Existing Centrex Common Block, each	1		UEP95 UEP95	USACZ	}	18.95	8.32	<del> </del>	<del>                                     </del>	-	7.86	<del> </del>		<b> </b>	<b> </b>	+
	New Centrex Standard Common Block, each	1		UEP95 UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27	-	7.86	<del> </del>		<b> </b>	<b> </b>	+
	New Centrex Standard Common Block  New Centrex Customized Common Block	1		UEP95 UEP95	M1ACS M1ACC	0.00	669.80	78.32	111.05	13.27	-	7.86	<del> </del>		<b> </b>	<b> </b>	+
	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.75	10.32	111.05	13.27		7.86					t
	CENTREX - DMS100 (Valid in All States)	1		001.30	UNEUA	0.00	12.15		1	<del> </del>		1.00					+
	G Loop/2-Wire Voice Grade Port (Centrex) Combo	1		1	+	}	-		<del> </del>	<del>                                     </del>	-		<del> </del>		<b> </b>	<b> </b>	+
ız-vvire v	G LOOP/2-VVIIIE VOICE GRAVE FOR (CENTREX) COMIDO	1				<u> </u>	ļ				l				ļ	ļ	+

	D NETWORK ELEMENTS - Kentucky												Attachment: 2	_		oit: B	+-
FEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		N-a	RATES(\$)	Name	Diagon	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I	
						Rec	Nonre		Nonrecurring		001450	001111		Rates(\$)	001441	0011411	₩
	0 Miles VO Learn 10 Miles Veiles Oreste Best 10 autors \						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	₩
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		10.79											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.52											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
LINE De	Non-Design		3	UEP9D	+	31.74											₩
	rt/Loop Combination Rates (Design)																₩
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		13.82											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		18.60											┢
	Design		3	UEP9D		34.37											
UNE Lo	op Rate					İ											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64						7.86					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	14.37						7.86					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	30.59						7.86					T
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86					T
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45						7.86					Н
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	33.22						7.86					╁
UNE Po			3	OLI 3D	OLCO2	33.22						7.00					₩
ALL ST																	⊢
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86					⊢
				UEP9D	UEPTA	1.15	21.29	15.49	2.00	2.07		7.00					⊢
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area	ı		UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86					T
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local																<u> </u>
_	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86					⊬
	Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local																Г
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86					H
+	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86					H
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86					<u> </u>
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86					_
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86					L
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area	2		UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86					
	Dasic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3  Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPYR	1.45						7.00					
+	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D UEP9D	UEPYS	1.15	21.29	15.49 15.49	2.85	2.67		7.86 7.86					H
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	<b>!</b>		OFLAD	UEFTO	1.15	21.29	15.49	∠.65	2.07		7.00					$\vdash$

POHDLE	D NETWORK ELEMENTS - Kentucky	, ,				1							Attachment: 2	_		oit: B
GORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
_	0.14/in-1/-in- On- de Deut (Onders/differ 0.14/0 /EDO 145000)0.0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEF9D	UEF 13	1.15	21.29	15.49	2.00	2.07		7.00				
	Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			02.02	020	10	21.20	10.10	2.00	2.07		7.00				
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21,29	15.49	2.85	2.67		7.86				
VI KA	LA, MS, SC, & TN Only			OEFAD	UEPTZ	1.15	21.29	15.49	2.85	2.67		7.66				
AL, KT,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
+	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3	<b></b>		UEP9D	UEPQG	1.15	21.29	15.49				7.86				
-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15 1.15	21.29 21.29	15.49				7.86				
_	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D UEP9D	UEPQU UEPQV	1.15	21.29	15.49 15.49		2.67 2.67		7.86 7.86				
+	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQV UEPQ3	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Fort (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02. 03	02. Q	0	21.20	10.10	2.00	2.01		7.00				
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2			UEP9D	UEPQM	1.15	21.29	15.49		2.67		7.86				
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
	0.14/in-1/-in- On- de Best (O-standeliffe- 0.14/0 /EBO 145000)0 0			LIEDOD	UEDO4	4.45	04.00	45.40	0.05	0.07		7.00				
+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3	1		UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
							220					50				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	<u> </u>		UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
					L	]				]						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3	ļ		UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	UEDO7		04.00	45.40	0.05	0.00		7.00				
-	Term	-		UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
+	2-Wire Voice Grade Port Terminated in 60 Megalink of equivalent			UEP9D	UEPQ2	1.15	21.29	15.49		2.67		7.86				
Local S	witching						220					50				
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				
Local N	umber Portability															
F	Local Number Portability (1 per port)	<b></b>		UEP9D	LNPCC	0.35			ļ	<b> </b>						
Feature		-		UEP9D	UEPVF	0.00			1	<del>                                     </del>		7.86				
+	All Standard Features Offered, per port  All Select Features Offered, per port	1		UEP9D UEP9D	UEPVF	0.00	405.66			1		7.86				
+	All Centrex Control Features Offered, per port	<del>                                     </del>		UEP9D	UEPVS	0.00	403.00		1	<del> </del>		7.86				
NARS	23 Gorman Galance Chorous, per port			05	02. 40	0.00				1		7.00				
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial neous Terminations			UEP9D	UAROX	0.00	0.00	0.00				7.86				
1				OLI 3D	υλιτύλ	0.00	0.00	0.00	<b>!</b>			1.00				

DONDEL	D NETWORK ELEMENTS - Kentucky										la - ·		Attachment: 2		Exhil		₩
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec		Nonrecurring					Rates(\$)			
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Ь.
	Trunk Side																
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86					
4-Wire	Digital (1.544 Megabits)																
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86					
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09					7.86					
Interoff	ice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.11						7.86					
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.01						7.86					╄
	Activations (DS0) Centrex Loops on Channelized DS1 Service																╄
D4 Cha	nnel Bank Feature Activations																╄
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86					╄
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86					
					1						1						
_	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		Щ	UEP9D	1PQW7	0.62					ļ	7.86					₩
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -				1	1					1						1
	Different Wire Center			UEP9D	1PQWP	0.62						7.86					⊢
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86					Ļ
	Facture Activistics on D. 4 Channel Book Tile Line/Tambel con Clat			UEP9D	10000	0.60						7.00					
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot				1PQWQ	0.62					1	7.86					╄
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86					╄
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex				_												╄
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBAR			0.400					7.00					
	changes, per port			UEP9D	USAC2		0.102	0.102			1	7.86					╄
	Conversion of existing Centrex Common Block, each			UEP9D	USACN	0.00	18.95	8.32	444.05	40.07	1	7.86					╄
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27	1	7.86					╄
_	New Centrex Customized Common Block			UEP9D UEP9D	M1ACC URECA	0.00	669.80	78.32	111.05	13.27	1	7.86 7.86					+
LINE D	NAR Establishment Charge, Per Occasion  CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	UKECA	0.00	72.75					7.00					╁
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-						<u> </u>						╁
	ort/Loop Combination Rates (Non-Design)				-						<u> </u>						╁
O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																H
	Non-Design		1	UEP9E		10.79											
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 3L	-	10.73					<u> </u>						+
	Non-Design		2	UEP9E		15.52											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9E		31.74											
UNF P	ort/Loop Combination Rates (Design)		Ŭ	02.02		0											t
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																H
	Design		1	UEP9E		13.82					1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			-	1												Г
1	Design		2	UEP9E	I	18.60					1						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
	Design		3	UEP9E	I	34.37					1						1
UNE Lo	pop Rate																Г
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9E	UECS1	9.64						7.86					Γ
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9E	UECS1	14.37						7.86					I
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	30.59						7.86					
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP9E	UECS2	12.67						7.86					
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9E	UECS2	17.45						7.86					Ĺ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86					
	ort Rate																
AL, FL,	KY, LA, MS, & TN only																┺
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86		, and the second			╨
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local																Ī
	Area		<u> </u>	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86					L
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86					
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86					

	D NETWORK ELEMENTS - Kentucky					1							Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
-			-			Rec	Nonrec		Nonrecurring		00450	001441		Rates(\$)	001441	001441
-	O Miles Velice Octobe Boot tempirated in an Manufacture and related				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	4.45	04.00	45.40	2.85	0.07		7.00				
_				UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic			LIEDOE	LIEDVO	4.45	04.00	45.40	0.05	0.07		7.00				
A1 101	Local Area , LA, MS, & TN Only			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, KI	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade For (Centrex with Caller ID)1			OLI 3L	OLI QII	1.13	21.23	10.40	2.00	2.07		7.00				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OL	OLI QIVI	1.10	21.20	10.40	2.00	2.01		7.00				
	Term			UEP9E	UEPQZ	1.15	21,29	15.49	2.85	2.67		7.86				
+	10	1	1	S-1. S-	JL1 042	1.10	21.20	10.43	2.00	2.07		7.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
+	2-Wire Voice Grade Fort Terminated in 6th Wegalink of equivalent	1		UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local 9	Switching	1		02	JE: 42	0	220	.0.40	2.00	2.01		00				
	Centrex Intercom Funtionality, per port	1		UEP9E	URECS	0.8873	† 1		İ			7.86				
Local N	lumber Portability	1			1		† 1		İ							
	Local Number Portability (1 per port)	1		UEP9E	LNPCC	0.35	1		İ			7.86				
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				
NARS					1											
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Miscell	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09					7.86				
Interof	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.01						7.86				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	<u> </u>		UEP9E	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		l													
	Different Wire Center	<u> </u>		UEP9E	1PQWP	0.62			]			7.86				
			l													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62						7.86				
			l													
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	<u> </u>	UEP9E	1PQWA	0.62						7.86				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	<u> </u>	<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed	1	l				]		1							
	changes, per port	ļ	<u> </u>	UEP9E	USAC2		0.102	0.102				7.86				
_	Conversion of Existing Centrex Common Block, each	ļ	<u> </u>	UEP9E	USACN		18.95	8.32								
_	New Centrex Standard Common Block	ļ	<u> </u>	UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion	<u> </u>	<u> </u>	UEP9E	URECA	0.00	72.75					7.86				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	<u> </u>	<u> </u>													
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	ļ														
IIINF P	ort/Loop Combination Rates (Non-Design)															
0.11	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	1	1				l				1			
OILE!																
UNLI	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Fort (Centrex) Fort Combo -  Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP93		10.79										

	NETWORK ELEMENTS - Kentucky										Sun Order	Sua Ordan	Attachment: 2		Exhil	
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					_	ı	Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		31.74										
	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93	$\bot$	18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOO		04.07										
	Design Bate		3	UEP93		34.37										
UNE Loc	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64								-		
+	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37								<del>                                     </del>		
+ +	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
1 1	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
UNE Po	rt Rate															
AL, KY,	LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86		igcup		`
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2				52. 111	1.10	21.23	10.49	2.00	2.01		7.00				
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
ľ	Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86		[		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic			OE1 30	OLI 19	1.13	21.29	10.49	2.05	2.07		1.00				
	Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86		( J		
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
1 7	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
1																
+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86		$\vdash$		
	vitching		<del>                                     </del>	OL1 30	ULI QZ	1.10	21.29	10.48	2.05	2.07		1.00				
1	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873						7.86				
Local N	umber Portability				1	,,,,,,										
	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Features	3															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00				<u> </u>		7.86				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						7.86		$ldsymbol{\sqcup}$		
NARS					1			_						igsquare		
+	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00						$\vdash \!$		
+	Unbundled Network Access Register - Indial			UEP93 UEP93	UAR1X	0.00	0.00	0.00						$\vdash$		
	Unbundled Network Access Register - Outdial neous Terminations			OELAS	UAROX	0.00	0.00	0.00						$\vdash \vdash \vdash$		
	runk Side		<del>                                     </del>		+											
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	Digital (1.544 Megabits)						32.10		52.10	2.00		50				
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09					7.86				
	ce Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.11						7.86				
	incording Charlier admitted Formination															
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.01						7.86				
Feature												7.86				

NBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhib	oit: B	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrec	urring	Nonrecurring				oss	Rates(\$)			
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	<u> </u>
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86					<b>├</b> ─
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.62						7.86					İ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot -			UEP93	IPQW/	0.62						7.00					<del></del>
	Different Wire Center			UEP93	1PQWP	0.62						7.86					İ
						7.02											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86					ĺ
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86					
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86					<u> </u>
Non-R	tecurring Charges (NRC) Associated with UNE-P Centrex	1	<del>                                     </del>		+	<del>                                     </del>					<b> </b>						₩
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2	I	0.102	0.102				7.86					1
	Conversion of Existing Centrex Common Block, each	1	<del>                                     </del>	UEP93	USACN	<del>                                     </del>	18.95	8.32				7.86					$\vdash$
-	New Centrex Standard Common Block	1	t	UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86					$\vdash$
	New Centrex Customized Common Block	1		UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86					
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75					7.86					
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD																
Note 2	2 - Requres Interoffice Channel Mileage							•									
Note 3	3 - Requires Specific Customer Premises Equipment																
Note:	Rates displaying an "R" in Interim column are interim and subject	ct to rate	true-up	as set forth in Gen	eral Terms an	d Conditions.											
																	ــــــ
																	<b>—</b>
																	<u> </u>
																	⊬
-		+			+												⊢
					+												┢
																	ـــــ
																	<b>⊢</b>
_		-															₩
		-															-
					+												┢
	<del> </del>		<b>!</b>		+	<b>†</b>											$\vdash$
		1			1	İ											
					1	ļ											
	<u> </u>	1	<u> </u>		1	<b>.</b>											<u> </u>
		1	<u> </u>		4												<u> </u>
	<del> </del>	1	<u> </u>		+	1											├
		1	<b>!</b>		+	<del>                                     </del>					-						-
-	1	1	<del>                                     </del>		+	t											$\vdash$
1	<del> </del>	1	t		1	<b>†</b>											$\vdash$
		1			1	İ											
	<u> </u>	1			1	İ											
																	⊏
																	E

UN	BUND	DLED	D NETWORK ELEMENTS - Kentucky												Attachment: 2	!	Exhi	oit: B	
CAT	EGOR	Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
_	1							Rec Nonrecurring Nonrecurring Disconnect First Add'l First Add'l							oss	Rates(\$)			
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	_	1											<u> </u>						
			·																
<u> </u>																			-
<u> </u>																			
-	_												ļ						
-	-												1						

UNBUNDLED N	IETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	-	m						- (17			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
The "Zone"	shown in the sections for stand-alone loops or loops as	nart of	a com	hination refers to G	2eographically	Desveraged I									JOHAN	JONAN
		-			beograpineany	y Deaverageu C	ML Zones. 10	view Georgia	Dilically Deavel	aged ONE ZOI	ie Desigaiiti	ons by C O	, refer to filter	net Website.		
	v.interconnection.bellsouth.com/become_a_clec/html/interc	connec	tion.nt	m	1			1		1			1	1		1
OPERATIONAL SU						<u> </u>	L	l	L	<u> </u>	<u> </u>		L	L	l	
	Electronic Service Order: CLEC should contact its contrac															is rate
	the BellSouth regional electronic service ordering charge.															
	Any element that can be ordered electronically will be billed															
those elem	nents that cannot be ordered electronically at present per the	he BBF	R-LO, th	ne listed SOMEC ra	te in this cate	gory reflects th	e charge that	would be billed	d to a CLEC on	ce electronic	ordering cap	pabilities co	me on-line fo	r that element	. Otherwise,	the manual
ordering cl	harge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	ı LSR t	o BellSouth.		• •	· ·				٠.					
	ectronic OSS Charge, per LSR, submitted via BST's OSS		1								1					
	eractive interfaces (Regional)				SOMEC		3.50									
	TE ADVANCEMENT CHARGE		1		JOIVILO	<del> </del>	3.50		<del> </del>		+	1	1	1		
		DAILC -	thic F	C No 4 Tariff Con	ion Factori	iooblo	<del>                                     </del>		<del>                                     </del>		+	<del>                                     </del>				
	e Expedite charge will be maintained commensurate with E	selisol	ITN'S FC	No.1 Taritt, Sect	ion 5 as appli	icapie.					-	<b>.</b>				
	IE Expedite Charge per Circuit or Line Assignable USOC, per			l			I		I		1	1	Ì	Ì		
Day				ALL UNE	SDASP		200.00									
	HANGE ACCESS LOOP															
2-WIRE AN	NALOG VOICE GRADE LOOP															
2-V	Vire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
	Vire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
	Vire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87			1	15.20				
	op Testing - Basic 1st Half Hour		Ŭ	UEANL	URET1	40.40	33.17	33.17				15.20				
	op Testing - Basic 13(11aii 11oui			UEANL	URETA		19.28	19.28			1	15.20				
				UEAINL	UKETA		19.20	19.20				15.20				
	EC to CLEC Conversion Charge Without Outside Dispatch				LIDEWO		45.75	0.00				45.00				
	VL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
	bundled Voice Loop, Unbundled Non-Design Voice Loop,															
	ing for BST providing make-up			UEANL	UEANM		13.04	13.04								
	nual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
Ord	der Coordination for Specified Conversion Time for UVL-SL1															
(pe	er LSR)			UEANL	OCOSL		17.56	17.56								
2-WIRE Un	nbundled COPPER LOOP															
2-W	Vire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.40	35.27	15.60			1	15.20				
	Vire Unbundled Copper Loop - Non-Designed - Zone 2	<del></del>	2	UEQ	UEQ2X	14.32	35.27	15.60				15.20				
	Vire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.60			1	15.20				
		- 1	3	UEQ	UEQZA	10.07	33.21	15.00				15.20				
	der Coordination 2 Wire Unbundled Copper Loop - Non-															
	signed (per loop)			UEQ	USBMC		7.92	7.92								
	bundled Copper Loop, Non-Designed Billing for BST			l			I		I		1		Ì	Ì		
	oviding make-up			UEQ	UEQMU		13.04	13.04								
	op Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17				15.20				
Loc	op Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28				15.20				
CLI	EC to CLEC Conversion Charge Without Outside Dispatch															
	CL-ND)			UEQ	UREWO		14.25	7.42	I		1	15.20	Ì	Ì		
	HANGE ACCESS LOOP					1	20	i <u>.</u>	1							
	VALOG VOICE GRADE LOOP					1	<b>†</b>		<u> </u>		1	1	1	1		
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1		1	1	t		t	1	1	1	1	1	1	
			4	HEDOD LIEDOD	LIEALO	40.00	20.51	40.07	1			45.00				
	ne 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	<del>                                     </del>		+	15.20	<b> </b>	<b> </b>		
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-								1							
	ne 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87				15.20				
	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-						I		I		1		Ì	Ì		
	ne 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87				15.20				
2 W	Vire Analog Voice Grade Loop- Service Level 1-Line Splitting-							1		1					l	
Zor	ne 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	I	1	1	15.20	1	1	1	
2 W	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	ne 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	1			15.20				
	Vire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť			.0.10	33.54	. 5.57	<del>                                     </del>		t	.0.20	<b>†</b>	<b> </b>		
	ne 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	1			15.20				
	Rates for Line Splitting		- 3	OLI ON OLF OD	JLADS	40.43	30.34	10.07	<del> </del>		+	13.20	1	1		
			1	UEPRX	UEPLX	40.40	<del>                                     </del>		<del>                                     </del>		+	45.00				
	Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1					13.13	<del>                                     </del>		<del>                                     </del>		+	15.20	<del>                                     </del>	<del>                                     </del>	-	
	Vire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	23.75	<b></b>		<b></b>		<b></b>	15.20				
	Vire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	49.62					1	15.20			]	
JUNBUNDI ED EXC	HANGE ACCESS LOOP		L			<u> </u>		L	<u> </u>	L		<u> </u>	L		L	

Version 3Q02: 10/07/02 Page 181 of 425

ONRONDE	ED NETWORK ELEMENTS - Louisiana			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WI	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l .													
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	25.35	102.10	65.72			1	15.20			-	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	30.40	17.56	05.72				13.20				
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			02/1	00002											1
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2	<u> </u>	2	UEA	UEAR2	25.35	102.10	65.72			<u></u>	15.20		<u>                                     </u>	<u> </u>	<u></u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				İ											
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72			ļ	15.20				ļ
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				
4-WI	RE ANALOG VOICE GRADE LOOP		<u> </u>			22.21	107.10					1=00				
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81 38.32	127.40	91.02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA UEA	UEAL4 UEAL4	60.39	127.40 127.40	91.02 91.02				15.20 15.20			-	
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	60.39	127.40	91.02				15.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				<del>                                     </del>
2-WI	RE ISDN DIGITAL GRADE LOOP			ULA	UKLWO		67.55	30.30				13.20				1
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96				15.20				<del></del>
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	35.28	113.34	76.96				15.20				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96				15.20				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									1
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09				15.20				1
2-WII	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	22.09	113.34	76.96				15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				LIB COV			=				4= 00				
	2		2	UDC	UDC2X	35.28	113.34	76.96				15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	05.40	113.34	70.00				45.00				
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	65.18	91.49	76.96 44.09				15.20 15.20				
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIRI F	LOOF		UKEWU		91.49	44.09				15.20				<del>                                     </del>
2-111	2 Wire Unbundled ADSL Loop including manual service inquiry	ATTOLL	1		+ +											
	& facility reservation - Zone 1	1	1	UAL	UAL2X	12.29	117.08	68.36				15.20				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2	<u> </u>	2	UAL	UAL2X	14.09	117.08	68.36			<u></u>	15.20		<u> </u>	<u></u>	<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry									-						
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36				15.20				
	Order Coordination for Specified Conversion Time (per LSR)	ļ		UAL	OCOSL		17.56								1	ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	١.,	l		40.00	00.00	50.00				45.00		1	I	
	facility reservation - Zone 1	<del>                                     </del>	1	UAL	UAL2W	12.29	92.83	56.02			<del>                                     </del>	15.20		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02				15.20			1	
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del>                                     </del>		U/1L	UNLZVV	14.09	32.03	30.02			<del>                                     </del>	13.20		1	t	<del></del>
	facility reservation - Zone 3	1	3	UAL	UAL2W	15.75	92.83	56.02				15.20		1	I	
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL	.5.76	17.56	33.02				.0.20			1	
	CLEC to CLEC Conversion Charge without outside dispatch	1		UAL	UREWO		86.07	40.34				15.20				
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77				15.20				ļ
1	2 Wire Unbundled HDSL Loop including manual service inquiry	1	1	L	Ι										_	
	& facility reservation - Zone 2	ļ	2	UHL	UHL2X	11.52	125.50	76.77				15.20			ļ	<b>↓</b>
	2 Wire Unbundled HDSL Loop including manual service inquiry	1		L				===						l	I	
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77			l	15.20		l	1	<u> </u>

Version 3Q02: 10/07/02 Page 182 of 425

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring D					Rates(\$)		
					00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43				15.20				
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHLZW	9.79	101.24	64.43				15.20				
	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43				15.20				
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILZVV	11.02	101.24	04.43				13.20				
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34				15.20				
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry												_	_		
	and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54				15.20				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4-Wire Unbundled HDSL Loop without manual service inquiry			l								4= 00				
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	l		40.05	400.00	00.00				45.00				
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	17.34	17.56	92.20				15.20			-	
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34				15.20				
4-WIR	RE DS1 DIGITAL LOOP			OFFE	OKEVVO		00.00	40.54				15.20				
7 ****	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98				15.20				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	194.96	245.16	152.98				15.20			1	
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98				15.20				
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL UDL	UDL56 OCOSL	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)  4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		- 1	UDL	UDL64	30.99	17.56 121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	30.32	17.56	05.40				13.20				
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-WIR	RE Unbundled COPPER LOOP			002	0112110		.0					10.20				
	2-Wire Unbundled Copper Loop/Short including manual service		1											İ	1	
	inquiry & facility reservation - Zone 1	ĺ	1	UCL	UCLPB	12.29	116.18	67.46				15.20			1	
l	2-Wire Unbundled Copper Loop/Short including manual service													1		
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46				15.20				
	2 Wire Unbundled Copper Loop/Short including manual service												_	_		
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop/Short without manual service	1		l					]					1	_	
ļ	inquiry and facility reservation - Zone 1	ļ	1	UCL	UCLPW	12.29	91.92	55.12				15.20		ļ	ļ	
	2-Wire Unbundled Copper Loop/Short without manual service	l	_		1101 5							,= ==		1	I	
	inquiry and facility reservation - Zone 2	<b> </b>	2	UCL	UCLPW	14.09	91.92	55.12				15.20		1	<b>!</b>	1
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	l	3	UCL	UCLPW	45.75	04.00	FF 40				45.00		1	I	
	inquiry and facility reservation - ZONe 3	i .	3	JUCL	UCLPVV	15.75	91.92	55.12	1		i	15.20		1	l	1

Version 3Q02: 10/07/02 Page 183 of 425

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				
-	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	-	UCL	UCLZL	17.21	110.10	67.46		-		15.20			-	
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.98	116.18	67.46				15.20				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.									İ						
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service							== .0				4= 00				
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12		1		15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	39.37	7.92	7.92				13.20				
	CLEC to CLEC Conversion Charge without outside dispatch	1		002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				
	4-Wire Copper Loop/Short - including manual service inquiry											4= 00				
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96		1		15.20				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	10.99	7.92	7.92				13.20				
	4-Wire Copper Loop/Short - without manual service inquiry and			002	COLIVIO		7.02	7.02								
	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	20.17	139.69	90.96				15.20				
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	COLTE	20.41	100.00	50.50				10.20				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_		1101.40	00.47	445.40	70.00				45.00				
	inquiry and facility reservation - Zone 2 4-Wire Unbundled Copper Loop/Long - without manual svc.		2	UCL	UCL4O	28.47	115.43	78.63				15.20				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	62.93	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	02.33	7.92	7.92				13.20				
	CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		7.02	7.02								
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
OOP MODIF																
				UAL, UHL, UCL,												
		1	1	UEQ, ULS, UEA,						1						
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UDL, UDC,	LU MO:					I		,			I	
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire	<b></b>	<u> </u>	UDN, UDL, USL	ULM2L		0.00	0.00		1		15.20		1	1	
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00				15.20			1	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	<del>                                     </del>	$\vdash$	JOL, JLO, JLQ	JLIVIZU		0.00	0.00		<del>                                     </del>		13.20		1	<del>                                     </del>	1
	less than or equal to 18K ft	1	1	UHL, UCL	ULM4L		0.00	0.00		1		15.20			I	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		- ,			2700	2,00								
	pair greater than 18k ft	1		UCL	ULM4G		0.00	0.00		1		15.20			1	

Version 3Q02: 10/07/02 Page 184 of 425

NARONDF	ED NETWORK ELEMENTS - Louisiana			1	1								Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		12.15	12.15				15.20				
UB-LOOPS																
Sub-	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		144.09	144.09				15.20				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		86.16	86.16				15.20				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		27.13	27.13				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1  Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	21.45	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		7.92	7.92								
	Zone 1  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Zone 2  Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.91	51.48	17.65				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	Т	1	UEF	UCS2X	6.26	63.89	30.06				15.20			İ	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	10.07	63.89	30.06				15.20				
- $+$ $  +$ $  +$ $  +$ $            -$	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u>L</u>	UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	8.03	76.75	42.92				15.20				
$\overline{}$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS4X UCS4X	10.71 6.08	76.75 76.75	42.92 42.92				15.20 15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
Unbu	undled Sub-Loop Modification			İ	1										Ì	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		224.55	4.29				15.20				
Unbu	undled Network Terminating Wire (UNTW)					_										
Netw	Unbundled Network Terminating Wire (UNTW) per Pair rork Interface Device (NID)			UENTW	UENPP	0.3454	14.72	14.72		-		15.20				
	Network Interface Device (NID) - 1-2 lines		i –	UENTW	UND12		42.26	27.83				15.20				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		62.86	48.43				15.20				

Version 3Q02: 10/07/02 Page 185 of 425

ONBON	DLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGOI		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonre			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73				15.20				
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73				15.20				
SUB-LOO																	
Sı		op Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
		Distribution Facility set-up		<u> </u>	UDN,UCL,UDL,UDC	USBFW		144.09					15.20				
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,	HODEN		40.00	10.00				45.00				
		set-up		<u> </u>	UDN,UCL,UDL,UDC			10.99	10.99				15.20				
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		568.98	11.30				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1		LIODEA	8.71	00.04	54.05				45.00				
		Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35			-	15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			UEA	USBFA	13.04	09.01	34.33			-	15.20				
		Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35				15.20				
		Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	30.21	17.56	54.55			1	15.20				-
		Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	UCUSL		17.30				1					-
		Grade - Zone 1		1	UEA	USBFB	8.71	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			UEA	USBFB	0.71	09.01	34.33			-	15.20				<del></del>
		Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			ULA	USBI B	13.04	09.01	34.33				13.20				
		Grade - Zone 3		3	UEA	USBFB	30.21	89.81	54.35				15.20				
		Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	30.21	17.56	34.33		ļ	-	13.20			-	<del>                                     </del>
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		1	ULA	OCOSL		17.50				1					-
		Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		<del>- '</del> -	ULA	USBI C	0.71	09.01	34.33			1	13.20				1
		Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			OLA	CODIO	10.04	00.01	04.00			+	10.20				+
		Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL	00.21	17.56	0 1.00			1	10.20				1
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			02/1	00002		17.00									
		Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31				15.20				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
		Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															1
		Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice					j										
		Grade - Zone 1		1	UEA	USBFE	21.44	103.69	67.31		<u> </u>		15.20				
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			1												
		Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31				15.20				ļ
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			[											1	
		Grade - Zone 3		3	UEA	USBFE	42.84	103.69	67.31		1	1	15.20		ļ		ļ
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	ļl	17.56		ļ	1	1			ļ	ļ	ļ
$\vdash \vdash$		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	15.44	102.58	66.20		ļ	1	15.20				<u> </u>
-		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.32	102.58	66.20		1	1	15.20			-	<b></b>
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	44.57	102.58	66.20	<b> </b>	+	1	15.20		ļ	-	<del>                                     </del>
<b></b>		Order Coordination For Specified Conversion Time, Per LSR		4	UDN	OCOSL	45.44	17.56	00.00	<del> </del>	+	1	45.00		<b> </b>	<b>!</b>	<del>                                     </del>
<b>  -</b>		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	-	1	UDC UDC	USBFS	15.44	102.58	66.20	<del> </del>	+	1	15.20		1	<del>                                     </del>	<del> </del>
<b></b>		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2		USBFS	23.32 44.57	102.58	66.20		+	<del> </del>	15.20		-	<del>                                     </del>	<del>                                     </del>
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS		102.58	66.20 61.77		+	<del> </del>	15.20 15.20		-	<del>                                     </del>	<del>                                     </del>
<b></b>		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1 2	USL	USBFG USBFG	55.38 167.83	98.15	61.77	<del>                                     </del>	+	1	15.20 15.20		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		3	USL	USBFG	167.83 469.87	98.15 98.15	61.77		+	<del> </del>	15.20		-	<del>                                     </del>	<del>                                     </del>
$\vdash$		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Order Coordination For Specified Conversion Time, Per LSR	-	3	USL	OCOSL	409.87	98.15 17.56	01.//	-	+	+	15.∠0		-	<del></del>	<del>                                     </del>
<del>├</del>		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.96	81.36	44.98	-	+	1	15.20		-	<del></del>	<del> </del>
<del>├</del>		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			UUL	USBFA	ხ.96	81.36	44.98	-	+	1	15.∠0		-	<del></del>	<del>                                     </del>
1 1		onbundied Sub-Loop reeder Loop, 2-wire Copper Loop - Zone		2	UCL	USBFH	4.97	81.36	44.98	İ		1	15.20		Ì	I	

Version 3Q02: 10/07/02 Page 186 of 425

UNBUNDLE	NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
			1		1		Nonrec	urring	Nonrecurring Discor	nect		OSS	Rates(\$)		
						Rec	First	Add'l	First Ad		EC SOMAN		SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone														
	3		3	UCL	USBFH	3.99	81.36	44.98			15.20	1			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56								
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	15.68	98.07	61.69			15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69			15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	6.39	98.07	61.69			15.20				
	Order Coordination For Specified Conversion Time, per LSR		4	UCL UDL	OCOSL USBFN	22.61	17.56	C4 77			45.00				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1			22.61	98.15 98.15	61.77 61.77			15.20				
-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL UDL	USBFN USBFN	24.25	98.15	61.77			15.20 15.20				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	ODL	וויוטטטו	24.25	90.15	61.77			15.20	1	1	1	1
	Zone 1		1	UDL	USBFO	22.61	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		17.56								
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	22.61	98.15	61.77			15.20	ı			
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	22.87	98.15	61.77			15.20				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.25	98.15	61.77			15.20				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		17.56								
SUB-LOOPS	·														
	op Feeder														
	Sub Loop Feeder - DS3 - Per Mile Per Month	- 1		UE3	1L5SL	17.00									
	Sub Loop Feeder - DS3 - Facility Termination Per Month	I		UE3	USBF1	368.44	3,397.56	406.56			15.20				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	17.00									
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	395.92	3,397.56	406.56			15.20	<u> </u>			
	Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	1L5SL	12.90						-			
	Month			UDLO3	USBF5	60.45									
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	<del>- i</del> -		UDLO3	USBF2	594.77	3,397.56	406.56			15.20	1			
	Sub Loop Feeder - OC-12 - Per Mile Per Month	÷		UDL12	1L5SL	15.87	0,007.00	400.00			10.20				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month	<u> </u>		UDL12	USBF6	683.03									
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<del></del>		UDL12	USBF3	1,922.00	3,397.56	406.56			15.20	1			
	Sub Loop Feeder - OC-48 - Per Mile Per Month	i	<del>                                     </del>	UDL48	1L5SL	52.07	5,557.00	.00.00		1	.5.20				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month	1		UDL48	USBF9	341.64									
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	<del>-</del>	1	UDL48	USBF4	1,663.00	3,582.56	406.56	1	<u> </u>	15.20		1		
	Sub Loop Feeder - OC-12 Interface On OC-48	- 1	<u> </u>	UDL48	USBF8	385.45	803.80	406.56		<u> </u>	15.20				
UNBUNDLED L	OOP CONCENTRATION												<u> </u>		
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	374.26	316.00	316.00			15.20				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.40	131.67	131.67			15.20				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412.08	316.00	316.00			15.20				
	Unbundled Loop Concentration - System B (TR303)		<u> </u>	ULC	UCT3B	89.98	131.67	131.67			15.20				
	Unbundled Loop Concentration - DS1 Loop Interface Card		<u> </u>	ULC	UCTCO	5.12	61.46	44.74			15.20	1	<b> </b>	ļ	<b> </b>
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.12	10.23	10.18			15.20				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8.12	10.23	10.18			15.20				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.03	10.23	10.18			15.20				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12.07	10.23	10.18			15.20				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7.20	10.23	10.18			15.20				

Version 3Q02: 10/07/02 Page 187 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001141	001441
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	First 10.23	Add'I 10.18	First	Add'l	SOMEC	15.20	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - TEST CIRCUIT Card			OLC	OCTIC	33.19	10.23	10.16				13.20				
	Interface			UDL	ULCC7	10.67	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface			UDL	ULCC5	10.67	10.23	10.18				15.20				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	10.67	10.23	10.18				15.20				
UNE OTHER,	PROVISIONING ONLY - NO RATE			UENTW	UNDBX	0.00	0.00									
	NID - Dispatch and Service Order for NID installation UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	ONTW Circuit id Establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	UEINCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE					0.00										
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			LIEA LIDALLICI, LIDO	LICREO	0.00	0.00									
-	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -					0.00										
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility			LIEO	LIEODY	000.04	400.40	050.00				45.00				
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	362.34	438.46	256.30				15.20				
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	10.04										
	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
HIGH FREQUE	ENCY SPECTRUM			CIVIIX	I GOIVIN		0.19	0.19								<del>                                     </del>
	SHARING				t e										1	t
	TERS-CENTRAL OFFICE BASED				İ										1	İ
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00	0.00	0.00		15.20				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79	183.33	0.00	0.00	0.00		15.20				
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	15.59	183.33	0.00	0.00	0.00		15.20				
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-			111.6	ULSDG		00.00	0.00	0.00	0.00		45.00				
ENDI	deactivation (per LSOD)  SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	V SDECT	TRIIM	ULS	ULOUG		83.98	0.00	0.00	0.00		15.20				<del>                                     </del>
END	Line Sharing - per Line Activation (BST Owned Splitter)	JELU	I KOW A	ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
<b> </b>	Line Sharing - per Subsequent Activity per Line				22000	0.01	11.01	10.23	0.00	0.00		10.20			1	t
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95			1	15.20				
	Line Sharing - per Subsequent Activity per Line														1	İ
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95				15.20				
	Line Sharing - per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31	0.00	0.00		15.20				
	SPLITTING															
END U	SER ORDERING-CENTRAL OFFICE BASED			HEDOD HEDOD	LIBEOC	0.01									<del> </del>	1
<del>                                     </del>	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	+		UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	17.97	10.29				15.20				
1 1	Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual	_ '		UEPSR UEPSB	UREBV	0.61	17.97	10.29			ļ	15.20				ļ

Version 3Q02: 10/07/02 Page 188 of 425

UNRUN	DI FI	NETWORK ELEMENTS - Louisiana												Attachment:	2	Fyhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
							Rec	Nonred		Nonrecurring					Rates(\$)		
В	EMOT	E SITE HIGH FREQUENCY SPECTRUM						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ERS-REMOTE SITE															<del>                                     </del>
		Remote Site Line Share BellSouth Owned Splitter, 24 Port	1		ULS	ULSRB	53.97	377.71	0.00	0.00	0.00		15.20				<del>                                     </del>
		Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and Deactivation	I		ULS	ULSTG		74.38	0.00	0.00	0.00		15.20				<u> </u>
EI	ND US	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM	/ AKA	REMOT	E SITE LINE SHARI	NG											<b></b>
		Remote Site Line Share Line Activationfor End User Served at RS, BST Splitter			ULS	ULSRC	0.61	36.97	21.17	0.00	0.00		15.20				
		RS Line Share Line Activation for End User served at RS, CLEC	- '		OLO	OLGIC	0.01	30.97	21.17	0.00	0.00		13.20				<del>                                     </del>
		Splitter	1		ULS	ULSTC	0.61	36.97	21.17	0.00	0.00		15.20				
		EDICATED TRANSPORT															
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
IN		OFFICE CHANNEL - DEDICATED TRANSPORT															<b></b>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATVA	1L5XX	0.040										
-		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.013										<del>                                     </del>
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62				15.20				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			0xx	01112	22.00	00.00	20.02				10.20				
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62				15.20				<u> </u>
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			LIATON	41 EVV	0.040										
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.013										<b></b>
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	011174	10.01	00.00	20.02				10.20				1
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62				15.20				<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	1L5XX	0.040										
-		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.013										<del> </del>
		Termination			U1TDX	U1TD6	15.61	39.37	26.62				15.20				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.127	01150	10.01	00.01	20.02				10.20				
		month			U1TD1	1L5XX	0.2652										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	70.47	86.69	79.44				15.20				<u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILOAA	6.04										<del>                                     </del>
		Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				_											1
		month			U1TS1	1L5XX	6.04										<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
<del>     </del> -	0041	Termination			U1TS1	U1TFS	830.19	270.69	158.05				15.20				<del>                                     </del>
		CHANNEL - DEDICATED TRANSPORT  LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	a norio	d bole	W DC2_one menth	Designed 4	four months										<b></b>
14	JIE:	Local Channel - Dedicated - 2-Wire Voice Grade	y perio	a - DelC	ULDVX	ULDV2	18.32	187.51	32.21				15.20			1	<del>                                     </del>
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	18.32	187.51	32.21				15.20				<b>†</b>
		Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	19.41	187.94	32.63				15.20				
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27		· · · · · ·		15.20				L
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				<u> </u>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				<del> </del>
$\vdash$		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination			ULDD3 ULDD3	1L5NC ULDF3	7.82 469.44	438.46	256.30				15.20			-	<del> </del>
+		Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.82	430.40	230.30				15.20				+
<del>                                     </del>		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	457.22	438.46	256.30				15.20				1
		,															

Version 3Q02: 10/07/02 Page 189 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
						Rec	Nonre			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	52.23										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		620.60	133.88				15.20				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	41.505	05.00										
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel	-	-	UDF	1L5DF UDF14	25.28	620.60	133.88			-	15.20				+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDF 14		620.60	133.00				15.20				+
	Thereof per month - Local Loop			UDF	1L5DL	52.23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	02.20	620.60	133.88				15.20				+
8XX ACCESS	TEN DIGIT SCREENING			05.	05. 2.		020.00	100.00				10.20				<b>†</b>
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1														1
	Number Reserved			OHD	N8R1X		2.51	0.43				15.20				1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations	1		OHD			5.77	0.78		<u> </u>	<u> </u>	15.20	<u> </u>	<u> </u>	<u> </u>	1
	8XX Access Ten Digit Screening, Per 8XX No. Established With					_		_						_		
	POTS Translations			OHD	N8FTX		5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.51	1.26				15.20				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				<u> </u>
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.51					15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006387										<u> </u>
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007												
	LIDB Common Transport Per Query			OQT OQU		0.0000221 0.0135077										-
	LIDB Validation Per Query LIDB Originating Point Code Establishment or Change	-	-	OQU OQT, OQU	NRPBX	0.0135077	33.33				-	15.20				+
SIGNALING (C				OQ1, OQU	INKPDA		33.33				+	15.20				+
SIGNALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										+
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.000064										+
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50			1	15.20				+
	CCS7 Signaling Connection, Per link (B link) (also known as D			000		10.11	0 1.00	01.00				10.20				
	link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Usage, Per ISUP Message	1		UDB		0.000016		, ,,,	İ					İ	İ	1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										1
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20				
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17				15.20				
E911 SERVICE			1													<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	1			+	18.32	187.51	32.21		<b> </b>	1	15.20		ļ		<del></del>
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21				15.20				-
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1	1		+	0.013				-	1					+
	Termination				1	22.60	39.36	26.62		1		15.20				
	Local Channel - Dedicated - DS1 - Zone 1	1			+	39.18	172.34	149.27		<del> </del>	1	15.20				+
	Local Channel - Dedicated - DS1 - Zone 2	1			+	121.58	172.34	149.27		<del> </del>	1	15.20				+
	Local Channel - Dedicated - DS1 - Zone 3	1				70.02	172.34	149.27		<b> </b>	1	15.20		1		<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 Per Mile	1			1	0.2652	2.54		1	1		.0.20				<b>—</b>
	2011011110				1	J.2002			1	1						1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	70.47	86.69	79.44		1		15.20				1
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			22.29					15.20				

Version 3Q02: 10/07/02 Page 190 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			
												Submitted	Charge -		Charge -	Charge -
														Charge -		
CATEGORY	RATE ELEMENTS	Interi	7	BCS	usoc			DATEC(A)			Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonreci		Nonrecurrin	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners - Service Establishment			OQV			22.29					15.20				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			962.22	711.64				15.20				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			oqv			332.43	238.05				15.20				
	CNAM for DB Owners. Per Query		1	OQV		0.0010217	00Z.40	200.00				10.20				
	CNAM for Non DB Owners, Per Query			OQV		0.0010217										
LNP Query Ser				OQV		0.0010217										
LNP Query Ser				001/		0.0000550										
	LNP Charge Per query			OQV		0.0008559										
	LNP Service Establishment Manual						12.16					15.20				
	LNP Service Provisioning with Point Code Establishment	<u> </u>					576.33	294.43		1	ļ	15.20				ļ
	ALL PROCESSING	<u> </u>	<u></u>							<u> </u>	<u> </u>	<u> </u>			L	
	Oper. Call Processing - Oper. Provided, Per Min Using BST													1		
	LIDB	l			1	1.20				1	1	]		]	1	
	Oper. Call Processing - Oper. Provided, Per Min Using										1	l				
	Foreign LIDB	l			1	1.24				1	1	]		]	1	
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using				_	0.20										
						0.00										
	Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - O	PERATOR CALL PROCESSING															
Facility	based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00				15.20				
UNEP (																
OIVE: V	Recording of Custom Branded OA Announcement		1				7,000.00	7,000.00				15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00				13.20				
	lper OCN						500.00	500.00				15 20				
Habasa	nding via OLNS for UNEP CLEC						500.00	300.00				15.20				
							4 000 00					4= 00				
	Loading of OA per OCN (Regional)	<u> </u>	1				1,200.00	1,200.00		<del>                                     </del>	<b>_</b>	15.20				<b></b>
	SSISTANCE SERVICES									1	ļ	ļ				ļ
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC),													1		
	Per Call Attempt	İ			1	0.10				1		l				
DIRECTORY A	SSISTANCE SERVICES						İ				1				İ	
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1	1	Ì	1					1	1	1			1	1
	Directory Assistance Data Base Service Charge Per Listing	1	1		+	0.04	+			<del>                                     </del>	1	1			<b>†</b>	1
<del>-  </del>	Directory Assistance Data Base Service, per month	<b>-</b>	<b>!</b>		DBSOF	150.00				+	<del>                                     </del>				<b> </b>	1
SBANDING - D	IRECTORY ASSISTANCE	<del>                                     </del>	<del>                                     </del>		DD001	130.00	+			+	1	l		1	1	1
	Based CLEC	1	1		+	-				+	1	1		1	<del> </del>	<del>                                     </del>
racility		<del>                                     </del>	1		+	1				+	<del>                                     </del>	<b> </b>			<del>                                     </del>	1
	Recording and Provisioning of DA Custom Branded	l		****	00.45		0.000.00	0.000.00		1	1				Ì	
	Announcement	<b> </b>	ļ	AMT	CBADA		6,000.00	6,000.00		<b></b>	<b></b>	15.20				
	Loading of Custom Branded Announcement per Switch	<u> </u>		AMT	CBADC		1,170.00	1,170.00		1	ļ	15.20				1
UNEP (		<u> </u>								1	ļ	<u> </u>				
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		1		15.20				
	Loading of DA Custom Branded Announcement per Switch per															
	OCN	İ			1		1,170.00	1,170.00		1		15.20				
	iding via OLNS for UNEP CLEC		i –	İ	1					1	İ			İ	İ	1
J	Loading of DA per OCN (1 OCN per Order)				1		420.00	420.00		1	1	15.20			1	1
<del>-  </del>	Loading of DA per OCN (1 OCN per Otder)	<del>                                     </del>	t		+	1	16.00	16.00		+	<del>                                     </del>	15.20		<del>                                     </del>	<del> </del>	1
	DUTING		1		-		10.00	10.00		1	1	13.20			1	1

Version 3Q02: 10/07/02 Page 191 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		82.25	82.25				15.20				
VIRTUAL COL							. ===					45.00				
	Virtual Collocation - Application Cost			AMTFS	EAF		1,770.40					15.20				
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX ESPVX	3.20	841.54					15.20				
	Virtual Collocation - Floor Space, per sq. ft.			AMTES												
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32										
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02										
<b></b>	capie			UEANL,UEA,UDN,U	ESPSX	16.02										
	Virtual Collocation - 2-wire Cross Connects (loop)			DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
				AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53				15.20				
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS,UDL12,	CNC2F	2.65	20.29	14.76				15.20				
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.04	21.39	15.47				15.20				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
<del>                                     </del>	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<b>!</b>	<u> </u>	AIVITO	VL IOD	0.0024								<del>                                     </del>	<del>                                     </del>	+
	Cable Support Structure, per linear ft	<u></u>		AMTFS	VE1CD	0.0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.79					15.20				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable	<u></u>		AMTFS	VE1CE		534.79					15.20				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97										
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB	5,29							·			
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		$\vdash$													
	100 pair	<u></u>	<u>L</u>	AMTFS	VE1BC	0.08			<u> </u>		<u> </u>			<u> </u>	<u></u>	
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
$\vdash$	Virtual collocation - Security Escort - Basic, per half hour	1	<b>!</b>	AMTFS	SPTBX	1.37	16.44	10.42		1	1	15.20		<del></del>	<del></del>	1
	virtual collocation - Security Escort - Basic, per hall hour	1	1							1	1			1	ļ	ļ
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		First 27.12	Add'I	First	Add'l	SOMEC	<b>SOMAN</b> 15.20	SOMAN	SOMAN	SOMAN	SOMAN
+	Virtual collocation - Maintenance in CO - Basic, per hall hour			AWITES	CIRLX		27.12	10.42				15.20				
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45				15.20				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49				15.20				
VIRTUAL COL				744111 0	01 11 101		40.72	10.45				10.20				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
-	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire											4= 00				
	Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			02.07	722	0.0200						10.20				
	ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				
VIRTUAL COL					+											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
PHYSICAL CO				OLFSK, OLFSB	VLILO	0.0290	11.54	11.40	0.00	0.00		13.20				
THIOIDAL GO	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46				15.20				
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			UEBIB	SRCEC		100,209.33					15.20				
-	End Office Establishment			UEBIB UEBIB	SRCEO	0.0030293	164.29	164.29				15.20				
AIN - BELLSO	Query NRC, per query UTH AIN SMS ACCESS SERVICE			DEBIR		0.0030293										
AIN - BELLOO	AIN SMS Access Service - Service Establishment, Per State,				-											
	Initial Setup			A1N	CAMSE		38.30	38.30				15.20				
	·															
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60				15.20				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
	AIN SMS Access Service - User Identification Codes - Per User ID Code		l	A1N	CAMAU		33.99	33.99				15.20				
+	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		33.99	33.99				13.20				
	Initial or Replacement	l	İ	A1N	CAMRC		41.39	41.39				15.20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				1	0.0022		55				70.20				
	AIN SMS Access Service - Session, Per Minute					0.5795										
	AIN SMS Access Service - Company Performed Session, Per															
AIN DELLOC	Minute UTH AIN TOOLKIT SERVICE	ļ			+	0.8104										
AIN - BELLSO	AIN Toolkit Service - Service Establishment Charge, Per State,		-		1						-					
	Initial Setup		l	CAM	BAPSC		38.30	38.30				15.20				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,175.10	4,175.10				15.20			İ	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt		ļ		BAPTT		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	1		DADTD.		7.00	7.00			1	45.00			1	
	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	1	<b> </b>		BAPTD		7.60	7.60				15.20			<del>                                     </del>	
	DN, Off-Hook Immediate		l		BAPTM		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						7.00	7.50				10.20				
	DN, 10-Digit PODP	L	L		BAPTO		33.47	33.47			<u> </u>	15.20			<u> </u>	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														1	
	DN, CDP	I	l	1	BAPTC		33.47	33.47			I	15.20			I	

	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+	Rec	Nonred			Disconnect	COMEC	COMAN		Rates(\$)	COMAN	COMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DN, Feature Code				BAPTF		33.47	33.47				15.20				
	AIN Toolkit Service - Query Charge, Per Query				DAFII	0.0536446	33.47	33.47				13.20				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0000110										
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service											4= 00				
	Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	2.80	8.41	8.41				15.20				
	Subscription			CAM	BAPDS	8.20	7.60	7.60				15.20				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		1	CAW	DAI DO	0.20	7.00	7.00				13.20				
	Service Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				
ENHANCED	EXTENDED LINK (EELs)					0.00	<u> </u>	****								
NOT	E: New Density Zone 1 EELs are available in the following MSA	s: Orlan	ndo, FL	; Miami, FL; Ft. Lau	derdale, FL;	Atlanta, Ga; Ne	w Orleans, LA,									
	E: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
	E: In all states, EEL network elements shown below also apply t												UNEs.(Non-re	curring rates	do not apply	.)
	E: In All States the EEL network elements apply to ordinarily co				itch As Is Ch	arge.) When or	rdering ordinar	ily combined ı	network elemei	nts, Non-recur	ing rates de	apply.				
2-WI	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	44.00	94.21	45.09				45.00				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONOVA	OLALZ	20.00	34.21	45.05				13.20				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						-									
	per month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Termination per month DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20 15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month															
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1	UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26				15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	MQ1	105.09	59.97	12.96								
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1 2	UNC1X UNCVX UNCVX	MQ1 1D1VG UEAL2	105.09 0.6497 14.93	59.97 5.91 94.21	12.96 4.26 45.09				15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1 2	UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26				15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		1 2	UNC1X UNCVX UNCVX	MQ1 1D1VG UEAL2	105.09 0.6497 14.93	59.97 5.91 94.21	12.96 4.26 45.09				15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	105.09 0.6497 14.93 25.35 50.46	59.97 5.91 94.21 94.21	12.96 4.26 45.09 45.09				15.20 15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNC1X UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2	105.09 0.6497 14.93 25.35	59.97 5.91 94.21 94.21	12.96 4.26 45.09 45.09				15.20 15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch - As-			UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	105.09 0.6497 14.93 25.35 50.46	59.97 5.91 94.21 94.21 94.21 5.91	12.96 4.26 45.09 45.09 45.09				15.20 15.20 15.20				
	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge		3	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	105.09 0.6497 14.93 25.35 50.46	59.97 5.91 94.21 94.21	12.96 4.26 45.09 45.09				15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	3	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	105.09 0.6497 14.93 25.35 50.46	59.97 5.91 94.21 94.21 94.21 5.91	12.96 4.26 45.09 45.09 45.09				15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	3 FICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX ANSPORT (EEL)	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	105.09 0.6497 14.93 25.35 50.46 0.6497	59.97 5.91 94.21 94.21 94.21 5.91 5.43	12.96 4.26 45.09 45.09 45.09 4.26 5.43				15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	EROFF	3	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2	105.09 0.6497 14.93 25.35 50.46	59.97 5.91 94.21 94.21 94.21 5.91	12.96 4.26 45.09 45.09 45.09				15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCYX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	105.09 0.6497 14.93 25.35 50.46 0.6497	59.97 5.91 94.21 94.21 5.91 5.43	12.96 4.26 45.09 45.09 45.09 4.26 5.43				15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	EROFF	3 FICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX ANSPORT (EEL)	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	105.09 0.6497 14.93 25.35 50.46 0.6497	59.97 5.91 94.21 94.21 94.21 5.91 5.43	12.96 4.26 45.09 45.09 45.09 4.26 5.43				15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNCYX UNCVX	MQ1 1D1VG UEAL2 UEAL2 UEAL2 1D1VG UNCCC	105.09 0.6497 14.93 25.35 50.46 0.6497	59.97 5.91 94.21 94.21 5.91 5.43	12.96 4.26 45.09 45.09 45.09 4.26 5.43				15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32 60.39	59.97 5.91 94.21 94.21 5.91 5.43 94.21	12.96 4.26 45.09 45.09 45.09 4.26 5.43 45.09				15.20 15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X CANSPORT (EEL) UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32	59.97 5.91 94.21 94.21 5.91 5.43 94.21	12.96 4.26 45.09 45.09 45.09 4.26 5.43 45.09				15.20 15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X LANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 1L5XX	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.2652	59.97 5.91 94.21 94.21 5.91 5.43 94.21 94.21	12.96 4.26 45.09 45.09 4.26 5.43 45.09 45.09				15.20 15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32 60.39	59.97 5.91 94.21 94.21 5.91 5.43 94.21	12.96 4.26 45.09 45.09 45.09 4.26 5.43 45.09				15.20 15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Channelization - Channel System DS1 to DS0 combination Per	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4 UEAL4	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.2652 70.47	59.97 5.91 94.21 94.21 5.91 5.43 94.21 94.21 94.21	12.96 4.26 45.09 45.09 4.26 5.43 45.09 45.09 45.09				15.20 15.20 15.20 15.20 15.20 15.20				
4-WI	Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month	EROFF	3 TICE TR	UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X LANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	MQ1 1D1VG UEAL2 UEAL2 1D1VG UNCCC UEAL4 UEAL4 UEAL4 1L5XX	105.09 0.6497 14.93 25.35 50.46 0.6497 30.81 38.32 60.39 0.2652	59.97 5.91 94.21 94.21 5.91 5.43 94.21 94.21	12.96 4.26 45.09 45.09 4.26 5.43 45.09 45.09				15.20 15.20 15.20 15.20 15.20 15.20				

Version 3Q02: 10/07/02 Page 194 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	Additional 4-Wire Analog Voice Grade Loop in same DS1						FIRST	Add I	FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.39	94.21	45.09			1	15.20				+
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-					0.0.0										
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	LINCDY	LIDLEC	20.00	94.21	45.09				45.00				
<del></del>	Transport Combination - Zone 1 First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL56	30.99	94.21	45.09		<u> </u>		15.20				+
	Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice						•									
	Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										-
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per			ONOTA	01111	70.47	143.30	103.00				13.20				+
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
-	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDLS6	30.99	94.21	45.09			1	15.20				+
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			-			-									
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -			LINODY	40400	4.00	5.04	4.00								
	combination per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.38	5.91	4.26			-					<del> </del>
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERC	FFICE				0.10	0.10				10.20				†
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															1
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						-									
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility											4= 00				
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	70.47	143.58	103.88		ļ		15.20				-
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	OCU-DP COCI (data) - DS1 to DS0 Channel System			ONOTA	IVIQ I	100.00	00.01	12.00								+
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26			<u> </u>					
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			]				· · · · · · · · · · · · · · · · · · ·	· · · · · ·							
$\vdash$	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09			1	15.20				<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<del>                                     </del>	OINCDA	JUL04	30.78	94.21	40.09		<u> </u>	<u> </u>	15.20				+
1 1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System										1					
	combination - per month (2.4-64kbs)		L	UNCDX	1D1DD	1.38	5.91	4.26		<u>                                     </u>	<u> </u>			<u> </u>	<u> </u>	1

Version 3Q02: 10/07/02 Page 195 of 425

ONBONDE	ED NETWORK ELEMENTS - Louisiana				1						T -	_	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Normalia Compilia (North Albert of Florests Compilia)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR		UNCCC		5.45	3.43				13.20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		Ī													
	Transport - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Transport - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	0.10.1%	002,01	.001	.00.22	100.00				10.20				
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility															İ
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		UNCCC		5.45	3.43				13.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1													
	1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
<b></b>	2   First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				İ
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		3	ONOTA	OOLXX	431.34	103.22	100.03				13.20				
	Per Month			UNC3X	1L5XX	6.04										İ
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X	MQ3 UC1D1	201.48	107.05	48.07 4.26								
-	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	OCIDI	11.78	5.91	4.26								
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3  DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	USLXX UC1D1	491.94 11.78	169.22 5.91	100.89 4.26				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	OCIDI	11.78	5.91	4.26								
	Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
2-WIF	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T													
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				1
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	UEALZ	∠ე.35	94.21	45.09				15.20				<del>                                     </del>
	Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				İ
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month		<u> </u>	UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			LINCVY	U1TV2	22.60	70.00	44.75				45.00				İ
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	U11V2	22.60	72.60	41.75				15.20				-
	Is Charge			UNCVX	UNCCC		5.43	5.43				15.20				
4-WIF	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T				00	3.10	İ			70.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport			LINGVO	LIEALA	20.00	04.04	45.00				45.00				1
$\vdash$	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport	<u> </u>	2	UNCVX	UEAL4	38.32	94.21	45.09		-		15.20				
	Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per		Ť	55		55.05	J21	.0.00				.0.20			1	
]	Mile Per Month	l		UNCVX	1L5XX	0.013			]						Ì	1

Version 3Q02: 10/07/02 Page 196 of 425

<u>JNBUNDLE</u>	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First	urring Add'l		g Disconnect	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4- Wire Voice Grade						FIRST	Add I	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.43	5.43				15.20				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per			LINGOV	41 5115	40.04										
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.04										
	Facility Termination per month			UNC3X	UE3PX	362.34	188.45	125.51								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04	100.40	120.01								
	Interoffice Transport - Dedicated - DS3 combination - Facility			0.100/1	120/01	0.0 .										
	Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	ANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per															
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	10.04										
	Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCOX	ODLST	374.30	100.45	123.31								
	per month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS1 combination - Facility				1-9121											
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.43	5.43				15.20				
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	UNCINA	UILZA	22.09	94.21	45.09			-	15.20				
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			0.10.01	O ILLEX	00.20	0	10.00				10.20				
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination -			LINGAV	MO4	405.00	50.07	10.00								
	per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	105.09	59.97	12.96								
	combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0.10.0.	00.071	2.00	0.01	20								
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINIONIN	110404	2.96	5.04	4.00								
	combintaion- per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	2.96	5.91	4.26								
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T		0.1000		5.43	5.43		1	<del>                                     </del>	10.20				<del>                                     </del>
	First DS1 Loop in STS1 Interoffice Transport Combination -	1													İ	
	Zone 1	l	1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -	l										,				
	Zone 3	<b> </b>	3	UNC1X	USLXX	491.94	169.22	100.89		1		15.20			1	
ı	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month	l	l	UNCSX	1L5XX	6.04									1	

Version 3Q02: 10/07/02 Page 197 of 425

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility						FIFSt	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
	Termination			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	201.48	107.05	48.07								
	DS3 Interface Unit (DS1 COCI) combination per month  Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	11.78	5.91	4.26								
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination -							400.00				4= 00				
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1					= 40	= 40				4= 00				
4-WIE	Is Charge RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FEICE 1	PANS	UNCSX	UNCCC		5.43	5.43				15.20				
7-4411	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		I AND	I OKT (EEE)												
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_	LINODY	LIDI FO	00.70	04.04	45.00				45.00				
	Combination - Zone 2 4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				<u> </u>
	Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01150	10.01	72.00					10.20				
	Is Charge		L	UNCDX	UNCCC		5.43	5.43				15.20				
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO  4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE 1	RANS	PORT (EEL)												
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONOBA	OBEO+	00.02	04. <b>2</b> 1	40.00				10.20				
	Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	LIATEC	45.04	70.00	44.75				45.00				
	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurrence used as ordinarily combined network elements in All States, to															<del> </del>
	ecurring Currently Combined Network Elements III All States, to					As is cliarge t	ioes not.									1
	Nonrecurring Currently Combined Network Elements Switch -As-	3-	Ì													
	Is Charge - 2 wire/4-Wire VG		<u> </u>	UNCVX	UNCCC	ļ	5.43	5.43				15.20				ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps	1		UNCDX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	-		CHODA	514000		5.45	5.45				13.20				<del> </del>
	Is Charge - DS1			UNC1X	UNCCC	<u> </u>	5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGOV	LINICOO	Ι Π	F 40	F /2				45.00				
	Is Charge - DS3  Nonrecurring Currently Combined Network Elements Switch -As-		1	UNC3X	UNCCC	<del>                                     </del>	5.43	5.43				15.20				+
	Is Charge - STS1			UNCSX	UNCCC	1	5.43	5.43				15.20				
NOTE	: Local Channel - Dedicated Transport - minimum billing perior	d - Belo	w DS3	one month, DS3 a												
	Local Channel - Dedicated - 2-Wire Voice Grade		<u> </u>	UNCXV	ULDV2	18.32	187.51	32.21			-					<b></b>
	Local Channel - Dedicated - 4-Wire Voice Grade  Local Channel - Dedicated - DS1 per month Zone 1		1	UNCXV UNC1X	ULDV4 ULDF1	19.41 39.18	187.94 172.34	32.63 149.27				15.20				<del>                                     </del>
	Local Channel - Dedicated - DS1 Per Month Zone 2		2	UNC1X	ULDF1	121.58	172.34	149.27				15.20				<del>                                     </del>
	Local Channel - Dedicated - DS1- Per Month Zone 3			UNC1X	ULDF1	70.02	172.34	149.27			İ	15.20				1

Version 3Q02: 10/07/02 Page 198 of 425

UNBUNDL	ED NETWORK ELEMENTS - Louisiana			1		1							Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.82										<b></b>
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	469.44	438.46	256.30				15.20				1
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.82						15.20				1
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	457.22	438.46	256.30								1
	nal Features & Functions:															<b></b>
MULT	TPLEXERS															<b></b>
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				<b></b>
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.38	6.39	4.58				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															i
	month			UDN	UC1CA	2.96	6.39	4.58				15.20				<b></b>
igsquare	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6497	6.39	4.58				15.20		ļ	ļ	<b></b>
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.48	172.99	91.25				15.20				<b></b>
	STS1 to DS1 Channel System per month			UXTS1	MQ3	201.48	172.99	91.25				15.20				<b></b>
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.78	6.39	4.58				15.20				1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.78	6.39	4.58								1
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58								
Acces	ss to DCS - Customer Reconfiguration (FlexServ)															
Sub-L	.oop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.38	98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	167.83	98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	469.87	98.15	61.77								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, F	Y, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	<b>i</b>								[
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)															l
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.52	2.31	2.21				15.20				1
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled LA extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAS	1.52	2.31	2.21				15.20				ĺ
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)			UEPSR	UEPAG	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21				15.20				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.52	2.31	2.21				15.20				
1	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.20		1	1	
FEAT	URES					0.00										
1	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20		İ	1	
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)			_												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with				1				1					1	1	
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				<del>                                     </del>
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled LA extended local			UEPSB	UEPBO	1.52	2.31	2.21				15.20				<u> </u>
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				

Version 3Q02: 10/07/02 Page 199 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4	4.50	0.04	0.04				45.00				
	Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area			UEPSB	UEPB1	1.52	2.31	2.21			-	15.20				-
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan		1	02. 03	02.700	1.02	2.01	2.2.				10.20				
	without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling															
	Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21				15.20				
	2-Wire voice unbundled Incoming Only Port without Caller ID											4= 00				
	Capability Subsequent Activity			UEPSB UEPSB	UEPBE	1.52 0.00	2.31 0.00	2.21 0.00				15.20 15.20				
FFΔT	URES			UEFOB	USASC	0.00	0.00	0.00	1		1	15.20				
I LAI	All Available Vertical Features		1	UEPSB	UEPVF	0.00	0.00	0.00				15.20				
EXCH	ANGE PORT RATES (DID & PBX)		1	02. 03	02. 1.	0.00	0.00	0.00				10.20				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.52	30.37	14.42				15.20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPL2 UEPLD	1.52 1.52	30.37 30.37	14.42 14.42			-	15.20 15.20				<del> </del>
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42	1		1	15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42				15.20				†
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42	İ			15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			LIEDOD	LIEDYD	4.50	20.27	44.40				45.00				
	Discount Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP UEPSP	UEPXP	1.52 1.52	30.37 30.37	14.42 14.42		1		15.20 15.20				
	Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00				15.20				
FEAT					1				İ							
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20				
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.52	2.31	2.21				15.20				
	: Transmission/usage charges associated with POTS circuit sv													L		
	: Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	avallal	bie oni	y through BFR/Nev	V Business Re	quest Process.	Rates for the	раскет сараы	lities will be a	etermined via	the Bona Fig	ie Request/i	New Business	s Request Pro	cess.	<del>                                     </del>
	ANGE PORT RATES		<u> </u>	<del> </del>	+				<del> </del>	<u> </u>	<del> </del>				1	
LAOII	Exchange Ports - 2-Wire DID Port		<del> </del>	UEPEX	UEPP2	8.29	115.85	18.20	<b>†</b>	<b>†</b>	-	15.20				<del>                                     </del>
<del>†</del>	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID				1	5.20		.5.20	1	İ					İ	
	capability	<u> </u>	<u></u>	UEPDD	UEPDD	68.47	196.18	92.92	<u> </u>		1	15.20			<u> </u>	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	10.07	70.76	51.46				15.20		_		
	All Features Offered	<u> </u>	<u> </u>	UEPTX UEPSX	UEPVF	0.00	0.00	0.00	<u> </u>	<u> </u>	<u> </u>	L <u></u>				
	: Transmission/usage charges associated with POTS circuit sv													Danisat D		<u> </u>
NOTE	Exchange Ports - 2-Wire ISDN Port Channel Profiles	avanal	ole onl	y through BFR/Nev IUEPTX UEPSX	U1UMA	0.00	0.00	0.00	indes will be d	etermined via	ine Bona Fio	ie kequest/l	NEW BUSINESS	kequest Pro	icess.	<del>                                     </del>
+	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port		<u> </u>	UEPEX	UEPEX	94.82	197.92	98.62	<del> </del>	<u> </u>	<del> </del>	15.20			1	
UNBU	INDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	<b>1</b>	0-1 L/	OLI ZX	34.02	137.32	30.02	<b>†</b>	1	1	10.20			1	1
	INDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		1	1					1	İ						
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21				15.20		İ	İ	

Version 3Q02: 10/07/02 Page 200 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		s		Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						1	Nonrec	urring	Nonrecurring Disc	onnect			OSS	Rates(\$)	l	1
						Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								7.00.			0020	00				
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21				15.20				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21				15.20				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21				15.20				
Non-R	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is		<u> </u>	UEPVR	USAC2		0.10	0.10				15.20				
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVR	USACC		0.10	0.10								
LIMBLE	allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus			UEFVR	USACC		0.10	0.10								
UNBUI	VOLED REMOTE CALL FORWARDING - BUS															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21				15.20				
	Habitandled Demote Cell Femines (1) - 0 - 1 - 1 - 1 - 1 - 2 - 1			LIED\/D	LIED! O			00.				45.00				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		-	UEPVB	UERLC	1.52	2.31	2.21				15.20				
$\vdash$	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB UEPVB	UERTE UERTR	1.52 1.52	2.31 2.31	2.21 2.21	<b> </b>			15.20 15.20		-		
<b></b>	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and		-	UEPVB	UEKIK	1.52	2.31	2.21	<del>                                     </del>			15.20	1	1	-	
	Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21				15.20				
Non-R	ecurring			OLI VD	OLIVO	1.02	2.01	2.21				13.20				
I I I I I	Unbundled Remote Call Forwarding Service - Conversion -				-											
	Switch-as-is			UEPVB	USAC2		0.10	0.10				15.20				
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.001868										
	End Office Trunk Port - Shared, Per MOU					0.00018										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
-	Tandem Switching Function Per MOU					0.0001067										
Comm	Tandem Trunk Port - Shared, Per MOU on Transport		<u> </u>			0.000222										
Comm	Common Transport - Per Mile, Per MOU					0.0000032										
+	Common Transport - Facilities Termination Per MOU					0.0003748										
UNBUNDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES					0.0003740										
	ased Rates are applied where BellSouth is required by FCC an	d/or St	ate Co	mmission rule to n	rovide Unbun	dled Local Swit	tching or Swite	h Ports								
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section of thi	s Rate Exh	nibit.					
End O	ffice and Tandem Switching Usage and Common Transport Us	age rat	es in th	ne Port section of the	his rate exhibi	it shall apply to	all combination	ons of loop/po	rt network elements	except for	r UNE Coi	n Port/Loop	Combination	ns.		
	st and additional Port nonrecurring charges apply to Not Curre	ently C	ombine	ed Combos. For Cu	rrently Combi	ned Combos th	ne nonrecurring	g charges sha	II be those identified	in the Nor	nrecurring	- Currently	Combined se	ections.		
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			-				•								
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1		-	13.13			<b> </b>				ļ	ļ		<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75							ļ	<b> </b>	ļ	<b> </b>
IINE I	2-Wire VG Loop/Port Combo - Zone 3		3		-	49.62								<del>                                     </del>		
UNE L	oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77			<b> </b>					-		
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39				+						
	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26							-		-	1
2-Wire	Voice Grade Line Port Rates (Res)		-	OLI IXX	OLI LA	40.20				-				<del> </del>		
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.36	38.85	19.08				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	4 20	20.05	19.08				15.20				
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		<del>                                     </del>	ULFRA	UEPAS	1.36	38.85	19.08		+		15.20		-		
	(RUL)			UEPRX	UEPAG	1.36	38.85	19.08				15.20				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36	38.85	19.08				15.20				
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan				-											
ĺ	without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08				15.20				

Version 3Q02: 10/07/02 Page 201 of 425

ONROND	LED	NETWORK ELEMENTS - Louisiana			T							I		Attachment:			ibit: B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Louisiana Area Plus Port without Caller															
		ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
		Capability			UEPRX	UEPRT	1.36	38.85	19.08				15.20				
FE/	ATUF				UEPRX	UEPVF	0.00	0.00	0.00				15.20			-	
1.00		All Features Offered NUMBER PORTABILITY			UEPKX	UEPVF	0.00	0.00	0.00				15.20			-	
LO		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			CLITOX	LITI OX	0.00										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.10	0.10				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1						1							
		Switch with change	<u></u>	<u> </u>	UEPRX	USACC		0.10	0.10	<u> </u>			15.20		<u> </u>	<u> </u>	<u></u>
ADI		DNAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent														1	
		Activity	<u> </u>	<u> </u>	UEPRX	USAS2	0.00	0.00	0.00				15.20			ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNI		rt/Loop Combination Rates					10.10										
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13									00.00	
<b></b>		2-Wire VG Loop/Port Combo - Zone 2		3			23.75 49.62									20.00	1
LINI		2-Wire VG Loop/Port Combo - Zone 3 op Rates		3		-	49.62									-	
UNI		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77									-	
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-W		/oice Grade Line Port (Bus)		Ŭ	OLI DX	OLI DX	40.20										
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	- 2	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
		2-Wire voice Grade unbundled Louisiana extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
		2-Wire voice unbundled Louisiana Bus Area Calling Port with															
		Caller ID (BUC)			UEPBX	UEPAA	1.36	38.85	19.08				15.20				
		2-Wire Voice Unbundled Louisiana Business Dialing Plan															
<del>                                     </del>		without Caller ID	<b> </b>	<b>!</b>	UEPBX	UEPWH	1.36	38.85	19.08				15.20		<del> </del>	1	1
		2-Wire voice unbundled Louisiana Business Area Calling Port without Caller ID Capability	l		UEPBX	UEPBA	1.36	38.85	19.08				15.20		1	I	
<b></b>		2-Wire voice unbundled Incoming Only Port without Caller ID	-	1	OLPDA	UEFDA	1.30	30.85	19.08				15.20			+	
		Capability		1	UEPBX	UEPBE	1.36	38.85	19.08				15.20				
LO		NUMBER PORTABILITY	1	<b>!</b>	02.10/	OL, DL	1.50	30.03	13.00	<b>†</b>			10.20		<b> </b>	<b>I</b>	1
		Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35									1	
FE/	ATUR				İ		2.20								Ì	1	
		All Features Offered		1	UEPBX	UEPVF	0.00	0.00	0.00	1			15.20				İ
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1				· · · · · · · · · · · · · · · · · · ·					-	1		
		Switch-as-is		<u> </u>	UEPBX	USAC2		0.10	0.10				15.20				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		LIEBBY			0.10	0.10				45.00		1	I	
		Switch with change		<u> </u>	UEPBX	USACC		0.10	0.10				15.20			1	
ADI		ONAL NRCs	l	1	<del>                                     </del>	+									<b> </b>	<del>                                     </del>	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		1	UEPBX	USAS2		0.00	0.00				15.20				
2.14		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		<del>                                     </del>	ULFDA	USASZ		0.00	0.00				15.20		-	<del></del>	-
		rt/Loop Combination Rates	<del>                                     </del>	<b>!</b>	<del> </del>	+				<del> </del>					1	t	1
3141		2-Wire VG Loop/Port Combo - Zone 1	1	1		+	13.13									<b>-</b>	
		2-Wire VG Loop/Port Combo - Zone 2		2	1		23.75									1	
		2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UN		op Rates			İ	1				i i					İ	İ	
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										İ

Version 3Q02: 10/07/02 Page 202 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
						Rec	Nonrec			g Disconnect				Rates(\$)		
	0.00% - 1/2 - 0.00   1   1   1   1   1   1   1   1   1		_	UEPRG	UEPLX	00.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	22.39 48.26					-					
2 Wir	voice Grade Line Port Rates (RES - PBX)		3	UEFRG	UEPLA	40.20					-					
2-1111	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+											
	Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
LOCA	L NUMBER PORTABILITY			02.110	02.110	1.00	00.01	01.20				10.20				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20				
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -							·					·			
	Conversion - Switch-As-Is			UEPRG	USAC2		7.68	1.85				15.20				1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1		LIEDDO	LICACO		7.00	4.0=				45.00				
ADDI	Conversion - Switch with Change	1		UEPRG	USACC		7.68	1.85			1	15.20				1
ADDIT	PIONAL NRCs 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del>                                     </del>			+					1						<del>                                     </del>
	Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFRG	U3A32	0.00	0.00	0.00				13.20				
	Group						7.11	7.11				15.20				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)											10.20				
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
	Line Cide Unbundled Combination 2 Way DDV Trunk Dort - Bus			UEPPX	UEPPC	1.36	66.91	31.29				15.20				
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36	66.91	31.29				15.20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			OLI I X	OLI I I	1.00	00.01	01.20				10.20				
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPPX	UEPXD	1.36	66.91	31.29			1	15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	l		LIEDDY	LIED.							,				1
	Capable Port	<b> </b>		UEPPX	UEPXE	1.36	66.91	31.29		1		15.20			-	
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port	1		UEPPX	UEPXK	1.36	66.91	31.29				15.20				I
<b>-</b>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OLFFA	OLFAR	1.30	16.00	31.29		1	+	15.20			1	<del>                                     </del>
	Administrative Calling Port	l		UEPPX	UEPXL	1.36	66.91	31.29				15.20				1
<b></b>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		OEI I A	OLI AL	1.50	00.31	31.23		1	1	10.20			1	t
	Room Calling Port	l		UEPPX	UEPXM	1.36	66.91	31.29				15.20				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1										İ	1
	Discount Room Calling Port	<u></u>		UEPPX	UEPXO	1.36	66.91	31.29			<u> </u>	15.20			<u> </u>	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local						_									
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
LOCA	L NUMBER PORTABILITY	<u> </u>		LIEDDY	LNDCS	2.15				ļ		,			ļ	<u> </u>
	Local Number Portability (1 per port)	ı	1	UEPPX	LNPCP	3.15	0.00	0.00		1	1	15.20			l	
FFAT						- 1										
FEAT				UEPPX	UEPVF	0.00	0.00	0.00				15.20				

Version 3Q02: 10/07/02 Page 203 of 425

ONRONDE	ED NETWORK ELEMENTS - Louisiana										12		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		7.00	4.05				45.00				
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.68	1.85				15.20				-
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
ADDI	TIONAL NRCs	-		OLFFX	USACC		7.00	1.05				13.20				+
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															+
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	00/102	0.00	0.00	0.00				10.20				+
	Group						7.11	7.11				15.20				
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														1
	Port/Loop Combination Rates	Ì														1
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										1
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										1
UNF	Loop Rates															1
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77				1				t		<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										1
-	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	48.26										+
2-Wir	re Voice Grade Line Ports (COIN)		Ť	02. 00	02.27	10.20										+
<del></del>	2-Wire Coin 2-Way without Operator Screening and without															+
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			02. 00	02.74	1.00	00.00	10.00				10.20				
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.36	38.85	19.08				15.20				
-+	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLI GO	OLITOX	1.00	00.00	10.00				10.20				+
	(AL. LA. MS)			UEPCO	UEPRB	1.36	38.85	19.08				15.20				
-	2-Wire Coin 2-Way with Operator Screening & Blocking:			OLI GO	OLITE	1.00	00.00	10.00				10.20		-		+
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08				15.20				
-+	2-Wire Coin Outward without Blocking and without Operator			OLI CO	OLI OD	1.00	00.00	10.00				10.20				+
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08				15.20				
-+	2-Wire Coin Outward with Operator Screening and 011 Blocking			OLI GO	OLI IXIV	1.00	00.00	10.00				10.20				+
	(LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
-+	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLILA	1.50	30.03	13.00				13.20				+
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLITAII	1.50	30.03	13.00				13.20				+
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08				15.20				+
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08				15.20				+
ADDI	ITIONAL UNE COIN PORT/LOOP (RC)			OLFCO	OLFOB	1.30	30.03	19.00				13.20				+
ADDI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00				15.20				
1.00	AL NUMBER PORTABILITY			OLI CO	OKEGO	1.01	0.00	0.00				13.20				
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										+
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEPCU	LINECX	0.33								-		+
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															+
	Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				
$\longrightarrow$	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFCO	USACZ		0.10	0.10				13.20		-		+
	Switch with change			UEPCO	USACC		0.10	0.10				15.20				
ADDI	TIONAL NRCs			UEPCU	USACC		0.10	0.10				15.20		-		+
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<b>-</b>	<b>!</b>	<del> </del>	-				<del> </del>					<del></del>	1	+
	Activity Activity	l		UEPCO	USAS2		0.00	0.00				15.20		I		I
2-/4/11	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	DOPT /		UUAUZ		0.00	0.00	1		1	13.20		<del> </del>	1	+
	Port/Loop Combination Rates	LINE	UKI (	NLO)	_				1		1			<del> </del>	1	+
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	16.45								<del> </del>	1	+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	-	2	<b>-</b>	-	26.87				-	1			<del></del>	-	+
$\longrightarrow \longleftarrow$	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	-	3	<del> </del>	-	51.98			1					<del></del>	1	+
LINE	Loop Rates	1	3		+	31.90					1			1	1	+
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFR	UECF2	14.93			1					<del></del>	1	+
-+	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	25.35			1		1			<del> </del>	1	+
1		<u> </u>		UEPFR	UECF2	25.35 50.46				-	<b> </b>			-	-	+
	2-Wire Voice Grade Loop (SL2) - Zone 3															

Version 3Q02: 10/07/02 Page 204 of 425

ONRONDI	LED NETWORK ELEMENTS - Louisiana												Attachment:			bit: B
CATEGORY	/ RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93				15.20				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93				15.20				
	2-Wire voice unbundled port outgoing only - res		1	UEPFR	UEPRO	1.52	104.41	67.93				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing					. =0						4= 00				
	parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	-	1	UEPFR	UEPAS	1.52	104.41	67.93				15.20			-	
	(RUL)			UEPFR	UEPAG	1.52	104.41	67.93				15.20				
	2-Wire voice unbundles res, low usage line port with Caller ID	-	-	UEFFK	UEPAG	1.52	104.41	67.93				15.20				
	(LUM)			UEPFR	UEPAP	1.52	104.41	67.93				15.20				
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan	-		OLITIK	OL174	1.02	104.41	07.00				10.20				
	without Caller ID			UEPFR	UEPWG	1.52	104.41	67.93				15.20				
INT	EROFFICE TRANSPORT			02	020			07.00				10.20				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	,														
	or Fraction Mile			UEPFR	1L5XX	0.013										
FEA	ATURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81				15.20				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81				15.20				
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	PORT (	BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-W	ire Voice Grade Line Port (Bus)		1													
	2-Wire voice unbundled port without Caller ID - bus		1	UEPFB	UEPBL	1.52	104.41	67.93				15.20				
	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPFB	UEPBC	1.52	104.41	67.93				15.20				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93				15.20				
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEDED	LIEDANA											
	parity port with Caller ID - bus	-	1	UEPFB	UEPAW					-						
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93				15.20				
		-	1	UEPFB	UEPB1	1.52	104.41	67.93		-		15.20				
	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Louisiana Bus Area Calling Port with	-	1	UEPFB	UEPBI	1.52	104.41	67.93		-		15.20				
	Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93				15.20				
	2-Wire Voice Unbundled Louisiana Business Dialing Plan	-	-	UEPFB	UEPAA	1.52	104.41	67.93				15.20				
	without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93				15.20				
100	CAL NUMBER PORTABILITY	+	1	OLFID	OLFWII	1.52	104.41	67.93	1	<b>+</b>	<b> </b>	15.20		1	<del> </del>	-
1-00	Local Number Portability (1 per port)	+	+	UEPFB	LNPCX	0.35			<del> </del>	<del>                                     </del>	1			<del> </del>	<del>                                     </del>	
INT	EROFFICE TRANSPORT	+	+	02110	L111 OX	0.55			<del>                                     </del>	<del>                                     </del>	1			<del>                                     </del>	<del>                                     </del>	
11.411	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	<del>                                     </del>	<b>†</b>						<b>-</b>				<b> </b>	<b>I</b>	t
	Termination			UEPFB	U1TV2	22.60	39.36	26.62		I		15.20		1	I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		+	52.15	311172	22.00	00.00	20.02		-		10.20			<b>-</b>	
	or Fraction Mile			UEPFB	1L5XX	0.013				I				1	I	
FFA	ATURES	1		T		5.5.5			1	<u> </u>				1	1	
	All Features Offered	1	1	UEPFB	UEPVF	0.00	0.00	0.00	1	t		15.20		1	t	
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	1		5.50	0.00	3.30	Ì	1		.0.20		İ	1	
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	1					1	t				1	t	
	Combination - Conversion - Switch-as-is	1	1	UEPFB	USAC2		8.24	1.81		1		15.20		1	1	

Version 3Q02: 10/07/02 Page 205 of 425

ONBONDE	ED NETWORK ELEMENTS - Louisiana			1	, ,						12		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
	OMES I was I De Frank I IO Town and I OMES I 've Dad						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81				15.20				
2-1/1	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		0.24	1.01				15.20				+
	Port/Loop Combination Rates															+
ONE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	16.45										+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			26.87										+
-+	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			51.98										+
LINE	Loop Rates		3		+	31.90										+
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93										+
-+	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35										+
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										+
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)		Ŭ	OLITT	02012	00.40										+
<del></del>					+									-		+
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l		UEPFP	UEPPC	1.52	132.47	82.14				15.20		1		1
-+	Line Side Unbundled Outward PBX Trunk Port - Bus	1	t	UEPFP	UEPPO	1.52	132.47	82.14				15.20		t		<del>                                     </del>
<del>-   -</del>	Line Side Unbundled Incoming PBX Trunk Port - Bus	l	t	UEPFP	UEPP1	1.52	132.47	82.14				15.20		1		1
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana															1
	Calling Port			UEPFP	UEPL2	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14				15.20				1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14				15.20				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						-									1
	Capable Port			UEPFP	UEPXE	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
	Calling Port			UEPFP	UEPXK	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local															
	Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14				15.20				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.20				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l														
	Termination			UEPFP	U1TV2	22.60	39.36	26.62				15.20				1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1												_		
	or Fraction Mile			UEPFP	1L5XX	0.013										
FEAT	TURES						, and the second									1
	All Features Offered		<u> </u>	UEPFP	UEPVF	0.00	0.00	0.00			<u> </u>	15.20		ļ		↓
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	<u> </u>											ļ		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l										,		1		
$\longrightarrow$	Combination - Conversion - Switch-as-is		<u> </u>	UEPFP	USAC2		8.24	1.81				15.20		<b>.</b>		<b></b>
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	l										,		I		1
	Combination - Conversion - Switch with change	<u> </u>	<u> </u>	UEPFP	USACC		8.24	1.81				15.20		-	ļ	<del></del>
	PORT/LOOP COMBINATIONS - COST BASED RATES	<u> </u>	<u> </u>		1									-		+
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PURI	<u> </u>		1									-		+
UNE	Port/Loop Combination Rates	<b> </b>	-	1		22.20			1	1				<b>!</b>	ļ.	+
$\longrightarrow$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1	1	1		23.20			1	1	1			<del>                                     </del>	1	<del></del>
+-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	1	2	1		33.62			1	1	1			<del>                                     </del>	1	<del></del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Loop Rates	-	3			58.73								<del>                                     </del>		<del>                                     </del>
TIBLE	LOOD RAIRS	ı	1						1	1	1			<u> </u>	1	1
UNE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				

Version 3Q02: 10/07/02 Page 206 of 425

DNRONDE	D NETWORK ELEMENTS - Louisiana													Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46						15.20				<del>                                     </del>
UNE	Port Rate   Exchange Ports - 2-Wire DID Port		1	UEPPX		UEPD1	8.27	217.95	83.92				15.20				<del>                                     </del>
NONE	ECURRING CHARGES - CURRENTLY COMBINED			UEPFX		UEPUI	0.21	217.95	03.92				15.20				+
INCINI	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is  2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX		USAC1		7.10	1.81				15.20				
	with BellSouth Allowable Changes			UEPPX		USA1C		7.10	1.81				15.20				
ADDI	TIONAL NRCs			OLFFX		USAIC		7.10	1.01				13.20				-
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.01	26.01				15.20				<del> </del>
Telen	hone Number/Trunk Group Establisment Charges	<u> </u>		J=. 1 /		30, 101		20.01	20.01	1			10.20			1	
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00	İ	l		15.20		İ		1
	Additional DID Numbers for each Group of 20 DID Numbers	1		UEPPX		ND4	0.00	0.00	0.00				15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers	<u> </u>		UEPPX		NDV	0.00	0.00	0.00				15.20				<u> </u>
LOCA	L NUMBER PORTABILITY			ļ													
	Local Number Portability (1 per port)		<u> </u>	UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	PORI	<u> </u>													
UNE	Port/Loop Combination Rates		1			-											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	1	27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		70.99										
UNE L	oop Rates			OLITB	OLITIK		70.00										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
			2														
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	31.95 62.60						15.20 15.20				
LINE	Port Rate		3	UEFFB	UEFFR	USLZA	02.00						15.20				-
ONL	Exchange Port - 2-Wire ISDN Line Side Port			LIEPPR	UEPPR	UEPPB	8.39	184.10	128.42				15.20				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02	OL:	02	0.00	.00	.202				10.20				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			HEDDR	UEPPR	USACB	0.00	37.40	26.23				15.20				
ADDIT	TIONAL NRCs			OLITB	OLITIK	CONOD	0.00	07.40	20.20				10.20				
	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:								•								
	CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	ļ						ļ	ļ
	CVS (EWSD)	ļ	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								ļ
D C''	CSD	C MC ^	TNI	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								<b></b>
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	∪,IVIS, 8 T	IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	ļ						<del>                                     </del>	<del>                                     </del>
	CVS (EWSD)	1	<del>                                     </del>	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00	1	1				1	1	1
	CSD	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								<del>                                     </del>
USER	TERMINAL PROFILE	1		1 5		1	3.50	5.50	3.30	1						1	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES															<u> </u>	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	_			15.20	_			
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00				15.20				
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE F	Port/Loop Combination Rates								· · · · · · · · · · · · · · · · · · ·								
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			180.52										

Version 3Q02: 10/07/02 Page 207 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect	001150	0011411		Rates(\$)	001111	001441
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2		2	UEPPP		289.78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF		209.70										
	Zone 3		3	UEPPP		586.76										
UNE L	oop Rates		_		1											
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
UNE P	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	94.82	443.08	251.60				15.20				
NONRI	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	115.63	76.29				15.20				
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	l		]												1
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18				15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		22.35	22.35				15.20				
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)			LIEDDD	DD741/	0.00	0.00	0.00								
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data Inward Data			UEPPP UEPPP	PR71D PR71E	0.00	0.00	0.00								
Now o	r Additional "B" Channel		-	UEPPP	PR/IE	0.00	0.00	0.00			-					ļ
New o	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
	New or Additional - Digital Data B Channel		-	UEPPP	PR7BF	0.00	14.11				-	15.20				
-	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CALL	TYPES			OLFFF	FRIDD	0.00	14.11					13.20				
OALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00			+					
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00			+					
Interof	ffice Channel Mileage			02		0.00	0.00	0.00								
interes	Fixed Each Including First Mile			UEPPP	1LN1A	70.7352	86.69	79.44				15.20				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
4-WIRI	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	1	154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	1	263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
UNE L	oop Rates	<u></u>														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94	, in the second second	·				15.20				
UNE P	ort Rate						Ì									
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68.47	441.34	245.90				15.20				
NONRI	ECURRING CHARGES - CURRENTLY COMBINED	ļ		ļ												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		l	1											
	- Switch-as-is	ļ		UEPDC	USAC4		125.75	65.08			ļ	15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1		LIEBBO								4= 00				1
	- Conversion with DS1 Changes	<u> </u>		UEPDC	USAWA		125.75	65.08		ļ	1	15.20		1	1	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l		LIEBBO	LICAVAD		405.75	05.00				45.00				
ADDIT	- Conversion with Change - Trunk	<del>                                     </del>	-	UEPDC	USAWB		125.75	65.08		1		15.20		-	-	<b> </b>
AUUII	IONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	<u> </u>		-	+						+					<del>                                     </del>
	Subsequent Channel Activation/Chan - 2-Way Trunk	l		UEPDC	UDTTA		14.06	14.06				15.20				

	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			LIEDDO	LIDTTO		44.00	1100				45.00				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	-	14.06	14.06				15.20				4
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		14.06	14.06				15.20				+
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
	AR 8 ZERO SUBSTITUTION			OLI DO	OBITE		14.00	14.00				10.20				†
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				<b>†</b>
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				1
Alterna	ite Mark Inversion															1
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								1
1	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges															1
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				<u> </u>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				—
	Reserve DID Numbers	B''-		UEPDC	NDV	0.00	0.00	0.00				15.20				
	ted DS1 (Interoffice Channel Mileage) - FX/FC0 for 4-Wire DS1 Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	With 4-Wire DDITS	Trunk Port	-										+
				LIEDDO	41.004	70.47	00.00	70.44				45.00				
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				+
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	ILIVOA	0.2032	0.00	0.00								+
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25					0.00										†
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	·															1
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act			<u> </u>												
	ystem can have up to 24 combinations of rates depending on	type a	nd nun	ber of ports used												
	S1 Loop			LIEDMO	1101.00	05.70	0.00	0.00				45.00				4
	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		1	UEPMG UEPMG	USLDC	85.70 194.96	0.00	0.00				15.20 15.20				4
	4-Wire DS1 Loop - UNE Zone 2		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
	SO Channelization Capacities (D4 Channel Bank Configuration	ne)	3	ULFIVIG	USLDC	431.34	0.00	0.00				13.20				+
	24 DSO Channel Capacity - 1 per DS1	113)		UEPMG	VUM24	97.35	0.00	0.00				15.20				+
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				+
	96 DSO Channel Capacity -1 per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20			<b>-</b>	+
	144 DS0 Channel Capacity - 1 per 6 DS1s		1	UEPMG	VUM14	584.10	0.00	0.00				15.20			1	<b>†</b>
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				1
	240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM20	973.50	0.00	0.00				15.20				T
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00		-		15.20				
																_
	672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				

Version 3Q02: 10/07/02 Page 209 of 425

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	NRC - Conversion (Currently Combined) with or without	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				
Svst	em Additions at End User Locations Where 4-Wire DS1 Loop wi	ith Char	nelizat					0.12				10.20				
	(Not Currently Combined) in all states, except in Density Zone				1										1	
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1														
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	715.54	467.54				15.20				
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20				
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20				
Alter	rnate Mark Inversion (AMI) Superframe Format	<b> </b>	<u> </u>	UEPMG	MCOSF	0.00	0.00	0.00			}			1	<b>!</b>	1
	Extended Superframe Format	+	<del>                                     </del>	UEPMG	MCOSF	0.00	0.00	0.00			-				<del></del>	<b>†</b>
Evel	nange Ports Associated with 4-Wire DS1 Loop with Channelizati	ion with	Port	UEPIVIG	IVICOPO	0.00	0.00	0.00							-	
	nange Ports Associated with 4-wire DST Loop with Chaimenzati	T WILL	Tort	<u> </u>	+				<del>                                     </del>		<b> </b>				<del>                                     </del>	+
LAGI	ining . v. u	1	<b>1</b>	1	1						1				<b>†</b>	1
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				
Feat	ure Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
Tele	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.20				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
1.00	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.20				
Loca	l Number Portability Local Number Portability - 1 per port	-		UEPPX	LNPCP	3.15	0.00	0.00							-	
EE A	TURES - Vertical and Optional	<u> </u>		UEPPX	LNPCP	3.15	0.00	0.00								
Loca	al Switching Features Offered with Line Side Ports Only	1							1		1					
Loca	All Features Available	-		UEPPX	UEPVF	0.00	0.00	0.00				15.20				
UNBUNDLE	D PORT LOOP COMBINATIONS - MARKET RATES			02.17	02	0.00	0.00	0.00				10.20				
	tet Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.							1	
This	includes:															<u> </u>
	undled port/loop combinations that are Currently Combined or															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd															
	South currently is developing the billing capability to mechanic								ng charges for i	not currently o	combined in	FL and NC	. In the interi	m where Bell	South cannot	t bill Market
	s, BellSouth shall bill the rates in the Cost-Based section prece				nd reserves th	e right to true-	up the billing o	difference.			1	1		1		1
	Market Rate for unbundled ports includes all available features				1						<u> </u>			L	L	
	Office and Tandem Switching Usage and Common Transport U	sage rat	es in t	ne Port section of the	nis rate exhib	it snall apply to	an combination	ons of loop/po	rt network elen	nents except	tor UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	sage charge
	DC: URECU). Not Currently Combined scenarios the Nonrecurring charges ar	a liatari	in di '	Firet and Addition -	NDC calus	o for oost Dest	HEAC For A	urronally Comit	ined security:	the Newses	ring of	o oro lists i	in the NDC 1	Currently C.	nhinad'	n
		e iisted	ın the l	rirst and Additional	NKC column	s for each Port	USUC. For Co	irrently Combi	mea scenarios,	tne nonrecur	ring charge	s are fisted	in the NRC - (	Jurrently Con	noinea sectio	n.
	itional NRCs may apply also and are categorized accordingly.  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1		1	ı ı	1		ı		1			1		
	Port/Loop Combination Rates	+	<del>                                     </del>	<del> </del>	+						-				<del></del>	<b>†</b>
UNE	2-Wire VG Loop/Port Combo - Zone 1	+	1	<del> </del>	+	25.77			<del> </del>		1			1	t	1
	2-Wire VG Loop/Port Combo - Zone 2	+	2	<del> </del>	+	36.39			<del> </del>		1			1	t	1
				1					-		<del>                                     </del>			<b> </b>	-	<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		.3			62.26										
UNF	2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
UNE	Loop Rates		1	UEPRX	UEPLX											
UNE				UEPRX UEPRX	UEPLX UEPLX	11.77 22.39										

Version 3Q02: 10/07/02 Page 210 of 425

UNBUNDLED NE	TWORK ELEMENTS - Louisiana					·							Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
						Rec	Nonred			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Grade Line Port (Res)			UEBBY .								4= 00				
	ire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				15.20				
	ire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00	90.00 90.00				15.20				
	re voice unbundled port outgoing only - res ire voice Grade unbundled Louisiana extended local dialing			UEPKX	UEPRU	14.00	90.00	90.00			-	15.20				
	y port with Caller ID - res			UEPRX	UEPAS	14.00	90.00	90.00				15.20				
	ire voice unbundled Louisiana Area Plus with Caller ID - res			OLFKA	ULFAS	14.00	90.00	90.00			+	13.20				
(RUL				UEPRX	UEPAG	14.00	90.00	90.00				15.20				
	ire voice unbundled Louisiana Area Plus with Caller ID - res			OLI TOC	OLI AG	14.00	30.00	50.00				10.20				
(AC7				UEPRX	UEPAH	14.00	90.00	90.00				15.20				
	ire voice unbundles res, low usage line port with Caller ID			02.100	02.7	1 1.00	00.00	00.00				10.20				İ
(LUN				UEPRX	UEPAP	14.00	90.00	90.00				15.20				
2-Wii	ire voice unbundled Low Usage Line Port without Caller ID															
Capa	ability			UEPRX	UEPRT	14.00	90.00	90.00				15.20				
2-Wir	ire voice unbundled Louisiana Area Plus Port without Caller															
	apability			UEPRX	UEPRQ	14.00	90.00	90.00				15.20				
	MBER PORTABILITY															
	al Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATURES																
	eatures Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
NONRECURI	RING CHARGES - CURRENTLY COMBINED															
												4= 00				
	ire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				15.20				
	ire Voice Grade Loop / Line Port Combination - Switch with			LIEDDY	110400		44.50	44.50				45.00				
ADDITIONAL				UEPRX	USACC		41.50	41.50				15.20				
	C - 2-Wire Voice Grade Loop/Line Port Combination -				-					-	-					ļ
	sequent			UEPRX	USAS2		0.00	0.00				15.20				
	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLFKA	U3A32		0.00	0.00			1	13.20				
	pop Combination Rates										1					
	ire VG Loop/Port Combo - Zone 1		1			25.77					1					
	ire VG Loop/Port Combo - Zone 2		2			36.39										
	ire VG Loop/Port Combo - Zone 3		3			62.26										
UNE Loop R	Rates															
2-Wir	ire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
2-Wir	ire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
	ire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
	e Grade Line Port (Bus)															
	ire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.20				
	ire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.20				
	ire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				15.20				
	ire voice Grade unbundled Louisiana extended local dialing															
	y port with Caller ID - bus			UEPBX	UEPAX	14.00	90.00	90.00				15.20				
	ire voice unbundled Louisiana Bus Area Calling Port with															
	er ID (BUC)			UEPBX	UEPAA	14.00	90.00	90.00				15.20				
	ire voice unbundled Incoming Only Port without Caller ID			UEPBX	UEPBE	14.00	90.00	90.00		1		15.20				
	ability ire Voice Unbundled Louisiana Business Dialing Plan		-	UEFBA	UEFBE	14.00	90.00	90.00		<del>                                     </del>	<del>                                     </del>	15.20			-	<del>                                     </del>
	out Caller ID			UEPBX	UEPWH	14.00	90.00	90.00				15.20				
	ire voice unbundled Louisiana Business Area Calling Port	-		OLFDA	OLF WIT	14.00	90.00	90.00		<b>+</b>	1	15.20			1	1
	out Caller ID Capability			UEPBX	UEPBA	14.00	90.00	90.00		I		15.20			1	1
	MBER PORTABILITY		-	OLI DA	JLI DA	14.00	30.00	30.00		-	<del>                                     </del>	10.20				1
	Number Portability (1 per port)			UEPBX	LNPCX	0.35				<b>-</b>	<del>                                     </del>					
	RING CHARGES - CURRENTLY COMBINED					5.55				<u> </u>					1	
										1					İ	
2-Wii	ire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50		I		15.20			1	
2-Wii	ire Voice Grade Loop / Line Port Combination - Switch with															
chan				UEPBX	USACC		41.50	41.50		I		15.20			l	
ADDITIONAL																

Version 3Q02: 10/07/02 Page 211 of 425

ONRONE	ULEL	NETWORK ELEMENTS - Louisiana		1								12		Attachment:			bit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec			g Disconnect				Rates(\$)		
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Subsequent			UEPBX	USAS2		0.00	0.00				15.20				
2-\		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 5%	00/102		0.00	0.00				10.20				
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
UN		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPRG	UEPLX	48.26				<b> </b>				ļ	-	
2-\		Voice Grade Line Port Rates (RES - PBX)		<u> </u>	1					-	1				1	1	
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res	l	1	LIEDDC	UEPRD	14.00	90.00	90.00				15.20		1	I	
1.0		NUMBER PORTABILITY	-	1	UEPRG	JEPKD	14.00	90.00	90.00				15.20			+	
LC		Local Number Portability (1 per port)	<del>                                     </del>		UEPRG	LNPCP	3.15				1	1			1	t	
NC	ONRE	CURRING CHARGES - CURRENTLY COMBINED	<b>-</b>		OLI INO	LIVI OF	3.13				<u> </u>	<del>                                     </del>			<del>                                     </del>	t	
140		STATE OF THE OUT OUT OF THE OUT OF THE OUT OF THE OUT OUT OF THE OUT OF THE OUT OUT OUT OUT OUT OUT OUT OUT OUT OUT	<b>-</b>		+						<u> </u>	<del>                                     </del>			<del>                                     </del>	t	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				15.20				
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
		Change			UEPRG	USACC		41.50	41.50				15.20				
AD		ONAL NRCs									İ					1	
		2 Wire Loop/Line Side Port Combination - Non feature -									İ					1	
l		Subsequent Activity- Nonrecurring	<u></u>	L	<u> </u>			0.00	0.00		<u>                                     </u>	<u></u>	15.20		<u> </u>	<u> </u>	<u> </u>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64				15.20				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)							-								
UN		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1	ļ	1	1		25.77				ļ				ļ	ļ	
		2-Wire VG Loop/Port Combo - Zone 2	ļ	2	<b>_</b>		36.39				ļ	1					
ļ		2-Wire VG Loop/Port Combo - Zone 3		3	1		62.26									1	
UN		op Rates		4	HEDDY	LIEDLY	44 77									1	
		2-Wire Voice Grade Loop (SL1) - Zone 1	l	1	UEPPX UEPPX	UEPLX	11.77								<b> </b>	<del>                                     </del>	
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<b>!</b>	3	UEPPX	UEPLX	22.39 48.26				-	<del>                                     </del>			-	<del></del>	
21		Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (BUS - PBX)	1	3	UEFFA	UEPLA	48.26				1	}			1	<del> </del>	<del>                                     </del>
2-1	·viie \	Voice Grade Line Fort Nates (DUS - FDA)	<del>                                     </del>		1						1	1			1	t	
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	l	1	UEPPX	UEPPC	14.00	90.00	90.00				15.20		1	I	
		Line Side Unbundled Outward PBX Trunk Port - Bus	<b>-</b>		UEPPX	UEPPO	14.00	90.00	90.00		<u> </u>	<del>                                     </del>	15.20		<del>                                     </del>	t	
		Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	14.00	90.00	90.00		1		15.20		1	1	
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			1			55.56	22.30		1		70.20		İ	1	
		Calling Port	l	1	UEPPX	UEPL2	14.00						15.20		1	I	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00		<u> </u>		15.20		<u> </u>		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.20	_			
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.20				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			l											1	
		Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				15.20			1	
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	l										,			1	
		Calling Port	ļ	1	UEPPX	UEPXK	14.00	90.00	90.00				15.20			-	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l	1	HEDDY	LIEDVI	44.00	00.00	00.00				45.00		1	I	
		Administrative Calling Port	<b> </b>	<del>                                     </del>	UEPPX	UEPXL	14.00	90.00	90.00		<b> </b>		15.20		<b> </b>	<b>!</b>	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	l	1	UEPPX	UEPXM	14.00	90.00	90.00				45.00		1	I	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b>!</b>	<del>                                     </del>	UEPPA	UEPXM	14.00	90.00	90.00		-	<del>                                     </del>	15.20		-	<del></del>	
		Discount Room Calling Port	l	1	UEPPX	UEPXO	14.00	90.00	90.00				15.20		1	I	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1	1	OLFFA	OLFAU	14.00	90.00	90.00		1	}	15.20		1	<del> </del>	<del>                                     </del>
		Discount Calling Port	l	1	UEPPX	UEPXP	14.00	90.00	90.00				15.20		l	I	

Version 3Q02: 10/07/02 Page 212 of 425

ONRONDE	ED NETWORK ELEMENTS - Louisiana			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			1			_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.20				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NON	IRECURRING CHARGES - CURRENTLY COMBINED				+											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPPX	USAC2		41.50	41.50				15.20				
	Change			UEPPX	USACC		41.50	41.50				15.20				
ADD	ITIONAL NRCs														<u> </u>	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00				15.20				
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00				45.00				
	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	<del>                                     </del>	<del> </del>	+ +		0.00	0.00	<del>                                     </del>		1	15.20			1	<del>                                     </del>
	Group						14.64	14.64				15.20				
2-WI	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT			+		14.04	14.04				10.20				
	Port/Loop Combination Rates	Ī .			1				İ							Ì
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			25.77										1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			36.39										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			62.26										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
2-WI	ire Voice Grade Line Port Rates (Coin)  2-Wire Coin 2-Way without Operator Screening and without	1			+				-							+
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00				15.20				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLI IXI	14.00	30.00	30.00	1			13.20				
	900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.20				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(AL, LA, MS)			UEPCO	UEPRB	14.00	90.00	90.00				15.20				
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14.00	90.00	90.00				15.20				
	2-Wire Coin Outward without Blocking and without Operator			UEPCO	UEPRN	14.00	90.00	90.00				45.00				
	Screening (KY, LA, MS)  2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPRIN	14.00	90.00	90.00	-			15.20				
	(LA)	Ί.	1	UEPCO	UEPLA	14.00	90.00	90.00	1			15.20				
	2-Wire Coin Outward with Operator Screening and Blocking:	1	<u> </u>		1		55.56	55.50	†			70.20			1	1
	011, 900/976, 1+DDD (AL, KY, LA, MS)	1	1	UEPCO	UEPRH	14.00	90.00	90.00	j			15.20			1	
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00				15.20				
LOC	AL NUMBER PORTABILITY				1										ļ	<u> </u>
lue	Local Number Portability (1 per port)	-	<u> </u>	UEPCO	LNPCX	0.35									<b> </b>	<del>                                     </del>
NON	IRECURRING CHARGES - CURRENTLY COMBINED	1	<b>!</b>	<del>                                     </del>	+				<del>                                     </del>		-					<del>                                     </del>
_	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPCO	USAC2		41.50	41.50				15.20				
	Change	1		UEPCO	USACC		41.50	41.50				15.20				
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				15.20				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE	PORT (	RES)												
UNE	Port/Loop Combination Rates	ļ							ļl						ļ	ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<u> </u>	1		+	28.93			ļ						ļ	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3	1	+ +	39.35 64.46										<b></b>
1	Loop Rates	1	J			04.46			1		1					1

Version 3Q02: 10/07/02 Page 213 of 425

JNBUNDLED NETWORK ELEMENTS	S - Louisiana		<u> </u>									Attachment:	2	Exhi	bit: B
	ELEMENTS Interi	ri Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge Manual S Order ve Electron Disc Add
					Rec	Nonrec			g Disconnect				Rates(\$)		
0.145 1/2 0 1 - 1 (01.6	2) 71	1	LIEDED	LIEGEO	44.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
2-Wire Voice Grade Loop (SL2			UEPFR UEPFR	UECF2	14.93				-	-					
2-Wire Voice Grade Loop (SL2 2-Wire Voice Grade Loop (SL2		3	UEPFR	UECF2 UECF2	25.35 50.46										
2-Wire Voice Grade Loop (SL2		3	UEFFR	UECF2	30.46										
2-Wire voice unbundled port -	(,	-	UEPFR	UEPRL	14.00	135.00	90.00			1	15.20				
2-Wire voice unbundled port v			UEPFR	UEPRC	14.00	135.00	90.00			1	15.20				
2-Wire voice unbundled port of		-	UEPFR	UEPRO	14.00	135.00	90.00				15.20				
	d Louisiana extended local dialing	-	OLITIK	OLITIO	14.00	100.00	50.00				10.20				
parity port with Caller ID - res	a zouloiana oktorraca rocar araning		UEPFR	UEPAS	14.00	135.00	90.00				15.20				
	iana Area Plus with Caller ID - res														
(RUL)			UEPFR	UEPAG	14.00	135.00	90.00				15.20				
2-Wire voice unbundles res, lo	ow usage line port with Caller ID														
(LUM)			UEPFR	UEPAP	14.00	135.00	90.00				15.20				
2-Wire Voice Unbundled Louis	siana Residence Dialing Plan														
without Caller ID	_		UEPFR	UEPWG	14.00	135.00	90.00				15.20				
INTEROFFICE TRANSPORT															
Interoffice Transport - Dedicate	ed - 2 Wire Voice Grade - Facility														
Termination	•		UEPFR	U1TV2	22.60	39.36	26.62				15.20				
Interoffice Transport - Dedicate	ed - 2 Wire Voice Grade - Per Mile														
or Fraction Mile			UEPFR	1L5XX	0.013										
FEATURES															
All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.20				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 pe			UEPFR	LNPCX	0.35										
NONRECURRING CHARGES (NRCs)															
2-Wire Loop / Dedicated IO Tr															
Combination - Conversion - Sv			UEPFR	USAC2		8.24	1.81				15.20				
2-Wire Loop / Dedicated IO Tr											4= 00				
Combination - Conversion - Sv			UEPFR	USACC		8.24	1.81				15.20				
	GRADE IO TRANSPORT/ 2-WIRE LINE	PORT	(BUS)												
UNE Port/Loop Combination Rates	20100010 7001				00.00										
2-Wire VG Loop/IO Tranport/P		1			28.93										
2-Wire VG Loop/IO Tranport/P 2-Wire VG Loop/IO Tranport/P		2			39.35 64.46										
UNE Loop Rates	FOIT COMBO - ZONE 3	3			04.40										
2-Wire Voice Grade Loop (SL2	2) Zono 1	1	UEPFB	UECF2	14.93										
2-Wire Voice Grade Loop (SL2		2	UEPFB	UECF2	25.35					-					
2-Wire Voice Grade Loop (SL2		3	UEPFB	UECF2	50.46					-					
2-Wire Voice Grade Loop (SL2	z) - Zorie 3	3	UEFFB	UECF2	30.46					-					
2-Wire voice unbundled port v	without Caller ID hus	-	UEPFB	UEPBL	14.00	135.00	90.00			1	15.20				
2-Wire voice unbundled port v		-	UEPFB	UEPBC	14.00	135.00	90.00			1	15.20				
2-Wire voice unbundled port of		-	UEPFB	UEPBO	14.00	135.00	90.00			1	15.20				
	d Alabama extended local dialing	-	OLFIB	OLFBO	14.00	133.00	90.00			1	13.20				
parity port with Caller ID - bus			UEPFB	UEPAW											
	d Louisiana extended local dialing		OLITB	OLI AVV						1					
parity port with Caller ID - bus			UEPFB	UEPAX	14.00	135.00	90.00				15.20				
	ning only port with Caller ID - Bus		UEPFB	UEPB1	14.00	135.00	90.00			1	15.20				
	iana Bus Area Calling Port with		02.15	02. 5.	1 1100	.00.00	00.00			1	10.20				
Caller ID (BUC)	22.22.22.31.31.		UEPFB	UEPAA	14.00	135.00	90.00		I		15.20			1	
2-Wire Voice Unbundled Louis	siana Business Dialing Plan		İ		20		22.30		1					İ	
without Caller ID	3		UEPFB	UEPWH	14.00	135.00	90.00		I		15.20			Ì	
LOCAL NUMBER PORTABILITY			1												
Local Number Portability (1 pe	er port)		UEPFB	LNPCX	0.35				1	1					1
INTEROFFICE TRANSPORT															
Interoffice Transport - Dedicate	ed - 2 Wire Voice Grade - Facility														
Termination	Ť		UEPFB	U1TV2	22.60	39.36	26.62		<u> </u>	<u> </u>	15.20			<u></u>	<u></u>
Interoffice Transport - Dedicate	ed - 2 Wire Voice Grade - Per Mile														
or Fraction Mile			UEPFB	1L5XX	0.013				1	1				Ì	1
FEATURES															

Version 3Q02: 10/07/02 Page 214 of 425

ONDONDL	LED NETWORK ELEMENTS - Louisiana	1	1								O	06	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_	Nonrec	urring	Nonrecurring Dis	sconnect			oss	Rates(\$)	l	
						Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.20				
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81				15.20				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81				15.20				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			28.93										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<u> </u>	2			39.35										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			64.46										-
UNE	Loop Rates		-	HEDED	LIECEO	11.00										-
	2-Wire Voice Grade Loop (SL2) - Zone 1	<del>                                     </del>	1	UEPFP UEPFP	UECF2 UECF2	14.93 25.35			<del>                                     </del>					-	1	+
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46										+
2 14/	ire Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	50.46										+
2-001	ile Voice Grade Lille Port Rates (BOS - PBA)		1		-											+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	132.47	82.14				15.20				
	Line Side Unbundled Combination 2-Way PBA Trunk Port - Bus			UEPFP	UEPPO	14.00	132.47	82.14				15.20				+
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	132.47	82.14				15.20				+
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			UEFFF	UEPFI	14.00	132.47	02.14	-			15.20				+
	Calling Port			UEPFP	UEPL2	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	132.47	82.14				15.20				+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPFP	UEPXA	14.00	132.47	82.14				15.20				+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	132.47	82.14				15.20				+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	14.00	132.47	82.14	<del>                                     </del>			15.20				+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	OLITI	OLI AD	14.00	132.47	02.14	<del>                                     </del>			13.20				+
	Capable Port			UEPFP	UEPXE	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional		1	OLITI	OLI XL	14.00	132.47	02.14	<del>                                     </del>			13.20				+
	Calling Port			UEPFP	UEPXK	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AIX	14.00	102.47	02.14				10.20				<del>                                     </del>
	Administrative Calling Port			UEPFP	UEPXL	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	OL: XL		102.11	02				10.20				+
	Room Calling Port			UEPFP	UEPXM	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital						.,,,,									_
	Discount Room Calling Port			UEPFP	UEPXO	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local						-									1
	Discount Calling Port			UEPFP	UEPXP	14.00	132.47	82.14				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	132.47	82.14				15.20				1
LOC	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.20				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.013										
FEA	TURES															
	All Features Offered	<u> </u>		UEPFP	UEPVF	0.00	0.00	0.00	ļ			15.20				<b></b>
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	<u> </u>	1					<b></b>							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1						]							I
	Combination - Conversion - Switch-as-is	ļ	<u> </u>	UEPFP	USAC2		8.24	1.81				15.20			ļ	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110466							4= 00				
INDIE::::	Combination - Conversion - Switch with change	<u> </u>	<u> </u>	UEPFP	USACC		8.24	1.81				15.20				<del></del>
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES	DOST	<u> </u>	1												₩
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PUKI	1		+											<del>                                     </del>
IUNE	Port/Loop Combination Rates	<u> </u>	1			50.93									ļ	<del></del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1															

Version 3Q02: 10/07/02 Page 215 of 425

ONRONDI	LΕD	NETWORK ELEMENTS - Louisiana											1-		Attachment:			bit: B
CATEGORY	r	RATE ELEMENTS	Interi m	Zone		BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Rec	Nonrec			g Disconnect				Rates(\$)		
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				86.46										
UNE		pp Rates		L.,	LIEDDY.		115054	44.00						4.5.00				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93						15.20				
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1 UECD1	25.35 50.46					1	15.20			-	
LINE		t Rate		3	UEPPX		UECDI	50.46					+	15.20			-	-
ONL		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	36.00	600.00	45.00			1	15.20				
NON		CURRING CHARGES - CURRENTLY COMBINED			OLITA		OLI DI	30.00	000.00	45.00			1	13.20				
1101		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -					+											
		Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		100.00	42.50				15.20				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OL. IX		00/101		100.00	12.00				10.20				
1		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50			1	15.20			1	
ADD		NAL NRCs											1					
	2	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		45.00	45.00				15.20				
Tele		ne Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.20				
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.20				
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00				15.20				
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.20				
LOC		NUMBER PORTABILITY																
		ocal Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		SDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR	T													
UNE		t/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	LIEDDD	HEDDO		04.00										
		JNE Zone 1 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB	UEPPR		84.09					-					
		JNE Zone 2		2	UEPPB	UEPPR		96.95										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEFFB	UEPPK		90.95					+				-	-
		JNE Zone 3		3	UEPPB	UEPPR		127.60										
LINE		op Rates			OLITB	OLITIK	+	127.00										
0.41		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				
		THIS ISSIT BIGING CIAGO ESOP SITE ESITS I		<u> </u>	02	OLITIK	OOLLA	10.00						.0.20				<del>                                     </del>
	2	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				
UNE		t Rate																
	E	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
NON	NREC	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
		Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				
		NAL NRCs																
LOC		NUMBER PORTABILITY																
		ocal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CI		NEL USER PROFILE ACCESS:	ļ		ļ		<u> </u>										1	
		CVS/CSD (DMS/5ESS)	ļ	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								ļ
		CVS (EWSD)	<b> </b>	<u> </u>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			-				1	
- In a		CSD NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC ^	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			-				1	
B-CI			C,IVIS, 8	IN)	UEPPB	UEPPR	HALICD	0.00	0.00	0.00	ļ	<b> </b>	1			<del>                                     </del>	<del>                                     </del>	1
		CVS/CSD (DMS/5ESS) CVS (EWSD)	├	<b>!</b>	UEPPB	UEPPR	U1UCD U1UCE	0.00	0.00	0.00		-	1			-	<del></del>	-
		CSD	<del>                                     </del>	<u> </u>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00	1	1	1			1	<del> </del>	1
Her		ERMINAL PROFILE		1	UEPPB	UEPPK	UTUCF	0.00	0.00	0.00			1					
USE		Jser Terminal Profile (EWSD only)	<del>                                     </del>	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1	1	1			1	<del> </del>	1
VFD		AL FEATURES	<del>                                     </del>		OLITED	OLFFR	O TOWA	0.00	0.00	0.00	1	1	1			1	t	
VEN		All Vertical Features - One per Channel B User Profile	<del>                                     </del>	<u> </u>	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00		<del> </del>	1	15.20		<del>                                     </del>	t	<u> </u>
INT		FFICE CHANNEL MILEAGE	<del>                                     </del>	<u> </u>	OLITED	OLFFR	OLI VI	0.00	0.00	0.00		<del> </del>	1	13.20		<del>                                     </del>	t	<del>                                     </del>
11411		nteroffice Channel mileage each, including first mile and	<b>†</b>		1		+						<u> </u>			<b> </b>	<b>I</b>	<del>                                     </del>
1		acilities termination			UEPPR	UEPPR	M1GNC	22.613	39.36	26.62			1	15.20			1	
		nteroffice Channel mileage each, additional mile	<del>                                     </del>	1			M1GNM	0.013	0.00	0.00	1	-	<del>1</del>	15.20		1	<del>                                     </del>	1

Version 3Q02: 10/07/02 Page 216 of 425

INBUNDLED NETWOR	K ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														
UNE Port/Loop Com																
	al Loop/4W ISDN DS1 Digital Trunk Port - UNE															
Zone 1			1	UEPPP		935.70										
	al Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
Zone 2		<u> </u>	2	UEPPP		1,044.96										
	al Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
Zone 3			3	UEPPP		1,341.94										
UNE Loop Rates																
	rigital Loop - UNE Zone 1		1	UEPPP	USL4P	85.70						15.20				
	rigital Loop - UNE Zone 2	<b>_</b>	2	UEPPP	USL4P	194.96						15.20			-	ļ
	rigital Loop - UNE Zone 3		3	UEPPP	USL4P	491.94						15.20				
UNE Port Rate		ļ		LIEBBB	LIEBE-									ļ	<b>.</b>	ļ
	rts - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	850.00	1,150.00	1,150.00				15.20				
	ARGES - CURRENTLY COMBINED	<b>.</b>														ļ
	ligital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	- Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	950.00	950.00				15.20				
ADDITIONAL NRCs																
	oop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	ay Telephone Numbers (except NC)			UEPPP	PR7TF		0.48					15.20				
	oop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Numbers (All States except NC)			UEPPP	PR7TO		11.18	11.18				15.20				
	oop / 4-Wire ISDN DS1 Digital Trk Port -															
	nward Telephone Numbers			UEPPP	PR7ZT		22.35	22.35				15.20				
LOCAL NUMBER PO																
	r Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provsice	oning Only)															
Voice/Data				UEPPP	PR71V	0.00	0.00	0.00								
Digital Data				UEPPP	PR71D	0.00	0.00	0.00								
Inward Data				UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "I																
	onal - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
	onal - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
	onal Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CALL TYPES																
Inward				UEPPP	PR7C1	0.00	0.00	0.00								
Outward				UEPPP	PR7C0	0.00	0.00	0.00								
Two-way				UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel I																
	cluding First Mile			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
	Fractional Additional Mile			UEPPP	1LN1B	0.2652										
	L LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Com																
	al Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17						15.20				
	al Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43						15.20				
	al Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
UNE Loop Rates																
	ligital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	ligital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
	ligital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
UNE Port Rate																
	Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
	ARGES - CURRENTLY COMBINED															
	ligital Loop / 4-Wire DDITS Trunk Port Combination															
- Switch-As-Is	Top 8 MSAs only	<u></u>		UEPDC	USAC4		125.75	65.08	<u> </u>	<u> </u>	<u></u>	15.20		<u> </u>	<u> </u>	<u> </u>
	igital Loop / 4-Wire DDITS Trunk Port Combination	1							Ì	Ì	I			Ì	I	1
C	with DS1 Changes Top 8 MSAs only	1	1	UEPDC	USAWA		125.75	65.08	1	1	1	15.20		1		1

Version 3Q02: 10/07/02 Page 217 of 425

ONRONDE	ED NETWORK ELEMENTS - Louisiana			1							Γ-		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	BOARS N															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination											4= 00				
400	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				ļ
ADDI	ITIONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLFDC	ODITA		14.00	14.00				13.20				
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLI DO	ODITO		14.00	14.00				13.20				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Chan			02. 50	05.10		1 1100	1 1100				10.20				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIPO	DLAR 8 ZERO SUBSTITUTION															1
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				1
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Alter	nate Mark Inversion															1
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								1
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				Ì
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
	DID Numbers, Establish Trunk Group and Provide First Group															Ì
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.20				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.20				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.20				
	cated DS1 (Interoffice Channel Mileage) -															
FX/F	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	41.1100	0.0050	0.00	0.00								
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	41.000	0.00	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Intereffice Channel Mileson Additional anto accomile OF carille			UEPDC	1LNOC	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point		-	UEPDC	CTG	0.00	0.00	0.00								
4 10/11	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00									-	<del>                                     </del>
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations		-	+				-	-				-	-	<del> </del>
	stem can have various rate combinations based on type and nur			lised	+ +						1				1	<del>                                     </del>
	DS1 Loop	bei Oi	ρυιιο	uosu	+ +					1	1			1	t	<del>                                     </del>
ONE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00		<u> </u>	<del>                                     </del>	15.20		<del>                                     </del>	t	<b>-</b>
<del>-  </del> -	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20			<u> </u>	<del>                                     </del>
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	491.94	0.00	0.00			1	15.20			<b> </b>	<b>-</b>
UNF	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)			55255	101.04	0.00	0.00			1	10.20		<b> </b>	<b>I</b>	
1-11-	24 DSO Channel Capacity - 1 per DS1	-,		UEPMG	VUM24	97.35	0.00	0.00		1		15.20		1	1	<b>†</b>
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00		1		15.20		1	t	
1	96 DSO Channel Capacity -1 per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00		1		15.20		1	1	
<del>                                     </del>	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00	1	1		15.20		<del> </del>	t	t
		i .	1	UEPMG	VUM19	778.80	0.00	0.00	1	1	1	15.20				+

Version 3Q02: 10/07/02 Page 218 of 425

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)		Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnec		001111		Rates(\$)	201141	001111
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	First 0.00	Add'I 0.00	First Add'l	SOMEC	<b>SOMAN</b> 15.20	SOMAN	SOMAN	SOMAN	SOMAN
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00	<del> </del>		15.20				
<del></del>	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00			15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00			15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00			15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00			15.20				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem								
	mum System configuration is One (1) DS1, One (1) D4 Channe														
Multiple	es of this configuration functioning as one are considered Ad	dd'I afte	r the m	inimum system con	figuration is	counted.									
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00			15.20				
System	n Additions Where Currently Combined and New (Not Currently	ly Comb	nined \	UEFING	USAC4	0.00	450.00	50.00	<del> </del>		15.20				
	sity Zone 1 Top 8 MSAs	Iy Collik	Jilleu )												
III Dolla	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	<b>†</b>			1		<b>-</b>							1	
	Fea Activation -			UEPMG	VUMD4	0.00	900.00	600.00			15.20				
Bipolar	r 8 Zero Substitution														
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	605.00			15.20				
	Clear Channel Capability Format - Extended Superframe -			02.10		0.00	0.00	000.00			10.20				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00			15.20				
Alterna	ite Mark Inversion (AMI)														
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port												
Exchan	nge Ports														
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00			15.20				
	Line Side Combination Channelized PBX Trunk Port - Business		-	UEPPX	UEPOX	14.00	0.00	0.00			15.20				
	Line Side Odtward Charmenzed FBX Trunk Fort - Business			OLFFX	OLFOX	14.00	0.00	0.00	<del> </del>		13.20				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00			15.20				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	36.00	0.00	0.00			15.20				
	Activations - Unbundled Loop Concentration														
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	40.00	20.00			15.20				
	Feature (Service) Activation for each Trunk Port Terminated in		1		i										İ
	D4 Bank			UEPPX	1PQWU	0.6497	110.00	30.00			15.20				
Teleph	one Number/ Group Establishment Charges for DID Service														
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00			15.20				
	DID Numbers - groups of 20 - Valid all States		1	UEPPX	ND4	0.00	0.00	0.00		_	15.20				
	Non-Consecutive DID Numbers - per number	<del>                                     </del>	1	UEPPX	ND5	0.00	0.00	0.00			15.20				
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	<del>                                     </del>	<u> </u>	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00		_	15.20 15.20	-		1	-
l ocal h	Number Portability	1	1	OLFFA	IADA	0.00	0.00	0.00			15.20			1	<del>                                     </del>
Local N	Local Number Portability - 1 per port	<del>                                     </del>	t -	UEPPX	LNPCP	3.15	0.00	0.00							
FEATU	RES - Vertical and Optional	<u> </u>				3.10	2.00	2.00							
	Switching Features Offered with Line Side Ports Only													1	
	All Features Available	l		UEPPX	UEPVF	0.00	0.00	0.00			15.20				
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES														
	Based Rates are applied where BellSouth is required by FCC														
	ures shall apply to the Unbundled Port/Loop Combination - C										<u> </u>				
	Office and Tandem Switching Usage and Common Transport									•				L	
	first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly.	urrently	Combi	ined Combos. For	Currently Co	mbined Combo	os, the nonrecu	rring charges	shall be those identified in	the Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
	ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual Ca	se Basis. un	til further notic	e.								
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
Z-Wile			_	· ·	T -	_			· · · · · · · · · · · · · · · · · · ·						
	ort/Loop Combination Rates (Non-Design)			<u>                                     </u>											
	ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design			UEP91		13.13									

Version 3Q02: 10/07/02 Page 219 of 425

NNRONDLE	D NETWORK ELEMENTS - Louisiana			1									Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo					40.00										
	Non-Design		3	UEP91		49.62										
UNE P	ort/Loop Combination Rates (Design)		<u> </u>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDO4		40.00										
	Design		1	UEP91		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDO4		00.74										
	Design		2	UEP91		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
	Design		3	UEP91		48.26										
UNE L	oop Rate		<u> </u>	LIEBA	115001											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.77					1				-	1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	48.26					1				-	1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	50.46										
UNE P			<u> </u>													
All Sta	tes (Except North Carolina and Sout Carolina)		<u> </u>	LIEBA.		4.00						4= 00				
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP91	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local											4= 00				
	Area			UEP91	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		<u> </u>	UEP91	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											4= 00				
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area		<u> </u>	UEP91	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )		<u> </u>	UEP91	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP91	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP91	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDOM	4.00	404.44	07.00				45.00				
	Center)2			UEP91	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											4= 00				
	Term			UEP91	UEPQZ	1.36	104.41	67.93				15.20				
	OWEN VICE On the Bod Constitute of the Constitut			LIEDO4	LIEDOS	4.00	00.05	40.00				45.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP91	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching		<u> </u>	LIEDO4	LIDECO	0.0577			1	1	<b> </b>			1	<del>                                     </del>	<del>                                     </del>
1	Centrex Intercom Funtionality, per port		<del>                                     </del>	UEP91	URECS	0.8577				1	<del> </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
Local	Number Portability		<u> </u>	LIEDO1	LNDCC	0.05			1	1	<b> </b>			1	<del>                                     </del>	<del>                                     </del>
Foster	Local Number Portability (1 per port)		<u> </u>	UEP91	LNPCC	0.35			1	1	<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>
Featur			<u> </u>	LIEDO4	LIED\"	0.00			1	1	<b> </b>			1	<del>                                     </del>	<del>                                     </del>
	All Standard Features Offered, per port		1	UEP91	UEPVE	0.00	440.05					45.00			<del>                                     </del>	1
	All Select Features Offered, per port All Centrex Control Features Offered, per port		-	UEP91 UEP91	UEPVS UEPVC	0.00	412.25		<b> </b>	<b> </b>	1	15.20		-	-	<u> </u>
NADO			<del>                                     </del>	UEP91	UEPVC	0.00				1	<del> </del>			<del>                                     </del>	<del>                                     </del>	<del> </del>
NARS	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00	-	1	<b> </b>	15.20		-	<del>                                     </del>	<u> </u>
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial		1	UEP91	UARCX UAR1X	0.00	0.00	0.00	-	1	<del>                                     </del>	15.20		-	<del>                                     </del>	<u> </u>
-+			-	UEP91	UARTX	0.00	0.00	0.00	<b> </b>	<b> </b>	1	15.20		-	-	+
Migaal	Unbundled Network Access Register - Outdial		1	UEP91	UARUX	0.00	0.00	0.00	-	1	<del>                                     </del>	15.20		-	<del>                                     </del>	<del>                                     </del>
	Ianeous Terminations Trunk Side		<u> </u>		+ +				1	1	<b> </b>			1	<del>                                     </del>	<del>                                     </del>
				1										•	1	1

NRONDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		None	RATES(\$)	N	a Disconnect		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge -
						Rec	Nonred First	arring Add'l	First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Interd	office Channel Mileage - 2-Wire						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
interc	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62			+	15.20				+
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013	00.00	20.02				10.20				+
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 0.		0.010										<del>                                     </del>
	hannel Bank Feature Activations															1
2 . 0.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 0.		0.0.01						10.20				1
	Different Wire Center			UEP91	1PQWP	0.6497						15.20				
	Emerone vine conter			02. 0.		0.0.01						10.20				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.		0.0.01						10.20				+
	Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI OI	11 00077	0.0401						10.20				+
110111	Conversion - Currently Combined Switch-As-Is with allowed				_											+
	changes, per port			UEP91	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10				13.20				+
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	16.10			-	15.20				<del> </del>
	New Centrex Standard Common Block  New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				<del> </del>
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31					15.20				+
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93					15.20				+
LINE	P CENTREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	73.93					15.20				<del> </del>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+	+					-					<del> </del>
	Port/Loop Combination Rates (Non-Design)															+
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
			1	UEP95		40.40										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		13.13										
	Non-Design		2	UEP95		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		23.75										<del> </del>
	Non-Design		3	UEP95		49.62										
LINE	Port/Loop Combination Rates (Design)		3	UEF93		49.02										
UNE																+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP95		16.29										
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		16.29										
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF93		20.71										
	Design		3	UEP95		51.82										
LINE	Loop Rate		3	UEP95		51.82										
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		-	UEP95	UECS1	11.77										<del></del>
			1													<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP95	UECS1	22.39				<b> </b>	1				1	<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3 1	UEP95	UECS1	48.26				<b> </b>	+					
-	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	14.93				<b> </b>	+				-	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP95	UECS2	25.35				<b> </b>	1				1	<del> </del>
LINIE	2-Wire Voice Grade Loop (SL 2) - Zone 3  Port Rate		3	UEP95	UECS2	50.46				<b> </b>	+				-	+
All St										<b> </b>	+				-	+
All St				UEP95	UEPYA	4.00	20.05	19.08		<b> </b>	+	45.00			-	+
_	2-Wire Voice Grade Port (Centrex ) Basic Local Area					1.36	38.85			<b> </b>	+	15.20			-	+
_	2-Wire Voice Grade Port (Centrex 800 termination)	-	<b> </b>	UEP95	UEPYB	1.36	38.85	19.08		<b> </b>	1	15.20			1	+
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	LIEDOE	HEDVI	4 00	20.05	40.00				45.00			l	
-	Area	-	<b> </b>	UEP95	UEPYH	1.36	38.85	19.08		<b> </b>	1	15.20			1	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		l	LIEDOS	LIEDVA4		404.41	07.00				45.00				
-	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93		1	1	15.20				+
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	ı	ı	1				I	1	1				1	1

ONRONDE	ED NETWORK ELEMENTS - Louisiana			ı							1-	_	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
AL, I	KY, LA, MS, SC, & TN Only			UEP95	UEPQA	4.00	38.85	40.00			1	45.00			-	
	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)				UEPQA	1.36 1.36	38.85	19.08 19.08			-	15.20 15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95 UEP95	UEPQB	1.36	38.85	19.08		-	+	15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF95	UEFQH	1.30	30.03	19.06		-	+	15.20			-	-
	Center)2			UEP95	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated in 617 Wigdams of equivalent			UEP95	UEPQ2	1.36	38.85	19.08				15.20				
Loca	Switching			02. 00	02. Q2	1.00	00.00	10.00			1	10.20			1	
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
Loca	I Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				
NAR																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
N#:	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				
	ellaneous Terminations re Trunk Side															
Z-VVI	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20			1	15.20				
4-Wi	re Digital (1.544 Megabits)			OLI 95	OLINDO	0.23	110.00	10.20				13.20				
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Fred as Astington as D. 4 Observat Book EVIII as Otto Loss Observat			LIEDOE	400140	0.0407						45.00				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497					1	15.20			-	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 95	IFQW/	0.0497					1	13.20				
	Different Wire Center			UEP95	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497				ļ		15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOE	400140	0.040=				1		45.00			1	
	Slot			UEP95	1PQWQ	0.6497				-		15.20		ļ	-	
k1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497			ļ	<del>                                     </del>	1	15.20		<del>                                     </del>	<del>                                     </del>	-
NOn-	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed				+ +					+	<del>                                     </del>				+	
	changes, per port			UEP95	USAC2		0.10	0.10		I		15.20		1	I	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10	1	<del> </del>	1	15.20		1	t	
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40	10.10		<b>-</b>	<del>                                     </del>	15.20			<b>-</b>	
	New Centrex Standard Common Block			UEP95	M1ACC	0.00	680.40		1	<u> </u>		15.20		1	1	
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93				1	15.20				
UNE	P CENTREX - DMS100 (Valid in All States)				1				İ	1	1			İ	1	
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1					1	1				1	

Version 3Q02: 10/07/02 Page 222 of 425

UNBUN	DLE	NETWORK ELEMENTS - Louisiana	· ·								·	·		Attachment:	2	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
							Rec	Nonred First			g Disconnect	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
ш	NE Po	rt/Loop Combination Rates (Non-Design)						FIRST	Add'l	First	Add'l	SOWIEC	SOWAN	SUMAN	SUMAN	SUMAN	SOWAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1													1
		Non-Design		1	UEP9D		13.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
		Non-Design		2	UEP9D		23.75					1					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	LIEDOD		40.00										
<del></del>		Non-Design rt/Loop Combination Rates (Design)		3	UEP9D		49.62										-
- O.		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1								-					
		Design		1	UEP9D		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9D		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
L		Design		3	UEP9D		51.82										
U		op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										-
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39					+				1	
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26					+					
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
		rt Rate															
Al	LL ST	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08		1		15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLF 9D	OLFTA	1.30	30.03	19.00			+	13.20			1	
		Area			UEP9D	UEPYB	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area			UEP9D	UEPYC	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
		Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLF 9D	OLFIL	1.30	30.03	19.00			+	13.20			1	
		Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				_											
		Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local				l											
		Area			UEP9D	UEPYT	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	OLF 9D	OLFTO	1.30	36.63	19.00			-	13.20				
		Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
		Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
		Area			UEP9D	UEPYH	1.36	38.85	19.08				15.20				ļ
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLF 9D	OLFTVV	1.30	30.03	19.00			+	13.20			1	
		Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				1		22.30									
		2 Basic Local Area		<u> </u>	UEP9D	UEPYM	1.36	104.41	67.93				15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3					,										
$\vdash \vdash$		Basic Local Area		<u> </u>	UEP9D	UEPYO	1.36	104.41	67.93	<del> </del>	1	<del> </del>	15.20				<del> </del>
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93				15.20				
$\vdash$		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3	1	<b>-</b>	OLFSD	ULFIF	1.30	104.41	67.93	1	<del>                                     </del>	1	15.20		1	t	<del>                                     </del>
		Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20			1	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana										Ι -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		
	0.W/ V/-' O I D / O I / I// 0.W/0 /ED0.ME440)0.0						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OLI 3D	OLI III	1.50	104.41	07.55				13.20				
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.36	104.41	67.93				15.20				
	Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			02. 02	02. 10			01.00				10.20				
	Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		1	UEP9D	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI OD	021 12	1.00	104.41	07.00				10.20				
	Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08				15.20				
AL, r	(Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Fort (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D UEP9D	UEPQG UEPQT	1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38.85	19.08				15.20				<b>.</b>
-	2-Wire Voice Grade Fort (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQJ	1.36	38.85	19.08				15.20				ļ
	2-vvire voice Grade Port (Centrex from dill Serving vvire Center)			UEP9D	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPQR	1.36	104.41	67.93				15.20				
	2-vviile voice Grade Port (Certitexidiller SVVC /EBS-MST12)2, 3			OFLAD	UEFUR	1.30	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93				15.20				
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPQ4	1.36	104.41	67.93				15.20				ļ
	2 Wire Voice Crade Bort (Centroy/differ SWC /EBS M50000 2			LIEDOD	LIEDOE	1.00	104.44	67.00				15.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		1	UEP9D	UEPQ5	1.36	104.41	67.93				15.20				<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93				15.20				
	2.22 2.22 2.22 (2.2.2.3) and 3.2.23 (3.2.2.3) £, 0								İ			70.20				<b>†</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated in on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08				15.20				
Loca	l Switching						22.30		Ì							<b>†</b>
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										

OND	UNDLE	D NETWORK ELEMENTS - Louisiana	1		1		1					o :	0	Attachment:			ibit: B
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
								Nonrec	urring	Nonrecurring	n Disconnect				Rates(\$)		
						_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local	I Number Portability						FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	JOWAN	SOWAN	JOWAN
	Locari	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										+
	Feature				OLI 3D	LIVI OC	0.55					1					
	I catur	All Standard Features Offered, per port			UEP9D	UEPVF	0.00					1	15.20				
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				+
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	412.25					15.20				+
	NARS	7 all Control Countrol Catalies Chorea, per port			OLI OD	OLI VO	0.00						10.20				<del>                                     </del>
	Iteration	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				-
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				+
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				+
	Miscel	laneous Terminations			OLI OD	O/ II (O/)	0.00	0.00	0.00				10.20				<del>                                     </del>
		Trunk Side															<del> </del>
		Trunk Side Terminations, each	<b>t</b>	<del>                                     </del>	UEP9D	CEND6	8.29	115.85	18.20			1	15.20			<b> </b>	<b></b>
	4-Wire	Digital (1.544 Megabits)	<b>t</b>	<del>                                     </del>		5220	0.20	110.00	10.20			1	10.20			<b> </b>	<b></b>
		DS1 Circuit Terminations, each	<b>t</b>	<del>                                     </del>	UEP9D	M1HD1	68.47	196.18	98.62			1	15.20			<b> </b>	<b></b>
		DS0 Channels Activiated per Channel	1	t	UEP9D	M1HDO	0.00	14.06	55.52	1			15.20		<del> </del>	t	<b>—</b>
	Interof	fice Channel Mileage - 2-Wire	1	t			0.00	14.00		1			10.20		<del> </del>	t	<b>—</b>
	IIII OI	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.60	39.36	26.62				15.20				+
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013	00.00	20.02				10.20				+
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI OD	IVIIODIVI	0.010										<b>+</b>
		nnel Bank Feature Activations				-											<del> </del>
	D4 One	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				+
	_	readure Activation on B-4 channel Bank Centrex Loop Slot			OLI 3D	11 QVV0	0.0437						13.20				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.0401						10.20				-
		ISlot			UEP9D	1PQW7	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 3D	II QWI	0.0431						13.20				+
		Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
		Billerent Wile Center			OLI OD	11 Q111	0.0407						10.20				+
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			OLI OD	11 Q 11 1	0.0407						10.20				<del> </del>
		ISlot			UEP9D	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				<del>                                     </del>
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 05		0.0.01						10.20				<del>                                     </del>
		NRC Conversion Currently Combined Switch-As-Is with allowed															1
		changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block	1	t	UEP9D	M1ACS	0.00	680.40		1			15.20		<del> </del>	t	<b>—</b>
		New Centrex Customized Common Block		t	UEP9D	M1ACC	0.00	680.40					15.20		1	t	
		NAR Establishment Charge, Per Occasion		t	UEP9D	URECA	0.00	73.93					15.20		1	t	
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1				2.00	. 2.00		1					İ	İ	
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1		1					1					İ	İ	1
		ort/Loop Combination Rates (Non-Design)		t	İ										1	t	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-		1					1					İ	İ	
		Non-Design		1	UEP9E		13.13								l	I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		49.62								ļ		ļ
	UNE P	ort/Loop Combination Rates (Design)		<u> </u>	ļ											1	ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1												l	I	
		Design		1	UEP9E		16.29										ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							<u> </u>								
		Design		3	UEP9E		51.82									<u> </u>	
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										

Version 3Q02: 10/07/02 Page 225 of 425

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
					+	Rec	Nonred First			g Disconnect	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26	FIISL	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	14.93					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	-	2	UEP9E	UECS2	25.35					+				-	ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46					1					1
LINE D	ort Rate		3	OLF 9L	ULC32	30.40					1					1
	, KY, LA, MS, & TN only				+						1					
ΛΕ, Ι Ε	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire	<del>                                     </del>	-	UEP9E	UEPYH	1.36	38.85	19.08	1	1	<del>                                     </del>	15.20			<del></del>	-
	Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL, KY	', LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25					15.20				
NARS	All Centrex Control Features Offered, per port	<u> </u>		UEP9E	UEPVC	0.00				-		15.20			-	<u> </u>
NAKS		<del>                                     </del>		UEP9E	UARCX	0.00	0.00	0.00	1	<del> </del>	1				<del>                                     </del>	<del>                                     </del>
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial	<del>                                     </del>	-	UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00	1	1	<del>                                     </del>				<del></del>	-
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial	1		UEP9E	UAROX	0.00	0.00	0.00	1	+	<del> </del>				1	<del>                                     </del>
Miscol	laneous Terminations	1		OLFBE	UARUA	0.00	0.00	0.00		+	<del>                                     </del>				+	-
	Trunk Side	<del>                                     </del>		<del> </del>	+				1	1	1				t	
2-44116	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20	1	<del> </del>	1	15.20			t	
4-Wire	Digital (1.544 Megabits)	1		021 02	021100	0.29	110.00	10.20	<u> </u>	<b>†</b>	<u> </u>	10.20			<b> </b>	
7-11116	DS1 Circuit Terminations, each	1		UEP9E	M1HD1	68.47	196.18	92.92	1	1	1	15.20			<b>I</b>	<u> </u>
	DS0 Channel Activated Per Channel	1		UEP9E	M1HDO	0.00	14.06	02.02		<b>†</b>		15.20			<u> </u>	
Interof	fice Channel Mileage - 2-Wire	1				0.00	50			1		.0.20			1	
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62	1	1		15.20			İ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.013	22.20			1	1				1	
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.6497						15.20				<u> </u>
	Slot			UEP9E	1PQW7	0.6497						15.20				

ONRONDE	ED NETWORK ELEMENTS - Louisiana			1							1-	_	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Francisco Astistica e B. 4 Okasas I Basil Ocates I according						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		36.66	16.10				15.20				
	New Centrex Standard Common Block	ļ		UEP9E	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block	<u> </u>		UEP9E	M1ACC	0.00	680.40		<b>_</b>	<b> </b>		15.20		ļ	-	
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93					15.20				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)								-		+					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)		-													
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-													
	Non-Design		1	UEP93		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		49.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		51.82										
LINE	Loop Rate		3	UEP93	+	31.02					1					
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77					+					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36					+					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93			İ		1				1	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
UNE	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93	İ			15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	1.36	38.85	19.08				15.20				
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP93	UEPQB	1.36	38.85	19.08	ļ	ļ		15.20		ļ	ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPQH	1.36	38.85	19.08	-			15.20			-	<u> </u>
	Center)2  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPQM	1.36	104.41	67.93				15.20				
	Term			UEP93	UEPQZ	1.36	104.41	67.93				15.20				

Version 3Q02: 10/07/02 Page 227 of 425

ONRONDL	ED NETWORK ELEMENTS - Louisiana										Ia - :	• • •	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36	38.85	19.08				15.20				
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Loca	Number Portability															
_	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Feat																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00						15.20				
NAR		<u> </u>	<del>                                     </del>	LIEDOO	LIADOV	0.00	0.00	0.00		-		45.00		ļ		<b></b>
	Unbundled Network Access Register - Combination	<u> </u>	1	UEP93	UARCX	0.00	0.00	0.00		-		15.20				<b></b>
	Unbundled Network Access Register - Indial	<u> </u>	<del>                                     </del>	UEP93	UAR1X	0.00	0.00	0.00		-		15.20		ļ		<b></b>
	Unbundled Network Access Register - Outdial	<u> </u>	<del>                                     </del>	UEP93	UAROX	0.00	0.00	0.00		-		15.20		ļ		<b></b>
	rellaneous Terminations	<b> </b>	_	1	1					<b>!</b>				1	1	<b>.</b>
2-Wi	re Trunk Side	1	1	LIEDOS	CEND6	8.27	445.05	10.00		<del>                                     </del>	1	45.00		1	1	<b> </b>
4 180	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20				15.20				
4-Wi	re Digital (1.544 Megabits)			LIEDOO	MALIDA	00.47	100.10	20.00				45.00				
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06					15.20				
Inter	office Channel Mileage - 2-Wire											4= 00				
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.60	39.36	26.62				15.20				
-	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP93	MIGBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	Channel Bank Feature Activations				1001110							4= 00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		ļ	UEP93	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	IPQW6	0.6497				-		15.20				
	Slot			LIEDOS	1PQW7	0.0407						45.00				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	IFQW7	0.6497				-		15.20				+
	Different Wire Center			UEP93	1PQWP	0.6497						15.20				
	Different Wife Center			ULF 93	IFQWF	0.0497				-		13.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Frivate Line Loop Stot		1	OLF 93	IFQVVV	0.0437						15.20				<del>                                     </del>
	Slot			UEP93	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497						15.20				-
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 33	II QWA	0.0437						13.20				
14011	NRC Conversion Currently Combined Switch-As-Is with allowed															<b>+</b>
	changes, per port			UEP93	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				+
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40	10.10				15.20				+
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				<b>+</b>
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93			1		15.20				+
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OLI SO	OILLON	0.00	10.00					10.20				+
	2 - Required Interoffice Channel Mileage															-
	3 - Requires Specific Customer Premises Equipment	1	1	<b> </b>						<b> </b>	1				<u> </u>	<del>                                     </del>
	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	1	1	<b> </b>						<b> </b>	1				<u> </u>	<del>                                     </del>
	arket Rates are applied where BellSouth is not required by FCC	and/or	State C	ommission rule to	provide Unbu	ndled Local Sw	ritching or Swi	tch Ports.		t				<del> </del>		†
	ecurring Charges for all Standard Centrex and Centrex Conrol Fe						. 5 5			t				1		<b>†</b>
	nd Office and Tandem Switching Usage and Common Transport					bit shall apply	to all combina	ations of loon/	port network e	elements excen	t for UNE C	oin Port/Lo	op Combinat	ions.		1
	ne first and additional Port nonrecurring charges apply to Not Ci														Additional NE	RCs mav
	y also and are categorized accordingly.		231110				,	g unun ges					,			
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	١	1			J								1	1	T
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<b></b>	1							<u> </u>						<del>                                     </del>
	Port/Loop Combination Rates (Non-Design)	1	1							<u> </u>						<del>                                     </del>
- 0.42	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	<b> </b>						t	<del> </del>				<u> </u>	<del>                                     </del>

Version 3Q02: 10/07/02 Page 228 of 425

JNBUNDLED NETWORK ELEMENTS - Lou	uisiana		1									Attachment:			bit: B
ATEGORY RATE ELEME	NTS Interi	i Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					Rec	Nonrec			g Disconnect				Rates(\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire VG Loop/2-Wire Voice Grade F	Port (Centrex)Port Combo -														
Non-Design 2-Wire VG Loop/2-Wire Voice Grade F	Port (Contrav)Port Combo	2	UEP91	+	36.39			1						-	
Non-Design	Port (Centrex)Port Combo -	3	UEP91		62.26										
UNE Port/Loop Combination Rates (Design	1)	1 3	OLI 31	+	02.20			<u> </u>							
2-Wire VG Loop/2-Wire Voice Grade F															
Design	on (comon) i on combo	1	UEP91		28.93										
2-Wire VG Loop/2-Wire Voice Grade F	Port (Centrex)Port Combo -														
Design	` '	2	UEP91		39.35										
2-Wire VG Loop/2-Wire Voice Grade F	Port (Centrex)Port Combo -														
Design	· · ·	3	UEP91		64.46										
UNE Loop Rate															
2-Wire Voice Grade Loop (SL 1) - Zon		1	UEP91	UECS1	11.77							_			
2-Wire Voice Grade Loop (SL 1) - Zon		2	UEP91	UECS1	22.39										
2-Wire Voice Grade Loop (SL 1) - Zon		3	UEP91	UECS1	48.26										
2-Wire Voice Grade Loop (SL 2) - Zon		1	UEP91	UECS2	14.93										
2-Wire Voice Grade Loop (SL 2) - Zon		2	UEP91	UECS2	25.35										
2-Wire Voice Grade Loop (SL 2) - Zon	ne 3	3	UEP91	UECS2	50.46										
UNE Ports															
All States (Except North Carolina and Sout		-	LIEBOA	UEPYA	14.00	50.00	05.00				45.00				
2-Wire Voice Grade Port (Centrex ) Ba		-	UEP91	UEPYA	14.00	50.00	25.00	-			15.20				
2-Wire Voice Grade Port (Centrex 800 Area	termination)Basic Local		UEP91	UEPYB	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port (Centrex with	n Caller ID\1Basic Local	-	UEF91	UEFIB	14.00	50.00	25.00	-			15.20			-	-
Area	Callel ID/I Basic Local		UEP91	UEPYH	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port (Centrex from	m diff Saning Wire	-	UEF91	UEPTH	14.00	50.00	25.00				15.20				
Center)2 Basic Local Area	II dili Serving Wile		UEP91	UEPYM	14.00	135.00	90.00				15.20				
2-Wire Voice Grade Port, Diff Serving	Wire Center - 800 Service	-	OLI 01	OLI IIVI	14.00	100.00	50.00				10.20				
Term - Basic Local Area	THE COME. COC COLLEGE		UEP91	UEPYZ	14.00	135.00	90.00				15.20				
2-Wire Voice Grade Port terminated in	on Megalink or equivalent							İ						1	
- Basic Local Area			UEP91	UEPY9	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port Terminated of	on 800 Service Term -														
Basic Local Area			UEP91	UEPY2	14.00	50.00	25.00				15.20				
AL, KY, LA, MS, & TN Only															
2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port (Centrex 800			UEP91	UEPQB	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port (Centrex with			UEP91	UEPQH	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port (Centrex from	n diff Serving Wire														
Center)2			UEP91	UEPQM	14.00	135.00	90.00				15.20				
2-Wire Voice Grade Port, Diff Serving	Wire Center - 800 Service										4= 00				
Term		-	UEP91	UEPQZ	14.00	135.00	90.00				15.20				
2 Wise Vales Grade Bort torrain stad in	Manalial, as anni salant		UEP91	UEPQ9	14.00	50.00	25.00				45.00				
2-Wire Voice Grade Port terminated in 2-Wire Voice Grade Port Terminated of		-	UEP91	UEPQ9	14.00	50.00	25.00	-			15.20 15.20				
Local Switching	on 800 Service Term	-	UEF91	UEFQZ	14.00	50.00	25.00				15.20				
Centrex Intercom Funtionality, per por	rt	-	UEP91	URECS	0.8577										
Local Number Portability	II.	-	OLF91	UNLUG	0.0377										
Local Number Portability (1 per port)		-	UEP91	LNPCC	0.35										
Features		1 -			0.00			<b>-</b>					<b> </b>	<b>I</b>	<u> </u>
All Standard Features Offered, per po	ort	1	UEP91	UEPVF	0.00			1	1				İ	1	
All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25					15.20				
All Centrex Control Features Offered,	per port		UEP91	UEPVC	0.00										
NARS															
Unbundled Network Access Register			UEP91	UARCX	0.00	0.00	0.00				15.20				
Unbundled Network Access Register			UEP91	UAR1X	0.00	0.00	0.00				15.20				
Unbundled Network Access Register	- Outdial		UEP91	UAROX	0.00	0.00	0.00				15.20				
Miscellaneous Terminations						, in the second second									
2-Wire Trunk Side															
Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20	<u> </u>	L		15.20		<u> </u>		1

Version 3Q02: 10/07/02 Page 229 of 425

JNBUNDL	.ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)		a Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge
						Rec	Nonred First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Inter	office Channel Mileage - 2-Wire				1		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
interv	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62				15.20				+
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.013	33.30	20.02			1	13.20				+
Featu	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 0.		0.0.0										<del>                                     </del>
	hannel Bank Feature Activations	Ī														1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497						15.20				1
					4.1.0											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP91	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 0.		0.0.01						10.20				1
	Different Wire Center			UEP91	1PQWP	0.6497						15.20				
	Emoretic trine conten			02. 0.		0.0.01					1	10.20				+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			02. 0.		0.0 .0.						10.20				+
	Slot			UEP91	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497						15.20				1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI OI	11 00000	0.0401					+	10.20				+
11011	Conversion - Currently Combined Switch-As-Is with allowed										+					+
	changes, per port			UEP91	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10				13.20				+
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40	10.10			+	15.20				<del> </del>
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40					15.20				<del> </del>
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31				-	15.20				+
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93				-	15.20				+
LINIE	-P CENTREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	73.93				-	15.20				<del> </del>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo										-					+
	Port/Loop Combination Rates (Non-Design)															<del> </del>
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										-					
			1	LIEDOE		05.77										
	Non-Design			UEP95		25.77					-					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		36.39										
_	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP95		36.39										<del></del>
			3	UEP95		62.26										
	Non-Design		3	UEP95		62.26										<del></del>
UNE	Port/Loop Combination Rates (Design)				-						+					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1	LIEDOE		20.02										
_	Design		1	UEP95		28.93										<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95		39.35										
_	Design			UEP95		39.35										<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOS		04.40										
LINIE	Design Loop Rate		3	UEP95	-	64.46					+					
UNE			-	LIEDOE	LIECC4	44.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.77										4
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26				<b> </b>	+			-	1	+
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93				<b> </b>	+			-	1	+
_	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35				<b> </b>	+			-	1	<del></del>
LIKIT	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46				<b> </b>	+			-	1	+
	Port Rate tates				+					<b> </b>	+					+
All S				LIEDOE	LIEDYA	44.00	F0.00	05.00		<b> </b>	+	45.00				+
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	50.00	25.00		<del> </del>	+	15.20		-	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	50.00	25.00		<b> </b>	+	15.20		-	1	+
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	HEDVI	44.00	50.00	05.00			1	45.00			l	
	Area			UEP95	UEPYH	14.00	50.00	25.00		<b> </b>	+	15.20		-	1	+
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDVAA	44.00	405.00	00.00			1	45.60				
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	135.00	90.00		1	+	15.20		1		
1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	UEP95	UEPYZ	14.00	135.00	90.00		1	1	15.20		1	I	1

ONRONDL	ED NETWORK ELEMENTS - Louisiana			ı							1-		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First		Nonrecurring First	g Disconnect Add'l	201150	001441		Rates(\$)	2011411	0011411
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						FIRSt	Add'l	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- Basic Local Area			UEP95	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	14.00	50.00	25.00				15.20				
A1 1	(Y, LA, MS, SC, & TN Only			UEF93	UEF12	14.00	50.00	25.00				15.20				<del></del>
AL, I	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	14.00	50.00	25.00				15.20				<del></del>
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14.00	50.00	25.00			+	15.20			-	-
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQB	14.00	50.00	25.00			+	15.20				
				UEP95	UEPQH	14.00	50.00	25.00			+	15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	14.00	135.00	90.00				15.20				
	rem			UEF95	UEPQZ	14.00	135.00	90.00				13.20			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	50.00	25.00				15.20				
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8577						15.20				
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat																1
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						15.20				1
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						15.20				1
NAR	S															1
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.20				ĺ
Misc	ellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wi	re Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92				15.20				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				1
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	е														1
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497						15.20				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop										1			İ	İ	
	Slot			UEP95	1PQW7	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.6497						15.20				
											1					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497			1	1	1	15.20		<del> </del>	t	<b>†</b>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex					3.0.07			1	1	1	.0.20		1	t	
	NRC Conversion Currently Combined Switch-As-Is with allowed			İ	1 1				İ	İ	1			İ	İ	1
	changes, per port			UEP95	USAC2		0.10	0.10			1	15.20			1	
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10	İ	İ	1	15.20		İ	İ	1
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				
UNE	P CENTREX - DMS100 (Valid in All States)				1											1
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1						1					

Version 3Q02: 10/07/02 Page 231 of 425

UNBUN	DLE	NETWORK ELEMENTS - Louisiana	· ·					·	·	·	·	·		Attachment:	2	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec			g Disconnect	201150	001111		Rates(\$)	001441	001111
	NE Da	rt/Loop Combination Rates (Non-Design)					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										+					
		Non-Design		1	UEP9D		25.77										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		36.39										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		36.39										
		Non-Design		3	UEP9D		62.26										
U		rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9D		28.93										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		00.05										
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		39.35										
		Design		3	UEP9D		64.46										
U		op Rate			02. 05		00										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										
		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D UEP9D	UECS2 UECS2	25.35 50.46										
11		rt Rate		3	UEP9D	UEC32	50.46										
	LL ST																
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	14.00	50.00	25.00				15.20				<del>                                     </del>
		Area			UEP9D	UEPYD	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPTF	14.00	50.00	25.00				15.20				
		Area			UEP9D	UEPYG	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
		Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	14.00	50.00	25.00				15.20				
		Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	14.00	50.00	25.00				15.20				
		Area			UEP9D	UEPYH	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	50.00	25.00				15.20				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	135.00	90.00				15.20				
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3		-	UEP9D	UEPYO	14.00	135.00	90.00				15.20				
		Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	14.00	135.00	90.00			1	15.20				<u> </u>
		2-wire voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	135.00	90.00				15.20				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana			1							1 -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			Disconnect				Rates(\$)		
	O.W Main Combined to the Prof. (O. v. to a 1.1% of O. M. O. (EDO MEALO)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	135.00	90.00				15.20				
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPTR	14.00	135.00	90.00				15.20				
	Basic Local Area			UEP9D	UEPYS	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
$\longrightarrow$	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	14.00	135.00	90.00				15.20				
	Basic Local Area			UEP9D	UEPY6	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLI 3D	OLI 10	14.00	133.00	30.00				15.20				
1	Basic Local Area			UEP9D	UEPY7	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOD	LIEDVO	44.00	50.00	05.00				45.00				
-+-	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic		-	UEP9D	UEPY9	14.00	50.00	25.00	<del> </del>			15.20			-	1
	Local Area			UEP9D	UEPY2	14.00	50.00	25.00				15.20				
AL, K	Y, LA, MS, SC, & TN Only			02. 02	022		00.00	20.00				10.20				
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D UEP9D	UEPQD UEPQE	14.00 14.00	50.00 50.00	25.00				15.20 15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQE	14.00	50.00	25.00 25.00				15.20			-	
-+	2-Wire Voice Grade Port (Centrex / EBS-M5112)3  2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQH	14.00	50.00	25.00				15.20				
	Indication)3			UEP9D	UEPQW	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	135.00	90.00				15.20				
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-105009)2, 3			UEP9D	UEPQQ	14.00	135.00	90.00				15.20			1	
	2 Wile Voice Crade For (Control and CWO/LDC 6266)2, 6			OLI OB	OLI QQ	14.00	100.00	30.00				10.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	135.00	90.00				15.20				
	2-Wile Voice Grade Port (Centrex/differ SWC /EBS-W5008)2, 3			UEP9D	UEPQ4	14.00	135.00	90.00				13.20			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	135.00	90.00				15.20				
	, , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	135.00	90.00				15.20				
1	O.M. Victor Oracle Book (O. other 1997) COMO (EDO MESSAGE)			LIEDOD	LIEDO-			22.5	[							
-+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ7	14.00	135.00	90.00				15.20				1
	Term		1	UEP9D	UEPQZ	14.00	135.00	90.00				15.20				
-	····				J Q_	14.00	100.00	30.30				10.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP9D	UEPQ9	14.00	50.00	25.00	<u> </u>	<u></u>		15.20			<u></u>	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	14.00	50.00	25.00				15.20				
	Switching															

ONROND	LEL	NETWORK ELEMENTS - Louisiana			1									Attachment:			ibit: B
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo		umber Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Fea	ature				LIEDOD	LIEDVE	0.00						45.00				
		All Standard Features Offered, per port			UEP9D	UEPVF	0.00	***					15.20				
		All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	412.25					15.20				
NIA.	RS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00				-	+	15.20				<b></b>
NA		Unbundled Natural Access Bogister Combination			UEP9D	UARCX	0.00	0.00	0.00		-	+	15.20				<b></b>
		Unbundled Network Access Register - Combination			UEP9D	UARCX UAR1X	0.00	0.00	0.00		-	+					<b></b>
		Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial	-		UEP9D	UAROX	0.00	0.00	0.00				15.20 15.20				<b>+</b>
NA:		aneous Terminations			UEP9D	UARUX	0.00	0.00	0.00		-	+	15.20		-	-	-
		Trunk Side	1	<del>                                     </del>	<del> </del>	+				1	<del> </del>	+			<del> </del>	<del> </del>	<del>                                     </del>
2-7		Trunk Side Trunk Side Terminations, each	1	<del>                                     </del>	UEP9D	CEND6	8.29	115.85	18.20	1	<del> </del>	+	15.20		<del> </del>	<del> </del>	<del>                                     </del>
4-V		Digital (1.544 Megabits)	1	<b>!</b>	0L1 3D	OLINDO	0.29	110.00	10.20	1	<del> </del>	1	13.20		t	t	<del></del>
		DS1 Circuit Terminations, each	1	<del>                                     </del>	UEP9D	M1HD1	68.47	196.18	98.62		<del>                                     </del>	<del>†</del>	15.20		<del> </del>	<del>                                     </del>	<del>                                     </del>
		DS0 Channels Activiated per Channel	1	<del>                                     </del>	UEP9D	M1HD0	0.00	14.06	30.02	1	<del>                                     </del>	†	15.20		t	<del>                                     </del>	<del>                                     </del>
Inte		ice Channel Mileage - 2-Wire	1	<del>                                     </del>	021 00	10111120	0.00	17.00		<u> </u>	<b>-</b>	<b>†</b>	10.20		<b>-</b>	<b> </b>	<del>                                     </del>
		Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.60	39.36	26.62				15.20				+
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013	00.00	20.02			+	10.20				+
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	20		OLI OD	WIIODWI	0.010										+
		nnel Bank Feature Activations															1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497						15.20				1
	_	reduce retivation on B 4 charmer bank contrex 200p clot			OLI OD	11 00110	0.0407						10.20				+
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497						15.20				
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop					0.0.0.										
		Slot			UEP9D	1PQW7	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			02. 03		0.0.0.						10.20				
		Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
		Slot			UEP9D	1PQWQ	0.6497						15.20				
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
No		curring Charges (NRC) Associated with UNE-P Centrex															1
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20				
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20				
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-					_	-								
		Non-Design		1	UEP9E		25.77					<u> </u>					
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			]	1											
		Non-Design		2	UEP9E		36.39										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	•		l						1	1			1	1	
		Non-Design		3	UEP9E		62.26				<b></b>	1			1	<b>.</b>	
UN		rt/Loop Combination Rates (Design)	1	<u> </u>	<b></b>						<b></b>	<b>↓</b>			<b>.</b>	<b>.</b>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	l .							1	1			1	1	
		Design	1	1	UEP9E		28.93				<b></b>	<b>↓</b>			<b>.</b>	<b>.</b>	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEBOE	1					I				I	I	
		Design College (College Colleg	1	2	UEP9E		39.35			ļ							ļ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1					I	1			I	I	
 		Design	-	3	UEP9E	+	64.46				-	1			-	-	
UN		op Rate	1	<b>L</b>	LIEDOE	LIE OO4	44 ==			ļ							<b>_</b>
		2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP9E	UECS1	11.77			ļ							<b>_</b>
1		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP9E	UECS1	22.39			1	1	1	ı				<u> </u>

Version 3Q02: 10/07/02 Page 234 of 425

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge Manual S Order vs Electronic Disc Add
					+	Rec	Nonred First			g Disconnect	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26	FIRST	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	14.93					1					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP9E	UECS2	25.35					+				-	ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP9E	UECS2	50.46					+				-	<b> </b>
LINE D	ort Rate		3	OLF 9L	ULC32	30.40					1					1
	, KY, LA, MS, & TN only		1		+						1					
AL, 1 L	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	50.00	25.00			-	15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area		1	UEP9E	UEPYH	14.00	50.00	25.00	-	<b> </b>	<del>                                     </del>	15.20			<del>                                     </del>	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	14.00	50.00	25.00				15.20				
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	14.00	50.00	25.00				15.20				
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25					15.20				
NARS	All Centrex Control Features Offered, per port		ļ	UEP9E	UEPVC	0.00				-	+	15.20			-	<u> </u>
NARS	Haland Halanda Anna Baristan Cantingia			LIEDOE	LIADOV	0.00	0.00	0.00								ļ
	Unbundled Network Access Register - Combination			UEP9E UEP9E	UARCX UAR1X	0.00	0.00	0.00			+					
	Unbundled Network Access Register - Indial			UEP9E	UAROX	0.00		0.00								
Miscol	Unbundled Network Access Register - Outdial laneous Terminations		-	OFLAE	UARUA	0.00	0.00	0.00	<b> </b>	<b> </b>	+				-	-
	Trunk Side			<del> </del>	+				1	1	1				t	
2-11116	Trunk Side Terminations, each	<b>-</b>		UEP9E	CEND6	8.29	115.85	18.20	1	<del> </del>	1	15.20			t	
4-Wire	Digital (1.544 Megabits)			J J	SEINDO	0.23	110.00	10.20		<b>†</b>	†	10.20			<u> </u>	
7	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92		1		15.20			1	
1	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06		Ì	1	1	15.20			t	
Interof	fice Channel Mileage - 2-Wire									1	1				İ	
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62				15.20				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.013										
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations			<u> </u>												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497						15.20				
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.6497						15.20				<u> </u>
	Slot			UEP9E	1PQW7	0.6497						15.20				

Version 3Q02: 10/07/02 Page 235 of 425

ONBONDE	ED NETWORK ELEMENTS - Louisiana			1							1-	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Fort and Arthur and Bud October Long Old				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.20				
	Conversion of Existing Centrex Common Block, each			UEP9E UEP9E	USACN M1ACS	0.00	36.66 680.40	16.10			1	15.20 15.20				<del>                                     </del>
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9E	M1ACC	0.00	680.40				-	15.20				-
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	73.93			-	+	15.20				+
IINE-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLI SL	ONLOA	0.00	75.55				1	13.20				<del> </del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+						+					+
	Port/Loop Combination Rates (Non-Design)															1
- 0.1.2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP93		25.77										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		36.36										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		62.26										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP93		28.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP93		39.35										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3			64.46										
LINE	Design Loop Rate		3	UEP93		64.46										<del> </del>
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77					1					+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36					+					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93					1					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
UNE	Port Rate															
AL, K	Y, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	14.00	50.00	25.00				15.20				<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP93	UEPYM	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP93	UEPYZ	14.00	135.00	90.00				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	14.00	50.00	25.00		<del> </del>		15.20				
	Basic Local Area			UEP93	UEPY2	14.00	50.00	25.00				15.20				
	2-Wire Voice Grade Port (Centrex )	ļ		UEP93	UEPQA	14.00	50.00	25.00	ļ	ļ		15.20				ļ
	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>		UEP93	UEPQB	14.00	50.00	25.00				15.20			ļ	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPQH	14.00	50.00	25.00				15.20				
-	Center)2  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPQM	14.00	135.00	90.00		<u> </u>		15.20				
	Term			UEP93	UEPQZ	14.00	135.00	90.00				15.20				

Version 3Q02: 10/07/02 Page 236 of 425

JNDLED NETWORK ELEMENTS - Louisiana												Attachment:		1	bit: B
GORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual order v Electror Disc Ad
	1	+			I	Nonrec	urrina	Nonrecurring	Disconnect		l I	oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
							7144		71441					00/	
2-Wire Voice Grade Port terminated in on Megalink or equivale	nt		UEP93	UEPQ9	14.00	50.00	25.00				15.20				
2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP93	UEPQ2	14.00	50.00	25.00				15.20				
Local Switching															
Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577										
Local Number Portability		1													
Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Features		1													
All Standard Features Offered, per port		1	UEP93	UEPVF	0.00	<u> </u>					15.20		İ		
All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00						15.20				
NARS		1		1	2.00										
Unbundled Network Access Register - Combination		1	UEP93	UARCX	0.00	0.00	0.00				15.20				
Unbundled Network Access Register - Indial		1	UEP93	UAR1X	0.00	0.00	0.00			1	15.20				
Unbundled Network Access Register - Outdial		1	UEP93	UAROX	0.00	0.00	0.00			1	15.20				1
Miscellaneous Terminations															
2-Wire Trunk Side		+		+						1					
Trunk Side Terminations, each		+	UEP93	CEND6	8.27	115.85	18.20			1	15.20				
4-Wire Digital (1.544 Megabits)		-	OLI SO	OLINDO	0.27	110.00	10.20				10.20				
DS1 Circuit Terminations, each		1	UEP93	M1HD1	68.47	196.18	92.92				15.20				
DS0 Channels Activated, Per Channel		1	UEP93	M1HDO	0.00	14.06	32.32				15.20				
Interoffice Channel Mileage - 2-Wire		1	ULF 93	WITIDO	0.00	14.00					13.20				
Interoffice Channel Facilities Termination	-	+	UEP93	MIGBC	22.60	39.36	26.62			-	15.20				
Interoffice Channel mileage, per mile or fraction of mile	-	+	UEP93	MIGBM	0.013	39.30	20.02			-	13.20				
Feature Activations (DS0) Centrex Loops on Channelized DS1 Serv	ioo	-	UEP93	IVIIGDIVI	0.013										
	ice	-													
D4 Channel Bank Feature Activations	-	+	LIEDOO	400140	0.0407						45.00				-
Feature Activation on D-4 Channel Bank Centrex Loop Slot	-	+	UEP93	1PQWS	0.6497						15.20				
Feature Activation on D-4 Channel Bank FX Line Side Loop Slo	\*		UEP93	1PQW6	0.6497						15.20				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop	л.		ULF 93	IFQWU	0.0437						13.20				
			LIEDOS	1PQW7	0.0407						45.00				
Slot		-	UEP93	1PQW7	0.6497						15.20				
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497	l					15.20				1
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
Slot			UEP93	1PQWQ	0.6497	l					15.20				1
Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497	İ					15.20				
Non-Recurring Charges (NRC) Associated with UNE-P Centrex				1	i i	i									
NRC Conversion Currently Combined Switch-As-Is with allowed	i			1	i i	İ									
changes, per port			UEP93	USAC2		0.10	0.10				15.20				l
Conversion of Existing Centrex Common Block, each			UEP93	USACN	i i	36.66	16.10				15.20				
New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40					15.20				
New Centrex Customized Common Block		1	UEP93	M1ACC	0.00	680.40				1	15.20			Ì	1
NAR Establishment Charge, Per Occasion		1	UEP93	URECA	0.00	73.93				1	15.20				1
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWS	D	1			2.00					1					1
Note 2 - Regures Interoffice Channel Mileage	1	1	1	+	<del>                                     </del>					<b>†</b>			1	1	l
Note 3 - Requires Specific Customer Premises Equipment	+	1	1	+						<del>                                     </del>					<del>                                     </del>
Note: Rates displaying an "R" in Interim column are interim and s			1		1					1			l	1	

UNB	UNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
			١									Elec		Manual Svc			Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Nonre	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	nart of	2 com	hination refers to G	oographically	, Dogworagod II									JOHAN	JONAN
		· · · · · · · · · · · · · · · · · · ·	-			cograpincan	y Deaverageu o	NE ZONES. 10	view Georgia	offically Deaver	aged ONE ZOI	ie Desiganti	ons by C O,	, refer to filter	net Website.		
ODE		vww.interconnection.bellsouth.com/become_a_clec/html/inter _ SUPPORT SYSTEMS	Connec	lion.ni	111	1	1			ı		1	1	ı	1	1	
OPER		(1) Electronic Service Order: CLEC should contact its contract	ot nogo	listor it	it profess the state	enocific aloc	tronic corvice o	rdoring charge	e ac ordorod k	y the State Co	mmissions T	ho olootron	ic convice o	rdoring charg	o currently co	ntained in th	ie rato
		is the BellSouth regional electronic service ordering charge.															.s rate
																	D. Fan
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per				e in this cate	gory reflects th	e charge that v	vould be billed	to a CLEC on	ce electronic o	ordering cap	pabilities co	me on-line to	r that element	t. Otherwise,	the manual
	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR	o BellSouth.											•	
		Manual Service Order Charge, per LSR, Disconnect Only (MS)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS		1				_									1
L		interactive interfaces (Regional)	ļ	<u> </u>		SOMEC	ļ	3.50							<b>.</b>	ļ	1
UNE :		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Secti	on 5 as appli	icable.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per															
		Day			ALL UNE	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.19	18.19								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i i	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	i i		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	†	Ė		1	0	55.56		22.30	12				t	1	
		Designed (per loop)		1	UEQ	USBMC		8.20	8.20								1
		Unbundled Copper Loop, Non-Designed Billing for BST				302.410	1	0.20	0.20	1				1	<b>†</b>	1	<b></b>
		providing make-up	1	1	UEQ	UEQMU		13.51	13.51						I	Ì	1
<b>-</b>	+	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	1	UEQ	URET1		34.36	10.01				15.75		<b> </b>		<b>—</b>
<b>-</b>	+	Loop Testing - Basic Additional Half Hour	<del>                                     </del>	1	UEQ	URETA		19.97					15.75		<b> </b>		<b>—</b>
	+	CLEC to CLEC Conversion Charge Without Outside Dispatch	<del>                                     </del>	1	UEQ	UREWO		14.24	7.42				15.75		<b> </b>		<b>—</b>
UNRI	NDL FD F	EXCHANGE ACCESS LOOP			J-4	CINETIO	1	17.27	7.72				10.70		<u> </u>		<b>—</b>
3,450		ANALOG VOICE GRADE LOOP	<del>                                     </del>	<b>-</b>		+	<del> </del>						1			-	<del>                                     </del>
<b>—</b>	2 771111	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del>                                     </del>	<del>                                     </del>		+	<del>                                     </del>						<b>-</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				1
<b>—</b>	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del>                                     </del>	+-	OLI ON OLFOD	JEALO	12.03	31.32	17.35	20.40	5.25		10.10		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25		15.75				1
<b>-</b>		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<del>                                     </del>	<del>- '-</del>	OLI OK OLI OD	32,100	12.03	31.32	17.55	25.40	5.25		15.75	1	1	1	<del>                                     </del>
		Zone 2		2	UEPSR UEPSB	UEALS.	16.87	37.92	17.55	23.48	5.25		15.75				1
-	+	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<del>                                     </del>		OLFON UEFOD	ULALO,	10.07	31.92	17.00	23.48	5.25	<del>                                     </del>	15.75	1	<del> </del>	1	<del>                                     </del>
		Zone 2	1	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75		I	Ì	1
-	-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		ULFOR UEFOB	UEADO	10.87	31.92	17.55	23.48	5.25		15.75	-	-	-	<del></del>
			1	3	HEDED HEDED	UEALS,	25.60	37.92	17.55	23.48	5.25		15 75		I	Ì	1
		Zone 3	<del>                                     </del>	3	UEPSR UEPSB	UEALO,	25.68	31.92	17.55	23.48	5.25		15.75		<del>                                     </del>		<del></del>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١ ۾	HEDOD HEDOD	LIEADO	25.22	27.00	47.55	20.40	F 05		45.75				1
<u> </u>	-	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75		1		<b>├</b>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		HEDOD HEDOD	LIEALO	40.00	07.00	47.55	20.72			45.75		I	Ì	1
<u> </u>		Zone 4		4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75				<b>├</b>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		l .	l	1					_						1
1	1	Zone 4	1	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25	1	15.75	l	1		1

Version 3Q02: 10/07/02 Page 238 of 425

CHECHEL	ED NETWORK ELEMENTS - Mississippi												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates for Line Splitting															
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	12.22	0.0988	0.0988								
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	17.13	0.0988	0.0988								
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	26.26	0.0988	0.0988								
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 4		4	UEPRX	UEPLX	44.91	0.0988	0.0988								
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				<b>↓</b>
. 1 -	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1									_	_	1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
. 1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
4-WI	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				1
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				1
2-WI	RE ISDN DIGITAL GRADE LOOP															1
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				1
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75		İ	İ	†
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				1
	2-Wire ISDN Digital Grade Loop - Zone 4			UDN	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75		t	t	<del>                                     </del>
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19							1	t	1
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07	i l			15.75		İ	İ	†
2-WI	RE Universal Digital Channel (UDC) COMPATIBLE LOOP				1		20							İ	İ	†
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			1	1				1					1	t	1
. 1	1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75		I	I	I
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		Ė						52.52					1	1	<u> </u>
	2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			020	OD OZA	27.00		70.02	02.02	10.01		10.10				1
	3		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
-+	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	1	2232/	07.04	117.01	10.02	02.02	10.07		10.10		<b>-</b>	<b> </b>	+
	4		4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
-+	CLEC to CLEC Conversion Charge without outside dispatch *		† ·	UDC	UREWO	555	91.46	44.07	32.32			15.75		t	t	<del>                                     </del>
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOF		320		540	07						1	1	<u> </u>
	2 Wire Unbundled ADSL Loop including manual service inquiry				†									t	t	<del>                                     </del>
1	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75		1	1	1
+-	2 Wire Unbundled ADSL Loop including manual service inquiry				J/\	11.11	121.21	70.01	55.56	7.33		10.10		<b>-</b>	<b> </b>	+
1	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75		I	I	I
	2 Wire Unbundled ADSL Loop including manual service inquiry			U/1L	UNLEA	11.47	121.21	70.01	30.30	1.33		13.13		t	<del>                                     </del>	+
1	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75		I	I	I
-+-	2 Wire Unbundled ADSL Loop including manual service inquiry		J	UNL	UNLEA	11.74	121.21	70.01	30.30	1.33	<b>—</b>	13.13		<del> </del>	<del> </del>	+
	12 VVIIG OFFICIALISE ADOL LOOP INCIDUING MAINAI SERVICE INQUING		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93	1	15.75		1		

Version 3Q02: 10/07/02 Page 239 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
					<b>-</b>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		4	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.11	96.13	36.03	50.56	7.93		15.75				<del> </del>
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75				
-	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.47	90.13	36.03	30.36	7.93		13.73				
	facility reservation - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33				15.75				1
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_					=====	=							
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		4	l				=====	=							
	& facility reservation - Zone 4		4	UHL UHL	UHL2X OCOSL	10.46	129.98 18.19	79.52	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		4	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	OFIL	OTILZVV	0.73	104.00	00.74	30.36	1.93		13.73				+
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFF	OTILZVV	3.22	104.00	00.74	30.30	7.55		13.73				<del>                                     </del>
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry		_			0.0.		-								
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									1
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				1
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_				.== = .		====	40.00						
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	14.46	18.19	108.28	56.72	10.68		15.75				-
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	OCOSL		10.19									
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILAVV	13.70	133.02	33.30	30.72	10.00		13.73				
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry			0.12	0.12.11	10.10	100.02	00.00	002	10.00		10.10				
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4	1	4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75			1	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	ļ	1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				<u> </u>
	4-Wire DS1 Digital Loop - Zone 2	ļ	2	USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				<b></b>
	4-Wire DS1 Digital Loop - Zone 3	<b> </b>	3	USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75			1	<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 4	<del>                                     </del>	4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75			<del>                                     </del>	<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	UREWO		18.19 100.90	42.96				15.75				<del>                                     </del>
	E 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP	-	1	USL	UKEWU		100.90	42.96			<del>                                     </del>	15.75			<del>                                     </del>	<del>                                     </del>

Version 3Q02: 10/07/02 Page 240 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.76	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
<del></del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		3	UDL	UDL56 UDL56	34.55 40.76	126.53	88.85	60.68	14.64 14.64		15.75				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 4			UDL UDL	UDL56	32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64		15.75 15.75				
	Order Coordination for Specified Conversion Time (per LSR)		4	UDL	OCOSL	32.23	18.19	00.00	60.06	14.04		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	1	4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75		1		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19		1							
	CLEC to CLEC Conversion Charge without outside dispatch		1	UDL	UREWO		101.94	49.66				15.75				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service					_	_			-						
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service					40.00			=====	=						
	inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		4	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service		-	UCL	OCLF VV	11.11	93.21	37.09	30.36	7.55		13.73				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service			COL	OOL: W	11.47	30.21	07.00	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	l			1											
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	l			luor s:											
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75			1	
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		4	UCL	LICLO	87.60	400.04	00.07	50.00	7.00		45.75				
	inquiry and facility reservation - Zone 4		4		UCL2L UCLMC	87.60	120.34	69.87	50.38	7.93		15.75				
+-	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Long - without manual service		<del>                                     </del>	UCL	UCLIVIC		8.20	8.20	<del>                                     </del>						<b> </b>	
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75		1		
-+	2-Wire Unbundled Copper Loop/Long - without manual service	<b>-</b>	+-	JUL	UULZVV	23.23	₹3.21	31.09	30.30	1.93		13.73		<del>                                     </del>	1	
	inquiry and facility reservation - Zone 2	l	2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93		15.75		1		
	2-Wire Unbundled Copper Loop/Long - without manual service		1					200	22.00							
	inquiry and facility reservation - Zone 3	l	3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93		15.75		1		
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 4		4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20		· · · · · · · · · · · · · · · · · · ·						
	CLEC to CLEC Conversion Charge without outside dispatch									<u> </u>						
	(UCL-Des)		<u> </u>	UCL	UREWO		95.21	42.40				15.75				
4-WIR	E COPPER LOOP	ļ	<u> </u>		+										ļ	
	4-Wire Copper Loop/Short - including manual service inquiry	l	١.,		1101.40	47.00	444.00	04.00	50.70	40.00		45		1		
	and facility reservation - Zone 1  4-Wire Copper Loop/Short - including manual service inquiry	<b> </b>	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75		ļ		

Version 3Q02: 10/07/02 Page 241 of 425

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	COMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
-	4-Wire Copper Loop/Short - including manual service inquiry						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Copper Loop/Short - without manual service inquiry and					47.00	440.50	04.44	50.70	10.00		45.75				
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and			002	COLTIV	10.04	110.00	01.44	00.72	10.00		10.70				
	facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL4L	97.47	144.00	94.22	30.72	10.00		15.75				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			002	COLTE	100.00	144.00	04.ZZ	00.12	10.00		10.70				
	inquiry and facility reservation - Zone 4		4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	54.72	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service		3	UCL	UCL4U	106.06	119.56	01.44	30.72	10.00		15.75				
	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	100.00	8.20	8.20	00.72	10.00		10.10				
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODIF	CATION															
				UAL, UHL, UCL,												
	Haland Halland Mark's area Barranda (Land Octor OM)			UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.57	32.57				15.75				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			UDIN, UDL, USL	ULIVIZL		32.37	32.37				15.75				
	greater than 18k ft			UCL, ULS, UEQ	ULM2G		171.49	171.49				15.75				
1	Unbundled Loop Modification Removal of Load Coils - 4 Wire			002, 020, 024	CLINES							10.70				
	less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft			UCL	ULM4G		171.49	171.49				15.75				
				UAL, UHL, UCL,												
				UEQ, UEF, ULS,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEA, UEANL, UDL, UDC, UDN, UDL,												
1	per unbundled loop			USL	ULMBT		32.59	32.59				15.75				
SUB-LOOPS	por uneuroleu loop	<b>-</b>		JUL	OFIND I		32.39	32.39				13.13				1
	oop Distribution	l													İ	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	Ì														
	Up	1		UEANL	USBSA		259.69					15.75				
				l				·								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		ļ	UEANL	USBSB		22.77					15.75				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1	1	UEANL	USBSC		178.47					15.75				

ONBONDER	ED NETWORK ELEMENTS - Mississippi			1	1						T -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	١.					=									
	Set-Up		<u> </u>	UEANL	USBSD		56.39					15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	7.15	00.40	31.14	45.36	6.71		15.75				
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEAINL	USBINZ	7.15	66.18	31.14	45.36	0.71		15.75				
	Zone 2	١,	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			ULANL	USBINZ	9.51	00.10	31.14	45.50	0.71		13.73				
	Zone 3	l ,	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u> </u>	Ŭ	OL7 WIL	OODIVE	12.40	00.10	01.14	40.00	0.71		10.70				<del> </del>
	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71		15.75				
								*****	10.00	****						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															ĺ
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEANL	USBMC	0.00	8.20	8.20	45.00	0.74		15.75				ļ
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75				<del>                                     </del>
	Sub-Loop 4-vviile intrabuliding Network Cable (INC)	<u> </u>	1	ULANL	USBN4	4.40	39.00	24.55	31.27	9.55		13.73				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
																Ì
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75			ļ	<b>ļ</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75			ļ	<b>!</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	<u> </u>	4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75			-	4
	Order Coordination for Unbundled Sub Leans, see sub-least asis	l	1	UEF	USBMC		9.00	8.20							I	
Habir	Order Coordination for Unbundled Sub-Loops, per sub-loop pair ndled Sub-Loop Modification		<del>                                     </del>	UEF	OSBIVIC		8.20	8.20							<del></del>	<del>                                     </del>
Ulibu	Unbundled Sub-Loop Modification - 2-W Copper Dist Load	<del>                                     </del>		<del> </del>	1										t	<del>                                     </del>
	Coil/Equip Removal per 2-W PR	l	1	UEF	ULM2X		176.80	5.13				15.75			I	
<del>-  </del>	Unbundled Sub-loop Modification - 4-W Copper Dist Load	1			C LIVIL/\		170.00	0.10	1			10.70			<b>-</b>	<b>†</b>
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
İ	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			1	,			50				700			1	1
	Tap Removal, per PR unloaded	l	1	UEF	ULM4T		279.81	6.15				15.75			I	
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3366	30.55					15.75				
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90				15.75				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36		-		15.75				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94				15.75				
	Network Interface Device Cross Connect - 4W	ļ		UENTW	UNDC4		5.94	5.94				15.75			1	ļ
SUB-LOOPS	<u> </u>	<b>!</b>	<u> </u>													<b>↓</b>
Sub-L	USL-Feeder, DS0 Set-up per Cross Box location - CLEC	ļ	<u> </u>	1154	1										-	<del>                                     </del>
	TUBLE-EPPOPE USU Set-Up her Cross Boy location - CLEC	1	1	UEA,	1				i		ĺ			ı	l .	1

Version 3Q02: 10/07/02 Page 243 of 425

ONRONDLE	D NETWORK ELEMENTS - Mississippi			1	,						Ι -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates(\$)		
	1101 5 1 700 0 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15 75				
-	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		22.77 534.46	11.30				15.75 15.75				<del> </del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice			OOL	OODI Z		334.40	11.50				13.73				
	Grade - Zone 1		1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75				ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, Voice Grade - Zone 4		4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		45.75				
	Order Coordination for Specified Conversion Time, per LSR		4	UEA	OCOSL	28.37	18.19	00.00	54.45	13.51		15.75				1
<b>—</b>	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			ULA	OCOSL		10.19								1	
	Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice									40.54						
	Grade - Zone 4 Order Coordination for Specified Time Conversion, per LSR		4	UEA UEA	USBFB OCOSL	28.37	93.23 18.19	56.50	54.45	13.51		15.75			-	
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	UCUSL		18.19									1
	Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,														1	
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,							====								
	Voice Grade - Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UEA UEA	USBFC OCOSL	28.37	93.23 18.19	56.50	54.45	13.51		15.75				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	UCUSL		18.19									1
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			0271	003. 5	21.00		70.00	00.00			10.70				1
	Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice							=		.=						
	Grade - Zone 4		4	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			UEA	OCOSL		18.19									1
	Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			027.	000. 2	21.00		70.00	00.00			10.70			İ	
	Grade - Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start							=		.=						
	Loop - Zone 4 Order Coordination For Specified Conversion Time, Per LSR		4	UEA UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
-	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	OCOSL USBFF	14.60	18.19 106.46	68.78	55.58	13.13		15.75				<del> </del>
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75			<del> </del>	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	25.47	106.46	68.78	55.58	13.13		15.75		İ	1	<b>†</b>
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.19									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	18.78	106.46	68.78	55.58	13.13		15.75				<u> </u>
<del> </del>	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC UDC	USBFS USBFS	25.47 41.41	106.46 106.46	68.78 68.78	55.58 55.58	13.13 13.13	1	15.75 15.75		<del> </del>	1	<del>                                     </del>
<del></del>	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFS	41.41 55.19	106.46	68.78	55.58 63.68	13.13 17.64	-	15.75 15.75			<del>                                     </del>	<del> </del>
$\vdash$	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	100.03	101.97	64.29	63.68	17.64	}	15.75		1	<del> </del>	<del> </del>

Version 3Q02: 10/07/02 Page 244 of 425

ONRONDE	D NETWORK ELEMENTS - Mississippi			ı		1						_	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	1		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone					= 0.4										
	Unbounded Cob Loss Foodes Loss 2 Wiss Connection 7-1-2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	LICI	USBFH	4.40	04.07	40.50	50.44	40.70		45.75				
	3		3	UCL		4.40	84.27	46.59	53.14	10.70		15.75				
+-	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70		15.75				
+-	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	<b>-</b>	1	UCL	OCOSL USBFJ	13.49	18.19 101.58	63.90	59.71	13.67		15.75		<del></del>	<b> </b>	<del>                                     </del>
+-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75		-	-	-
+-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75		-	-	-
-+-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3  Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4	1	4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75		<del> </del>	1	<del> </del>
-+-	Order Coordination For Specified Conversion Time, per LSR	1	4	UCL	OCOSL	0.59	18.19	03.90	59.71	13.07	1	15.75		1		1
-+-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	<del>                                     </del>	1	UDL	USBFN	22.89	101.97	64.29	63.68	17.64		15.75		t	1	t
-+	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop  Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	-		UDL	USBFN	25.11	101.97	64.29	63.68	17.64		15.75				
-+	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop  Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	-	3	UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Rops Digital Grade Loop -			ODL	USBIN	41.03	101.97	04.29	03.00	17.04		13.73				
	Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
-+	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		<del>- '</del> -	ODL	USBI U	22.09	101.97	04.29	03.00	17.04		13.73				
	Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODL	ООВІ О	23.11	101.37	04.23	05.00	17.04		13.73				
	Zone 3		3	UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
-+-	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		3	ODL	ООВГО	30.04	101.37	04.23	05.00	17.04		13.73				
	Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
-+-	Order Coordination For Specified Time Conversion, per LSR		_	UDL	OCOSL	41.00	18.19	04.20	00.00	17.04		10.70				
-	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			002	00002		10.10									
	Zone 1		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			002	005	22.00	101.01	0 1.20	00.00	11.01		10.10				
	Zone 2		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 4		4	UDL	USBFP	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.19									
SUB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	18.88										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	Ī		UE3	USBF1	349.41	3,396.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	18.88										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.07	3,396.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	Ī		UDLO3	1L5SL	14.33										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per		1												]	
	Month	- 1		UDLO3	USBF5	58.63										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	569.22	3,396.56	406.45	157.96	89.54		15.75				
-	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	17.63	Ť									
1	Sub Loop Feeder - OC-12 - Facility Termination Protection Per	1			l									1	1	I
$\longrightarrow$	Month	$\perp$		UDL12	USBF6	662.39								<b>.</b>	ļ	
$\longrightarrow$	Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,795.00	3,396.56	406.45	157.96	89.54		15.75		ļ		1
$\longrightarrow$	Sub Loop Feeder - OC-48 - Per Mile Per Month		1	UDL48	1L5SL	57.83								1		
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	l .			l									I	Ì	
	Month		1	UDL48	USBF9	331.52										
	0															1
=	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,545.00	3,581.56	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-48 - Facility Termination Per Month Sub Loop Feeder - OC-12 Interface On OC-48 LOOP CONCENTRATION	 		UDL48 UDL48	USBF4 USBF8	1,545.00 374.04	3,581.56 803.60	406.45	157.96 157.96	89.54 89.54		15.75 15.75				

Version 3Q02: 10/07/02 Page 245 of 425

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Haland Halland Construction Control D (TDCCC)				UCT8B		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - System B (TR008) Unbundled Loop Concentration - System A (TR303)			ULC ULC	UCT3A	47.56 397.35	136.37 327.30	136.37 327.30				15.75 15.75				
	Unbundled Loop Concentration - System A (TR303)  Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80.15	136.37	136.37				15.75				
	Unbundled Loop Concentration - System B (17303)			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85	1	15.75				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite			010	00100	7.02	00.00	40.04	17.01	4.00		10.70				
	Card)			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface														]	
	(Specials Card)			UEA	ULCC4	6.36	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	31.07	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		1	LIDI		0.40	40.00	10.51				45.75			1	
	Interface			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	9.42	40.00	10.54	5.56	5.53		45.75				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	ULCCS	9.42	10.60	10.54	5.56	5.53		15.75				
	Interface			UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				
LINE OTHER	PROVISIONING ONLY - NO RATE			UDL	ULCC6	9.42	10.60	10.54	5.56	5.55		15.75				
ONE OTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		1							
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	orth chair a catabilitiman, i rendering only the rate			UEANL,UEF,UEQ,U	02.102	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
ļ	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOEF	0.00	0.00									
HICH CARAC	no rate ITY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.20									1	
<del>                                     </del>	High Capacity Unbundled Local Loop - DS3 - Facility		<del> </del>	010	ILUIAD	11.20										
	Termination per month		1	UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75			1	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		<b>†</b>			3200		200.77	.23.20	55.10		.0 0			1	
	month		1	UDLSX	1L5ND	11.20									1	
	High Capacity Unbundled Local Loop - STS-1 - Facility		1													
	Termination per month	<u> </u>	<u> </u>	UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19	<u> </u>	15.75	<u> </u>	<u> </u>		
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or						_								]	
		1	1	UMK	UMKLW		24.12	24.12								
	spare facility queried (Manual).													l	1	
	Loop Makeup - Preordering With Reservation, per spare facility															1
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or															
HIGH EDECK	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK UMK	UMKLP PSUMK		25.58 0.6652	25.58 0.6652								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)  ENCY SPECTRUM															
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)  ENCY SPECTRUM  SHARING															
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)  ENCY SPECTRUM  SHARING  TERS-CENTRAL OFFICE BASED			UMK	PSUMK	186 67	0.6652	0.6652	178 41	0.00		15 75				
LINE	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)  ENCY SPECTRUM  SHARING					186.67 46.67			178.41 178.41	0.00		15.75 15.75				

Version 3Q02: 10/07/02 Page 246 of 425

	UNDLE	D NETWORK ELEMENTS - Mississippi	ı	_		1	ı					0		Attachment:			bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-								40.00							
	ENDII	deactivation (per LSOD) SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	V CDEC	TOUR	ULS	ULSDG		86.98	0.00	49.96	0.00		15.75				
	END U	Line Sharing - per Line Activation (BST Owned Splitter)	TSPEC	IRUM	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75				
		Line Sharing - per Subsequent Activity per Line		1	OLS	OLGDC	0.01	10.02	10.00	10.04	4.93		13.73				
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75				
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24				15.75				
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED					0.04										
	-	Line Splitting - per line activation DLEC owned splitter	R	<del>                                     </del>	UEPSR UEPSB	UREOS UREBP	0.61 0.61	40.00	10.66	10.04	4.93		45.75			<del> </del>	
	-	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	R R	1	UEPSR UEPSB UEPSR UEPSB	UREBV	0.61	18.62 18.62	10.66	10.04	4.93		15.75 15.75				
	DEMO:	TE SITE HIGH FREQUENCY SPECTRUM	K	1	UEPSK UEPSB	UKEBV	0.01	10.02	10.00	10.04	4.93		15.75				
		TERS-REMOTE SITE	<b> </b>	1		1											
	0	Remote Site Line Share Cable Pair Activation CLEC Owned at															
		RS and Deactivation	1		ULS	ULSTG		75.38	0.00	46.77	0.00		15.75				
		Remote Site Line Share BellSouth Owned Splitter, 24 Port	- 1		ULS	ULSRB	51.63	377.08	0.00	354.29	0.00		15.75				
	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMO	TE SITE LINE SHARI	ING											
		Remote Site Line Share Line Activationfor End User Served at															
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	36.96	21.17	19.93	9.78		15.75				
		RS Line Share Line Activation for End User served at RS, CLEC															
		Splitter	l I		ULS	ULSTC	0.61	36.96	21.17	19.93	9.78		15.75				
UNBU		DEDICATED TRANSPORT INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	-		ad balani DC2 ana	manth DC2/	CTC 4 favor man										
		OFFICE CHANNEL - DEDICATED TRANSPORT - MINIMU	m billir	ig perio	Da - below D53=one	month, DS3/	313-1=rour mo	ntns									
	INTER																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			1												
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
		Per Mile per month			U1TVX	1L5XX	0.0098										
					U1TVX U1TVX	1L5XX U1TV2	0.0098 22.52	40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month						40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX U1TVX	U1TV2 1L5XX	22.52 0.0098										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57 27.57	17.26 17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX U1TVX U1TVX	U1TV2 1L5XX U1TR2	22.52 0.0098 22.52										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX U1TVX	U1TV2 1L5XX	22.52 0.0098										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX U1TVX U1TVX U1TVX	U1TV2 1L5XX U1TR2 1L5XX	22.52 0.0098 22.52 0.0098	40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX U1TVX U1TVX	U1TV2 1L5XX U1TR2	22.52 0.0098 22.52										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX U1TVX U1TVX U1TVX U1TVX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4	22.52 0.0098 22.52 0.0098 19.79	40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX U1TVX U1TVX U1TVX	U1TV2 1L5XX U1TR2 1L5XX	22.52 0.0098 22.52 0.0098	40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport to 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4	22.52 0.0098 22.52 0.0098 19.79	40.77	27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5	22.52 0.0098 22.52 0.0098 19.79 0.0098	40.77	27.57 27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX	22.52 0.0098 22.52 0.0098 19.79 0.0098	40.77	27.57 27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport to 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX	U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV5	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68	40.77	27.57 27.57 27.57	17.26 17.26	7.11		15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5	22.52 0.0098 22.52 0.0098 19.79 0.0098	40.77	27.57 27.57	17.26	7.11		15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098	40.77	27.57 27.57 27.57	17.26 17.26	7.11		15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport to 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX	U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TV5	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68	40.77	27.57 27.57 27.57	17.26 17.26	7.11		15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098	40.77	27.57 27.57 27.57	17.26 17.26	7.11		15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX	U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 1L5XX	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098 15.68	40.77 40.77 40.78	27.57 27.57 27.57	17.26 17.26 17.26	7.11 7.11 7.11 7.11		15.75 15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX	U1TV2 1L5XX U1TR2 1L5XX U1TV4 1L5XX U1TD5 1L5XX U1TD6 1L5XX	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098 15.68	40.77 40.77 40.78	27.57 27.57 27.57	17.26 17.26 17.26	7.11 7.11 7.11 7.11		15.75 15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6  1L5XX  U1TD6	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098 15.68 0.201 57.33 4.76	40.77 40.77 40.78 40.78	27.57 27.57 27.57 27.57	17.26 17.26 17.26 17.26	7.11 7.11 7.11 14.90		15.75 15.75 15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6  1L5XX  U1TD6	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098 15.68 0.201	40.77 40.77 40.78	27.57 27.57 27.57	17.26 17.26 17.26	7.11 7.11 7.11 7.11		15.75 15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Per mile per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - BS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Facility Termination - Dedicated Transport - DS3 - Facility Termination - Dedicated Transport - DS3 - Facility Termination - Dedicated Transport - DS3 - Facility			U1TVX  U1TVX  U1TVX  U1TVX  U1TVX  U1TDX  U1TDX  U1TDX  U1TDX  U1TDX  U1TDX  U1TDX  U1TDX  U1TDX	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6  1L5XX  U1TF1  1L5XX	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.201 57.33 4.76 641.90	40.77 40.77 40.78 40.78	27.57 27.57 27.57 27.57	17.26 17.26 17.26 17.26	7.11 7.11 7.11 14.90		15.75 15.75 15.75 15.75				
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination Interoffice Channel - Dedicated Transport - DS1 - Per Mile per month Interoffice Channel - Dedicated Transport - DS1 - Facility Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month Interoffice Channel - Dedicated Transport - DS3 - Facility Termination			U1TVX U1TVX U1TVX U1TVX U1TVX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TDX U1TD1 U1TD1	U1TV2  1L5XX  U1TR2  1L5XX  U1TV4  1L5XX  U1TD5  1L5XX  U1TD6  1L5XX  U1TD6	22.52 0.0098 22.52 0.0098 19.79 0.0098 15.68 0.0098 15.68 0.201 57.33 4.76	40.77 40.77 40.78 40.78	27.57 27.57 27.57 27.57	17.26 17.26 17.26 17.26	7.11 7.11 7.11 14.90		15.75 15.75 15.75 15.75				

Version 3Q02: 10/07/02 Page 247 of 425

UNRUN	IDI F	NETWORK ELEMENTS - Mississippi												Attachment:	2	Fyhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
<b>—</b>	OCAL	CHANNEL - DEDICATED TRANSPORT						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		_OCAL CHANNEL DEDICATED TRANSPORT - minimum billin	a norio	d - bold	DE2-one month	D62/6T6-1-	our months			-						-	
IN		Local Channel - Dedicated - 2-Wire Voice Grade	g perio	u - bei	ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75			-	
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
		Local Channel - Dedicated - 4-Wire Voice Grade			UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
		Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
		Local Channel - Dedicated - DS1 - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	9.66										
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	9.66										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
DARK FI																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l		l							1			1	I	
$\vdash$		Thereof per month - Local Channel	ļ	ļ	UDF	1L5DC	59.95	6 10 =-	100.0-	600.0-			4			-	
		NRC Dark Fiber - Local Channel			UDF	UDFC4		642.79	138.67	326.97	203.85		15.75				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DF	28.27										
		Thereof per month - Interoffice Channel			UDF		28.27	642.79	138.67	326.97	203.85		45.75				
		NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDF14		642.79	138.67	326.97	203.85		15.75				
		Thereof per month - Local Loop			UDF	1L5DL	59.95										
		NRC Dark Fiber - Local Loop			UDF	UDFL4	39.93	642.79	138.67	326.97	203.85		15.75				
8XX ACC		EN DIGIT SCREENING			ODI	ODI L4		042.73	130.07	320.37	200.00		10.70				
0,0,0,0,0,0		8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			01.15		0.0000210										
		Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
		8XX Access Ten Digit Screening, Customized Area of Service															
		Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
		8XX Access Ten Digit Screening, Multiple InterLATA CXR															
		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
		8XX Access Ten Digit Screening, Call Handling and Destination			OUD	NOEDY		0.00					45.75				
		Features			OHD	N8FDX		2.60					15.75				
		9YY Access Top Digit Screening w/ 9EL No. Delivery	l		OHD		0.0006216			l l						1	
$\vdash$		8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per	-	1	טחט	1	0.0006∠16			+						+	
		query	l		OHD		0.0006216					1			1	1	
LINE INF		TION DATA BASE ACCESS (LIDB)		<del>                                     </del>	0.10	+	0.0000210			1					<del> </del>	<del>                                     </del>	1
		LIDB Common Transport Per Query	1		OQT	<del>                                     </del>	0.0000197			1						<b>-</b>	1
		LIDB Validation Per Query	1	<b>†</b>	OQU	1	0.0137053			1					1	1	
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	212121200	34.52	34.52	42.33	42.33		15.75				
SIGNALII				1	,												
	ì	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21								<u> </u>		
		CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Connection, Per link (B link) (also known as D	l						-			1					
		link)		<u> </u>	UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
		CCS7 Signaling Usage, Per ISUP Message			UDB	077117	0.0000149									1	
$\vdash$		CCS7 Signaling Usage Surrogate, per link per LATA		<u> </u>	UDB	STU56	683.55										
		CCS7 Signaling Point Code, per Originating Point Code	l		LIDE	00450						1	,		1	I	
E044 0E		Establishment or Change, per STP affected	<b> </b>	<u> </u>	UDB	CCAPO		29.18	29.18	35.78	35.78		15.75		1	<b>!</b>	1
E911 SEF		Local Channel Dedicated 2 ws Vaine Conda	<b> </b>	<u> </u>	<del> </del>	1	14.91	194.22	33.36	37.79	3.30		15.75		1	<b>!</b>	1
		Local Channel - Dedicated - 2-wr Voice Grade	I	1	1	1	14.91	194 77	33.36	37.79	3.30	1	15.75		1	1	1

Version 3Q02: 10/07/02 Page 248 of 425

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Fxhi	ibit: B
ONDONDEL			1		1						Svc Order	Svc Order	Incremental			
												Submitted		Charge -	Charge -	Charge -
		Interi	1_								Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					22.52	40.77	27.57	17.26	7.11		15.75				
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 2	-			+	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 - Zone 3	-			+	221.63	178.50	154.61	22.89	15.74		15.75				
<b></b>	Local Channel - Dedicated - DS1 - Zone 3						178.50			15.74						+
					+	221.63	178.50	154.61	22.89	15.74		15.75				<u> </u>
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										<u> </u>
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1		1	57.33	89.79	82.28	16.86	14.90	1	15.75	]	]		1
												15.75				
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			23.09	23.09	21.23	21.23		15.75				
	CNAM For Non DB Owners - Service Establishment		1	OQV			23.09	23.09	21.23	21.23		15.75				
<del>                                     </del>	CNAM For DB Owners - Service Provisioning With Point Code		1		1				20	20	1	12.70			1	<b>†</b>
	Establishment		1	OQV	I		996.62	737.08	270.49	198.89		15.75			Ì	
$\vdash$	CNAM For Non DB Owners - Service Provisioning With Point		1	UUV	+	1	990.02	131.08	270.49	190.09	+	13.75	-	1	<del> </del>	<del> </del>
			1	001/	I		344.32	246.56	070.05	198.89		15.75			Ì	
	Code Establishment			OQV		0.0040004	344.32	246.56	276.85	198.89		15.75				<b></b>
	CNAM for DB Owners, Per Query			OQV		0.0010231										L
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
LNP Query Ser																
	LNP Charge Per query			OQV		0.0008477										
	LNP Service Establishment Manual						12.59	12.59	11.58	11.58		15.75				
	LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89		15.75				
OPERATOR CA	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST				1											
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using		+			1.20										<del>                                     </del>
	Foreign LIDB					1.24										
						1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute		1		1	1.15										
BRANDING - O	PERATOR CALL PROCESSING		1		1	0	İ									
	based CLEC		<del>                                     </del>		†		-				1	<del>                                     </del>			<b> </b>	+
lacility	Recording of Custom Branded OA Announcement		+		CBAOS		7.000.00	7.000.00			1	15.75	1	1	1	<del>                                     </del>
$\vdash$	Loading of Custom Branded OA Announcement per shelf/NAV		1		SUNUS	1	1,000.00	1,000.00			+	13.75	-	1	<del> </del>	<del> </del>
			1		CDAOL		500.00	500.00				45.75				
<del>                                     </del>	per OCN		1		CBAOL		500.00	500.00			-	15.75		1		<b>├</b>
UNEP (			1		<b></b>							L				<b></b>
	Recording of Custom Branded OA Announcement		1		1	ļ	7,000.00	7,000.00			1	15.75				<u> </u>
	Loading of Custom Branded OA Announcement per shelf/NAV		1		1		l									
	per OCN	<u></u>	<u> </u>		<u> </u>	L	500.00	500.00				15.75	<u></u>	<u></u>	L	<u> </u>
Unbran	ding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.75				
	SSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE		1													
	Directory Assistance Access Service Calls, Charge Per Call		1		1	0.275	<u> </u>				1	i	1	1	1	1
DIRECT	FORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)	<del>                                     </del>		†	0.213	-				1	<del>                                     </del>			<b> </b>	+
DINEC		7,00)	1		1		+				1	<del> </del>	1	1	1	+
	Directory Assistance Call Completion Access Service (DACC),		1		1	0.40	l									
DIDECTORY	Per Call Attempt		<del>                                     </del>		-	0.10					<b>.</b>					<b>↓</b>
	SSISTANCE SERVICES		1		1						ļ					ļ
DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)															ļ
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	IRECTORY ASSISTANCE						İ									
	Based CLEC	1	1		1		i				1	1			1	1

Version 3Q02: 10/07/02 Page 249 of 425

UNBUN	IDLE	D NETWORK ELEMENTS - Mississippi			1								,	Attachment:			ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							rico .	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Recording and Provisioning of DA Custom Branded			A A 4T	OD A D A		0 000 00	0.000.00				45.75				
-		Announcement  Loading of Custom Branded Announcement per Switch			AMT AMT	CBADA CBADC		6,000.00 1,170.00	6,000.00 1,170.00				15.75 15.75				<del> </del>
<del>  </del>	JNEP (				AIVII	CBADC		1,170.00	1,170.00				15.75				
	JIVEF	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				15.75				1
		Loading of DA Custom Branded Announcement per Switch per						3,000.00	3,000.00				13.73				1
		OCN						1,170.00	1,170.00				15.75				
U	Jnbrar	nding via OLNS for UNEP CLEC						,									
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00				15.75				
		Loading of DA per Switch per OCN						16.00	16.00				15.75				
SELECT	IVE RO								•		•						ļ
1 T	_	Selective Routing Per Unique Line Class Code Per Request Per		1	<u> </u>										1	_	
		Switch			ļ	USRCR		85.19	85.19	14.19	14.19		15.75			1	<b></b>
VIRTUAL	COL	LOCATION		<u> </u>	AMTEC			4 040 0=		0.51			45.75		1	1	<del> </del>
$\vdash$		Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable			AMTFS AMTFS	EAF ESPCX		1,212.25 926.27		0.51 22.62		<b>-</b>	15.75 15.75			<del>                                     </del>	<del> </del>
$\vdash$		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		1	AMTFS	ESPUX	5.74	926.27		22.62			15./5			+	<del>                                     </del>
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										<del>                                     </del>
		Virtual Collocation - Cable Support Structure, per entrance			7 UVIII O	201700	7.00										1
		cable			AMTFS	ESPSX	15.24										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75				
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
		Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
		Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
$\vdash$		virtual Collocation - 4-1 lbci Closs Collifects		1	USL,ULC,AMTFS,	ONOME	ე.02	25.70	19.97	10.01	0.30		15.75		1	<del> </del>	+
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable													1		1
		Support Structure, per linear foot			AMTFS	VE1CB	0.0025										<u> </u>
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65					15.75				
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			]												
		Cable Support Structure, per cable			AMTFS	VE1CE		534.65					15.75				1
		Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77	133.77						

ONRONDLE	D NETWORK ELEMENTS - Mississippi			•							1 -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable								400.00							
L	record		<u> </u>	AMTFS	VE1BB		328.81	328.81	190.22	190.22						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.84	4.84	5.93	5.93						
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD		2.27	2.27	2.78	2.78						+
	Virtual Collocation Cable Records - DS1, per TTTLE  Virtual Collocation Cable Records - DS3, per T3TIE		1	AMTFS	VE1BD		7.92	7.92	9.72	9.72						+
	Virtual Collocation Cable Records - Bos, per 13112  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AWITTO	VETDE		1.52	1.52	3.12	5.12						+
	records			AMTFS	VE1BF		84.98	84.98	77.58	77.58						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79	77.00	77.00		15.75				+
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94				15.75				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08				15.75				
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79	1			15.75				1
	.,						-	-	1							1
	Virtual collocation - Maintenance in CO - Overtime, per half hour	L		AMTFS	SPTOM	<u> </u>	36.69	13.94				15.75		<u> </u>	<u> </u>	<u> </u>
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08				15.75				<u> </u>
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		1											<u> </u>		1
	Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		<u> </u>	UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		1	ULFSX	VLINZ	0.0200	12.31	11.07	0.04	3.43		13.73				+
	ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			OLI IX	VETILE	0.0200	12.01	11.01	0.04	0.40		10.70				+
	ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
VIRTUAL COL									3.00							1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															1
	Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
PHYSICAL CO	DLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45		15.75				
AIN SELECTI	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51			15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,								40.00							
	Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				+
	AIN CMC Access Comics - Bost Consenting - Diet/Channel Access			A1N	CAMDP		7.07	7.07	0.44	9.14		45.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87 7.87	7.87 7.87	9.14 9.14	9.14		15.75 15.75				+
	AIN SMS Access Service - Port Conflection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		1.01	1.01	9.14	9.14		15.75				+
	ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
<del>                                     </del>	AIN SMS Access Service - Security Card, Per User ID Code,	<u> </u>		71111	JAMAG		55.21	35.21	21.21	21.21		10.73			<del>                                     </del>	+
	Initial or Replacement		1	A1N	CAMRC		42.13	42.13	11.78	11.78		15.75			I	1
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 (0	0.0021	72.10	72.10	11.75	11.70		10.70			1	<del>                                     </del>
<del>                                     </del>	AIN SMS Access Service - Session, Per Minute			<b> </b>	1	0.5649			† †					1	<b>I</b>	<del>                                     </del>
	AIN SMS Access Service - Company Performed Session, Per			1	1	0.00.0			1						1	<u> </u>
	Minute		1	1		0.8393									I	1
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE								1							1
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75			<u> </u>	<u> </u>
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,226.54	4,226.54				15.75				

Version 3Q02: 10/07/02 Page 251 of 425

	D NETWORK ELEMENTS - Mississippi												Attachment: 2	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTD		7.07	7.07	0.44	0.44		45.75				
	DN, Off-Hook Delay  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		-		BAPTD		7.87	7.87	9.14	9.14		15.75				
	DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ ti Tivi		7.07	7.07	3.14	0.14		10.70				
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44		15.75				
-	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		-			0.0535577										
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1			0.0003309										
	Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.71	8.71	8.71				15.75				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			0.114	DAREO	0.00	0.74	0.74				45.75				
ENHANCEDE	Service Subscription		-	CAM	BAPES	0.09	8.71	8.71				15.75				
	: New Density Zone 1 EELs are available in the following MSA	s: Orlar	ndo Fl	l ·Miami Fl·Ft Iau	derdale FI:	Atlanta Ga: Nev	v Orleans Ι Δ									
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem					Atlanta, Ga, No.	V Oncurs, EA,									
	: In all states, EEL network elements shown below also apply t					erted to UNE ra	tes. A Switch	As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	JNEs.(Non-re	curring rates	do not apply	.)
	: In All States the EEL network elements apply to ordinarily co		netwo	rk elements (No Sw	itch As Is Ch	\ \4/1		ily aambinad r	network elemen	nts, Non-recurr	ing rates de	n annly				
2-\N/ID	E VOICE CRADE EXTENDED LOOP WITH DEDICATED DOLLNIT				ILCII A3 I3 CII	arge.) when or	dering ordinai	ny combined i				appiy.				
Z-7VII	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF			ILCII AS IS CII	arge.) when or	dering ordinal	ny combined i				э арріу.				
2-4411	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	EROFF			UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
2-1111	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	EROFF	1	UNCVX	UEAL2	13.89	105.96	68.28			3	15.75				
2-4410	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	EROFF	ICE TR	ANSPORT (EEL)			<u> </u>		52.82 52.82	10.37						
2-7711	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	EROFF	1 2	UNCVX UNCVX	UEAL2	13.89	105.96 105.96	68.28 68.28	52.82	10.37		15.75 15.75				
2-7/11	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	EROFF	1	UNCVX	UEAL2	13.89	105.96	68.28				15.75				
2-7111	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EROFF	1 2	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	13.89 18.75 27.55	105.96 105.96 105.96	68.28 68.28 68.28	52.82 52.82	10.37 10.37		15.75 15.75 15.75				
2-7111	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	EROFF	1 2 3	UNCVX UNCVX	UEAL2	13.89	105.96 105.96	68.28 68.28	52.82	10.37		15.75 15.75				
2-7111	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	EROFF	1 2 3	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	13.89 18.75 27.55	105.96 105.96 105.96	68.28 68.28 68.28	52.82 52.82	10.37 10.37		15.75 15.75 15.75				
2-711	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96	68.28 68.28 68.28 68.28	52.82 52.82 52.82	10.37 10.37 10.37		15.75 15.75 15.75 15.75				
2-WIN	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96	68.28 68.28 68.28 82.28	52.82 52.82 52.82	10.37 10.37 10.37		15.75 15.75 15.75 15.75				
2-WIN	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1	13.89 18.75 27.55 45.72 0.1813 51.72 102.85	105.96 105.96 105.96 105.96 89.79 91.57	68.28 68.28 68.28 68.28	52.82 52.82 52.82	10.37 10.37 10.37		15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813	105.96 105.96 105.96 105.96	68.28 68.28 68.28 82.28	52.82 52.82 52.82	10.37 10.37 10.37		15.75 15.75 15.75 15.75				
- THIN	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74	52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1	13.89 18.75 27.55 45.72 0.1813 51.72 102.85	105.96 105.96 105.96 105.96 89.79 91.57	68.28 68.28 68.28 68.28	52.82 52.82 52.82	10.37 10.37 10.37		15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1	EROFF	1 2 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28	52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	EROFF	1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74	52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	EROFF	1 2 3 4	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89	105.96 105.96 105.96 105.96 89.79 91.57 6.62	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28	52.82 52.82 52.82 16.86 10.87	10.37 10.37 10.37 14.90 10.10		15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1	EROFF	1 2 3 4 1 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28 68.28	52.82 52.82 52.82 16.86 10.87 52.82 52.82	10.37 10.37 10.37 10.37 10.10 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Cop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4	EROFF	1 2 3 4 1 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28	52.82 52.82 52.82 16.86 10.87 52.82	10.37 10.37 10.37 14.90 10.10 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COC1 - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COC1 - DS1 to DS0 Channel System combination -	EROFF	1 2 3 4 1 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 16.86 10.87 52.82 52.82	10.37 10.37 10.37 10.37 10.10 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COCI - DS1 to DS0 Channel System combination - per month	EROFF	1 2 3 4 1 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75	105.96 105.96 105.96 105.96 89.79 91.57 6.62 105.96	68.28 68.28 68.28 68.28 82.28 62.94 4.74 68.28 68.28	52.82 52.82 52.82 16.86 10.87 52.82 52.82	10.37 10.37 10.37 10.37 10.10 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COC1 - DS1 To DS0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4 Voice Grade COC1 - DS1 to DS0 Channel System combination -	EROFF	1 2 3 4 1 1 2 3 3	UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	13.89 18.75 27.55 45.72 0.1813 51.72 102.85 0.5737 13.89 18.75 27.55 45.72	105.96 105.96 105.96 105.96 105.96 105.96 105.96	68.28 68.28 68.28 68.28 62.94 4.74 68.28 68.28 68.28	52.82 52.82 52.82 16.86 10.87 52.82 52.82	10.37 10.37 10.37 10.37 10.10 10.37		15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75 15.75				

Version 3Q02: 10/07/02 Page 252 of 425

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001441	001111
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<del>- '-</del>	ONOVA	OLAL	21.41	102.21	34.33	00.00	14.04		13.73				
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice						_			-						
	Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINIOAY		54.70	00.70	00.00	10.00	44.00		45.75				
-	Month Channelization - Channel System DS1 to DS0 combination Per		1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75			-	1
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			ONOTA	IVIQ I	102.00	01.07	02.04	10.07	10.10		10.70				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		4	LINOVA	UEAL4	50.03	132.27	94.59	60.68	14.64		45.75				
	Interoffice Transport Combination - Zone 4  Voice Grade COCI - DS1 to DS0 Channel System combination -		4	UNCVX	UEAL4	50.03	132.21	94.59	80.08	14.64		15.75				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.3737	0.02	4.74				13.73				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	NTERC	FFICE	TRANSPORT (EEL)												
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDI 50	40.76	100 50	00.05	00.00	4404		45.75				
	Transport Combination - Zone 3 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		_	ONODA	ODESO	32.23	120.55	00.03	00.00	14.04		10.70				
	Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per				1											
	month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<u> </u>	UNCDA	ODLSO	21.44	120.55	00.03	00.08	14.04		15.75				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75			1	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		T -			200	:=::00	22.00	22.00						1	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	1	15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -										1					
	combination per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	1.22	6.62	4.74			ļ	15.75			ļ	ļ
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75			1	
l l																

Version 3Q02: 10/07/02 Page 253 of 425

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred First	aurring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice				+		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		7	ONODA	ONDO	32.23	120.55	00.03	00.00	14.04		10.75				
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.22	0.02	4.74				15.75				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			0.1027	05201	27	120.00	00.00	00.00			10.70				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		4	LINORY	UDL64	00.05	100.50	88.85	60.68	14.64		45.75				
-	Interoffice Transport Combination - Zone 4  OCU-DP COCI (data) - DS1 to DS0 Channel System		4	UNCDX	UDL64	32.25	126.53	88.85	80.08	14.64		15.75			<u> </u>	
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			CHODA			0.02					10.70				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CE TR/	ANSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
<del>                                     </del>	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			UNCIX	USLAA	129.30	233.93	130.43	40.10	12.07		13.73				
	Transport - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1813										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	01111	31.72	03.73	02.20	10.00	14.50		10.73			1	
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR/	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNCIA	USLAA	129.30	255.95	130.43	40.10	12.07		15.75				
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		Ŭ			200 4	200.00			.2.37		.00				
	4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
ļļ	Per Month			UNC3X	1L5XX	4.29									ļ	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per			LINGOV	LIATEO	044.00	200.27	400.70	00.00	00.00		45.75				
	month			UNC3X	U1TF3 MQ3	641.90	280.37	163.70 94.52	62.08	60.29		15.75 15.75			1	<u> </u>
<del> </del>	DS3 to DS1 Channel System combination per month			UNC3X		107.85	179.17		34.30	32.82						

<u>JNBUNDLE</u>	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination -				_		FIRSt	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		Ė	0.1.0 1.7.	002,01	70.00	200.00	100.10	10.10	.2.07		10.70				
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month		4	UNC1X	UC1D1	12.96	6.62	4.74	46.10	12.07		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONO 17K	00101	12.00	0.02	7.77				10.70				
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport		_	11110101	115410	40.75	405.00	00.00	50.00	40.07		45.75				
	Combination - Zone 2  2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				
	Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport			ONOVA	OLALL	27.00	100.00	00.20	02.02	10.07		10.70				
	Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade						40 ==		4= 00							
	combination - Facility Termination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TE		ONCCC		3.03	3.03	7.20	7.20		10.70				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		3	UNCVA	UEAL4	50.03	132.21	94.59	00.00	14.04		13.73				
	Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade					.=	40 ===		.=							
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				-
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOF		011000		3.03	3.03	7.20	7.20		10.70				
	High Capacity Unbundled Local Loop - DS3 combination - Per	I			1											
	Mile per month			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX 1L5XX	252.17	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility		-	UNC3X	ILOXX	4.29										
	Termination per per month	l		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-				1	311.00			02.00	55.25		.00				
	Is Charge	<u> </u>		UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSP	ORT (EEL)				-		•						
	High Capacity Unbundled Local Loop - STS1 combination - Per			LINGOV	41.515											
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	11.20										-
	Facility Termination per month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile	1		011007	ODLOT	204.33	707.13	200.47	120.23	00.19		10.70				
1	per month	l	l	UNCSX	1L5XX	4.29									1	

Version 3Q02: 10/07/02 Page 255 of 425

CHECHIEL	ED NETWORK ELEMENTS - Mississippi		1	1	1						C C1	Cura Contr	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge		<u> </u>	UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WII	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RI (EEL	<del>)</del>													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	50.00	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	UILZX	21.01	117.01	79.92	52.82	10.37		15.75				
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	1		UNCINA	UTLZX	21.55	117.01	19.92	32.02	10.57		13.73				
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		-	ONCINA	UTLZX	37.34	117.01	15.52	32.02	10.57		13.73				
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		† ·	UNC1X	1L5XX	0.1813		70.02	02.02			10.10				
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month		-	UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	UNCCC		5.00	5.63	7.00	7.00		45.75				
4 10/10	Is Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITERAE	EICE T	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-7711	First DS1 Loop in STS1 Interoffice Transport Combination -	ILKOF	TICE	TANGFORT (EEL)												
	Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -	1	+ -	ONCIA	OOLXX	7 3.00	200.90	130.43	40.10	12.01		13.73				
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination -		<del>                                     </del>													
	Zone 3	1	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	15.75			I	
Ì	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 4	<u></u>	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile												·		1	
	Per Month			UNCSX	1L5XX	4.29										
1	Interoffice Transport - Dedicated - STS1 combination - Facility														1	
	Termination	<u> </u>	1	UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75			-	
	STS1 to DS1 Channel System conbination per month		1	UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75			1	1
	Additional DS1Loop in STS1 Interoffice Transport Combination -	<del>                                     </del>	+-	UNC IA	USLAA	19.08	200.93	100.45	40.10	12.07		15.75			-	-
1	Zone 2	1	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	1	15.75			I	
+	Additional DS1Loop in STS1 Interoffice Transport Combination -	<del>                                     </del>		OI NO IA	OOLAA	123.30	200.30	130.43	40.10	12.07	<b> </b>	13.73			t	-
1	Zone 3	1	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	1	15.75			I	
<del></del>	Additional DS1Loop in STS1 Interoffice Transport Combination -	1	Ť		00200	200.14	200.00	100.40	70.10	12.01	<b> </b>	10.70			<b>I</b>	<u> </u>
1	Zone 4	1	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	1	15.75			I	
i	DS3 Interface Unit (DS1 COCI) combination per month	1	†	UNC1X	UC1D1	12.96	6.62	4.74	0	.2.57		15.75			1	
	Nonrecurring Currently Combined Network Elements Switch -As-	1				:=:50	5.52								1	
1	Is Charge	I	1	UNCSX	UNCCC		5.63	5.63	7.20	7.20	1	15.75			I	
4 18/11	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	TRANS	PORT (EEL)							ĺ					

Version 3Q02: 10/07/02 Page 256 of 425

											1				-	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4 :- 5011 1 (4 :- 5011 1 (5 :- 7						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		4	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		<u>'</u>	UNCDX	ODE30	27.44	120.55	00.00	00.00	14.04		13.73			1	+
	Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
-	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport									-						
	Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	ILSXX	0.00088									1	+
	Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-														İ	†
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
$\longrightarrow$	Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				-
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDX	ODL04	34.33	120.55	00.00	00.00	14.04		13.73			1	+
	Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
-	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport								20.00							
	Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.00088										<u> </u>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	U1TD6	4444	40.70	27.57	47.00	7.44		45.75				
$\longrightarrow$	Facility Termination  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UTID6	14.14	40.78	21.51	17.26	7.11		15.75				+
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
ADDITIONAL	NETWORK ELEMENTS														İ	†
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	Switch As Is c	harge does app	oly.									1
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	nbination)											4
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.00	7.00	7.00		15.75				
-+	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		5.03	5.63	7.20	7.20		15.75			-	+
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
$\overline{}$	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	011000		0.00	0.00	7.20	7.20		10.70				+
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-									-						
	Is Charge - DS3		<u> </u>	UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				1
1	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINCOV	LINICOC		F 00	F 00	7.00	7.00		45.75				
NOTE	Is Charge - STS1  : Local Channel - Dedicated Transport - minimum billing perior	l - Rola	w Dea	UNCSX	UNCCC nd above-fou	r months	5.63	5.63	7.20	7.20	-	15.75			<del>                                     </del>	+
NOTE	Local Channel - Dedicated - 12-Wire Voice Grade	i - Delo	W DOS	UNCXV	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75			1	+
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75			1	1
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
$-\!$	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				<del></del>
$-\!\!\!\!+\!\!\!\!\!-$	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination		<del>                                     </del>	UNC3X UNC3X	1L5NC ULDF3	9.66 413.87	454.13	265.47	123.23	86.19	-	15.75			<del>                                     </del>	+
-+	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month		<del>                                     </del>	UNCSX	1L5NC	9.66	404.13	200.47	123.23	00.19	1	15.75			<del> </del>	+
-+	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75			<b>†</b>	<del>                                     </del>
	nal Features & Functions:			<u> </u>												
1.07	IPLEXERS															
MULT						100 05	04.57	62.94	10.87	10.10	1	15.75				1
MULT	Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				

Version 3Q02: 10/07/02 Page 257 of 425

UNBUN	IDLE	D NETWORK ELEMENTS - Mississippi												Attachment:			bit: B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month			UDN	UC1CA	2.62	6.62	4.74				15.75				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.5737	6.62	4.74	04.00	00.00		15.75				
		DS3 to DS1 Channel System per month			UXTD3 UXTS1	MQ3 MQ3	170.63	179.17	94.52 94.52	34.30	32.82		15.75				
		STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	170.63 12.96	179.17 6.62	94.52 4.74	34.30	32.82		15.75 15.75				
		DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			USL	OCIDI	12.96	6.62	4.74	-			15.75				-
		month			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
S	iuh-l o	op Feeder			OLDDT	OCIDI	12.90	0.02	4.74				13.73				
-		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.19	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	100.03	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	183.66	101.97	64.29	63.68	17.64						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG	430.04	101.97	64.29	63.68	17.64						
UNBUND		OCAL EXCHANGE SWITCHING(PORTS)								1							
E	xchan	ge Ports															
		Although the Port Rate includes all available features in GA, F	Y, LA	& TN, t	he desired features	will need to	be ordered usin	g retail USOCs	3								
2-	-WIRE	VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire VG unbundled MS extended local				1											
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
-		with Caller ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				
-		2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSK	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				
		Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				
-		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.42	1.33		15.75				
F	EATU				OLI OK	OOAGC	0.00	0.00	0.00				13.73				
<u> </u>		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
2-		VOICE GRADE LINE PORT RATES (BUS)			02. O.K	02	2.00	0.00	0.00								
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
		Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire VG unbundled Line Port with								1							
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire VG unbundled MS extended local															
		dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
		Exhange Ports - 2-Wire VG unbundled incoming only port with															
		Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33		15.75				
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan				l											
		without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		15.75				
		2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDOD	LIEDDE	4 44	2.20	0.00	4.40	4.00		45.75				
$\vdash$		Capability Subsequent Activity		<del>                                     </del>	UEPSB UEPSB	UEPBE USASC	1.41 0.00	2.39 0.00	2.29	1.42	1.33		15.75 15.75		-	1	<b>-</b>
-	EATU			<del>                                     </del>	UEPOB	USASC	0.00	0.00	0.00	<del>                                     </del>			15./5		-	<b> </b>	-
F 1		All Available Vertical Features		1	UEPSB	UEPVF	2.56	0.00	0.00	+			15.75		-	1	1
-		NGE PORT RATES (DID & PBX)		<del> </del>	OLFOD	OLF VF	2.36	0.00	0.00	+			10.70		1		-
F-		2-Wire VG Unbundled 2-Way PBX Trunk - Res		1	UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75		-	1	1
<del></del>		2-Wire VG Unburidled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		<del>                                     </del>	UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75			1	
$\vdash$		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		<b>†</b>	UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75			1	
$\vdash$		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		<b>†</b>	UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75			1	-
$\vdash$		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		1	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				-
1 1			i e	1	UEPSP	UEPLD	11	01.70	14.93	14.38	0.92		15.75			1	1

Version 3Q02: 10/07/02 Page 258 of 425

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
0110011021	Metallican Mississippi											Svc Order	Incremental	Incremental	Incremental	Incrementa
		Interi									Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
I		""									-		Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
<del></del>						1				B'			000	D = ( = - (A)		
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	001111	001111
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	First 31.45	Add'I 14.93	First 14.38	Add'I 0.92	SOMEC	<b>SOMAN</b> 15.75	SOMAN	SOMAN	SOMAN	SOMAN
+-	2-Wire Voice Unbundled 2-Way PBX Usage Port  2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD DBB Terminals Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			ULFSF	OLFAD	1.41	31.43	14.55	14.30	0.92		13.73				
1	Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
$\overline{}$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	1.41	31.43	14.55	14.50	0.32		13.73				
i l	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
$\overline{}$	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.41	01.40	14.00	14.00	0.02		10.70				
i l	Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		t				00	00		3.02		.0.70			1	
ı [	Discount Room Calling Port	l		UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
<del>-                                    </del>	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy			_	1										İ	
i l	Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
<del>-                                    </del>	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		1				-									
ı l	Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX Port, Mississippi only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92		15.75				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.75				
FEAT	URES															
$\longrightarrow$	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
EXCH	IANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port	L				1.41	2.39	2.29	1.42	1.33	l	15.75				
	: Transmission/usage charges associated with POTS circuit sv													l		
	: Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	termined via t	he Bona Fid	le Request/I	New Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS) HANGE PORT RATES															
EXCH	Exchange Ports - 2-Wire DID Port			UEPEX	LIEDDO	0.05	120.00	18.85	61.77	3.88		45.75				
	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75				
i l	capability			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)	-		UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75				
	All Features Offered			UEPTX UEPSX	UEPVF	2.56	0.00	0.00	47.50	10.76		15.75				
NOTE	: Transmission/usage charges associated with POTS circuit sv	vitched	lieade						ission by R-Ch	annele accoci	ated with 2		orte			
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles	l	1	UEPTX UEPSX	U1UMA	0.00	0.00	0.00			1	l	24000	l	1	
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75				
UNBL	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,							51,00							
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33		15.75				
	<u> </u>															
	Haland Hala Barrell Call Francis Control Call Call Call			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33		15.75				
۱	Unbundled Remote Call Forwarding Service, Local Calling - Res							2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling - Res Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29								
				UEPVR UEPVR	UERTE	1.41 1.41	2.39	2.29	1.42	1.33		15.75				
Non-F	Unbundled Remote Call Forwarding Service, InterLATA - Res									1.33		15.75				
Non-F	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion -			UEPVR	UERTR		2.39	2.29		1.33						
Non-F	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is									1.33		15.75 15.75				
Non-F	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR	UERTR USAC2		0.0988	0.0988		1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	UERTR		2.39	2.29		1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with			UEPVR UEPVR	UERTR USAC2		0.0988	0.0988		1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) JNDLED REMOTE CALL FORWARDING - Bus			UEPVR UEPVR UEPVR	USAC2 USACC	1.41	0.0988 0.0988	0.0988 0.0988	1.42			15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR UEPVR	UERTR USAC2		0.0988	0.0988		1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) JNDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVR UEPVR UEPVR UEPVB	USAC2 USACC UERAC	1.41	0.0988 0.0988 2.39	0.0988 0.0988 2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVR UEPVR UEPVR UEPVB UEPVB	USAC2 USACC UERAC UERAC	1.41	2.39 0.0988 0.0988 2.39	0.0988 0.0988 2.29	1.42	1.33		15.75 15.75 15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB	USAC2 USACC UERAC UERLC UERTE	1.41 1.41 1.41 1.41	2.39 0.0988 0.0988 2.39 2.39	2.29 0.0988 0.0988 2.29 2.29 2.29	1.42 1.42 1.42 1.42	1.33 1.33 1.33		15.75 15.75 15.75 15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  JNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVR UEPVR UEPVR UEPVB UEPVB	USAC2 USACC UERAC UERAC	1.41	2.39 0.0988 0.0988 2.39	0.0988 0.0988 2.29	1.42	1.33		15.75 15.75 15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res Unbundled Remote Call Forwarding Service, IntraLATA - Res Recurring Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) INDLED REMOTE CALL FORWARDING - Bus Unbundled Remote Call Forwarding Service, Area Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, Local Calling - Bus Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVR UEPVR UEPVB UEPVB UEPVB UEPVB	USAC2 USACC UERAC UERLC UERTE	1.41 1.41 1.41 1.41	2.39 0.0988 0.0988 2.39 2.39	2.29 0.0988 0.0988 2.29 2.29 2.29	1.42 1.42 1.42 1.42	1.33 1.33 1.33		15.75 15.75 15.75 15.75				

Version 3Q02: 10/07/02 Page 259 of 425

UNBUNDL	ED NETWORK ELEMENTS - Mississippi					·							Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Increment Charge
													1st	Add'l	Disc 1st	Disc Add
						D	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVB	USAC2		0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service - Conversion with			02. 10	00/102		0.0000	0.0000				10.70			<del></del>	+
	allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988								
LINDUNDI ED	LOCAL SWITCHING, PORT USAGE			OLI VD	ООЛОО		0.0300	0.0300			1				<del></del>	+
	Office Switching (Port Usage)										-				<del></del>	+
Ena C			-			0.0010269										+
	End Office Switching Function, Per MOU										ļ				<b></b>	
	End Office Trunk Port - Shared, Per MOU					0.000161									<u> </u>	
Tande	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001723										
	Tandem Trunk Port - Shared, Per MOU					0.0001828										1
Comr	non Transport															1
	Common Transport - Per Mile, Per MOU					0.0000026										
	Common Transport - Facilities Termination Per MOU					0.0004541										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															1
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	rovide Unbun	dled Local Swi	tching or Swite	ch Ports.								1
	res shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Pate F	vhihit				<del></del>	1
	Office and Tandem Switching Usage and Common Transport Us											n Bort/Loor	Combination	1	<del></del>	+
															⊢	+
	irst and additional Port nonrecurring charges apply to Not Curr	entry C	ombine	a Compos. For Cui	rrently Comb	nea Combos ti	ne nonrecurrin	g charges shal	i de those ider	itified in the N	onrecurring	- Currently	Combined S	ections.	<b></b>	
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														<u> </u>	
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
ı	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE	Loop Rates															
1	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.98										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										1
<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04									<del></del>	1
<del> </del>	2-Wire Voice Grade Loop (SL1) - Zone 4			UEPRX	UEPLX	43.68										+
2 Win	e Voice Grade Line Port Rates (Res)		4	ULFRA	OLFLX	43.00					1				<del></del>	+
2-9911				UEPRX	UEPRL	1.23	40.31	19.84	24.90	0.50		45.75			<del></del>	+
	2-Wire voice unbundled port - residence									6.58		15.75			<u> </u>	
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
1 1	2-Wire voice Grade unbundled Mississippi extended local	l										l			1	1
	dialing parity port with Caller ID - res	<u> </u>	<u></u>	UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58		15.75			<u> </u>	<u> </u>
T	2-Wire voice unbundles res, low usage line port with Caller ID														1	
1	(LUM)	l	1	UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75		Ì	1	1
1	2-Wire Voice Unbundled Mississippi Residence Dialing Plan										1			İ		1
ı I	without Caller ID	l	1	UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58		15.75		Ì	1	1
	2-Wire voice unbundled Low Usage Line Port without Caller ID	1	1	J 100	SEI 110	1.25	70.01	10.04	2-1.50	0.00	<del>                                     </del>	10.70			<del>                                     </del>	<del>                                     </del>
ı l	Capability	l	1	UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58		15.75		1	1	1
		<del>                                     </del>	-	OLPRA	UEPKI	1.23	40.31	19.84	24.90	86.0	1	15.75		<del>                                     </del>	<del></del>	+
FEAI	URES	<u> </u>		LIEDDY	LIEDVE	0 = 0	0.00	0.00			<b>.</b>	45			<b>└</b>	
$\vdash$	All Features Offered	<b> </b>		UEPRX	UEPVF	2.56	0.00	0.00				15.75			<b>└</b>	<b></b>
LOCA	L NUMBER PORTABILITY	<u> </u>			1	ļ					ļ			ļ	<b>↓</b>	1
	Local Number Portability (1 per port)	<u> </u>		UEPRX	LNPCX	0.35					L	<u> </u>			<b></b>	
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u></u>													
i — T	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
i I	Switch-as-is	l	1	UEPRX	USAC2		0.0988	0.0988				15.75		Ì	1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
455	Subsequent Database Update	<b></b>			1		0.00	0.00			1	15.75		1	<b>├</b>	-
	TIONAL NRCs	<b> </b>									<b></b>	ļ			<del></del>	4
ADDI	12 Mira Vaiga Crade Loop/Line Bort Combination Cubacquest	1	1	1	1	1	1		i l	1	1	i	l	1	1	1
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			l											Į.	
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WIF	Activity RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WIF	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				

Version 3Q02: 10/07/02 Page 260 of 425

<u>UNBUNDLED</u> N	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
0.14	Wire VG Loop/Port Combo - Zone 2		2			17.13	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire VG Loop/Port Combo - Zone 2  Wire VG Loop/Port Combo - Zone 3		3		-	26.26										<del> </del>
UNE Loop			3			20.20										<del> </del>
	Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98					1					1
	Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										<del>                                     </del>
	Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
	Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
	ice Grade Line Port (Bus)		<u> </u>	02. DX	02. 2.	10.00										
	Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58		15.75				
	Vire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58		15.75				
	Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75			1	1
	Vire voice Grade unbundled Mississippi extended local															
	aling parity port with Caller ID - bus	1	1	UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75			I	
2-V	Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75				1
2-V	Wire Voice Unbundled Mississippi Business Dialing Plan															
with	hout Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75				
2-V	Wire voice unbundled Incoming Only Port without Caller ID															
	pability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58		15.75				
	JMBER PORTABILITY															
	cal Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
	Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
	IRRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Nire Voice Grade Loop / Line Port Combination - Conversion -															
	vitch-as-is		<u> </u>	UEPBX	USAC2		0.0988	0.0988				15.75				
Sw	Wire Voice Grade Loop / Line Port Combination - Conversion - vitch with change			UEPBX	USACC		0.0988	0.0988				15.75				
	Wire Voice Grade Loop / Line Port Combination - Conversion -															
	bsequent Database Update						0.00	0.00				15.75				
ADDITION																
	Vire Voice Grade Loop/Line Port Combination - Subsequent															
	tivity			UEPBX	USAS2		0.00	0.00				15.75				
	DICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	Loop Combination Rates															
	Nire VG Loop/Port Combo - Zone 1	ļ	1			12.22										<b>↓</b>
	Nire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	17.13									-	<del></del>
	Nire VG Loop/Port Combo - Zone 3	<u> </u>	3		+	26.26									-	<del></del>
	Nire VG Loop/Port Combo - Zone 4		4		+	44.91									1	₩
UNE Loop	Nire Voice Grade Loop (SL 1) - Zone 1	1	-	UEPRG	UEPLX	10.98									1	₩
			1		UEPLX											
	Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	3	UEPRG UEPRG	UEPLX	15.91 25.04			<del>                                     </del>						<del></del>	<del> </del>
	Nire Voice Grade Loop (SL 1) - Zone 3 Nire Voice Grade Loop (SL 1) - Zone 4	<del>                                     </del>	4	UEPRG	UEPLX	43.68			<del>                                     </del>						<del></del>	+
	ice Grade Line Port Rates (RES - PBX)	<del>                                     </del>	4	UEFRG	UEPLA	43.08			<del>                                     </del>						<del></del>	<del> </del>
	Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	1		+						1				1	<del>                                     </del>
Re:		l		UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75			1	
	S JMBER PORTABILITY			OLI NO	OLI ND	1.23	03.37	JZ.40	31.00	0.17		13.73			t	<b>†</b>
	cal Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75			t	<b>†</b>
FEATURES		1				0.10	0.00	0.00	<b>-</b>		<u> </u>	10.70			<b>I</b>	t
	Features Offered	1	<del>                                     </del>	UEPRG	UEPVF	2.56	0.00	0.00				15.75			t	t -
	IRRING CHARGES (NRCs) - CURRENTLY COMBINED	l				2.00	0.00	2.00				.0.70			1	<u> </u>
	Wire Voice Grade Loop/ Line Port Combination (PBX) -														1	<b>†</b>
	nversion - Switch-As-Is	1	1	UEPRG	USAC2		7.96	1.91				15.75			I	
	Wire Voice Grade Loop/ Line Port Combination (PBX) -														1	1
	nversion - Switch with Change	1	1	UEPRG	USACC		7.96	1.91				15.75			I	
	Wire Voice Grade Loop / Line Port Combination - Conversion -															
	bsequent Database Update	l	1				0.00	0.00				15.75			I	
ADDITION	AL NRCs															1

Version 3Q02: 10/07/02 Page 261 of 425

UNBUNDLED NETWORK EL	.EMENTS - Mississippi												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade	Loop/ Line Port Combination (PBX) -															
Subsequent Activity	/			UEPRG	USAS2	0.00	0.00	0.00				15.75				
PBX Subsequent A	ctivity - Change/Rearrange Multiline Hunt															
Group							7.36	7.36				15.75				
	OOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combinat																
2-Wire VG Loop/Po			1			12.22										
2-Wire VG Loop/Po			2			17.13										
2-Wire VG Loop/Po			3			26.26										
2-Wire VG Loop/Po	rt Combo - Zone 4		4			44.91										
UNE Loop Rates	. (0. 1) 7		<u> </u>	LIEBBY	- Lucas											
	Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98							ļ			
	Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91							ļ			
	Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wire Voice Grade Line F	ort kates (BUS - PBX)		<del>                                     </del>		1 1				-					1	1	<b>├</b>
13 63.1. 11	LO DE CONTROL DO DE CONTROL DE CO			LIEDDY	LIEDDO	4.00	00.07	00.40	07.00	0.47		45.75				
	ed Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75				
	ed Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				
	ed Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 2-Way Combination PBX Usage Port			UEPPX	UEPXA UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled PBX Toll Terminal Hotel Ports			UEPPX		1.23	69.37	32.48	37.86	6.17		15.75				
	ndled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled PBX LD Terminal Switchboard IDD			LIEDDY	UEPXE	4.00	69.37	00.40	07.00	0.47		45.75				
Capable Port	ndled 2-Way PBX Hotel/Hospital Economy		-	UEPPX	UEPAE	1.23	69.37	32.48	37.86	6.17		15.75				
Administrative Calli				UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPAL	1.23	69.37	32.48	37.86	6.17		15.75				
Room Calling Port	ndied 2-way PBA Hotel/Hospital Economy			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 1-Way Outgoing PBX Hotel/Hospital			UEPFA	UEPAIVI	1.23	09.37	32.40	37.00	0.17	-	15.75				
Discount Room Cal				UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 2-Way PBX Mississippi Local Economy		1	ULFFX	ULFAU	1.23	09.37	32.40	37.00	0.17	1	13.73				<del>                                     </del>
Calling Port	idled 2-vvay i BX Wilssissippi Local Economy			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 2-Way PBX Mississippi Local Optional			ULFFX	ULFAQ	1.23	09.37	32.40	37.00	0.17		13.73				
Calling Port	idled 2-way i BX Mississippi Local Optional			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				
	ndled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
	Vay Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75				<del> </del>
LOCAL NUMBER PORTA										•						
Local Number Porta				UEPPX	LNPCP	3.15	0.00	0.00				15.75				
FEATURES	ability (1 per perty			OZ. TX	2.1. 0.	0.10	0.00	0.00				10.10				
All Features Offere	d			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
	ES (NRCs) - CURRENTLY COMBINED															
	Loop/ Line Port Combination (PBX) -															
Conversion - Switch				UEPPX	USAC2		7.96	1.91				15.75				
2-Wire Voice Grade	Loop/ Line Port Combination (PBX) -															
Conversion - Switch	with Change			UEPPX	USACC		7.96	1.91				15.75				
	Loop / Line Port Combination - Conversion -				i i											
Subsequent Databa			<u></u>				0.00	0.00	<u> </u>		<u> </u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u></u>
ADDITIONAL NRCs																
2-Wire Voice Grade	Loop/ Line Port Combination (PBX) -															
Subsequent Activity			<u></u>	UEPPX	USAS2	0.00	0.00	0.00	<u> </u>		<u> </u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u> </u>
PBX Subsequent A	ctivity - Change/Rearrange Multiline Hunt															
Group					1		7.36	7.36				15.75		<u> </u>	<u> </u>	
	OOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE Port/Loop Combinat																
	rt/Loop Combo – Zone 1		1			12.22										
2-Wire VG Coin Po	rt/Loop Combo – Zone 2	1	2			17.13								l	l	

Version 3Q02: 10/07/02 Page 262 of 425

ONBONDLE	D NETWORK ELEMENTS - Mississippi										Ι.		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			26.26										
	2-Wire VG Coin Port/Loop Combo – Zone 4		4			44.91										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										
0.140	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way without Operator Screening and without Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976, 1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00								
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					ļ					
NONR	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>	ļ	_									ļ	1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.0988	0.0988				15.75				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				15.75				
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)	1		-									
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16	•	•								
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3	ļ		28.82					<u> </u>				ļ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99								]		

Version 3Q02: 10/07/02 Page 263 of 425

ONBONDE	LED NETWORK ELEMENTS - Mississippi												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	The Bates						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72			1							
2-W	ire Voice Grade Line Port Rates (Res)			CLITIC	02012	40.72										
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire voice Grade unbundled Mississippi extended local															
	dialing parity port with Caller ID - res	<u> </u>		UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70	<u> </u>	15.75		<u> </u>	<u> </u>	
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70		15.75				
INTE	EROFFICE TRANSPORT			ļ										ļ	ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				=.		40							I	I	
	Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0088										
FEA	ITURES			UEPFR	UEPVF	0.50	0.00	0.00				45.75				
1.00	All Features Offered  CAL NUMBER PORTABILITY			UEPFR	UEPVF	2.56	0.00	0.00				15.75				
LOC	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35								-	-	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIK	LINFOX	0.33										
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.75				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			CLITIC	00/102		10.04	0.72	1			10.70				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.75				
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (													
	Port/Loop Combination Rates		,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89		-		-						
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55								ļ	ļ	
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-W	ire Voice Grade Line Port (Bus)			LIEDED	LIEDDI	4.00	100.00	70	5401	44 =		45		-	-	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70		15.75		-	-	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBC UEPBO	1.27	108.35	70.57	54.24	11.70		15.75		<b>!</b>	<b>!</b>	
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Mississippi extended local		-	UEPFB	DEARO	1.27	108.35	70.57	54.24	11.70		15.75		<del>                                     </del>	<del>                                     </del>	
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70		15.75		1	1	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70		15.75		<del> </del>	<del> </del>	
	2-Wire Voice Unbundled Mississippi Business Dialing Plan			OLI I D	טבו טו	1.27	100.33	10.31	54.24	11.70		13.73		t	t	
	without Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		15.75		I	I	
LOC	CAL NUMBER PORTABILITY			CELLE	OLI WIX	1.27	100.00	70.01	04.24	11.70		10.70				
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35								1	1	
INTE	EROFFICE TRANSPORT			1		0.00								1	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			İ	1									1	1	
	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11				I	I	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
l	or Fraction Mile	<u></u>	<u></u>	UEPFB	1L5XX	0.0088								<u> </u>	<u> </u>	
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00				15.75				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

Version 3Q02: 10/07/02 Page 264 of 425

UNBUN	IDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.94	3.72				15.75				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USACZ		16.94	3.72				15.75				+
		Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.75				
2		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			02.1.5	00,100			02				10.70				+
		ort/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
U		pop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89					-				-	+
		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	18.75					-				1	+
<del>                                     </del>		2-Wire Voice Grade Loop (SL2) - Zone 2		3	UEPFP	UECF2	27.55					<b> </b>					+
		2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										+
2		Voice Grade Line Port Rates (BUS - PBX)															1
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29		15.75				<u> </u>
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29		15.75				
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<u> </u>	UEPFP UEPFP	UEPLD UEPXA	1.27 1.27	137.41 137.41	80.14 80.14	67.20 67.20	11.29 11.29		15.75 15.75				+
-		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29		15.75				+
		2-Wire Voice Unbundled PBX LD DDD Terminal Ploter Forts			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29		15.75				+
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29		15.75				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP UEPFP	UEPXO	1.27	137.41	80.14	67.20 67.20	11.29		15.75 15.75				
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			CLITT	OLI AQ	1.27	107.41	00.14	07.20	11.25		10.70				1
		Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29		15.75				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29		15.75				1
		Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29		15.75				
L		NUMBER PORTABILITY				1											
		Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.75				4
ļ"		DFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0088	40.77	27.07	17.20	7.11						
F	EATU	RES															
		All Features Offered		<u> </u>	UEPFP	UEPVF	2.56	0.00	0.00				15.75				<b>↓</b>
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	USAC2		16.94	3.72				15.75				_
UNBUND		Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.75				
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														<del>                                     </del>
		ort/Loop Combination Rates			1	1											<b>†</b>
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.32										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.16										

Version 3Q02: 10/07/02 Page 265 of 425

OMBONDE	ED NETWORK ELEMENTS - Mississippi					, ,								Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4				53.15										
UNE L	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
UNE F	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		7.35	1.88				15.75			1.97	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1			[]		_							l	I .	
	with BellSouth Allowable Changes	<u> </u>		UEPPX		USA1C		7.35	1.88	ļ		<u> </u>	15.75			1.97	
ADDIT	FIONAL NRCs	ļ	<u> </u>	L		1				ļļ					ļ	<b>.</b>	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ	<u> </u>	UEPPX		USAS1		26.94	26.94	ļļ			15.75		ļ	1.97	
Telep	hone Number/Trunk Group Establisment Charges	<b>!</b>	<u> </u>			LID.						1	,			<b>_</b>	
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.75			1.97	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.75			1.97	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.75			1.97	
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)		<u> </u>	UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														
UNE F	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		28.59										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		45.18										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 4		4				67.61										
UNE L	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26						15.75			1.97	
		1	1												l	I	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR		34.85						15.75			1.97	
	2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	
UNE F	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	
NONR	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
1.55	Combination - Conversion	1	<u> </u>	UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75		-	1.97	1
	FIONAL NRCs																
LOCA	L NUMBER PORTABILITY		-	LIEDDD	HEDDD	LNDOV	0.05	0.00	0.00								
D CIL	Local Number Portability (1 per port)  ANNEL USER PROFILE ACCESS:			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	CVS/CSD (DMS/5ESS)	<del>                                     </del>	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00			1			-	<del>                                     </del>	
	CVS (EWSD)	<del>                                     </del>	<del>                                     </del>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1					-	<del></del>	
<del>-  </del>	CSD CSD	1	1	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1				1	1
в сп	NOTE   ICSD   ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SI	CMC o	TNI	ULPPD	ULPPK	01000	0.00	0.00	0.00			1			1	<del> </del>	<del>                                     </del>
D-CH/	ICVS/CSD (DMS/5ESS)	U, IVI U, 6	1111)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	1					-	<del></del>	
<del>-  </del>	CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1			1	<del> </del>	<del>                                     </del>
	CSD	1	1	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00			1			1	<del> </del>	<del>                                     </del>
HEED	TERMINAL PROFILE	1	1	ULPPD	ULTER	UTUUF	0.00	0.00	0.00			1			1	<del> </del>	<del>                                     </del>
USER	User Terminal Profile (EWSD only)	<del>                                     </del>		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	1		1			1	t	
VEDT	ICAL FEATURES	1	1	OLI FD	OLCER	JIOWA	0.00	0.00	0.00			1			1	<del> </del>	<del>                                     </del>
V L K I	All Vertical Features - One per Channel B User Profile	1	1	UEPPB	UEPPR	HED\/E	2.56	0.00	0.00	1		1	15.75		1	1.97	1

Version 3Q02: 10/07/02 Page 266 of 425

ONDUNDL	ED NETWORK ELEMENTS - Mississippi			T							I		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	ROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and			UEPPB UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
	facilities termination Interoffice Channel mileage each, additional mile		-	UEPPB UEPPR	M1GNM	0.0098	0.00	0.00	17.20	7.11		15.75			1.97	-
4 14/15	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	( DODT	-	UEPPB UEPPR	MIGNIM	0.0098	0.00	0.00								
	REDST DIGITAL LOOP WITH 4-WIRE ISON DST DIGITAL TRONP Port/Loop Combination Rates	PORT			-											-
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE				ļ				-						-	+
	Zone 1		1	UEPPP		155.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		-	OLFFF	ļ	155.45			-						-	+
	Zone 2		2	UEPPP		205.74										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLITI		200.74										
	Zone 3		3	UEPPP		283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<del>                                     </del>	-	0=111	1	200.10			<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>	+
	Zone 4		4	UEPPP		534.81										
UNF I	Loop Rates	1	+		1	304.01			+ +		1				<b> </b>	<u> </u>
O.V.E.	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	79.08						15.75			1.97	1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	129.38						15.75			1.97	1
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP	USL4P	206.74						15.75			1.97	+
+	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP	USL4P	458.46						15.75			1.97	1
UNF F	Port Rate		<u> </u>	02	002	100.10						10.10				1
	Exchange Ports - 4-Wire ISDN DS1 Port		<b>†</b>	UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
NONE	RECURRING CHARGES - CURRENTLY COMBINED		<b>†</b>	02	02	7 0.00	100.00	200.00	121110	02.70		10.10				
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															1
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.76	79.01				15.75			1.97	
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49					15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.58	11.58				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.15	23.15				15.75			1.97	
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel						, and the second									
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	New or Additional - Digital Data B Channel	<b> </b>	<u> </u>	UEPPP	PR7BF	0.00	14.61		1			15.75			1.97	
	New or Additional Inward Data B Channel		<u> </u>	UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CALL	TYPES	ļ	<u> </u>	LIEDDD	DD701				ļ							1
	Inward		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00								
	Outward	<u> </u>	<u> </u>	UEPPP	PR7C0	0.00	0.00	0.00	1					ļ	-	
	Two-way	<b> </b>	<del>                                     </del>	UEPPP	PR7CC	0.00	0.00	0.00	+ +					1	<b>!</b>	1
Intero	office Channel Mileage			LIEDDD	41.514.5	57.50	00.70	00.00	40.00	11.00		45.75			4.07	
	Fixed Each Including First Mile  Each Airline-Fractional Additional Mile	<u> </u>	<u> </u>	UEPPP UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
4 18/15	Each Airline-Fractional Additional Mile RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del>                                     </del>	1	UEPPP	1LN1B	0.20			+ +		1			<del>                                     </del>	<del>                                     </del>	1
	Port/Loop Combination Rates		1	<b></b>	1				<del>                                     </del>						<del>                                     </del>	
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	<del>                                     </del>	1	UEPDC	+	131.78			+ +			15.75		-	1.97	-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	-	2	UEPDC	+	131.78			+ +			15.75		-	1.97	<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2  4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<del>                                     </del>	3	UEPDC	+	259.44			+ +			15.75		-	1.97	-
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	1	4	UEPDC	1	511.15			+ +		1	15.75			1.97	<del>                                     </del>
LINE	Loop Rates	<del>                                     </del>	+	02, 00	+	311.13			+		1	13.73		1	1.97	+
OIAE I	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	1	UEPDC	USLDC	79.08			+ +			15.75		<del> </del>	1.97	+
<del></del>	4-Wire DS1 Digital Loop - UNE Zone 2	<del>                                     </del>	2	UEPDC	USLDC	129.38			<del>                                     </del>		1	15.75		<del>                                     </del>	1.97	+
	4-Wire DS1 Digital Loop - UNE Zone 3	1		UEPDC	USLDC	206.74			<del>                                     </del>		1	15.75		1	1.97	+

Version 3Q02: 10/07/02 Page 267 of 425

ONBONDER	D NETWORK ELEMENTS - Mississippi			ı							12		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			Disconnect				Rates(\$)		
	Port Rate						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NONR	ECURRING CHARGES - CURRENTLY COMBINED			UEPDC	ווטטו	52.70	457.12	254.70	120.96	14.01		15.75			1.97	
, itoliii	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
i l	- Switch-as-is			UEPDC	USAC4		130.24	67.41				15.75			1.97	
i	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		130.24	67.41				15.75			1.97	
ADDIT	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		44.50	44.50				45.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		14.56	14.56				15.75			1.97	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLI DO	ODITO		14.00	14.00				10.70			1.01	
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Altern	ate Mark Inversion			LIEBBO	MOOOF		0.00	0.00								
	AMI - Superframe Format			UEPDC UEPDC	MCOSF MCOPO		0.00	0.00							-	
Tolon	AMI - Extended SuperFrame Format hone Number/Trunk Group Establisment Charges			UEPDC	MCOPO		0.00	0.00							-	
relep	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.75			1.97	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
i l	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				l											
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00							1	
<b>-</b>	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLFDO	ILINOA	0.20	0.00	0.00	1	1	1			1	<del> </del>	1
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00							1	
	Interoffice Channel Mileage - Additional rate per mile - 9-25				12.102	0.00	0.00	0.00	1					1	1	
	miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00						ļ	1	
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00						-	
4 18/15	Central Office Termininating Point  E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CTG	0.00			1		1				<del>                                     </del>	-
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			+										+	1
	System can have up to 24 combinations of rates depending on			her of ports used	+				1		1			1	t	<del>                                     </del>
	OS1 Loop	.ype ai	.a .iuii	or ports used	+				+						t	
0.12.	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00						1	<b>†</b>	1
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00						Ì	1	
ı t	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
UNE I	OSO Channelization Capacities (D4 Channel Bank Configuration	าร)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	

Version 3Q02: 10/07/02 Page 268 of 425

CATEORY   RATE ELEMENTS   Inter   Zone   BCS   USOC   RATES(s)   Section   Companies   C	JNBUNDLEI	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
ATE ELEMENTS    Interl   Zone   BCS	ONDONDELL	THE THORK ELEMENTO IMICOLOGIPPI										Svc Order					
ATECORY RATE LEMENTS   Mark   20th   BCS   USOC   RATEND)   First   Add   Color   Colo																	Charge -
CATEGORY   NATE ELEMENTS   No. 2006   No.																	
Best	MATECORY	DATE ELEMENTS	Interi	7	DOC	LICOC			DATEC(A)								Manual Sv
Non-exercised   Non-exercise	ATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC			KAIES(\$)			per LSR	per LSR	Order vs.		Order vs.	Order vs.
Section   Sect														Electronic-	Electronic-	Electronic-	Electronic
Second Capacity - 1 per 2 [25]														1st	Add'l	Disc 1st	Disc Add'l
A DISSO Charmed Canaday - 1 part 2051s																	
G DBC Channel Capacity - 1, 1907 2051s   CEPMG   VMM8   590 12   CARD							Rec										
Set DISC Channel Cappable y-Spot ADSIS							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
144 DSS Channel Capacity - 1 per 6 DSTs		48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
192 DSI/ Channel Capacity -1 per 80 DSI/s   UEPMG VAMPS 700.48		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	
192 DSC Charmet Capacity -1 per 8 DSTs   UPPMG VMM9 700.48		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00				15.75			1.97	
280 DSC Channel Capacity - 1 per 10 DS1s					UEPMG	VUM19	760.48	0.00	0.00							1.97	
S88 DSS Charmel Capacity - 1 per 1 DS1's   UFPMG VIABES   1,149.72   0.00   0.00   15,75   1.97						VUM20		0.00	0.00								
S84 USS Channel Capacity - 1 per 10 DS1's   UFPMG VIAMES   1,509 86   0.00   0.00   15,75   1.97												1					
480 DSS Charmed Capacity - 1 per 20 DS1s																	<del>                                     </del>
S76 DSO Channel Capaboty - 1 per 24 DS15												1					<del> </del>
STZ DSS Channel Capacity -1 per 28 DS154   State   S																	<del> </del>
Non-Recurring Charges (NRC) Associated with 4-Wire DST Loop with Channelization with Port - Conversion Charge Based on a System																	<del> </del>
A Minimum System configuration is One (1) DSI, One (1) D4 Channel Bank, and Up To 24 DSD Ports with Feature Activations.									0.00				15.75			1.97	ļ
Multiples of this configuration functioning as one are considered Add" after the minimum system configuration is counted.								stem									
NRC - Conversion (Currently Combined) with or without   UEPMG																	<u> </u>
BellSouth Allowed Changes	Multiple		ld'I afte	r the m	inimum system con	figuration is	counted.										
System Additions at End User Locations Where 4-Wire DST Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined in all states, except in Desity Zone 1 of Top 8 MS/s   1 I DST/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fee Activation   UEPMG   VuMD4   0.00   715.15   327.39   148.05   17.56   15.75   15.75   1.97																	
New (Not Currently Combined) in all states, except in Density Zone to 1 Top 8 MSA's   UEPMG   VUMD4   0.00   715.15   327.39   148.05   17.56   15.75   1.97									8.41				15.75			1.97	
TOS/IDA Channel Bank - Additionally Add NRC for each Port   UEPMG   VUMD4   0.00   715.15   327.39   148.05   17.56   15.75   1.575	System	Additions at End User Locations Where 4-Wire DS1 Loop with	h Chan	nelizat	ion with Port Combi	nation Curre	ently Exists and										
Biplate Zero Substitution	New (N	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
Biplate Zero Substitution		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
Bipolar 8 Zero Substitution					UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
Clear Channel Capability Format, superframe - Subsequent Activity Only   UEPMS   CCOSF   0.00   0.00   600.00   15.75   1.97	Rinolar											1					
Activity Only	Dipolai																<del>                                     </del>
Clear Channel Capability Format - Extended Superframe -   UEPMG					HEDMC	CCOSE	0.00	0.00	600.00				15.75			1.07	
Subsequent Activity Only					ULFIVIG	CCOSI	0.00	0.00	000.00				13.73			1.31	<del> </del>
Alternate Mark Inversion (AMI)					LIEDMO	CCOFF	0.00	0.00	000.00				45.75			4.07	
Superframe Format					UEPINIG	CCOEF	0.00	0.00	600.00				15.75			1.97	<u> </u>
Extended Superframe Format	Alterna																
Exchange Ports   Exch																	
Exchange Ports					UEPMG	MCOPO	0.00	0.00	0.00								
Line Side Combination Channelized PBX Trunk Port - Business  UEPPX  UEPCX  1.23  0.00  0.00  0.00  0.00  15.75  1.97  Line Side Inward Only Channelized PBX Trunk Port without DID  UEPPX  UEPDX  UEPDX  1.23  0.00  0.00  0.00  0.00  0.00  15.75  1.97  Line Side Inward Only Channelized PBX Trunk Port without DID  UEPPX  UEPDX  1.23  0.00  0.00  0.00  0.00  0.00  0.00  15.75  1.97  2-Wire Trunk Side Unbundled Channelized DID Trunk Port  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  UEPPX  IPQWM  0.61  25.36  13.39  4.29  4.26  15.75  1.97  Feature (Service) Activation for each Trunk Port Terminated in UEPPX  UEPPX  IPQWU  0.61  78.03  18.39  60.66  11.85  15.75  1.97  Telephone Number/ Group Establishment Charges for DID Service  DID Trunk Termination (1 per Port)  UEPPX  NDT  0.00  0.00  0.00  0.00  0.00  15.75  1.97  Non-Consecutive DID Numbers - groups of 20 - Valid all States  UEPPX  ND4  0.00  0.00  0.00  0.00  15.75  1.97  Non-Consecutive DID Numbers - per number  UEPPX  ND6  0.00  0.00  0.00  0.00  15.75  1.97  Reserve Non-Consecutive DID Numbers  UEPPX  ND6  0.00  0.00  0.00  0.00  15.75  1.97  Reserve Non-Consecutive DID Numbers  UEPPX  ND6  0.00  0.00  0.00  0.00  0.00  15.75  1.97  Reserve Non-Consecutive DID Numbers  UEPPX  ND7  ND8  ND8  0.00  0.00  0.00  0.00  15.75  1.97  Reserve Non-Consecutive DID Numbers  UEPPX  ND6  0.00  0.00  0.00  15.75  1.97  Reserve Non-Consecutive DID Numbers  UEPPX  ND7  ND8  ND8  0.00  0.00  0.00  0.00  15.75  1.97  Reserve DID Numbers  UEPPX  ND8  0.00  0.00  0.00  0.00  15.75  1.97  Reserve DID Numbers  UEPPX  ND9  0.00  0.00  0.00  0.00  15.75  1.97  Reserve DID Numbers  UEPPX  ND7  0.00  0.00  0.00  0.00  0.00  15.75  1.97  Reserve DID Numbers  UEPPX  ND9  0.00  0.00  0.00  0.00  15.75  1.97  Reserve DID Numbers  UEPPX  ND9  0.00  0			on with	Port													
Line Side Outward Channelized PBX Trunk Port - Business   UEPPX   UEPOX   1.23   0.00   0.00   0.00   0.00   0.00   15.75   1.97	Exchan	ge Ports															
Line Side Outward Channelized PBX Trunk Port - Business   UEPPX   UEPOX   1.23   0.00   0.00   0.00   0.00   0.00   15.75   1.97																	
Line Side Inward Only Channelized PBX Trunk Port without DID    Line Side Inward Only Channelized PBX Trunk Port without DID   2-Wire Trunk Side Unbundled Channelized DID Trunk Port   UEPPX UEPDM   7.40   0.00   0.00   0.00   0.00   0.00   15.75   1.97		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port																	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
Feature Activations - Unbundled Loop Concentration					LIFPPX	UEPDM		0.00									
Feature (Service) Activation for each Line Port Terminated in D4 Bank	Feature				OL: · X	02. 5	71.10	0.00	0.00	0.00	0.00	1				1.07	
Bank   UEPPX   IPQWM   0.61   25.36   13.39   4.29   4.26   15.75     1.97	, cuture					t						t	1				<u> </u>
Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			l		LIEPPX	1PO\//M	0.61	25.26	12 20	4 20	1 26	1	15.75			1 07	1
D4 Bank	<b>—</b>	Barn			OLI I A	II CANNINI	0.01	23.30	13.39	4.29	4.20	+	13.75	-	<b> </b>	1.97	<del></del>
Telephone Number/ Group Establishment Charges for DID Service   UEPPX NDT 0.00 0.00 0.00 0.00   15.75   1.97					LIEDDY	100////	0.04	70.00	40.00	00.00	44.05		45.75			4.07	1
DID Trunk Termination (1 per Port)	Talas !			-	ULFFA	IFUVVU	10.01	78.03	18.39	80.00	11.85	+	15.75			1.97	<del> </del>
DID Numbers - groups of 20 - Valid all States	i eiepno				LIEDDY	NDT	0.00	0.00	0.00			+	45.75			4.07	<del></del>
Non-Consecutive DID Numbers - per number												-					<del></del>
Reserve Non-Consecutive DID Numbers																	
Reserve DID Numbers												1					
Local Number Portability																	
Local Number Portability - 1 per port   UEPPX LNPCP 3.15 0.00 0.00					UEPPX	NDV	0.00	0.00	0.00			1	15.75			1.97	
FEATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only																	
Local Switching Features Offered with Line Side Ports Only					UEPPX	LNPCP	3.15	0.00	0.00								
Local Switching Features Offered with Line Side Ports Only	FEATU	RES - Vertical and Optional															
	Local S	witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	2.56	0.00	0.00				15.75			1.97	
Mississippi PBX 2-Way Combo Local Opt 2 Calling Port UEPPX UEPA5 14.00 90.00 90.00 15.75																	
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	INBUNDI FD C		3				100	22.00	22.00			1					
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.				State C	Commission rule to	provide Unb	undled Local S	witching or Su	itch Ports			<b>†</b>	<del>                                     </del>				<b>——</b>
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.										dled Port socti	on of this Dat	e Evhibit	<del> </del>				
													Coin Bort!! -	on Combin-4	ione	1	<del>                                     </del>
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																<u> </u>	
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NF			ırrently	Combi	ned Combos. For	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
apply also and are categorized accordingly.																	
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.	5. Mari	ket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	se Basis, un	til further notice	э.	-								

Version 3Q02: 10/07/02 Page 269 of 425

UNBUNDL	ED NETWORK ELEMENTS - Mississippi										1		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		12.22			-						-	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		17.13										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91		17.13								-	-	+
	Non-Design		3	UEP91		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLI 31		20.20										+
	Non-Design		4	UEP91		44.91										
UNE	Port/Loop Combination Rates (Design)				1				† 1					1	1	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -								†							†
	Design		1	UEP91		15.12			]					1	I	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP91		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP91		46.95										
UNE	Loop Rate															<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91 UEP91	UECS1	15.91										-
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4		3	UEP91	UECS1 UECS1	25.04 43.68			-							+
	2-Wire Voice Grade Loop (SL 1) - Zone 4  2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS1	13.89										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75								-	-	+
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP91	UECS2	27.55										+
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										+
UNE	Ports		-	OLI OI	OLOGE	40.72										+
	tates (Except North Carolina and Sout Carolina)															+
1	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					-										1
	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75		<u> </u>		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								[					_	_	
	Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOA	LIEDVO	4	40.01	40.01	04.00	0 =0		45		1	I	
	- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75		<b>!</b>	<b>!</b>	
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15 75		1	I	
A1 1/2	Basic Local Area (Y. LA. MS. & TN Only			OFLAI	UEF12	1.23	40.31	19.84	24.90	0.58		15.75		+	+	+
AL, N	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58	1	15.75		t	t	+
<del></del>	2-Wire Voice Grade Fort (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75		<b>-</b>	<b>-</b>	<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75		<b>†</b>	<b>†</b>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex With Galler 18)1					20	.5.51	.0.04	250	5.50		700		1	1	<del>                                     </del>
	Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75		1	1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75		<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				$\perp$
Loca	l Switching				1				ļl					1	1	<del></del>
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947			ļl					1	1	<del></del>
<del></del>	I Number Portability															

NRANDL	ED NETWORK ELEMENTS - Mississippi			•	,								Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feat																
	All Standard Features Offered, per port			UEP91	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56						15.75				
NAR																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00								
	ellaneous Terminations															
2-Wi	re Trunk Side			LIEBO.	051110		100.00	10.05	04 ==							
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				
Inter	office Channel Mileage - 2-Wire			LIEDOA	144000	00.50	40.77	07.57	47.00	7.11		45.75				
	Interoffice Channel Facilities Termination - Voice Grade	<b>-</b>	<u> </u>	UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0098										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 C	hannel Bank Feature Activations			LIEDO4	400140	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ 1PQWA	0.57										
Nan	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	TPQWA	0.57										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed			UEP91	USAC2		0.10	0.40				45.75				
	changes, per port  Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	0.10 16.68				15.75 15.75				
				UEP91	M1ACS	0.00	666.32	10.08								
	New Centrex Standard Common Block			UEP91	M1ACC	0.00						15.75 15.75				
	New Centrex Customized Common Block Secondary Block, per Block			UEP91	M2CC1	0.00	666.32 77.91					15.75				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63					15.75				
LINE	P CENTREX - 5ESS (Valid in All States)			UEP91	URECA	0.00	72.63					15.75				
2-Wi	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				-											
	Port/Loop Combination Rates (Non-Design)															
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	-	1	UEP95		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	1	2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design	1	3	UEP95		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	-	4	UEP95		44.91										
UNE	Port/Loop Combination Rates (Design)	1	t												1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	1	2	UEP95		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	1	3	UEP95		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	-	4	UEP95		46.95										
UNF	Loop Rate	1	ΙĖ			.0.00									1	
0	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP95	UECS1	10.98									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+		UEP95	UECS1	15.91			1					1		1

Version 3Q02: 10/07/02 Page 271 of 425

NBUNDLED	NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	
						Rec	Nonre		Nonrecurring					Rates(\$)		,
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
UNE Po																
All State	es															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	LA, MS, SC, & TN Only			ULF 93	ULF 12	1.23	40.31	19.04	24.90	0.50		13.73				
	2-Wire Voice Grade Port (Centrex )		1	UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				-
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				-
	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OLF 95	ULFQII	1.23	40.31	15.04	24.90	0.56		13.73				<del> </del>
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				ļ
FL & GA			<u> </u>													<u> </u>
	witching		<u> </u>	LIEDOS	LIDEOO	0.7047										<u> </u>
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										ļ
	umber Portability			LIEBOE	LNDOO	0.05										ļ
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										ļ
Feature				UEP95	UEPVF	2.56						15.75				ļ
	All Standard Features Offered, per port All Select Features Offered, per port			UEP95 UEP95	UEPVS	0.00	404.98					15.75				<del>                                     </del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56	404.90					15.75				-
NARS	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						15.75				-
	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP95	UARCX	0.00	0.00	0.00	-			15.75			<b> </b>	<del>                                     </del>
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		-	UEP95	UARCX UAR1X	0.00	0.00	0.00				15.75			-	<del></del>
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		<del>                                     </del>	UEP95	UAROX	0.00	0.00	0.00				15.75			<b> </b>	<del>                                     </del>
	aneous Terminations		1	OL: 30	UANUA	0.00	0.00	0.00				13.73				<del>                                     </del>
	Trunk Side				1	<del>                                     </del>									1	
	Trunk Side Terminations, each		1	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				<del>                                     </del>
	Digital (1.544 Megabits)		1		3250	0.20	120.00	10.00	01.77	0.00		10.70				<del>                                     </del>
	DS1 Circuit Terminations, each		1	UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75			<b> </b>	<b> </b>
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56	00.20		2.51		.55			1	<b> </b>
	ce Channel Mileage - 2-Wire				1	5.55	50								1	
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75			1	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098			20						1	
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e				1									İ	
	nnel Bank Feature Activations			İ	İ	† †									İ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57									İ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										<u> </u>

Version 3Q02: 10/07/02 Page 272 of 425

INBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Francisco Additional Devices D						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 33	II QW/	0.57										
	Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				450140											
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.57 0.57										
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			UEP95	IPQWA	0.57										-
NOII-	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	1	1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLFBD		12.22										
	Non-Design		2	UEP9D		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9D		44.91										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		'	UEP9D		15.12										
	Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 02		10.00										
	Design		3	UEP9D		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP9D		46.95										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	2	UEP9D UEP9D	UECS1 UECS1	15.91 25.04										
-	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 1) - Zone 4	1	4	UEP9D UEP9D	UECS1	25.04 43.68									1	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9D	UECS2	45.72										
	Port Rate															
ALL S	STATES			LIEDOD	LIED: (A	1.00	40.0					7				
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	ļ		UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	1		UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	<del>                                     </del>		OLPAD	UEFID	1.23	40.31	19.84	24.90	0.58		15.75			1	
	Area	1		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				7	20			00	2.00					İ	
	Area	<u> </u>		UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75			<u> </u>	
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
_	Area	ļ		UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	l	1	I	1									l		1

<u>UNBUND</u> LE	ED NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
					_	Rec	Nonre		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPTU	1.23	40.31	19.04	24.90	0.56		15.75				
	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI OD	OLI III	1.20	40.01	10.04	24.00	0.00		10.70				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2 Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			LIEDOD	LIEDVD	4.00	400.05	70.57	54.04	44.70		45.75				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLI 3D	OLI 10	1.20	100.55	10.51	34.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75			1	
	Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3					-										
	Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF3D	OLFIZ	1.23	100.33	70.57	34.24	11.70		13.73				
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
AI K	Local Area Y, LA, MS, SC, & TN Only			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D UEP9D	UEPQE UEPQF	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
	2-Wire Voice Grade Fort (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPQV UEPQ3	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58	1	15.75 15.75			-	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3  2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQ3	1.23	40.31	19.84	24.90	6.58	<del>                                     </del>	15.75			<del>                                     </del>	
	2-Wire Voice Grade Fort (Centrex/Caller ID/Msg Wtg Lamp				J	1.20	40.01	10.04	24.50	0.00		10.70				
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPQP UEPQQ	1.23 1.23	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70		15.75 15.75				
	2-Wife Voice Grade Port (Centrex/diller SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
-	2-Wife Voice Grade Port (Centrex/diller SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Certife Vulner SWC / EBS-No.310)2, 3			OLFBD	ULFQ7	1.23	100.55	70.57	34.24	11.70		13.73				
	Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
11	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Locai	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947										
Local	Number Portability			UEP9D	URECS	0.7947									1	
Local	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56						15.75				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Inward			UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00				15.75 15.75				
Misse	Unbundled Network Access Register - Outdial laneous Terminations		1	UEP9D	UAROX	0.00	0.00	0.00				15.75				
	Trunk Side															
2-11110	Trunk Side Terminations, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	Digital (1.544 Megabits)			02. 02	02.120	0.20	.20.00	10.00	0	0.00		10.70				
	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
Intero	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0098										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е													-	
D4 Ch	annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57									-	
	oataro Activation on 2-4 Chainlet Bank Centrex Loop Stot			021 00	11 6440	0.37			+						<b> </b>	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOD	40014/0	0.55										
	Different Wire Center			UEP9D	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP9D	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tijle Line/Trunk Loop			OLI 3D	11 6 4 4 4	0.37			+						<b>†</b>	-
	Slot			UEP9D	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0.57								ĺ		
	ecurring Charges (NRC) Associated with UNE-P Centrex															

																ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
	ND00						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110400		0.40	0.40				45.75				
	changes, per port			UEP9D UEP9D	USAC2		0.10	0.10				15.75				
-+-	Conversion of existing Centrex Common Block, each New Centrex Standard Common Block			UEP9D	USACN M1ACS	0.00	37.97 666.32	16.68				15.75 15.75				<b></b>
	New Centrex Standard Common Block			UEP9D	M1ACC	0.00	666.32				-	15.75				
_	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63				1	15.75				
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLFBD	UNLUA	0.00	72.03					13.73				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		12.22										1
	Non-Design		2	UEP9E	1	17.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9E		44.91										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP9E		46.95										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E UEP9E	UECS2	18.75										-
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3		UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72										
	ort Rate , KY, LA, MS, & TN only										-					-
AL, FL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58	1	15.75				-
<del></del>	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 3L	OLI IX	1.20	40.51	13.04	24.50	0.50		13.73				-
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI OL	OLI ID	1.20	40.01	10.04	24.00	0.00		10.70				
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
_	2-Wire Voice Grade Port (Centrex from diff Serving Wire			02. 02	02	1.20	10.01	10.01	200	0.00		10.10				
	Center)2 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service													İ	İ	
	Term - Basic Local Area	1		UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75		<u></u>	<u></u>	<u> </u>
AL, KY	, LA, MS, & TN Only									· · · · · · · · · · · · · · · · · · ·						
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			l												
	Center)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				<b></b>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				

ARONDFF	D NETWORK ELEMENTS - Mississippi										1 -	_	Attachment:			bit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150	0014411		Rates(\$)	0011411	0014411
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated in 61 Megalink of equivalent			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56						15.75				
NARS				L												
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial		<u> </u>	UEP9E	UAR1X	0.00	0.00	0.00				15.75				
84*	Unbundled Network Access Register - Outdial		<del>                                     </del>	UEP9E	UAROX	0.00	0.00	0.00				15.75		<b> </b>	<del> </del>	
	laneous Terminations Trunk Side		-	+	+									<del>                                     </del>	<del>                                     </del>	
2-wire	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wiro	Digital (1.544 Megabits)			UEF9E	CENDO	0.20	120.00	10.00	01.77	3.00		15.75				
4-44116	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channel Activated Per Channel		1	UEP9E	M1HD0	0.00	14.56	90.23	74.00	2.54		15.75				-
Interof	fice Channel Mileage - 2-Wire			OLF9L	WITIDO	0.00	14.50					13.73				
III.C.O.	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0098		2	20			10.10				
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02		0.0000										
	annel Bank Feature Activations	Ĭ			1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75				
	·															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57						15.75				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.57						15.75				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.57						15.75				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				450000											
	Slot			UEP9E	1PQWQ	0.57						15.75				
Non D	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57						15.75				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed		1		+											
				UEP9E	USAC2		0.10	0.10				15.75				
	changes, per port Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	666.32	10.00				15.75				
	New Centrex Standard Common Block		1	UEP9E	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	72.63					15.75				
UNF-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLI OL	ORLOR	0.00	72.00					10.70				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)					İ			İ					İ	1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											
	Non-Design		_1	UEP93	<u> </u>	12.22										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1										
	Non-Design		2	UEP93		17.13								<u> </u>	<u> </u>	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									-					]	
	Non-Design		3	UEP93		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		1	$\exists$								1	]	
	Non-Design		4	UEP93		44.91										
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															

NRONDLE	D NETWORK ELEMENTS - Mississippi										T -		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOO		40.00										
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		19.98										
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	OLI 33		20.70										
	Design		4	UEP93		46.95										
UNE L	oop Rate			02. 00		10.00									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55	,				ļ					ļ
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72										
	ort Rate		<u> </u>												-	ļ
AL, KY	Y, LA, MS, & TN only			115500	11551/4	4.00	10.01		21.22							
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBOO	UEPYB	4.00	40.04	10.01	04.00	0.50		45.75				
	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		-	UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
				UEP93	UEPYH	1.23	40.24	19.84	24.90	6.58		15.75				
	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP93	UEPTH	1.23	40.31	19.84	24.90	0.58		15.75				
	Center)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
+	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	OLI 33	OLI TIVI	1.25	100.55	10.51	54.24	11.70		13.73				
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI SO	OLI 12	1.20	100.00	70.07	04.24	11.70		10.70				
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	L															
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
11	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75			-	
Local	Switching Centrex Intercom Funtionality, per port		-	UEP93	URECS	0.7947										
Local	Number Portability			UEP93	URECS	0.7947										
Local	Local Number Portability (1 per port)			UEP93	LNCCC	0.35			-						-	
Featur			1	OLI 33	LIVOCO	0.55										
i catur	All Standard Features Offered, per port			UEP93	UEPVF	2.56						15.75				
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56						15.75				
NARS					1	2.50						.0 0		1	1	
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				15.75			1	
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				15.75				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wire	Digital (1.544 Megabits)			ļ					ļl					ļ	1	<b>↓</b>
	DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				<del> </del>
1	DS0 Channels Activated, Per Channel		<u> </u>	UEP93	M1HDO	0.00	14.56		ļ			15.75		ļ		<u> </u>
	fice Channel Mileage - 2-Wire															

IBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						_ 1	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0098										1
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
D4 Ch	annel Bank Feature Activations															Ī
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										1
Non-F	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								1
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				1
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note	2 - Requres Interoffice Channel Mileage															
Note 1	3 - Requires Specific Customer Premises Equipment															

JNBUNDLED NI	ETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge
		l									Elec	Manually	Manual Svc	Manual Svc		Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			1					
AILOOKI	KATE ELEMENTO	m		500	0000			ικη Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
							Nonrec		Nonrecurring	Diagrams			000	Rates(\$)		
						Rec										
		<u> </u>		l	L	L	First	Add'l	First	Add'l		SOMAN			SOMAN	SOMAN
	shown in the sections for stand-alone loops or loops as				eographically	Deaveraged U	NE Zones. To	view Georgrap	hically Deaver	aged UNE Zon	ie Desiganti	ons by C O	, refer to Inter	net Website:		
	.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
PERATIONAL SU	PPORT SYSTEMS															
NOTE: (1) E	Electronic Service Order: CLEC should contact its contract	t negot	iator if	it prefers the state	specific elect	ronic service o	rdering charge	s as ordered b	y the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ontained in th	is rate
exhibit is th	he BellSouth regional electronic service ordering charge.	CLEC	mav ele	ect either the state s	pecific Comn	nission ordered	d rates for the	electronic serv	ice orderina ch	arges, or CLE	C may elect	the region	al electronic s	service orderi	ng charge.	
	Any element that can be ordered electronically will be bille															
those eleme	ents that cannot be ordered electronically at present per t	he BBR	LO, th	e listed SOMEC rate	e in this cated	gory reflects th	e charge that v	ould be billed	I to a CLEC on	ce electronic o	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manua
ordering ch	harge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
Elec	ctronic OSS Charge, per LSR, submitted via BST's OSS															
	eractive interfaces (Regional)	l	1		SOMEC		3.50					l		Ì	I	
	TE ADVANCEMENT CHARGE	1			1		2.20				1	i		1	1	
	Expedite charge will be maintained commensurate with I	Relison	th's FC	C No 1 Tariff Scoti	nn 5 as annli	cable					<del>                                     </del>					
	E Expedite Charge will be maintained commensurate with a Expedite Charge per Circuit or Line Assignable USOC, per	I	III 3 FC		I as appli	oubie.					1	<del> </del>	1	1	1	<b>-</b>
		l		ALL UNE	SDASP		200.00									
Day				ALL UNE	SDASP		200.00									
	HANGE ACCESS LOOP	<b> </b>			ļ							ļ			<b></b>	<b></b>
	ALOG VOICE GRADE LOOP															<b>└</b>
	Vire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37			1	ļ	26.94	12.76		
2-W	Vire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76		
2-W	Vire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76		
Looi	p Testing - Basic 1st Half Hour			UEANL	URET1		76.24						26.94	12.76		
	pp Testing - Basic Additional Half Hour			UEANL	URETA		39.51						26.94	12.76		
	EC to CLEC Conversion Charge Without Outside Dispatch															
	/L-SL1)			UEANL	UREWO		15.76	8.93					26.94	12.76		
	bundled Voice Loop, Unbundled Non-Design Voice Loop,			OLANL	OKEWO		13.70	0.33			1		20.34	12.70		
	ng for BST providing make-up			UEANL	UEANM		28.74	28.74								
					UEAMC		61.38	61.38								
	nual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	der Coordination for Specified Conversion Time for UVL-SL1															
	r LSR)			UEANL	OCOSL		45.34									
	bundled COPPER LOOP															
	/ire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60					26.94	12.76		
2 W	/ire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60					26.94	12.76		
2 W	/ire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60					26.94	12.76		
	der Coordination 2 Wire Unbundled Copper Loop - Non-															
	signed (per loop)			UEQ	USBMC		45.34									
	bundled Copper Loop, Non-Designed Billing for BST			024	0050		10.01									
	viding make-up	l	1	UEQ	UEQMU		28.74	28.74				l	26.94	12.76	I	1
	p Testing - Basic 1st Half Hour	<b>-</b>	-	UEQ	URET1			20.74			<del>                                     </del>	-	26.94	12.76	-	-
		<del>                                     </del>	<b>!</b>				76.24				1	<del>                                     </del>			<del>                                     </del>	
	pp Testing - Basic Additional Half Hour	<b> </b>		UEQ	URETA		39.51				<b></b>		26.94	12.76		
	EC to CLEC Conversion Charge Without Outside Dispatch	l			l											
	CL-ND)			UEQ	UREWO		14.26	7.42			1	ļ	26.94	12.76		
	HANGE ACCESS LOOP															
	ALOG VOICE GRADE LOOP															
2 W	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
Zon		l	1	UEPSR UEPSB	UEALS	12.11	57.99	42.37				l	26.94	12.76	I	
	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	<u> </u>		1 -	·=···	220				1	i		1	1	
Zon		l	1	UEPSR UEPSB	UEABS	12.11	57.99	42.37				l	26.94	12.76	I	
	/ire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<del>                                     </del>	-	OLI OIL OLF OD	JEADO	12.11	31.38	42.37			1	1	20.94	12.70	t	
		l	2	UEPSR UEPSB	UEALS	24.24	E7.00	40.07				l	26.04	10.70	I	
Zon		<b>.</b>	2	OEPOK OEPOB	UEALS	21.24	57.99	42.37			1	1	26.94	12.76	1	
	/ire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	_	LIEDOD LIEDOS								l			I	
Zon		<b> </b>	2	UEPSR UEPSB	UEABS	21.24	57.99	42.37				ļ	26.94	12.76	<b></b>	
	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	1									l		Ì	I	
Zon		<u> </u>	3	UEPSR UEPSB	UEALS	33.65	57.99	42.37			<u> </u>		26.94	12.76		
2 W	/ire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l											]			
Zon		l	3	UEPSR UEPSB	UEABS	33.65	57.99	42.37				l	26.94	12.76	I	
	Rates for Line Splitting				1						1	İ		i -	İ	
	/ire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	1	UEPRX	UEPLX	13.03	2.77	0.40	42.95	9.85	1	1		1	1	
	Vire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	2	UEPRX	UEPLX	21.33	2.77	0.40	42.95	9.85	<del>                                     </del>					<del>                                     </del>
								0.40			1				+	
	Vire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3	UEPRX	UEPLX	32.61	2.77		42.95	9.85						

Version 3Q02: 10/07/02 Page 280 of 425

ONRONDFI	ED NETWORK ELEMENTS - North Carolina			1									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				LIEAL O	44.07	4.40.07	100.50					00.04	40.70		
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76		
	Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEAL2	25.93	142.97	106.56					26.94	12.76		
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	40.01	45.34	100.50					20.34	12.70		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	00002		40.04									
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1	_										
	Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76		
4-WIF	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	21.32	288.47	237.45					26.94	12.76		
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	36.27	288.47	237.45					26.94	12.76		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34	20.00					00.04	40.70		
0 14/15	CLEC to CLEC Conversion Charge without outside dispatch RE ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.64	36.33					26.94	12.76		
Z-VVIP	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76		
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76		
	2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	31.14	45.34	201.01					20.34	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76		
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	19.42	325.91	251.31					26.94	12.76		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	32.88	325.91	251.31					26.94	12.76		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76		
	CLEC to CLEC Conversion Charge without outside dispatch	L	<u> </u>	UDC	UREWO		91.55	44.12					26.94	12.76		
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	1												
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	LIALOV	44.00	004.74	445.00								
	& facility reservation - Zone 1  2 Wire Unbundled ADSL Loop including manual service inquiry	<u> </u>	<u> </u>	UAL	UAL2X	11.00	264.71	145.60						-	-	
	& facility reservation - Zone 2	1	2	UAL	UAL2X	18.39	264.71	145.60								1
	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	10.55	204.71	145.00								
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	20.12	45.34	1 10.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch	L	1000	UAL	UREWO		86.12	40.36					26.94	12.76		
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP		+											
	2 Wire Unbundled HDSL Loop including manual service inquiry	l		l		2.25	00471	100 51					0.00	0.00		
	& facility reservation - Zone 1	<b>!</b>	1	UHL	UHL2X	9.01	284.74	163.54					0.00	0.00		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	l	2	UHL	UHL2X	14.87	284.74	163.54					0.00	0.00		
-+	2 Wire Unbundled HDSL Loop including manual service inquiry	1		OI IL	UI ILZA	14.07	204.14	103.34					0.00	0.00	1	<b> </b>
1	& facility reservation - Zone 3	l	3	UHL	UHL2X	22.82	284.74	163.54					0.00	0.00		

UNBUNDL	ED NETWORK ELEMENTS - North Carolina			1	-								Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
<u> </u>							Nonrec	urring	Nonrecurring Di	isconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34	Addi	11100	Addi	COME	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76		
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76		
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP						ļ							
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
	4-Wire Unbundled HDSL Loop including manual service inquiry	-		OI IL	UI IL4A	10.02	341.05	220.45	+						1	
	and facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45							1	
	4-Wire Unbundled HDSL Loop including manual service inquiry				J/\	17.07	3-1.00	220.40	<del>                                     </del>						<b> </b>	
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76		
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WI	RE DS1 DIGITAL LOOP		1	USL	USLXX	47.60	714.84	421.47	ļ				42.19	12.76		
	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47					42.19	12.76		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47	1				42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL	104.25	48.31	721.77					42.10	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.99	43.00					26.94	12.76		
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76		
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	25.32	489.04	337.51					26.94	12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	43.11	489.04	337.51					26.94	12.76		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	67.26	489.04	337.51					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	05.00	45.34	207 = 1					00.01	10.70	<b> </b>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.32	489.04	337.51	<del>                                     </del>				26.94	12.76	<b> </b>	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL UDL	UDL64 UDL64	43.11 67.26	489.04 489.04	337.51	<del>                                     </del>				26.94 26.94	12.76		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.∠0	489.04 45.34	337.51	<del>                                     </del>				20.94	12.76	1	<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70	<del>                                     </del>				26.94	12.76	1	
2-WI	RE Unbundled COPPER LOOP				JIL VVO		102.03	43.70	<del>                                     </del>				20.34	12.70	<del> </del>	
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
	2 Wire Unbundled Copper Loop/Short including manual service												·			
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75	ļ						ļ	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38	ļ							
	2-Wire Unbundled Copper Loop/Short without manual service		١.		1101 511		,									
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	<b> </b>	
	2-Wire Unbundled Copper Loop/Short without manual service		_	luci	LICL DV4	20.00	400.00	440.00	]				20.04	40.70	1	
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop/Short without manual service	-	2	UCL	UCLPW	22.39	188.39	112.96	<del>                                     </del>				26.94	12.76	-	
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96	]				26.94	12.76	1	
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	34.00	61.38	61.38	<del>                                     </del>				20.94	12.70		

Version 3Q02: 10/07/02 Page 282 of 425

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect	001150	001111		Rates(\$)	001141	001441
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	13.26	262.86	143.75								
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	002	OOLEL	10.20	202.00	140.70								
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	22.39	262.86	143.75								
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	34.80	262.86	143.75								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76		
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76		
	2-Wire Unbundled Copper Loop/Long - without manual service	-		UCL	UCLZVV	22.39	188.39	112.96			+		26.94	12.76		-
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	04.00	61.38	61.38					20.04	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76		
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93								
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93								
	4-Wire Copper Loop/Short - including manual service inquiry			002	COLTO	20.01	011.00	101.00								
	and facility reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76		
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76		
	4-Wire Copper Loop/Short - without manual service inquiry and		3	UCL	UCL4W	46.26	236.57	101.11					26.94	40.70		
	facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCL4VV UCLMC	46.26	61.38	161.14 61.38			+		26.94	12.76		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.	-		UCL	OCLIVIC		01.30	01.30			+					
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	17.36	311.03	191.93								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	29.61	311.03	191.93								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	46.26	311.03	191.93								
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		61.38	61.38		ļ						
	4-Wire Unbundled Copper Loop/Long - without manual svc.		١,	UCL	1101.40	47.00	220 57	404.44					20.04	40.70		
	inquiry and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - without manual svc.	+	1	UCL	UCL4O	17.36	236.57	161.14		-	<del>                                     </del>		26.94	12.76		
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	29.61	236.57	161.14					26.94	12.76		
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	COLTO	20.01	200.01	101.14					20.04	12.70		
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	46.26	236.57	161.14					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		97.14	42.44								
OOP MODIF	ICATION															
				UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire		1	UEQ, ULS, UEA, UEANL, UDL, UDC,												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		21.24	21.24								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	1	1	ODIN, ODE, OOE	JLIVIZL		21.24	21.24		1	1			1	1	1
	greater than 18k ft		1	UCL, ULS, UEQ	ULM2G		119.24	119.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		, , , , , , , , , , , , , , , , , , , ,						1	1			1	1	
	less than or equal to 18K ft			UHL, UCL	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft	1		UCL	ULM4G		119.24	119.24			1					

NRONDL	ED NETWORK ELEMENTS - North Carolina			1	1								Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonred			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		24.84	24.84								
UB-LOOPS																
Sub-l	Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		373.57									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		33.78									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		234.76									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		81.05									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	114.05	37.20					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	П	1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	6.58	162.24	85.38					26.94	12.76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	10.51	162.24	85.38					26.94	12.76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
Unbu	Indled Sub-Loop Modification														1	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82					26.94	12.76		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		124.51	1.82					26.94	12.76		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		249.25	47.30					26.94	12.76		
Unbu	Indled Network Terminating Wire (UNTW)		<u> </u>	1			2 .0.20	00					20.04	.2.70		
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98									
Netw	ork Interface Device (NID)						-	-								
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69					26.94	12.76		
ı	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21					26.94	12.76		

ONRONDE	.ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		т
	N. 11. ( D. 1 D. 1 D. 1 D. 1 D. 1		<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W	-		UENTW UENTW	UNDC2 UNDC4		11.68 11.68	11.68 11.68			-		26.94 26.94	12.76 12.76		
SUB-LOOPS		- 1		UENTW	UNDC4		11.08	11.08			-		26.94	12.76		
	Loop Feeder		1								1					-
Oub-	USL-Feeder, DS0 Set-up per Cross Box location - CLEC		1	UEA.							1					
	Distribution Facility set-up			UDN.UCL.UDL.UDC	USBFW		373.57									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,			0.0.0									
	set-up			UDN,UCL,UDL,UDC	USBFX		33.78	33.78								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.51	11.31					19.99	19.99		1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															1
	Grade - Zone 1		1	UEA	USBFA	10.41	122.52	46.61					26.94	12.76	ļ	ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			l			400	40							1	
	Grade - Zone 2		2	UEA	USBFA	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	26.67	122.52	46.61					26.94	12.76		
	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	20.07	45.34	46.61			-		26.94	12.76		
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			ULA	OCOGL		45.54				-					+
	Grade - Zone 1		1	UEA	USBFB	10.41	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		<u> </u>	027	005.5	10.11	.22.02	.0.01			1		20.0 .	.2		1
	Grade - Zone 2		2	UEA	USBFB	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	26.67	122.52	46.61					26.94	12.76		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	10.41	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	26.67	122.52	46.61					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR		3	UEA	OCOSL	20.07	45.34	40.01			-		20.94	12.70		<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			ULA	OCOSL		45.54				-					+
	Grade - Zone 1		1	UEA	USBFD	19.96	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice										İ					1
	Grade - Zone 2		2	UEA	USBFD	33.91	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															1
	Grade - Zone 3		3	UEA	USBFD	52.85	226.36	144.28					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		١.	LIEA												
	Grade - Zone 1		1	UEA	USBFE	19.96	226.36	144.28					26.94	12.76		<b></b>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	33.91	226.36	144.28					26.94	12.76		
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	1		OLA	USDFE	33.91	220.36	144.28	1	+	1		20.94	12.76	1	<del>                                     </del>
	Grade - Zone 3		3	UEA	USBFE	52.85	226.36	144.28					26.94	12.76		
<del>                                     </del>	Order Coordination For Specified Conversion Time, Per LSR		_	UEA	OCOSL	02.00	45.34	177.20		+			20.04	12.70		<b>†</b>
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.24	202.01	105.88					26.94	12.76	İ	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	29.17	202.01	105.88					26.94	12.76	<u> </u>	
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	45.37	202.01	105.88					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.34	•								
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.24	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	29.17	202.01	105.88			1		26.94	12.76		<u> </u>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	45.37	202.01	105.88					26.94	12.76		<b></b>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL USL	USBFG USBFG	35.65 63.18	393.01 393.01	153.37 153.37	-	+	1		42.19 42.19	12.76	1	<del>                                     </del>
<del></del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL	USBFG	63.18 100.58	393.01 393.01	153.37		+	1		42.19 42.19	12.76 12.76		<del>                                     </del>
	Order Coordination For Specified Conversion Time, Per LSR	-	3	USL	OCOSL	100.38	48.31	155.57	1	1	1		42.19	12.70	1	<del>                                     </del>
<del>                                     </del>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	9.14	172.89	90.81		1	+		26.94	12.76	1	$\vdash$
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<u> </u>		235111	5.14	172.03	33.01					20.04	12.70		
	2		2	UCL	USBFH	14.90	172.89	90.81					26.94	12.76		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		L
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_				4=0.00							40.00		
	3		3	UCL	USBFH	22.71	172.89	90.81					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL UCL	OCOSL USBFJ	13.41	45.34 207.14	134.77	-				26.94	12.76		
-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	22.42	207.14	134.77					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	34.66	207.14	134.77					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	34.00	45.34	104.77					20.54	12.70		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	41.55	215.00	132.92	İ				26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	65.02	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 1		1	UDL	USBFO	24.27	215.00	132.92	<u> </u>		<u> </u>		26.94	12.76		<u> </u>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	65.02	215.00	132.92					26.94	12.76		
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.34									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -						0.500							40.00		
	Zone 1		1	UDL	USBFP	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFP	44.55	045.00	100.00					00.04	40.70		
	Zone 2		2	UDL	USBFP	41.55	215.00	132.92	-				26.94	12.76		
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	65.02	215.00	132.92					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	03.02	45.34	132.32					20.94	12.70		
SUB-LOOPS	Order Goordination For opecined Goriversion Time, per Lorc			ODL	OCCOL		40.04									
	op Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	16.03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month	- 1		UDLSX	1L5SL	16.03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month	- 1		UDLO3	1L5SL	12.16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	- 1		UDLO3	USBF5	56.60										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	- 1		UDLO3	USBF2	564.14	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	14.97										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			LIDI 40	USBF6	639.50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	-		UDL12 UDL12	USBF6 USBF3	1,841.00	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		1	UDL12 UDL48	1L5SL	49.10	3,388.57	400.81	104.08	93.01			20.94	12.76		
	Sub Loop Feeder - OC-46 - Fer Mile Fer Worth	-	<del>                                     </del>	0DL40	ILUUL	45.10					1			<del> </del>		
	Month			UDL48	USBF9	319.92			]					1		
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	Ė	i –	UDL48	USBF4	1,603.00	3,585.57	406.81	160.39	90.92			26.94	12.76		
	Sub Loop Feeder - OC-12 Interface On OC-48	1	1	UDL48	USBF8	360.95	804.30	406.81	160.39	90.92			26.94	12.76		
UNBUNDLED L	OOP CONCENTRATION							-								
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398.41	652.26	652.26								
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58.36	271.78	271.78								
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439.73	652.25	652.26								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98.34	271.78	271.78								
	Unbundled Loop Concentration - DS1 Loop Interface Card		ļ	ULC	UCTCO	5.52	126.85	92.35	33.65	9.42						
	Unbundled Loop Concentration - ISDN Loop Interface (Brite															
	Card)		1	UDN	ULCC1	8.77	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration - UDC Loop Interface (Brite			LIDO		0.7-	24.1	04.00	400	40 = -				1		
	Card)		1	UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			1	<del> </del>		
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	0.89	25.72	25.42	]					1		1
$oxed{oxed}$	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1	UEA	ULCC2	0.89	35.73	35.49	<del>                                     </del>		<del>                                     </del>			-		-
	Torroundied Loop Concentration - ∠ wire voice - Reverse Battery	1	1	l	1						1		1	I		
	Loop Interface (SPOTS Card)					12 02										
	Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	13.03	21.11	21.00	10.81	10.74						

Version 3Q02: 10/07/02 Page 286 of 425

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		None	RATES(\$)	Name	Diagon	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
			1			Rec	Nonred First	Add'l	First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
-	Unbundled Loop Concentration - TEST CIRCUIT Card		1	ULC	UCTTC	37.98	21.11	21.00	10.81	10.74	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Unbundled Loop Concentration - TEST CIRCOTT Card  Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		1	OLC	00110	37.56	21.11	21.00	10.61	10.74						
	Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface			UDL	ULCC5	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
LINE OTHER	Interface		<u> </u>	UDL	ULCC6	11.51	21.11	21.00	10.81	10.74						
UNE OTHER,	PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00								1	
	CITITY Circuit id Establishment, I revisioning Citiy 110 Mate		1	UEANL,UEF,UEQ,U	OLIVOL	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1	OLA,ODIN,OOL,ODO	OODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP		<u> </u>													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility		<u> </u>	ULS	ILSIND	13.33										
	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per						,									
	month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
LOOP MAKE-	Termination per month		<u> </u>	UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-	Loop Makeup - Preordering Without Reservation, per working or		1													
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
	Loop Makeup - Preordering With Reservation, per spare facility		1	Olviit	OWINE		33.44	33.44								
	queried (Manual).			UMK	UMKLP		55.73	55.73								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		0.6960821	0.6960821								
HIGH FREQU	ENCY SPECTRUM		<u> </u>													
	SHARING TERS-CENTRAL OFFICE BASED		1													
SFLII	Line Sharing Splitter, per System 96 Line Capacity		1	ULS	ULSDA	181.18	631.54	31.27					26.94	12.76	1	
<b>-</b>	Line Sharing Splitter, per System 24 Line Capacity		1	ULS	ULSDB	38.99	631.54	31.27					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing Splitter - per Line Activation in the Remote															
$oxed{oxed}$	Terminal (RT)			ULS	ļ	2.23	122.12	48.05					26.94	12.76		
1 1	Line Sharing-DLEC Owned Splitter in CO-CFA activation-				111 000		440.00	04.0=					20.01	10 =0	1	
ENDI	deactivation (per LSOD)  JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	/ CDEC	TOUM	ULS	ULSDG		146.32	31.27					26.94	12.76		
END	Line Sharing - per Line Activation (BST Owned Splitter)	SPEC	RUN	ULS	ULSDC	0.61	54.71	28.77	1	1			25.33	2.53		
	Line Sharing - per Subsequent Activity per Line		1		32000	0.01	34.71	20.77					20.00	2.00	<b>†</b>	1
	Rearrangement(BST Owned Splitter			ULS	ULSDS	1	35.42	16.57					25.33	2.53		
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		
	Line Sharing - per Line Activation (DLEC owned Splitter)	Ī		ULS	ULSCC	0.61	47.44	19.31					26.94	12.76		
	SPLITTING		1		<u> </u>											
END (	ISER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter	<b>-</b>	-	UEPSR UEPSB	UREOS	0.61									-	
	Line opinting - per line activation DLEC owned splitter		1	DEFOR DEPOB	UKEU5	10.01	L		<u> </u>	L	l			<u> </u>	l	<u> </u>

Version 3Q02: 10/07/02 Page 287 of 425

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina			1	1	1					Т -		Attachment:			bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Splitting - per line activation BST owned - physical	I		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
	DEMO	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76		
		TE SITE HIGH FREQUENCY SPECTRUM TERS-REMOTE SITE														-	
	SPLII	Remote Site Line Share BellSouth Owned Splitter, 24 Port	-		ULS	ULSRB	38.18	424.61	0.00			-		26.94			
	1	Remote Site Line Share Cable Pair Activation CLEC Owned at	-		ULS	ULSKB	30.10	424.01	0.00					20.94			
		RS and Deactivation	1		ULS	ULSTG		74.38	0.00					26.94			
	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	M AKA	REMO				7 1.00	0.00					20.01			
		Remote Site Line Share Line Activationfor End User Served at															
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	56.92	28.59					26.94	12.76		
		RS Line Share Line Activation for End User served at RS, CLEC												_	_		
		Splitter	I		ULS	ULSTC	0.61	56.92	28.59					26.94	12.76		
UNBU		DEDICATED TRANSPORT	L		1	1											
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billir	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
<u> </u>	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		<b>!</b>	1		<del>                                     </del>			1	1					<del>                                     </del>	
1		Per Mile per month		1	U1TVX	1L5XX	0.0125						1				
-	+	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTT VA	ILUAA	0.0125								1	<del> </del>	
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01117	02	10.00	101.10	02.00					00.01	00.01		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	•														
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			LIATE OF	11477.74	00.40	100 11	05.05					00.00	00.00		
	-	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32	-	
		per month			U1TDX	1L5XX	0.0282										
	1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIDA	TESTON	0.0202										
		Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				1											
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.5753										
		Termination			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	+	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	01111	71.25	217.17	103.73					30.07	36.07		
		month			U1TD3	1L5XX	12.98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			01150	120701	12.00									1	
		Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	6.14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
<u> </u>		CHANNEL - DEDICATED TRANSPORT		 	D02	DC2/CTC 1				ļ	ļ						
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1	y perio	d - belo	OW DS3=one month,	ULDV2	11.24	553.80	89.69	1	1			42.17	12.76	<del>                                     </del>	
	+	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2 ULDV2	11.24	553.80	89.69	1	1	1	-	42.17 42.17	12.76	<del> </del>	1
	+	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2  Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNDVX	ULDV2	31.70	553.80	89.69	+		1		42.17	12.76	t	
	1	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1		1	UNDVX	ULDV4	12.03	562.23	92.67	1	1	1		42.17	12.76		<del>                                     </del>
	1	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		2	UNDVX	ULDV4	21.33	562.23	92.67					42.17	12.76		
	1	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNDVX	ULDV4	33.95	562.23	92.67					42.17	12.76		
	<u> </u>	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	27.05	534.48	462.69					86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	47.94	534.48	462.69					86.15	1.77		
		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	76.32	534.48	462.69					86.15	1.77		
1		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	0.9954										

Version 3Q02: 10/07/02 Page 288 of 425

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dan	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	298.92	562.25	527.88					56.25	56.25		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	0.9954										
DARK FIBER	Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		<b>└</b>
DAKK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								-							<del></del>
	Thereof per month - Local Channel			UDF	1L5DC	64.04										İ
	NRC Dark Fiber - Local Channel			UDF	UDFC4	04.04	1,347.00	279.87								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						1,011100		1							
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										İ
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction								1							1
	Thereof per month - Local Loop	ļ	<u> </u>	UDF	1L5DL	64.04	1.01= 0-	000.5								<b>↓</b>
OVY ACCECS	NRC Dark Fiber - Local Loop		<u> </u>	UDF	UDFL4		1,347.00	279.87	<del>                                     </del>		-					<u> </u>
OAA ACCESS	TEN DIGIT SCREENING  8XX Access Ten Digit Screening, Per Call	-	1	OHD		0.0005			+		-					<del></del>
	8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX	<del>                                     </del>	t	O. ID	+	0.0003			<del>                                     </del>							<b> </b>
	Number Reserved			OHD	N8R1X		7.05	0.96					26.94		1	1
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O								† †							
	POTS Translations			OHD			23.82	2.73					41.35			İ
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		23.82	2.73					41.35			<b>└</b>
	8XX Access Ten Digit Screening, Customized Area of Service			0.110	LISEOV.											İ
	Per 8XX Number 8XX Access Ten Digit Screening, Multiple InterLATA CXR			OHD	N8FCX		5.63	2.82	+							<b>├</b>
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77								İ
	8XX Access Ten Digit Screening, Change Charge Per Request		1	OHD	N8FAX		8.01	0.96					26.94			<u> </u>
	8XX Access Ten Digit Screening, Call Handling and Destination			01.15	1101701		0.01	0.00	† †				20.0			
	Features			OHD	N8FDX		5.63									İ
LINE INFORM	IATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.00003										
	LIDB Validation Per Query			OQU		0.0134										
OLONIAL INIO (	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26						26.94	26.94		
SIGNALING (	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02	-				41.35	41.35		<b></b>
	CCS7 Signaling Connection, Per link (B link) (also known as D			ODB	IFFTT	10.22	270.02	270.02	<del>                                     </del>				41.55	41.55		<del>                                     </del>
	link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		İ
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code			LIDD	00450		40.00	40.00					10.00	10.00		1
<del>                                     </del>	Establishment or Change, per STP affected CCS7 Signaling Point Code, per Destination Point Code	1	<u> </u>	UDB	CCAPO		40.00	40.00	<del>                                     </del>		1		19.99	19.99	<del>                                     </del>	<del>                                     </del>
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 SERVIC		<del>                                     </del>	t	555	00,40		0.00	0.00	<del>                                     </del>				13.33	13.35		<b> </b>
1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1		1	1		11.24	553.80	89.69	<del>                                     </del>				42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69					42.17	12.76		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282										$\bot$
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					40		==							1	1
	Termination	<b> </b>	<b>!</b>	1		18.00	137.48	52.58	<del>                                     </del>				38.07	38.07	<b> </b>	<b>├</b>
	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	1	1	1		27.05 47.94	534.48 534.48	462.69 462.69	<del>                                     </del>		1		86.15 86.15	1.77 1.77	<del>                                     </del>	<del>                                     </del>
$\vdash$	Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	<del>                                     </del>	3	1		76.32	534.48	462.69	+				86.15	1.77	1	-
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Zone 3	1	- 3	1		0.5753	JJ4.40	402.09	<del>                                     </del>		-		00.10	1.77	<del> </del>	<del></del>
	Transport Dealeaced Delit of Mille	<u> </u>	<u> </u>	1		3.0700			<del>                                     </del>					1	1	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75					38.07	38.07		
CALLING NA	ME (CNAM) SERVICE													<u> </u>	İ	
	CNAM For DB Owners - Service Establishment			OQV			75.62									

Version 3Q02: 10/07/02 Page 289 of 425

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>			Rec	Nonrec			g Disconnect				Rates(\$)		
	ONAM FOR NEW DD O			001/			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code		<u> </u>	OQV	-		75.62									<b></b>
	Establishment (Initial)			oqv			2,354.00	2,354.00								
	CNAM For DB Owners - Service Provisioning With Point Code			OQV			2,334.00	2,334.00								<del>                                     </del>
	Establishment (Subsequent)			OQV			1,739.00	1,739.00								
	CNAM For Non DB Owners - Service Provisioning With Point			<u> </u>			1,700.00	1,700.00							1	
	Code Establishment (Initial)			OQV			1,072.00	1,072.00								
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment (Subsequent)			OQV			768.44	768.44								<u> </u>
	CNAM for DB & Non DB Owners, Per Query			OQV		0.0009592										
LNP Query Se			<u> </u>	001/											ļ	<b></b>
	LNP Charge Per query			OQV		0.00084	44.05									<b>_</b>
<b></b>	LNP Service Establishment Manual	<b> </b>		OQV	1		41.25			1	1				1	<del> </del>
	LNP Service Provisioning with Point Code Establishment (Initial)			OQV			1,563.00	1,563.00								
	LNP Service Provisioning with Point Code Establishment (Subsequent)			oqv			883.99	883.99								
OPERATOR	CALL PROCESSING			OQV			003.99	003.99			-				-	<del>                                     </del>
OI EIKATOK C	Oper. Call Processing - Oper. Provided, Per Min Using BST															<del> </del>
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB Oper. Call Processing - Fully Automated, per Call - Using					0.20										<del>                                     </del>
	Foreign LIDB					0.20										
INWARD OPE	ERATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING -	OPERATOR CALL PROCESSING					1.13										<del> </del>
	ty based CLEC														1	
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN				CBAOL		500.00	500.00					26.94	12.76		
UNEP	CLEC															<u> </u>
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00					26.94	12.76		<u> </u>
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00					26.94	12.76		
Unbra	anding via OLNS for UNEP CLEC				-		500.00	500.00					26.94	12.76		<b></b>
Unita	Loading of OA per OCN (Regional)		<del>                                     </del>				1.200.00	1,200.00		1	-		26.94	12.76	t	<del> </del>
DIRECTORY	ASSISTANCE SERVICES						.,200.00	.,200.00					20.04	12.70	1	
	CTORY ASSISTANCE ACCESS SERVICE					1									1	1
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)						-								
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.062										
DIRECTORY	ASSISTANCE SERVICES														1	1
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE				1										1	<b>↓</b>
Facili	Ty Based CLEC		<u> </u>												1	<del>                                     </del>
	Recording and Provisioning of DA Custom Branded			AMT	CBADA		6,000.00	6,000.00					26.94	12.76	1	
	Announcement  Loading of Custom Branded Announcement per Switch		<b>-</b>	AMT	CBADA		1,170.00	1,170.00		1	1		26.94	12.76	<del> </del>	+
UNFP	P CLEC	1		7 11 11	SDADO		1,170.00	1,170.00					20.34	12.70	<b>-</b>	<del>                                     </del>
0.1121	Recording of DA Custom Branded Announcement	<del>                                     </del>	<del>                                     </del>		1	1	3,000.00	3,000.00		1	1		26.94	12.76	1	+

UNBUNDL	ED NETWORK ELEMENTS - North Carolina	,				1							Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA Custom Branded Announcement per Switch per						4 470 00	4 470 00					00.04	40.70		
Unbre	OCN Inding via OLNS for UNEP CLEC		1				1,170.00	1,170.00					26.94	12.76		
Ulibra	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					26.94	12.76		
	Loading of DA per Switch per OCN						16.00	16.00					26.94	12.76		
SELECTIVE F																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		82.25	82.25	14.14	14.14			26.94	12.76		
VIRTUAL CO																
	Virtual Collocation - Application Cost		<u> </u>	AMTES	EAF		2,848.30	2,848.30		-	<u> </u>		26.94	12.76		
<del>                                     </del>	Virtual Collocation - Cable Installation Cost, per cable	<b> </b>	-	AMTES	ESPCX	2.00	2,750.00	2,750.00		<del> </del>	<u> </u>		26.94	12.76		<del> </del>
<del>                                     </del>	Virtual Collocation - Floor Space, per sq. ft.  Virtual Collocation - Power, per fused amp			AMTFS AMTFS	ESPVX ESPAX	3.20 3.48					1					
<del>                                     </del>	Virtual Collocation - Power, per fused amp  Virtual Collocation - Cable Support Structure, per entrance		<del>                                     </del>	CUVIII O	LOFAX	3.48				1	1		1	1	1	1
	cable		1	AMTFS	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75			26.94	12.76		
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,			-									
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF AMTFS,UDL12,	CNC2F	15.99	67.34	48.55					26.94	12.76		
	Virtual Collocation - 4-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	28.74	82.35	63.56					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	0.97	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83					26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0028	101.00	11.00					20.54	12.70		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.0041	532.72						26.94	12.76		
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		532.72						26.94	12.76		
<del>                                     </del>	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	<b>-</b>	1,707.00			1			20.54	12.70		1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		923.08									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.02	18.02								
<del>                                     </del>	Virtual Collocation Cable Records - DS1, per T1TIE	1	1	AMTFS	VE1BD		8.43	8.43			<b> </b>					

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Not at Calle of a Calle Based a BOO as a TOTIE			ANTEO	\/E4DE		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		29.51	29.51								
	records			AMTFS	VE1BF		278.82	278.82								
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00					26.94	12.76		
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					26.94	12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					26.94	12.76		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90					26.94	12.76		
VIRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
VIRTUAL COL	ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
PHYSICAL CO	DLLOCATION			, , , , , , , , , , , , , , , , , , , ,												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41			19.99	19.99		
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		215,597.00									
	End Office Establishment			SRC	SRCEO	0.0053758	347.27									ļ
AIN - BELLSO	Query NRC, per query DUTH AIN SMS ACCESS SERVICE			SRC		0.0053758										
AIN - BELESC	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		294.77									
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		86.94 86.94									
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAIVITE		00.94									
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		200.83									
	Initial or Replacement			A1N	CAMRC	2 222	172.05									
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes) AIN SMS Access Service - Session, Per Minute		-	-	+	0.0023 0.0791					<del>                                     </del>					
	AIN SMS Access Service - Company Performed Session, Per															
AIN - BELLEC	Minute DUTH AIN TOOLKIT SERVICE					2.08										
AIN - BELLSC	AIN Toolkit Service - Service Establishment Charge, Per State,			1	1											
	Initial Setup		<u></u>	CAM	BAPSC		290.05									
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		72.76									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76									

	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		72.76									
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		149.95									
	DN. CDP				BAPTC		149.95									
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/11 10		140.00									
	DN, Feature Code				BAPTF		149.95									
	AIN Toolkit Service - Query Charge, Per Query					0.02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes		1			1.45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAIVI	BAPIVIS	15.98	71.80									
	Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			O7 WI	D/11 LO	0.00	47.20									
	Subscription			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.003	47.20									
HANCED E	XTENDED LINK (EELs)															
NOTE	: New Density Zone 1 EELs are available in the following MSA	s: Orlar	ido, FL		derdale, FL;	Atlanta. Ga: Nev	v Orleans, LA.									
							,									
NOTE	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem	-High P	oint, N		١.											
NOTE NOTE	: In all states, EEL network elements shown below also apply t	-High P to curre	oint, N	mbined facilities wh	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply t : In All States the EEL network elements apply to ordinarily co	-High P to curre mbined	oint, N ntly co netwo	mbined facilities where the modern of the mo	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply t : In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	-High P to curre mbined	oint, N ntly co netwo	mbined facilities where the modern of the mo	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	-High P to curre mbined	oint, N ntly co netwo	mbined facilities where the elements. (No Swansport (EEL)	I. nich are conv itch As Is Cha	erted to UNE ra arge.) When or	tes. A Switch A	ily combined					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	-High P to curre mbined	oint, N ntly co netwo	mbined facilities where the modern of the mo	l. nich are conv	erted to UNE ra	tes. A Switch						UNEs.(Non-re	curring rates	do not apply.	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	-High P to curre mbined	oint, Nently co netwo	mbined facilities wi rk elements.(No Sw ANSPORT (EEL) UNCVX	ich are convitch As Is Cha	erted to UNE ra arge.) When or 14.97	tes. A Switch A dering ordinar 142.97	ily combined					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	-High P to curre mbined	oint, N ntly co netwo	mbined facilities where the elements. (No Swansport (EEL)	I. nich are conv itch As Is Cha	erted to UNE ra arge.) When or	tes. A Switch A	ily combined					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	-High P to curre mbined	oint, Nently co netwo	mbined facilities which rk elements.(No Sw. ANSPORT (EEL) UNCVX UNCVX	I. nich are conv itch As Is Cha UEAL2	erted to UNE ra arge.) When or 14.97	tes. A Switch Adering ordinar	106.56 106.56					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	-High P to curre mbined	netwo	mbined facilities wi rk elements.(No Sw ANSPORT (EEL) UNCVX	ich are convitch As Is Cha	erted to UNE ra arge.) When or 14.97	tes. A Switch A dering ordinar 142.97	ily combined					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to :In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	-High P to curre mbined	netwo	mbined facilities which rk elements.(No Sw. ANSPORT (EEL) UNCVX UNCVX	I. nich are conv itch As Is Cha UEAL2	erted to UNE ra arge.) When or 14.97	tes. A Switch Adering ordinar	106.56 106.56					UNEs.(Non-re	curring rates	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to in all States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	-High P to curre mbined	netwo	mbined facilities wirk elements.(No Sw ANSPORT (EEL) UNCVX UNCVX	I. nich are convitch As Is Chi UEAL2 UEAL2 UEAL2	erted to UNE ra arge.) When or 14.97 25.93 40.81	142.97 142.97	106.56 106.56						curring rates	do not apply	-)
NOTE NOTE	: In all states, EEL network elements shown below also apply to in all States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	-High P to curre mbined	netwo	mbined facilities where elements. (No Sw. ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753	142.97 142.97 142.97	106.56 106.56 106.56					38.07	38.07	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month	-High P to curre mbined	netwo	mbined facilities where elements. (No Sweak SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	Linich are convitich As Is Chilich As Is Chilin UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	erted to UNE ra arge.) When or 14.97 25.93 40.81 0.5753 71.29	142.97 142.97 142.97 217.17 197.78	106.56 106.56 106.56 106.56					38.07	38.07	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month	-High P to curre mbined	netwo	mbined facilities where elements. (No Sw. ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNCIX UNCIX	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	14.97 25.93 40.81 0.5753	142.97 142.97 142.97	106.56 106.56 106.56					38.07	38.07	do not apply	.)
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1	-High P to curre mbined	netwo	mbined facilities wirk elements.(No Sw ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07	38.07	do not apply	)
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	-High P to curre mbined	netwo	mbined facilities where elements. (No Sweak SPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	Linich are convitich As Is Chilich As Is Chilin UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1	erted to UNE ra arge.) When or 14.97 25.93 40.81 0.5753 71.29	142.97 142.97 142.97 217.17 197.78	106.56 106.56 106.56 106.56					38.07	38.07	do not apply	)
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To DS0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1	-High P to curre mbined	oint, Nontly connetwo	mbined facilities wirk elements. (No Switch No	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	25.93 40.81 0.5753 71.29 14.97	142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07	38.07	do not apply	)
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	-High P to curre mbined	netwo	mbined facilities wirk elements.(No Sw ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X  UNC1X	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG	14.97 25.93 40.81 0.5753 71.29 146.69 1.27	142.97 142.97 142.97 217.17 197.78 13.09	106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07	38.07	do not apply	
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to in all States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1	-High P to curre mbined	oint, Nontly connetwo	mbined facilities where the elements (No Swansport (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCVX  UNCVX  UNCVX  UNCVX	UEAL2  142.97 217.17 197.78 13.09 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56					38.07	38.07	do not apply			
NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To DS0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	-High P to curre mbined	oint, Nontly connetwo	mbined facilities wirk elements. (No Switch No	UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2	25.93 40.81 0.5753 71.29 14.97	142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38					38.07	38.07	do not apply	)
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to in all States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1	-High P to curre mbined	oint, Nontly connetwo	mbined facilities wirk elements. (No Swansport (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	UEAL2  142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 106.56 106.56					38.07	38.07	do not apply	)		
NOTE NOTE NOTE	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Figure 1	i-High P to curre mbined FEROFF	oint, Nontly connetwo	mbined facilities where the elements (No Swansport (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCIX  UNCVX  UNCVX  UNCVX  UNCVX	UEAL2  142.97 217.17 197.78 13.09 142.97	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56					38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To DS0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	-High P to curre mbined FEROFF	oint, N ntly co network 1 1 2 3	mbined facilities wirk elements. (No Sweak NSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2  142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 106.56 106.56					38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch - As-Iss Charge E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	-High P to curre mbined FEROFF	oint, N ntly co network 1 1 2 3	mbined facilities wirk elements. (No Sweak NSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2  142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch - As- is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	-High P to curre mbined FEROFF	oint, N ntly co netwo	mbined facilities wirk elements. (No Sw ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNC1X  UNC1X  UNC1X  UNC1X  UNCVX	UEAL2  142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch - Asls Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	-High P to curre mbined FEROFF	oint, N ntly co network 1 1 2 3	mbined facilities wirk elements. (No Sweak NSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	UEAL2  142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3 Voice Grade COCI - DS1 to DS0 Channel System combination - per month Nonrecurring Currently Combined Network Elements Switch - As-Iss Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	-High P to curre mbined FEROFF	oint, N intly co interval and i	mbined facilities with elements. (No Sw. ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNCIX  UNCIX  UNCIX  UNCIX  UNCVX	UEAL2 217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 21.75	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch - As-is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	-High P to curre mbined FEROFF	oint, N ntly co netwo	mbined facilities wirk elements. (No Sw ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNC1X  UNC1X  UNC1X  UNC1X  UNCVX	UEAL2  142.97 142.97 142.97 142.97 142.97 142.97 142.97	106.56 106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 106.56	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To DS0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	-High P to curre mbined FEROFF	oint, Nintly co. intly co.	mbined facilities wirk elements. (No Sw ANSPORT (EEL) UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2  142.97 142.97 142.97 13.09 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 106.56 106.56 106.56 106.56 21.75 237.45	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			
NOTE NOTE 2-WIR	: In all states, EEL network elements shown below also apply to In All States the EEL network elements apply to ordinarily co E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  DS1 Channelization System Per Month  Voice Grade COCI - DS1 To Ds0 Interface - Per Month  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination - per month  Nonrecurring Currently Combined Network Elements Switch - As-is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	-High P to curre mbined FEROFF	oint, N intly co interval and i	mbined facilities with elements. (No Sw. ANSPORT (EEL)  UNCVX  UNCVX  UNCVX  UNCVX  UNCIX  UNCIX  UNCIX  UNCIX  UNCVX	UEAL2 217.17 197.78 13.09 142.97 142.97 142.97 13.09 21.75	106.56 106.56 106.56 106.56 163.75 140.06 9.38 106.56 106.56 21.75	etwork elemen	nts, Non-recur			38.07 38.07 38.07 38.07	38.07 38.07 38.07	do not apply			

Version 3Q02: 10/07/02 Page 293 of 425

<u>JNBU</u> NDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred First	curring Add'l	Nonrecurring		201150	001441		Rates(\$) SOMAN	001141	SOMAN
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per						First	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	IDIVG	1.21	13.09	9.30					30.07	36.07		
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Voice Grade COCI - DS1 to DS0 Channel System combination -			O14OVA	JLALT	30.37	200.47	237.43								
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/10	Is Charge  E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITEDO	FFICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	I KANSPORT (EEL	)											
	Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	1101.50	07.00	400.04	007.54								
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	67.26	489.04	337.51								
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
_	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	43.11	489.04	337.51			-					-
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28			1		38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				21.75	21.75	32.20	10.90			30.07	30.07		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			,	<i></i>											
	Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51			1					1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per			l												
	Month			UNC1X	MQ1	146.69	197.78	140.06			<u> </u>		38.07	38.07		<u> </u>
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51			<u> </u>					<u> </u>

ONDONDL	ED NETWORK ELEMENTS - North Carolina	1	1			1					0	06	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			CHODA	10100	2.00	10.70	11.20					00.07	00.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	ROFFI	CE TR													
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			, ,												
	Transport - Zone 1 4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	UNC1X	USLXX	47.60	714.84	421.47								
	Transport - Zone 2  4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		2	UNC1X	USLXX	84.36	714.84	421.47								
	Transport - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	84.36	714.84	421.47								
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	134.29	714.84	421.47								
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98	714.04	721.47								
	Interoffice Transport - Dedicated - DS3 - Facility Termination per						704.04	570.55					20.07	00.07		
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		<b>.</b>
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233.10	403.97	234.40					38.07	38.07		<b>.</b>
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Zone 1 Additional DS1Loop in DS3 Interoffice Transport Combination -		1	UNC1X	USLXX	47.60	714.84	421.47								-
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	84.36	714.84	421.47								
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								1
	DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X	UC1D1	16.07	13.09	9.38	+				38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-					10.07	10.00	5.50					55.57	55.57		
	Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	EROFF	ICE T													
	2-WireVG Loop used with 2-wire VG Interoffice Transport			' '												
	Combination - Zone 1  2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	14.97	142.97	106.56								
	Combination - Zone 2  2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	25.93	142.97	106.56								<b></b>
	Combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								<b></b>
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE IN	EROFF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								1

Version 3Q02: 10/07/02 Page 295 of 425

<u> </u>	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001141	
	4-WireVG Loop used with 4-wire VG Interoffice Transport						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	4-WireVG Loop used with 4-wire VG Interoffice Transport			ONCVA	OLALT	30.21	200.47	237.43								+
	Combination - Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															1
	Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	LINICOC		21.75	21.75	22.20	10.96			38.07	38.07		
DS3 D	IS Charge  IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	USDOE		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		+
D03 D	High Capacity Unbundled Local Loop - DS3 combination - Per	l IIIAI	101 01													+
	Mile per month			UNC3X	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	450.69	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	ANSD		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		+
0101	High Capacity Unbundled Local Loop - STS1 combination - Per	loc III	AITOI	I (LLL)												+
	Mile per month			UNCSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	464.26	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility				===			400.00								
	Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		+
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI	1	UNCOX	UNCCC		21.73	21.73	32.20	10.90			36.07	30.07		+
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	·· <u>\</u>														1
	Transport - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_													
	Transport - Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -			ONOTA	011111	71.23	217.17	103.73					30.07	30.07		+
	per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								<del></del>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	l	2	LINICNIY	1141.07	32.88	205.01	054.04								
	Combination - Zone 2  Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-		UNCNX	U1L2X	3∠.88	325.91	251.31								<del> </del>
1	Combination - Zone 3	l	3	UNCNX	U1L2X	51.14	325.91	251.31								
<del>  </del>	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1		O14O14A	O ILZX	51.14	323.31	201.01								<del>                                     </del>
	combintaion- per month	l		UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-														1	
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)	1						ļ					1
7 1111	First DS1 Loop in STS1 Interoffice Transport Combination -															

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina					•					Ι -	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		T
	First DS1 Loop in STS1 Interoffice Transport Combination -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	0.1.0 1.7.	00250	0 1100	7 7 110 1									
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			LINGOV	1L5XX	0.44										
	Per Month Interoffice Transport - Dedicated - STS1 combination - Facility			UNCSX	1L5XX	6.14										1
	Termination			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in STS1 Interoffice Transport Combination -		_ ا	LINGAY	1101.307	47.00	7440	404 :=								
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	47.60	714.84	421.47	1		1				-	<del>                                     </del>
	Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	Additional DS1Loop in STS1 Interoffice Transport Combination -		Ť		33231	200		.2								
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		24.75	24.75	32.28	10.96			38.07	38.07		
4-WIE	IS Charge RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FEICE 1	PANS		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	<del>                                     </del>
4-4416	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FFICE	KANS	FORT (EEL)												+
	Combination - Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		_													
-	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	67.26	489.04	337.51	-							·
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			CHODA	120701	0.0202										
	Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	RANS	PORT (EEL)												ļ
	Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>	CHODA	OBLOT	20.02	400.04	007.01								1
	Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILJAA	0.0282										<del> </del>
	Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NETWORK ELEMENTS				Cuitale As Is al											ļ
	used as a part of a currently combined facility, the non-recurrused as ordinarily combined network elements in All States, the								-						-	1
	ecurring Currently Combined Network Elements "Switch As Is"					As is cliarye	aces not.		<del>                                     </del>		1					<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-		Ì													
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	LINICOO								***			
<del>                                     </del>	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<del>                                     </del>
	Inonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	514000		21.73	21.73	52.20	10.90			30.07	30.07		
	Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															
1 1	Is Charge - STS1	1		UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		

Version 3Q02: 10/07/02 Page 297 of 425

RONDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
NOTE: L	ocal Channel - Dedicated Transport - minimum billing period	i - Belo	w DS3	one month, DS3 an	nd above=fou	r months										
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1		1	UNCVX	ULDV2	11.24	553.80	89.69								
L	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	19.91	553.80	89.69								
L	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3		3	UNCXV	ULDV2	31.70	553.80	89.69								
L	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	12.03	562.23	92.67								
	ocal Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	21.33	562.23	92.67								
T I	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNCXV	ULDV4	33.95	562.23	92.67								
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	27.05	534.48	462.69								
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47.94	534.48	462.69								
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	76.32	534.48	462.69								
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	0.9954	334.40	402.03								
	Local Channel - Dedicated - DS3 - Fer Mile per month			UNC3X	ULDF3	298.92	562.25	527.88			1				1	<del>                                     </del>
	Local Channel - Dedicated - DSS - Facility Termination			UNCSX	1L5NC	0.9954	302.23	JZ1.00			-				-	1
	Local Channel - Dedicated - STS-1 - Fer Mile per Month Local Channel - Dedicated - STS-1 - Facility Termination		-	UNCSX	ULDFS	286.13	1,071.00	646.12								
				UNCOA	ULDF3	200.13	1,071.00	040.12								
	Features & Functions:															
MULTIP																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
\	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
	DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38					24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			OLDD1	OCIDI	10.07	13.03	9.50					24.00	0.10		
	per month			U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
	pp Feeder			UTIDI	OCIDI	10.07	13.08	9.30					24.03	0.10		
				LINCAV	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X		05.05	000.04	450.07								
	Jnbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	35.65	393.01	153.37								
	Jnbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	63.18	393.01	153.37								
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	100.58	393.01	153.37								
	Jnbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											L
	DCAL EXCHANGE SWITCHING(PORTS)															
Exchang																
	although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	3								
	VOICE GRADE LINE PORT RATES (RES)															
E	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
E	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
E	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
E	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
2	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
			-								1				-	-
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00			1		26.94	12.76	1	<b></b>
FEATUR	-			LIEBOD							ļ					<b></b>
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00			ļ		26.94	12.76		<b> </b>
	VOICE GRADE LINE PORT RATES (BUS)				1											
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDED	LIEDDI	0.40	04.00	04.00					00.04	40.70		1
	Bus Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		<u> </u>
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
1 1	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	2.19	21.60	21.60			I		26.94	12.76		1

UNBUNDI F	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Fyhi	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORT	NATE ELEMENTO	m	Zone	500	0000						per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring Add'l	Nonrecurring		201150	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60	First	Add'I	SOMEC	SUMAN	26.94	<b>SOMAN</b> 12.76	SOMAN	SUMAN
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability Subsequent Activity			UEPSB UEPSB	UEPBE	2.19 0.00	21.60	21.60 0.00					26.94	12.76		
FEATU				UEPSB	USASC	0.00	0.00	0.00								
I LAIN	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
<b> </b>	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		<u> </u>	UEPSP	UEPPO	2.18	21.60	21.60			1		26.94	12.76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1 UEPLD	2.18	21.60	21.60					26.94	12.76		
$\vdash$	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPSP UEPSP	UEPLD	2.18 2.18	21.60 21.60	21.60 21.60		-	+		26.94 26.94	12.76 12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPAIVI	2.10	21.60	21.00					20.94	12.70		
	Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCH	ANGE PORT RATES (COIN)					0.50		04.00						10.70		
NOTE	Exchange Ports - Coin Port	vitab ad		will also apply to a	irouit ouritoba	2.59	21.60	21.60	issian by B Cl		vioted with 2	wire ICDN n	26.94	12.76		
	: Transmission/usage charges associated with POTS circuit so : Access to B Channel or D Channel Packet capabilities will be													Poguest Pro	roce	
	LOCAL EXCHANGE SWITCHING(PORTS)	availar		I	Dusiness ite	quest i locess.	Nates for the	раскет сараы	ities will be de	stermined via	T Dona i ic	ie itequesui	New Dusiness	Requestire		
	ANGE PORT RATES				1											
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	81.84	81.84					26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	123.65	116.59	69.92					26.94	12.76		
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
<b></b>	All Features Offered	L		UEPTX UEPSX	UEPVF	3.40	0.00	0.00			<u> </u>					
	: Transmission/usage charges associated with POTS circuit sv													Danwart Dra		
NOTE	: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	avanac	ne oni	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	ities will be de	etermined via	the Bona Fit	ie Request/i	New Business	Request Pro	cess.	
<del>                                     </del>	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port		<b>-</b>	UEPEX	UEPEX	179.75	241.63	241.63		1			53.89	53.89		
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY			OLI LA	OLI LA	113.13	241.03	241.03			1		55.69	33.08		
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res		l	UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-R	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40								
	NDLED REMOTE CALL FORWARDING - Bus															

Version 3Q02: 10/07/02 Page 299 of 425

ONBONDE	ED NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and			LIED/D	LIEDVII	0.40	04.00	04.00					00.04	40.70		
	Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
Non-	Recurring		1								1					
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
$\vdash$	Unbundled Remote Call Forwarding Service - Conversion with	-	1	UEFVD	USACZ	-	2.11	0.40	1	1	1		26.94	12.76	1	
	allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40		1						
UNBUNDI FI	D LOCAL SWITCHING, PORT USAGE		1	OLI VD	00,00		2.11	0.40	1	1	<del> </del>					
	Office Switching (Port Usage)		1	1	+						<del>                                     </del>					
12.110	End Office Switching Function, Per MOU				1	0.0015										
<u> </u>	End Office Trunk Port - Shared, Per MOU		1	İ	1	0.00023			1	1						
Tano	dem Switching (Port Usage) (Local or Access Tandem)					0.000=0					1					
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port - Shared, Per MOU					0.0003										
Com	mon Transport															
	Common Transport - Per Mile, Per MOU					0.00001										
	Common Transport - Facilities Termination Per MOU					0.00034										
	D PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar					dled Local Swit										
Cost Feat	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate	section in the same	manner as th	dled Local Swit	to the Stand-A	one Unbundle								
Cost Feat End	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us	t Based sage rat	Rate :	section in the same	manner as the	dled Local Swit ey are applied t it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr	t Based sage rat	Rate :	section in the same	manner as the	dled Local Swit ey are applied t it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	Rate :	section in the same	manner as the	dled Local Swit ey are applied t it shall apply to	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	t Based sage rat	d Rate : tes in to ombine	section in the same	manner as the	dled Local Swir ey are applied it shall apply to ned Combos th	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in to	section in the same	manner as the	dled Local Swirely are applied it shall apply to ned Combos the 13.03	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	t Based sage rat	tes in to combined	section in the same	manner as the	dled Local Swite ey are applied to t shall apply to ned Combos the 13.03 21.33	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-Wi UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3	t Based sage rat	d Rate stes in to	section in the same	manner as the	dled Local Swirely are applied it shall apply to ned Combos the 13.03	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-Wi UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Loop Rates	t Based sage rat	d Rate stes in the combine of the co	section in the same he Port section of t ed Combos. For Cu	e manner as th	dled Local Swite ey are applied to shall apply to ned Combos the 13.03 21.33 32.61	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-Wi UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of the de Combos. For Cu	e manner as the chis rate exhibitance in the chis rate exhibitance in the chis representation of the chis rate exhibitance in the chis rate exhibitance in the chis rate exhibitance in the chis rate exhibitance in the chis	dled Local Swite ey are applied it shall apply to ned Combos the 13.03 21.33 32.61	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-Wi UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the combine of the co	section in the same he Port section of t ed Combos. For Ct  UEPRX UEPRX UEPRX	e manner as the his rate exhibiting the combination of the combination	dled Local Swite ey are applied it shall apply to ned Combos th 13.03 21.33 32.61 10.75 19.05	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of the de Combos. For Cu	e manner as the chis rate exhibitance in the chis rate exhibitance in the chis representation of the chis rate exhibitance in the chis rate exhibitance in the chis rate exhibitance in the chis rate exhibitance in the chis	dled Local Swite ey are applied it shall apply to ned Combos the 13.03 21.33 32.61	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of t ed Combos. For Ct  UEPRX UEPRX UEPRX	e manner as the his rate exhibiting the combination of the combination	dled Local Swite ey are applied it shall apply to ned Combos th 13.03 21.33 32.61 10.75 19.05	to the Stand-A	one Unbundle	rt network ele	ments except	for UNE Coi					
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of 1 ed Combos. For Ct  UEPRX UEPRX UEPRX UEPRX	umanner as th his rate exhibi irrently Combi	diled Local Swife ey are applied it shall apply to ned Combos th 13.03 21.33 32.61 10.75 19.05 30.33	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/pc g charges sha	rt network ele	ments except	for UNE Coi		Combined se	ections.		
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of t ed Combos. For Ct  UEPRX UEPRX UEPRX UEPRX UEPRX	e manner as th his rate exhibi urrently Combi  UEPLX UEPLX UEPLX UEPLX UEPLX	13.03 21.33 32.61 10.75 19.05 22.28	to the Stand-A all combination ne nonrecurrin	ione Unbundle ons of loop/pc g charges sha	rt network ele	ments except	for UNE Coi		Combined se	ections.		
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the combined of	section in the same he Port section of 1 ed Combos. For Ct  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Demanner as the chis rate exhibitance exhi	diled Local Swite ey are applied it shall apply to ned Combos th 13.03 21.33 32.61 10.75 19.05 30.33 2.28 2.28	to the Stand-A all combination ne nonrecurrin  79.59 79.59	ione Unbundle ons of loop/pc g charges sha 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18	9.45 9.45		
Cost Feat End The 2-WI UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port lou sage line port with Caller ID	t Based sage rat	d Rate stes in the combined of	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	Demanner as the company of the compa	13.03 21.33 32.61 10.75 19.05 2.28 2.28	to the Stand-A all combination ne nonrecurrin 79.59 79.59 79.59	63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45		
Cost Feat End The 2-Wi UNE  UNE	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port exidence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port sugage line port with Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  TURES	t Based sage rat	d Rate stes in the combined of	ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO	died Local Switest   stable	to the Stand-A all combination ne nonrecurrin  79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat End The 2-WI UNE UNE 2-Wi FEA	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port sus line port with Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability TURES  All Features Offered	t Based sage rat	d Rate stes in the combined of	ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	13.03 21.33 32.61 10.75 19.03 22.28 2.28	79.59 79.59	63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18	9.45 9.45 9.45		
Cost Feat End The 2-WI UNE UNE 2-Wi FEA	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port sutgoing only - res 2-Wire voice unbundled port sutgoing only - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES  All Features Offered AL NUMBER PORTABILITY	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAP UEPRT	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	to the Stand-A all combination ne nonrecurrin  79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat Feat The 2-Wi UNE 2-Wi FEAT LOC	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  TURES  All Features Offered  AL NUMBER PORTABILITY  Local Number Portability (1 per port)	t Based sage rat	d Rate stes in the combined of	ueprx ueprx	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO	died Local Switest   stable	to the Stand-A all combination ne nonrecurrin  79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat Feat The 2-Wi UNE 2-Wi FEAT LOC	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability TURES  All Features Offered  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAP UEPRT	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	to the Stand-A all combination ne nonrecurrin  79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat Feat The 2-Wi UNE 2-Wi FEAT LOC	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  TURES  All Features Offered  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPRO UEPAP UEPRT	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	to the Stand-A all combination ne nonrecurrin  79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat Feat The 2-Wi UNE 2-Wi FEAT LOC	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port) RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC UEPRC	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
Cost Feat Feat The 2-Wi UNE 2-Wi FEAT LOC	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability TURES  All Features Offered AL NUMBER PORTABILITY Local Number Portability (1 per port)  RECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPAP UEPRT UEPRT UEPVF	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 2.77	63.97 63.97 63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		
Cost Feat Feat UNE UNE  2-Wi  FEAT LOC NON	D PORT/LOOP COMBINATIONS - COST BASED RATES  Based Rates are applied where BellSouth is required by FCC ar ures shall apply to the Unbundled Port/Loop Combination - Cos Office and Tandem Switching Usage and Common Transport Us first and additional Port nonrecurring charges apply to Not Curr RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port with Caller ID  Capability  TURES  All Features Offered  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -  Switch with change	t Based sage rat	d Rate stes in the combined of	UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPRO UEPAP UEPRT UEPRT UEPVF	13.03 21.33 32.61 10.75 19.05 2.28 2.28 2.28	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	rt network ele	ments except	for UNE Coi		40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45 9.45		

Version 3Q02: 10/07/02 Page 300 of 425

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_ 1	Nonrec	urring	Nonrecurring	Disconnect	1	l .	oss	Rates(\$)	l	l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
LINE I	2-Wire VG Loop/Port Combo - Zone 3		3		+	32.61			-		1				-	
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75					+				-	-
-	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05					+				-	-
	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-Wire	P Voice Grade Line Port (Bus)			OLI DA	OLI LX	00.00										
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97			1		40.18	9.45	1	<del>                                     </del>
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97	1		1		40.18	9.45	1	
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.28	79.59	63.97					40.18	9.45		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LOCAL	L NUMBER PORTABILITY			OLFBA	OLFBL	2.20	19.59	03.91			+		40.10	5.43		
LOOA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					+					
FEATU				02. 5/1	2.1. 0.7.	0.00										
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					J. 1.0										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			
ADDIT	TONAL NRCs												10.21			
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								İ		1				1	
	Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
<del></del>	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
UNE L	oop Rates		1	LIEDBO	UEPLX	10.75					1			<del> </del>	1	1
<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG UEPRG	UEPLX	10.75 19.05			<del>                                     </del>		<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	30.33			<del>                                     </del>		1			1	<del> </del>	<del>                                     </del>
2-Wire	e Voice Grade Line Port Rates (RES - PBX)			021110	OLI ZX	30.33									t	
2	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			1							1			1	1	
	Res		1	UEPRG	UEPRD	2.28	164.57	128.16	j				40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT										-						
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ļ					ļ					ļ	1	<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRG	USACC		2.77	0.40					40.18	9.45	-	-
	Subsequent Database Update						1.42						10.27			
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLI INO	30/102	0.00	0.00	0.00					70.10	3.43		
	Port/Loop Combination Rates				1				†					1	1	
	2-Wire VG Loop/Port Combo - Zone 1		1	İ	1	13.03			†		İ			İ	İ	

INBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										<u> </u>
UNE L	oop Rates		<u> </u>	HEDDY	HEDLY	40.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX UEPPX	UEPLX	10.75										ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.05 30.33					-					-
2-Wiro	Voice Grade Line Port Rates (BUS - PBX)		3	UEPPA	UEPLX	30.33										<del>                                     </del>
2-99116	Voice Grade Line Fort Rates (BO3 - FBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		<del>                                     </del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-	-											
	Discount Room Calling Port		<u> </u>	UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		<u> </u>
1.004	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port NUMBER PORTABILITY		-	UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		<del></del>
LUCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			-		40.18	9.45		-
FEATU				OLFFX	LINFOF	3.13	0.00	0.00					40.16	5.40		
LAIC	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00			+		40.18	9.45		<del>                                     </del>
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI I X	02	0.10	0.00	0.00					10.10	0.10		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			<u> </u>
ADDII	IONAL NRCs		<u> </u>													<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.03										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.33										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			32.61										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05										
0.14/*	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33				ļ				ļ	ļ	<del>                                     </del>
2-Wire	Voice Grade Line Ports (COIN)		<del>                                     </del>	1	+					1				1	1	<del> </del>
	2-Wire Coin 2-Way without Operator Screening and without		1	LIEDCO	LIEDNO	0.00	70.50	00.07					40.40	9 45		
	Blocking (NC)  2-Wire Coin 2-Way with Operator Screening (NC)		<u> </u>	UEPCO UEPCO	UEPND UEPNC	2.28 2.28	79.59 79.59	63.97 63.97		-	-		40.18 40.18	9.45	-	<del>                                     </del>
-	2-Wire Coin 2-Way with Operator Screening (NC) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPING	2.28	79.59	63.97		1			40.18	9.45		<del>                                     </del>
	900/976, 1+DDD (NC, TN)		1	UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				UEPNB	2.28	79.59	63.97								
	(NC) 2-Wire Coin 2-Way with Operator Screening: 900 Blocking:	<b>-</b>	<del>                                     </del>	UEPCO	UENNB	2.28	79.59	63.97		1	1		40.18	9.45		<del>                                     </del>
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		

UNDUNDL	ED NETWORK ELEMENTS - North Carolina			1							lac :	06	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
								•	T 81	. D'					Diac rat	Disc Add
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking				+		Filat	Auu i	Filat	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	(NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:					_										
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
ADDI	LA) TIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDI	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	79.59	63.97					40.18	9.45		
LOCA	AL NUMBER PORTABILITY			OLI CO	OKECO	3.70	79.55	03.37					40.10	3.43		
2007	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED						İ									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42									
ADDI	TIONAL NRCs				+		1.42									
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
	Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												
UNE	Port/Loop Combination Rates		·													
	Loop Rates															
2-Wir	e Voice Grade Line Port Rates (Res)			LIEDED	UEDD!	0.10							10.10			
	2-Wire voice unbundled port - residence			UEPFR UEPFR	UEPRL UEPRC	2.19 2.19	225.00 225.00	225.00					40.18 40.18	9.45 9.45		
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00 225.00					40.18	9.45		
	2-Wire voice unburidled port outgoing only - res  2-Wire voice unburidles res, low usage line port with Caller ID			OLFIK	OLFKO	2.19	223.00	223.00					40.10	5.40		
	(LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0125										
FEAT	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY			UEPFR	UEPVF	3.40	0.00	0.00					40.16	9.45		
2007	Local Number Portability (1 per port)	-		UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			1		5.55	İ		1							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						İ									
	Combination - Conversion - Switch-as-is	<u> </u>		UEPFR	USAC2		9.03	1.87			<u> </u>		40.18	9.45	<u> </u>	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			1				· · · · · · · · · · · · · · · · · · ·							1	
	Combination - Conversion - Switch-With-Change	<u> </u>	<u></u>	UEPFR	USACC		9.03	1.87					40.18	9.45		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	ROS)	+ +										<b> </b>	
	Port/Loop Combination Rates Loop Rates		-	<del>                                     </del>							-					-
	e Voice Grade Line Port (Bus)	1		-	+ +		-									
2 7411	2-Wire voice unbundled port without Caller ID - bus	1		UEPFB	UEPBL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.19	225.00	225.00					40.18	9.45	Ì	
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.19	225.00	225.00	<u> </u>				40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.19	225.00	225.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35					1					
INTE	ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			<del>                                     </del>							1					<del>                                     </del>
	Termination			UEPFB	U1TV2											
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		02110	01172											<b>-</b>
1	or Fraction Mile	1		UEPFB	1L5XX										Ì	

UNBUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect	001150	001111		Rates(\$)	001141	001441
FEATUR	Ee				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00			1		40.18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFFB	OLFVI	3.40	0.00	0.00			1		40.16	5.43		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										+					
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WIRE \	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Por	t/Loop Combination Rates															
UNE Loo																
2-Wire Vo	oice Grade Line Port Rates (BUS - PBX)			ļ	1				ļ	ļ	1			ļ	ļ	
									]						1	
	ine Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00	<b> </b>	-	<del>                                     </del>		40.18	9.45	ļ	
	ine Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPO	2.18	225.00	225.00					40.18 40.18	9.45		
L	.ine Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPP1 UEPLD	2.18 2.18	225.00 225.00	225.00 225.00			-		40.18	9.45 9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00		1	+		40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00			1		40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00			+		40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02	02.7.5	2.10	220.00	220.00					10.10	00		
	Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
	NUMBER PORTABILITY			LIEDED	LNDOD	0.45	0.00	0.00					40.40	0.45		
	ocal Number Portability (1 per port) FFICE TRANSPORT			UEPFP	LNPCP	3.15	0.00	0.00			1		40.18	9.45		
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility										1			-		
	remination			UEPFP	U1TV2											
	nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITI	011172						1					
	or Fraction Mile			UEPFP	1L5XX											
FEATUR				02	120701											
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00			1		40.18	9.45		
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		9.03	1.87					40.18	9.45		
	DRT/LOOP COMBINATIONS - COST BASED RATES															
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	t/Loop Combination Rates		1			20.97										
	P-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 P-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	-	+	20.97				<b> </b>	<del>                                     </del>			<b>-</b>		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	-	3	<del> </del>	+	37.08			1	1	1			<del> </del>	1	
UNE Loo		-		<del> </del>	+	57.00				<del> </del>	<del>                                     </del>			<del>                                     </del>	<del> </del>	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	8.85				1	1			<b>I</b>	<b> </b>	<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	15.68				İ				1		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	24.96			1	Ì				1	İ	
UNE Por				-						1	1					
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12.12	224.81	188.40					40.18	9.45		
	CURRING CHARGES - CURRENTLY COMBINED							•					_			
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			<u> </u>					]		1			_	1	
ı I S	Switch-as-is	l	1	UEPPX	USAC1		13.26	8.39	I		1		53.89	11.34	I	1

ONBONDL	ED NETWORK ELEMENTS - North Carolina												,	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
-	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion							FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
	with BellSouth Allowable Changes			UEPPX		USA1C		13.26	8.39					53.89	11.34		
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49						40.18	9.45		
Telep	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			UEPPX		NDZ	0.00	0.00	0.00								
	of 20 DID Numbers  Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		NDZ ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00			1					
+	Reserve Non-Consecutive DID numbers		<del>                                     </del>	UEPPX		ND6	0.00	0.00	0.00						<del> </del>	<b> </b>	
	Reserve DID Numbers	1	<b>1</b>	UEPPX		NDV	0.00	0.00	0.00		1				1	1	
LOC	AL NUMBER PORTABILITY		<b>†</b>	2=:		† <del></del>	3.30	0.00	3.30		1				1	1	
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WI	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR	!	38.84										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR	ļ	50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_														
	UNE Zone 3		3	UEPPB	UEPPR		65.18										
UNE	Loop Rates		1	LIEDDD	UEPPR	LICLAY	14.47										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UNE	Port Rate		Ŭ	OLITE	OLITIK	OOLEX	40.01										
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
	ITIONAL NRCs																
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD) CSD	1	<b>!</b>		UEPPR UEPPR	U1UCB	0.00	0.00	0.00		<del> </del>	<del>                                     </del>			<del> </del>	<del>                                     </del>	
D_CL	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMS °	L TNN	UEPPB	UEPPK	U1UCC	0.00	0.00	0.00	-	-	<b> </b>			-	-	
	R TERMINAL PROFILE	U, IVI O, 6	1111)	1		1					1	<del>                                     </del>			1	1	<del>                                     </del>
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<del>                                     </del>
VER	TICAL FEATURES	1	<b>!</b>	J=: 1 D	J (	3.5.77	5.50	0.00	0.00						<b> </b>	<b> </b>	
	All Vertical Features - One per Channel B User Profile		<b>†</b>	UEPPB	UEPPR	UEPVF	3.40	0.00	0.00		1				1	1	
INTE	ROFFICE CHANNEL MILEAGE					1											
	Interoffice Channel mileage each, including first mile and	1													1	1	
	facilities termination		<u>L</u>	UEPPB		M1GNC	18.0282	137.48	52.58	<u></u>	<u> </u>	<u></u>		19.99	19.99	<u> </u>	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE	Port/Loop Combination Rates		<u> </u>	ļ								ļ					
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		١.	LIEBEE		1											
	Zone 1		1	UEPPP			226.55			-	1	<u> </u>			1	<b> </b>	
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		1	262.20										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-	-	ULFFF		+	263.28				1	<b> </b>			1	1	
	Zone 3		3	UEPPP		1	313.15								1	1	
UNF	Loop Rates	<b>-</b>	-	JLI FF		†	313.13				<u> </u>	<b> </b>			<del>                                     </del>	<del> </del>	
0.42	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	47.54								<b> </b>	<b> </b>	
	4-Wire DS1 Digital Loop - UNE Zone 2			UEPPP		USL4P	84.27				1	1			1	1	1

Version 3Q02: 10/07/02 Page 305 of 425

ONBONDLE	D NETWORK ELEMENTS - North Carolina											•	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	134.14										
UNE F	ort Rate			LUEDDO	UESSS	170.01	0=0.4=						10.00	10.00		
NONE	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179.01	956.47	663.10					19.99	19.99		<b></b>
NONK	ECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port				-											<del></del>
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51								
ADDIT	IONAL NRCs			OLITI	OGAGI	0.00	401.51	401.01								<del></del>
ADDII	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -				+											<del></del>
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
1	Activity Outward tel nos. (NC only)	1		UEPPP	PR7TP		28.17	28.17					1		1	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Numbers	<u> </u>		UEPPP	PR7ZT		56.33	56.33			<u></u>		<u> </u>		<u> </u>	
LOCA	NUMBER PORTABILITY									_						
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)	ļ														
	Voice/Data	ļ		UEPPP	PR71V	0.00	0.00	0.00			ļ		ļ		ļ	
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel			UEPPP	DD3D)/	0.00	00.00						40.00	10.00		ļ
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV PR7BF	0.00	36.92 36.92						19.99 19.99	19.99 19.99		<del>                                     </del>
	New or Additional - Digital Data B Channel  New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL	TYPES			UEFFF	PRIBU	0.00	30.92				1		19.99	19.99		<del> </del>
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<b>—</b>
-	Outward			UEPPP	PR7C0	0.00	0.00	0.00			1					<del>                                     </del>
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								<del></del>
Intero	ffice Channel Mileage			02		0.00	0.00	0.00								
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE F	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		207.79										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	$\bot$	257.66	,									
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2	ļ		UEPDC	USLDC	84.27					1					
LINE	4-Wire DS1 Digital Loop - UNE Zone 3	<b> </b>	3	UEPDC	USLDC	134.14					ļ		<b> </b>	ļ.	<del> </del>	
UNE	ort Rate  4-Wire DDITS Digital Trunk Port	<del>                                     </del>		UEPDC	UDD1T	100 50	831.43	491.39			<del>                                     </del>		19.99	19.99	-	<del></del>
NOND	ECURRING CHARGES - CURRENTLY COMBINED	1		OEFDC	וועעט	123.52	031.43	491.39			<b> </b>		19.99	19.99	1	<del></del>
NONK	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			1	+						-					<del>                                     </del>
	- Switch-as-is	1		UEPDC	USAC4		490.38	490.38					1		1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			1		.00.00	.00.00					1		1	
	- Conversion with DS1 Changes	1		UEPDC	USAWA		490.38	490.38					1		1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			-												
	- Conversion with Change - Trunk	1		UEPDC	USAWB		490.38	490.38					1		1	1
ADDIT	IONAL NRCs						-									
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent									·						
	Channel Activation/Chan - 1-Way Outward Trunk	ļ		UEPDC	UDTTB		28.81	28.81			ļ		ļ		ļ	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	1													1	1
	Activation/Chan Inward Trunk w/out DID	ļ		UEPDC	UDTTC		28.81	28.81			ļ		19.99	19.99		
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	1													Ì	1
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81			l	l	19.99	19.99	l	

NRONDFF	D NETWORK ELEMENTS - North Carolina		1	1							1 -	_	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								ļ
BIPOL	AR 8 ZERO SUBSTITUTION			LIEBBO	00005		0.00	045.00								
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00								
Altama	B8ZS - Extended Superframe Format ate Mark Inversion			UEPDC	CCOEF		0.00	615.00								
Alterna	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tolonh	none Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00								
relepi	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		<del>                                     </del>
-	Telephone Number for 1-Way Outward Trunk Group		<b>!</b>	UEPDC	UDTGX	0.00			<del>                                     </del>		1		19.99	19.99	1	
-+	Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0.00			<del>                                     </del>		<del>                                     </del>		19.99	19.99		<del></del>
-+	DID Numbers, Establish Trunk Group and Provide First Group		<u> </u>	02.00	00.02	0.00			<del>                                     </del>		<del>                                     </del>		13.33	10.05		<del></del>
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
-	DID Numbers for each Group of 20 DID Numbers		1	UEPDC	ND4	0.00	0.00	0.00	<del>                                     </del>		1					<del>                                     </del>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop													
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNOA	0.5753	0.00	0.00								
_	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.5753	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	lateraffica Channel Mileson Additional astronomile 25: miles			UEPDC	1LNOC	0.5750	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC	LNPCP	0.5753 3.15	0.00	0.00	0.00							<del> </del>
-	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							<del>                                     </del>
4-WIDI	E DS1 LOOP WITH CHANNELIZATION WITH PORT			OLFDC	CIG	0.00										<del> </del>
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			+											<del>                                     </del>
	System can have up to 24 combinations of rates depending on			ber of ports used												
	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	าร)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		<u> </u>
_	240 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>	UEPMG UEPMG	VUM20 VUM28	1,230.60	0.00	0.00					19.99	19.99	ļ	<del>  </del>
	288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s		<del>                                     </del>	UEPMG UEPMG	VUM28 VUM38	1,476.72 1,968.96	0.00	0.00			1		19.99 19.99	19.99 19.99	-	1
	480 DS0 Channel Capacity - 1 per 16 DS1s		<del>                                     </del>	UEPMG UEPMG	VUM38 VUM40	1,968.96 2,461.20	0.00	0.00			1		19.99	19.99	-	1
_	576 DS0 Channel Capacity - 1 per 20 DS1s		1	UEPMG	VUM57	2,461.20	0.00	0.00					19.99	19.99	-	<del> </del>
-	672 DS0 Channel Capacity - 1 per 24 DS1s		1	UEPMG	VUM67	3,445.68	0.00	0.00			1		19.99	19.99		<del>                                     </del>
Non-P	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	neliztio					0.00			}		19.99	19.99	1	<del>                                     </del>
	mum System configuration is One (1) DS1, One (1) D4 Channel						o.c.iii		<del>                                     </del>							<del>                                     </del>
	les of this configuration functioning as one are considered Ad															<b>†</b>
лапр	NRC - Conversion (Currently Combined) with or without		1	John System Co												
System	BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop wit	h Chan	nalizat	UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		<u> </u>
	n Auditions at End User Locations where 4-wife DS1 Loop Wit	ıı unan	menzat	ion with Port Com	ibiliation Curre	nny ⊏xists and								ı	ı	1

Version 3Q02: 10/07/02 Page 307 of 425

Bipolar 8 Z Cle Act Cle Sul Alternate N Suj Est	RATE ELEMENTS  DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation Zero Substitution lear Channel Capability Format, superframe - Subsequent	Interi m	Zone	BCS	usoc						Submitted	Submitted	Charge -	Charge -	Charge -	Incremental Charge -
Bipolar 8 Z Cle Act Cle Sul Alternate N Sup Ext	nd Assoc Fea Activation  Zero Substitution  lear Channel Capability Format, superframe - Subsequent							RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
Bipolar 8 Z Cle Act Cle Sul Alternate N Sup Ext	nd Assoc Fea Activation  Zero Substitution  lear Channel Capability Format, superframe - Subsequent				+	I	Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)	l	
Bipolar 8 Z Cle Act Cle Sul Alternate N Sup Ext	nd Assoc Fea Activation  Zero Substitution  lear Channel Capability Format, superframe - Subsequent					Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Bipolar 8 Z Cle Act Cle Sul Alternate N Sup Ext	nd Assoc Fea Activation  Zero Substitution  lear Channel Capability Format, superframe - Subsequent				+		FIISL	Auu i	FIISL	Add I	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
Bipolar 8 Z  Cle Act Cle Sut Alternate N  Sur Ext	Zero Substitution lear Channel Capability Format, superframe - Subsequent			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		i
Cle Act Cle Sut Alternate N Sur Ext	lear Channel Capability Format, superframe - Subsequent		1	OLI WO	VOIVID4	0.00	140.14	320.22	143.02	17.00			15.55	13.33		
Act Cle Sut Alternate N Sup Ext					-											<del></del>
Alternate N Sup Ext	ctivity Only			UEPMG	CCOSF	0.00	0.00	615.00								i
Alternate N Sup Ext Exchange	lear Channel Capability Format - Extended Superframe -			020	0000.	0.00	0.00	0.0.00								
Sup Ext Exchange	ubsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								i
Ext Exchange	Mark Inversion (AMI)															
Exchange	uperframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	xtended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								L
Exchange	e Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													<b></b>
	e Ports			ļ	1											<b>└</b>
í I I	ine Cide Combination Channeline LBBV Total Book S			LIEDDY	LIEBOY	2.00	0.00	2.22		2.00			40.40	o		1
	ine Side Combination Channelized PBX Trunk Port - Business ine Side Outward Channelized PBX Trunk Port - Business		<del>                                     </del>	UEPPX UEPPX	UEPCX	2.28 2.28	0.00	0.00	0.00	0.00			40.18 40.18	9.45 9.45	1	
	rie Side Outward Channelized PBX Trunk Port - Business		-	UEPPX	UEPUX	2.28	0.00	0.00	0.00	0.00			40.18	9.45	-	<del></del>
	ne Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		1
	-Wire Trunk Side Unbundled Channelized DID Trunk Port		-	UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45	1	
	Activations - Unbundled Loop Concentration		1	OLITA	OLI DIVI	13.20	0.00	0.00	0.00	0.00			40.10	3.43		
	eature (Service) Activation for each Line Port Terminated in D4															<del></del>
	ank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		i
	eature (Service) Activation for each Trunk Port Terminated in			OZ. TX		0.00	20.27	10.01	0	2			10.10	0.10		
	4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		i
Telephone	e Number/ Group Establishment Charges for DID Service						_									
DIE	ID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
Est	stab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	ID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	on-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								L
	eserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								<u> </u>
	eserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								<b></b>
	mber Portability															<b></b>
	ocal Number Portability - 1 per port		<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00								<b>├</b>
	ES - Vertical and Optional itching Features Offered with Line Side Ports Only															+
	Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		<del></del>
	RT LOOP COMBINATIONS - MARKET RATES			UEPFA	UEPVF	3.40	0.00	0.00					40.16	9.45		<del></del>
	ates shall apply where BellSouth is not required to provide u	unhun	tled lo	l cal switching or swi	tch norts ner	FCC and/or St	ate Commissio	n rules								<del> </del>
This include		umbum	1	l	lon porto per	l oo anayor oa	ate commission	ii raico.								<b>—</b>
	ed port/loop combinations that are Currently Combined or N	lot Cur	rently (	Combined in Zone 1	of the Top 8	MSAS in BellS	outh's region f	or end users v	vith 4 or more I	OS0 equivalen	t lines.					
	8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda											e).				
	n currently is developing the billing capability to mechanical								g charges for r	not currently o	ombined in	FL and NC	. In the interi	m where Bell	South cannot	bill Market
	ellSouth shall bill the rates in the Cost-Based section preced			the Market Rates an	d reserves th	e right to true-	up the billing o	lifference.								
	et Rate for unbundled ports includes all available features in															L
	e and Tandem Switching Usage and Common Transport Us	age rat	es in tl	he Port section of th	is rate exhibi	it shall apply to	all combination	ons of loop/po	rt network elem	nents except	or UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	age charge
(USOC: UR																
For Not Cu	Currently Combined scenarios the Nonrecurring charges are	listed	in the F	First and Additional	NRC column	s for each Port	USOC. For Cu	rrently Combi	ned scenarios,	the Nonrecur	ring charge:	s are listed i	in the NRC - 0	Currently Con	nbined section	n.
	al NRCs may apply also and are categorized accordingly.															
	OICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															-
	/Loop Combination Rates			ļ	1											<b></b>
	-Wire VG Loop/Port Combo - Zone 1		1		ļ	24.75										⊢——
	-Wire VG Loop/Port Combo - Zone 2		2		1	33.05								ļ	ļ	<del></del>
	-Wire VG Loop/Port Combo - Zone 3		3	1	1	44.33										<del>                                     </del>
UNE Loop	P Rates -Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.75			-					-	-	<del>                                     </del>
	-Wire Voice Grade Loop (SL1) - Zone 1 -Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	10.75			-							<del>                                     </del>
	-Wire Voice Grade Loop (SL1) - Zone 2 -Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.33								1	1	<del>                                     </del>
	pice Grade Line Port (Res)			0=1100	JEI EX	50.55			<del>                                     </del>							<del>                                     </del>
	-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00	-				40.18	9.45	1	
	-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00	1				40.18	9.45		

Version 3Q02: 10/07/02 Page 308 of 425

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			1							1		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled Low Usage Line Port without Caller ID												40.40			
1.004	Capability L NUMBER PORTABILITY			UEPRX	UEPRT	14.00	90.00	90.00					40.18	9.45	-	
LUCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT				UEPKA	LINPUX	0.35									-	
I LA	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02.100	02	0.00	0.00	0.00					10.10	0.10		
110.111	The state of the s	1			1				1					1	1	
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	1	1	UEPRX	USAC2		41.50	41.50					40.18	9.45	I	
İ	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change	<u></u>	<u> </u>	UEPRX	USACC		41.50	41.50			<u> </u>		40.18	9.45	<u> </u>	
ADDIT	TONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
	2-Wire VG Loop/Port Combo - Zone 2		2			33.05 44.33									-	
LINE	2-Wire VG Loop/Port Combo - Zone 3 oop Rates		3			44.33									-	
ONE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75									-	
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	19.05										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
2-Wire	Voice Grade Line Port (Bus)		_	02. 5/	02.2.	00.00									1	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				LIEBBY .									10.10			
NOND	All Features Offered ECURRING CHARGES - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		1
NONK	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	l	l	UEPBX	USAC2		41.50	41.50					40.18	9.45	1	
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	1	1	J_1 D/1	00,102		71.50	71.50					40.10	5.43	t	
	change	1	1	UEPBX	USACC		41.50	41.50					40.18	9.45		
ADDIT	TONAL NRCs				1 2 2 2 2 2 2			50	Ì					0.10	1	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
	2-Wire VG Loop/Port Combo - Zone 2		2			33.05									ļ	
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3		_	44.33								ļ	-	
UNE L	oop Rates	<del>                                     </del>	1	UEPRG	UEPLX	40.75			ļ		1			<del>                                     </del>	<del>                                     </del>	1
+	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPRG	UEPLX	10.75 19.05									+	
+	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRG	UEPLX	30.33									+	
2-Wire	Voice Grade Line Port Rates (RES - PBX)	<del>                                     </del>	J	OLI INO	OLILA	30.33			1		1			1	t	1
- 7711	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1			+ +										<b>-</b>	
	Res	l	l	UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45	1	
LOCA	L NUMBER PORTABILITY						22.00	22.00						5, 10		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	Ì					İ	1	
EEAT	JRES	1						. ,,			İ				1	1

ONBONDE	ED NETWORK ELEMENTS - North Carolina			•									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONR	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with												40.40			
ADDIZ	Change			UEPRG	USACC		41.50	41.50					40.18	9.45		
ADDII	TIONAL NRCs  2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
	2-Wire VG Loop/Port Combo - Zone 2		2			33.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.33										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19.05										
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	30.33										
2-Wire	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.18	9.45		
<del></del>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCAL	L NUMBER PORTABILITY			LIEBBY/	LUBOR	0.15										
FEAT	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			UEFFA	UEFVF	0.00	0.00	0.00					40.10	9.45		
NONKI	CORRING CHARGES - CORRENTET COMBINED				-											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			02.17	00/102		11.00						10.10	0.10		
1	Change		1	UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDIT	TIONAL NRCs		1				-									
L	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		<u></u>	UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -						_	_		·						
	Subsequent Activity- Nonrecurring		<u> </u>				0.00	0.00					40.18	9.45		
1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1											l		
0.1405	Group	<u> </u>	<u> </u>				14.64	14.64					40.18	9.45	1	
	LE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR Port/Loop Combination Rates	1	<del>                                     </del>						<del>                                     </del>		<b>-</b>					-
UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	-	1			24.75			<del>                                     </del>		<b>-</b>					-

NRONDE	ED NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.33										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05										
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33										
2-Wir	e Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	LIEDNID	44.00	00.00	00.00					40.40	0.45		
	Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			LIEDOO	UEPRP	14.00	90.00	90.00					40.18	0.45		
-+-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	<del>                                     </del>	<b>-</b>	UEPCO	UEPKP	14.00	90.00	90.00	<b> </b>		<b>-</b>		40.18	9.45	-	-
	(NC)	l		UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
$-\!\!\!+\!\!\!-$	2-Wire Coin 2-Way with Operator Screening and Blocking:	-	-	ULPCU	UEFIND	14.00	90.00	90.00					40.18	9.45	-	-
1	900/976, 1+DDD, 011+, and Local (NC, TN)	1	1	UEPCO	UEPCA	14.00	90.00	90.00	]				40.18	9.45	1	
	2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPCA	14.00	90.00	90.00					40.16	9.45		
	(NC)			UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLITAL	14.00	30.00	30.00					40.10	3.43		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY			OLI CO	OLI OL	14.00	30.00	30.00					40.10	3.43		
LUCA	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLFCO	LINFOX	0.33										
NON	CEGNICING CHARGES - CONNENTET COMBINED				+											
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI CO	00/102		41.00	41.00					40.10	0.40		
	Change			UEPCO	USACC		41.50	41.50					40.18	9.45		
ADDI	TIONAL NRCs			OLI GO	00/100		41.00	41.00					40.10	0.40		
7.55.																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					40.18	9.45		
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (													
UNE	Port/Loop Combination Rates		,													
UNE	Loop Rates															
2-Wir	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	14.00	225.00	170.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPFR	UEPAP	14.00	225.00	170.00					40.18	9.45		
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0125										
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY			L	<u> </u>				ļļ						ļ	
Ne:	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35			ļļ						ļ	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>											ļ	<b> </b>	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	HEDED	LICACO		0.00	4.5=	]				40.40		1	
	Combination - Conversion - Switch-as-is	<del>                                     </del>	<b> </b>	UEPFR	USAC2		9.03	1.87					40.18	9.45	<del>                                     </del>	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change	l		UEPFR	USACC		9.03	1.87					40.18	9.45		
2_/\//10	Combination - Conversion - Switch-with-Change RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ODT /		USACC		9.03	1.87					40.18	9.45		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	UKI (	DU3)	+											
JUNE !	Loop Rates	-	-		+ +									-	-	-
TIME !			<b></b>	ł	-				1						<b> </b>	<del> </del>
	o Voice Grade Line Bort (Bus)															1
	e Voice Grade Line Port (Bus)			HEDER	HEDDI	14.00	225.00	170.00	<del>                                     </del>				<i>1</i> 0.10	0.45		
	e Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBL UEPBC	14.00 14.00	225.00 225.00	170.00 170.00					40.18 40.18	9.45 9.45		

Version 3Q02: 10/07/02 Page 311 of 425

ONRONDL	ED NETWORK ELEMENTS - North Carolina			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		-	<u> </u>		+ +	1	Nonrec	urring	Nonrecurring Disc	connect				Rates(\$)		
					+	Rec	First	Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPFB	UEPB1	14.00	225.00	170.00	7		0020		40.18	9.45		00
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	'		UEPFB	1L5XX											
FEA	TURES															
Nov	All Features Offered	-	<u> </u>	UEPFB	UEPVF	0.00	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		0.00	1.07					40.40	0.45		
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		UEPFB	USAC2		9.03	1.87					40.18	9.45		
2 WI	Combination - Conversion - Switch with change RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Port/Loop Combination Rates	1	1		+											
	Loop Rates		1		+											1
	re Voice Grade Line Port Rates (BUS - PBX)															
	·															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPO	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus  2-Wire Voice Unbundled PBX LD Terminal Ports	-	-	UEPFP	UEPP1 UEPLD	14.00 14.00	225.00 225.00	170.00 170.00					40.18 40.18	9.45 9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1	1	UEPFP	UEPXA	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	14.00	225.00	170.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	225.00	170.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		1	UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INTE	ROFFICE TRANSPORT  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	1		+											1
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	UEPFP	U1TV2											
FEAT	or Fraction Mile		<u> </u>	UEPFP	1L5XX											
	All Features Offered	1		UEPFP	UEPVF	0.00	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		<u> </u>												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													0.45		
IINRIINDI EI	Combination - Conversion - Switch with change D PORT/LOOP COMBINATIONS - MARKET BASED RATES	-	-	UEPFP	USACC		9.03	1.87					40.18	9.45		
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K PORT	1	<del> </del>	+ +				<del>                                     </del>							
	Port/Loop Combination Rates		t	1	+											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			60.85										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			67.68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	ļ	$\bot$	77.96				Ţ						
IUNE	Loop Rates	1	1	UEPPX					1							1

ONRONDE	ED NETWORK ELEMENTS - North Carolina													Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	15.68										
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3  Port Rate		3	UEPPX		UECD1	25.96			1							
UNE	Exchange Ports - 2-Wire DID Port	-		UEPPX		UEPD1	52.00	485.00	75.00					40.18	9.45		<del></del>
NON	RECURRING CHARGES - CURRENTLY COMBINED	1		OLFFX		OLFDI	32.00	465.00	75.00					40.16	9.40		
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination																
	Switch-As-Is Top 8 MSAs only  2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX		USAC1		200.00	75.00					53.89	11.34		
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		200.00	75.00					53.89	11.34		
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		75.00						40.18	9.45		
Tele	phone Number/Trunk Group Establisment Charges				-												
	DID Trunk Termination (One Per Port)			UEPPX	-	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								<b>.</b>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX		ND6 NDV	0.00	0.00	0.00								
1.00	AL NUMBER PORTABILITY			UEPPX		NUV	0.00	0.00	0.00								-
LUC	Local Number Portability (1 per port)	1		UEPPX		LNPCP	3.15	0.00	0.00								<del> </del>
2-1/1	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDI	BOD1			LINE CE	3.13	0.00	0.00								<del></del>
	Port/Loop Combination Rates	INE SIDI	I			1											-
ONL	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1											<del>                                     </del>
	UNE Zone 1		1	UEPPB	UEPPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		90.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		105.81										
LINE	Loop Rates		3	OLITE	OLITIK	+ +	103.01			1							<del>                                     </del>
ONL	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47										<del> </del>
	2-VVIII IODIV DIGITALI GIAGE ECOP - GIVE ZOITE I		-	OLITE	OLITIK	OOLZX	17.77										<del> </del>
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81										
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	450.00	375.00					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	200.00	200.00								
ADD	TIONAL NRCs			OLFFB	ULFFR	USACD	0.00	200.00	200.00	-		-					<b>├</b> ──
	AL NUMBER PORTABILITY					+ +	1			1							
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<del> </del>
B-CF	IANNEL USER PROFILE ACCESS:			OLITE	OLITIK	LIVI OX	0.00	0.00	0.00								<del></del>
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-Cl-	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00	ļ				19.99	19.99		
INTE	ROFFICE CHANNEL MILEAGE		<u> </u>			ļļ				ļ							
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		1
	Interoffice Channel mileage each, additional mile	1	<b>†</b>	UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00	<u> </u>					.5.55		
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT	1	1			3.0202	3.55	3.30	1							
	Port/Loop Combination Rates	1	i –			1				1	l				İ	İ	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1			1											
	Zone 1	1	1	UEPPP		1	947.54			1	l	1			l	l	1

DIADO IADEE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 2		2	UEPPP		984.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF		304.27										+
	Zone 3		3	UEPPP		1,034.14										
UNE L	oop Rates					1,00										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	47.54										1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	84.27										1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	134.14										1
UNE P	ort Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED			ļ	$\perp$						ļ				ļ	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1												1	
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00								
ADDII	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17								
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent			UEPPP	PR/IG		1.17	1.17			1					+
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		1	OLITI	1 10/11		20.17	20.17			1					+
	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		56.33	56.33								
LOCA	L NUMBER PORTABILITY			CLITT	110/21		00.00	00.00								<del>                                     </del>
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00										1
	Digital Data			UEPPP	PR71D	0.00										
	Inward Data			UEPPP	PR71E	0.00										
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
CALL	New or Additional Inward Data B Channel TYPES		1	UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALL	Inward			UEPPP	PR7C1	0.00										+
	Outward			UEPPP	PR7C0	0.00					1					+
	Two-way		1	UEPPP	PR7CC	0.00					1					+
Intero	ffice Channel Mileage			CLITT	11000	0.00										
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		1
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753			0.00							
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		797.54	_			•						
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		834.27										$\bot$
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		884.14					ļ					<u> </u>
UNE L	oop Rates		<u> </u>	LIEDDO	1101.50						ļ					1
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										
	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC UEPDC	USLDC	84.27 134.14					<del>                                     </del>			-	<del>                                     </del>	+
IINE D	ort Rate	-	3	UEPDC	USLUC	134.14			-		<b> </b>			1	1	+
UNEF	4-Wire DDITS Digital Trunk Port		<del>                                     </del>	UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00	<del>                                     </del>		19.99	19.99	1	+
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02. 00	35511	700.00	1,000.00	-100.00	0.00	3.00			10.00	10.00		<del>                                     </del>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1										1	<b>†</b>
	- Switch-As-Is Top 8 MSAs only		1	UEPDC	USAC4		288.86	133.87							1	
															1	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		288.86	133.37						<u> </u>		
				1												
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l												
	- Conversion with Change - Trunk Top 8 MSAs only	ľ	1	UEPDC	USAWB		288.86	133.37	ı		1	1		ı	1	1

NURUNDE	ED NETWORK ELEMENTS - North Carolina										1-		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDITE		20.01	20.01								1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		20.01	20.01					10.00	10.00		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alterr	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
I elep	hone Number/Trunk Group Establisment Charges				URTOV								10.00	10.00		
	Telephone Number for 2-Way Trunk Group			UEPDC UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY UDTGZ	0.00			-				19.99 19.99	19.99 19.99		ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers, Establish Trunk Group and Provide First Group			UEPDC	UDIGZ	0.00							19.99	19.99		
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	cated DS1 (Interoffice Channel Mileage) -															
FX/FC	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	<del>                                     </del>		1			<b> </b>	<b>!</b>	1
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.5753	0.00	0.00	]					1	I	
-+-	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		-	OEPDC	ILINOB	0.5753	0.00	0.00	<del>                                     </del>		-			-	<del></del>	<del>                                     </del>
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						1	
+	Tommadon)			021 00	ILINOS	0.00	0.00	0.00	0.00						t	<del>                                     </del>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00	j							
-	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					İ	1	
	Central Office Termininating Point			UEPDC	CTG	0.00								İ	1	
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	tem can have various rate combinations based on type and nur	nber of	ports	used												
UNE I	DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	_		ļ					ļ	1	ļ
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00	ļ					ļ	-	<del>                                     </del>
LINE .	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00	<del>                                     </del>		1			<b> </b>	<b>!</b>	<b> </b>
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	18)		LIEDMC	VUM24	102.00	0.00	0.00	<del>                                     </del>		1		10.00	10.00	<b>!</b>	<b> </b>
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG UEPMG	VUM24 VUM48	123.06 246.12	0.00	0.00	<del>                                     </del>		1		19.99 19.99	19.99 19.99	<del>                                     </del>	1
-+	96 DSO Channel Capacity -1 per 2 DS1s			UEPMG	VUM96	492.24	0.00	0.00	<del>                                     </del>		1		19.99	19.99	<del> </del>	<del>                                     </del>
-	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00	1				19.99	19.99	t	<del>                                     </del>
-+	192 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM19	984.48	0.00	0.00			1		19.99	19.99	<b>I</b>	<b>†</b>
-+	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00	<del>                                     </del>		<del>                                     </del>		19.99	19.99	t	<del>                                     </del>

Version 3Q02: 10/07/02 Page 315 of 425

NDUNDLE	D NETWORK ELEMENTS - North Carolina			1	1	1					I		Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring			l l		Rates(\$)		,4
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG UEPMG	VUM57 VUM67	2,953.44 3,445.68	0.00	0.00					19.99 19.99	19.99 19.99		
Non D	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	olistic					0.00					19.99	19.99		-
	mum System configuration is One (1) DS1, One (1) D4 Channel						Sterri									<del>                                     </del>
	les of this configuration functioning as one are considered Ad															+
munip	NRC - Conversion (Currently Combined) with or without	a i aito	1 1110 11	linning System Co.	Inguration is	Countou.										+
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		
Syster	n Additions Where Currently Combined and New (Not Current)	y Comb	ined)													
In Den	sity Zone 1 Top 8 MSAs															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	-			_								_			
	Fea Activation -			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
Bipola	r 8 Zero Substitution				1											
	Clear Channel Capability Format, superframe - Subsequent			l	1		_							1		
	Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format - Extended Superframe -			LIEDMO	00055	0.00	0.00	045.00								
Alterna	Subsequent Activity Only ate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	615.00								
Aitern	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								+
Evcha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLFIVIG	WICCFO	0.00	0.00	0.00								+
	nge Ports	JII WILII	FUIL													+
Exona	ingo i orto															+
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
	Feature (Service) Activation for each Trunk Port Terminated in			HEDDY	4500441	0.05	440.00	00.00	75.00	45.00			40.40	0.45		
T.11	D4 Bank none Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		
i elepr				UEPPX	NDT	0.00	0.00	0.00								
	DID Trunk Termination (1 per Port)  Estab Trk Grp and Provide 1st 20 DID Nos. (FL.GA. NC.& SC)			UEPPX	NDZ	0.00	0.00	0.00								<del>                                     </del>
	DID Numbers - groups of 20 - Valid all States	-		UEPPX	ND4	0.00	0.00	0.00						1		<del>                                     </del>
	Non-Consecutive DID Numbers - per number	-		UEPPX	ND5	0.00	0.00	0.00						<b> </b>		<del>                                     </del>
_	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00						<b> </b>		<del>                                     </del>
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00						1		<b>†</b>
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only						_			•			_			
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			<u> </u>	1											↓
	t Based Rates are applied where BellSouth is required by FCC								U-15-4-3		F. 6.76.74					<u> </u>
	tures shall apply to the Unbundled Port/Loop Combination - C											ala Dord		<u> </u>		<b>.</b>
	Office and Tandem Switching Usage and Common Transport															1
	first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	inea Combos. For	Currently Co	mpined Combo	s, the nonrecu	irring charges	snall be those	identified in t	ne Nonrecu	rring - Curre	ently Combine	ea sections.	Additional NF	cus may
	also and are categorized accordingly.	ho r	-tiot- '	on on Individual C	non Boote	4:1 f4b					1	-		1	1	Т
	rket Rates for Unbundled Centrex Port/Loop Combination will	ne nego	uated	on an individual Ca	ase basis, un	ui turtner notic	ы.							<del>                                     </del>		<del>                                     </del>
	CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											<del>                                     </del>
	ort/Loop Combination Rates (Non-Design)			1	+	1								1		<del>                                     </del>
	OTT EOOD COMBINATION NATES (NOIT-DESIGN)	i i	1	1	1	1			1					I		
ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						1									

Version 3Q02: 10/07/02 Page 316 of 425

DURONDLE	D NETWORK ELEMENTS - North Carolina			1									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		3	UEP95		32.61										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		17.25										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95		17.25										<del> </del>
	Design		2	UEP95		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL1 93		20.21			1		1					<del>                                     </del>
	Design		3	UEP95		43.09										
UNFI	oop Rate		U	OL1 00		40.00										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75			<u> </u>		1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33			1	<u> </u>						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP95	UECS2	40.81										
UNE P	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															İ
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC Or																
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		<u> </u>	UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45		<b>↓</b>
	L						=====									
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP95	UEPU9 UEPU2	2.28 2.28	79.59	63.97					40.18 40.18	9.45 9.45		ļ
11	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		<del>                                     </del>
Local	Switching Centrex Intercom Funtionality, per port		-	UEP95	URECS	0.903			-	-	+					<del></del>
1			<u> </u>	UEP95	URECS	0.903					-					<del> </del>
Local	Number Portability Local Number Portability (1 per port)			UEP95	LNPCC	0.35			-	-	+					<del> </del>
Featur				OL1 30	LIVI OU	0.35			<del> </del>	<del> </del>	1			1	1	
i catul	All Standard Features Offered, per port			UEP95	UEPVF	3.40			<del>                                     </del>	<del> </del>	1			1	1	
-	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	457.83		<b>-</b>	-	<del> </del>					
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40	-07.00		<u> </u>		1					
NARS				1		50			t	i e	1					
	Unbundled Network Access Register - Combination		<b>†</b>	UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	1	1	1		40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	İ	t	1		40.18	9.45		
Misce	laneous Terminations				1	2.20	2.20	2.30	1	1	1			1	İ	
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36			İ	1	1			İ	İ	
4-Wire	Digital (1.544 Megabits)															

ONDUNDL	ED NETWORK ELEMENTS - North Carolina	1	1	ı	1							001	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65	First	Add'l	First	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 40.18	<b>SOMAN</b> 9.45	SOMAN	SOMAN
	DS0 Channels Activated, each			UEP95	M1HD0	0.00	28.81						40.18	9.45		
Interd	office Channel Mileage - 2-Wire			ULF 93	WITIDO	0.00	20.01						40.16	5.40		
intere	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00										-
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282										
Featu	ire Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex  NRC Conversion Currently Combined Switch-As-Is with allowed		1													<del>                                     </del>
	changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11	0.40					40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		<del></del>
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
UNE-	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		20.04										
LINE	Non-Design		3	UEP9D		32.61										<del>                                     </del>
UNE	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															<del> </del>
	Design		1	UEP9D		17.25										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		28.21										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		43.09										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05	•	•								
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	1	UEP9D	UECS2	14.97			ļ						ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<b> </b>	2	UEP9D	UECS2	25.93			1	-					<b> </b>	
LINE	2-Wire Voice Grade Loop (SL 2) - Zone 3  Port Rate	<del>                                     </del>	3	UEP9D	UECS2	40.81									-	<del></del>
	STATES	<del>                                     </del>	<del>                                     </del>		+				+							<del></del>
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		

OMBONDE	D NETWORK ELEMENTS - North Carolina		1	1									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec			g Disconnect				Rates(\$)		
	O Mine Vision Conde Dest (Contract / EDC ME440)\2 Desigl and						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			02. 02	02	2.20	10.00	00.01					10.10	0.10		
	Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD	OLI III	2.20	70.00	00.07					40.10	0.40		
	Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI 9D	OLI IV	2.20	19.59	00.37		1			40.10	3.43		
	Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			021 00	02, 111	2.20	10.00	00.31					70.10	3.43		
	Indication))3 Basic Local Area		ļ	UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		<b></b>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI 13	2.20	19.55	03.51					40.10	3.43		
	2 Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			OEP9D	UEPTO	2.20	104.57	120.10					40.10	9.45		
	Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			DEF9D	UEFTQ	2.20	104.57	120.10					40.10	9.43		<del>                                     </del>
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			DEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		$\vdash$
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	2.20	464.57	400.40					40.18	0.45		1
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			DEP9D	UEPYS	2.28	164.57	128.16					40.18	9.45		
	Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY7	2.28	164.57	128.16					40.18	9.45		ĺ
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			DEP9D	UEPY/	2.28	164.57	128.16		1			40.18	9.45		<del>                                     </del>
	Term			UEP9D	UEPYZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDAD	LIEDVO	0.00	70.50	00.07					10.10	9.45		1
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	2.28	79.59	63.97					40.18	9.45		
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97					40.18	9.45		1
NC Or				LIEDAD			======						10.10			ļ
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPUA UEPUB	2.28 2.28	79.59 79.59	63.97 63.97					40.18 40.18	9.45 9.45		-
	2-Wire Voice Grade Port (Centrex 600 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28	79.59	63.97	1	1			40.18	9.45		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	2.28	79.59	63.97					40.18	9.45		
-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUT	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	2.28	79.59	63.97	ļ	ļ	ļ		40.18	9.45	ļ	<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3		ļ	UEP9D	UEPUV	2.28	79.59	63.97					40.18	9.45		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D UEP9D	UEPU3 UEPUH	2.28 2.28	79.59 79.59	63.97 63.97	-	-	1		40.18 40.18	9.45 9.45		<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OFLAD	ULFUN	2.28	19.59	63.97	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		40.18	9.40		
1	Indication)3			UEP9D	UEPUW	2.28	79.59	63.97	1	1			40.18	9.45	1	i

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28	164.57	128.16					40.18	9.45		
	2 ************************************			02. 05	02.00	2.20	.001	120.10					10.10	0.10		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPUQ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	2.28	164.57	128.16					40.18	9.45		
	O Mine Maior Occupe Post (Occuped Hiller OMO /EDO MEDAD)			LIEDOD	LIEDUO	0.00	404.57	100.10					40.40	0.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPUS	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	2.28	164.57	128.16					40.18	9.45		
	2-vviile voice Grade i Gri (Gentiewaniei Gwo /EBG-wb000)2, 3			OLI 3D	OLI 04	2.20	104.57	120.10					40.10	3.43		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	2.28	164.57	128.16					40.18	9.45		
	(															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	1150117	2.28	404.57	100.10					40.18	9.45		
	Term			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching				1											
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40	4== 00						10.10			
	All Select Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	457.83						40.18	9.45		
NARS	All Centrex Control Features Offered, per port		<u> </u>	UEP9D	UEPVC	3.40										
INAKS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
Misce	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
interd	office Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.00					1					
	Interoffice Channel mileage, per mile or fraction of mile		<b>-</b>	UEP9D	MIGBC	0.0282			1	1	1	1	1	1	1	
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1	OLIBO	IVIIGDIVI	0.0202										
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			l	1											]
	Slot		<u> </u>	UEP9D	1PQW7	0.65					ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9D	1PQWA	0.65								l	l	1

UNB	UNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
												Svc Order		Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	1 2.00 / 1.00 /
							Rec	Nonred	curring	Nonrecurrin	g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															í
		NRC Conversion Currently Combined Switch-As-Is with allowed															í
		changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		ł
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		í
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11						40.18	9.45		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															ī
		- Requires Specific Customer Premises Equipment															ī
UNBU		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															1
		set Rates are applied where BellSouth is not required by FCC	and/or	State C	ommission rule to I	provide Unbu	indled Local Sv	vitching or Sw	tch Ports.		1						
<b>—</b>		urring Charges for all Standard Centrex and Centrex Conrol Fe					1	intoning or on									
		Office and Tandem Switching Usage and Common Transport					nihit shall annly	to all combine	etions of loon	nort network e	alements excen	t for LINE C	oin Port/Lo	on Combinat	ione		
																Additional ND	Comov
		first and additional Port nonrecurring charges apply to Not Co	urrentiy	Comb	inea Combos. For	Currently Co	ombinea Comba	s, the nonrect	irring charges	snall be those	e identified in t	ne Nonrecu	rring - Curre	entry Combine	ea sections. A	Additional NR	CS may
<u> </u>		also and are categorized accordingly.			T		1				1	1	1				
	Featur																<b></b>
		CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	ł														ł
		Non-Design		1	UEP95		24.75										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ł
		Non-Design		2	UEP95		33.05										l
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
		Non-Design		3	UEP95		44.33										1
	UNE P	ort/Loop Combination Rates (Design)															í
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															í
		Design		1	UEP95		28.97										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		39.93										ł
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
		Design		3	UEP95		54.81										ł
	UNE L	pop Rate									1						
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.75										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	19.05										
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.33				1						i
	1	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP95	UECS2	14.97				1	<del> </del>	<del> </del>				<del></del>
<b>—</b>	+	2-Wire Voice Grade Loop (SL 2) - Zone 2	<b>-</b>	2	UEP95	UECS2	25.93				<del> </del>	<del>                                     </del>	ł – – – –				ſ
<b>—</b>	+	2-Wire Voice Grade Loop (SL 2) - Zone 3	<b>-</b>	3	UEP95	UECS2	40.81				<del> </del>	<del>                                     </del>	ł – – – –				ſ
<b> </b>	UNF D	ort Rate	1		021 00	32002	40.01				1						
-	All Sta		1	1		+	<del> </del>				<del>                                     </del>						
<b>-</b>	All Ola	2-Wire Voice Grade Port (Centrex ) Basic Local Area	l		UEP95	UEPYA	14.00	105.00	85.00		1	1	1	40.18	9.45		
	-	2-Wire Voice Grade Port (Centrex ) Basic Local Alea  2-Wire Voice Grade Port (Centrex 800 termination)	l		UEP95	UEPYB	14.00	105.00	85.00		1	1	1	40.18	9.45		1
-		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	-	1	OL1 30	OLFID	14.00	105.00	05.00	-	+	-	-	40.10	9.40		
	1	Area	l		UEP95	UEPYH	14.00	105.00	85.00					40.18	9.45		1
-		1	<del>                                     </del>	1	OLF90	UEFIR	14.00	105.00	85.00		-	-	-	40.18	9.45		
	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l		UEP95	UEPYM	14.00	215.00	405.00		1	İ	I	40.18	9.45		1
-	-	Center)2 Basic Local Area	l	1	UEF95	UEPTIVI	14.00	∠15.00	165.00	-	<del>                                     </del>	<del>                                     </del>	1	40.18	9.45		
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l		LIEDOE	LIEDYZ	44.00							40.40	0.4-		1
		Term - Basic Local Area		<u> </u>	UEP95	UEPYZ	14.00				1			40.18	9.45		<b></b>
	1	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l			L						1					1
	_	- Basic Local Area	ļ	<u> </u>	UEP95	UEPY9	14.00	105.00	85.00		<u> </u>			40.18	9.45		<del>                                     </del>
	1	2-Wire Voice Grade Port Terminated on 800 Service Term -	l		l	l											1
		Basic Local Area			UEP95	UEPY2	14.00	105.00	85.00					40.18	9.45		
	NC On										<u> </u>						
		2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	14.00	105.00	85.00					40.18	9.45		<u> </u>
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	14.00	105.00	85.00					40.18	9.45		ı
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	14.00	105.00	85.00					40.18	9.45		ı .
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
1	1	Center)2	l		UEP95	UEPUM	14.00	215.00	165.00		1	İ	I	40.18	9.45		ł

Version 3Q02: 10/07/02 Page 321 of 425

NBUNDLED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs Electronic Disc Add
					Rec	Nonrec			g Disconnect				Rates(\$)		
	1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPUZ	14.00	215.00	165.00					40.18	9.45		
2-Wire Voice Grade Port terminated in on Megalink or equivalen			UEP95	UEPU9	14.00	105.00	85.00					40.18	9.45		
2-Wire Voice Grade Port Terminated in 60 Meganitik of equivalent	1		UEP95	UEPU2	14.00	105.00	85.00		+			40.18	9.45		
Local Switching			02.00	02. 02		100.00	00.00			İ		10.10	0.10		
Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local Number Portability															
Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Features															
All Standard Features Offered, per port	<del> </del>	<u> </u>	UEP95	UEPVF	0.00	457.00		<del> </del>	+	1		-	-	1	
All Select Features Offered, per port  All Centrex Control Features Offered, per port	1	<b>!</b>	UEP95 UEP95	UEPVS UEPVC	0.00	457.83		<del> </del>	+	1				<del> </del>	1
NARS NARS	1	<del>                                     </del>	UEF90	UEFVU	0.00			1	+	1		1	-	-	-
Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00			-		40.18	9.45		
Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
Miscellaneous Terminations															
2-Wire Trunk Side															
Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wire Digital (1.544 Megabits)															
DS1 Circuit Terminations, each			UEP95	M1HD1	123.65				1			40.18	9.45		
DS0 Channels Activated, each	1		UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interoffice Channel Mileage - 2-Wire			LIEDOE	MODO	40.00										
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	1		UEP95 UEP95	MIGBC	18.00 0.0282					-					
Feature Activations (DS0) Centrex Loops on Channelized DS1 Servi			UEP95	IVIIGBIVI	0.0282					-					
D4 Channel Bank Feature Activations	T								†	1					
Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQWS	0.65					1					
					0.00					İ					
Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.65										
Slot			UEP95	1PQW7	0.65										
Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Different Wire Center			UEP95	1PQWP	0.65										
Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.65										
Feature Activation on D-4 Channel Bank WATS Loop Slot	-		UEP95	1PQWQ	0.65				-	+					
Non-Recurring Charges (NRC) Associated with UNE-P Centrex	1		UEF95	IPQWA	0.65										
NRC Conversion Currently Combined Switch-As-Is with allowed	1									1					
changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
UNE-P CENTREX - DMS100 (Valid in All States)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)	<del> </del>	<u> </u>	1	1				<del> </del>	+	1		-	-	1	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	1	1	UEP9D		24.75										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		<del></del>			24.70			1	1					1	
Non-Design	1	2	UEP9D		33.05			1	1						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	1		-							1		1			
Non-Design	<u> </u>	3	UEP9D		44.33			<u> </u>	<u> </u>			<u> </u>		<u> </u>	<u></u>
UNE Port/Loop Combination Rates (Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-								1						
Design		1	UEP9D		28.97										

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina						·	·		·			Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
	O Miss VO Leas /O Miss Voice Orada Bart /Ocatas / Bart Comba				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		39.93										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 05		00.00										
	Design		3	UEP9D		54.81										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D UEP9D	UECS2 UECS2	25.93 40.81					-					<b></b>
LINE	Port Rate		3	UEP9D	UECSZ	40.61					1					
	STATES										+					
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	105.00	85.00					40.18	9.45		<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local										1					
	Area			UEP9D	UEPYB	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			02.02	02. 12	1 1.00	.00.00	00.00			1			0.10		
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	14.00	105.00	85.00					40.18	9.45		
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	14.00	105.00	85.00					40.18	9.45		
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5012))3Dasic Local			UEP9D	UEPYG	14.00	105.00	85.00					40.18	9.45		
	Area			UEP9D	UEPYT	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	14.00	105.00	85.00					40.18	9.45		
1	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYJ	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	215.00	165.00					40.18	9.45		

NRONDLE	D NETWORK ELEMENTS - North Carolina			1							1 -		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec			Disconnect				Rates(\$)		I
	O.W. W. Vicin On In Part (Outro / F.W. O.W.O /F.D.O. M.F.O.O.)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEP17	14.00	215.00	165.00					40.16	9.45		
	Term			UEP9D	UEPYZ	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
110.0	Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC On	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	14.00	105.00	85.00					40.18	9,45		
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex 600 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPUG	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPUT	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPUV UEPU3	14.00 14.00	105.00 105.00	85.00 85.00					40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-W5516)3  2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI OII	14.00	103.00	03.00					40.10	3.43		
	Indication)3			UEP9D	UEPUW	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	14.00	105.00	85.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPUM	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-1/05009)2, 3			UEP9D	UEPUQ	14.00	215.00	165.00					40.18	9.45		
	2 Wile Voice Clade For (Control and CWO/LDC 5255)2, 6			OLI OD	OLI OQ	14.00	210.00	100.00					40.10	5.40		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPUR	14.00	215.00	165.00					40.18	9.45		
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPUS	14.00	215.00	165.00					40.18	9.45		
					=								40			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPU4	14.00	215.00	165.00			1		40.18	9.45		-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPU5	14.00	215.00	165.00					40.18	9.45		
	2-14116 VOICE Grade Fort (Centrewallier SVVC /EDS-IVE)208)2, 3			OLFBD	ULFUS	14.00	∠15.00	165.00		1	1		40.18	9.40		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	14.00	215.00	165.00					40.18	9.45		
					2-1-1-1	00	00							23.10		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	14.00	215.00	165.00					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l												
	Term			UEP9D	UEPUZ	14.00	215.00	165.00					40.18	9.45		
	2 Wire Voice Crade Port terminated in an Manalink and in the			UEP9D	LIEDLIO	44.00	405.00	05.00					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPU9 UEPU2	14.00 14.00	105.00 105.00	85.00 85.00		-			40.18	9.45	-	
l ocal	Switching			OLIBD	ULF UZ	14.00	103.00	65.00					40.10	9.45		
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903								1		
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00							10.1-			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83			-			40.18	9.45	-	<b></b>
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00				-				-	-	<del>                                     </del>
CANI	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00			1		40.18	9.45		<del>                                     </del>
$\rightarrow$	Unbundled Network Access Register - Combination			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00		1			40.18	9.45		

BUNDLE	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
regory	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						B	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Miscella	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed						ĺ									
	changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11	•					40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
11-1-0	Requires Specific Customer Premises Equipment		1	1	1				1	1	1	1	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	1	1

Version 3Q02: 10/07/02 Page 325 of 425

IINRIIN	IDI FI	O NETWORK ELEMENTS - South Carolina												Attachment:	2	Evhi	ibit: B
ONBOI	IDEE	NETWORK ELEMENTS - South Carolina			1	1	1					Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISCISE	DISC Add I
							Rec	Nonre	curring		Disconnect				Rates(\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	y Deaveraged U	NE Zones. To	view Georgrap	hically Deaver	aged UNE Zor	e Desiganti	ons by C O,	refer to Inter	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
		SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		lements that cannot be ordered electronically at present per t				e in this cate	gory reflects the	e charge that v	vould be billed	I to a CLEC on	ce electronic o	ordering cap	abilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
C	rderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits an	LSR t	o BellSouth.									•	•	•	
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS		1		COMEO		0.50					1		1	1	
LINE CE	20///05	interactive interfaces (Regional)		<u> </u>		SOMEC	1	3.50							<b> </b>	<del> </del>	<del> </del>
		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with	Bolles	thic Er	C No 1 Toriff Conf	on 5 ac cm-1	icable								<b> </b>	<b> </b>	<del> </del>
P	IUIE:	UNE Expedite Charge will be maintained commensurate with UNE Expedite Charge per Circuit or Line Assignable USOC, per	Delioou	ursr	I NO.T TARITT, SECTION	on as appil	icapie.										<del>                                     </del>
		Dav		1	ALL UNE	SDASP		200.00					1		1	1	
UNBUNE	)  ED =	XCHANGE ACCESS LOOP			ALL UINL	SUASE	1	200.00							1	1	1
		ANALOG VOICE GRADE LOOP				<del>                                     </del>											<del>                                     </del>
<del>                                     </del>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	<u> </u>	15.69		<b> </b>	<b> </b>	<b>†</b>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32		15.69				<b>†</b>
		Loop Testing - Basic 1st Half Hour		Ť	UEANL	URET1	20.12	34.23	34.23	20.00	0.02		15.69				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90				15.69				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
		Unbundled Voice Loop, Unbundled Non-Design Voice Loop,															
		billing for BST providing make-up			UEANL	UEANM		13.47	13.47								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
2	-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1		UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	- 1		UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	ı	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42		15.69				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
$\longmapsto$		Designed (per loop)		<u> </u>	UEQ	USBMC		8.17	8.17								<b>_</b>
		Unbundled Copper Loop, Non-Designed Billing for BST		1									4		1	1	
$\vdash$		providing make-up		<u> </u>	UEQ	UEQMU		13.47	13.47				15.69				<b></b>
$\vdash$		Loop Testing - Basic 1st Half Hour		<u> </u>	UEQ	URET1	1	34.23	34.23				15.69		<b> </b>	<b> </b>	<b>↓</b>
$\vdash$		Loop Testing - Basic Additional Half Hour		<b> </b>	UEQ	URETA	1	19.90	19.90			-	15.69		<del>                                     </del>	<del>                                     </del>	<del> </del>
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		1	UEQ	UREWO		14.30	7.45				15.69		1	1	
LINDIINI	II ED E	((UCL-ND) EXCHANGE ACCESS LOOP	-	<b> </b>	ULIC	UKEWU	1	14.30	7.45			-	15.09		1	1	1
		ANALOG VOICE GRADE LOOP			1	+	1								1	1	1
<del> </del>		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<b>-</b>			+							<b> </b>		<del> </del>	<del> </del>	<del>                                     </del>
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69		1	1	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<del>-</del>	C. C. C. C. C. C. C. C. C. C. C. C. C.	32,0	14.04	07.02	17.02	20.00	0.02		10.00		1	1	1
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69		1	1	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		Ė				2.702	02		5.02				1	1	
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69		1	1	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-							,-				- · · · ·				
		Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32		15.69		Ì	Ì	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32		15.69				
U	JNE Lo	op Rates for Line Splitting															
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPRX	UEPLX	14.89	0.10	0.10								
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX	UEPLX	21.52	0.10	0.10								
1		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	3	UEPRX	UEPLX	27.17	0.10	0.10								

Version 3Q02: 10/07/02 Page 326 of 425

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonre			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP				-										-	<u> </u>
Z-VVIRI	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				-											
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLIVEZ	10.00	100.00	00.40	00.00	10.01		10.00				<del>                                     </del>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					40.00						4= 00				
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61		15.69				
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OLAIVE	20.10	103.30	00.43	33.03	10.01		13.03				
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				1
4-WIRI	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UEA UEA	OCOSL		18.13	36.44				45.00				
2.WIDI	CLEC to CLEC Conversion Charge without outside dispatch  E ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.90	30.44				15.69				
Z-VVIKI	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69			1	
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69			1	
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				
2-WIRI	Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone											4= 00				
	2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDC	UREWO	31.10	91.82	44.25	55.05	10.01		15.69				1
2-WIRI	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF		OKEWO		31.02	44.23				13.03				
	2 Wire Unbundled ADSL Loop including manual service inquiry	1													1	
	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop including manual service inquiry							=====		=		4= 00				
	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	OCOSL		18.13									
	facility reservation - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &			07 LE	O/ ILLEVV	12.10	30.01	07.02	00.07	7.50		10.00				
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48		ļ		15.69			ļ	<u> </u>
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IBLE	LOOP	<del> </del>	1				1	1					1	<del>                                     </del>
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				

ONBONDE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)		
	OW's Hala Hall DOLL and the Francisco Control of						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	11.40	129.52	79.24	50.57	7.93		15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OCOGL		10.13									
	and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry			0.12	011211	0.00	101110	00.00	00.01	7.00		10.00				
	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry		١.			40.00			== 40	40.00		4= 00				
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69		-	-	
	and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	10.04	18.13	107.03	33.12	10.50		13.03				1
	4-Wire Unbundled HDSL Loop without manual service inquiry			OFFIC	COOOL		10.10									
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.32	40.48				15.69				
4-WIF	RE DS1 DIGITAL LOOP		<u> </u>		1101101	=0 =1	0.00		44.00			1= 00				
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80 44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		3	USL USL	USLXX	136.00 229.15	253.03 253.03	157.89 157.89	44.80	11.73 11.73		15.69 15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	USL	OCOSL	229.15	18.13	137.69	44.00	11.73		15.69				
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13				15.69				
4-WIF	RE 19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP			002	0.1.2110		101.00	10.10				10.00				
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69			ļ	1
	Order Coordination for Specified Conversion Time (per LSR)	ļ	<u> </u>	UDL	OCOSL	20.0-	18.13	20.1-	=			/= 00		-	-	<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64 UDL64	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61		15.69 15.69		1	1	
<del></del>	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del>                                     </del>		UDL UDL	UDL64 UDL64	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61		15.69 15.69		<del>                                     </del>	<del>                                     </del>	1
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	1	3	UDL	OCOSL	34.74	120.00	09.12	39.35	14.01		15.69		+	+	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85				15.69		<del>                                     </del>	<del>                                     </del>	<b> </b>
2-WIF	RE Unbundled COPPER LOOP	1			JINL WV O		102.34	43.00				10.03		<b>†</b>	<b>†</b>	1
	2-Wire Unbundled Copper Loop/Short including manual service													1	1	
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69		<u> </u>	<u> </u>	
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		8.17	8.17						ļ	ļ	
ı	2-Wire Unbundled Copper Loop/Short without manual service	1		LICI	1101 514	10.10	04.6=	50.00	50.0-	7.00		45.00		I		
	inquiry and facility reservation - Zone 1	<b>!</b>	1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69		<del>                                     </del>	<del>                                     </del>	
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69		I	I	

ONRONDE	D NETWORK ELEMENTS - South Carolina		1	1	, ,								Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCLZL	38.22	119.91	69.62	50.37	7.93		15.69			-	-
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.			OCL	OOLZL	55.55	113.31	03.02	30.37	7.55		15.05				
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
İ	2-Wire Unbundled Copper Loop/Long - without manual service													1		
[	inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93		15.69			<u> </u>	<u></u>
	2-Wire Unbundled Copper Loop/Long - without manual service													_		
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Long - without manual service		1	l <u>.</u>	1										_	
	inquiry and facility reservation - Zone 3	ļ	3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	LIDEWO		04.07	40.57				45.00				
4 14/10	(UCL-Des) E COPPER LOOP		1	UCL	UREWO		94.87	42.57				15.69			-	
4-WIR			<u> </u>													
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry			UCL	UCL43	19.04	144.17	93.00	55.12	10.36		15.69				
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - including manual service inquiry			COL	OOLTO	20.00	144.17	55.55	00.12	10.00		10.00				
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17	99.1.							
	4-Wire Copper Loop/Short - without manual service inquiry and							_								
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1		1101.41	77.00	444.47	00.00	55.40	40.00		45.00				
	inquiry and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - includes manual svc.	<b>!</b>	1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69		-	<del></del>	-
	inquiry and facility reservation - Zone 2	l	2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69			1	
+	4-Wire Unbundled Copper Loop/Long - includes manual svc.		-	JUL	JULTL	110.70	144.17	33.00	33.12	10.36		13.03		1	t	<del>                                     </del>
	inquiry and facility reservation - Zone 3	l	3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69		1	I	
<u> </u>	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		8.17	8.17	77.12	. 2,000						
İ	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69			<u> </u>	<u> </u>
İ	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			1												
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69		ļ	1	
	Order Coordination for Unbundled Copper Loops (per loop)	ļ	<u> </u>	UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch	l	1	LICI	LIDEWO		04.07	40.5-				45.00		1	I	
LOOP MODIFI	(UCL-Des)	<u> </u>	<u> </u>	UCL	UREWO		94.87	42.57	<del>                                     </del>			15.69			<b>-</b>	
LOOP WOODE	LATION	-	1	UAL, UHL, UCL,	+										+	
		l		UEQ, ULS, UEA,											1	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l		UEANL, UDL, UDC,											1	
	pair less than or equal to 18k ft		1	UDN, UDL, USL	ULM2L		32.46	32.46				15.69				
1	Unbundled Loop Modification, Removal of Load Coils - 2 wire			,,	J		02.⊣0	32.40				10.00		1	1	
	greater than 18k ft	l		UCL, ULS, UEQ	ULM2G		170.89	170.89				15.69			1	
	Unbundled Loop Modification Removal of Load Coils - 4 Wire														1	
	less than or equal to 18K ft	l	1	UHL, UCL	ULM4L		32.46	32.46			]	15.69		Ì	I	

UNBUND	LED NETWORK ELEMENTS - South Carolina			1	1	T					1 -		Attachment:			ibit: B
CATEGOR	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire					1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	pair greater than 18k ft			UCL	ULM4G		170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.48	32.48				15.69				
SUB-LOOF																ļ
Su	b-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				1										1	<b></b>
1	Up	1		UEANL	USBSA		241.42	241.42				15.69				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.69	22.69				15.69				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder				uone -											
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		177.84	177.84				15.69				
	Set-Up	1		UEANL	USBSD		55.58	55.58				15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1	1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3		USBN4					9.09						
	Zone 3		3	UEANL	USBIN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEANL UEF	USBMC UCS2X	7.11	8.17 65.94	8.17 31.03	45.35	6.71		15.69				<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H	2	UEF	UCS2X UCS2X	9.83	65.94 65.94	31.03	45.35 45.35	6.71		15.69			<b> </b>	+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<u>Li</u>		UEF	UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Onder Consideration for Habitan Hall C. I. Land and C. I. Land			LIFE	LICDAGO		0.47	0.45								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF UEF	USBMC UCS4X	7.85	8.17 79.21	8.17 44.29	49.82	9.09		15.69			<b> </b>	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
Un	bundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.17	5.11				15.69				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		278.82	6.13				15.69				
Un	bundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20				15.69				
Net	work Interface Device (NID)			l	1										L	Ь

ONRONDER	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				15.69				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		64.42	49.53				15.69				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92				15.69				
SUB-LOOPS																
Sub-L	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		241.42					15.69				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC	USBFX		22.69	22.69				15.69				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523.87	11.34				15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
$\vdash$	Grade - Zone 2	<b>!</b>	2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69		ļ	ļ	<del></del>
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	l	_					====	=			,				1
	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		_													
	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice	l		<u> </u>	l			-								1
	Grade - Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				<u> </u>
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	23.49	106.47	68.92	55.81	13.37		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	23.49	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.85	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR		$\Box$	USL	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		_	UCL	USBFH	4.80	02.07	40.40	50.44	40.00		45.00				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				+
	3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	4.00	18.13	40.42	00.14	10.00		10.00				+
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	13.21	101.22	63.67	58.03	13.29		15.69				<u> </u>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	8.28	101.22	63.67	58.03	13.29		15.69				1
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.42	101.22	63.67	58.03	13.29		15.69				1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	_	18.13									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -												_			
	Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				<b></b>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -									·						
<b></b>	Zone 2	ļ	2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				<del></del>
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_													
	Zone 3		3	UDL	USBFO	20.17	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.13									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -											4= 00				
	Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	UDL	USBFP	21.30	100.10	64.64	00.00	17.52		45.00				
	Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	21.30	102.19	04.04	62.26	17.52		15.69				+
	Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	20.17	18.13	04.04	02.20	17.52		15.69				+
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK			ODL	OCOGL		10.13		1							+
	oop Feeder								1							+
Oub L	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20.44										+
	Sub Loop Feeder - DS3 - Facility Termination Per Month	i i		UE3	USBF1	348.12	3,408.62	407.90	160.83	91.17		15.69				+
	Sub Loop Feeder – STS-1 – Per Mile Per Month	i		UDLSX	1L5SL	20.44	0,100.02	101.00	100.00	0		10.00				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	369.07	3,408.62	407.90	160.83	91.17		15.69				1
	Sub Loop Feeder – OC-3 – Per Mile Per Month	i i		UDLO3	1L5SL	15.51	0,100.02			******						
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															1
	Month	- 1		UDLO3	USBF5	56.04										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565.50	3,408.62	407.90	160.83	91.17		15.69				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19.08										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month	- 1		UDL12	USBF6	669.82										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	- 1		UDL12	USBF3	1,840.00	3,408.62	407.90	160.83	91.17		15.69				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	I		UDL48	1L5SL	62.60										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
	Month			UDL48	USBF9	326.16										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,560.00	3,594.62	407.90	160.83	91.17		15.69				<b></b>
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	366.86	806.47	407.90	160.83	91.17		15.69				
UNBUNDLED	LOOP CONCENTRATION			111.0	LICTOA	240.72	200.42	200.42	1			45.00				<del></del>
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)	<del>                                     </del>	<del>                                     </del>	ULC	UCT8A UCT8B	318.73 46.69	326.13 135.89	326.13 135.89	+ +		1	15.69 15.69		-	1	+
	Unbundled Loop Concentration - System B (1R008)  Unbundled Loop Concentration - System A (TR303)	<b>!</b>	<b>!</b>	ULC	UCT3A	351.78	326.13	326.13	1		<del>                                     </del>	15.69			1	+
	Unbundled Loop Concentration - System A (TR303)  Unbundled Loop Concentration - System B (TR303)	1	<del> </del>	ULC	UCT3B	78.67	135.89	135.89	+		}	15.69		1		+
	Unbundled Loop Concentration - System B (TR303)		<del>                                     </del>	ULC	UCTCO	4.42	63.43	46.18	16.83	4.71		15.69			1	+
	Unbundled Loop Concentration - DST Loop Interface Card		<del>                                     </del>	010	00100	4.42	05.45	40.10	10.03	4.71	<del>                                     </del>	13.08			1	+
	Card)	l		UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69				1
<del>-  </del>	Unbundled Loop Concentration - UDC Loop Interface (Brite	1			02001	7.02	10.00	10.00	Ų. <del>-</del> 1	0.07	1	10.00		1	1	<del>                                     </del>
	Card)	l		UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69				1
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1	<u> </u>		02000	7.02	10.00	10.00	5.41	0.07		10.00				<u> </u>
ı l	Ground Start Loop Interface (POTS Card)	l		UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69				1
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1		1	5										1
1	Loop Interface (SPOTS Card)	l	1	UEA	ULCCR	10.42	10.56	10.50	5.41	5.37	1	15.69		l	1	1

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:		Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			LIEA	111.004	6 22	10.56	10.50	E 41	E 27		15.69				
<b>-</b>	(Specials Card) Unbundled Loop Concentration - TEST CIRCUIT Card			UEA ULC	ULCC4 UCTTC	6.22 30.38	10.56 10.56	10.50	5.41 5.41	5.37 5.37		15.69				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			OLO	00110	30.30	10.50	10.50	3.41	5.51		15.05				
	Interface			UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface			UDL	ULCC5	9.21	10.56	10.50	5.41	5.37		15.69				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop															
	Interface			UDL	ULCC6	9.21	10.56	10.50	5.41	5.37		15.69				
UNE OTHER,	PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00		-						-	
<del> </del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00		+						1	1
	ONTO OHOUR IS ESTABLISHMENT, FISHSIONING STILLY NO NATE			UEANL,UEF,UEQ,U	OLIVOL	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
								· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	United the Control Name Product in Control			UAL,UCL,UDC,UDL,	LINEON				1							
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	LICREO	0.00	0.00									
<del> </del>	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDIN,UCL,UDC	USBFQ	0.00	0.00		+						1	1
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00		†						İ	İ
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.26										
<b>-</b>	High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	12.20									-	-
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	000.00	402.02	204.00	110.70	00.11		10.00				
	month			UDLSX	1L5ND	12.26						15.69				
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
<b>-</b>	Loop Makeup - Preordering With Reservation, per spare facility			UIVIK	UIVIKLVV		24.04	24.04	-							
	queried (Manual).			UMK	UMKLP		25.49	25.49	1							
	Loop MakeupWith or Without Reservation, per working or								†							
	spare facility queried (Mechanized)			UMK	PSUMK		0.34	0.34								
HIGH FREQU	ENCY SPECTRUM															
	SHARING										1					
SPLIT	TERS-CENTRAL OFFICE BASED			111.0	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69			1	1
<b> </b>	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA	216.22 54.05	189.21 189.21	0.00	178.38	0.00		15.69 15.69		-	<del></del>	<del></del>
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69			t	t
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>				10.02	100.21	0.00	170.00	0.00		10.00				
	deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00		15.69		<u> </u>	<u> </u>	<u> </u>
END (	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM					•		•						
	Line Sharing - per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				
	Line Sharing - per Subsequent Activity per Line				000		40.40	0.01	1			45.00				
<b>—</b>	Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21				15.69			1	1
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21	1			15.69				I
<del>                                     </del>	Line Sharing - per Line Activation (DLEC owned Splitter)	-		ULS	ULSCS	0.61	47.44	19.31	20.67	12.74	<b> </b>	15.69			<b> </b>	<del>                                     </del>
LINE	SPLITTING	-		020	02000	0.01	77.44	10.01	20.07	12.77		10.00			1	1
	USER ORDERING-CENTRAL OFFICE BASED								†					Ì	1	1
	Line Splitting - per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61										

ONBO	NULE	D NETWORK ELEMENTS - South Carolina			1	,						1		Attachment:			ibit: B
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring			•		Rates(\$)	•	•
								First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69				<u> </u>
	DEMO	Line Splitting - per line activation BST owned - virtual TE SITE HIGH FREQUENCY SPECTRUM	l l		UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85		15.69				
		TERS-REMOTE SITE				-											<del> </del>
<del>- '</del>	3F LII I	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	54.05	378.42	0.00	356.76	0.00		15.69				<del>                                     </del>
		Remote Site Line Share Cable Pair Activation CLEC Owned at			OLO	OLOND	34.03	370.42	0.00	330.70	0.00		10.03				<del> </del>
		RS and Deactivation	- 1		ULS	ULSTG		74.38	0.00	46.77	0.00		15.69				
	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	W AKA	REMO	E SITE LINE SHARI	NG											
		Remote Site Line Share Line Activationfor End User Served at															
		RS, BST Splitter	1		ULS	ULSRC	0.61	37.09	21.24	20.07	9.85		15.69				ļ
		RS Line Share Line Activation for End User served at RS, CLEC															
LINIDLINI	DI ED I	Splitter DEDICATED TRANSPORT	l l		ULS	ULSTC	0.61	37.09	21.24	20.07	9.85		15.69				
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m hillin	a neria	nd - helow DS3-one	month DS3/	STS-1-four mo	nthe									<del> </del>
		OFFICE CHANNEL - DEDICATED TRANSPORT		g pene	d - below bos-one	Inontin, Door	1010-1-1001 IIIO	iiiiiə									
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1										1	
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			11477.07	U1TR2	04.00	40.00	07.47	40.77	0.04		45.00				
-		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U11R2	24.30	40.63	27.47	16.77	6.91		15.69			-	
		Per Mile per month			U1TVX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		1	UTIVA	ILJAA	0.0107										
		- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	1L5XX	0.0407										
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			UTIDX	ILSXX	0.0167										
		Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIBA	01120	10.70	40.00	21.41	10.77	0.01		10.00				
		month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
-		month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
-		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	UTIFS	000.00	219.31	103.12	60.33	36.39		15.69		-	-	+
		month			U1TS1	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility		1	01101	120701	0.02										
		Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
		CHANNEL - DEDICATED TRANSPORT															
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel													
$\vdash$		Local Channel - Dedicated - 2-Wire Voice Grade		<u> </u>	ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				ļ
$\vdash$		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		<u> </u>	ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21	1	15.69		1	1	<del>                                     </del>
$\vdash$		Local Channel - Dedicated - 4-Wire Voice Grade Local Channel - Dedicated - DS1 - Zone 1		1	UNDVX ULDD1	ULDV4 ULDF1	16.54 42.62	193.97 177.87	33.68 154.06	37.19 22.24	3.68 15.30	1	15.69 15.69		<del>                                     </del>	1	<del>                                     </del>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 1  Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1 ULDF1	70.32	177.87	154.06	22.24	15.30		15.69		<del>                                     </del>	<del></del>	<del>                                     </del>
$\vdash$		Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69		<b>+</b>	<del> </del>	<del>                                     </del>
<b>†</b>		Local Channel - Dedicated - DS3 - 2016 3  Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11.93	177.07	134.00	22.24	15.50	1	10.09		<b>†</b>	<b>†</b>	†
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				1
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurring			l l		Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	97.65	040.54	100.17	047.70	100.11		45.00				
	NRC Dark Fiber - Local Channel			UDF	UDFC4		640.51	138.17	317.76	198.11		15.69				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	36.41										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14	30.41	640.51	138.17	317.76	198.11		15.69				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	0DF 14		040.51	130.17	317.70	190.11		15.09				
	Thereof per month - Local Loop			UDF	1L5DL	97.65										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69				
8XX ACCESS	S TEN DIGIT SCREENING											10.00				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX	1														
	Number Reserved			OHD	N8R1X		2.59	0.44				15.69				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O						-			-			-			
	POTS Translations			OHD			5.95	0.81	4.58	0.54		15.69				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54		15.69				
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.59	1.30				15.69				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			0.15								4= 00				
	Routing Per CXR Requested Per 8XX No.		<u> </u>	OHD OHD	N8FMX N8FAX		3.03	1.74 0.44				15.69				
	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination			ОНО	N8FAX		3.03	0.44				15.69				
	Features			OHD	N8FDX		2.59	2.59				15.69				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD	INOI DX	0.0006673	2.55	2.55				13.03				
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.0006673										
LINE INFORM	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000246										
	LIDB Validation Per Query			OQU		0.0138158										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.40		42.18			15.69				
SIGNALING																
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
-	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
$\vdash$	CCS7 Signaling Usage, Per ISUP Message	-	<del>                                     </del>	UDB	177++	0.0000173	35.01	35.61	10.48	10.48	-	15.09		-	<del></del>	1
<del>                                     </del>	CCS7 Signaling Usage, Fel 150F Message  CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37								-	<del> </del>	1
	CCS7 Signaling Osage Surrogate, per link per LATA  CCS7 Signaling Point Code, per Originating Point Code			000	31000	191.31									t	
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65		15.69			I	
	CCS7 Signaling Point Code, per Destination Point Code				-0		20.00	20.00	33.00	55.00		.0.00			1	
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65		15.69			I	
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21		15.69				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility												<u> </u>			
	Termination					24.30	40.63	27.47	16.77	6.91		15.69				ļ
	Local Channel - Dedicated - DS1 - Zone 1					42.62	177.87	154.06	22.24	15.30		15.69				
$\vdash$	Local Channel - Dedicated - DS1 - Zone 2		ļ			70.32	177.87	154.06	22.24	15.30		15.69			-	
$\vdash$	Local Channel - Dedicated - DS1 - Zone 3		ļ			190.68	177.87	154.06	22.24	15.30		15.69			-	
$\vdash$	Interoffice Transport - Dedicated - DS1 Per Mile		-		1	0.3415									1	1
	Intereffice Transport Dedicated DC4 Des Feelite Territories					77 4 4	89.47	81.99	16.39	14.48		15.69			I	
CALLING NA	Interoffice Transport - Dedicated - DS1 Per Facility Termination  ME (CNAM) SERVICE				+	77.14	89.47	81.99	16.39	14.48		15.09		-	+	
CALLING NA	CNAM For DB Owners - Service Establishment			OQV	+	1	23.00	23.00	21.15	21.15		15.69		1	t	1

ONBONDLE	D NETWORK ELEMENTS - South Carolina			ı	_	1						_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Provisioning With Point Code			001/			000.00	704.47	000 50	100.10		45.00				
	Establishment		<u> </u>	OQV			993.09	734.47	269.53	198.18		15.69				
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			oqv			343.09	245.69	275.87	198.18		15.69				
	CNAM for DB Owners, Per Query			OQV		0.0010433	343.09	245.69	2/3.0/	190.10		15.69				
	CNAM for Non DB Owners, Per Query		1	OQV		0.0010433										1
LNP Query Se			1	OQV	+	0.0010433			1							
Livi Query Se	LNP Charge Per query		1		+	0.0008837			1							
+	LNP Service Establishment Manual		1		+	0.0000037	25.09	25.09	23.07	23.07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				1
OPERATOR C	ALL PROCESSING						00 1102	000.00	200.00	100.10		10.00				
1	Oper. Call Processing - Oper. Provided, Per Min Using BST				1				i						1	1
1	LIDB	l				1.20									1	
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPF	RATOR SERVICES					0.20										1
1	Inward Operator Services - Verification, Per Minute					1.15									1	
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - 0	OPERATOR CALL PROCESSING															
Facilit	y based CLEC															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOL		500.00	500.00				15.69				
UNEP																
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.69				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.69				
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.69				
	ASSISTANCE SERVICES															
DIREC	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt	l	1			0.40								1	I	
DIDECTORY A	Per Call Attempt   SSISTANCE SERVICES	<b>!</b>	<del>                                     </del>			0.10			<del>                                     </del>		<b>—</b>			-	<del></del>	<del> </del>
	TORY ASSISTANCE DATA BASE SERVICE (DADS)	1	1	1	1	-								1	+	+
DIKEC	Directory Assistance Data Base Service Charge Per Listing		1			0.04										<del>                                     </del>
	Directory Assistance Data Base Service Charge Fer Listing  Directory Assistance Data Base Service, per month	<del>                                     </del>		1	DBSOF	150.00			<del> </del>					1	t	<del>                                     </del>
BRANDING - F	DIRECTORY ASSISTANCE		<del>                                     </del>		55551	150.00									t	†
	y Based CLEC															1
. come	Recording and Provisioning of DA Custom Branded				İ				1					İ	1	1
1	Announcement	l	1	AMT	CBADA		6,000.00	6,000.00				15.69		1	I	
	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00	1			15.69				1
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		· · · · · · · · · · · · · · · · · · ·		15.69				
	Loading of DA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00				15.69				ļ
Unbra	nding via OLNS for UNEP CLEC	ļ			<b>_</b>									ļ	ļ	<b></b>
	Loading of DA per OCN (1 OCN per Order)	ļ	<u> </u>		-		420.00	420.00				15.69				<b>↓</b>
051 50511/5 5	Loading of DA per Switch per OCN	<u> </u>	<u> </u>		-		16.00	16.00				15.69		ļ	-	<b></b>
SELECTIVE R		<u> </u>	<u> </u>		-									ļ	-	<b></b>
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84.89	84.89	14.14	14.14		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	1.00.7						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		1,207.95	1,207.95	0.51	0.51		15.69				
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54		15.69				
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.95										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	9.19										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	18.66										
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
	·															
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,								4.5.00				
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93		15.69				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
	Viltual Collocation - 4-Fiber Closs Conflects		-		CNC4F	5.71	23.01	19.90	9.73	0.20		15.69				
	Virtual collocation - Special Access & UNE,cross-connect per DS1			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0033										
	Support Structure,per cable  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		536.56									
	Cable Support Structure, per cable			AMTFS	VE1CE		536.56				1					
	Virtual Collocation Cable Records - per request	<del>                                     </del>		AMTFS	VE1BA	<del>                                     </del>	760.98	489.20	133,29	133.29	ł – – – –			<b> </b>	t	t
1	Virtual Collocation Cable Records - Per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1		/ WYIII O	VE IDA	<del> </del>	700.30	+03.∠0	133.29	133.29	1			1	t	1
	virtual Collocation Cable Records - VG/DS0 Cable, per cable record  Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		327.65	327.65	189.54	189.54						
1	100 pair			AMTFS	VE1BC		4.82	4.82	5.91	5.91	I			Ì	I	1
<del></del>	Virtual Collocation Cable Records - DS1, per T1TIE	<del>                                     </del>		AMTFS	VE1BD	<del>                                     </del>	2.26	2.26	2.77	2.77	ł – – – –			<b> </b>	t	t
		1		AMTFS	VE1BD VE1BE		7.90	7.90	9.68		<del> </del>			<del> </del>	<del>                                     </del>	<del>                                     </del>
	Virtual Collocation Cable Records - DS3, per T3TIE	<u> </u>		AIVIIF5	VEIBE		7.90	7.90	9.68	9.68	1				1	-
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTEG	VE4DE						I			Ì	I	
	records	1		AMTFS	VE1BF		84.68	84.68	77.30	77.30	ļ				<b></b>	
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75				15.69			1	
	Virtual collocation - Security Escort - Overtime, per half hour	1		AMTFS	SPTOX		22.10	13.89				15.69				
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX	<u> </u>	27.23	17.02			L	15.69		<u> </u>		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75				15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89				15.69				
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02				15.69				
VIRTUAL COL				,	0		10.12					10.00				
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
	Nirtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUAL COL				OLFLX	VL IIV4	1.12	22.00	13.90	0.42	5.60		13.09				
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				
PHYSICAL CO					1 - 1 - 2										İ	İ
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45		15.69				
AIN SELECTI	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment Query NRC, per query			SRC SRC	SRCEO	0.0035036	175.66	175.66	1.70	1.70		15.69				
AIN - BELLSO	DUTH AIN SMS ACCESS SERVICE			SKC		0.0035036										
AIN - BEEESC	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	·															
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAMDP CAM1P		7.85 7.85	7.85 7.85	9.11 9.11	9.11 9.11		15.69 15.69				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7.114	C/ UVII (C	0.0027	41.00	41.00	11.74	11.74		10.00				
	AIN SMS Access Service - Session, Per Minute					0.7121										
	AIN SMS Access Service - Company Performed Session, Per															
AIN DELLO	Minute DUTH AIN TOOLKIT SERVICE					0.8364										
AIN - BELLSC	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
İ	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring					Rates(\$)		
	ANT THE CONTRACT OF THE CONTRA					0.0550000	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0558238						-				<b></b>
	Subscription, Per Node, Per Query					0.0069214										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68				15.69				
	AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			0, 111	5, 1, 50	0.10	7.00	1.00	0.02	0.02		10.00				
ENHANCED	Service Subscription XTENDED LINK (EELs)			CAM	BAPES	0.12	8.68	8.68				15.69				
	: New Density Zone 1 EELs are available in the following MSA:	s: Orlan	ndo FI	l ·Miami Fl·Ft Iau	iderdale FI:	Atlanta Ga: Ne	w Orleans ΙΔ									-
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem					Alianta, Ga, No	W Oncans, EA,									
	: In all states, EEL network elements shown below also apply t					erted to UNE ra	tes. A Switch	As Is Charge a	pplies to curre	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
NOTE	: In All States the EEL network elements apply to ordinarily co	mbined	netwo	rk elements.(No Sw	itch As Is Ch	arge.) When or	dering ordinar	ily combined	network elemer	nts, Non-recur	ing rates do	o apply.	•		l,	
2-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		Ŭ	UNC1X	1L5XX	0.27	100.00	00.40	00.00	10.01		10.00				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				-
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	10.00	0.01		15.69				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
-	per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.56	6.59	4.73				15.69				<u> </u>
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27	102.00	04.00	55.55	14.01		.0.00				
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				<del>                                     </del>
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.56	6.59	4.73				15.69				<del> </del>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				

UNDUNDL	ED NETWORK ELEMENTS - South Carolina		1		ı						C C1	C C1-	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	15170	0.00	0.00	4.70				10.00				1
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)	)											1
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3						59.55	14.01						
	combination per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
4 18/1	Is Charge RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	SEEIGE	UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-1/1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JFFICE	TRANSPORT (EEL)	'											<del>                                     </del>
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System								10.50	3.01						
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	combination - per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Is Charge  RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001441	001111
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
+	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCIA	USLAA	201.09	255.05	157.69	44.00	11.73		15.09				
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		ONCCC		3.01	3.01	7.00	7.00		15.05				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
-	First DS1Loop in DS3 Interoffice Transport Combination - Zone			UNCIA	USLAA	155.45	255.05	157.69	44.60	11.73		15.09			1	
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	ONOTA	OOLYON	100.40	200.00	107.00	44.00	11.70		10.00				
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFF	ICF TE		UNCCC		5.01	5.61	7.00	7.00		15.09				
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	UEALZ	23.13	105.96	00.43	55.05	10.61		15.09				
	Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
	Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UTIVZ	15.44	40.03	21.41	10.77	0.91		13.03				
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		1	OINCVA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69			<del>                                     </del>	<del>                                     </del>
	Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				1
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			J. NO VA	ILOAA	0.0134					1				<b>†</b>	<b>†</b>
	combination - Facility Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69			1	

ONRONDL	ED NETWORK ELEMENTS - South Carolina			1	1	i						001	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-				l											
DCa	Is Charge	TDA	NCDOD	UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per	EIKA	NSPUR	(I (EEL)	-											<b></b>
	Mile per month			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 combination -			ONOSA	ILSIND	12.20										<b>†</b>
	Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-						= 0.4					4= 00				
CTC4	Is Charge	CICE TO	ANCD	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
3131	I DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF High Capacity Unbundled Local Loop - STS1 combination - Per	LICE IF	ANOP	ONI (EEL)	+				1						<del></del>	<del>                                     </del>
	Mile per month			UNCSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS1 combination -		1	ONOOA	TEGINE	12.20										
	Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5.04	5.04	7.00	7.00		45.00				
2 WII	Is Charge RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EEL		UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69			-	<del> </del>
2-9911	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(I (EEL	,													
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	0.10.07	U I LLX	20.21		00.00	00.00	10.01		10.00			İ	
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
İ	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combintion - Facility			LINIOAV		04.74	00.47	04.00	40.00	44.40		45.00				
	Termination per month  Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				-
	per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
-	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			ONOTA	IVIQI	107.37	31.24	02.71	10.50	9.01		10.00				
	combination - per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCINA	UILZA	37.70	117.50	60.03	55.05	10.01		15.09				
	combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
<b>  -</b>	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	LINCAY	LIEL VV	455 40	050.00	457.00	44.00	44.70		45.00				
<del>                                     </del>	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69			<del>                                     </del>	
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
<del>                                     </del>	Interoffice Transport - Dedicated - STS1 combination - Per Mile			0.101/	JOLAN	201.09	200.00	157.09	44.00	11.73	<del>                                     </del>	10.08			<b>†</b>	<del>                                     </del>
	Per Month			UNCSX	1L5XX	6.42									1	
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination		<u>L</u>	UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69			<u></u>	
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	700 L L L L L L L L L L L L L L L L L L						First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				+
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		<u> </u>	ONOTA	OOLAK	30.07	255.05	137.03	44.00	11.73		10.00				+
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															1
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				4
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		F C4	5.61	7.00	7.00		45.00				
4-WID	IS Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 1	DANS		UNCCC		5.61	10.0	7.00	7.00		15.69				+
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	l loc i	IVAINO	I OKT (LLL)	+											+
	Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0134										
+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILSAA	0.0134										+
	Facility Termination			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			O. TODA	01120	10.11	10.00	2	10.77	0.01		10.00				†
	Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				+
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			UNCDX	ODL04	33.99	120.00	09.12	39.33	14.01		13.09				+
	Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				l											
	Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
DDITIONAL	NETWORK ELEMENTS			UNCDA	UNCCC		5.61	5.01	7.00	7.00		13.69				+
	used as a part of a currently combined facility, the non-recurr	ng cha	raes do	not apply, but a S	Switch As Is c	harge does app	iv.									+
	used as ordinarily combined network elements in All States, the															
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGVO	LINICOO		<b>50.</b>		7.00	7.00		45.00				
	Is Charge - 2 wire/4-Wire VG  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				-
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	DIVOCC		5.01	3.01	7.00	7.00		10.00				+
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
NOTE	Is Charge - STS1: Local Channel - Dedicated Transport - minimum billing period	l Bala	Dea	UNCSX	UNCCC	r mantha	5.61	5.61	7.00	7.00		15.69			-	+
NOTE	Local Channel - Dedicated Transport - minimum billing period Local Channel - Dedicated - 2-Wire Voice Grade	⊠eio	M D23:	UNCXV	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69			1	+
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				+
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69			Ì	<b>†</b>
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				$\bot$
1	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	11.93										<del></del>
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69				

UNB	UNDLE	D NETWORK ELEMENTS - South Carolina			1							I		Attachment:			ibit: B
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
	1							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	D130 131	DISC Add I
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69	COMPAR	COMPAR	COMPAR	COMPAR
	Option	al Features & Functions:															
		PLEXERS															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs)			UDL	1D1DD	1.19	6.59	4.73				15.69				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per							. =-				4= 00				
		month		<u> </u>	UDN	UC1CA	2.56	6.59	4.73				15.69				
		Voice Grade COCI - DS1 to DS0 Channel System - per month DS3 to DS1 Channel System per month		1	UEA UXTD3	1D1VG MQ3	0.56 144.02	6.59 178.54	4.73 94.18	33.33	31.90	1	15.69 15.69				
-		STS1 to DS1 Channel System per month			UXTS1	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
<b>—</b>	-	DS3 Interface Unit (DS1 COCI) used with Loop per month		<del>                                     </del>	USL	UC1D1	8.64	6.59	4.73	33.33	31.90	1	15.69			1	
<b>—</b>	-	DS3 Interface Unit (DS1 COCI) used with Loop per month  DS3 Interface Unit (DS1 COCI) used with Local Channel per		<del>                                     </del>	JJL	ומוסט	0.04	0.59	4.73			1	13.09			1	
		month			ULDD1	UC1D1	8.64	6.59	4.73				15.69				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel					2.01	2.00					.5.50				
		per month		1	U1TD1	UC1D1	8.64	6.59	4.73				15.69				
		op Feeder															
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		sw	UNC1X	USBFG											
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	55.85	102.19	64.64	62.26	17.52						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	UNC1X	USBFG	109.16	102.19	64.64	62.26	17.52						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X	USBFG	203.35	102.19	64.64	62.26	17.52						
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG											
UNBL		OCAL EXCHANGE SWITCHING(PORTS)															
		ige Ports		<u> </u>	<u> </u>												
		Although the Port Rate includes all available features in GA,	(Y, LA	& TN, t	he desired features	will need to b	e ordered usin	g retail USOCs	<b>i</b>								
-	2-WIRE	VOICE GRADE LINE PORT RATES (RES)		1	LIEDOD	LIEDDI	4.05	0.00	2.28	4.40	4.00	1	45.00				
		Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Forts - 2-vviile Arialog Line Fort with Galler ID - Nes.		1	OLI OK	OLITIC	1.00	2.30	2.20	1.42	1.55	1	13.03				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled SC extended local			02. 0.0	02.110	1.00	2.00	2.20	2			10.00				
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled South Carolina Area															
		Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG South Carolina Residence Dialing															
	_	Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69		ļ		
		Exchange Ports - 2-Wire VG South Carolina Residence Area		1													
<u> </u>	-	Calling Plan without Caller ID capability		<del>                                     </del>	UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33		15.69			1	
		2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	4.00		15.69				
		Subsequent Activity		<u> </u>	UEPSR	USASC	0.00	0.00	0.00	1.42	1.33		15.69				
	FEATU				OLFSK	USASC	0.00	0.00	0.00				13.09				
-		All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00	1			15.69				
		VOICE GRADE LINE PORT RATES (BUS)			OLI OIX	OLI VI	0.04	0.00	0.00				10.00				
	T	Exchange Ports - 2-Wire Analog Line Port without Caller ID -			1												
		Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled Line Port with					_										
L		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
		Exchange Ports - 2-Wire VG unbundled SC extended local		1	]										<u> </u>		
	_	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69		ļ		
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69			<u> </u>	
1		Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				

Version 3Q02: 10/07/02 Page 344 of 425

ONBONDLI	ED NETWORK ELEMENTS - South Carolina				•	•					•		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing			LIEDOD	LIEDWA	4.05	0.00	0.00	4.40	4.00		45.00				
	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire Voice South Carolina Business Area Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID			UEFOB	UEPBB	1.00	2.30	2.20	1.42	1.33		15.69				
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33		15.69				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.72	1.00		15.69				
FEAT	URES			OLI OD	00/100	0.00	0.00	0.00				10.00				
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00				15.69				
	All Available Vertical Features				UEPVF	3.04	0.00	0.00				15.69				
EXCH	IANGE PORT RATES (DID & PBX)					0.0.										
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
İ	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88		0.90		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD								40.00			4= 00				
	Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDVI	4.05	04.04	44.00	40.07	0.00		45.00				
	Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXIVI	1.00	31.34	14.88	13.97	0.90		15.69				
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			OLI OI	OLI AO	1.03	31.34	14.00	15.57	0.30		13.03				
	Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00		0.00		15.69				
FEAT	URES					0.00										
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00				15.69				
EXCH	IANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.65	2.38	2.28	1.42	1.33		15.69				
	Switching Features offered with Port															
	: Transmission/usage charges associated with POTS circuit sv															
	E: Access to B Channel or D Channel Packet capabilities will be	availab	ole onl	y through BFR/New	<b>Business Re</b>	quest Process.	Rates for the	packet capabi	ilities will be de	termined via t	he Bona Fic	le Request/I	New Busines:	s Request Pro	ocess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	HANGE PORT RATES															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69				
NOTE	All Features Offered	24 - 1 - 1		UEPTX UEPSX	UEPVF	3.04	0.00	0.00			-1-1-20-0					
	Transmission/usage charges associated with POTS circuit sv													Dogwood De-		
NOTE	E: Access to B Channel or D Channel Packet capabilities will be Exchange Ports - 2-Wire ISDN Port Channel Profiles	avaliat	ne oni	y through BFR/New UEPTX UEPSX	U1UMA	0.00	0.00	0.00	incles will be de	terrimied via t	ne bona Fic	e request/l	NEW DUSINESS	s Request Pro	JUESS.	-
<b></b>	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port		<b>-</b>	UEPEX UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		15.69		<del></del>	1	-
IINDI	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY			OLFLA	OLFEA	107.44	204.27	101.78	19.35	20.10		15.69		t	1	
	JNDLED FOR I WILL REMOTE CALL FORWARDING CAPABILITY JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1				1					1	1	
0.480	Unbundled Remote Call Forwarding Service, Area Calling, Res		<del>                                     </del>	UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69		t	1	
+	5.15 a.1.5.00 Normalia Gail Formaliang Delvice, Alea Gailing, Nes			O=1 VIX	321070	1.00	2.50	2.20	1.72	1.33		10.03		t	1	
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69		1		
	Unbundled Remote Call Forwarding Service, Local Calling 1 Nes		<b>-</b>	UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69		t		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33	<b>-</b>	15.69		<u> </u>		<b>i</b>
1	Recurring			1		00	00	0	72	00	<b>!</b>	.0.00		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>

Version 3Q02: 10/07/02 Page 345 of 425

	LED NETWORK ELEMENTS - South Carolina												Attachment:			bit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Unbundled Remote Call Forwarding Service - Conversion -						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-as-is			UEPVR	USAC2		0.10	0.10				15.69				
-	Unbundled Remote Call Forwarding Service - Conversion with			OLI VIX	OOAOZ		0.10	0.10				13.03				
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
<del></del>	Unbundled Remote Call Forwarding Service, InterLATA - Bus Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB UEPVB	UERTE UERTR	1.65 1.65	2.38 2.38	2.28 2.28	1.42 1.42	1.33 1.33		15.69 15.69			<del>                                     </del>	
<del>                                     </del>	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and		1	ULF:VD	JEKIK	1.00	2.38	2.28	1.42	1.33		15.69			<del> </del>	<del>                                     </del>
	Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33		15.69			1	
Nor	n-Recurring				32		2.50	2.20				.0.50			1	
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is		<u></u>	UEPVB	USAC2	<u> </u>	0.10	0.10				15.69			<u></u>	
	Unbundled Remote Call Forwarding Service - Conversion with							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
	ED LOCAL SWITCHING, PORT USAGE															
Enc	d Office Switching (Port Usage)					0.0040540										
<b></b>	End Office Switching Function, Per MOU		1		-	0.0010519 0.0002136			-							
Tan	End Office Trunk Port - Shared, Per MOU  ndem Switching (Port Usage) (Local or Access Tandem)		<u> </u>		-	0.0002136										
Tail	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0001863										
Cor	mmon Transport					0.0002000										
	Common Transport - Per Mile, Per MOU					0.0000045										
	Common Transport - Facilities Termination Per MOU					0.0004095										
	ED PORT/LOOP COMBINATIONS - COST BASED RATES															
	st Based Rates are applied where BellSouth is required by FCC ar															
	atures shall apply to the Unbundled Port/Loop Combination - Cos															
	d Office and Tandem Switching Usage and Common Transport Us															
	e first and additional Port nonrecurring charges apply to Not Curr VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entiy C	ombine	ea Combos. For Cu	rrently Combi	inea Compos tr	e nonrecurring	g cnarges sna	ii be those ider	itified in the N	onrecurring	- Currently	Combined se	ections.	-	
	E Port/Loop Combination Rates															
OIVE	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2	1														
1			2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3													
UNE	2-Wire VG Loop/Port Combo - Zone 3 E Loop Rates		3			21.52 27.17										
UNE	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	UEPLX	21.52 27.17 13.76										
UNE	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX	UEPLX	21.52 27.17 13.76 20.38										
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3			21.52 27.17 13.76										
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	21.52 27.17 13.76 20.38 26.04	40.00	1000	2102	0.5-		45.00				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	21.52 27.17 13.76 20.38 26.04	40.30	19.90	24.98	6.65		15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.52 27.17 13.76 20.38 26.04 1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	21.52 27.17 13.76 20.38 26.04										
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.52 27.17 13.76 20.38 26.04 1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.52 27.17 13.76 20.38 26.04 1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.52 27.17 13.76 20.38 26.04 1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Wire Voice Unbundled Port Ortgoing only - res 2-Wire voice Wire Voice Unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundles res, low usage line port with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13	40.30 40.30 40.30 40.30	19.90 19.90 19.90	24.98 24.98 24.98	6.65 6.65 6.65		15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res  2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13	40.30 40.30 40.30	19.90 19.90	24.98 24.98 24.98	6.65 6.65 6.65		15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  //ire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Port D - res  2-Wire voice unbundled South Carolina extended local dialing parity port with Caller ID - res  2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)  2-Wire voice unbundled South Carolina Residence Dialing Plan		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ UEPAJ	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13 1.13	40.30 40.30 40.30 40.30 37.93	19.90 19.90 19.90 19.90 16.72	24.98 24.98 24.98 24.98	6.65 6.65 6.65 6.65		15.69 15.69 15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13	40.30 40.30 40.30 40.30	19.90 19.90 19.90	24.98 24.98 24.98	6.65 6.65 6.65		15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 3-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ UEPAJ UEPAP	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13 1.13 1.13	40.30 40.30 40.30 40.30 37.93 40.30	19.90 19.90 19.90 19.90 16.72	24.98 24.98 24.98 24.98	6.65 6.65 6.65 6.65		15.69 15.69 15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port essidence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice Unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice Unbundled South Carolina Area Calling Port without Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ UEPAJ	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13 1.13	40.30 40.30 40.30 40.30 37.93	19.90 19.90 19.90 19.90 16.72	24.98 24.98 24.98 24.98	6.65 6.65 6.65 6.65		15.69 15.69 15.69 15.69 15.69				
	2-Wire VG Loop/Port Combo - Zone 3  E Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 3-Wire Voice Grade Loop (SL1) - Zone 3  Vire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res 2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8) 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Residence Dialing Plan without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAU UEPAJ UEPAJ UEPAP	21.52 27.17 13.76 20.38 26.04 1.13 1.13 1.13 1.13 1.13	40.30 40.30 40.30 40.30 37.93 40.30	19.90 19.90 19.90 19.90 16.72	24.98 24.98 24.98 24.98	6.65 6.65 6.65 6.65		15.69 15.69 15.69 15.69 15.69				

Version 3Q02: 10/07/02 Page 346 of 425

ONBOND	LED NETWORK ELEMENTS - South Carolina			1								l -	Attachment:			ibit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.10	0.10				15.69				
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPKX	USAC2		0.10	0.10			1	15.69		-	-	+
	Switch with change			UEPRX	USACC		0.10	0.10				15.69				
ADE	DITIONAL NRCs			OLITIX	OOAOO		0.10	0.10	1		1	13.03				+
7.0.	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											+
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
2-W	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1			2	2.50	2.00	2,00				.5.50				<u> </u>
	E Port/Loop Combination Rates	1			†											<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-W	Vire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65		15.69				-
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65		15.69				+
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.13	40.30	19.90	24.98	6.65	1	15.69				+
	2-Wire voice unburidled South Carolina Bus Area Calling Port			OLI DX	OI LDI	1.10	40.50	19.90	24.30	0.03	1	13.03				+
	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Unbundled South Carolina Business Dialing Plan															1
	without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire voice unbundled South Carolina Business Area Calling															1
	Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65		15.69				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEA	ATURES															
	All Features Offered	1	<u> </u>	UEPBX	UEPVF	3.04	0.00	0.00			ļ	15.69				1
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<u> </u>	<b> </b>	1						ļ			<b>!</b>	<b>!</b>	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10				15.69		1	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<del>                                     </del>	ULPDA	USAUZ		0.10	0.10	<del>                                     </del>		1	10.09		<del></del>	<del></del>	+
	Switch with change			UEPBX	USACC		0.10	0.10				15.69		1	I	
ΔDE	DITIONAL NRCs	1	<b>!</b>	OLI DA	OUAUU		0.10	0.10	<del>                                     </del>		<del>                                     </del>	13.08		t	t	+
ADL	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	<b>†</b>	<del> </del>	+						<b> </b>			t	t	+
	Activity			UEPBX	USAS2		0.00	0.00				15.69		1	I	
2-W	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1		3		2.00	2.00				.5.50		1	1	<b>†</b>
	E Port/Loop Combination Rates	1	i –		1				i						1	1
	2-Wire VG Loop/Port Combo - Zone 1		1		1	14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	E Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38								1	<b>.</b>	
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEPRG	UEPLX	26.04								-	-	
2-W	Vire Voice Grade Line Port Rates (RES - PBX)  2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1	<u> </u>		1						ļ			-	-	
			1	i												

ONROND	LED	NETWORK ELEMENTS - South Carolina	1		1									Attachment:			ibit: B
CATEGORY	r	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FE#	ATUR				LIEDDO	LIED) (E	0.04	0.00	0.00				45.00				
No		All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00				15.69				
INOI	2	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7.93	1.91				15.69				
ADI		DNAL NRCs			ULFRG	USACC		7.95	1.91				13.09				<del>                                     </del>
ADI	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0.00	0.00	0.00				15.69				
		Group						7.34	7.34				15.69				
2-1/4		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<del>                                     </del>		+ -		1.34	1.34	<del> </del>			13.09				<del> </del>
		rt/Loop Combination Rates															1
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										1
UNE		op Rates															
	2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	20.38										
0.14		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-W	rire v	oice Grade Line Port Rates (BUS - PBX)				+											
	ı,	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22		15.69				
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22		15.69				+
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22		15.69				+
	2	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22		15.69				
	2	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22		15.69				
	2	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22		15.69				
	(	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22		15.69				
		Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22		15.69				
	2	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22		15.69				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	UEPPX	LIEBYO	4.40	00.00	20.50	27.50	0.00		45.00				
		Discount Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<del>                                     </del>	UEPPX	UEPXO UEPXS	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22		15.69 15.69			<b> </b>	<del>                                     </del>
	2	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22		15.69				
LOC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				
FE/	ATUR			<u> </u>	LIEDDY	LIEDVE	2.24	0.00	0.00				45.00				<del>                                     </del>
NO.		All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	<b>!</b>	UEPPX	UEPVF	3.04	0.00	0.00	ļ —		1	15.69				<del>                                     </del>
NOI		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<del>                                     </del>		+				+						<b> </b>	<del>                                     </del>
	(	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPPX	USAC2		7.93	1.91				15.69				
ADI	DITIC	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91				15.69				
	5	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity  DRY Subsequent Activity Change (Regress of Multiline Hunt			UEPPX	USAS2	0.00	0.00	0.00				15.69				
2 14	(	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POF	эт					7.34	7.34				15.69				

Version 3Q02: 10/07/02 Page 348 of 425

ONRONDEF	NETWORK ELEMENTS - South Carolina		1	ı									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.89										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			27.17										
	op Rates		_	LIEDOO	LIEDLY	10.70										-
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										-
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		2	UEPCO UEPCO	UEPLX UEPLX	20.38 26.04										
			3	UEPCO	UEPLX	26.04										+
	Voice Grade Line Ports (COIN)  2-Wire Coin 2-Way without Operator Screening and without		<u> </u>													+
	Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65		15.60				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	1	1	OLFOO	ULFOU	1.13	40.30	19.90	24.98	0.05	1	15.69		1	<del> </del>	+
	900/976, 1+DDD (SC)	1	1	UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65		15.69		1	I	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	<del> </del>	1	02.00	321 0/1	1.10	40.00	10.00	2-7.50	0.00		10.00			<b>-</b>	<del>                                     </del>
	(SC)	1	1	UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65		15.69		1	I	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			021 00	OLI OII	1.10	40.00	10.00	24.00	0.00		10.00				+
	with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:			02. 00	02.00	0	10.00	10.00	2	0.00		10.00				+
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			02. 00	02.00	0	10.00	10.00	2	0.00		10.00				+
	011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD,			02. 00	02. 02	0	10.00	10.00	2	0.00		10.00				
	011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking															1
	(SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65		15.69				
	ONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	40.30	19.90	24.98	6.65		15.69				
	NUMBER PORTABILITY		<u> </u>		LUBOY											
	Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDOO	110100		0.40	0.40				45.00				
	Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		0.10	0.10				15.69				+
	Switch with change			UEPCO	USACC		0.10	0.10				15.69				
	ONAL NRCs		1	UEPCO	USACC		0.10	0.10				15.69				+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	<del>                                     </del>		+									<del> </del>	<del>                                     </del>	+
	Activity	1		UEPCO	USAS2		0.00	0.00				15.69			1	1
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINF	ORT (		30/102		5.00	0.00				10.00			<b>-</b>	+
	rt/Loop Combination Rates	T	(	, 	1									<del> </del>	t	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	1	1		1 1	22.50								1	t	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	1	2		1	30.56									1	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3		1	37.22									1	1
	op Rates				1											
	2-Wire Voice Grade Loop (SL2) - Zone 1	<u> </u>	1	UEPFR	UECF2	20.85										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	28.91										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	35.57										
	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.65	108.36	70.71	1.42	1.33		15.69				

Version 3Q02: 10/07/02 Page 349 of 425

UNBUNDI	_ED NETWORK ELEMENTS - South Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port outgoing only - res		1	UEPFR	UEPRO	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPFR	UEPAU	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled South Carolina Area Calling port with															
	Caller ID - res (LW8)			UEPFR	UEPAJ	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
<u> </u>	without Caller ID	ļ		UEPFR	UEPWL	1.65	108.36	70.71	1.42	1.33		15.69				<u> </u>
INT	EROFFICE TRANSPORT	1	<del>                                     </del>	<b> </b>	-									1	1	<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		1	UEPFR	U1TV2	24.30	40.63	27.47	16.77	6.91						
<del>                                     </del>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	+	UEPFK	UTIVZ	24.30	40.63	21.41	10.77	6.91					<b>-</b>	-
	or Fraction Mile			UEPFR	1L5XX	0.0167										
FFΔ	TURES	1	1	OLI I IX	ILUAA	0.0107			<del> </del>						t	<b>†</b>
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00				15.69			1	
LOC	AL NUMBER PORTABILITY														1	
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		17.00	3.74				15.69				
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE	PORT (	BUS)												
UNE	Port/Loop Combination Rates		1			00.50										
<b></b>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	-		22.50 30.56									-	
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		-	37.22					-				-	-
UNE	E Loop Rates		-			51.22										
0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	20.85										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	28.91									1	
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFB	UECF2	35.57										
2-W	ire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.65	108.36	70.71	1.42	1.33		15.69				
	2-Wire voice Grade unbundled South Carolina extended local		1				400					4= 6-		1	I	I
	dialing parity port with Caller ID - bus	1	1	UEPFB	UEPAZ	1.65	108.36	70.71	1.42	1.33		15.69			-	-
<del></del>	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	-	UEPFB	UEPB1	1.65	108.36	70.71	1.42	1.33	1	15.69		<del> </del>	1	1
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33		15.69			1	1
<del>                                     </del>	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1	+	UEPFB	UEPAB	1.65	108.36	70.71	1.42	1.33		15.09			<b>-</b>	-
	without Caller ID		1	UEPFB	UEPWM	1.65	108.36	70.71	1.42	1.33		15.69				
Loc	AL NUMBER PORTABILITY	1	1		J VVIVI	1.00	100.00	70.71	1.72	1.00	<u> </u>	10.00		<b> </b>	<b>I</b>	<b>I</b>
	Local Number Portability (1 per port)		1	UEPFB	LNPCX	0.35			1						1	1
INT	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						İ		1					1		
	Termination			UEPFB	U1TV2	24.30	40.63	27.47	16.77	6.91						<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0.0167										
FEA	TURES	1				2.2.01										
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00	1			15.69				1
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			1				-								
	Combination - Conversion - Switch-as-is	ļ		UEPFB	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1												1	_	_
	Combination - Conversion - Switch with change	<u> </u>	1	UEPFB	USACC		17.00	3.74				15.69		ļ		
2-W	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	1													

<u>UNBU</u> NDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
LINIE	Dantil and Cambination Dates		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	22.50			+						-	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2			30.56										+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.22			1							+
LINE	Loop Rates		3			31.22					1					+
ONL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	20.85										
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFP	UECF2	28.91					1					+
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	35.57					1					+
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)			OLITI	OLOI Z	33.37					1					+
	t voice Grade Line i oft Nates (BGG 1 BA)															+
ı 1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.65	137.32	83.31	67.02	11.51		15.69			1	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.65	137.32	83.31	67.02	11.51		15.69		1	1	<b>†</b>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.65	137.32	83.31	67.02	11.51		15.69				<del>                                     </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.65	137.32	83.31	67.02	11.51		15.69				1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.65	137.32	83.31	67.02	11.51		15.69				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															1
	Administrative Calling Port			UEPFP	UEPXL	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPFP	UEPXO	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.65	137.32	83.31	67.02	11.51		15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															1
	Calling Port			UEPFP	UEPXT	1.65	137.32	83.31	67.02	11.51		15.69				
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.0167										
FEAT	URES															
	All Features Offered			UEPFP	UEPVF	3.04	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		47.00	0.74				45.00				
-	Combination - Conversion - Switch-as-is			UEPFP	USAC2		17.00	3.74				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		17.00	3.74				15.69				
LINDLINDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES			UEPFF	USACC		17.00	3.74	1			15.69				+
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT	1								1					+
	Port/Loop Combination Rates	FORT	1			-					1					+
ONE.	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75										+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20			<del> </del>						<u> </u>	<del>                                     </del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			35.52										<del>                                     </del>
UNF I	Loop Rates		Ť	1		55.02								1	1	<b>†</b>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68								İ	İ	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.13									1	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46									1	1
UNE I	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -							-								
l I	Switch-as-is		1	UEPPX	USAC1		7.32	1.87	l		1		15.69	1		1

ONBONDE	_ED NETWORK ELEMENTS - South Carolina													Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec		Nonrecurring		001150	0014411		Rates(\$)	2011411	0011411
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87					15.69			
ADD	OITIONAL NRCs			OLITA		OOATO		7.52	1.07					15.05			
,,,,,,	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84						15.69			
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00					15.69			
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00					15.69			
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00					15.69			
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00					15.69			
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00					15.69			
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00					15.69			
LOC	AL NUMBER PORTABILITY			L		1						ļ					
	Local Number Portability (1 per port)	<u> </u>		UEPPX		LNPCP	3.15	0.00	0.00	ļ					ļ	ļ	
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SID	POR	<u> </u>		ļ				ļ							
UNE	Port/Loop Combination Rates	-	<u> </u>	<u> </u>		1										1	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		1	LIEDDD	LIEDDD	.l	20.00										
	UNE Zone 1		1	UEPPB	UEPPR		30.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		_														
	UNE Zone 2		2	UEPPB	UEPPR		38.60										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port		2	LIEDDD	LIEDDD		44.00										
LINE	UNE Zone 3		3	UEPPB	UEPPR		44.23										
UNE	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	LICLOV	21.90			-				15.69			
	2-Wile ISDIN Digital Grade Loop - ONE Zorie I			UEFFB	UEFFR	USL2X	21.90							15.09			
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27							15.69			
UNE	E Port Rate		3	OLFFB	ULFFR	USLZX	33.21							15.09			
ONL	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			
NON	RECURRING CHARGES - CURRENTLY COMBINED			02	02	02	0.00	100.01	100.11	100.00	2			10.00			
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			
ADD	DITIONAL NRCs																
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-Cl	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-Cl	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	SC,MS, 8	(TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE	<del> </del>	<u> </u>	HEDDE	LIEDDS	11411840	0.00	0.00	0.00							-	
V=5	User Terminal Profile (EWSD only)	-	<u> </u>	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	<del>                                     </del>		1			-	1	
VER	All Vertical Features - One per Channel B User Profile	+	1	UEPPB	UEPPR	UEPVF	3.04	0.00	0.00	<del>                                     </del>		-		15.69		<b>-</b>	
INITE	FROFFICE CHANNEL MILEAGE	+	<b>!</b>	UEPPB	UEPPR	DEFVF	3.04	0.00	0.00	<del>                                     </del>		<del>                                     </del>		15.09	-	<del></del>	
INTE	Interoffice Channel mileage each, including first mile and	+	1	1		+				+ +		1				1	-
	facilities termination			LIEPPR	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69	l	I	
	Interoffice Channel mileage each, additional mile	+	<del>                                     </del>	UEPPB		M1GNM	0.0167	0.00	0.00	10.77	0.91	<del>                                     </del>		13.09	<del>                                     </del>	t	
4-WI	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT		55.10	OLITIN	O. NIVI	0.0107	0.00	0.00			1			<b> </b>	<b>I</b>	<u> </u>
	Port/Loop Combination Rates	1		1		<del>                                     </del>						1			<b> </b>	<b>I</b>	<u> </u>
J.1.L	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	<u> </u>			1				†					1	1	
	Zone 1		1	UEPPP		1	176.82			]					1	I	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP		1	241.38			]					1	I	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			1		1				†					İ	İ	
	Zone 3	1	3	UEPPP		1	347.84			1		1			1	1	1

ONBOND	LED NETWORK ELEMENTS - South Carolina	1		1							I 0 0	100	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					-		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates							7.00.	101	71441	0020	00			00	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	90.87							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	155.43							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	261.89							15.69			
UNE	Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
NON	NRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.34	78.73					15.69			
ADD	DITIONAL NRCs															<u> </u>
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD	DD775									1		
	Inward/two way Tel Nos. (except NC)		<u> </u>	UEPPP	PR7TF		0.49	0.49					15.69		ļ	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.54	44.54					15.69	1		
-				UEPPP	PR/IO		11.54	11.54	1				15.69			+
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.07	23.07					15.69	1		
1.00	CAL NUMBER PORTABILITY	1	<del> </del>	ULFFF	FR/ZI		23.07	23.07	1				15.09	1		+
LOC	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										+
-	Voice/Data	1		UEPPP	PR71V	0.00	0.00	0.00								+
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								+
-	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								<del></del>
New	v or Additional "B" Channel			CLITT	110712	0.00	0.00	0.00								+
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56						15.69			+
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69			_
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.56						15.69			
CAL	L TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								1
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inte	roffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
	IRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE	Loop Rates	1	1	UEPDC	USLDC	90.87			1				15.69	1	ļ.	+
-	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPDC	USLDC				1				15.69			+
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC	USLDC	155.43 261.89							15.69			+
LINE	4-Wire DS1 Digital Loop - UNE Zone 3 E Port Rate		3	UEPDC	USLDC	261.89							15.69			+
UNE	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			+
NON	NRECURRING CHARGES - CURRENTLY COMBINED	1		OLFDC	ODDII	30.90	455.50	255.19	117.55	14.20			13.09			$\leftarrow$
110.	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															+
	- Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69	1		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	<b>†</b>		30,.04		120.70	07.17					10.00	1		<b>†</b>
	- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69	1		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1		1				1					İ		<b>†</b>
	- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17					15.69	1		
ADD	DITIONAL NRCs		1						1					1		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51					15.69			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51					15.69			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan							<u> </u>								
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51					15.69			
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															

Version 3Q02: 10/07/02 Page 353 of 425

NRONDF	ED NETWORK ELEMENTS - South Carolina			1									Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					1	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00					15.69			
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00					15.69			
Alteri	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0.00							15.69			
	Telephone Number for 1-Way Outward Trunk Group		1	UEPDC	UDTGY	0.00							15.69			
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0.00							15.69			-
	DID Numbers, Establish Trunk Group and Provide First Group	1		UEPDC	NDZ	0.00	0.00	0.00					15.00		1	
	of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers	1	1	UEPDC	ND2 ND4	0.00	0.00	0.00					15.69 15.69	<del>                                     </del>	<del>                                     </del>	1
_	DID Numbers for each Group of 20 DID Numbers  DID Numbers, Non- consecutive DID Numbers, Per Number	1	1	UEPDC	ND4 ND5	0.00	0.00	0.00	<del>                                     </del>				15.69	-	<del></del>	<del>                                     </del>
	Reserve Non-Consecutive DID Nos.	1	1	UEPDC	ND6	0.00	0.00	0.00			1		15.69		1	1
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					15.69			
Dedic	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	I I oon			0.00	0.00	0.00					13.03			
Dount	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digita	Loop	WILLI T WILL DELLO	Trumer ore											
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
	,															
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	;		UEPDC	1LNOC	0.3415	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															<u> </u>
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Ac															
	System can have up to 24 combinations of rates depending or DS1 Loop	type a	na nun	nber of ports used	_											-
UNE	4-Wire DS1 Loop - UNE Zone 1	+	1	UEPMG	USLDC	90.87	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2				USLDC	155.43	0.00	0.00								<del>                                     </del>
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	261.89	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)	Ŭ	02.10	00220	201.00	0.00	0.00								
	24 DSO Channel Capacity - 1 per DS1	T	1	UEPMG	VUM24	82.78	0.00	0.00					15.69	İ	1	<u> </u>
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69		1	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00					15.69		1	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			İ
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00					15.69			
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00					15.69			
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00					15.69			
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00					15.69			
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00					15.69			
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00		<u> </u>			15.69			
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00					15.69			
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									ļ
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multi	ples of this configuration functioning as one are considered A	dd'l afte	r the n	ninimum system co	nfiguration is	counted.									1	
	NRC - Conversion (Currently Combined) with or without	1					,								1	
	BellSouth Allowed Changes	1	1	UEPMG	USAC4	0.00	150.81	8.38					15.69		-	ļ
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop w (Not Currently Combined) in all states, except in Density Zone				bination Curre	ntiy Exists and								<b> </b>	<del>                                     </del>	<del>                                     </del>
Marri		i oi ior	0 N S/	4.5	1						l			1	1	L
New (	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1							1							

Version 3Q02: 10/07/02 Page 354 of 425

ONBONDL	ED NETWORK ELEMENTS - South Carolina			I	т							_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
Altor	nate Mark Inversion (AMI)			UEFING	CCOEF	0.00	0.00	605.00								
Aiteii	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	02.10		0.00	0.00	0.00								
	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business	<u></u>	L	UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			15.69		<u> </u>	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			15.69			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00			15.69			
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			15.69			
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			15.69			
	Feature (Service) Activation for each Trunk Port Terminated in						==									
<b>-</b>	D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
i eiep	phone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDT NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00	1							
	Non-Consecutive DID Numbers - per number	-	-	UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability					0.00										
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES - Vertical and Optional								1							
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			
	PORT LOOP COMBINATIONS - MARKET RATES															
	et Rates shall apply where BellSouth is not required to provide	unbund	lled lo	cal switching or swi	tch ports per	FCC and/or St	ate Commissio	n rules.								
	includes:															
	indled port/loop combinations that are Currently Combined or I											,				
I he I	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda outh currently is developing the billing capability to mechanica	ale, Mia	mi); G/	A (Atlanta); LA (New	Orleans); NO	(Greensboro-V	Vinston Salem	-Highpoint/Ch	arlotte-Gastoni	a-Rock Hill); I	N (Nashville	e).	In the interi	m whore Ball	Cauth cannot	hill Markat
	s, BellSouth shall bill the rates in the Cost-Based section preced								ig charges for i	iot currently c	ombinea m	FL and NC.	. In the interi	ii wiiere beli	South Camilot	i Dili Market
	Market Rate for unbundled ports includes all available features			lile Market Kates an	id reserves tri	e right to true-	up the billing t	interence.	1		1				ı	I
	Office and Tandem Switching Usage and Common Transport Us			o Port coction of th	ie rato ovbibi	t chall annly to	all combination	ns of loon/no	rt notwork olon	onte oveent f	or LINE Coi	n Bort/Loon	Combination	e which have	a flat rate us	sago chargo
	C: URECU).	saye rau	es III u	ie Foit Section of th	iis rate exilibi	t Silali apply to	an combinatio	nis or loop/po	it lietwork elem	ients except i	OI OINE COI	ii Foit/Loop	Combination	is willcli liave	a nat rate us	sage charge
	lot Currently Combined scenarios the Nonrecurring charges are	lintad :	4l F	inat and Additional	NDC asluma	a fan aaala Dant	UCOC Far Co			the Newsessia		!:-4!	m the NDC (			_
	iot currently Combined scenarios the Nonrecurring charges are tional NRCs may apply also and are categorized accordingly.	i listea i	n the r	-irst and Additional	NKC column	s for each Port	USUC. FOR CI	irrentiy Combi	ned scenarios,	tne Nonrecuri	ring charges	s are listed	in the NRC - C	urrently Con	ibinea sectio	n.
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)			1	1				1		1				ı	1
	Port/Loop Combination Rates															
0.11	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	27.76									1	1
	2-Wire VG Loop/Port Combo - Zone 2	l	2			34.38			† †							
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04									İ	
UNE	Loop Rates														İ	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76			1							
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
2-Wir	e Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00				15.69	•	•		
	2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res			UEPRX UEPRX	UEPRC UEPRO	14.00 14.00	90.00 90.00	90.00 90.00			_	15.69 15.69				

Version 3Q02: 10/07/02 Page 355 of 425

ONRON	DLE	NETWORK ELEMENTS - South Carolina			ı							1_		Attachment:			ibit: B
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec			Disconnect				Rates(\$)		
		2-Wire voice unbundles res, low usage line port with Caller ID						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		(LUM)			UEPRX	UEPAP	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled Low Usage Line Port without Caller ID			02.100	02.7.	1	00.00	00.00				10.00				
		Capability			UEPRX	UEPRT	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
		without Caller ID 2-Wire voice unbundled South Carolina Area Calling Port			UEPRX	UEPWL	14.00	90.00	90.00				15.69				-
		without Caller ID Capability			UEPRX	UEPRS	14.00	90.00	90.00				15.69				
LC		NUMBER PORTABILITY			02.100	02.110	1	00.00	00.00				10.00				
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FE	EATU																
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
AE		ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Combination -								1		<b> </b>					<del>                                     </del>
		Subsequent			UEPRX	USAS2		0.00	0.00				15.69				
2-\		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLI IOX	00/102		0.00	0.00				10.03				
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
		2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
		2-Wire VG Loop/Port Combo - Zone 3		3			40.04										
UN		op Rates		<u> </u>	LIEBBY .	ues.v	40.70										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1	UEPBX UEPBX	UEPLX UEPLX	13.76 20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-1		Voice Grade Line Port (Bus)			OLI DX	OLI LX	20.04										<del></del>
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69		İ	İ	
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				15.69				
		2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled Incoming Only Port without Caller ID			OLI DA	OLI AD	14.00	30.00	90.00				10.03				
		Capability			UEPBX	UEPBE	14.00	90.00	90.00				15.69				
		2-Wire Voice Unbundled South Carolina Business Dialing Plan			_												
		without Caller ID			UEPBX	UEPWM	14.00	90.00	90.00				15.69				
		2-Wire voice unbundled South Carolina Business Area Calling															
		Port without Caller ID Capability			UEPBX	UEPBB	14.00	90.00	90.00				15.69				
LC		NUMBER PORTABILITY Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FF	EATU				UEPBA	LINPUX	0.33									1	
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
ΑL		ONAL NRCs													1	İ	
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPBX	USAS2		0.00	0.00				15.69				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN		ort/Loop Combination Rates					07.70										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			27.76 34.38					1			-	<del>                                     </del>	-
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			40.04			<del> </del>		<del>                                     </del>			<del>                                     </del>	t	<del>                                     </del>
UN		op Rates		Ť			70.04			1					1	1	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-1		Voice Grade Line Port Rates (RES - PBX)		<u> </u>						-	-	<u> </u>					<del> </del>
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		1	UEPRG	UEPRD	14.00	90.00	90.00				15.69				
10		NUMBER PORTABILITY		<del>                                     </del>	OLFING	OLFKD	14.00	90.00	90.00	1	1	1	15.69	1	<del> </del>	<del> </del>	<del>                                     </del>
		Local Number Portability (1 per port)		<del>                                     </del>	UEPRG	LNPCP	3.15	0.00	0.00			1	1		<del> </del>	<del> </del>	<del>                                     </del>

01100110	DLED NE	TWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGOR	iY .	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
-+							Rec	Nonred First	Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
EE	ATURES							FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWAN
		atures Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				+
NC		RING CHARGES - CURRENTLY COMBINED			OLI IKO	OLI VI	0.00	0.00	0.00				10.00				+
	DITIONAL																1
	2 Wire	e Loop/Line Side Port Combination - Non feature -															1
1	Subse	equent Activity- Nonrecurring						0.00	0.00				15.69				
		Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group							14.64	14.64				15.69				
		E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UN		pp Combination Rates															
$\vdash$		e VG Loop/Port Combo - Zone 1		1			27.76										
		e VG Loop/Port Combo - Zone 2		2			34.38 40.04										
— III	IE Loop Ra	e VG Loop/Port Combo - Zone 3		3			40.04										+
OIN		e Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	13.76										
		e Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	20.38										+
		e Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-1		Grade Line Port Rates (BUS - PBX)		Ŭ	02 X	02. 2.	20.01										<del>                                     </del>
	1																1
ı l	Line S	Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69				
		Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00				15.69				
	Line S	Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00				15.69				1
1		e Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				15.69				
		e Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				15.69				
		e Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69				
$\vdash \vdash$		e Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
		e Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				
i I		e Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	HEDVE	44.00	00.00	00.00				45.00				
$\vdash$		ble Port			UEPPX	UEPXE	14.00	90.00	90.00				15.69				
ı l		e Voice Unbundled 2-Way PBX Hotel/Hospital Economy histrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				15.69				
+	2-Wire	e Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPA	UEPAL	14.00	90.00	90.00				15.69				
ı l		Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
-		e Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	14.00	30.00	30.00				13.03				+
ı l		unt Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69				
		e Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.69				
LC		BER PORTABILITY															
1		Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FE	ATURES																
		atures Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
		RING CHARGES - CURRENTLY COMBINED															
AD	DITIONAL	NRCs															<b></b>
ı l	0.145	With Oarly Land Hills Bard Oarlington Oak annual			LIEDDY	110 4 00		0.00	0.00				45.00				
+		e Voice Grade Loop/ Line Port Combination - Subsequent e Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2		0.00	0.00		-	-	15.69			1	+
ı l		equent Activity- Nonrecurring				1		0.00	0.00				15.69				
-+	PRY	Subsequent Activity - Change/Rearrange Multiline Hunt				+		0.00	0.00		<del> </del>		13.09			+	+
ı l	Group					1		7.34	7.34				15.69				
2-1		E GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T			1	<b>-</b>	7.04	7.54		İ		10.00			1	<b>†</b>
		pp Combination Rates													İ		
		e VG Coin Port/Loop Combo – Zone 1		1			27.76								1		
	2-Wire	e VG Coin Port/Loop Combo – Zone 2		2			34.38										
		e VG Coin Port/Loop Combo – Zone 3		3			40.04										
UN	IE Loop Ra																
$-\!\!\perp$		e Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
ı I		e Voice Grade Loop (SL1) - Zone 2 e Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	20.38									ļ	
				3	UEPCO	UEPLX	26.04					i	i l		ī		1

ONRONDLE	D NETWORK ELEMENTS - South Carolina			ı							1_	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
	OME OF OWN THE LOCATION OF THE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPSA	14.00	90.00	90.00				15.69				
	(SC)			UEPCO	UEPSH	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking:				UEPCC			90.00								
	900/976, 1+DDD, 011+, and Local (SC)  2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	011+ & Local; Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14.00	90.00	90.00				15.69				
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local ; w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14.00	90.00	90.00				15.69				
LOCA	L NUMBER PORTABILITY															
ADDIT	Local Number Portability (1 per port) TONAL NRCs			UEPCO	LNPCX	0.35										
ADDIT	IONAL NRCS															
I INBLINDI ED	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent PORT/LOOP COMBINATIONS - MARKET BASED RATES			UEPCO	USAS2		0.00	0.00				15.69				
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			73.68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			80.13										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			85.46										
UNE L	oop Rates		L.	LIEBBY	115054	10.00										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX UEPPX	UECD1 UECD1	16.68 23.13										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	28.46										
UNE P	Port Rate			OLITA	OLODI	20.40										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	57.00	600.00	75.00				15.69				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		125.00	75.00				15.69				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		125.00	75.00				15.69				
ADDIT	TONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.68					15.69				
Teleph	none Number/Trunk Group Establisment Charges  DID Trunk Termination (One Per Port)		-	UEPPX	NDT	0.00	0.00	0.00								-
	DID Numbers, Establish Trunk Group and Provide First Group			ULFFA	וטאו	0.00	0.00	0.00	1	1	1					1
	of 20 DID Numbers		1	UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	Ì	Ì				Ì	1	1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00		ļ				ļ	1	ļ
	L NUMBER PORTABILITY	1	1	I	1				l	1	i .			Ì	l .	1

ONBOND	DLED NETWORK ELEMENTS - South Carolina	1				1	ı					Com Cont		Attachment:			ibit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							I	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	1
+							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	VIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDI	PORT						7.00.		71441	0020	00				
	E Port/Loop Combination Rates																1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		76.90										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		84.64										
LINI	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		90.27										
UNI	IE Loop Rates    2-Wire ISDN Digital Grade Loop - UNE Zone 1	-	1	UEPPB	UEPPR	LICLOY	21.90			-							<b></b>
	2-Wile ISBN Digital Grade Loop - ONE Zone 1	1	-	UEFFB	UEPPK	USLZA	21.90										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		2	UEPPB UEPPB	UEPPR UEPPR	USL2X USL2X	29.64 35.27										
IIIII	Z-Wire ISDN Digital Grade Loop - UNE Zone 3	+	3	UEPPB	UEPPK	USLZX	35.27			<del>                                     </del>					-	<del></del>	<del>                                     </del>
ON	Exchange Port - 2-Wire ISDN Line Side Port	+		UEPPB	UEPPR	UEPPB	55.00	525.00	400.00				15.69				
NO	DNRECURRING CHARGES - CURRENTLY COMBINED	+	<del> </del>	JLI FD	OLITE	OLI I'D	33.00	323.00	400.00				13.09			t	<del>                                     </del>
140.	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion - Top 8 MSAs only			LIEDDR	UEPPR	USACB	0.00	225.00	225.00				15.69				
ADI	DITIONAL NRCs	+		OLFFB	ULFFR	USACB	0.00	223.00	223.00				15.09				-
	CAL NUMBER PORTABILITY																<del>                                     </del>
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	İ						1	
B-C	CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-C	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	SC,MS, 8	(TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD	_		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	ER TERMINAL PROFILE User Terminal Profile (EWSD only)	-		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	-						-	<u> </u>
VE	RTICAL FEATURES	-		UEPPB	UEPPR	UTUMA	0.00	0.00	0.00			-				-	+
VE	All Vertical Features - One per Channel B User Profile	+		UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								1
INT	FEROFFICE CHANNEL MILEAGE	1		OLITE	OLITIK	OLI VI	3.04	0.00	0.00								
	Interoffice Channel mileage each, including first mile and facilities termination			LIEPPR	UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69				
	Interoffice Channel mileage each, additional mile					M1GNM	0.0167	0.00	0.00	20.00	10.00		10.00				
4-W	VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT					0.0.0			İ						1	
UNE	E Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			940.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			1,005.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			1,111.89										
UNE	IE Loop Rates	1	Ť			İ	.,			†							
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87			<u> </u>			15.69				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPPP		USL4P	261.89						15.69				
UNE	IE Port Rate	1	<u> </u>							ļ			,			ļ	ļ
1.10	Exchange Ports - 4-Wire ISDN DS1 Port	1	<u> </u>	UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69		1	1	<del>                                     </del>
NOI	NRECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	<b>-</b>	<u> </u>			1										1	<b></b>
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.69			1	
ΔΝΙ	DITIONAL NRCs	+	<b>-</b>	JLI FF		JUNUF	0.00	330.00	330.00			-	13.09		1	t	<del>                                     </del>
אסו	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1	<b>1</b>	1		1									1	<b>†</b>	<b>†</b>
	Inward/two way Telephone Numbers (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TF		0.9822					15.69				
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02				15.69				

ONBONDL	ED NETWORK ELEMENTS - South Carolina			T							Ia		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					$\bot$	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			LIEDDD	DD77T		40.05	40.05				45.00				
1.00	Subsequent Inward Telephone Numbers			UEPPP	PR7ZT		46.05	46.05				15.69				
LOCA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75									-	
INITE	RFACE (Provsioning Only)			UEPPP	LINECIN	1.75										
INTE	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data		1	UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel														1	
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	40.00									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	40.00									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	40.00									
CALL	. TYPES							-								
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48		15.69				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC	+	905.43									-	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										
LINE	Loop Rates		3	OLFDC	+	1,011.69										
ONL	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87					1					
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89										
UNE	Port Rate		Ŭ	02. 20	00250	201.00										
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94		15.69			1	
NON	RECURRING CHARGES - CURRENTLY COMBINED						,									
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
1	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			l										1	I	
	- Conversion with Change - Trunk Top 8 MSAs only		<u> </u>	UEPDC	USAWB		259.56	134.33			ļ	15.69				
ADDI	TIONAL NRCs		<u> </u>	<b> </b>					1		<u> </u>			1	1	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	UDTTA		29.01	29.01				45.00				
	Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		29.01	29.01				15.69				
1	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69			1	
-+	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel	-	<del>                                     </del>	OLFDO	ODITO		29.01	29.01			<b> </b>	15.69		1	<del> </del>	1
1	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69		1	I	
+	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<del>                                     </del>	021 00	05110		23.01	23.01			<b> </b>	13.08		<del>                                     </del>	t	<u> </u>
1	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69		1	I	
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<u> </u>				20.01	20.01				.0.00		1	1	
1	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69			1	
ВІРО	LAR 8 ZERO SUBSTITUTION		İ													
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								
1	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00								
Alteri	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00		-						
Telep	hone Number/Trunk Group Establisment Charges										ļ					
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.69				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina	,		,								,	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.69				
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC UEPDC	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND4 ND5	0.00	0.00	0.00				15.69 15.69			-	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.69			-	
+	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.69				
Dedi	cated DS1 (Interoffice Channel Mileage) -			OLI DO	NDV	0.00	0.00	0.00				13.03				
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities														1	
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
	,		1													
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	l		UEPDC	1LNOA	0.3415	0.00	0.00						1	I	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.7598	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.7598	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
4 10/11	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	4 !			+											
	em is 1 D51 Loop, 1 D4 Channel Bank, and up to 24 Feature Act stem can have various rate combinations based on type and nu			uood												
	DS1 Loop	liber or	ports	useu												
ONE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00							1	
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103.47	0.00	0.00				15.69				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00				15.69				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00				15.69				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00				15.69				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00				15.69				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00	0.00				15.69				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,241.64	0.00	0.00				15.69				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655.52	0.00	0.00				15.69				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,069.40	0.00	0.00				15.69				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483.28	0.00	0.00				15.69				
	672 DS0 Channel Capacity - 1 per 28 DS1s		11 - 41 -	UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Ac														<del>                                     </del>	1
wuiti	NRC - Conversion (Currently Combined) with or without	iu i aite	tne m	iiiiiiium system co	iniguration is	countea.									+	
	BellSouth Allowed Changes - Top 8 MSAs Only	l		UEPMG	USAC4	0.00	150.81	8.38				15.69			1	
Svet	em Additions Where Currently Combined and New (Not Currently	v Comb	nined \	OLI IVIO	00/104	0.00	100.01	0.30				13.08		1	t	1
	ensity Zone 1 Top 8 MSAs	, <u></u>	<b></b> )		+									<b> </b>	<b>I</b>	1
50	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	1	<b>†</b>		1									1	1	
	Fea Activation -	l		UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69		1	I	
Bipo	lar 8 Zero Substitution		1													
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only	<u> </u>	<u>L</u>	UEPMG	CCOSF	0.00	0.00	605.00						<u> </u>	<u></u>	
( T	Clear Channel Capability Format - Extended Superframe -									-						
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
Alter	nate Mark Inversion (AMI)															ļ .
1 1	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		1	UEPMG	MCOPO	0.00	0.00	0.00				1			1	•

Version 3Q02: 10/07/02 Page 361 of 425

	D NETWORK ELEMENTS - South Carolina												Attachment:			bit: B
																Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
04TE00DV	DATE ELEMENTO	Interi	<b>-</b>	B00				DATEO(6)			Elec	- 1	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+	I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Live Oids Occalington Observation I BBV Total Book Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69				
	Line Side Odtward Chammenzed FBA Trumk Fort - Business			ULFFX	OLFOX	14.00	0.00	0.00	0.00	0.00		15.05				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00		15.69				
	Feature (Service) Activation for each Trunk Port Terminated in			l	1					·						
	D4 Bank	ļ		UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69			ļ	
Teleph	one Number/ Group Establishment Charges for DID Service	ļ	<u> </u>	LIEBBY								,				
$\!\!\!\!$	DID Trunk Termination (1 per Port)	<b> </b>	<u> </u>	UEPPX	NDT	0.00	0.00	0.00				15.69				
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ ND4	0.00	0.00	0.00				15.69				
	DID Numbers - groups of 20 - Valid all States  Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND5	0.00	0.00	0.00				15.69 15.69				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	-			15.69				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
Local	Number Portability			OLITA	INDV	0.00	0.00	0.00				15.05				
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATI	JRES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only	-	1													
Local	owntoning reatures officied with Line order of to only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00				15.69				
JNBUNDLED (	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES											15.69				
JNBUNDLED (	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC	and/or		Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports.				15.69				
JNBUNDLED ( 1. Cost 2. Feat	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C	and/or ost Bas	sed Rat	Commission rule to e section in the sa	provide Unb me manner as	undled Local States	witching or Sw d to the Stand	itch Ports. -Alone Unbun					on Combinat			
JNBUNDLED ( 1. Cost 2. Feat 3. End	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport	and/or ost Bas Usage	ed Rat	Commission rule to e section in the sa the Port section of	provide Unb me manner as of this rate exh	undled Local So they are applie hibit shall apply	witching or Sw d to the Stand to all combina	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			A dditional NC	
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCE ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	and/or ost Bas Usage	ed Rat	Commission rule to e section in the sa the Port section of	provide Unb me manner as of this rate exh	undled Local So they are applie hibit shall apply	witching or Sw d to the Stand to all combina	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply 6 5. Mar	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not CI also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC urres shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)   Wine VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo   Non-Design	and/or cost Bas Usage urrently	sed Rat rates ir Comb	Commission rule to e section in the sain the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local So they are applie hibit shall apply mbined Combo	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or cost Bas Usage urrently	sed Raterates in Combo	Commission rule to e section in the san the Port section of ined Combos. For on an Individual Combos o	provide Unb me manner as of this rate ext r Currently Co	undled Local Steps of they are applie inbit shall apply imbined Combottil further notice	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or cost Bas Usage urrently	sed Rat rates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo	provide Unb me manner as of this rate ext r Currently Co	undled Local S they are applie sibit shall apply mbined Combo til further notice	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED ( 1. Cost 2. Feat 3. End 4. The apply a 5. Mar UNE-P 2-Wire	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or cost Bas Usage urrently	sed Raterates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos uEP95	provide Unb me manner as of this rate ext r Currently Co	undled Local States they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	and/or cost Bas Usage urrently	sed Raterates in Combo	Commission rule to e section in the san the Port section of ined Combos. For on an Individual Combos o	provide Unb me manner as of this rate ext r Currently Co	undled Local Steps of they are applie inbit shall apply imbined Combottil further notice	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or cost Bas Usage urrently	sed Raterates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos uEP95	provide Unb me manner as of this rate ext r Currently Co	undled Local States they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or cost Bas Usage urrently	sed Raterates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos uses the UEP95	provide Unb me manner as of this rate ext r Currently Co	undled Local States they are applie iibit shall apply imbined Combottil further notice 14.89 21.52	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES E Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design Ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	and/or cost Bas Usage urrently	sed Raterates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos uEP95	provide Unb me manner as of this rate ext r Currently Co	undled Local States they are applie iibit shall apply mbined Combottil further notice 14.89	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or cost Bas Usage urrently	sed Raterates in Comb	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos uses the UEP95	provide Unb me manner as of this rate ext r Currently Co	undled Local States they are applie iibit shall apply imbined Combottil further notice 14.89 21.52	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly.  Let Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or cost Bas Usage urrently	ced Raterates in Combo	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos on	provide Unb me manner as of this rate ext r Currently Co	undled Local Stitley are applied by the shall apply substitute of	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply 3 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	and/or cost Bas Usage urrently	ced Raterates in Combo	Commission rule to e section in the sai the Port section of ined Combos. Fo on an Individual Combos on	provide Unb me manner as of this rate ext r Currently Co	undled Local Stitley are applied by the shall apply substitute of	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo obesign	and/or cost Bas Usage urrently	ted Raterates in Combo	Commission rule to e section in the sain the Port section of ined Combos. Fo on an Individual Combos o	provide Unb me manner as of this rate exi r Currently Co asse Basis, un	undled Local State they are applied libit shall apply ombined Combottil further notice 14.89 21.52 27.17 17.81 24.26 29.59	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	and/or cost Bas Usage urrently	ed Ratrates in a Comb	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos and Indi	provide Unb me manner as if this rate exit r Currently Co ase Basis, un	undled Local States they are applie libit shall apply ambined Combottil further notice 14.89 21.52 27.17 17.81 24.26 29.59 13.76	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1. Cost 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES E Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  Ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or cost Bas Usage urrently	ced Raterates in Comb	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos and Indi	provide Unb me manner as of this rate extra Currently Co. ase Basis, un	undled Local States and the states are applied in the states and the states are applied in the s	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDLED (1 1. Cosi 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3	and/or cost Bas Usage urrently	ed Ratrates in a Comb	Commission rule to e section in the sai the Port section in the sai the Port section of ined Combos. Fo on an Individual C UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95	provide Unb me manner as of this rate exi r Currently Co asse Basis, un UECS1 UECS1 UECS1 UECS1	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1 1. Cosi 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	and/or cost Bas Usage urrently	ed Ratrates ir Comb otilated	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos ined Combos	UECS1 UECS1 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1 1. Cosi 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES E Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - SESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1	and/or cost Bas Usage urrently	ed Raterates in Combo	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos in the Port section of ined Combos in the Port section of ined Combos in the Port section of ined Combos in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Section	UECS1 UECS1 UECS2 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1 1. Cost 2. Feat 3. End 4. The apply 3. S. Mar UNE-P 2-Wire UNE P. UNE D.	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly.  Ret Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or cost Bas Usage urrently	ed Ratrates ir Comb otilated	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos ined Combos	UECS1 UECS1 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NF	Cs may
JNBUNDED 0  1. Cost 2. Feat 3. End 4. The apply i 5. Mar UNE-P 2-Wire UNE P  UNE P  UNE P	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Vice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-Wire Voice Grade Loop (SL 2) - Zone 3	and/or cost Bas Usage urrently	ed Raterates in Combo	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos in the Port section of ined Combos in the Port section of ined Combos in the Port section of ined Combos in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Section	UECS1 UECS1 UECS2 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may
JNBUNDLED (1 1. Cost 2. Feat 3. End 4. The apply 3. S. Mar UNE-P 2-Wire UNE P. UNE D.	All Features Available CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES to Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 12-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire Vice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 0-Wire Voice Grade Loop (SL 2) - Zone 3	and/or cost Bas Usage urrently	ed Raterates in Combo	Commission rule to e section in the sain the Port section of ined Combos. For on an Individual Combos in the Port section of ined Combos in the Port section of ined Combos in the Port section of ined Combos in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Port Section in the Section	UECS1 UECS1 UECS2 UECS2 UECS2	14.89 21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	witching or Sw d to the Stand to all combina s, the nonrecu	itch Ports. -Alone Unbunitions of loop/	port network el	ements excep	t for UNE C	oin Port/Lo			Additional NR	Cs may

Version 3Q02: 10/07/02 Page 362 of 425

UNDUNDL	ED NETWORK ELEMENTS - South Carolina			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			Disconnect				Rates(\$)		T
	O.Wire Veire Crede Dest (Control with Celler ID)4Desia Level						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL: 50	OLI III	1.10	40.00	10.00	24.00	0.00		10.00				
	Center)2 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
+	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF 93	OLF19	1.13	40.30	19.90	24.90	0.03		13.03				+
	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, F	(Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDONA	4 40	400.00	70.74	E4 47	44.04		45.00				
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69			-	<del>                                     </del>
	Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	10			02. 00	02. Q2	0	.00.00	70	0			10.00				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Loca	l Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996										
Loca	Number Portability			LIEBAE	LUBOO											
Featu	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
геан	All Standard Features Offered, per port			UEP95	UEPVF	3.04						15.69			1	
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				<del> </del>
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04	100.12					15.69				1
NAR	S															1
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
	ellaneous Terminations re Trunk Side															
2-771	Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77	-	15.69			-	
4-Wii	re Digital (1.544 Megabits)			OLF 93	CLINDO	0.00	119.57	10.76	00.03	3.11		13.03				
	DS1 Circuit Terminations, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				1
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51					15.69				
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 C	hannel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56			1		1	15.69		<del> </del>	1	<del>                                     </del>
	r eature Activation on D-4 Channel Bank Centrex Loop Slot			OLF95	IFUVO	0.06			1			15.09				<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop											. ,,,				
	Slot			UEP95	1PQW7	0.56						15.69				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -					· · · · ·	<u> </u>			· · · · · ·						
	Different Wire Center			UEP95	1PQWP	0.56						15.69				ļ
	Easture Activation on D.4 Channel Beat British Line Law Cha			LIEDOE	1PQWV	0.56						45.00				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	IPQWV	0.56			1		-	15.69			<del>                                     </del>	<del>                                     </del>
	Slot			UEP95	1PQWQ	0.56						15.69			1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<del>                                     </del>	UEP95	1PQWQ	0.56			1		-	15.69		1	t	<del>                                     </del>
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex			02. 00	0, 1771	0.30						10.00			1	
	NRC Conversion Currently Combined Switch-As-Is with allowed				1									İ	1	1
	changes, per port	1	1	UEP95	USAC2		37.93	16.72				15.69		l	I	

ONBONDL	ED NETWORK ELEMENTS - South Carolina	,											Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
	-P CENTREX - DMS100 (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Non-Design		1	UEP9D		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		2	UEP9D		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP9D		27.17										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9D		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														ĺ
	Design		2	UEP9D		24.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														1
	Design		3	UEP9D		29.59										
UNE	Loop Rate															1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	13.76										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.38										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										
UNF	Port Rate		Ť	02. 02	02002	20.10										
	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									0.00						
	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
+	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local		1	OLI OD	OLI ID	1.10	40.00	10.00	24.00	0.00		10.00				<del> </del>
	Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI OD	OLI 10	1.10	40.00	10.00	24.00	0.00		10.00				-
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLF3D	OLFID	1.13	40.30	19.90	24.90	0.03		13.09				
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				
-	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLF3D	OLFIL	1.13	40.30	19.90	24.50	0.03		13.09			-	<del> </del>
	Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69		l	I	
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	+	1	051.90	JLFII	1.13	40.30	19.90	24.90	0.00	1	15.09			1	+
	Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69		l	I	
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	+	1	0 に と み D	UEFIG	1.13	40.30	19.90	24.98	0.00	1	15.69			1	+
				UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	+		UEF9D	UEPTI	1.13	40.30	19.90	24.90	0.00		15.69				
				LIEDOD	LIEDVII	4.40	40.30	19.90	04.00	6.65		15.69				
	Area	+	1	UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				-
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA/	4.40	40.00	40.00	04.00	0.05		45.00				
	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	LIEDVO	4.40	40.00	40.00	04.00	0.05		45.00				
	Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local						40.00					4= 00				
	Area	1	-	UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65	ļ	15.69		-	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDVAN	ا	40.00	40.00	04.00			45.00			1	
ļ	Indication))3 Basic Local Area	1	-	UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65	ļ	15.69				<b></b>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3													l	I	
ļļ	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65	ļ	15.69		ļ	<b>.</b>	<b></b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)														1	
	2 Basic Local Area	1		UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69			ļ	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1	1											Ì	I	
	Basic Local Area		<u> </u>	UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94	<u> </u>	15.69		<u>                                      </u>	<u> </u>	<u></u>

<u>ONRONDLI</u>	ED NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			OLI OD	OLI II	1.10	100.00	70.71	04.41	11.04		10.00				<del> </del>
	Basic Local Area			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEBAB								4= 00				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
	Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OLI 3D	OLI 14	1.10	100.50	70.71	34.47	11.54		10.00				
	Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPTZ	1.13	100.30	70.71	54.47	11.94		15.69			-	<del>                                     </del>
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLI OD	OLI 13	1.10	40.00	10.00	24.00	0.00		10.00				
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, K	Y, LA, MS, SC, & TN Only															1
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D UEP9D	UEPQD UEPQE	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3  2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				-
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69			İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOW	4.40	40.00	10.00	24.00	0.05		45.00				
	Indication)3  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPQW	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2-Wire Voice Grade Port (Centrex/risg Wig Lamp Indication)3			OLFBD	ULFQJ	1.13	40.30	19.90	24.90	0.05		13.09			1	
	2			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94		15.69				
	2 Mire Vaire Crade Bart (Control/differ CMC /FBC MC442)2 2			LIEDOD	LIEDOD	4.40	400.00	70.71	54.47	44.04		45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				
	2 THE TOISE GLASS FOR (COMMON AME) STY C/250 MOS (2/2, C			02. 05	02. Q0		100.00	70	0			10.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				
																Ī
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				ļ
	0.M/ V/ O I B / O / I// OMO /EDG : ********************		l	LIEDOD	LIEBOO		400.00	70		44.54	1	45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3	1	<b> </b>	UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69		<del> </del>	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		l	UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94	1	15.69				
<del>-  </del>	2-Wire Voice Grade Port (Certifex differ SWC /EBS-W5316)2, 3			OLI: 3D	ULFQI	1.13	100.30	70.71	34.47	11.94		13.09		<del> </del>	<del>                                     </del>	<del>                                     </del>
	Term		1	UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94	1	15.69		l	I	

PONDLED	NETWORK ELEMENTS - South Carolina	1	1	1	1						·		Attachment:			bit: B
														Incremental		Incremen
												Submitted	Charge -	Charge -	Charge -	Charge
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						-	Nonreci	urrina	Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1				FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	JOWAN
2-	-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
	-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Local Swi				OLI OD	OLI QZ	1.10	40.00	10.00	24.00	0.00		10.00				
	entrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
	mber Portability			OLI 3D	OILLOO	0.7330	-					13.03				
	ocal Number Portability (1 per port)			UEP9D	LNPCC	0.35	-							-		1
Features	ocal Number Fortability (Fper port)		1	OLI 3D	LIVI CC	0.55										
	Il Standard Features Offered, per port		<b>-</b>	UEP9D	UEPVF	3.04			<del>                                     </del>			15.69		<b> </b>		<b>-</b>
	Il Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42					15.69				
	Il Centrex Control Features Offered, per port		1	UEP9D	UEPVC	3.04	700.42		<del>                                     </del>			15.69		<b>-</b>	<b>-</b>	
NARS	il Centrex Control Features Chereu, per port			OLI 3D	OLI VO	3.04						13.03				
	nbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				<del>                                     </del>
	nbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69		-		<del>                                     </del>
	nbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69		-		<del>                                     </del>
	neous Terminations			OLI OD	O/ II (O/)	0.00	0.00	0.00				10.00				
2-Wire Tr																
	runk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69		-		1
	gital (1.544 Megabits)					0.00						10.00				
	S1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	S0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51	00.00	72.70	2		15.69				
	e Channel Mileage - 2-Wire			02. 02		0.00						10.00				
	teroffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69		-		1
	teroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167	10.00		10.77	0.01		10.00				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02		0.0101										
	nel Bank Feature Activations	Ĭ														
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	ocation for a formal of a formal oction and a formal oction and a formal oction of a formal oction oction oction oction oction.			02. 02		0.00						10.00				
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.56						15.69		1		
	eature Activation on D-4 Channel Bank FX Trunk Side Loop															
SI			L	UEP9D	1PQW7	0.56			<u> </u>		<u> </u>	15.69		<u> </u>	<u> </u>	
	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
Di	ifferent Wire Center			UEP9D	1PQWP	0.56						15.69				
														1	1	
	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				450440									1	1	
	lot			UEP9D	1PQWQ	0.56						15.69				
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69				
	urring Charges (NRC) Associated with UNE-P Centrex		ļ	1										1	1	
	RC Conversion Currently Combined Switch-As-Is with allowed			LIEDOD	110400		07.00	40 =0				45.00		1	1	
	nanges, per port		-	UEP9D	USAC2	2.00	37.93	16.72				15.69		1	1	-
	ew Centrex Standard Common Block		ļ	UEP9D	M1ACS	0.00	668.70					15.69		-	-	
	ew Centrex Customized Common Block		ļ	UEP9D	M1ACC	0.00	668.70					15.69		-	-	
	AR Establishment Charge, Per Occasion		ļ	UEP9D	URECA	0.00	72.89					15.69		1	1	
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD		-	<del> </del>			-							1	1	ļ
	Requres Interoffice Channel Mileage		ļ	1										1	1	
	Requires Specific Customer Premises Equipment	i i	1	1										1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge
						Rec	Nonrecurring		Nonrecurring	Disconnect		1		Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to G	eographically	Deaveraged U	NE Zones. To	view Georgrap	hically Deaver	aged UNE Zon	e Desiganti	ons by C O	, refer to Inter	net Website:		
	www.interconnection.bellsouth.com/become_a_clec/html/inter	connec	tion.ht	m												
	L SUPPORT SYSTEMS															
NOTE:	(1) Electronic Service Order: CLEC should contact its contract	t nego	tiator if	it prefers the state	specific elect	ronic service o	rdering charge	es as ordered b	by the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Comr	nission ordere	d rates for the	electronic serv	rice ordering ch	arges, or CLE	C may elect	the region	al electronic s	service orderii	ng charge.	
NOTE:	(2) Any element that can be ordered electronically will be billed	ed acco	ording	to the SOMEC rate I	isted in this	category. Pleas	se refer to Bell	South's Busine	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	Ily. For
those e	elements that cannot be ordered electronically at present per t	he BBF	R-LO, th	ne listed SOMEC rat	e in this cate	gory reflects th	e charge that v	vould be billed	to a CLEC on	ce electronic o	rdering cap	abilities co	me on-line fo	r that element	. Otherwise,	the manua
orderin	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.			-									
	Electronic OSS Charge, per LSR, submitted via BST's OSS															I
	interactive interfaces (Regional)				SOMEC		3.50									
	DATE ADVANCEMENT CHARGE															
	The Expedite charge will be maintained commensurate with I	BellSou	ith's FC	CC No.1 Tariff, Secti	on 5 as appli	cable.			İ				İ	İ		1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			, , , , , , , , , , , , ,					İ				İ	İ		1
	Day			ALL UNE	SDASP		200.00									
UNBUNDLED E	EXCHANGE ACCESS LOOP				1	İ			İ				İ	İ		<b>T</b>
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	22.00	78.92	78.92	10.00				20.35	10.54	13.32	13.3
+	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge Without Outside Dispatch			OL7 II IL	ORLIN		20.00	20.00					20.00	10.04	10.02	10.0
	(UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.3
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop,			OLANL	OKEWO		13.00	0.33					20.55	10.54	10.02	10.0
	billing for BST providing make-up			UEANL	UEANM		28.80	28.80								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								+
	Order Coordination for Specified Conversion Time for UVL-SL1			ULANL	OLAIVIC		30.32	30.32								+
	(per LSR)			UEANL	OCOSL		34.29	34.29								
2-WIDE	Unbundled COPPER LOOP			ULANL	OCOSL		34.23	34.23								
Z-VVIKE	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	-		UEQ	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	<u> </u>		UEQ	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	
	Order Coordination 2 Wire Unbundled Copper Loop - Non-		3	OLQ	OLQZX	22.55	31.33	20.02	10.05	1.41			20.55	10.54	10.02	10.0
	Designed (per loop)			UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop, Non-Designed Billing for BST			ULQ	USBIVIC		30.32	30.32								
	providing make-up			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.3
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	13.3
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge Without Outside Dispatch			ULQ	UKLIA		23.33	23.33					20.33	10.54	13.32	13.3
	(UCL-ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.3
UNBUNDI ED E	EXCHANGE ACCESS LOOP			OLQ	OKEVVO		14.23	7.44					20.55	10.54	10.02	10.0
	ANALOG VOICE GRADE LOOP															-
Z-WINL	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															+
	Zone 1		4	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	13.19	31.99	20.02	10.00	1.41			20.33	10.54	13.32	13.3
	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEADS	13.19	31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.3
	Zone 2	l	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	<b>-</b>		ULFOR UEPOB	DEALS	17.23	31.99	20.02	10.05	1.41			∠0.35	10.54	13.32	13.3
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41	İ	İ	20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	ULFOR UEPOB	DEMBO	17.23	31.99	20.02	10.05	1.41			∠0.35	10.54	13.32	13.3
	Zone 3	l	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41	1	1	20.35	10.54	13.32	13.3
			3	ULFOR UEPOB	DEALS	22.53	31.99	20.02	10.05	1.41			∠0.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	l	3	UEPSR UEPSB	UEABS	22.53	31.99	20.00	40.05	4.44	1	1	20.35	10.54	13.32	13.3
LINE	Zone 3		3	UEPSK UEPSB	OEAR2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
UNE LO			1	LIEDDY	UEPLX	14.40							-	<del> </del>		+
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPRX UEPRX	UEPLX	14.18 18.01										+
	z-vvire voice Grade Loop (SL1) for Line Splitting - Zone 2				_											<del></del>
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3		3	UEPRX	UEPLX	23.02										

Version 3Q02: 10/07/02 Page 367 of 425

ONRONDE	ED NETWORK ELEMENTS - Tennessee												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						rico	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE ANALOG VOICE GRADE LOOP		1													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	UEA	UEAL2	04.00	75.00	48.20	28.70	47.04			20.35	40.54	40.00	40.0
	Ground Start Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	20.20	34.29	40.20	20.70	17.04			20.33	10.54	13.32	13.
-	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	OLA	OCOGL		34.25									+
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	OLA	OLTUZ	10.00	70.00	70.20	20.70	17.04			20.00	10.04	10.02	10.0
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.
4-WIF	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13
2-WIF	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone						==									
	2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone						==									
	3		3	UDC	UDC2X UREWO	37.95	142.76 91.77	88.88 44.22	76.35	39.16			20.35 20.35	10.54 10.54	13.32 13.32	13. 13.
2 14/15	CLEC to CLEC Conversion Charge without outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1.00		UREWU		91.77	44.22					20.35	10.54	13.32	13
2-7711	2 Wire Unbundled ADSL Loop including manual service inquiry	AIIDLE	LOUP	1												+
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	2 Wire Unbundled ADSL Loop including manual service inquiry		<del>  '</del>	OAL	UALZA	13.02	270.01	234.03	74.54	33.14			20.55	10.54	13.32	10.
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	2 Wire Unbundled ADSL Loop including manual service inquiry			O/ IL	OTILEX	10.00	270.01	204.00	74.04	00.14			20.00	10.04	10.02	10.
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		34.29									<del></del>
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13
	2 Wire Unbundled HDSL Loop including manual service inquiry				1 7			·							1	
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	2 Wire Unbundled HDSL Loop including manual service inquiry		1											<u> </u>		
ı	& facility reservation - Zone 3	1	3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14	<u> </u>		20.35	10.54	13.32	13

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0.10				00001		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		34.29									
	and facility reservation - Zone 1	١.,	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	<del>- '-</del>	OTIL	OTTLEVV	10.03	31.99	20.02	10.03	1.41			20.55	10.54	10.02	10.0
	and facility reservation - Zone 2	1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													<del>                                     </del>
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry			OFF	OI IL4X	13.53	279.00	244.22	74.34	35.14			20.33	10.54	13.32	13.3
	and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	-	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry	١.				00.00	04.00	00.00	40.05				00.05	40.54	40.00	40.0
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	UHL4W OCOSL	23.80	31.99 34.29	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UHL	UREWO		34.29	20.02					20.35	10.54	13.32	13.3
4-WIR	RE DS1 DIGITAL LOOP			OFF	UKLVVO		31.99	20.02					20.33	10.54	13.32	13.3
7 ****	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.3
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70 90.70	44.18			20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	UDL UDL	UDL19 UDL56	53.11 31.10	207.01 207.01	141.38 141.38	90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)		_	UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									L
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.3
2-WIR	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	١,	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop/Short including manual service	<u> </u>		UCL	OCLEB	13.19	31.99	20.02	10.05	1.41			20.33	10.54	13.32	13.3
	inquiry & facility reservation - Zone 2	l ı	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled Copper Loop/Short including manual service		1		1	11.120	200								12.02	
	inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop/Short without manual service	١.	_													
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	١.	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL	UCLPVV	22.53	36.52	36.52	10.00	1.41	<del> </del>		20.35	10.54	13.32	13.3

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		T
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	-	<u> </u>	002	OULL	10.10	01.00	20.02	10.00				20.00	10.01	10.02	10.0.
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								-
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service	-	+-	OOL	OCLZVV	10.19	31.33	20.02	10.03	1.41			20.55	10.54	10.02	13.32
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
4 10/15	(UCL-Des) RE COPPER LOOP	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4-441	4-Wire Copper Loop/Short - including manual service inquiry															+
	and facility reservation - Zone 1	1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Copper Loop/Short - including manual service inquiry		<u> </u>	002	002.0	20	122.10	00.07	7 0.00	00.10			20.00	10.01	10.02	10.0.
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Copper Loop/Short - including manual service inquiry															1
	and facility reservation - Zone 3	I	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								1
	4-Wire Copper Loop/Short - without manual service inquiry and					0.4.00										
	facility reservation - Zone 1  4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	facility reservation - Zone 2		2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and	-		OOL	OCLAVV	32.23	122.70	03.37	70.55	33.10			20.55	10.54	10.02	13.32
	facility reservation - Zone 3	1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								1
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Copper Loops (per loop)	- '	3	UCL	UCLMC	42.17	36.52	36.52	70.33	39.10			20.33	10.54	13.32	13.3
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	0020		00.02	00.02								1
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4O	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
	4-Wire Unbundled Copper Loop/Long - without manual svc.	١.			1101.40	40.47	100 70	05.57	70.05	00.40			00.05	40.54	40.00	40.0
	inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
+	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		36.52	36.52								+
	(UCL-Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIF		-		002	ONETTO		01.00	20.02					20.00	10.01	10.02	10.0.
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,											1	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,							1				I	
	pair less than or equal to 18k ft	- 1		UDN, UDL, USL	ULM2L		65.40	65.40			ļ		20.35	10.54	13.32	13.3
	Unbundled Loop Modification, Removal of Load Coils - 2 wire	١.,		LICE THE TIEC	LILMOC		710 74	23.77			1		20.25	10.54	12.20	10.0
	greater than 18k ft Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS, UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13.3
	less than or equal to 18K ft	L		UHL. UCL	ULM4L		65.40	65.40			1		20.35	10.54	13.32	13.32
<del>                                     </del>	Unbundled Loop Modification Removal of Load Coils - 4 Wire		<u> </u>		J = E		33.40	55.70					20.00	10.04	10.02	10.02
1	pair greater than 18k ft	1		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
		Interi										Svc Order Submitted	Incremental Charge - Manual Svc			Increment Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		65.44	65.44					20.35	10.54	13.32	13.3
SUB-LOOPS																
Sub-Lo	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.3
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.3
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.		LIFANII	110000		040.04	040.04					00.05	40.54	40.00	40.0
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.3
-	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<del>                                     </del>	UEANL	USBSD		108.06	108.06				<del>                                     </del>	20.35	10.54	13.32	13.3
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	1.35	34.29 94.56	34.29 29.35					20.35	10.54	13.32	13.3
	Sub-Loop 2-Wile Intrabuliding Network Cable (INC)			UEAINL	USBRZ	1.33	94.56	29.35					20.33	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		2	UEF UEF	UCS2X UCS2X	6.74 8.81	110.71 110.71	37.89 37.89	94.41 94.41	13.09 13.09			20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
		<u> </u>	<u> </u>			0.01			J-11	13.09			20.55	10.04	10.02	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	+	2	UEF UEF	UCS4X UCS4X	8.52 11.14	117.12 117.12	44.30 44.30	99.96 99.96	16.98 16.98		<b>-</b>	20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEF	USBMC	11.14	34.29	34.29	39.30	10.90			20.33	10.54	13.32	13.3
Unbun	dled Sub-Loop Modification		1	021	CODIVIO		54.25	34.29								<del>                                     </del>
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		<b>†</b>													1
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.3
	Coil/Equip Removal per 4-W PR Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.3
Unbun	Tap Removal, per PR unloaded dled Network Terminating Wire (UNTW)			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.3
- Cinbuil	Unbundled Network Terminating Wire (UNTW) per Pair	-	1	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.3
Netwo	rk Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		ļ	UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.3
	Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW UENTW	UND16 UNDC2		129.65	94.51 11.11	0.6522	0.6522			20.35	10.54 10.54	13.32	13.3 13.3
-	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W		<b>!</b>	UENTW	UNDC2 UNDC4		11.11 11.11	11.11				1	20.35 20.35	10.54 10.54	13.32 13.32	13.3
SUB-LOOPS	THE			J	3.1004			11.11					20.00	10.04	10.02	10.0
	pop Feeder		İ		1											

ONBONDLE	D NETWORK ELEMENTS - Tennessee										ı		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	W01 5 1 200 0 1 0 0 5 1 1 1 0 1 5 0					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA, UDN,UCL,UDL,UDC	HODEW		F47.0F						20.35	10.54	42.22	13.32
-	Distribution Facility set-up USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		<u> </u>	UEA,	USBFW		517.25						20.35	10.54	13.32	13.32
	set-up			UDN,UCL,UDL,UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.32
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice			002	002.2		001.01						20.00	10.01	10.02	10.02
	Grade- Statewide		sw	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,				LIODEO	10.05	100.01	05.05	70.05	00.40			00.05	40.54	40.00	40.00
	Voice Grade Loop - Statewide		SW	UEA UEA	USBFC	12.05	122.24 34.29	85.05	76.35	39.16			20.35	10.54	13.32	13.32
-	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	UEA	OCOSL		34.29									
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	OLA	CODI D	21.02	107.01	01.93	110.04	30.13			20.55	10.54	13.32	10.02
	Grade - Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice				LIODEE	00.70	407.04	04.00	440.04	00.40			00.05	40.54	40.00	40.00
<b></b>	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA UEA	USBFE OCOSL	36.76	137.31 34.29	61.93	118.04	30.13			20.35	10.54	13.32	13.32
<b>-</b>	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34.29	******								
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99		19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
<b></b>	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	USL	OCOSL USBFH	9.52	34.59 114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
-	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.98
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone			OOL	CODITI	12.40	114.27	30.03	104.04	10.55			13.33	13.33	13.33	15.55
	3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29		ļ					ļ	ļ	
$\vdash$	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		+-	ODL .	305, 0	20.00	110.00	40.02	100.02	10.31	1		15.55	19.99	15.55	13.38
	Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_		- 32. 0	000		.0.02	.00.02	.0.01				.0.00	.0.00	.5.55
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29		i i	· · · · · · · · · · · · · · · · · · ·	1					

ONRONDER	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.8
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.9
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	CODIT	04.00	110.00	40.02	100.02	10.51			10.00	10.00	10.00	10.
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS	· ·															
Sub-L	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14.11										
	Sub Loop Feeder - DS3 - Facility Termination Per Month	- 1		UE3	USBF1	333.26	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	14.11										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359.02	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mile Per Month	l l		UDLO3	1L5SL	10.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	١.		LIDI OO	LIODES	50.04										
	Month Sub Loop Feeder - OC-3 - Facility Termination Per Month	-		UDLO3 UDLO3	USBF5 USBF2	56.64 546.31	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	+
	Sub Loop Feeder - OC-12 - Per Mile Per Month	<del></del>		UDL12	1L5SL	13.18	3,406.61	407.00	100.17	301.31			20.33	10.54	13.32	+
-	Sub Loop Feeder - OC-12 - Fel Mile Fel Month  Sub Loop Feeder - OC-12 - Facility Termination Protection Per	<u> </u>	1	ODLIZ	ILJOL	13.10					1					+
	Month	١.,		UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<del></del>		UDL12	USBF3	1,697.00	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	+
	Sub Loop Feeder - OC-48 - Per Mile Per Month	<del>l i</del>		UDL48	1L5SL	43.22	3,400.01	407.00	100.17	301.31			20.55	10.54	13.32	
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	<u> </u>		ODL40	TLOOL	70.22										
	Month	l i		UDL48	USBF9	320.36										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,457.00	3,592.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 Interface On OC-48	- 1		UDL48	USBF8	361.44	806.02	407.68	165.17	501.31			20.35	10.54	13.32	1
INBUNDLED	LOOP CONCENTRATION															
	Loop Channelization System			ULC	ULCCS	307.07	307.34	74.37	4.18				20.35	10.54	13.32	13.3
	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1.20	9.57	9.52	8.66	8.60			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	500.18	613.60	613.60					20.35	10.54	13.32	13.
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	54.82	255.67	255.67					20.35	10.54	13.32	13.
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92.37	255.67	255.67	20.00	0.40			20.35	10.54	13.32	13. 13.
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - UDC Loop Interface (Brite			ODIN	OLCCI	0.40	0.09	0.03	9.71	9.03			20.33	10.34	13.32	13.
	Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration2 Wire Voice-Loop Start or			020	02000	0.10	0.00	0.00	0	0.00			20.00		10.02	10.
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery															
	Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.3
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop			UDI		44.00	0.00	0.05	0.74	0.05			00.05	40.54	40.00	40
	Interface	l	1	UDL	ULCC5	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface	l		UDL	ULCC6	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.
	IIICHACE	l -		UDL	ULUUB	11.03	0.09	0.00	9.71	9.05			20.35	10.54	13.32	13.
NE OTHER	PROVISIONING ONLY - NO RATE	<del>                                     </del>			1				5.11					1	1	+
	NID - Dispatch and Service Order for NID installation		<u> </u>	UENTW	UNDBX	0.00	0.00								<del>                                     </del>	+
-	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00				<u> </u>			1	<b> </b>	<del></del>
	The real state of the real sta			UEANL,UEF,UEQ,U		2700	2.00									
	Unbundled Contract Name, Provisioning Only - No Rate	l		ENTW	UNECN	0.00	0.00								Ì	1
NE OTHER	PROVISIONING ONLY - NO RATE															1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				HAL HOL HDO HDI												
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		1	ODIN,OLA,OIIL,OLO	OIVEOIV	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACI	TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
THISTI GAL AG	High Capacity Unbundled Local Loop - DS3 - Per Mile per		1													
	month		1	UE3	1L5ND	9.19										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month		<u> </u>	UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month High Capacity Unbundled Local Loop - STS-1 - Facility	-		UDLSX	1L5ND	9.19										
	Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
Note (	1): Rates provided in TN for both electronic and manual Loop	Makeu	n are ir								ents from t	he Tenness			13.01	13.01
LOOP MAKE-	UP	- III III III III III III III III III I		lionin and oddjoor to	1	l as up uujust	monto ponum	, a pormanone	late raining en t			10	oo nogalaton	/ / tutilio i ity i		
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).	R		UMK	UMKLP		0.76	0.76								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
HIGH FREQUE	ENCY SPECTRUM	K		OWIN	FOUNK		0.76	0.70								
	SHARING		1													
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-				000		400.00	0.00	00.74	0.00			00.05	40.54	40.00	40.00
END	deactivation (per LSOD)  SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	V CDEC	TOLIM	ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
END	Line Sharing - per Line Activation (BST owned Splitter)	JOPEC	KOW	ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line			020	02020	0.01	10.00	01.00	0.00	0.00			20.00	10.01	10.02	10.02
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
LINE	Line Sharing - per Line Activation (DLEC owned Splitter) SPLITTING	ı		ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
	ISER ORDERING-CENTRAL OFFICE BASED															
LND	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	i		UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - virtual	I		UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	TE SITE HIGH FREQUENCY SPECTRUM															
SPLIT	TERS-REMOTE SITE	l	<u> </u>		111.000	05.00	450.00	0.00	450.00	0.00			00.05	40 = 1	40.00	40.00
ļ	Remote Site Line Share Bell South Owned Splitter, 24 Port		<u> </u>	ULS	ULSRB	25.00	150.00	0.00	150.00	0.00			20.35	10.54	13.32	13.32
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation		1	ULS	ULSTG		74.38	0.00	46.77	0.00			20.35	10.54	13.32	13.32
END L	ISER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRU	MAKA	REMO	020			14.30	0.00	40.77	0.00			20.33	10.54	10.02	10.02
	Remote Site Line Share Line Activationfor End User Served at		T			1										
	RS, BST Splitter		<u>L</u>	ULS	ULSRC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32
	RS Line Share Line Activation for End User served at RS, CLEC							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
. 1	Splitter		<u> </u>	ULS	ULSTC	0.61	40.00	31.39	35.06	10.79			20.35	10.54	13.32	13.32
LINIDIUS: ==	DEDICATED TRANSPORT															
	DEDICATED TRANSPORT : INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billi-	a nori	od - bolow Des-e	month DC2/	CTC_1_fa	nthe									

Version 3Q02: 10/07/02 Page 374 of 425

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATIO	41.577	0.0054										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0054										
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			01.17	02	10.00	00.00		27.00	0.01			20.00	21.00	0.00	.0.01
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	-														
	Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
1	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			UTIVX	ILSAX	0.0054	1									
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month		<u> </u>	U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIBA	120/01	0.0174										
	Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATDA	U1TF1	77.00	440.40	70.07	40.55	44.00			20.35	24.00	0.00	40.54
-	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD1	UTIFT	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	month			U1TD3	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01120	120701	2.01										
	Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	2.34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
LOCA	AL CHANNEL - DEDICATED TRANSPORT			01101	01110	043.50	333.23	170.50	103.04	105.91			30.04	30.04	13.01	13.01
	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one month	, DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 1		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade - Zone 3  Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
	Zone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		† ·	1		0		210	551	50						
	Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat		l		55-		I T									
<b> </b>	Zone 3		3	ULDVX	ULDR2 ULDV4	29.34	199.33	24.16	54.81	4.80						
$\vdash$	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1  Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2		1 2	UNDVX UNDVX	ULDV4 ULDV4	18.18 23.74	201.53 201.53	24.83 24.83	55.52 55.52	5.51 5.51	-					
<del>                                     </del>	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2  Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3		3	UNDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
	Local Channel - Dedicated - DS1 - Zone 1		1	ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
	Local Channel - Dedicated - DS1 - Zone 2		2	ULDD1	ULDF1	47.33	277.35	233.26	33.18	22.30						
	Local Channel - Dedicated - DS1 - Zone 3		3	ULDD1	ULDF1	61.89	277.35	233.26	33.18	22.30						
	Local Channel - Dedicated - DS3 - Per Mile per month		<u> </u>	ULDD3	1L5NC ULDF3	7.15 611.30	FOF 07	304.50	045.00	454.45			20.04	20.04	40.04	40.04
	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month		1	ULDD3 ULDS1	1L5NC	611.30 7.15	595.37	304.50	215.82	151.15	1		36.84	36.84	19.01	19.01
<del>                                     </del>	Local Channel - Dedicated - STS-1 - Facility Termination		1	ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
DARK FIBER						222.00	222.07							00	5.00	. 5.01
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						İ									
	Thereof per month - Local Channel		<u> </u>	UDF	1L5DC	58.83										
	NRC Dark Fiber - Local Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ļ	UDF	UDFC4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54

Version 3Q02: 10/07/02 Page 375 of 425

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.501	50.00										
	Thereof per month - Local Loop			UDF UDF	1L5DL	58.83	4 404 00	452.40	500.00	257.47			20.25	24.00	0.00	40.54
OVV ACCESS T	NRC Dark Fiber - Local Loop FEN DIGIT SCREENING			UDF	UDFL4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
OAA ACCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OLID		0.0003192										
	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			0.15	11011171		0.21	00					20.00	20.00	10.20	10.20
	POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established With									******						
	POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination			0.115												40.00
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007		0.0000054										
	LIDB Common Transport Per Query LIDB Validation Per Query			OQT OQU	+	0.0000354 0.0117403										
	LIDB Originating Point Code Establishment or Change			OQU OQT. OQU	NRPBX	0.0117403	49.03						20.35	20.35	13.28	13.28
SIGNALING (C				OQ1, OQU	INKPDA		49.03						20.33	20.33	13.20	13.20
JOHALING (C	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message			UDB	1 100%	0.0000916										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	IE (CNAM) SERVICE															
L	CNAM for DB Owners, Per Query			OQV		0.0010541										
	CNAM for Non DB Owners, Per Query CNAM (Non-Databs Owner), NRC, applies when using the			OQV		0.0010541									-	
	Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OPERATOR CA	ALL PROCESSING			OQV	CDDCIT		393.00	393.00					20.33	20.33	13.20	13.20
J. LIKATOR OF	Oper. Call Processing - Oper. Provided, Per Min Using BST				1		-				1				<b>-</b>	1
	LIDB		l			1.08									1	
	Oper. Call Processing - Oper. Provided, Per Min Using				1											İ
	Foreign LIDB		l			1.13									1	
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.1010353										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.122818										
INWARD OPER	RATOR SERVICES		<b> </b>		-	1.00										<b> </b>
	Inward Operator Services - Verification, Per Minute		<u> </u>		1	1.03								1	<b>!</b>	ļ
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute		l			1.03									1	
BRANDING O	PERATOR CALL PROCESSING	-	<b> </b>		1	1.03								1	<del> </del>	1
	based CLEC	1	<del>                                     </del>		+						1			1	<del> </del>	+
racility	Recording of Custom Branded OA Announcement	<b>-</b>			CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				3230		.,500.00	.,500.00	7.00	7.00	1		10.00	10.59	13.55	10.99
	per OCN		l		CBAOL		240.71	240.71					19.99	19.99	1	
UNEP (	ÖLEC				1											
	Recording of Custom Branded OA Announcement						1,555.00	1,555.00					19.99	19.99	19.99	19.99

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						240.71	240.71					19.99	19.99		
Unbra	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00					19.99	19.99		
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.2286787										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (E	DACC)	1													
	Directory Assistance Call Completion Access Service (DACC),					0.0004774										
NII INA	Per Call Attempt		<u> </u>			0.0364771	<b>-</b>		-							
NUMI	BER SERVICES INTERCEPT ACCESS SERVICE  Number Services Intercept Per Query	<b>!</b>	<del>├─</del> ┼		-	0.017793	<del>                                     </del>		<b>-</b>			<b> </b>			-	<b> </b>
DIRE	CTORY TRANSPORT (DT)		<u> </u>			0.017793	<b>-</b>		-							
DIKE	DT-Local Channel DS1		1			40.99	277.35	233.26	33.18	22.30			20.35	10.54	13.32	1.4
+	DT-DS1 Level Interoffice per mile		<del>                                     </del>			0.3562	211.33	233.20	33.10	22.30			20.33	10.34	13.32	1.4
	DT-DS1 Level Interoffice per facility termination		1			77.86	112.40	76.27	19.55	14.99			20.35	10.54	13.32	1.4
+	SWA Common Transport per Directory Assistance Access		1			77.00	112.40	10.21	19.55	14.55			20.33	10.34	13.32	1.4
	Service Per Call					0.000271										
+	SWA Common Transport per Directory Assistance Access		1			0.000271	t		1							
	Service Per Call Per Mile					0.0000165										
	Access Tandem Switching Per Directory Assistance Access		1 1			0.0000103										
	Service Per Call					0.0001875										
	DT- Directory Assistance Interconnection Per Directory		1			0.0001010										
	Assistance Service Call					0.00										
	DT-Installation NRC, Per Trunk or Signaling Connection						204.62	4.43	136.09	4.43			20.35	10.54	13.32	1.4
	DT Local Channel DS1-Incremental Cost-Manual Svc Order vs															
	Electronic						45.68	1.76	21.75	1.76						
	DT Interoffice DS1-Incremental Cost-Manual Svc Order vs															
	Electronic						20.35	21.09	9.80	10.54						
DIRECTORY	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per month				DBSOF	104.13										
	DIRECTORY ASSISTANCE															
Facili	ity Based CLEC															
	Recording and Provisioning of DA Custom Branded		1 T					·								
	Announcement			AMT	CBADA		1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.4
	Loading of Custom Branded Announcement per Switch		,	AMT	CBADC		240.71	240.71					20.35	10.54		
UNEF	CLEC															
	Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03			20.35	10.54	13.32	1.4
	Loading of DA Custom Branded Announcement per Switch per															
	OCN						240.71	240.71					20.35	10.54		
Unbra	anding via OLNS for UNEP CLEC		1				400.00	400.00					00.05	40.54		
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					20.35	10.54		
OF LEGILIE	Loading of DA per Switch per OCN						16.00	16.00					20.35	10.54		
SELECTIVE I		-	<del>                                     </del>		+	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>							
	Selective Routing Per Unique Line Class Code Per Request Per Switch	l			USRCR	I	179.60	179.60	I		1	1	20.35	20.35	Ì	1
VIRTUAL CO		-	<del>                                     </del>		JORUK	-	179.00	179.00	-	-			20.35	20.35	-	
VINTUAL CO	Virtual Collocation - Application Cost	<b>-</b>	<del>   </del>	AMTFS	EAF	<del>                                     </del>	2,633.00	2,633.00	<del></del>	-			2.07	2.81	0.67	1.4
	Virtual Collocation - Application Cost  Virtual Collocation - Cable Installation Cost, per cable	1		AMTES	ESPCX	1	1,749.00	1,749.00	1		1		2.07	2.81	0.67	1.4
<del> </del>	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.	1		AMTFS	ESPVX	3.91	1,143.00	1,745.00	<del>                                     </del>	<del> </del>			2.07	2.01	0.07	1.4
	Virtual Collocation - Proof Space, per sq. rt.  Virtual Collocation - Power, per fused amp	<del>                                     </del>		AMTFS	ESPAX	6.79	<del>                                     </del>		<del> </del>	1				1	1	
1	Virtual Collocation - Cable Support Structure, per entrance	l	<del>   </del>	WILL O	2017	0.79	+		<del> </del>						1	
	cable	l	I I.	AMTFS	ESPSX	17.87				l		l		l	ĺ	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual Collocation - 4-wife Cross Conflects (100p)			AMTFS,UDL12,	UEAC4	0.57	11.01	10.04	10.44	0.07			2.07	2.01	0.67	1.41
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Virtual Collocation - 2-1 iber Closs Collifects			AMTFS,UDL12,	CIVOZI	3.03	41.50	23.02	12.30	10.54			2.03	2.03	1.50	1.50
				UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD48, UDF USL,ULC,AMTFS,	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - Special Access & UNE, cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		555.03						2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable Virtual Collocation Cable Records - per request		<u> </u>	AMTFS AMTFS	VE1CE VE1BA		555.03 1,711.00						2.07	2.81	0.67	1.41
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record Virtual Collocation Cable Records - VG/DS0 Cable, per each			AMTFS	VE1BB		925.06									
	100 pair			AMTFS	VE1BC		18.05	18.05								
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.45	8.45								1
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTFS	VE1BE		29.57	29.57								
	records			AMTFS	VE1BF		279.42	279.42								1
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.41
	Virtual collocation - Security Escort - Overtime, per half hour		<u> </u>	AMTFS	SPTOX		41.50	25.61					2.07	2.81	0.67	1.41
<u> </u>	Virtual collocation - Security Escort - Premium, per half hour		ļ	AMTES	SPTPX		49.86	30.79					2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64					2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77					2.07	2.81	0.67	1.41
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour LOCATION			AMTFS	SPTPM		40.90	40.90					2.07	2.81	0.67	1.41
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			1	1	1					_		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Voice Grade PBX Trunk - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
VIRTUAL COL	LOCATION  Virtual Collocation-2 Wire Cross Connects (Loop) for Line													_		<b>_</b>
PHYSICAL CO	Splitting			UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
PHYSICAL CC	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
AIN SELECTIV	Splitting VE CARRIER ROUTING			UEPSR, UEPSB	PE1LS	0.0318	11.94	11.46					19.99	19.99	19.99	19.99
	Regional Service Establishment			SRC	SRCEC		190,638.00						20.35			
	End Office Establishment			SRC	SRCEO		317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN DELLO	Query NRC, per query UTH AIN SMS ACCESS SERVICE			SRC		0.0206047										
AIN - BELLSO	AIN SMS Access Service - Service Establishment, Per State,		1													+
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per					0.0820123										
	Minute					2.27										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774										
	AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.2
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED E	EXTENDED LINK (EELs)			CAIVI	DAPES	0.0511435	30.23	30.23					20.35	20.35	13.20	13.20
NOTE	: New Density Zone 1 EELs are available in the following MSA					Atlanta, Ga; Ne	w Orleans, LA,									
	: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem															
	E: In all states, EEL network elements shown below also apply t E: In All States the EEL network elements apply to ordinarily co												UNEs.(Non-re	curring rates	do not apply	.)
	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				ILCII AS IS CII	when or	dering ordinar	ny combined i	letwork elemen	its, Non-recur	ing rates u	з арріу.				
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed															
	Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVA	ULALZ	20.20	100.70	33.47	72.54	10.00			20.33	21.09	9.00	10.5
	per month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY		77.00	474.04	440.40	70.07	00.00			00.05	04.00	0.00	40.5
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.91	5.70	4.42	0.04	2.74						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IBIVO	0.01	0.70	7.72								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	EROFF	ICE TR	ANSPORT (EEL)												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNCIX	ILSXX	0.3562										
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.5
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month  Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.91	5.70	4.42								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		3	UNCVX	1D1VG	0.91	5.70	4.42	12.94	10.66			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	ONCVA	טעוטו	0.91	5.70	4.42								<del>                                     </del>
	Is Charge		1	UNC1X	UNCCC	1	52.73	24.62	9.12	9.12	1		20.35	21.09	9.80	10.5

Version 3Q02: 10/07/02 Page 380 of 425

ONRONDLE	D NETWORK ELEMENTS - Tennessee										1 -		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		<u> </u>				1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)	)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		-	UNCDA	UDLS6	31.10	100.76	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			0.1027	02200	10.01	100.70	00	72.01	10.00			20.00	200	0.00	10.01
	Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UNCIX	IVIQT	80.77	105.70	14.40	3.04	2.74						
	month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1						21.9									
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	טטוטו	0.91	5.70	4.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE				0-1.0		****	****						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			` '												
	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility			0.10171	120701	0.0002										
	Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		-	UNCDA	UDL64	31.10	100.76	35.47	72.94	10.00			20.33	21.09	9.60	10.54
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	0.1027	02201			00	72.01	10.00			20.00	200	0.00	10.01
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/15	Is Charge E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	DOCC.	CE TO	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	KUFFI	CE IR	ANSPUKI (EEL)	+				<del>                                     </del>					-	-	
	Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	<b> </b>	+ '-	0.401/	3020	31.13	220.70	101.74	13.01	24.00			20.00	21.09	3.00	10.34
	Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		T												2.30	
	Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
1	Per Month			UNC1X	1L5XX	0.3562								l	l	ĺ

Version 3Q02: 10/07/02 Page 381 of 425

<u>INBONDER</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrecurring		Nonrecurring		001150			Rates(\$)		
	Little Was Taxasa Ballista L Bod and Live Tax Tax						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	UTIFT	77.00	171.24	113.12	70.07	30.90			20.33	21.09	9.60	10
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR		-				****							<del>                                     </del>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			1												
	1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIONY	41.500/	0.04										
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per			UNC3X	1L5XX	2.34										<del></del>
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	1
	DS3 to DS1 Channel System combination per month		1	UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.33	21.09	9.00	+
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77						+
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONCIA	ОСТВТ	17.50	5.70	7.72								+
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	0.1.0.1.1	00200	01110	220.10		7 0.01	21.00			20.00	200	0.00	+
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	1
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TE	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport			111000	UEAL2	16.56	400.70	35.47	72.94	10.86			20.35	04.00	9.80	1 .
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEALZ	10.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	<u> </u>
	Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVA	ULALZ	21.03	100.70	33.47	12.54	10.00			20.33	21.09	9.00	+'
	Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															†
	Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	1
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE IF	RANSPORT (EEL)	+											₩
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	4-WireVG Loop used with 4-wire VG Interoffice Transport		-	UNCVA	UEAL4	24.70	100.76	33.47	72.94	10.00			20.33	21.09	9.60	+
	Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	4-WireVG Loop used with 4-wire VG Interoffice Transport		<u> </u>	0.10171	02/121	02.20		00.11	, 2.0 .	10.00			20.00	21.00	0.00	<del>                                     </del>
	Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	1
	Interoffice Transport - Dedicated - 4-wire VG combination - Per															1
	Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	1
	Nonrecurring Currently Combined Network Elements Switch -As-															
D06 7	Is Charge	F TD ::	LODG	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	⊏ IKAI	NSPOR	(I (EEL)	-										<del> </del>	+
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.19										
-	High Capacity Unbundled Local Loop - DS3 combination -		1	UNCOA	ILOND	9.19					1			1	1	+
	Facility Termination per month		1	UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24	1		20.35	21.09	9.80	1
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		<del>                                     </del>	UNC3X	1L5XX	2.34	2-10.20	100.07	100.70	70.24			20.00	21.03	5.00	+

ONBONDLE	D NETWORK ELEMENTS - Tennessee		1	ı							1 -	1 -	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		T ======
	Little (Co. Transact De Control DOO control of the Forth						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
5151	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFI High Capacity Unbundled Local Loop - STS1 combination - Per	FICE IF	KANSP	ORT (EEL)	-											<del> </del>
	Mile per month			UNCSX	1L5ND	9.19										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			0110071	05201	001.00	210:20	100.01	100.70	10.21			20.00	21.00	0.00	10.0
	per month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WID	_lis Charge E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /EEI		UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
Z-WIK	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	\														
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	UNCNX	LIALOV	37.95	400.70	25.47	72.94	40.00			20.25	21.09	9.80	10.54
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	U1L2X 1L5XX	0.3562	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.0002										1
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System								3.04	2.14						
	combination - per month  Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport					29.02	100.70		72.34	10.00				21.09		10.5
	Combination - Zone 3 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	combintaion- per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As-							24.00						24.00		
4 WID	Is Charge  E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	EICE T	UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-771	First DS1 Loop in STS1 Interoffice Transport Combination -	IEROF	FICE I	KANSPORT (EEL)												<del>                                     </del>
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3 Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month		1	UNC1X	UC1D1	17.58	5.70	4.42	17.12	0.77			20.35	21.09		10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination -		4						70.07	04.00						
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	-		20.35	21.09	9.80	10.5
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.5
	DS3 Interface Unit (DS1 COCI) combination per month	1	T -	UNC1X	UC1D1	17.58	5.70	4.42		50	İ	1	20.35	21.09		

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
-	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)						****						
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			ONCDA	ODESO	40.01	100.70	33.47	72.54	10.00			20.33	21.09	9.00	10.54
	Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	01105	21.19	19.03	44.06	09.32	31.00			20.33	21.09	9.60	10.54
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 1  4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			ONODA	ODLO4	40.01	100.70	33.47	72.54	10.00			20.55	21.03	9.00	10.54
	Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	OTTDO	21.19	79.03	44.00	09.32	31.00			20.33	21.09	9.80	10.54
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is"					As is Charge	does not.									
Nonre	Nonrecurring Currently Combined Network Elements Switch As-	Charge	One	ipplies to each com	Dination)		+								1	
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	LINICCO		50.70	04.00	0.40	0.40			20.35	24.00	0.00	10.51
-	Is Charge - DS1  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOTE	: Local Channel - Dedicated Transport - minimum billing period	d - Belo					108.76	05.47	72.94	40.00			00.05	21.09	0.00	40.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1 Local Channel - Dedicated - 2-Wire Voice Grade Zone 2			UNCVX	ULDV2 ULDV2	17.18 22.44	108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09	9.80 9.80	10.54 10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2  Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09		10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3  Local Channel - Dedicated - 4-Wire Voice Grade Zone 1	<b>-</b>	1	UNCVX	ULDV2	18.18	108.76	35.47	72.94	10.86	<b> </b>		20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4	23.74	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		3	UNCXV	ULDV4	31.05	108.76	35.47	72.94	10.86			20.35	21.09		10.54
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	36.24	228.40	161.74	79.87	24.88			20.35	21.09		10.54
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
ļ	Local Channel - Dedicated - DS3 - Per Mile per month		ļ	UNC3X	1L5NC	7.15	505.07	00150	045.00	161.1-			20.0=	01.00	2.00	10.51
	Local Channel - Dedicated - DS3 - Facility Termination  Local Channel - Dedicated - STS-1- Per Mile per month		<u> </u>	UNC3X UNCSX	ULDF3 1L5NC	611.30 7.15	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - STS-1 - Per Mile per month  Local Channel - Dedicated - STS-1 - Facility Termination		<del>                                     </del>	UNCSX	ULDES	7.15 599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
			1	011007	OLDI O	333.33	300.07	201.20	210.02	101.10	L		20.00	21.03	3.00	10.34
MULT	TPLEXERS															

Version 3Q02: 10/07/02 Page 384 of 425

ONRONDL	ED NETWORK ELEMENTS - Tennessee			1	1	1							Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment: Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0011 DD 0001 (144)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.82	6.07	4.66					20.35	9.80	11.49	1 10
	month (2.4-64kbs)  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	טטוטו	1.82	6.07	4.00					20.35	9.80	11.49	1.18
	month			UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.91	6.07	4.66					20.35	9.80	11.49	1.18
	DS3 to DS1 Channel System per month			UXTD3	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	9.80	11.49	1.18
	STS1 to DS1 Channel System per month			UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	21.09	9.80	9.8
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	17.58	6.07	4.66					20.35	9.80		1.1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1		6.07	4.66					20.35	9.80	11.49	1.18
Sub-l	Loop Feeder															
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	UNC1X	USBFG											
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	UNC1X	USBFG	39.74	116.00	40.62	106.82	18.91						
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	UNC1X UNC1X	USBFG	51.90 67.86	116.00 116.00	40.62 40.62	106.82 106.82	18.91 18.91						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3  Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	UNC1X	USBFG	67.86	116.00	40.62	106.82	18.91						
LINBUNDI ED	D LOCAL EXCHANGE SWITCHING(PORTS)		4	UNCIX	USBFG				+							
	ange Ports				1				+ +							
	E: Although the Port Rate includes all available features in GA, I	Y. LA	& TN. t	he desired features	will need to b	e ordered usir	ng retail USOCs									
	RE VOICE GRADE LINE PORT RATES (RES)	,	, .													
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
	port with Caller ID - Res (TACER)  Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	port with Caller ID - Res (TACSR)  Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan															
	without Caller ID  Exchange Port - 2-Wire VG Tennessee Residence Area Plus			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	without Caller ID  2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	L				20.35	10.54	13.32	1.4
FEAT	TURES													10.51	10.00	ļ.,,
0.14	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
2-1/11	RE VOICE GRADE LINE PORT RATES (BUS)				-				-							
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN extended local			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4

Version 3Q02: 10/07/02 Page 385 of 425

UNDUNDLE	ED NETWORK ELEMENTS - Tennessee	1		I	1 1						Cup Cade	Sup Carle	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Calling Port Economy Option - Bus (TACC1)  Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area			UEPSB	UEPAC	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville			02. 03	02.7.2	1.00	0.00	00	0.00	2.02			20.00	10.01	10.02	
	& Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville															
	& Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward,			LIEDOD	LIEDDO	4.00	0.00	0.40	0.00	0.00			00.05	40.54	40.00	
	Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing Plan without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI OD	OLI WO	1.03	3.33	5.15	3.00	2.32			20.55	10.54	13.32	1
	Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCH	ANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP UEPSP	UEPPC UEPPO	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4 1.4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79		9.19	3.66	2.92	-		20.35	10.54	13.32	1.4
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79		9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Vice Unbundled 2-Way PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP UEPSP	UEPXA UEPXB	1.79 1.79	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4 1.4
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02. 0.	OL: AD		0.00	00	0.00	2.02			20.00	10.01	10.02	
	Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFSF	OLFAIN	1.79	9.93	5.15	3.00	2.92			20.33	10.54	13.32	1.4
	Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Exchange Ports, PBX Trunk Combination,						0.00		0.00							
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk,															
	Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling	1		LIEDOD	HEDVII	4 70	0.00	0.40	2.00	0.00			20.25	40.54	40.00	
	Port  2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ	ļ		UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Calling Port	1		UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
<b>-</b>	Subsequent Activity	1		UEPSP	USASC	0.00	0.00	0.00	3.30	2.02			20.35	10.54	13.32	1.4
FEAT	URES			- " -		3.30	5.50	3.30					20.00	.0.04		<u> </u>
j	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.

Version 3Q02: 10/07/02 Page 386 of 425

UNBUNDLED NE	ETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
NOTE: Tran	nsmission/usage charges associated with POTS circuit sv	vitched	licado	will also annly to ci	ircuit switche	d voice and/or	First	Add'l	First	Add'l		SOMAN wire ISDN r		SOMAN	SOMAN	SOMAN
	cess to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	AL EXCHANGE SWITCHING(PORTS)			 	1			p								
	E PORT RATES															
	hange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
	change Ports - DDITS Port - 4-Wire DS1 Port with DID						== 00									
	ability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04 4.10			20.35	10.54	13.32	1.40
	hange Ports - 2-Wire ISDN Port (See Notes below.) nsmission/usage charges associated with POTS circuit sv	vitchod	HESGO	UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10			wire ISDN r		10.54	13.32	1.40
	cess to B Channel or D Channel Packet capabilities will be													Request Pro	ress	<b>—</b>
	hange Ports - 2-Wire ISDN Port Channel Profiles	avanal	0111	UEPTX UEPSX	U1UMA	0.00	0.00	0.00	be de	via t	Dona rit	- roquest	Dasines:	quest i'll		
	change Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
UNBUNDLE	D PORT with REMOTE CALL FORWARDING CAPABILITY															
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE									-			_	_	_	
Unb	oundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
l																
	bundled Remote Call Forwarding Service, Local Calling - Res bundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERLC UERTE	1.89 1.89	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.40
	bundled Remote Call Forwarding Service, InterLATA - Res		<u> </u>	UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Recurri	ÿ .			OLFVK	OLKIK	1.09	9.93	5.15	3.00	2.52			20.33	10.54	13.32	1.40
	bundled Remote Call Forwarding Service - Conversion -				-											
	tch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
Unb	bundled Remote Call Forwarding Service - Conversion with			-												
allov	wed change (PIC and LPIC)			UEPVR	USACC		1.03	0.29								
UNBUNDLE	ED REMOTE CALL FORWARDING - Bus															
Unb	oundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Linh	oundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	bundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	oundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Unb	oundled Remote Call Forwarding Service Expanded and															
	eption Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Recurri																
	bundled Remote Call Forwarding Service - Conversion - tch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	bundled Remote Call Forwarding Service - Conversion with															
	wed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								
	AL SWITCHING, PORT USAGE															
	Switching (Port Usage)  d Office Switching Function, Per MOU		1		-	0.0008041										
	vitching (Port Usage) (Local or Access Tandem)					0.0006041										
	idem Switching Function Per MOU				-	0.0009778										-
Common Tr						0.0000770										
Com	nmon Transport - Per Mile, Per MOU					0.0000064										
	nmon Transport - Facilities Termination Per MOU					0.0003871										
	T/LOOP COMBINATIONS - COST BASED RATES															
	Rates are applied where BellSouth is required by FCC ar															
	hall apply to the Unbundled Port/Loop Combination - Cos															
End Office a	and Tandem Switching Usage and Common Transport Us and additional Port nonrecurring charges apply to Not Curr	age rat	es in ti	ne Port section of th	rate exhib	t shall apply to	o all combination	ons of loop/po	ort network elen	nents except	or UNE Coi	n Port/Loop	Combination	1S.		1
	ICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	entry C	moine	o compos. For Cur	Tenny Combi	ileu Compos t	ne nomecurin	y charges sha	iii be iiiose ider	imeu in the N	omecurring 	- Currently	Combined S		1	+
	oop Combination Rates		<del>                                     </del>		+				+							<del></del>
	/ire VG Loop/Port Combo - Zone 1		1		<del>                                     </del>	14.18			<del>                                     </del>							
	/ire VG Loop/Port Combo - Zone 2		2		<b>†</b>	18.01			†							
	/ire VG Loop/Port Combo - Zone 3		3	<u> </u>		23.02			<u>                                      </u>							
UNE Loop F																
	/ire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48				-						
2-1//	/ire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31			1		1	1		i —	i —	1

Version 3Q02: 10/07/02 Page 387 of 425

ONBONDE	D NETWORK ELEMENTS - Tennessee			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0.00% (0.00%) (0.00%) (0.00%)		_	LIEDDY	LIEDLY		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 Win	2-Wire Voice Grade Loop (SL1) - Zone 3 2 Voice Grade Line Port Rates (Res)		3	UEPRX	UEPLX	21.32										-
2-99176	2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91		15.69				-
	2-Wire voice unbundled port with Caller ID - res		1	UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEAT	URES All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.69				
1.004	L NUMBER PORTABILITY			UEPKA	UEFVF	0.00	0.00	0.00				15.69			-	+
LOCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			CELLOC	LIVI OX	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates															
UNE F	2-Wire VG Loop/Port Combo - Zone 1		1		-	14.18										
	2-Wire VG Loop/Port Combo - Zone 1		2		+	18.01										
	2-Wire VG Loop/Port Combo - Zone 2		3	1		23.02			†							
UNE L	oop Rates			<u> </u>												
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48		•								
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31								ļ	ļ	
0.147	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										<del>                                     </del>
2-Wire	2 Voice Grade Line Port (Bus) 2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69			-	<del>                                     </del>
-	2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus		<del>                                     </del>	UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69		1	<del> </del>	1
-	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69			<b>†</b>	<del>                                     </del>
	Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				

Version 3Q02: 10/07/02 Page 388 of 425

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	O.W. and the Heal Transport Base O.W. And O.W.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan			OLFBA	OLFWO	1.70	22.14	13.23	0.43	3.91		13.03				
	(BUS) Tennessee 2-Way Collierville and Memphis Local Calling Plan			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	AL NUMBER PORTABILITY			02. 27.	02. 52			10.20	0.10	0.01		10.00				
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES			UEPBX	UEPVF	0.00	0.00	0.00				45.00				
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
110111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDI	Subsequent Database Update TIONAL NRCs						0.76					15.69				
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+										1	
	Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01									1	
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					. =-						4= 00				
1.00/	Res AL NUMBER PORTABILITY		1	UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
LUCA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.69				-
FFAT	TURES			OLI NO	LIVI OI	3.13	0.00	0.00				10.00				
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69			İ	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFRG	USACC			0.29								
ADDI	Subsequent Database Update TIONAL NRCs				+		0.76					15.69			-	
וטטא	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	l	1		+											
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates			-	+	4440										
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	1 2		+	14.18 18.01									<del>                                     </del>	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2		3	1	+ -	23.02										<del>                                     </del>
UNF	Loop Rates	1	Ť	<u> </u>	1	20.02								<del> </del>	t	t

Version 3Q02: 10/07/02 Page 389 of 425

ONRONDE	ED NETWORK ELEMENTS - Tennessee											1 -	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-Wii	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee															
	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69			ļ	↓
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69				1
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															1
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															1
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk															
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and															
	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	AL NUMBER PORTABILITY			02. TX	02.71			10.20	0.10	0.01		10.00				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				+
FEA1	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	0.00	0.00	0.00				10.00				+
- INGIN	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															+
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLITA	OOAOZ		1.03	0.23				13.03				+
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			ULFFX	USACC		1.03	0.29				13.09				+
	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs				+ +		0.76				1	15.09			1	+
ADDI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			1	+ +				1		1			1	<del> </del>	+
	Subsequent Activity	1		UEPPX	USAS2	0.00	0.00	0.00				15.69		l	I	1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFFA	USASZ	0.00	0.00	0.00	1		1	13.09		1	<del> </del>	+
	Group	1					14.64	14.64				15.69		l	I	1
LINE	Port/Loop Combination Rates				+		14.04	14.04			<del> </del>	15.09		-	<del></del>	+
UNE	2-Wire VG Coin Port/Loop Combo – Zone 1		1	+	+	14.18			<del>                                     </del>		<b> </b>			-	<del></del>	+
_	2-Wire VG Coin Port/Loop Combo – Zone 1		2	+	+	18.01			<del>                                     </del>		<b> </b>			-	<del></del>	+
_	2-Wire VG Coin Port/Loop Combo – Zone 2  2-Wire VG Coin Port/Loop Combo – Zone 3		3	+	+	23.02			<del>                                     </del>		<b> </b>			-	<del></del>	+
111-1-			3	-		23.02			<del>                                     </del>		<b>-</b>				<b>-</b>	+
UNE	Loop Rates		1	UEPCO	UEPLX	12.48			<del>                                     </del>		ļ			1	<del>                                     </del>	+
	2-Wire Voice Grade Loop (SL1) - Zone 1										<b>!</b>			ļ		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31					L					

Version 3Q02: 10/07/02 Page 390 of 425

<u> NNRON</u> DL	.ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Increment Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	0.115 1/1 0 1 1 1 10 11 7		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.147	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										-
2-WI	re Voice Grade Line Ports (COIN)		-													-
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPIB	1.70	22.14	15.25	8.45	3.91		15.69				+
	900/976. 1+DDD (NC. TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			OLFCO	OLFKF	1.70	22.14	13.23	0.45	3.91		15.05				+
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:			02. 00	02			.0.20	0.10	0.01		10.00				+
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking			02. 00	02. 0/1			10.20	0.10	0.01		10.00				
	(TN)		l	UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91	1	15.69		1	I	
	2-Wire Coin Outward with Operator Screening and Blocking:														1	1
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88						15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.88						15.69				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00				15.69				
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69				
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	RES)												
UNE	Port/Loop Combination Rates		4			18.45										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			23.52										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2		_	30.17										+
LINE	Loop Rates		3			30.17										+
ONL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										+
	2-Wire Voice Grade Loop (SL2) - Zone 1		2	UEPFR	UECF2	21.63										+
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28										+
2-Wi	re Voice Grade Line Port Rates (Res)			0=1111	02012	20.20					<b> </b>			<b>I</b>	<b>I</b>	<del>                                     </del>
2 11.	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69				1
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69		1	1	<b>†</b>
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69		1	1	<b>†</b>
	2-Wire voice Grade unbundled Tennessee extended local													1	1	1
	dialing parity port with Caller ID - res		l	UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56	1	15.69		1	I	
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)	<u></u>	L_	UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56	<u></u>	15.69		<u> </u>	L	<u> </u>
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller									·						
	ID - res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69		1		
	2-Wire voice unbundled Tennessee Area Calling port with Caller		l	l	1 !						1			1	I	
	ID - res (1MF2X)		<u> </u>	UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69				1
	2-Wire voice unbundled Tennessee Area Calling port with Caller													1	1	
	ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID		l	HEDED	LIED.S						1			1	I	
	(LUM)		<u> </u>	UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69		<b>!</b>	<b>!</b>	+
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan			LIEDED	LIEDVACAL	4.00	04.00	57.00	20.00	00.50		45.00		1	1	1
	without Caller ID		ı	UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56	i	15.69		1	l .	1

Version 3Q02: 10/07/02 Page 391 of 425

ONBONDL	ED NETWORK ELEMENTS - Tennessee			1								1 -	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLITIK	OTTVE	10.00	00.00	17.07	27.00	0.01						
	or Fraction Mile			UEPFR	1L5XX	0.0174										
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY			LIEBER	LUBOY											
NONE	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			CELLIK	00/102		10.54	0.72				10.00				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
2-WIF	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
INIE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE	Loop Rates		1	UEPFB	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63					1					-
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28										
2-Wir	e Voice Grade Line Port (Bus)			OLITB	OLOI Z	20.20										
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
-	Port Economy Option (TACC1)		1	UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and		1	UEPFB	UEPAD	1.09	64.99	57.39	32.30	20.56		15.09				
	Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Business Dialing Plan			02.10	02.7.2	1.00	01.00	07.00	02.00	20.00		10.00				
	without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan															
	(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															
	(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
LOCA	L NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT			UEPFB	LINPCX	0.35										
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			02.10	01112	10.00	00.00	11.01	21.00	0.01						
	or Fraction Mile			UEPFB	1L5XX	0.0174										
FEAT	URES						<u> </u>									
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00		•		15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ļ												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400							4= 0-				
	Combination - Conversion - Switch-as-is		1	UEPFB	USAC2		16.94	3.72			<u> </u>	15.69			ļ.	1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
2-W/IE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		1	UEPFB	USACC		16.94	3.72			1	15.09			1	1
LINE	Port/Loop Combination Rates		1	<del> </del>							<b> </b>				<u> </u>	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	1	+	18.45									1	1
<del>                                     </del>	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2	1		23.52	1				1	i			Ì	Ì

Version 3Q02: 10/07/02 Page 392 of 425

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	l.	l.
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			30.17										
UNE	Loop Rates				UEOEO	10.50										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP UEPFP	UECF2 UECF2	21.63 28.28									-	
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		3	UEPFF	UECF2	20.20										
2-9911	e voice Grade Line Fort Nates (BOS - FBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee									-						
Į .	Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69			1	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			I	1 7										_	
	Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				<b></b>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP UEPFP	UEPXB UEPXC	1.79 1.79	106.40 106.40	63.08 63.08	42.67 42.67	18.54 18.54		15.69 15.69			-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69			-	-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITI	OLI AD	1.75	100.40	05.00	42.07	10.54		15.05				
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0174										
FEAT	URES															
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			<u> </u>												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES				30,.00		. 5.54	3.72				.0.00			1	1
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			1		İ							Ì	1	
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18.38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87				•						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	ļ	1	24.78								ļ	ļ	
UNE I	Loop Rates			HEDDY	LIEOD4	0.00										<u> </u>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1 2	UEPPX	UECD1	9.60	-							<del> </del>	1	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX UEPPX	UECD1 UECD1	11.09 16.00								<b> </b>	<del>                                     </del>	<del>                                     </del>
ı	Port Rate		ა	ULPFA	UEUDI	10.00										<b></b>

Version 3Q02: 10/07/02 Page 393 of 425

<u> </u>	LED NETWORK ELEMENTS - Tennessee													Attachment:	2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination	-															
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	CAL NUMBER PORTABILITY								-								
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-W	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDI	E PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR	2	32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE	Loop Rates																1
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										1
	·																1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										1
UNE	Port Rate																1
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		1
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADD	DITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																1
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	HANNEL USER PROFILE ACCESS:	1															†
	CVS/CSD (DMS/5ESS)	1		UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								†
	CVS (EWSD)	1		UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								†
	CSD	1		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								†
B-C	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)					0.00									†
	CVS/CSD (DMS/5ESS)	1	1	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								1
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								<del>                                     </del>
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								<del>                                     </del>
USF	R TERMINAL PROFILE	1			32		5.00	5.00	2.00			1	i		1	1	<b>†</b>
135	User Terminal Profile (EWSD only)	1	t	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						1	1	<b>†</b>
VER	RTICAL FEATURES	1	t			1	3.30	5.55	3.30					1	<del> </del>	<del> </del>	<del>                                     </del>
<del>-  </del> ''	All Vertical Features - One per Channel B User Profile	1	t	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00					1	<del> </del>	<del> </del>	<del>                                     </del>
	Interoffice Channel mileage each, including first mile and	1	t			1	3.30	5.55	3.30					1	<del> </del>	<del> </del>	<del>                                     </del>
	facilities termination	1		UEPPB	UEPPR	M1GNC	17.91	53.99	17.37				I	19.99	19.99	Ì	
	Interoffice Channel mileage each, additional mile	1	<del>                                     </del>	UEPPB	UEPPR	M1GNM	0.173	0.00	0.00					13.35	13.35		+
4-W	IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT	<del>                                     </del>	CLIID	JLI I IX	IVITOIVIVI	0.173	0.00	0.00	<del> </del>					<del> </del>	<del> </del>	+
	E Port/Loop Combination Rates	T	<del>                                     </del>	1		1	1					<del>                                     </del>	1	1	1	1	+
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1				1						1	1		1	1	+
	Zone 1		1	UEPPP			132.58								l	l	
-+	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	<del></del>	JEITT		+	102.00					1	ł – – –		<b> </b>	<b> </b>	+
1	Zone 2		2	UEPPP			150.25							l	ĺ	ĺ	

<u>UNBUN</u> DLED N	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring		001150	001111		Rates(\$)	001141	001441
414	V DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	one 3		3	UEPPP		173.44										
UNE Loop			3	OLFFF		173.44					1					
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59										
UNE Port I	Rate															
Ex	change Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99		
NONRECU	JRRING CHARGES - CURRENTLY COMBINED															
	Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	ombination - Conversion -Switch-as-is			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDITION		ļ							ļ ļ					ļ	ļ	
	Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	ward/two way Tel Nos. (except NC)	<u> </u>		UEPPP	PR7TF		0.94				<u> </u>		19.99	19.99	ļ	
	Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	l		LIEDDD	DDZTO		00.00	00.00					40.00	40.00		
	utward Tel Numbers (All States except NC) Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	<del>                                     </del>	-	UEPPP	PR7TO		22.36	22.36	<del> </del>		<del>                                     </del>		19.99	19.99	-	-
	ibsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
	JMBER PORTABILITY			OLFFF	FRIZI		44.71	44.70					15.55	19.99		
	cal Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	CE (Provsioning Only)			OLITT	LIVI OIV	1.70										
	pice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	gital Data			UEPPP	PR71D	0.00	0.00	0.00								
Inv	ward Data			UEPPP	PR71E	0.00	0.00	0.00								
	dditional "B" Channel															
	ew or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	ew or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	ew or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL TYP	-			usana.	DD=0.4											
	ward			UEPPP	PR7C1	0.00	0.00	0.00								
	utward			UEPPP UEPPP	PR7C0 PR7CC	0.00	0.00	0.00								
	vo-way e Channel Mileage		-	UEFFF	PR/CC	0.00	0.00	0.00								-
	ked Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99		
	ach Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525	140.00	100.00	10.00				10.00	10.00		
	S1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITI	ILIVID	0.3323										
	Loop Combination Rates															
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93.28							19.99	19.99		
4W	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95							19.99	19.99		
	V DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14							19.99	19.99		
UNE Loop																
	Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
	Wire DS1 Digital Loop - UNE Zone 2	ļ	2	UEPDC	USLDC	75.40										
	Wire DS1 Digital Loop - UNE Zone 3	ļ	3	UEPDC	USLDC	98.59					ļ					ļ
UNE Port I				LIEDDO	LIDDAT	05.55	0.40.00	057.67	04.44	40.40			10.00	10.00		
	Wire DDITS Digital Trunk Port JRRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	-	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49	<del>                                     </del>		19.99	19.99	-	+
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1			+											1
	Switch-as-is	l		UEPDC	USAC4		312.91	312.91					19.99	19.99		
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				30,10.		0.2.01	0.2.01					.0.00	.5.55		
	Conversion with DS1 Changes	1		UEPDC	USAWA		312.91	312.91	]				19.99	19.99		
	Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1		2.2.01	2.2.01	i i					15,00		
- C	Conversion with Change - Trunk	1		UEPDC	USAWB		312.91	312.91	]				19.99	19.99		
ADDITION	IAL NRCs															
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent									-						
	ervice Activity Per Service Order			UEPDC	USAS4		94.88	94.88			ļ					<u> </u>
	Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -	1			[				]					l	l	
l Su	ubsequent Channel Activation/Chan - 2-Way Trunk	l		UEPDC	UDTTA		108.67	108.67			<u> </u>		19.99	19.99		<u></u>

Version 3Q02: 10/07/02 Page 395 of 425

	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremer Charge Manual S Order v Electron Disc Ad
						Rec	Nonrecurring		Nonrecurring	Disconnect		l.	oss	Rates(\$)	l	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDITC		108.67	108.67					19.99	19.99		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		1	OLI DO	OBTID		100.07	100.07					10.00	10.00		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
BIPOL/	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00					19.99	19.99		
	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	МСОРО		0.00	0.00								
	one Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00					1		19.99	19.99		
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						-	19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group Without DID			UEPDC	UDTGZ	0.00						-	19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00					10.00	10.00		
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
ı	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			UEPDC	1LNO2	0.00	0.00	0.00								
	Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNO2	0.00	0.00	0.00			1					
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLI DO	ILINOB	0.3323	0.00	0.00								1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	ystem can have up to 24 combinations of rates depending on	type a	nd nun	nber of ports used												
	S1 Loop			1155110												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3		3	UEPMG UEPMG	USLDC	75.40 98.59	0.00	0.00			1					
	60 Channelization Capacities (D4 Channel Bank Configuration	ne)	3	UEPIVIG	USLDC	90.39	0.00	0.00				-				-
	24 DSO Channel Capacities (54 Channel Bank Configuration	113)		UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99	<u> </u>	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
1 7	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG UEPMG	VUM40 VUM57	2,637.40 3,164.88	0.00	0.00			<u> </u>		19.99 19.99	19.99 19.99		<u> </u>
								0.00					10 00	10.00		1
	576 DS0 Channel Capacity -1 per 24 DS1s										1	1				
	576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Char	noli=ti-	UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		

Version 3Q02: 10/07/02 Page 396 of 425

UNBUNDL	ED NETWORK ELEMENTS - Tennessee			_	1						1 -		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrecurring		Nonrecurring		001150	001111		Rates(\$)	001441	
-	NRC - Conversion (Currently Combined) with or without				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat										10.00	10.00		
New	(Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MS/	\'s		1										
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipo	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00005	0.00	0.00	500.00								
	Activity Only  Clear Channel Capability Format - Extended Superframe -		1	UEPMG	CCOSF	0.00	0.00	590.00			1				-	-
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
Alter	nate Mark Inversion (AMI)		1	OLFIVIG	CCOLI	0.00	0.00	390.00								
Alter	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00			1				1	
Exch	ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port													
Exch	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	l				1											
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
Fast	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
reatt	Feature (Service) Activation for each Line Port Terminated in D4				-											
	Bank (includes Q.1.4, P50.1, P.50.498)  Feature (Service) Activation for each Trunk Port Terminated in			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
Talas	D4 Bank (includes Q.1.4, P50.1, P.50.498)  bhone Number/ Group Establishment Charges for DID Service			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03		
i eiep	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00			1				-	1
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			1					
	Non-Consecutive DID Numbers - per number	1		UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00		0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	I Switching Features Offered with Line Side Ports Only				ļ											
LINDUNDI E	All Features Available D PORT LOOP COMBINATIONS - MARKET RATES			UEPPX	UEPVF	0.00	0.00	0.00								
	et Rates shall apply where BellSouth is not required to provide		died ie		itala manta ma	FCC	tata Camunicaia				1				-	-
	et Rates snall apply where Bellsouth is not required to provide includes:	l	uled 10	cai Switching or SW	Ton ports per	Lec and/or St	late Commissio	ii ruies.	<del>                                     </del>		1	1	1	1	<del> </del>	+
	includes. Includes.	Not Cur	rently (	Combined in Zone 1	of the Top 8	MSAS in BellS	South's region f	or end users	with 4 or more I	DS0 equivaler	nt lines.					
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft, Lauderd											e).				
BellS	South currently is developing the billing capability to mechanica	ally bill	the rec	urring and non-reci	urring Market	Rates in this s	section except f	or nonrecurring	ng charges for i	not currently	combined in	FL and NC	. In the interi	m where Bell	South cannot	t bill Market
Rates	s, BellSouth shall bill the rates in the Cost-Based section precede	ding in	lieu of	the Market Rates ar	nd reserves th	e right to true-	up the billing o	difference.								
	Market Rate for unbundled ports includes all available features															
	Office and Tandem Switching Usage and Common Transport Us	sage rat	tes in t	he Port section of the	nis rate exhib	it shall apply to	o all combination	ons of loop/po	ort network elen	nents except	for UNE Coi	n Port/Loop	Combination	ns which hav	e a flat rate us	sage charge
	C: URECU).															
	Not Currently Combined scenarios the Nonrecurring charges are	e listed	in the l	First and Additional	NRC column	s for each Por	t USOC. For Cu	rrently Comb	ined scenarios,	the Nonrecui	ring charge	s are listed	in the NRC - 0	Currently Con	nbined sectio	n.
	tional NRCs may apply also and are categorized accordingly.				1	ı	, ,		, ,		1		1	ı		1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ		ļ	+										1	1
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	<del>                                     </del>	1	<del>                                     </del>	1	26.48	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	-			<del>                                     </del>	1
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	2	<del>                                     </del>	1	26.48 30.31	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	-			<del>                                     </del>	1
		1			+		<del>                                     </del>		-				-	-	+	+
	12-Wire VG Loon/Port Combo - Zone 3															1
IINE	2-Wire VG Loop/Port Combo - Zone 3		3			35.32	<del> </del>		<del>                                     </del>							
UNE	Loop Rates		1	UEPRX	UEPI X											
UNE				UEPRX UEPRX	UEPLX UEPLX	12.48 16.31										

Version 3Q02: 10/07/02 Page 397 of 425

ONRONDL	ED NETWORK ELEMENTS - Tennessee			1							10	06	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-14/6	re Voice Grade Line Port (Res)						FIISL	Add I	LIISI	Add I	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
2-771	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		-
	2-Wire voice unbundled port with Caller ID - res	-		UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		<del> </del>
	2-Wire voice unburidled port with Carler 15 - 16s  2-Wire voice unburidled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		<del> </del>
	2-Wire voice dribundled port outgoing only 1 res  2-Wire voice Grade unbundled Tennessee extended local			OLITIX	OLI KO	14.00	30.00	30.00					30.03	7.00		<del>                                     </del>
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller			CELLICA	OLI 71Q	14.00	30.00	50.00					00.00	7.00		
	ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
-	2-Wire voice unbundled Tennessee Area Calling port with Caller			02.101	02.7.11	1 1.00	00.00	00.00					00.00	7.00		
	ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller	1				50	33.50	23.30					33.55		1	
	ID - res (TACSR)	1		UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03	1	1
	2-Wire voice unbundled Tennessee Area Calling port with Caller	1		1	1	50	22.20	22.30					22.20	50	1	
	ID - res (1MF2X)	l		UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		1
	2-Wire voice unbundled Tennessee Area Calling port with Caller			İ			1		İ						İ	
	ID - res (2MR)	l		UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		1
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan															
	without Caller ID			UEPRX	UEPWN	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Plus Port without															
	Caller ID Capability			UEPRX	UEPRR	14.00	90.00	90.00					30.89	7.03		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED															<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Switch with						44.50							= 00		
400	change			UEPRX	USACC		41.50	41.50					30.89	7.03		<b>.</b>
ADDI	ITIONAL NRCs															ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -			LIEDDY	110,400	0.00	0.00	0.00					30.89	7.03		
2 14/1	Subsequent RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		<del> </del>
	Port/Loop Combination Rates															<del> </del>
ONL	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										1
-	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 3	-	3		+	35.32										
UNF	Loop Rates	1			1	00.02										
J.12	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	16.31									1	
-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32									1	
2-Wii	re Voice Grade Line Port (Bus)		Ť	1		252									1	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)	<u> </u>		UEPBX	UEPAC	14.00	90.00	90.00	<u> </u>		<u> </u>		30.89	7.03	<u> </u>	
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Standard Option (TACC2)			UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and	1		<u> </u>												
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Incoming Only Port without Caller ID															
1	Capability	l	1	UEPBX	UEPBE	14.00	90.00	90.00			1		30.89	7.03	1	1

Version 3Q02: 10/07/02 Page 398 of 425

UNBUNDLED NETWORK ELEME	IN I S - I ennessee			ı							12		Attachment:			bit: B
ATEGORY RA	ATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring			Disconnect				Rates(\$)		
O Miss Vaiss Habres died	Tennessee Business Dialing Plan						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
without Caller ID	Tennessee Business Dialing Plan			UEPBX	UEPWO	14.00	90.00	90.00					30.89	7.03		
LOCAL NUMBER PORTABILITY	(			OLI DX	OLI WO	14.00	30.00	30.00					30.03	7.05		
Local Number Portability				UEPBX	LNPCX	0.35										
FEATURES	(. F F )								İ							
All Features Offered				UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRECURRING CHARGES - C	CURRENTLY COMBINED															
	/ Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
2-Wire Voice Grade Loop	/ Line Port Combination - Switch with															
change				UEPBX	USACC		41.50	41.50					30.89	7.03		
ADDITIONAL NRCs																
	e Loop/Line Port Combination -			LIEBBY					1							
Subsequent				UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
	VITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination R			<u> </u>													
2-Wire VG Loop/Port Cor			1			26.48										
2-Wire VG Loop/Port Cor			2			30.31										
2-Wire VG Loop/Port Cor	nbo - Zone 3		3		-	35.32			-							
2-Wire Voice Grade Loop	(SI 1) Zono 1		1	UEPRG	UEPLX	12.48			-							
2-Wire Voice Grade Loop	(SL1) Zono 2		2	UEPRG	UEPLX	16.31										
2-Wire Voice Grade Loop	(SL1) - Zone 2		3	UEPRG	UEPLX	21.32										
2-Wire Voice Grade Line Port R				OLI IKO	OLI LX	21.02										
	ombination 2-Way PBX Trunk Port -															
Res	Sinbiliation 2 Way 1 BX Trank 1 Oil			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
LOCAL NUMBER PORTABILITY	1				3											
Local Number Portability				UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES																
All Features Offered				UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONRECURRING CHARGES - C	CURRENTLY COMBINED															
	/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	/ Line Port Combination - Switch with															
Change				UEPRG	USACC		41.50	41.50					30.89	7.03		
ADDITIONAL NRCs	ort Combination Non-feature		1		+				<del>                                     </del>	-	1			-	-	
Subsequent Activity- Non	ort Combination - Non feature -						0.00	0.00	1				30.89	7.03		
	- Change/Rearrange Multiline Hunt		1		+ +		0.00	0.00	-				30.89	1.03		
Group	Shange/Realrange Multillile Hullt		1				14.64	14.64	I				30.89	7.03		
	VITH 2-WIRE LINE PORT (BUS - PBX)		1		+		14.04	14.04	<b>-</b>				30.09	7.03		
UNE Port/Loop Combination R									<b>†</b>							
2-Wire VG Loop/Port Cor			1			26.48			<b>†</b>							
2-Wire VG Loop/Port Cor			2			30.31			1							
2-Wire VG Loop/Port Cor			3			35.32										
UNE Loop Rates																
2-Wire Voice Grade Loop			1	UEPPX	UEPLX	12.48										
2-Wire Voice Grade Loop			2	UEPPX	UEPLX	16.31										
2-Wire Voice Grade Loop			3	UEPPX	UEPLX	21.32										
2-Wire Voice Grade Line Port R	ates (BUS - PBX)															
			1						_							
	mbination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00	ļ		ļ		30.89	7.03		
	tward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00	ļ				30.89	7.03		
	oming PBX Trunk Port - Bus		<u> </u>	UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
2-Wire Voice Unbundled			<del>                                     </del>	UEPPX	UEPLD	14.00	90.00	90.00	<b>.</b>				30.89	7.03		
2-Wire Voice Unbundled Calling Port	2-Way Combination PBX Tennessee			UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		
2-Wire Voice Unbundled	1-Way Outgoing PBX Tennessee															
Calling Port		l	1	UEPPX	UEPTO	14.00	90.00	90.00	1	1	1		30.89	7.03	1	

Version 3Q02: 10/07/02 Page 399 of 425

NRONDF	ED NETWORK ELEMENTS - Tennessee			T									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00	THOU	Addi	JOHILO	JOMAN	30.89	7.03	JOHAN	JOHAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					30.89	7.03		
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					30.89	7.03		
$\neg$	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						1									
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			HEDDY	HEDVII	44.00	00.00	00.00					00.00	7.00		
	Port			UEPPX	UEPXU	14.00	90.00	90.00	-				30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
_	Tennessee PBX 2-Way Combo Each Additional Trunk		<u> </u>	UEPPX	UEPAV	14.00	90.00	90.00	-				30.89	7.03		
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
	Tennessee PBX 2-Way Combo First Trunk Collierville and			UEPPA	UEPAO	14.00	90.00	90.00	+				30.69	7.03		
	Memphis Local Calling Plan			UEPPX	UEPA7	14.00	90.00	90.00					30.89	7.03		
LOCA	AL NUMBER PORTABILITY			OLITA	OLI 717	14.00	50.00	50.00					00.00	7.00		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES			OZ. TX	2.1. 0.	0.10	0.00	0.00								
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
							1									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					30.89	7.03		
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT	<u> </u>													
UNE	Port/Loop Combination Rates		_			00.40			-							
	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.48 30.31			-							
	2-Wire VG Coin Port/Loop Combo – Zone 2  2-Wire VG Coin Port/Loop Combo – Zone 3		3			35.32			<del>                                     </del>							
LINE			3			35.32			<del>                                     </del>							
UNE	Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48	1									
-	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31	<del>                                     </del>		<del>                                     </del>					1	1	
	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	21.32	<del>                                     </del>		<del>                                     </del>							
2-Wir	e Voice Grade Line Port Rates (Coin)		_	02.00	JEI EX	21.02			<del>                                     </del>							
	2-Wire Coin 2-Way without Operator Screening and without				1				<del>                                     </del>							
	Blocking (TN)		1	UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		1
1	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1	50		22.30	<del>                                     </del>				22.20	1.50	İ	
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14.00	90.00	90.00	1				30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(TN)		1	UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03		1
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00	<u> </u>				30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking						İ									
	(TN)	l	1	UEPCO	UEPTC	14.00	90.00	90.00	1				30.89	7.03	1	l

ONRONDI	LED NETWORK ELEMENTS - Tennessee			1							I		Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		.1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPCO	USACC		41.50	41.50					30.89	7.03		
ADD	DITIONAL NRCs		<u> </u>		-											
ı	O Mine Vales Conda Lace / Line Dark Combination Co.	1	1	LIEBCO	110400	0.00	0.00	0.00					20.00	7.00		
<del></del>	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<u> </u>	OCT '	UEPCO	USAS2	0.00	0.00	0.00					30.89	7.03		+
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	LINE	-UKI (	KEO)	+						1					+
UNE			_			00.50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<del>                                     </del>	2		+	30.56 35.63	<del>                                     </del>				1				-	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	+	3		+	42.28	<del>                                     </del>		1					-	<b> </b>	+
LINE	E Loop Rates		3		+	42.28										
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	16.56										+
	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	21.63										+
	2-Wire Voice Grade Loop (SL2) - Zone 2  2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	28.28	-									+
2 W	ire Voice Grade Line Port Rates (Res)		3	UEPFK	UECF2	20.20	-									+
2-991	2-Wire voice unbundled port - residence			UEPFR	UEPRL	14.00	115.00	75.00	40.00	30.00		15.69				+
	2-Wire voice unbundled port vith Caller ID - res		1	UEPFR	UEPRC	14.00	115.00	75.00	40.00	30.00		15.69				+
	2-Wire voice unburidled port outgoing only - res		1	UEPFR	UEPRO	14.00	115.00	75.00	40.00	30.00	1	15.69				+
	2-Wire voice Grade unbundled Tennessee extended local		1	UEPFK	UEPRO	14.00	115.00	75.00	40.00	30.00	1	15.69				+
ı l	dialing parity port with Caller ID - res			UEPFR	UEPAQ	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -		1	OLFIK	ULFAQ	14.00	113.00	75.00	40.00	30.00	1	13.09				+
ı l	res (AC7)			UEPFR	UEPAH	14.00	115.00	75.00	40.00	30.00		15.69				
+-	2-Wire voice unbundled Tennessee Area Calling port with Caller		1	OLITIK	OLIAII	14.00	113.00	75.00	40.00	30.00	1	13.03				+
ı l	ID - res (F2R)			UEPFR	UEPAK	14.00	115.00	75.00	40.00	30.00		15.69				
-	2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITIK	OLITAR	14.00	110.00	70.00	40.00	00.00		10.00				+
ı l	ID - res (TACER)			UEPFR	UEPAL	14.00	115.00	75.00	40.00	30.00		15.69				
<del> </del>	2-Wire voice unbundled Tennessee Area Calling port with Caller			02	OL: /\L	1 1.00	1.0.00	70.00	10.00	00.00		10.00				†
ı l	ID - res (TACSR)			UEPFR	UEPAM	14.00	115.00	75.00	40.00	30.00		15.69				
<i></i>	2-Wire voice unbundled Tennessee Area Calling port with Caller															+
ı l	ID - res (1MF2X)			UEPFR	UEPAN	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															†
ı l	ID - res (2MR)			UEPFR	UEPAO	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID															1
1	(LUM)			UEPFR	UEPAP	14.00	115.00	75.00	40.00	30.00		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan															
l	without Caller ID	<u> </u>	L	UEPFR	UEPWN	14.00	115.00	75.00	40.00	30.00	<u></u>	15.69				
INT	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	<u> </u>		UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51						
. 1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile	1		UEPFR	1L5XX	0.0174										1
FEA	TURES	<u> </u>									<u> </u>					1
	All Features Offered	<b>.</b>	<u> </u>	UEPFR	UEPVF	0.00	0.00	0.00				15.69				1
LOC	CAL NUMBER PORTABILITY	<b> </b>	<u> </u>	LIEBER	LUBOY				1		1				ļ	4
<del></del>	Local Number Portability (1 per port)	<b> </b>	<u> </u>	UEPFR	LNPCX	0.35	ļ		ļ		ļ				ļ	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b> </b>	<u> </u>												ļ	4
. 1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1		LIEDED	110466							4= 0-				
	Combination - Conversion - Switch-as-is	1		UEPFR	USAC2		16.94	3.72			1	15.69				+
ı	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1	LIEDED	LICACO		40.04	0.70				45.00				
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72			ļ	15.69			ļ	+
0.147	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E														

Version 3Q02: 10/07/02 Page 401 of 425

UNDUND	LEL	NETWORK ELEMENTS - Tennessee	1		1	1						Cup Cade	Cva CI-	Attachment:			ibit: B
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
																D130 131	DISC Add
							Rec	Nonrecurring First	A -1 -111	Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		-	30.56	FIRST	Add'l	First	Add'l	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			35.63	1									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			42.28										1
LIN		op Rates		3			42.20										1
0.4		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	21.63	1									1
		2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.28	1									1
2-14		Voice Grade Line Port (Bus)	-	3	OLFIB	OLCI 2	20.20								-		
2-41		2-Wire voice unbundled port without Caller ID - bus	-		UEPFB	UEPBL	14.00	115.00	75.00	40.00	30.00		15.69		-		
		2-Wire voice unbundled port with Caller + E484 ID - bus	-		UEPFB	UEPBC	14.00	115.00	75.00	40.00	30.00		15.69		-		
			-		UEPFB	UEPBO	14.00	115.00	75.00	40.00	30.00		15.69		-		
		2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Tennessee extended local	-		UEFFB	UEPBU	14.00	115.00	75.00	40.00	30.00		15.69		-		
		dialing parity port with Caller ID - bus			UEPFB	UEPAV	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	14.00	115.00	75.00	40.00	30.00		15.69				
			-		UEPFB	UEPBI	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	l		UEPFB	UEPAC	44.00	445.00	75.00	40.00	30.00		45.00		1		
		Port Economy Option (TACC1)	-		UEPFB	UEPAC	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling							== 00	40.00			4= 00				
		Port Standard Option (TACC2)			UEPFB	UEPAD	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and															
		Memphis Local Calling Port (B2F)			UEPFB	UEPAE	14.00	115.00	75.00	40.00	30.00		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan															
		without Caller ID			UEPFB	UEPWO	14.00	115.00	75.00	40.00	30.00		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan															
		(BUS)			UEPFB	UEPB2	14.00	115.00	75.00	40.00	30.00		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan															
		(BUS)			UEPFB	UEPB3	14.00	115.00	75.00	40.00	30.00		15.69				
LO		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INT		OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPFB	1L5XX	0.0174										
FE/	ATUF	RES															
		All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00				15.69				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch-as-is	<u> </u>		UEPFB	USAC2		16.94	3.72				15.69		<u></u>		<u> </u>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
		Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72				15.69				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UN	E Po	rt/Loop Combination Rates															
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			30.56										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			35.63										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			42.28										
UN		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63	i l							1		
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.28	i l							1		
2-W		Voice Grade Line Port Rates (BUS - PBX)			İ			i l							1		
	Ť	, , , , , , , , , , , , , , , , , , , ,			İ			i l							1		
	l	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPFP	UEPPC	14.00	106.40	63.08	42.67	18.54		15.69		I		
		Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPFP	UEPPO	14.00	106.40	63.08	42.67	18.54		15.69		1	Ì	
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	14.00	106.40	63.08	42.67	18.54		15.69				
		2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPFP	UEPLD	14.00	106.40	63.08	42.67	18.54		15.69		t		1
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee	1			52.20	14.00	100.40	00.00	72.01	10.04		10.00		t		<b>†</b>
		Calling Port	l		UEPFP	UEPT2	14.00	106.40	63.08	42.67	18.54		15.69		1		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee	1		0=111	UL1 12	17.00	100.40	03.00	72.07	10.54		10.03		t	1	1
		Calling Port	l	1	UEPFP	UEPTO	14.00	106.40	63.08	42.67	18.54	I	15.69				Ì

Version 3Q02: 10/07/02 Page 402 of 425

<u> NNRNND</u> L	ED NETWORK ELEMENTS - Tennessee												Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	*
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						100.10		40.00			4= 00				
	Capable Port			UEPFP	UEPXE	14.00	106.40	63.08	42.67	18.54		15.69			-	+
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFF	UEFAL	14.00	100.40	63.06	42.07	10.34		15.69			-	+
	Room Calling Port			UEPFP	UEPXM	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy			OE111	OLI AIVI	14.00	100.40	03.06	42.07	10.34		13.03			t	+
	Administrative Calling Port TN Calling Port			UEPFP	UEPXN	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				22.74.	00	.00.40	22.00	.2.07	.0.04		.0.00			1	<del>                                     </del>
	Discount Room Calling Port			UEPFP	UEPXO	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling															1
	Port			UEPFP	UEPXU	14.00	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	Callling Port			UEPFP	UEPXV	14.00	106.40	63.08	42.67	18.54		15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	41.500/	0.0474										
FFA	or Fraction Mile			UEPFP	1L5XX	0.0174									-	+
FEA	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00				15.69				+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFIF	OLF VI	0.00	0.00	0.00				13.09				+
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															+
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69				
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00/102		10.01	0.7.2				10.00				
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69				
INBUNDLE	PORT/LOOP COMBINATIONS - MARKET BASED RATES															1
2-WI	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														1
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			49.60										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			51.09		•					_			
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			56.00										<u> </u>
UNE	Loop Rates		<u> </u>	LIEBBY	LUE OF :										ļ	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9.60										<del> </del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX UEPPX	UECD1 UECD1	11.09								ļ	-	<del></del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1 UEPD1	16.00 40.00	600.00	45.00	8.45	3.91			30.89	7.03	<b>!</b>	+
NON	Exchange Ports - 2-Wire DID Port  RECURRING CHARGES - CURRENTLY COMBINED	<b>-</b>	-	ULFFA	UEPUI	40.00	000.00	45.00	8.45	3.91			30.89	7.03	<del></del>	+
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -														-	+
	Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		100.00	42.50					30.89	7.03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	<del></del>		0=117	00/101		100.00	72.30	<del>                                     </del>				30.09	7.03	t	+
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		100.00	42.50					30.89	7.03	I	
Telei	phone Number/Trunk Group Establisment Charges						.00.00	.2.50					30.00	50	1	<b>†</b>
. 5/6	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00	1					İ	1	<b>†</b>
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	i i						1	1
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00	i i						1	1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00	1							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	POR													
11151	Port/Loop Combination Rates			1				·		·						

Version 3Q02: 10/07/02 Page 403 of 425

UNDUNDL	ED NETWORK ELEMENTS - Tennessee		1	1		1	1					0	06	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						1	B	Nonrecurring		Nonrecurring	Disconnect		l .	oss	Rates(\$)	1	4
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						0.4 =0										
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20			1						1	
	2-vviile IODIA Digital Grade E00p - GIAC 2011e 1		-	OLITB	OLITIK	OOLZX	10.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										1
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00			30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED				-												
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			==	==							]				_	
	Combination - Conversion - Top 8 MSAs only		<u> </u>	UEPPB	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03	ļ	<u> </u>
ADD	TIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk	1		UEPPB	UEPPR	USASB		212.88						30.89	7.03		
1.00	AL NUMBER PORTABILITY			UEPPB	UEPPR	USASB		212.88						30.89	7.03		
EGG	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<del>                                     </del>
B-CH	ANNEL USER PROFILE ACCESS:			OLITE	OLITIK	LITI OX	0.00	0.00	0.00								+
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							1	1
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	· TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00		0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
нег	CSD R TERMINAL PROFILE			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USEI	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VED	TICAL FEATURES			OLFFB	ULFFR	OTOWA	0.00	0.00	0.00								1
12.10	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								1
	Interoffice Channel mileage each, including first mile and						0.00	7.00									
	facilities termination			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37								
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.173	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD			000 70										
	Zone 1 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	UEPPP		+	982.73			-						-	
	Zone 2		2	UEPPP			1,000.40										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			ULFFF		-	1,000.40										
	Zone 3		3	UEPPP			1,023.59										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	98.59										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1	LIEDOD		LICACD	0.00	005.00	005.00			1		20.00	7.00		
400	Combination - Conversion -Switch-As-Is Top 8 MSAs only TIONAL NRCs			UEPPP		USACP	0.00	925.00	925.00	<u> </u>				30.89	7.03	<del>                                     </del>	<del>                                     </del>
ADD	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1	1		1	1	1				-			1	<del> </del>	<del>                                     </del>
	Inward/two way Telephone Numbers (except NC)		1	UEPPP		PR7TF		0.94				1					
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1		JE111				5.54								<b>-</b>	<del>                                     </del>
	Outward Tel Numbers (All States except NC)		1	UEPPP		PR7TO		22.36	22.36			1					
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Telephone Numbers	<u> </u>		UEPPP		PR7ZT	<u> </u>	44.71	44.70						<u> </u>	<u></u>	
LOC	AL NUMBER PORTABILITY								· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	RFACE (Provsioning Only)					<u> </u>											

Version 3Q02: 10/07/02 Page 404 of 425

UNE	UNDLE	NETWORK ELEMENTS - Tennessee			1									Attachment:			ibit: B
				1	1							Svc Order	Svc Order			Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATE	EGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
				-		_		Nonrecurring		Nonrecurring	Disconnect			000	Rates(\$)		
	_						Rec										
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
		Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
		Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or	Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39									+
	+	New or Additional - Voice/Bata B Channel		1	UEPPP	PR7BF	0.00	29.11				1				<b>+</b>	+
	_																
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39									
	CALL 1																
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
		Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
	Intereff	ice Channel Mileage			OLITI	1100	0.00	0.00	0.00								<del>                                     </del>
				1	UEPPP	1LN1A	70 4005	445.00	400.05	40.55		1			<b> </b>	-	<del> </del>
		Fixed Each Including First Mile		ļ			76.1825	145.98	109.85	19.55		<u> </u>					<b></b>
		Each Airline-Fractional Additional Mile		1	UEPPP	1LN1B	0.3525					ļ					
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		L_ <sup>-</sup>													
	UNE Po	ort/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93.28	į į							İ		1
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95										+
	_	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC	+	134.14										
				3	UEPDC		134.14										
	UNE Lo	oop Rates															
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40										
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										1
		ort Rate														1	<del>                                     </del>
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
					UEPDC	ווטטט	750.00	982.57	450.10	196.09	19.23			30.89	7.03		
		CURRING CHARGES - CURRENTLY COMBINED		<u> </u>													
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
	-	- conversion with bot changes top o works only			OLI DO	OOAVVA		312.31	312.31					30.03	7.05		
		BOART / BRITOT															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
	ADDITI	ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
		Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		<u> </u>	02. 20	00/101		000	0 1.00								+
					LIEDDO	LIDTTA		400.07	400.07					20.00	7.00		
		Subsequent Channel Activation/Chan - 2-Way Trunk		<b>├</b>	UEPDC	UDTTA		108.67	108.67			<b>.</b>		30.89	7.03		<del>                                     </del>
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent	l	1	İ										1	1	
		Channel Activation/Chan - 1-Way Outward Trunk		<u> </u>	UEPDC	UDTTB		108.67	108.67	<u> </u>				30.89	7.03		<u> </u>
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel					-				-			-			
		Activation/Chan Inward Trunk w/out DID	l	1	UEPDC	UDTTC		108.67	108.67					30.89	7.03	1	
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		<del>                                     </del>	<u> </u>	1 1				1		1		22.20	1.50	1	†
		Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
				1	ULFUC	טווטט		108.67	108.67			1		30.89	7.03	-	<del> </del>
	1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
		Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		108.67	108.67			1		30.89	7.03		<u> </u>
		AR 8 ZERO SUBSTITUTION	L	<u> </u>	<u> </u>			<u> </u>		<u> </u>					<u> </u>		L
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					-			
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								1
		te Mark Inversion		<del>                                     </del>	<del>                                     </del>	<del> </del>		0.00	300.30	1		1			†	1	†
		AMI -Superframe Format		<del>                                     </del>	UEPDC	MCOSF		0.00	0.00			1				1	<del>                                     </del>
				1								1			1	1	<del>                                     </del>
		AMI - Extended SuperFrame Format		<u> </u>	UEPDC	MCOPO		0.00	0.00			ļ					<b></b>
	Teleph	one Number/Trunk Group Establisment Charges															
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00				-			-			
		Telephone Number for 1-Way Outward Trunk Group		Ì	UEPDC	UDTGY	0.00	i i		i i					İ		1
	-	Telephone Number for 1-Way Inward Trunk Group Without DID		t	UEPDC	UDTGZ	0.00	1		1		1			1	1	<del>                                     </del>
		releptions intriber for i-vvay inward fruits Group williout DID			021 00	UDIGE	0.00			1							<del></del>
	-	DID Numbers, Establish Trunk Group and Provide First Group															

Version 3Q02: 10/07/02 Page 405 of 425

INBUNDLED N	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIC	D Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
DID	D Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
Res	eserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
Res	serve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicated	DS1 (Interoffice Channel Mileage) -															1
FX/FCO fo	or 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
Inte	eroffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
Ter	rmination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
Inte	eroffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	eroffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	rmination)	L		UEPDC	1LNO2	0.00	0.00	0.00			<u></u>			<u> </u>	<u> </u>	
Inte	eroffice Channel Mileage - Additional rate per mile - 9-25															T
mile				UEPDC	1LNOB	0.3525	0.00	0.00								<u> </u>
Inte	eroffice Channel Mileage - Fixed rate 25+ miles (Facilities															
Ter	rmination)	<u> </u>		UEPDC	1LNO3	0.00	0.00	0.00						<u></u>		<u> </u>
Inte	eroffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
Loc	cal Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								1
Cei	entral Office Termininating Point			UEPDC	CTG	0.00										
4-WIRE DS	S1 LOOP WITH CHANNELIZATION WITH PORT															
System is	1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														
A system o	can have various rate combinations based on type and nur	mber of	ports	used												1
UNE DS1 L																1
4-V	Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00								1
4-V	Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00								1
4-V	Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00								
UNE DSO	Channelization Capacities (D4 Channel Bank Configuration	ns)														1
24	DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		1
48	DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		
96	DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		
144	4 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		
192	2 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		
240	0 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					30.89	7.03		1
288	8 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		
	4 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					30.89	7.03		
	0 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					30.89	7.03		
	6 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					30.89	7.03		
672	2 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					30.89	7.03		
Non-Recur	rring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chann	eliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
A Minimun	m System configuration is One (1) DS1, One (1) D4 Channe	l Bank, a	and Up	To 24 DSO Ports	with Feature A	Activations.										1
	of this configuration functioning as one are considered Ac															
	RC - Conversion (Currently Combined) with or without			,	1									İ	İ	1
	IlSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	303.61	15.74			1		30.89	7.03	l	
	dditions Where Currently Combined and New (Not Currentl	y Comb	ined )													
	Zone 1 Top 8 MSAs															
	DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	a Activation -			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41	1		30.89	7.03	l	1
	Zero Substitution							-								1
Cle	ear Channel Capability Format, superframe - Subsequent															
	tivity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	ear Channel Capability Format - Extended Superframe -															1
	bsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00			1				l	
Alternate N	Mark Inversion (AMI)							-								
	perframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	tended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port								ĺ			ĺ		1
	Ports			l	+	<b>I</b>					l				<b>-</b>	+

Version 3Q02: 10/07/02 Page 406 of 425

JNBUNDLED NETWORK ELEMENTS - Tennessee			•									Attachment:			bit: B
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Managarania ar		Nonrecurring	Diagonage			000	Rates(\$)		
					Rec	Nonrecurring First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1				FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	SOWAN
Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		
Feature Activations - Unbundled Loop Concentration															
Feature (Service) Activation for each Line Port Terminated in D4															
Bank (includes Q.1.4, P.50.1, & P.50.498)		1	UEPPX	1PQWM	2.02	40.00	20.00	6.00	5.00						
Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	1PQWU	2.02	440.00	00.00	75.00	45.00						
D4 Bank (includes Q.1.4, P.50.1, & P.50.498)			UEPPX	1PQWU	2.02	110.00	30.00	75.00	15.00						
Telephone Number/ Group Establishment Charges for DID Service  DID Trunk Termination (1 per Port)	<del>                                     </del>	1	UEPPX	NDT	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>			<del></del>	<del>                                     </del>	
DID Trunk Termination (1 per Port)  DID Numbers - groups of 20 - Valid all States	1	1	UEPPX	ND4	0.00	0.00	0.00	+		1			<del> </del>	<del> </del>	
Non-Consecutive DID Numbers - per number	1	1	UEPPX	ND5	0.00	0.00	0.00	<del>                                     </del>					t	<del> </del>	
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	1					1		
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
JNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE  1. Cost Based Rates are applied where BellSouth is required by FCC  2. Features shall apply to the Unbundled Port/Loop Combination - C  3. End Office and Tandem Switching Usage and Common Transport  4. The first and additional Port nonrecurring charges apply to Not C	and/or ost Bas Usage	sed Rat rates ii	te section in the san the Port section	me manner as of this rate exh	they are application in the state of the sta	ed to the Stand to all combina	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
Cost Based Rates are applied where BellSouth is required by FCC     Features shall apply to the Unbundled Port/Loop Combination - C     S. End Office and Tandem Switching Usage and Common Transport     The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.	and/or cost Bas Usage urrently	sed Rat rates in Comb	te section in the sa in the Port section bined Combos. Fo	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.      Market Rates for Unbundled Centrex Port/Loop Combination will	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the sa in the Port section bined Combos. Fo	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.      Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the sa in the Port section bined Combos. Fo	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.     Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the sa in the Port section bined Combos. Fo	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section of the Combos. For	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC     2. Features shall apply to the Unbundled Port/Loop Combination - C     3. End Office and Tandem Switching Usage and Common Transport     4. The first and additional Port nonrecurring charges apply to Not C     apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will     UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo     UNE Port/Loop Combination Rates (Non-Design)      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section in the Combos. For on an Individual (	me manner as of this rate exh or Currently Co	they are applie ibit shall apply mbined Combe til further notic	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section of the Combos. For	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combo	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC     2. Features shall apply to the Unbundled Port/Loop Combination - C     3. End Office and Tandem Switching Usage and Common Transport     4. The first and additional Port nonrecurring charges apply to Not C     apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will     UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo     UNE Port/Loop Combination Rates (Non-Design)      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section in the Combos. For on an Individual (	me manner as of this rate exh or Currently Co	they are applie ibit shall apply mbined Combe til further notic	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC     2. Features shall apply to the Unbundled Port/Loop Combination - C     3. End Office and Tandem Switching Usage and Common Transport     4. The first and additional Port nonrecurring charges apply to Not C     apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will     UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo     UNE Port/Loop Combination Rates (Non-Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-     Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or Cost Bas Usage urrently be neg	sed Rate rates in Combo	te section in the sa n the Port section ined Combos. Fo on an Individual (	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combottill further notice 14.18	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC     2. Features shall apply to the Unbundled Port/Loop Combination - C     3. End Office and Tandem Switching Usage and Common Transport     4. The first and additional Port nonrecurring charges apply to Not C     apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will     UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo     UNE Port/Loop Combination Rates (Non-Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-     Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-     Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-     Non-Design	and/or Cost Bas Usage urrently be neg	sed Rate rates in Combo	te section in the sa n the Port section ined Combos. Fo on an Individual (	me manner as of this rate exh or Currently Co	they are applied ibit shall apply mbined Combottill further notice 14.18	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC     2. Features shall apply to the Unbundled Port/Loop Combination - O     3. End Office and Tandem Switching Usage and Common Transport     4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.     5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design     UNE Port/Loop Combination Rates (Design)	and/or Cost Bas Usage urrently be neg	sed Ratrates in Comb	te section in the san the Port section in inde Combos. For on an Individual Output	me manner as of this rate exh or Currently Co	they are applied bit shall apply mbined Combostil further notice 14.18	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section oined Combos. For on an Individual Combos Individual Combos of the Individual C	me manner as of this rate exh or Currently Co	they are applied by the shall apply minimum and shall apply minimum and shall apply minimum and shall also sha	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.      5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design      2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	and/or Cost Bas Usage urrently be neg	sed Ratrates in Comb	te section in the san the Port section in inde Combos. For on an Individual Output	me manner as of this rate exh or Currently Co	they are applied bit shall apply mbined Combostil further notice 14.18	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	and/or Cost Bas Usage urrently be neg	sed Ratrates in Combo	te section in the san the Port section in the San the Port section in the Combos. For on an Individual Government of the Port Section 1 of the Port Sectio	me manner as of this rate exh or Currently Co	they are applied they are applied by the second sec	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	and/or Cost Bas Usage urrently be neg	sed Rat rates in Comb	te section in the san the Port section oined Combos. For on an Individual Combos Individual Combos of the Individual C	me manner as of this rate exh or Currently Co	they are applied by the shall apply minimum and shall apply minimum and shall apply minimum and shall also sha	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	and/or Cost Bas Usage urrently be neg	rates in a combinate of the combinate of	te section in the sa n the Port section of the	me manner as of this rate exh or Currently Co	they are applied they are applied by the service of	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	and/or Cost Bas Usage urrently be neg	sed Ratrates in Combo	te section in the san the Port section in the San the Port section in the Combos. For on an Individual Government of the Port Section 1 of the Port Sectio	me manner as of this rate exh or Currently Co	they are applied they are applied by the second sec	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - O 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or Cost Bas Usage urrently be neg	otiated  1 2 3	te section in the sa n the Port section of the	me manner as of this rate exh or Currently Co Case Basis, un	they are applied they are applied by the state of the sta	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or Cost Bas Usage urrently be neg	sed Ratrates in Combination of the Combination of t	te section in the sa n the Port section of the	me manner as of this rate exh or Currently Co case Basis, uni	they are applied they are applied by the series of the ser	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - O 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design 4-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	and/or Cost Bas Usage urrently be neg	otiated  1 2 3	te section in the sa n the Port section of the	me manner as of this rate exh or Currently Co Case Basis, un	they are applied they are applied by the state of the sta	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	and/or Cost Bas Usage urrently be neg	sed Ratrates in a rates in a rates in a rates in a rates in a rate	te section in the san the Port section in the San the Port section in the Combos. For on an Individual (UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	me manner as of this rate exh or Currently Co Case Basis, uni  UECS1 UECS1	they are applied they are applied by the series of the ser	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2	and/or Cost Bas Usage urrently be neg	sed Ratrates in Comb	te section in the san the Port section on the Port section of the	UECS1 UECS1 UECS2 UECS2 UECS2	14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	and/or Cost Bas Usage urrently be neg	sed Ratrates in a rates in a rates in a rates in a rates in a rate	te section in the san the Port section on the Port section of the	we manner as of this rate exh or Currently Co Case Basis, under the case Basis, under th	they are applie they are applie ibit shall apply mbined Combo cill further notice 14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design UNE Port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports	and/or Cost Bas Usage urrently be neg	sed Rat rates it r Combo	te section in the san the Port section on the Port section of the	UECS1 UECS1 UECS2 UECS2 UECS2	14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  UNE Loop Rate  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  UNE Ports  All States (Except North Carolina and Sout Carolina)	and/or Cost Bas Usage urrently be neg	sed Rat rates it r Combo	ue section in the san the Port section on the Port section of the	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 21.65 21.63 28.28	ed to the Stand- rto all combina os, the nonrecu- e.	Alone Unbuntions of loop	port network ele shall be those	ements excepted in the second	t for UNE C	rring - Curre	ently Combine		Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly. 5. Market Rates for Unbundled Centrex Port/Loop Combination will UNEP CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  UNE Loop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UNE Ports  UNE Ports  UNE Forts  4. Il States (Except North Carolina and Sout Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area	and/or Cost Bas Usage urrently be neg	sed Rat rates it r Combo	te section in the san the Port section on the Port section of the	UECS1 UECS1 UECS2 UECS2 UECS2	14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 16.56 21.63	ed to the Stand to all combina os, the nonrecu	-Alone Unbun tions of loop/	port network ele	ements excep	t for UNE C				Additional NR	Cs may
1. Cost Based Rates are applied where BellSouth is required by FCC 2. Features shall apply to the Unbundled Port/Loop Combination - C 3. End Office and Tandem Switching Usage and Common Transport 4. The first and additional Port nonrecurring charges apply to Not C apply also and are categorized accordingly.  5. Market Rates for Unbundled Centrex Port/Loop Combination will UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  UNE Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  UNE Loop Rate  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  UNE Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  UNE Ports  All States (Except North Carolina and Sout Carolina)	and/or Cost Bas Usage urrently be neg	sed Rat rates it r Combo	ue section in the san the Port section on the Port section of the	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	14.18 18.01 23.02 18.26 23.33 29.98 12.48 16.31 21.32 21.65 21.63 28.28	ed to the Stand- rto all combina os, the nonrecu- e.	Alone Unbuntions of loop	port network ele shall be those	ements excepted in the second	t for UNE C	rring - Curre	ently Combine		Additional NR	Cs may

Version 3Q02: 10/07/02 Page 407 of 425

ONDUND	LED NETWORK ELEMENTS - Tennessee	1	1								0	06	Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     - Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	UEF91	UEPT9	1.70	22.14	15.25	0.40	3.91		30.69	7.03			<del>                                     </del>
	Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL.	KY, LA, MS, & TN Only		1	OLI 01	OLI 12	1.70	22.17	10.20	0.40	0.01		00.00	7.00			+
,	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														1	
	Term	1	<u> </u>	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	OMES Vein Osala Bastonicata Lina Manalista and Island			LIEDOA	LIEDOO	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91 UEP91	UEPQ9 UEPQ2	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
1	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
LOC	Centrex Intercom Funtionality, per port		1	UEP91	URECS	0.6381										1
Loc	al Number Portability		1	OLF91	UKLCS	0.0361										+
	Local Number Portability (1 per port)		1	UEP91	LNPCC	0.35										+
Feat	tures								İ						1	
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			1
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NAF																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
Mio	Unbundled Network Access Register - Outdial cellaneous Terminations			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			-
	ire Trunk Side		1												-	<del>                                     </del>
2-11	Trunk Side Terminations, each		1	UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			-
Inte	roffice Channel Mileage - 2-Wire			02. 0.	02.00	00		10.20	0.10	0.01		00.00	7.00			1
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										1
	ture Activations (DS0) Centrex Loops on Channelized DS1 Servi	ce														
D4 (	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.66			ļ		ļ				ļ	ļ
	Endow Arthur and Bud EVE 2011			LIEDO4	400040	0.00									1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.66									1	<b></b>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66			j		1					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	UEF91	IPQW/	0.00									-	
	Different Wire Center			UEP91	1PQWP	0.66										
	Billiotett Wile Genter			OLI OI	11 Q 111	0.00										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66									1	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1														
	Slot	1		UEP91	1PQWQ	0.66	<u> </u>		<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	L
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66		•		•						
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed														1	
	changes, per port	1	<u> </u>	UEP91	USAC2		1.03	0.29	ļ			30.89	7.03			<u> </u>
	New Centrex Standard Common Block	1	-	UEP91	M1ACS M1ACC	0.00	658.60		<del>                                     </del>			30.89	7.03 7.03	1	<b>!</b>	<del>                                     </del>
	New Centrex Customized Common Block Secondary Block, per Block	1	1	UEP91 UEP91	M1ACC M2CC1	0.00	658.60 73.55		<del>                                     </del>			30.89 30.89	7.03		<b>-</b>	<del> </del>
	NAR Establishment Charge, Per Occasion	1	1	UEP91	URECA	0.00	73.55 68.57		<del>                                     </del>		-	30.89	7.03	-	<del></del>	<del>                                     </del>
	E-P CENTREX - 5ESS (Valid in All States)	+	+	OL1 01	UNLUA		00.57		<del>                                     </del>		<b> </b>	30.09	1.03	<b> </b>	-	<del>                                     </del>

Version 3Q02: 10/07/02 Page 408 of 425

IADOIADE	LED NETWORK ELEMENTS - Tennessee	1	1	1	1						0	00	Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electronic
		-	1				Nonrecurring		Nonrecurring	Disconnect		l	220	Rates(\$)		l
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0.14/	in VC Loon / 2 Wine Voice Crade Bort / Contract Court						FIRST	Add I	FIISt	Addi	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															ļ
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	-	1	UEP95		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	-	2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	_		OLI 93		10.01										
	Non-Design	_	3	UEP95		23.02										
LINE	E Port/Loop Combination Rates (Design)		3	ULF 93		23.02										
UNE			1													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design	1	1	UEP95		18.26			ļ		ļ				ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-									1					
	Design		2	UEP95		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		3	UEP95		29.98										
UNE	Loop Rate	1					1									
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	+	2	UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
		-														
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
UNE	Port Rate															
All S	States															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
				ULF 93	ULFIZ	1.70	22.14	13.23	0.40	3.31		30.09	7.03			-
	<ul><li>2-Wire Voice Grade Port terminated in on Megalink or equivaler</li><li>- Basic Local Area</li></ul>	ıt		UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
ΔΙ	KY, LA, MS, SC, & TN Only	+	1	OLI 30	OLI 12	1.70	22.17	10.20	0.40	0.01		00.00	1.00			<b>-</b>
ΛL,	2-Wire Voice Grade Port (Centrex )	+	1	UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)	+	1	UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		+	1			1.70										
_	2-Wire Voice Grade Port (Centrex with Caller ID)1	+		UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-	<b> </b>	-
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
							i i									
1	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t	1	UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91	I	30.89	7.03	1		
1	2-Wire Voice Grade Port Terminated in Grivingalinik or equivaler		1	UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91	i e	30.89	7.03	1	1	
FI 8	& GA Only	+	1		22. %2	0		.0.20	0.40	0.01		55.55				1
	al Switching	1	1	1	+		<del> </del>		1		1			1	1	1
	Centrex Intercom Funtionality, per port	+	1	UEP95	URECS	0.6381	<del>                                     </del>		1		1			1	<b>†</b>	<del>                                     </del>
1		-	+	05,99	UKEUS	0.0381	<del>                                     </del>		<del> </del>		-			-	1	-
LOC	al Number Portability	-	1	LIEDOE	LNDCC	0.0=	<del>                                     </del>				1			ļ	<del> </del>	
	Local Number Portability (1 per port)	4	1	UEP95	LNPCC	0.35										<b></b>
Feat	tures			ļ			ļ									
	All Standard Features Offered, per port		1	UEP95	UEPVF	0.00					<u> </u>	30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00		•				30.89	7.03			
NAR	RS								ĺ							
	Unbundled Network Access Register - Combination	1	1	UEP95	UARCX	0.00	0.00	0.00			İ	30.89	7.03	İ		
				UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			

Version 3Q02: 10/07/02 Page 409 of 425

TOUTUE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order v
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ	<u> </u>	UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
-	Different Wire Center			UEP95	1PQWP	0.66										┼
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		23.02										1
	ort/Loop Combination Rates (Design)	-	3	OLF 9D	+	23.02	-				-					+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	<b>-</b>		+	1	+				<del>                                     </del>			1	1	+
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		29.98										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										
UNE Po																
ALL ST																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															

ONBONDE	D NETWORK ELEMENTS - Tennessee			1									Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
-	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local					1.70	22.14	10.20	0.40	0.01		00.00	7.00			1
	Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI 3D	OLI 10	1.70	22.14	13.23	0.43	5.91		30.03	7.05			
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			OEP9D	UEPTS	1.70	22.14	15.25	0.45	3.91		30.09	7.03			-
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															1
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLI 9D	OLI 13	1.70	22.14	13.23	0.45	5.91		30.03	7.00			
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY7	1.70	22.14	15.05	0.45	3.91		30.89	7.02			
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OCEAN	UEPY/	1.70	22.14	15.25	8.45	3.91		30.89	7.03		<del>                                     </del>	-
	Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only			LIEDAD	HEDC:							60.00				
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D UEP9D	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03		<del>                                     </del>	<del>                                     </del>
<del>-  </del>	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70		15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		L	UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			

Version 3Q02: 10/07/02 Page 411 of 425

NRONDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Indication)3  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPQW UEPQJ	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp indication)3  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEFQJ	1.70	22.14	15.25	0.40	3.91	-	30.69	7.03		-	
	2-Wile Voice Grade Fort (Centrex Horn dill Serving Wile Center)			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	= 11 1.555 G.ado 1 5.1 (GS.M.SWalloi G1707EBG 1 GE1)2, G				52. QO	1.70	22.1-7	10.20	5.45	5.51		30.00	7.55	1	1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
								-								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	O.W. W. Veign Over In Dord (Overland I W. o. O.W.O. (EDO MESOS)			LIEDOD	LIEBOE	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_	2-Wile Voice Grade Port (Centrex/diller SWC /EBS-W5216)2, 3			UEP9D	UEFQ6	1.70	22.14	15.25	0.40	3.91		30.69	7.03			<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 3D	OLI Q7	1.70	22.14	13.23	0.40	3.31		30.03	7.00			+
	Term			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur				LIEDOD	HED/E	0.00						30.89	7.00		-	
	All Standard Features Offered, per port All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	0.00	433.78		1			30.89	7.03 7.03			<del> </del>
_	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	433.70				1	30.89	7.03			<del>                                     </del>
NARS				OLI OD	OLI VO	0.00						00.00	7.00			+
1	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
Î	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			1
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
Interes	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67				1	30.89	7.03	<del> </del>	1	<del>                                     </del>
intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	-	<del></del>	<del>                                     </del>
-	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	MIGBC	0.0174	22.14	15.25	8.45	3.91	1	30.89	7.03	1	<del> </del>	<del>                                     </del>
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	_		OLFBD	IVIIGDIVI	0.0174	1		<del>                                     </del>					1	t	$\vdash$
	annel Bank Feature Activations				+									<del> </del>	<del>                                     </del>	<del>                                     </del>
J-7 511	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66	<b> </b>		<del>                                     </del>		<u> </u>			<b> </b>	<b>I</b>	
					1	2.00			† †						1	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66									1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop						ĺ		ĺ							
	Slot			UEP9D	1PQW7	0.66										

NRONDLE	D NETWORK ELEMENTS - Tennessee			1									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-R	lecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1	-	-				-						-	
UNE P	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Fort (Centrex) Fort Combo -  2-Wire VG Loop/2-Wire Voice Grade Fort (Centrex) Fort Combo -		1	UEP9E		14.18										
	Non-Design		2	UEP9E		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	UEP9E		23.02										
UNE P	Port/Loop Combination Rates (Design)		<u> </u>													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP9E		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E UEP9E	UECS2 UECS2	16.56 21.63										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E UEP9E	UECS2 UECS2	21.63			-							
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UEC52	28.28									-	
	_, KY, LA, MS, & TN only		1													1
ΑΕ, ΤΕ	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	- Dasic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area Basic Local Area			UEP9E	UEPY2	1.70			8.45	3.91		30.89	7.03			
VI IV	y, LA, MS, & TN Only	-	1	OLFSE	UEFYZ	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	<del> </del>	
AL, K	2-Wire Voice Grade Port (Centrex )	-	1	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	1	<del> </del>	-
-	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	t	
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		<b>-</b>	<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1

Version 3Q02: 10/07/02 Page 413 of 425

NBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Loca	Switching								0.10							
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Loca	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port	<b>!</b>		UEP9E	UEPVS	0.00	433.78		ļ			30.89	7.03		ļ	
NARS	All Centrex Control Features Offered, per port	<del>                                     </del>		UEP9E	UEPVC	0.00						30.89	7.03			-
NAK	Unbundled Network Access Register - Combination	<del>                                     </del>	-	UEP9E	UARCX	0.00	0.00	0.00	<b></b>			30.89	7.03		-	-
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial	1		UEP9E	UAROX	0.00	0.00	0.00	-			30.89	7.03			
Misc	ellaneous Terminations			02. 02	0741071	0.00	0.00	0.00				00.00	7.00			
	e Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wii	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Inter	office Channel Mileage - 2-Wire			LIEBAE	1,000	10.50	00.44					00.00	=			
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
F4	Interoffice Channel mileage, per mile or fraction of mile are Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	MIGBM	0.0174										
	nannel Bank Feature Activations	e			+				-							
D4 C	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Totalion on B 4 channel Bank Gentlex Loop old			OLI OL	11 00110	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	<del>                                     </del>		UEP9E	1PQWV	0.66										-
	Slot	1		UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex					3.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port	<u> </u>		UEP9E	USAC2		1.03	0.29				30.89	7.03		<u> </u>	
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	ļ		UEP9E	URECA	0.00	68.57					30.89	7.03			
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	<b> </b>			1										1	
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	<u> </u>			+				<b></b>							<del>                                     </del>
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			+				+							1
	Non-Design	l	1	UEP93		14.18			l l							
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	Ė			0			1						1	
	Non-Design	1	2	UEP93		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design	<u> </u>	3	UEP93		23.02									<u> </u>	
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design	<b> </b>	1	UEP93	1	18.26									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design	I	2	UEP93	1	23.33									I	1

CATEGORY RATE ELEMENTS Interi m  Zone BCS USOC RATES(\$)  Submitted Elec Manually per LSR Per LSR Order vs. Electronic- Electro	ONDLED NE	ETWORK ELEMENTS - Tennessee		ı	1	1	1					0	0	Attachment:			ibit: B
Second   S	GORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Elec	Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs Electronic Disc Add
With VS Concerned Print Value Grade Fort Centres/Print Continue   Solution							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
Disign     Disign       Disign         Disign							Rec		Add'l			SOMEC	SOMAN			SOMAN	SOMAN
DR. Cop   Table	2-Wi	ire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
P.Whe Voor Grants Long Ed. 1 - Zoor 1	Desi	ign		3	UEP93		29.98										
E-Wire Votes Grants Long (SL 1 - Zong 2   2   UEP93	UNE Loop F	Rate															
2-Virte Votes Grands Loop (St. 1) - Zone 3	2-Wi	ire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										1
2-Wire Vision Groot Exest (St. 2) - Zone 1	2-Wi	ire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										1
2-Wire Vision Groot Exest (St. 2) - Zone 1	2-Wi	ire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										1
2-Wer visco Grade Locg (81, 9) - Zone 2				1	UEP93		16.56										1
EVMPr vivos Grone Lorg (SL, 2) - Zone 3   3 UPP3				2	UEP93	UECS2	21.63										
New Fort Rate				3			28.28										
AL, PY, LA, MS, & TN only																	
2-Wine Value Grade Fort (Centres Nath Castler (D) 1886s Local Area   UEPS   UEPY   1.70   22.14   15.25   8.45   3.91   30.88   7.03     Annual Centre (Centres With Castler (D) 1886s Local Area   UEPS   UEPY   1.70   22.14   15.25   8.45   3.91   30.88   7.03     Annual Centre (Centres With Castler (D) 1886s Local Area   UEPS   UEPY   1.70   22.14   15.25   8.45   3.91   30.88   7.03     Annual Centre (Centres With Castler (D) 1886s Local Area   UEPS   UEPY   1.70   22.14   15.25   8.45   3.91   30.88   7.03     Annual Centre (Centres With Castler (D) 1886s Local Area   UEPS   UEPY   1.70   22.14   15.25   8.45   3.91   30.88   7.03     Annual Centre (Centres With Castler (D) 1886s Centre (Centres With Castler (D) 1886s Centre (Centres With Castler (D) 1886s Centre (Centre (Centres With Castler (D) 1886s Centre (Centre (Centres With Castler (D) 1886s Centre (Centr																	
2-Wire Vooc Grade Port (Centrex with Caller ID) Basic Local   UEP93					UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Area					İ	1		† †							İ	İ	1
2-Wire Votes Grade Port (Centres with Caller D)18ases Local   UEP93   UEP9H   1.70   22.14   15.25   8.45   3.91   30.89   7.03				1	UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
Area						1	0				2.2.			1.30	1	t	
2-Wire Visios Grade Port Centrer Knord III Serving Wire Center - 800 Service   UEP93			1	1	UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	l	I	
Centerly Basic Local Area   UEP93   UEPY4   1.70   22.14   15.25   8.45   3.91   30.89   7.03		-		1	02. 00	02			10.20	0.10	0.01		00.00	7.00			
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP93   UEPYZ   1,70   22,14   15,25   8,45   3,91   30,88   7,03					UFP93	UEPYM	1 70	22 14	15 25	8 45	3 91		30.89	7.03			
Term: - Basic Local Area					OLI SO	OLI TWI	1.70	22.17	10.20	0.40	0.01		00.00	7.00			<b>†</b>
2-Wire Votos Grade Port terminated in on Megalink or equivalent   UEP93   UEP94   1,70   22,14   15,25   8,45   3,91   30,89   7,03					HED03	HEDV7	1 70	22 14	15.25	8 45	3 01		30.80	7.03			
Basic Local Area					ULF 93	ULFIZ	1.70	22.14	13.23	0.45	3.91		30.09	7.03			
2-Wire Voice Grade Port Terminated on 800 Service Term-					LIEDOS	LIEDVO	1 70	22.14	15.25	9.45	2.01		20.90	7.02			
Basic Local Area					ULF 93	OLFIS	1.70	22.14	13.23	0.45	3.91	-	30.09	7.03		-	<del></del>
2-Wire Voice Grade Port (Centrex & 00 termination)					LIEDOS	HEDVO	1 70	22.14	15.25	9.45	2.01		20.90	7.02			
2-Wire Voice Grade Port (Centrex Mich Caler ID)1				<u> </u>													
2-Wire Voice Grade Port (Centrex with Caller (D)1				<u> </u>													
2-Wire Voice Grade Port (Centrex from diff Serving Wire   UEP93   UEP0M   1.70   22.14   15.25   8.45   3.91   30.88   7.03				<u> </u>													
Center 2				<u> </u>	UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			4
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service   UEP93																	
Term					UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port terminated in on Megalink or equivalent    UEP93																	
2-Wire Voice Grade Port Terminated on 800 Service Term	Term	n			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
2-Wire Voice Grade Port Terminated on 800 Service Term																	
Local Switching																	1
Centrex Intercom Funtionality, per port					UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
Local Number Portability   Local Number Portability (1 per port)   UEP93   LNCCC   0.35																	1
Local Number Portability (1 per port)					UEP93	URECS	0.6381										
Features																	
All Standard Features Offered, per port		al Number Portability (1 per port)			UEP93	LNCCC	0.35										
All Centrex Control Features Offered, per port   UEP93   UEPVC   0.00																	
NARS   Unbundled Network Access Register - Combination   UEP93   UARCX   0.00   0.00   0.00   0.00   30.89   7.03   Unbundled Network Access Register - Indial   UEP93   UARX   0.00   0.00   0.00   0.00   30.89   7.03   Unbundled Network Access Register - Outdial   UEP93   UAROX   0.00   0.00   0.00   0.00   30.89   7.03   Unbundled Network Access Register - Outdial   UEP93   UAROX   0.00																	
Unbundled Network Access Register - Combination	All C	Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
Unbundled Network Access Register - Indial   UEP93   UAR1X   0.00   0.																	
Unbundled Network Access Register - Outdial	Unb	undled Network Access Register - Combination					0.00	0.00	0.00				30.89	7.03			ĺ
Miscellaneous Terminations	Unb	undled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
2-Wire Trunk Side	Unb	undled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			
Trunk Side Terminations, each																	
4-Wire Digital (1.544 Megabits)	2-Wire Trun	k Side															
DS1 Circuit Terminations, each					UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
DS0 Channels Activated, Per Channel	4-Wire Digit	tal (1.544 Megabits)						İ									
DS0 Channels Activated, Per Channel					UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			
Interoffice Channel Mileage - 2-Wire  Interoffice Channel Facilities Termination UEP93 MIGBC 18.58 22.14 15.25 8.45 3.91 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile UEP93 MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations					UEP93	M1HDO											
Interoffice Channel Facilities Termination UEP93 MIGBC 18.58 22.14 15.25 8.45 3.91 30.89 7.03 Interoffice Channel mileage, per mile or fraction of mile UEP93 MIGBM 0.0174 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations																	
Interoffice Channel mileage, per mile or fraction of mile UEP93 MIGBM 0.0174  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations					UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	İ	İ	1
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations								† †							İ	İ	1
D4 Channel Bank Feature Activations			e					† †					İ		İ	1	
						1				1					1	t	
					UEP93	1PQWS	0.66			1					1	t	<b>—</b>
		and the state of t		1			3.00			<del>                                     </del>		<del>                                     </del>					<del>                                     </del>

Version 3Q02: 10/07/02 Page 415 of 425

UNB	JNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Fxhi	bit: B
0												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc			Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									•	l <sup>-</sup>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				<u> </u>						N	. D'				D-1(A)		
	1						Rec	Nonrecurring First	Add'l	First	g Disconnect Add'l	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	+	Feature Activation on D-4 Channel Bank FX Trunk Side Loop						FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
		Slot			UEP93	1PQW7	0.66										
	1	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 50	11 0007	0.00										
		Different Wire Center			UEP93	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
		Slot			UEP93	1PQWQ	0.66										
	ļ.,	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex										1					
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03	1		
	1	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.29				30.89	7.03	<del> </del>	-	-
	1	New Centrex Standard Common Block  New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03	<b>-</b>		
<b>—</b>	1	NAR Establishment Charge, Per Occasion			UEP93	URECA	5.50	68.57			1		30.89	7.03	1		
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		2 - Requres Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment															
UNBU		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
		ket Rates are applied where BellSouth is not required by FCC					indled Local Sv	vitching or Swi	tch Ports.								
		urring Charges for all Standard Centrex and Centrex Conrol Fe										L		L			
		Office and Tandem Switching Usage and Common Transport															<u> </u>
		first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly.	ırrentiy	Comb	inea Compos. Fo	r Currently Co	mbinea Combo	s, the nonrect	irring charges	snall be those	i aentifiea in t	ne Nonrecu	rring - Curre	ently Combin	ea sections.	Additional NR	ccs may
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		1		1					1	ı	1	ı		ı	ı
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		26.48										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		30.31										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	LINED	Non-Design		3	UEP91		35.32										
	UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<u> </u>													
		Design		1	UEP91		30.56										
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 31		30.30										
		Design		2	UEP91		35.63								1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				İ										1	
		Design		3	UEP91		42.28								<u> </u>		
	UNE L	oop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31								1		
<u> </u>	-	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32								1		
-	1	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91 UEP91	UECS2 UECS2	16.56 21.63					1			<del>                                     </del>		
<b>-</b>	+	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	21.63				1	1	1	1	<del> </del>	1	1
<b>-</b>	UNE P			3	OLI 31	ULUUZ	20.20								<del> </del>		
		tes (Except North Carolina and Sout Carolina)				1					1	1			<b>†</b>	1	1
	1	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP91	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03	1		<b></b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIED.											
-	1	Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP91	UEPYM	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	1		
		Term - Basic Local Area			UEP91	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03	I		
L		Territ - DaSic Local Area		1	OFLAI	UEFIZ	14.00	90.00	45.00	20.00	10.00	l	30.89	7.03	1	l	

Version 3Q02: 10/07/02 Page 416 of 425

ONBONDE	ED NETWORK ELEMENTS - Tennessee			1									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	- Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AI K	(Y, LA, MS, & TN Only			UEP91	UEPTZ	14.00	90.00	45.00	20.00	10.00		30.69	7.03	-	-	-
AL, N	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire											00.00			1	
	Center)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2 Wire Voice Grade Port terminated in an Magalish or againstant			UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
-+	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term		<del>                                     </del>	UEP91	UEPQ9 UEPQ2	14.00	90.00	45.00 45.00	20.00	10.00		30.89	7.03	<del></del>	<del></del>	-
Loca	Switching			OLPAI	UEFQZ	14.00	90.00	45.00	20.00	10.00		30.89	1.03	<del> </del>	<del> </del>	
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381								t	t	
Loca	Number Portability			OLI 01	ONLOG	0.0001										
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP91	UEPVF	0.00	1					30.89	7.03			
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations															
2-VVII	re Trunk Side Trunk Side Terminations, each		<u> </u>	UEP91	CENA6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
Inter	office Channel Mileage - 2-Wire			UEF91	CENAG	0.70	90.00	45.00	20.00	10.00		30.69	7.03			
Interc	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174	00.00	.0.00	20.00	10.00		00.00	7.00			
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOA	40014/0	0.00										
	Different Wire Center			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOA	1PQWQ	0.00										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ	0.66	1									
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		<del>                                     </del>	OLFBI	IFWVM	0.00	+				1			<del> </del>	<del> </del>	1
14011-1	Conversion - Currently Combined Switch-As-Is with allowed			<del> </del>	+ +									<del>                                     </del>	<del>                                     </del>	
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03	1	1	
<del>-  </del>	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	2.20	i i			30.89	7.03		1	
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60		i			30.89	7.03			
<u> </u>	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
	P CENTREX - 5ESS (Valid in All States)					•		•								
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
IIINE '	Port/Loop Combination Rates (Non-Design)															
UNL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															

NRONDLE	D NETWORK ELEMENTS - Tennessee										12		Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	l.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Non-Design		3	UEP95		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			LIEDOF		00.50										
	Design		1	UEP95		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOF		05.00										
-	Design Color (Color No. 1) Part Color (Color N		2	UEP95	_	35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
	Design		3	UEP95		42.28										
UNE Lo	oop Rate		<u> </u>	LIEDOE	UE004	10.10									-	
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31										
-+-	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP95	UECS1	21.32									-	
-+-	2-Wire Voice Grade Loop (SL 2) - Zone 1	<u> </u>	1	UEP95	UECS2	16.56									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local							4= 00								
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
_	Center)2 Basic Local Area		1	UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area		1	UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2		1	UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l			[====									l	I	
	Term		-	UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
	OMF William Complete Book Complete Comp			LIEDOS	UEDGG										1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
F: 5 -	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03			
FL & G			-								1					
Local S	Switching			LIEDOE	LIDEGG										-	
<del></del>	Centrex Intercom Funtionality, per port	<u> </u>		UEP95	URECS	0.6381									-	
Local I	Number Portability			LIEDOE	LNDCC	0.0=									-	
F4	Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35					1			-	1	ļ
Feature			-	LIEDOE	LIED) /E	2.22	<del>                                     </del>		<del>                                     </del>		1	00.00	7.00	1	<del>                                     </del>	<b>!</b>
<del></del>	All Standard Features Offered, per port		1	UEP95	UEPVF	0.00	400.70		<del>                                     </del>		1	30.89	7.03	<del>                                     </del>	<del>                                     </del>	1
	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	433.78				1	30.89	7.03	-	<del>                                     </del>	
NADO	All Centrex Control Features Offered, per port		-	UEP95	UEPVC	0.00	<del>                                     </del>		<del>                                     </del>		1	30.89	7.03	1	<del>                                     </del>	<b> </b>
NARS			1	LIEDOE	HADOV	0.00	0.00	0.00			1	20.00	7.00		1	
	Unbundled Network Access Register - Combination		-	UEP95	UARCX	0.00	0.00	0.00	<del>                                     </del>		1	30.89	7.03	1	<del>                                     </del>	<b> </b>
	Unbundled Network Access Register - Indial		-	UEP95	UAR1X	0.00	0.00	0.00			1	30.89	7.03	-	1	<b>!</b>
Pare	Unbundled Network Access Register - Outdial		-	UEP95	UAROX	0.00	0.00	0.00	<del>                                     </del>		1	30.89	7.03	1	<del>                                     </del>	<b>!</b>
INISCE!	laneous Terminations										1				<b></b>	<del>                                     </del>
	Trunk Side															

Version 3Q02: 10/07/02 Page 418 of 425

<u>NRONDLE</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					+	Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
4-Wire	l Digital (1.544 Megabits)						FIISL	Add I	FIISL	Add I	SOWIEC	SOWAN	SUMAN	SOWAN	SOWAN	SOWA
7-11110	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67	00.10				30.89	7.03			
Interof	fice Channel Mileage - 2-Wire				_											
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop			OLI 93	II QVVV	0.00										
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)				_											1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9D		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>- '</del> -	OLF 9D		20.40	1									
	Non-Design		2	UEP9D		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		00.01										
	Non-Design		3	UEP9D		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	LIEDOD		40.00										1
LINE	Design	1	3	UEP9D		42.28									<del> </del>	1
UNE L	pop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEP9D	UECS1	12.48										<b> </b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	2	UEP9D	UECS1	16.31	ł								1	<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9D	UECS1	21.32	-								1	1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56	İ								Ì	1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63	İ									
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28									<u> </u>	
	ort Rate															
ALL S																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1												1	1
	Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Area		ļ	UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area	1	1	UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00		30.89	7.03		l	1

ONBONDLE	ED NETWORK ELEMENTS - Tennessee			1							1 -	_	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	O Wise Vision Conds Book (Contract / EBC ME200)\2 Books I and						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI OD	OLI IL	14.00	30.00	40.00	20.00	10.00		00.00	7.00			
	Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			LIEDOD	LIEDVO	44.00	00.00	45.00	20.00	10.00		00.00	7.00			
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			02. 03	02	1 1.00	00.00	.0.00	20.00	10.00		00.00	7.00			
	Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEF9D	UEPTH	14.00	90.00	45.00	20.00	10.00		30.09	7.03			
	Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			02. 03	02	1 1.00	00.00	.0.00	20.00	10.00		00.00	7.00			
	Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYP	44.00	90.00	45.00	20.00	40.00		20.00	7.03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPTP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Basic Local Area			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL. K	Y, LA, MS, SC, & TN Only			UEF9D	UEPTZ	14.00	90.00	45.00	20.00	10.00		30.09	7.03			
,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		<u> </u>	UEP9D UEP9D	UEPQC UEPQD	14.00 14.00	90.00	45.00 45.00	20.00 20.00	10.00 10.00		30.89 30.89	7.03 7.03			<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3		1	UEP9D UEP9D	UEPQD	14.00	90.00	45.00 45.00	20.00	10.00		30.89	7.03			<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		<b> </b>	UEP9D	UEPQF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3		<u> </u>	UEP9D	UEPQT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3		1	UEP9D UEP9D	UEPQU UEPQV	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00		30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3  2-Wire Voice Grade Port (Centrex / EBS-M5316)3		1	UEP9D	UEPQV UEPQ3	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)		<b>†</b>	UEP9D	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03		1	

1DOI 1DEE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM	44.00	00.00	45.00	00.00	40.00		00.00	7.00			
	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPQW UEPQJ	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00		30.89 30.89	7.03 7.03		-	
	2-Wire Voice Grade Port (Centrex Msg Wtg Lamp Indication)3  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLF9D	ULFQJ	14.00	90.00	43.00	20.00	10.00		30.09	7.03			
	2			UEP9D	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wile Voice Grade Fort (Centrex differ GWO /EBG-Wi5112)2, 3			OLI 3D	OLI QIX	14.00	30.00	43.00	20.00	10.00		30.03	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-vviile voice Grade i ort (Centrex diner GWO /EBG-W3210)2, 3			OLI 3D	OLI QU	14.00	30.00	45.00	20.00	10.00		30.03	7.00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching			UEP9D	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local I	Number Portability			02. 05	CITECO	0.0001										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	100 =0					30.89	7.03			
	All Select Features Offered, per port  All Centrex Control Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	433.78					30.89 30.89	7.03 7.03			
NARS				UEF9D	UEPVC	0.00						30.09	7.03			
IVAINO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03		İ	
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
	laneous Terminations															
2-Wire	Trunk Side			LIEDOD	OFNIDO	0.70	20.00	45.00	00.00	40.00		00.00	7.00			
4-Wiro	Trunk Side Terminations, each Digital (1.544 Megabits)			UEP9D	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-11116	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67	00.10				30.89	7.03			
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic	е	ļ													
D4 Cha	Annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66									<del>                                     </del>	
+	reature Activation on D-4 Channel Bank Centrex Loop Slot			OEFSD	IFUWS	0.06			<del>                                     </del>							1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66									1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					0.00			<del> </del>							
	Slot		<u> </u>	UEP9D	1PQW7	0.66			l						<u></u>	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66					· · · · ·					
	S. S. S. A. A. A. A. A. A. A. A. A. A. A. A. A.		-	02100	11 04 771	0.00								-	<del>                                     </del>	+

CATEGORY	O NETWORK ELEMENTS - Tennessee  RATE ELEMENTS	Interi m									Svc Order		Attachment: Incremental		Incremental	bit: B Incremental
	RATE ELEMENTS										0.00.00	0.0 0.00.				
	RATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	RATE ELEMENTS			i							Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
		m	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
				200	0000			==(+)			per LSR	per LSK	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP9D	1PQWQ	0.66										ı
Non-Rec	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										L
	curring Charges (NRC) Associated with UNE-P Centrex															<u> </u>
	NRC Conversion Currently Combined Switch-As-Is with allowed															ı
	changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			<b></b>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			<b></b>
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			⊢—
	NAR Establishment Charge, Per Occasion	<u> </u>		UEP9D	URECA		68.57					30.89	7.03			<b>├</b>
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	<b> </b>			1				ļ .					1		<del></del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+ -		<del>                                     </del>									<del></del>
	ort/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+ -		<del>                                     </del>									<del></del>
	Non-Design	1	1	UEP9E		26.48						1				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	OLI JL	1	20.40					1					
	Non-Design		2	UEP9E		30.31						1				1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OLI OL	+ +	50.51	<del>                                     </del>		<del>                                     </del>							
	Non-Design		3	UEP9E		35.32										ı
	ort/Loop Combination Rates (Design)		Ť													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
ı İ	Design		1	UEP9E		30.56										ı
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		35.63										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															ĺ
	Design		3	UEP9E		42.28										<b></b>
UNE Lo				LIEBAE	115001											<b>├</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9E	UECS1	12.48										<b>├</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2	UEP9E UEP9E	UECS1 UECS1	16.31 21.32										+
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63	1									
	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP9E	UECS2	28.28										$\vdash$
UNE Po				OLI OL	GEOGE	20.20										$\vdash$
	KY, LA, MS, & TN only				+											
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			ĺ
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			<b></b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1					[					1				1
	Center)2 Basic Local Area	ļ		UEP9E	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			⊢—
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDV7	44.00	00.55	45.00	00.00	40.00		00.00	7.00			1
	Term - Basic Local Area	<b> </b>		UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03	1		
,	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
<del>-                                     </del>	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1	OLFSE	UEFIS	14.00	90.00	45.00	20.00	10.00	1	30.89	1.03			
	Basic Local Area			UEP9E	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			1
	LA, MS, & TN Only	<b>†</b>			J 12	14.00	30.00	-10.00	20.00	10.00		30.00	7.00			
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1		UEP9E	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2	<u></u>		UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03	<u></u>		L
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							· · · · · · · · · · · · · · · · · · ·					-			
,	Term	<u> </u>		UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
.																1
,	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ		UEP9E	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			⊢—
	2-Wire Voice Grade Port Terminated on 800 Service Term witching	<u> </u>		UEP9E	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03	ļ		<del></del>

ONROND	ED NETWORK ELEMENTS - Tennessee			1									Attachment:			ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Loca	al Number Portability			LIEDOE	LNDOO	0.05										
Feat	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35									-	
геац	All Standard Features Offered, per port	-		UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			1
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	433.70					30.89	7.03			-
NAR				02. 02	02. 10	0.00						00.00	7.00			
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				30.89	7.03		1	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				30.89	7.03			
	cellaneous Terminations															
2-Wi	re Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wi	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each		<u> </u>	UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03	ļ	ļ	ļ
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
F	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	ce			+											1
D4 C	Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	IFQWS	0.00									-	1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW6	0.66										
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400		4.00	0.00				00.00	7.00			
	changes, per port  New Centrex Standard Common Block			UEP9E UEP9E	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03 7.03			
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
UNE	-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLF 9L	UNLUA	0.00	00.57					30.09	7.03			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	Port/Loop Combination Rates (Non-Design)				+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP93		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93	1	30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP93		35.32										
LINE	Non-Design Port/Loop Combination Rates (Design)	1	3	UEP93	+	35.32								<del>                                     </del>	<del>                                     </del>	<b> </b>
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	<del> </del>	<del> </del>	+ +									1	+	<b> </b>
	Design	1	1	UEP93		30.56									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2		1											
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP93	1	35.63										
 	Design	1	3	UEP93	1	42.28									-	
UNE	Loop Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1	1	_	LIEDOS	UECS1	40.40								ļ	-	<u> </u>
	12-vvire voice Grage Loop (SL 1) - Zone 1	1	1 1	UEP93	IUECS1	12.48								1	1	1

<u>NBUNDLE</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring			T =		Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93 UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2 UECS2	21.63 28.28										
LINE D	prt Rate		3	UEF93	UECSZ	20.20										
	, LA, MS, & TN only										1					
AL, KI	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex ) Basic Escannical Area Area			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	30		0					1			1
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Basic Local Area			UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Gwitching Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability			UEP93	URECS	0.0361										
Local	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur				02. 00	2.1000	0.00										
	All Standard Features Offered, per port			UEP93	UEPVF	0.00									Ì	
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			ļ
	laneous Terminations		ļ		+											<u> </u>
2-Wire	Trunk Side			LIEDOS	CENDO	0.70	00.00	45.00	20.00	40.00	<u> </u>	20.00	7.00	ļ	ļ	<u> </u>
A.Mira	Trunk Side Terminations, each Digital (1.544 Megabits)		-	UEP93	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03		<b> </b>	-
4-vvire	DS1 Circuit Terminations, each		1	UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			<del>                                     </del>
-	DS0 Channels Activated, Per Channel		<del>                                     </del>	UEP93	M1HD0	0.00	108.67	30.15			1	30.89	7.03		1	<u> </u>
Interof	fice Channel Mileage - 2-Wire			OLI 33	WITIDO	0.00	100.07					30.09	7.03			<b>†</b>
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	90.00	45.00	20.00	10.00	1	30.89	7.03	1	<b> </b>	<b>†</b>
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174							1.30		İ	
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e									Ì					
	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW6	0.66										<u> </u>
	Slot			UEP93	1PQW7	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										

Version 3Q02: 10/07/02 Page 424 of 425

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -		Charge -
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWV	0.66										
	Slot			UEP93	1PQWQ	0.66										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
Non-Re	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 2	- Requres Interoffice Channel Mileage									•						
Note 3	- Requires Specific Customer Premises Equipment							•		•						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Terr	ns and Condition	ons.									

# ATTACHMENT 3 NETWORK INTERCONNECTION

### TABLE OF CONTENTS

1.	GENERAL	
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
3.	NETWORK INTERCONNECTION	4
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECT	TION13
6.	LOCAL DIALING PARITY	16
7.	INTERCONNECTION COMPENSATION	10
8.	FRAME RELAY SERVICE INTERCONNECTION	23
9.	ORDERING CHARGES	25
Ra	tes	Exhibit A
Ba	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sin	nergroup Architecture	Exhibit E

#### NETWORK INTERCONNECTION

#### 1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and 1-800-RECONEX, Inc..
- 2.1.9 IntraLATA Toll Traffic is as defined in Section 7 of this Attachment.

- 2.1.10 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.
- 2.1.11 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.12 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.13 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.14 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.15 **Transit Traffic** is traffic originating on 1-800-RECONEX, Inc.'s network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to 1-800-RECONEX, Inc.'s network.

#### 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where 1-800-RECONEX, Inc. owns and provides its switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

#### 3.4 Fiber Meet

3.4.1 If 1-800-RECONEX, Inc. elects to interconnect with BellSouth pursuant to a Fiber Meet, 1-800-RECONEX, Inc. and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to

determine the specific transmission system. However, 1-800-RECONEX, Inc.'s SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the 1-800-RECONEX, Inc. Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by 1-800-RECONEX, Inc., BellSouth shall allow 1-800-RECONEX, Inc. access to the fusion splice point for the Fiber Meet point for maintenance purposes on 1-800-RECONEX, Inc.'s side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. 1-800-RECONEX, Inc. shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by 1-800-RECONEX, Inc.. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

#### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and 1-800-RECONEX, Inc. shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 1-800-RECONEX, Inc. shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of 1-800-RECONEX, Inc.'s originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent 1-800-RECONEX, Inc. desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which 1-800-RECONEX, Inc. has established interconnection trunk groups, 1-800-RECONEX, Inc. shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, 1-800-RECONEX, Inc. shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where 1-800-RECONEX, Inc. has homed (i.e. assigned) its NPA/NXXs. 1-800-RECONEX, Inc. shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. 1-800-RECONEX, Inc. shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on 1-800-RECONEX, Inc.'s NXX access tandem homing arrangement as specified by 1-800-RECONEX, Inc. in the LERG.
- Any 1-800-RECONEX, Inc. interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to 1-800-RECONEX, Inc. from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require 1-800-RECONEX, Inc. to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and 1-800-RECONEX, Inc. are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- For two-way trunk groups that carry only both Parties' Local and IntraLATA TollTraffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. 1-800-RECONEX, Inc. shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where 1-800-RECONEX, Inc. is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- 4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC)

Project Management Group and 1-800-RECONEX, Inc.'s equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

## 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. 1-800-RECONEX, Inc. shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

#### 4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, 1-800-RECONEX, Inc.'s originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between 1-800-RECONEX, Inc. and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between 1-800-RECONEX, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which 1-800-RECONEX, Inc. desires to exchange traffic. This trunk group also carries 1-800-RECONEX, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to 1-800-RECONEX, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the

applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

#### 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for 1-800-RECONEX, Inc.-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffi, ISP-bound Traffic and IntraLATA Toll Traffic c destined for 1-800-RECONEX, Inc. end-users. A two-way trunk group provides Intratandem Access for 1-800-RECONEX, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between 1-800-RECONEX, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which 1-800-RECONEX, Inc. desires to exchange traffic. This trunk group also carries 1-800-RECONEX, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to 1-800-RECONEX, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

#### 4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between 1-800-RECONEX, Inc. and BellSouth. In addition, a separate two-way transit trunk group must be established for 1-800-RECONEX, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between 1-800-RECONEX, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which 1-800-RECONEX, Inc. desires to exchange traffic. This trunk group also carries 1-800-RECONEX, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to 1-800-RECONEX, Inc.. However, where 1-800-RECONEX, Inc. is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and

IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

#### 4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and 1-800-RECONEX, Inc.'s Transit Traffic are exchanged on a single two-way trunk group between 1-800-RECONEX, Inc. and BellSouth to provide Intratandem Access to 1-800-RECONEX, Inc.. This trunk group carries Transit Traffic between 1-800-RECONEX, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which 1-800-RECONEX, Inc. desires to exchange traffic. This trunk group also carries 1-800-RECONEX, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to 1-800-RECONEX, Inc.. However, where 1-800-RECONEX, Inc. is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

#### 4.10.1.5 Multiple Tandem Access Interconnection

4.10.1.5.1 Where 1-800-RECONEX, Inc. does not choose access tandem interconnection at every BellSouth access tandem within a LATA, 1-800-RECONEX, Inc. may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA 1-800-RECONEX, Inc. must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route 1-800-RECONEX, Inc.'s originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. 1-800-RECONEX, Inc. must also establish an interconnection trunk group(s) at all BellSouth access tandems where 1-800-RECONEX, Inc. NXXs are homed as described in Section 4.2.1 above. If 1-800-RECONEX, Inc. does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, 1-800-RECONEX, Inc. can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate 1-800-RECONEX, Inc.'s Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to end-users

served through those BellSouth access tandems where 1-800-RECONEX, Inc. does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 1-800-RECONEX, Inc. may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to 1-800-RECONEX, Inc. will be delivered to and from IXCs based on 1-800-RECONEX, Inc.'s NXX access tandem homing arrangement as specified by 1-800-RECONEX, Inc. in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent 1-800-RECONEX, Inc. does not purchase MTA in a LATA served by multiple access tandems, 1-800-RECONEX, Inc. must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent 1-800-RECONEX, Inc. routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, 1-800-RECONEX, Inc. shall pay BellSouth the associated MTA charges.

#### 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows 1-800-RECONEX, Inc. to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of 1-800-RECONEX, Inc.-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, 1-800-RECONEX, Inc. must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, 1-800-RECONEX, Inc. may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. 1-800-RECONEX, Inc. may deliver Local Traffi, ISP-bound Traffic and IntraLATA Toll Traffic c to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where 1-800-RECONEX, Inc. does not choose to establish an interconnection trunk group(s). It is 1-800-RECONEX, Inc.'s responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic

- routing to 1-800-RECONEX, Inc.'s codes. Likewise, 1-800-RECONEX, Inc. shall obtain its routing information from the LERG.
- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, 1-800-RECONEX, Inc. must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which 1-800-RECONEX, Inc. has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that 1-800-RECONEX, Inc. has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

#### 4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between 1-800-RECONEX, Inc. and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between 1-800-RECONEX, Inc.'s switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

#### 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by 1-800-RECONEX, Inc. to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If 1-800-RECONEX, Inc. chooses BellSouth to perform the Service Switching Point ("SSP") Function (i.e., handle Toll Free database queries) from BellSouth's switches, all 1-800-RECONEX, Inc. originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 1-800-RECONEX, Inc. may choose to perform its own Toll Free database queries from its switch. In such cases, 1-800-RECONEX, Inc. will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, 1-800-RECONEX, Inc. will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, 1-800-RECONEX, Inc. will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and 1-800-RECONEX, Inc. shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, 1-800-RECONEX, Inc. will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to 1-800-RECONEX, Inc.'s network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which 1-800-RECONEX, Inc. performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

#### 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.

- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where 1-800-RECONEX, Inc. chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the 1-800-RECONEX, Inc. switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- Signaling Call Information. BellSouth and 1-800-RECONEX, Inc. will send and receive 10 digits for Local Traffic. Additionally, BellSouth and 1-800-RECONEX, Inc. will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

#### 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, 1-800-RECONEX, Inc. shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of 1-800-RECONEX, Inc.'s forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, 1-800-RECONEX, Inc.-to-BellSouth one-way trunks ("1-800-RECONEX, Inc. Trunks"), BellSouth-to-1-800-RECONEX, Inc. one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.
- All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for 1-800-RECONEX, Inc. location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, 1-800-RECONEX, Inc. shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. 1-800-RECONEX, Inc. shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 5.8 Trunk Utilization

- 5.8.1 BellSouth and 1-800-RECONEX, Inc. shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.
- 5.8.1.1 BellSouth's Local Interconnection Switching Center (LISC) will notify 1-800-RECONEX, Inc. of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated 1-800-RECONEX, Inc. interface. 1-800-RECONEX, Inc. will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which 1-800-RECONEX, Inc. expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with 1-800-RECONEX, Inc. to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to 1-800-RECONEX, Inc.. The due date of these orders will be four weeks after 1-800-RECONEX, Inc. was first notified in writing of the underutilization of the trunk groups.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

6.1 BellSouth and 1-800-RECONEX, Inc. shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic

- 7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that originates in one exchange and terminates in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service ("EAS") exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and 1-800-RECONEX, Inc. agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or 1-800-RECONEX, Inc. that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and 1-800-RECONEX, Inc. further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or 1-800-RECONEX, Inc. that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.4.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's end user's presubscribed interexchange carrier or if one Party's end user uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 7.1.5 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.6 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.7 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.8 If 1-800-RECONEX, Inc. assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to 1-800-RECONEX, Inc. end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a 1-800-RECONEX, Inc. customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, 1-800-RECONEX, Inc. agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to 1-800-RECONEX, Inc. at BellSouth's switched access tariff rates.
- 7.2 If 1-800-RECONEX, Inc. does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole 1-800-RECONEX, Inc. NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if 1-800-RECONEX, Inc. can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

#### 7.3 **Jurisdictional Reporting**

7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local and ISP-bound call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this

Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.3 **Percent Interstate Usage**. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to 1-800-RECONEX, Inc.. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.

Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and 1-800-RECONEX, Inc. shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

#### 7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. 1-800-RECONEX, Inc. will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to 1-800-RECONEX, Inc. requires interconnection from 1-800-RECONEX, Inc. to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. 1-800-RECONEX, Inc. shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that 1-800-RECONEX, Inc. desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 Mutual Provision of Switched Access Service

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method,

where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth end user chooses 1-800-RECONEX, Inc. as their presubscribed interexchange carrier, or if the BellSouth end user uses 1-800-RECONEX, Inc. as an interexchange carrier on a 101XXXX basis, BellSouth will charge 1-800-RECONEX, Inc. the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- 7.5.4 When 1-800-RECONEX, Inc.'s end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by 1-800-RECONEX, Inc. as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When 1-800-RECONEX, Inc.'s end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to 1-800-RECONEX, Inc., as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.

- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 1-800-RECONEX, Inc. agrees not to deliver switched access traffic to BellSouth for termination except over 1-800-RECONEX, Inc. ordered switched access trunks and facilities.

#### 7.6 **Transit Traffic**

- RECONEX, Inc.'s Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between 1-800-RECONEX, Inc. and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between 1-800-RECONEX, Inc. and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that 1-800-RECONEX, Inc. is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to 1-800-RECONEX, Inc.. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, 1-800-RECONEX, Inc. shall

reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and 1-800-RECONEX, Inc.'s frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which 1-800-RECONEX, Inc. is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between 1-800-RECONEX, Inc. and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and 1-800-RECONEX, Inc. have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").

- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, 1-800-RECONEX, Inc. may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies 1-800-RECONEX, Inc. that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and 1-800-RECONEX, Inc. will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. 1-800-RECONEX, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of 1-800-RECONEX, Inc.'s PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and 1-800-RECONEX, Inc. will pay, the total non-recurring and recurring charges for the NNI port. 1-800-RECONEX, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by 1-800-RECONEX, Inc.'s PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the 1-800-RECONEX, Inc. and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If 1-800-RECONEX, Inc. orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the 1-800-RECONEX, Inc. Frame Relay switch, BellSouth will invoice, and 1-800-RECONEX, Inc. will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and 1-800-RECONEX, Inc. Frame Relay switches. If the VC is a Local VC, 1-800-RECONEX, Inc. will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges

billed for that segment. If the VC is not local, no compensation will be paid to 1-800-RECONEX, Inc. for the PVC segment.


- 8.9.2 If BellSouth orders a Local VC connection between a 1-800-RECONEX, Inc. subscriber's PVC segment and a PVC segment from the 1-800-RECONEX, Inc. Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and 1-800-RECONEX, Inc. will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and 1-800-RECONEX, Inc. Frame Relay switches. If the VC is a Local VC, 1-800-RECONEX, Inc. will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to 1-800-RECONEX, Inc. for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If 1-800-RECONEX, Inc. requests a change, BellSouth will invoice and 1-800-RECONEX, Inc. will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, 1-800-RECONEX, Inc. will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 1-800-RECONEX, Inc. will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

#### 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.


### **Basic Architecture**

Exhibit B




# **One-Way Architecture**

**Exhibit C** 




# **Two-Way Architecture**

**Exhibit D** 



#### Exhibit E

### **Supergroup Architecture**



LOCAL INT	ERCONNECTION - Alabama													ment: 3		bit: A
				]			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TAND	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.000498bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.000498										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or interconi	nection charges										
TRUN	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		333.69	56.91								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00		-								
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	ching, per MOL	J rate elements	1								
COMI	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	21.13	40.54		16.74							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.12	40.54		16.74							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.12	40.54		16.74							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	60.16	89.27		16.35							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1							
oxdot	month	<u></u>		OH3, OH3MS	1L5NM	4.09			<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	<u></u>		OH3, OH3MS	1L5NM	703.52	278.75		60.20						<u> </u>	
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.93	193.53	33.60	37.11	3.67						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26						
									1							
	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58						
	AL INTERCONNECTION MID-SPAN MEET					<u>                                      </u>			<u> </u>							
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch		ble.	<u>                                      </u>			<u> </u>							
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		İ							
MULT	TIPLEXERS					İ			İ							
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79					1	
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63	İ					
									<del>i                                    </del>		1			i e	1	
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								

LOCAL IN	TERCONNECTION - Florida												Attachi	ment: 3	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOT	E: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	rms and conditi	ons in Attachr	nent 3.								
TAN	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006019										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or intercon	nection charges										
TRU	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		336.43	57.38								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOU	J rate elements	s								
	MON TRANSPORT (Shared)					<b>.</b>										
	Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL. OHM	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	25.32	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			,												
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			,												
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			,												
	month			OH1, OH1MS	1L5NL	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1											
1 1	Termination per month	1	1	OH1, OH1MS	1L5NL	88.44	98.47		19.05							l
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	l			1									İ		İ
	month	1	1	OH3, OH3MS	1L5NM	3.87										l
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	1,071.00	219.28		70.56							
LOC	AL CHANNEL - DEDICATED TRANSPORT					, , , , , , , , , , , , , , , , , , , ,										
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	22.81	266.54	47.67	44.22	5.33						
	Local Channel - Dedicated - DS1 per month	l		OH1	TEFHG	35.28	216.65	183.54	24.30	16.95				İ		İ
	Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОН3	TEFHJ	531.91	556.37	343.01	139.13	96.84						l
LOC	AL INTERCONNECTION MID-SPAN MEET			İ							İ	İ				İ
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.						İ	İ				İ
	Local Channel - Dedicated - DS1 per month		1	IOH1MS	TEFHG	0.00	0.00									1
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									1
ми	TIPLEXERS	<b>†</b>		230	1	3.00	3.00									1
	Channelization - DS1 to DS0 Channel System		1	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49	1	i				1
		<del>                                     </del>	<del>                                     </del>	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07	1	1		<b> </b>	1	<del> </del>
	IDS3 to DS1 Channel System per month															
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76	10.07	7.08	40.54	33.01						

LOCAL INT	ERCONNECTION - Georgia													ment: 3		bit: A
							-		-	-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per Lor	per LON	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the te	ms and conditi	ons in Attachr	nent 3.								
	EM SWITCHING			ļ												
	Tandem Switching Function Per MOU			OHD		0.0011009bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0011009										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or intercon	nection charges	i.									
	K CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		333.28	56.84		i e				İ	İ	
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										1
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00				1	İ			İ		
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00				1	İ			İ		
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	s rate element is recovered on a per MOU basis and is included	in the	End O				J rate elements									
	MON TRANSPORT (Shared)	1		l and an incoming and		, por me	rate cicinonic									
	Common Transport - Per Mile, Per MOU			OHD		0.0000080bk						1				<del> </del>
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0004152bk					+					1
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)			01.15		0.000 1102DK						1				1
	ROFFICE CHANNEL - DEDICATED TRANSPORT											1				<del> </del>
114121	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										+					
	Per Mile per month			OHL, OHM	1L5NF	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTIE, OTIM	TEOIT	0.0222					+					
	Facility Termination per month			OHL. OHM	1L5NF	17.07	36.08									
<del>                                     </del>	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OFIL, OF IIVI	ILJINI	17.07	30.00									
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OFIE, OF IIVI	TESIVIN	0.0222										
	Termination per month			OHL, OHM	1L5NK	16.45	36.08									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIE, OTIM	TEOTATA	10.40	00.00				+					
	per month			OHL, OHM	1L5NK	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIM	TESIVIX	0.0222					+					
	Termination per month			OHL, OHM	1L5NK	16.45	36.08									
<del>                                     </del>	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OTIL, OT IIVI	ILOIVIC	10.45	30.00									
	month			OH1, OH1MS	1L5NL	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINIO	TESINE	0.4323					+					
	Termination per month	1		OH1, OH1MS	1L5NL	78.47	111.75							l	I	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		J. II, JIIIIVIO	/ LOI VL	70.47	111.73		1	<del>                                     </del>	1	<b>-</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	month	1		OH3, OH3MS	1L5NM	2.72								l	I	
	Interoffice Channel - Dedicated Transport - DS3 - Facility	<b>-</b>		55, OI IONIO	. 2014101	2.12				<b>†</b>	+	1				<del>                                     </del>
	Termination per month	1		OH3, OH3MS	1L5NM	788.00	330.77							l	I	
LOCA	L CHANNEL - DEDICATED TRANSPORT	1	-	OT 10, OT 101VIO	ILOINIVI	700.00	550.77			1	1				<b>-</b>	<del> </del>
LOGA	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL. OHM	TEFV2	13.91	382.95	62.40								<del></del>
<b>—</b>	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99	368.44	64.05								<del></del>
<del>                                     </del>	Local Channel - Dedicated - 4-Wire Voice Grade per month	1		OHL, OHM	TEFHG	38.36	356.15	312.89	1	1	1	<b>-</b>		1	<del> </del>	1
<del>                                     </del>	Local Ghanner - Dedicated - DOT per month	1		0111	ILITIO	30.30	330.13	312.09	1	<del> </del>				<del> </del>	<del>                                     </del>	<del>                                     </del>
	Local Channel - Dedicated - DS3 Facility Termination per month	1		ОНЗ	TEFHJ	515.91	639.50	426.31						l	I	
1.004	L INTERCONNECTION MID-SPAN MEET	1		0110	ILIII	313.91	039.30	420.31	-	<del> </del>	+	<del>                                     </del>		-	-	+
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	I annol rato is annlica	hle				-	<del> </del>	+	<del>                                     </del>		-	-	+
NOTE	Local Channel - Dedicated - DS1 per month	AICE FO	cai CN	OH1MS	TEFHG	0.00	0.00		1	<b> </b>				-	<del></del>	<del> </del>
<b>  </b>	Local Channel - Dedicated - DS1 per month  Local Channel - Dedicated - DS3 per month	<u> </u>		OH1MS OH3MS	TEFHG		0.00		-	<b> </b>	+	<del> </del>			-	<del> </del>
	Local Channel - Dedicated - DS3 per month   IPLEXERS	<del>                                     </del>		OHSIVIO	IEFHJ	0.00	0.00		-	<b> </b>				-	<del>                                     </del>	<del> </del>
MULI		1		OH1, OH1MS	SATN1	400.00	400.00	400 50	1	<b> </b>	1	-		1	<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	Channelization - DS1 to DS0 Channel System	1		- ,		126.22	198.22	123.59	1	<b> </b>	1	-		1	<del>                                     </del>	<del> </del>
<del>                                     </del>	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	182.04	280.66	195.33	1	<b> </b>	1	-		1	<del>                                     </del>	<del>                                     </del>
<del>   </del>	DS3 Interface Unit (DS1 COCI) per month	L	L .	OH1, OH1MS	SATCO	11.02	12.02	8.66	-:	1	1	1			-	<del>                                     </del>
Notes	: If no rate is identified in the contract, the rates, terms, and co	ndition	s tor t	ne specific service o	or tunction w	iii be as set fort	ın ın applicable	e BellSouth ta	ritt.	l		1		1	1	<u> </u>

LOCAL INT	FERCONNECTION - Kentucky													ment: 3		bit: A
								· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	<b>P</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
						Rec	Nonred		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.								
TANE	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006772bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or interconi	nection charges										
TRUN	NK CHARGE				<u> </u>										<b>.</b>	
	Installation Trunk Side Service - per DS0			OHD	TPP++	<u> </u>	334.09	57.12						ļ	<b>.</b>	ļ
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00									1	
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	3								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0007466bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	29.11	47.34		22.77							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	96.04	105.52		23.09							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per													<u> </u>	_	
	month			OH3, OH3MS	1L5NM	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility													l	I	
	Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40		89.57		<u> </u>				ļ	
LOCA	AL CHANNEL - DEDICATED TRANSPORT			<u> </u>	<u> </u>										1	
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98					1	
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73	<u> </u>				ļ	
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	<u> </u>				ļ	
														l	I	
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42				ļ		
	AL INTERCONNECTION MID-SPAN MEET	<u> </u>		L	J	ļ					<u> </u>				ļ	
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch			ļ					<u> </u>				ļ	
$\vdash$	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							ļ	<b>.</b>	ļ
$\vdash$	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00							ļ	<b>.</b>	ļ
MUL	TIPLEXERS			<u> </u>	1	ļ					<u> </u>				ļ	
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04					1	
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59	<u> </u>				ļ	
	DS3 Interface Unit (DS1 COCI) per month s: If no rate is identified in the contract, the rates, terms, and co			OH1, OH1MS	SATCO	11.80	10.07	7.08								
				ha enacific carvica d	or function w	ill he as set fort	h in annlicable	e ReliSouth ta	riff		1	1		Ì	l .	i

LOCAL INT	ERCONNECTION - Louisiana													ment: 3		bit: A
				1			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
TAND	EM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005507										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or interconr	nection charges										
TRUN	K CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		334.94	56.98								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swit	ching, per MOl	J rate elements	3								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000032bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	22.60	26.62									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.61	26.62									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.61	26.62									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	70.47	79.44								1	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
1 1	month		1	OH3, OH3MS	1L5NM	6.04					1					
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
I	Termination per month	<u></u>	L	OH3, OH3MS	1L5NM	850.45	158.05		<u></u>	<u>                                      </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
LOCA	L CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.32	187.51	32.21								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.41	187.94	32.63								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
1 1	Local Channel - Dedicated - DS3 Facility Termination per month		1	OH3	TEFHJ	469.44	438.46	256.30			1					
	L INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ıble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MULT	TPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48	172.99	91.25		1						
1			-					4.50	i	1	1					
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.78	6.39	4.58								

LOCAL IN	FERCONNECTION - Mississippi													ment: 3		bit: A
				]					<del></del>	· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										p	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.								
TAN	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	l/or intercon	nection charges										
TRU	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		334.11	56.98								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swit	tching, per MOl	J rate elements	S								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004541bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	22.52	27.57		7.11							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	27.57		7.11							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	27.57		7.11							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	57.33	82.28		14.90							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	641.90	163.70		60.29							
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						
L	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						
1 1	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19	1					1
	AL INTERCONNECTION MID-SPAN MEET															
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	able.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									1
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									1
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System		1	OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10						1
	DS3 to DS1 Channel System per month		1	OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82						1
																+
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								

LOCAL INT	ERCONNECTION - North Carolina													ment: 3		bit: A
							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	·	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0012000bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0012										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or interconr	ection charges										
	IK CHARGE					Ū										
	Installation Trunk Side Service - per DS0			OHD	TPP++		333.54	56.88								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00			İ	İ				İ	İ	1
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00				1						
** Thi	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swit	china, per MOl	J rate elements	3								
	MON TRANSPORT (Shared)					<b>.</b>										
	Common Transport - Per Mile, Per MOU			OHD		0.0000100bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003400bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
1 1	Termination per month			OH1, OH1MS	1L5NL	71.29	217.17	163.75					38.07	38.07	I	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
oxdot	month	<u> </u>		OH3, OH3MS	1L5NM	12.98				<u> </u>	<u> </u>			<u> </u>	<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Facility							•					_			
	Termination per month			OH3, OH3MS	1L5NM	720.38	794.94	579.55		<u> </u>	<u> </u>		91.26	91.26		
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	11.24	553.80	89.69					42.17	12.76		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	12.03	562.23	92.67					42.17	12.76		
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	27.05	534.48	462.69					86.15	1.77		
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	298.92	438.46	256.30			1		56.25	56.25		
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00						86.15	1.77		
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00						56.25	56.25		
MULT	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06					24.77	8.16		
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40					24.78	7.42		
				OH1, OH1MS	SATCO	16.07	13.09	9.38								
	DS3 Interface Unit (DS1 COCI) per month			OHT, OHTIVIS	SAICO	16.07	13.09	9.30								

LOCAL IN	TERCONNECTION - South Carolina													ment: 3		bit: A
				1				· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
	DEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0007360bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Thi	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	l/or intercon	ection charges										
	NK CHARGE		1	1												
	Installation Trunk Side Service - per DS0			OHD	TPP++		335.14	57.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	china, per MOL	J rate elements	5								
	MON TRANSPORT (Shared)					J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										
	Common Transport - Facilities Termination Per MOU		1	OHD		0.0004095bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT		1													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1													
	Per Mile per month			OHL, OHM	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		1													
	Facility Termination per month			OHL, OHM	1L5NF	24.30	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	O. 12, O. 1111	120.41	200	10.00									
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O. 12, O. 1111	1201111	0.0107										
	Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1													
	month			OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	orri, orrinio	120.12	0.0110										
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47		16.39							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			,												
	month			OH3, OH3MS	1L5NM	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	880.65	279.37		60.33							
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month		1	OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21						
+	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68						
	Local Channel - Dedicated - DS1 per month	1		OH1	TEFHG	42.62	177.87	154.06	22.24	15.30				1		<del> </del>
		1			1	72.02	177.57	10-1.00	22.27	10.00				1		<del> </del>
	Local Channel - Dedicated - DS3 Facility Termination per month	1	1	ОНЗ	TEFHJ	446.00	452.52	264.53	119.75	83.77						
LOC	AL INTERCONNECTION MID-SPAN MEET	1	1	1	1	1.0.00	.02.02	2000	1.0.70	00.11	1	<b>-</b>		1	1	<del> </del>
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice I o	cal Ch	annel rate is applica	able.				<del>                                     </del>		1				<u> </u>	
1.01	Local Channel - Dedicated - DS1 per month	1		OH1MS	TEFHG	0.00	0.00		<del>                                     </del>		<del> </del>	<b> </b>			<del> </del>	<b> </b>
<del>                                     </del>	Local Channel - Dedicated - DS3 per month	<del>                                     </del>	<del>                                     </del>	OH3MS	TEFHJ	0.00	0.00		<del>                                     </del>		1				1	<del>                                     </del>
MIII	TIPLEXERS	1	1	OI IJIVIJ	ILITIO	0.00	0.00				1	1			<b>†</b>	
IVIUL	Channelization - DS1 to DS0 Channel System	1	1	OH1. OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81	1	1		-		1
1				LOTTI, OTTIVIO	OCHINI	107.57	31.24	02.71	10.50	5.01	İ	ĺ	1	1	1	
				OH3 OH3W6	SATNS	1/// 02	179 54	0/ 10	33 33	21 00						
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90						

LOCAL IN	FERCONNECTION - Tennessee													ment: 3		bit: A
									-	-	Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec		Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						-(1)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	that element pursu	ant to the te	ms and conditi	ions in Attachn	nent 3.								
	DEM SWITCHING			ļ												
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0009778										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	l/or intercon	ection charges	š.									
	NK CHARGE		1		1											
1 1	Installation Trunk Side Service - per DS0	1		OHD	TPP++	1	334.29	57.01							İ	İ
	Dedicated End Office Trunk Port Service-per DS0**	1		OHD	TDE0P	0.00			i i					İ	İ	1
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00					İ					1
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	d in the	End O				U rate elements	:								
	MON TRANSPORT (Shared)	1	<u> </u>	l and an incoming and	1	, por me	1									
	Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			O. 12, O. 1111	120.41	0.0111										
	Facility Termination per month			OHL, OHM	1L5NF	18.58	17.37		3.51							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIE, OTIM	120141	10.00	17.07		0.01							
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O. 12, O. 1111	1201111	0.0111										
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			O. 12, O. 1111	1201111	0.0111										
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			orri, orrinio	120.12	0.0002										
	Termination per month			OH1, OH1MS	1L5NL	77.86	76.27		14.99							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		t		1 -	11130			20						t	1
	month			OH3, OH3MS	1L5NM	2.34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1				1							
	Termination per month			OH3, OH3MS	1L5NM	848.99	176.56		105.91						I	I
LOC	AL CHANNEL - DEDICATED TRANSPORT				1											
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL. OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
	Local Channel - Dedicated - DS1 per month	1		OH1	TEFHG	40.99	277.35	233.26	33.18	22.30				İ	İ	1
	Local Channel - Dedicated - DS3 Facility Termination per month			ОН3	TEFHJ	611.30	595.37	304.50	215.82	151.15					I	I
LOC	AL INTERCONNECTION MID-SPAN MEET			İ							İ					1
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.						İ					1
	Local Channel - Dedicated - DS1 per month	1	Ι	IOH1MS	TEFHG	0.00	0.00		1						t	1
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				1					1
ми	TIPLEXERS		t	230	1	5.00	3.00								t	1
	Channelization - DS1 to DS0 Channel System	<b>t</b>	<del>                                     </del>	OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62	1				<b> </b>	<b> </b>
		1	-	- ,	SATNS		308.03	108.47	6.34	4.23	<del>                                     </del>			l	ł	<b> </b>
	IDS3 to DS1 Channel System per month					222,98										
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATCO	222.98 17.58	6.07	4.66	0.34	4.23					1	

Page 1

### **Attachment 4**

**Physical Collocation** 

#### **BELLSOUTH**

#### PHYSICAL COLLOCATION

#### 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when 1-800-RECONEX, Inc. is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to 1-800-RECONEX, Inc. collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow 1-800-RECONEX, Inc. to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by 1-800-RECONEX, Inc. and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate 1-800-RECONEX, Inc.'s requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase 1-800-RECONEX, Inc.'s cost or materially delay 1-800-RECONEX, Inc.'s occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service 1-800-RECONEX, Inc. wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically

occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. 1-800-RECONEX, Inc. will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.
- 1.5 <u>Use of Space</u>. 1-800-RECONEX, Inc. shall use the Collocation Space for the purposes of installing, maintaining and operating 1-800-RECONEX, Inc.'s equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. 1-800-RECONEX, Inc. agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from 1-800-RECONEX, Inc., BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from 1-800-RECONEX, Inc. for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification

Page 4

("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association ("NECA") Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify 1-800-RECONEX, Inc. and inform 1-800-RECONEX, Inc. of the time frame under which it can respond.

#### 3. Collocation Options

- 3.1 Cageless. BellSouth shall allow 1-800-RECONEX, Inc. to collocate 1-800-RECONEX, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow 1-800-RECONEX, Inc. to have direct access to 1-800-RECONEX, Inc.'s equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where 1-800-RECONEX, Inc.'s equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, 1-800-RECONEX, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At 1-800-RECONEX, Inc.'s expense, 1-800-RECONEX, Inc. may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with 1-800-RECONEX, Inc. and provide, at 1-800-RECONEX, Inc.'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for 1-800-RECONEX, Inc. to obtain the zoning, permits and/or other licenses. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth building contact

with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc.. Upon request, BellSouth shall construct the enclosure for 1-800-RECONEX, Inc..

- 3.2.1 BellSouth may elect to review 1-800-RECONEX, Inc.'s plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to 1-800-RECONEX, Inc. indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if 1-800-RECONEX, Inc. has indicated its desire to construct its own enclosure. If 1-800-RECONEX, Inc.'s Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review 1-800-RECONEX, Inc.'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- 3.3 Shared Caged Collocation. 1-800-RECONEX, Inc. may allow other telecommunications carriers to share 1-800-RECONEX, Inc.'s caged collocation arrangement pursuant to terms and conditions agreed to by 1-800-RECONEX, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. 1-800-RECONEX, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by 1-800-RECONEX, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and 1-800-RECONEX, Inc..
- 3.3.1 1-800-RECONEX, Inc., as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide 1-800-RECONEX, Inc. with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, 1-800-RECONEX, Inc. shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional

Page 6

equipment placement of the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be billed to the Host on the date that BellSouth provides its written response ("Application Response").

- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 1-800-RECONEX, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of 1-800-RECONEX, Inc.'s Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by 1-800-RECONEX, Inc. and in conformance with BellSouth's design and construction specifications. Further, 1-800-RECONEX, Inc. shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should 1-800-RECONEX, Inc. elect Adjacent Collocation, 1-800-RECONEX, Inc. must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc..

- 3.4.2 1-800-RECONEX, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review 1-800-RECONEX, Inc.'s plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.
- 3.4.3 1-800-RECONEX, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At 1-800-RECONEX, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible, at 1-800-RECONEX, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit 1-800-RECONEX, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same central office. Both 1-800-RECONEX, Inc.1-800-RECONEX, Inc.'s agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall 1-800-RECONEX, Inc. use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 1-800-RECONEX, Inc. must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by 1-800-RECONEX, Inc.. Such connections to other carriers may be made using either optical or electrical facilities. 1-800-RECONEX, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. 1-800-RECONEX, Inc. may not self-provision CCXC on any BellSouth distribution

Page 8

frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). 1-800-RECONEX, Inc. is responsible for ensuring the integrity of the signal.

- 3.5.2 1-800-RECONEX, Inc. shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. 1-800-RECONEX, Inc.-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, 1-800-RECONEX, Inc. may have the option of constructing its own dedicated support structure.
- 3.5.3 To order CCXCs 1-800-RECONEX, Inc. must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

#### 4. Occupancy

- 4.1 Occupancy. BellSouth will notify 1-800-RECONEX, Inc. in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Collocation Space is ready for occupancy. In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. Billing will commence on the Space Ready Date or the date 1-800-RECONEX, Inc.1-800-RECONEX, Inc. accepts the space ("Space Acceptance 1-800-RECONEX, Inc. must notify BellSouth in Date"), whichever is sooner. writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, 1-800-RECONEX, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, 1-800-RECONEX, Inc. may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate 1-800-RECONEX, Inc.'s right to occupy the Collocation Space in the event 1-800-RECONEX, Inc. fails to comply with any provision of this Agreement including the payment of applicable fees.

Upon termination of occupancy, 1-800-RECONEX, Inc. at its expense shall remove its equipment and other property from the Collocation Space. 1-800-RECONEX, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of 1-800-RECONEX, Inc.'s Guests, unless 1-800-RECONEX, Inc.'s Guest has assumed responsibility for the Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. 1-800-RECONEX, Inc. shall continue payment of monthly fees to BellSouth until such date as 1-800-RECONEX, Inc., and if applicable 1-800-RECONEX, Inc.'s Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s), in any manner that BellSouth deems fit, at 1-800-RECONEX, Inc.'s expense and with no liability whatsoever for 1-800-RECONEX, Inc.'s property or 1-800-RECONEX, Inc.'s Guest(s)'s property. Upon termination of 1-800-RECONEX, Inc.'s right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and 1-800-RECONEX, Inc. shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by 1-800-RECONEX, Inc. except for ordinary wear and tear, unless otherwise agreed to by the Parties. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. 1-800-RECONEX, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

#### 5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized

databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on 1-800-RECONEX, Inc.'s failure to comply with this Section.
- 5.1.3 1-800-RECONEX, Inc. shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that 1-800-RECONEX, Inc. submits an application for terminations that exceed the total capacity of the collocated equipment, 1-800-RECONEX, Inc. will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 1-800-RECONEX, Inc. shall identify to BellSouth whenever 1-800-RECONEX, Inc. submits a Method of Procedure ("MOP") adding equipment to 1-800-RECONEX, Inc.'s Collocation Space all entities that have an interest, secured and otherwise, in the equipment in 1-800-RECONEX, Inc.'s Collocation Space.
- 5.3 1-800-RECONEX, Inc. shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.4 1-800-RECONEX, Inc. shall place a plaque or other identification affixed to 1-800-RECONEX, Inc.'s equipment necessary to identify 1-800-RECONEX, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- 5.5 <u>Entrance Facilities</u>. 1-800-RECONEX, Inc. may elect to place 1-800-RECONEX, Inc.-owned or 1-800-RECONEX, Inc.-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance

manhole or a cable vault, which are physically accessible by both Parties. 1-800-RECONEX, Inc. will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. 1-800-RECONEX, Inc. will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to 1-800-RECONEX, Inc.'s equipment in the Collocation Space. In the event 1-800-RECONEX, Inc. utilizes a non-metallic, riser-type entrance facility, a splice will not be required. 1-800-RECONEX, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. 1-800-RECONEX, Inc. is responsible for maintenance of the entrance facilities. At 1-800-RECONEX, Inc.'s option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide 1-800-RECONEX, Inc. with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to 1-800-RECONEX, Inc.'s arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 <u>Shared Use.</u> 1-800-RECONEX, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to 1-800-RECONEX, Inc.'s collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. 1-800-RECONEX, Inc. must arrange with BellSouth for BellSouth to splice the 1-800-RECONEX, Inc. provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If 1-800-RECONEX, Inc. desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). 1-800-RECONEX, Inc. shall be responsible for providing, and a supplier certified by BellSouth ("BellSouth Certified Supplier")

shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.

- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a 1-800-RECONEX, Inc. provided Point of Termination Bay (POT Bay) in a common area within the Premises. 1-800-RECONEX, Inc. shall be responsible for providing, and a supplier certified by BellSouth shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between 1-800-RECONEX, Inc.'s Collocation Space and the demarcation point. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that 1-800-RECONEX, Inc. desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 <u>1-800-RECONEX</u>, Inc.'s Equipment and Facilities. 1-800-RECONEX, Inc., or if required by this Attachment, 1-800-RECONEX, Inc.'s BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by 1-800-RECONEX, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. 1-800-RECONEX, Inc. and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to 1-800-RECONEX, Inc. at least forty-eight (48) hours before access to the Collocation Space is required. 1-800-RECONEX, Inc. may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that 1-800-RECONEX, Inc. will not bear any of the expense associated with this work.

- 5.9 Access. Pursuant to Section 12, 1-800-RECONEX, Inc. shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. 1-800-RECONEX, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by 1-800-RECONEX, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of 1-800-RECONEX, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. 1-800-RECONEX, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of 1-800-RECONEX, Inc.'s employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with 1-800-RECONEX, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to 1-800-RECONEX, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without charge to 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date 1-800-RECONEX, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, 1-800-RECONEX, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event 1-800-RECONEX, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit 1-800-RECONEX, Inc. to access the Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc. to access the Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc.'s expense. 1-800-RECONEX, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.10 <u>Lost or Stolen Access Keys</u>. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), 1-800-RECONEX, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- Interference or Impairment. Notwithstanding any other provisions of this Attachment, 1-800-RECONEX, Inc. shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of

Page 14

injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of 1-800-RECONEX, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to 1-800-RECONEX, Inc., which notice shall direct 1-800-RECONEX, Inc. to cure the violation within forty-eight (48) hours of 1-800-RECONEX, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if 1-800-RECONEX, Inc. fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to 1-800-RECONEX, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to 1-800-RECONEX, Inc. prior to taking such action and shall have no liability to 1-800-RECONEX, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.11.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and 1-800-RECONEX. Inc. fails to take curative action within forty-eight (48) hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to 1-800-RECONEX, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, 1-800-RECONEX, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by 1-800-RECONEX, Inc. in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by 1-800-RECONEX, Inc. at any time. Any damage caused to the Collocation Space by 1-800-RECONEX, Inc.'s Version 2Q02: 5/31/02

- employees, agents or representatives during the removal of such property shall be promptly repaired by 1-800-RECONEX, Inc. at its expense.
- 5.12.1 <u>If</u> 1-800-RECONEX, Inc. decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall 1-800-RECONEX, Inc. or any person acting on behalf of 1-800-RECONEX, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by 1-800-RECONEX, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14 <u>Janitorial Service</u>. 1-800-RECONEX, Inc. shall be responsible for the general upkeep of the Collocation Space. 1-800-RECONEX, Inc. shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

#### 6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to 1-800-RECONEX, Inc. and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- Initial Application. For 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) initial equipment placement, 1-800-RECONEX, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) desires to modify the use of the Collocation Space after a BFFO, 1-800-RECONEX, Inc. shall complete an application detailing all information regarding

the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by 1-800-RECONEX, Inc. in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

- 6.3.1 <u>Subsequent Application Fee.</u> The application fee paid by 1-800-RECONEX, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure, an Initial Application Fee shall apply. This non-recurring fee will be billed on the date that BellSouth makes an Application Response.
- Space Preferences. If 1-800-RECONEX, Inc. has previously requested and received a Space Availability Report for the Premises, 1-800-RECONEX, Inc. may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can-not accommodate the 1-800-RECONEX, Inc.'s preference(s), 1-800-RECONEX, Inc. may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth

on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- Denial of Application. If BellSouth notifies 1-800-RECONEX, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying 1-800-RECONEX, Inc. that BellSouth has no available space in the requested Premises, BellSouth will allow 1-800-RECONEX, Inc., upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit 1-800-RECONEX, Inc. to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting

carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- When space becomes available, 1-800-RECONEX, Inc. must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If 1-800-RECONEX, Inc. has originally requested caged Collocation Space and cageless Collocation Space becomes available, 1-800-RECONEX, Inc. may refuse such space and notify BellSouth in writing within that time that 1-800-RECONEX, Inc. wants to maintain its place on the waiting list without accepting such space. 1-800-RECONEX, Inc. may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If 1-800-RECONEX, Inc. does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove 1-800-RECONEX, Inc. from the waiting list. Upon request, BellSouth will advise 1-800-RECONEX, Inc. as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the

space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.

- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote, based upon standardized pricing provided that 1-800-RECONEX, Inc. has given BellSouth a forecast of 1-800-RECONEX, Inc.'s collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by 1-800-RECONEX, Inc. the interval for an Application Response will be thirty (30) calendar days.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable 1-800-RECONEX, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When 1-800-RECONEX, Inc. submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 <u>Application Modifications</u>.
- 6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of 1-800-RECONEX, Inc. or necessitated by technical considerations, said application shall be

considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge 1-800-RECONEX, Inc. an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. A modification involving a capital expenditure by BellSouth shall require 1-800-RECONEX, Inc. to submit the application with an Initial Application Fee. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

#### 6.12 <u>Bona Fide Firm Order</u>.

- 6.12.1 In Kentucky and North Carolina, 1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when 1-800-RECONEX, Inc. has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application in order to receive the intervals set forth in Section 7. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the Application Response, then the intervals set forth in Section 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. \_1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire.
- 6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of 1-800-RECONEX, Inc.'s BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

#### 7. <u>Construction and Provisioning</u>

7.1 Construction and Provisioning Intervals

- 7.1.1 In North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event 1-800-RECONEX, Inc. submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event 1-800-RECONEX, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event 1-800-RECONEX, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with 1-800-RECONEX, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.
- 7.1.1.1 To be considered a timely and accurate forecast, 1-800-RECONEX, Inc. must submit to BellSouth the CLEC Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Alabama, BellSouth will complete construction for caged collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements when preconditioned space is available within thirty (30) calendar days from receipt of a BFFO (ordinary conditions) or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for cageless collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. Preconditioned space is defined as when all infrastructure is in place and only a record change is required to show that the space has been assigned to 1-800-RECONEX, Inc.. Ordinary conditions are defined as space available with only minor changes to support systems required, such as, but not limited to HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but are not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance;

environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and 1-800-RECONEX, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.4 In Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for

ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as follows: (i) for caged collocation arrangements, within a maximum of ninety (90) calendar days from receipt of a BFFO, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within thirty (30) calendar days from receipt of a BFFO when there is conditioned space and 1-800-RECONEX, Inc. installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed ninety (90) calendar days from the receipt of a BFFO, unless otherwise agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with 1-800-RECONEX, Inc. or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the Commission order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned space is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.
- Joint Planning. Joint planning between BellSouth and 1-800-RECONEX, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to 1-800-RECONEX, Inc. during joint planning.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Collocation Space is ready for occupancy (Space Ready Date). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. BellSouth will correct any deviations to 1-800-RECONEX, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to 1-800-RECONEX, Inc. prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which 1-800-RECONEX, Inc. has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth prior to 6/1/99. BellSouth cannot provide CFAs to 1-800-RECONEX, Inc. prior to the Provisioning Interval for those Premises in which 1-800-RECONEX, Inc. has a physical collocation arrangement with a POT bay provided by 1-800-RECONEX, Inc. prior to 6/1/99 or a virtual collocation arrangement until 1-800-RECONEX, Inc. provides BellSouth with the following information:

For 1-800-RECONEX, Inc.-provided POT bay - a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.

For virtual - a complete layout of 1-800-RECONEX, Inc.'s equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier

BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from 1-800-RECONEX, Inc.. If this EIU is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU.

- 7.5.1 BellSouth will bill 1-800-RECONEX, Inc. a nonrecurring charge, as set forth in Exhibit C, each time 1-800-RECONEX, Inc. requests a resend of its CFAs.
- 7.6 Use of BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, 1-800-RECONEX, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide 1-800-RECONEX, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing 1-800-RECONEX, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and 1-800-RECONEX, Inc. upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying 1-800-RECONEX, Inc. or any supplier proposed

- by 1-800-RECONEX, Inc.. All work performed by or for 1-800-RECONEX, Inc. shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. 1-800-RECONEX, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service 1-800-RECONEX, Inc.'s Collocation Space. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by 1-800-RECONEX, Inc.. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, 1-800-RECONEX, Inc. may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by 1-800-RECONEX, Inc., such information will be provided to 1-800-RECONEX, Inc. in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to 1-800-RECONEX, Inc. within one hundred eighty (180) calendar days of BellSouth's written denial of 1-800-RECONEX, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) 1-800-RECONEX, Inc. was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then 1-800-RECONEX, Inc. may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. 1-800-RECONEX, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within sixty (60) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, 1-800-RECONEX, Inc. cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if 1-800-RECONEX, Inc. cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill 1-800-RECONEX, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses.</u> 1-800-RECONEX, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

#### 8. Rates and Charges

- 8.1 <u>Recurring Charges.</u> The recurring charges for space preparation begin on the Space Ready Date or on the date 1-800-RECONEX, Inc. accepts the space, whichever is first.
- 8.2 <u>Application Fee.</u> BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6 (Application Response). Payment of said application fee will be due as dictated by 1-800-RECONEX, Inc.'s current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by 1-800-RECONEX, Inc.. This fee will be billed by Bellsouth on the date that BellSouth provides an Application Response.
- 8.3 <u>Space Preparation.</u> Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications,

assessed per arrangement, per square foot, and common systems modifications, assessed per arrangement, per square foot, for cageless collocation and per cage for caged collocation. 1-800-RECONEX, Inc. shall remit payment of the nonrecurring firm order-processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event 1-800-RECONEX, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to 1-800-RECONEX, Inc. as prescribed in this Section.

- 8.4 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This non-recurring fee will be billed by BellSouth upon receipt of the 1-800-RECONEX, Inc.'s BFFO.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, 1-800-RECONEX, Inc. shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, 1-800-RECONEX, Inc. shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width ofrack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event 1-800-RECONEX, Inc.'s collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, 1-800-RECONEX, Inc. shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for 1-800-RECONEX, Inc.'s Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at 1-800-RECONEX, Inc.'s option within the Premises.
- When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier. 1-800-RECONEX, Inc. is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to 1-800-RECONEX, Inc.'s equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by 1-800-RECONEX, Inc. must provide BellSouth a copy of the

engineering power specification prior to the day on which 1-800-RECONEX, Inc.'s equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and 1-800-RECONEX, Inc.'s arrangement area. 1-800-RECONEX, Inc. shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within 1-800-RECONEX, Inc.'s arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling.

- 8.6.2 If 1-800-RECONEX, Inc. elects to install its own DC Power Plant, BellSouth shall provide AC power to feed 1-800-RECONEX, Inc.'s DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At 1-800-RECONEX, Inc.'s option, 1-800-RECONEX, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to 1-800-RECONEX, Inc.'s equipment or space enclosure. 1-800-RECONEX, Inc. shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within 1-800-RECONEX, Inc.'s arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, non-recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and 1-800-RECONEX, Inc.'s arrangement area.
- In Alabama, Louisiana and South Carolina, 1-800-RECONEX, Inc. has the option to purchase power directly from an electric utility company. Under such an option, 1-800-RECONEX, Inc. is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by 1-800-RECONEX, Inc. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier

must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by 1-800-RECONEX, Inc. in provisioning said power will be billed on an ICB basis.

- 8.6.5 If 1-800-RECONEX, Inc. requests a reduction in the amount of power that BellSouth is currently providing 1-800-RECONEX, Inc. must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit C will apply. If modifications are requested in addition to the reduction of power the Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.6 In Alabama, if 1-800-RECONEX, Inc. is currently served from the BellSouth power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, 1-800-RECONEX, Inc. must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort</u>. A security escort will be required whenever 1-800-RECONEX, Inc. or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and 1-800-RECONEX, Inc. shall pay for such half-hour charges in the event 1-800-RECONEX, Inc. fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These non-recurring fees will be billed upon receipt of 1-800-RECONEX, Inc.'s BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

### 9. <u>Insurance</u>

- 9.1 1-800-RECONEX, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 1-800-RECONEX, Inc. shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of 1-800-RECONEX, Inc.'s real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 1-800-RECONEX, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by 1-800-RECONEX, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all 1-800-RECONEX, Inc.'s property has been removed from BellSouth's Premises, whichever period is longer. If 1-800-RECONEX, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from 1-800-RECONEX, Inc..
- 9.5 1-800-RECONEX, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. 1-800-RECONEX, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from 1-800-RECONEX, Inc.'s insurance company. 1-800-RECONEX, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street

#### Atlanta, Georgia 30375

- 9.6 1-800-RECONEX, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If 1-800-RECONEX, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), 1-800-RECONEX, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. 1-800-RECONEX, Inc. shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to 1-800-RECONEX, Inc. in the event that self-insurance status is not granted to 1-800-RECONEX, Inc.. If BellSouth approves 1-800-RECONEX, Inc. for self-insurance, 1-800-RECONEX, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of 1-800-RECONEX, Inc.'s corporate officers. The ability to self-insure shall continue so long as the 1-800-RECONEX, Inc. meets all of the requirements of this Section. If 1-800-RECONEX, Inc. subsequently no longer satisfies this Section, 1-800-RECONEX, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or 1-800-RECONEX, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 11. <u>Inspections</u>

BellSouth may conduct an inspection of 1-800-RECONEX, Inc.'s equipment and facilities in the Collocation Space(s) prior to the activation of facilities between 1-800-RECONEX, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if 1-800-RECONEX, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide 1-800-RECONEX, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

#### 12. Security and Safety Requirements

- 12.1 Unless otherwise specified, 1-800-RECONEX, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each 1-800-RECONEX, Inc. employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. 1-800-RECONEX, Inc. shall not be required to perform this investigation if an affiliated company of 1-800-RECONEX, Inc. has performed an investigation of the 1-800-RECONEX, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if 1-800-RECONEX, Inc. has performed a pre-employment statewide investigation of criminal history records of the 1-800-RECONEX, Inc. employee for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 1-800-RECONEX, Inc. will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 1-800-RECONEX, Inc. shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and 1-800-RECONEX, Inc.'s name. BellSouth reserves the right to remove from its Premises any employee of 1-800-RECONEX, Inc. not possessing identification issued by 1-800-RECONEX, Inc. or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. 1-800-RECONEX, Inc. shall be solely responsible for ensuring that any Guest of 1-800-RECONEX, Inc. is in compliance with all subsections of this Section.

- 1-800-RECONEX, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. 1-800-RECONEX, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any 1-800-RECONEX, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that 1-800-RECONEX, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, 1-800-RECONEX, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each 1-800-RECONEX, Inc. employee or agent hired by 1-800-RECONEX, Inc. within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, 1-800-RECONEX, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, 1-800-RECONEX, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other 1-800-RECONEX, Inc. employees requiring access to a BellSouth Premises pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, 1-800-RECONEX, Inc. shall promptly remove from BellSouth's Premises any employee of 1-800-RECONEX, Inc. BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of 1-800-RECONEX, Inc. is found interfering with the property or personnel of BellSouth or

another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview 1-800-RECONEX, Inc.'s employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to 1-800-RECONEX, Inc.'s Security contact of such interview. 1-800-RECONEX, Inc. and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving 1-800-RECONEX, Inc.'s employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill 1-800-RECONEX, Inc. for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that 1-800-RECONEX, Inc.'s employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill 1-800-RECONEX, Inc. for BellSouth property, which is stolen or damaged where an investigation determines the culpability of 1-800-RECONEX, Inc.'s employees, agents, or suppliers and where 1-800-RECONEX, Inc. agrees, in good faith, with the results of such investigation. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the event that 1-800-RECONEX, Inc. discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this Section. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

#### 13. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly

unsuitable for 1-800-RECONEX, Inc.'s permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to 1-800-RECONEX, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. 1-800-RECONEX, Inc. may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If 1-800-RECONEX, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by 1-800-RECONEX, Inc.. Where allowed and where practical, 1-800-RECONEX, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, 1-800-RECONEX, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for 1-800-RECONEX, Inc.'s permitted use, until such Collocation Space is fully repaired and restored and 1-800-RECONEX, Inc.'s equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where 1-800-RECONEX, Inc. has placed an Adjacent Arrangement pursuant to Section 3, 1-800-RECONEX, Inc. shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and 1-800-RECONEX, Inc. shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

15.1 1-800-RECONEX, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and 1-800-RECONEX, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and 1-800-RECONEX, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. 1-800-RECONEX, Inc. should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for 1-800-RECONEX, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. 1-800-RECONEX, Inc. will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by 1-800-RECONEX, Inc. when operating in the BellSouth Premises.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the 1-800-RECONEX, Inc. space with proper notification. BellSouth reserves the right to stop any 1-800-RECONEX, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, Version 2Q02: 05-31-02

stored or abandoned at the BellSouth Premises by 1-800-RECONEX, Inc. are owned by 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by 1-800-RECONEX, Inc. or different hazardous materials used by 1-800-RECONEX, Inc. at BellSouth Premises. 1-800-RECONEX, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by 1-800-RECONEX, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and 1-800-RECONEX, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and 1-800-RECONEX, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, 1-800-RECONEX, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and 1-800-RECONEX, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, 1-800-RECONEX, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. 1-800-RECONEX, Inc. further agrees to cooperate with BellSouth to ensure that 1-800-RECONEX, Inc.'s employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by 1-800-RECONEX, Inc., its employees, agents and/or suppliers.

2.2 The most current version of the reference documentation must be requested from 1-800-RECONEX, Inc.'s BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION			
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3			
(e.g., batteries, fluorescent tubes, solvents & cleaning	Pollution liability insurance				
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)			
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450			
to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)			
	Insurance	Std T&C 660			
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450			

Other maintenance work	regulations	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)			
	Protection of BST employees and equipment				
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services			
	All Hazardous Material and Waste	Fact Sheet Series 17000			
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)			
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)			
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740			

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std T&C - Standard Terms & Conditions

#### THREE MONTH CLEC COLLOCATION FORECAST

CLEC NAME	<b>DATE</b>
-----------	-------------

STATE	Central Office/City	CAG ED Sq. Ft.	CAGEI Ba Standard Bays*	ys Non-	FRAME TERMINATI ONS	CLEC Provided BDFB Amps Load	IKII/HANIP	Proposed Applicatio n Date	NOTES
			v	Bays**					

<sup>\*</sup>Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 12". The standard height for all collocated equipment bays in BellSouth is 7'0".

Notes: Forecast information will be used for no other purpose than collocation planning.

<sup>\*\*</sup> Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

# **Attachment 4**

**Remote Site Physical Collocation** 

#### BELLSOUTH

#### REMOTE SITE PHYSICAL COLLOCATION

#### 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when 1-800-RECONEX, Inc. is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to this Attachment.
- 1.2 Right to occupy. BellSouth shall offer to 1-800-RECONEX, Inc. Remote Site Collocation on rates, terms, and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment where space is available and collocation is technically feasible, BellSouth will allow 1-800-RECONEX, Inc. to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by 1-800-RECONEX, Inc. and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth remote locations other than those specified above.

#### 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within a two year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by 1-800-RECONEX, Inc. may contemplate a request for space sufficient to accommodate 1-800-RECONEX, Inc.'s growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special

considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where BellSouth notifies 1-800-RECONEX, Inc. that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon 1-800-RECONEX, Inc.'s request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for 1-800-RECONEX, Inc.. 1-800-RECONEX, Inc. agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for 1-800-RECONEX, Inc.. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for 1-800-RECONEX, Inc. as above, 1-800-RECONEX, Inc. shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with 1-800-RECONEX, Inc. in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. 1-800-RECONEX, Inc. will be responsible for any justification of unutilized space within its Remote Collocation Space, if the appropriate state commission requires such justification.
- 1.6 <u>Use of Space.</u> 1-800-RECONEX, Inc. shall use the Remote Collocation Space for the purposes of installing, maintaining and operating 1-800-RECONEX, Inc.'s equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Attachment. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. 1-800-RECONEX, Inc. agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

2.1 <u>Space Availability Report</u>. Upon request from 1-800-RECONEX, Inc., BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation

Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from 1-800-RECONEX, Inc. for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. The CLLI code information for the serving central office is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If 1-800-RECONEX, Inc. is unable to obtain the CLLI code from, for example, a site visit to the remote site, 1-800-RECONEX, Inc. may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, 1-800-RECONEX, Inc. should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. 1-800-RECONEX, Inc. should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify 1-800-RECONEX, Inc. and inform 1-800-RECONEX, Inc. of the time frame under which it can respond.
- Remote Terminal information. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a 1-800-RECONEX, Inc. request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by 1-800-RECONEX, Inc., up to a maximum of thirty (30) wire centers per 1-800-RECONEX, Inc. request per month per state, and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) 1-800-RECONEX, Inc. agrees to pay the costs incurred by BellSouth in providing the information.

#### 3. <u>Collocation Options</u>

- 3.1 Cageless. BellSouth shall allow 1-800-RECONEX, Inc. to collocate 1-800-RECONEX, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow 1-800-RECONEX, Inc. to have direct access to 1-800-RECONEX, Inc.'s equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. Except where 1-800-RECONEX, Inc.'s equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, 1-800-RECONEX, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant.
- 3.2 Caged. At 1-800-RECONEX, Inc.'s expense, 1-800-RECONEX, Inc. may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with 1-800-RECONEX, Inc. and provide, at 1-800-RECONEX, Inc.'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for 1-800-RECONEX, Inc. to obtain the zoning, permits and/or other licenses. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc.. Upon request, BellSouth shall construct the enclosure for 1-800-RECONEX, Inc..
- 3.2.1 BellSouth may elect to review 1-800-RECONEX, Inc.'s plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to 1-800-RECONEX, Inc. indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if 1-800-RECONEX, Inc. has indicated their desire to construct their own enclosure. If 1-800-RECONEX, Inc.'s Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review

within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review 1-800-RECONEX, Inc.'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- Shared Collocation. 1-800-RECONEX, Inc. may allow other telecommunications carriers to share 1-800-RECONEX, Inc.'s Remote Collocation Space pursuant to terms and conditions agreed to by 1-800-RECONEX, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. 1-800-RECONEX, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by 1-800-RECONEX, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and 1-800-RECONEX, Inc..
- 1-800-RECONEX, Inc., as the Host, shall be the sole interface and responsible Party 3.3.1 to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide 1-800-RECONEX, Inc. with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, 1-800-RECONEX, Inc. shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C, which will be charged to the Host. BellSouth shall bill this non-recurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the

provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 1-800-RECONEX, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of 1-800-RECONEX, Inc.'s Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by 1-800-RECONEX, Inc. and in conformance with BellSouth's design and construction specifications. Further, 1-800-RECONEX, Inc. shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should 1-800-RECONEX, Inc. elect Adjacent Collocation, 1-800-RECONEX, Inc. must arrange with a Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s Certified Supplier must comply with local building code requirements. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. 1-800-RECONEX, Inc.'s Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by 1-800-RECONEX, Inc.'s Certified Supplier. 1-800-RECONEX, Inc. must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access 1-800-RECONEX, Inc.'s locked enclosure prior to notifying 1-800-RECONEX, Inc..
- 3.4.2 1-800-RECONEX, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review 1-800-RECONEX, Inc.'s plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to

confirm it is constructed according to the submitted plans and specifications. BellSouth shall require 1-800-RECONEX, Inc. to remove or correct within seven (7) calendar days at 1-800-RECONEX, Inc.'s expense any structure that does not meet these plans and specifications.

- 3.4.3 1-800-RECONEX, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At 1-800-RECONEX, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. 1-800-RECONEX, Inc.'s Certified Supplier shall be responsible, at 1-800-RECONEX, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or access to BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit 1-800-RECONEX, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same remote site premises. Both 1-800-RECONEX, Inc.1-800-RECONEX, Inc.'s agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall 1-800-RECONEX, Inc. use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 1-800-RECONEX, Inc. must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by 1-800-RECONEX, Inc.. Such connections to other carriers may be made using either optical or electrical facilities. 1-800-RECONEX, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. 1-800-RECONEX, Inc. may not self-provision CCXC on any BellSouth distribution frame, P OT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). 1-800-RECONEX, Inc. is responsible for ensuring the integrity of the signal.
- 3.5.2 1-800-RECONEX, Inc. shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the

- CCXC. 1-800-RECONEX, Inc.-provisioned CCXC shall utilize common cable support structure.
- 3.5.3 To order CCXCs 1-800-RECONEX, Inc. must submit an Initial Application or Subsequent Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit C, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. BellSouth will bill this non-recurring fee on the date that BellSouth provides an Application Response.

#### 4. <u>Occupancy</u>

- 4.1 Occupancy. BellSouth will notify 1-800-RECONEX, Inc. in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. Billing will commence on the Space Ready Date or the date 1-800-RECONEX, Inc.1-800-RECONEX, Inc. accepts the space ("Space Acceptance Date"), whichever is sooner. 1-800-RECONEX, Inc. must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, 1-800-RECONEX, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, 1-800-RECONEX, Inc. may terminate occupancy in a particular Remote Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate 1-800-RECONEX, Inc.'s right to occupy the Remote Collocation Space in the event 1-800-RECONEX, Inc. fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, 1-800-RECONEX, Inc. at its expense shall remove its equipment and other property from the Remote Collocation Space. 1-800-RECONEX, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of 1-800-RECONEX, Inc.'s Guests, unless 1-800-RECONEX, Inc.'s Guest has assumed responsibility for the Remote Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. 1-800-

RECONEX, Inc. shall continue payment of monthly fees to BellSouth until such date as 1-800-RECONEX, Inc., and if applicable 1-800-RECONEX, Inc.'s Guest, has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest, in any manner that BellSouth deems fit, at 1-800-RECONEX, Inc.'s expense and with no liability whatsoever for 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest's property. Upon termination of 1-800-RECONEX. Inc.'s right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and 1-800-RECONEX, Inc. shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the 1-800-RECONEX, Inc. except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts 1-800-RECONEX, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Record Drawings and ERMA Records. 1-800-RECONEX, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

## 5. <u>Use of Remote Collocation Space</u>

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocated Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria

Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on 1-800-RECONEX, Inc.'s failure to comply with this Section.

- 5.1.2.1 All 1-800-RECONEX, Inc. equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.1.3 1-800-RECONEX, Inc. shall identify to BellSouth whenever 1-800-RECONEX, Inc. submits a Method of Procedure ("MOP") adding equipment to 1-800-RECONEX, Inc.'s Remote Collocation Space all entities that have an interest, secured or otherwise, in the equipment in 1-800-RECONEX, Inc.'s Remote Collocation Space.
- 5.2 1-800-RECONEX, Inc. shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 1-800-RECONEX, Inc. shall place a plaque or other identification affixed to 1-800-RECONEX, Inc.'s equipment to identify 1-800-RECONEX, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- 5.4 Entrance Facilities. 1-800-RECONEX, Inc. may elect to place 1-800-RECONEX, Inc.-owned or 1-800-RECONEX, Inc.-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. 1-800-RECONEX, Inc. will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. 1-800-RECONEX, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable. 1-800-RECONEX, Inc. is responsible for maintenance of the entrance facilities.
- 5.4.1 Shared Use. 1-800-RECONEX, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to 1-800-RECONEX, Inc.'s collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. The rates set forth in Exhibit C will apply. If 1-800-

RECONEX, Inc. desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.

- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between 1-800-RECONEX, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. 1-800-RECONEX, Inc. or its agent must perform all required maintenance to 1-800-RECONEX, Inc. equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 1-800-RECONEX, Inc.'s Equipment and Facilities. 1-800-RECONEX, Inc., or if required by this Attachment, 1-800-RECONEX, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by 1-800-RECONEX, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. 1-800-RECONEX, Inc. and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- 5.8 Access. Pursuant to Section 12, 1-800-RECONEX, Inc. shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. 1-800-RECONEX, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by 1-800-RECONEX, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of 1-800-RECONEX, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. 1-800-RECONEX, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of 1-800-RECONEX, Inc.'s employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with 1-800-RECONEX, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to 1-800-RECONEX, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order

(BFFO) without charge to 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date 1-800-RECONEX, Inc. desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, 1-800-RECONEX, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event 1-800-RECONEX, Inc. desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit 1-800-RECONEX, Inc. to access the Remote Collocation Space accompanied by a security escort at 1-800-RECONEX, Inc.'s expense. 1-800-RECONEX, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), 1-800-RECONEX, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, 1-800-RECONEX, Inc. shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of 1-800-RECONEX, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to 1-800-RECONEX, Inc., which notice shall direct 1-800-RECONEX, Inc. to cure the violation within forty-eight (48) hours of 1-800-RECONEX, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if 1-800-RECONEX, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power

- to 1-800-RECONEX, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to 1-800-RECONEX, Inc. prior to taking such action and shall have no liability to 1-800-RECONEX, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and 1-800-RECONEX, Inc. fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to 1-800-RECONEX, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, 1-800-RECONEX, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- Personalty and its Removal. Facilities and equipment placed by 1-800-RECONEX, Inc. in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by 1-800-RECONEX, Inc. at any time. Any damage caused to the Remote Collocation Space by 1-800-RECONEX, Inc.'s employees, agents or representatives shall be promptly repaired by 1-800-RECONEX, Inc. at its expense.
- 5.11.1 <u>If</u> 1-800-RECONEX, Inc. decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall 1-800-RECONEX, Inc. or any person acting on behalf of 1-800-RECONEX, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by 1-800-RECONEX, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.

5.13 <u>Upkeep of Remote Collocation Space</u>. 1-800-RECONEX, Inc. shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. 1-800-RECONEX, Inc. shall be responsible for removing any 1-800-RECONEX, Inc. debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

#### 6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to 1-800-RECONEX, Inc. and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Initial Application. For 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) initial equipment placement, 1-800-RECONEX, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response.
- Subsequent Application In the event 1-800-RECONEX, Inc. or 1-800-RECONEX, Inc.'s Guest(s) desires to modify the use of the Remote Collocation Space after a BFFO, 1-800-RECONEX, Inc. shall complete an application detailing all information regarding the modification to the Remote Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Remote Site Location are required to accommodate the change requested by 1-800-RECONEX, Inc. in the application. Such necessary modifications to the Remote Site Location may include, but are not limited to floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Application Fee for Subsequent Application. The application fee paid by 1-800-RECONEX, Inc. for its request to modify the use of the Collocation Space shall be a full Application Fee as set forth in Exhibit C. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 6.4 <u>Availability of Space.</u> Upon submission of an application, BellSouth will permit 1-800-RECONEX, Inc. to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site

Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount that is available.

#### 6.5 Space Availability Notification.

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must amend its application to reflect the actual space available prior to submitting a BFFO.
- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, it is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify 1-800-RECONEX, Inc. of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by 1-800-RECONEX, Inc. or differently configured, 1-800-RECONEX, Inc. must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.

- Denial of Application. If BellSouth notifies 1-800-RECONEX, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying 1-800-RECONEX, Inc. that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow 1-800-RECONEX, Inc., upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit 1-800-RECONEX, Inc. to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, 1-800-RECONEX, Inc. must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If 1-800-RECONEX, Inc. has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, 1-800-RECONEX, Inc. may refuse such space and notify BellSouth in writing within that time that 1-800-RECONEX, Inc. wants to maintain its place on the waiting list

without accepting such space. 1-800-RECONEX, Inc. may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If 1-800-RECONEX, Inc. does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove 1-800-RECONEX, Inc. from the waiting list. Upon request, BellSouth will advise 1-800-RECONEX, Inc. as to its position on the list.

- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate Remote Site Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 Application Response.
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- 6.10.2 In North Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty-three (23) business days of the receipt of a Bona Fide application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.3 In Tennessee, BellSouth will provide an Application Response within fifteen (15) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee (Cageless and Virtual), and a firm price quote based upon standardized pricing provided that 1-800-RECONEX, Inc. has given BellSouth a forecast of 1-800-RECONEX, Inc.'s collocation needs at least ten (10) calendar days prior to submitting an application. If no forecast is provided by 1-800-RECONEX, Inc. the interval for an Application Response will be thirty (30) calendar days.
- 6.10.4 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable 1-800-RECONEX, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records

Fee, and the space preparation fees, as described in Section 8. When 1-800-RECONEX, Inc. submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.

- 6.10.5 In Georgia, Kentucky, Mississippi and South Carolina, when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, it is increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

# 6.11 <u>Application Modifications.</u>

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of 1-800-RECONEX, Inc. or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge 1-800-RECONEX, Inc. a full application fee as set forth in Exhibit C. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.

#### 6.12 Bona Fide Firm Order.

6.12.1 In Kentucky and North Carolina, 1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when 1-800-RECONEX, Inc. has completed the Application/Inquiry process described in Section 6, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The BFFO must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire. If the BFFO is received between the fifth business day and the thirtieth calendar day after the

Application Response, then the intervals set forth in 7.1.1 will be extended day for day for each day after the fifth business day the BFFO is received until the application expires.

- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply.\_1-800-RECONEX, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to 1-800-RECONEX, Inc.'s Bona Fide application or the application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of 1-800-RECONEX, Inc.'s BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. Construction and Provisioning

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event 1-800-RECONEX, Inc. submits a forecast as described in the following paragraph three (3) months or more prior to the application date, the above intervals shall apply. In the event 1-800-RECONEX, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event 1-800-RECONEX, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with 1-800-RECONEX, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide Remote Collocation Space including but not limited to HVAC, Power, etc., conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an application.

- 7.1.1.1 To be considered a timely and accurate forecast, 1-800-RECONEX, Inc. must submit to BellSouth the CLEC Remote Site Collocation Forecast Form, as set forth in Exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3, STS-1, OC-3, OC-12, OC-48, and OC-192 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and 1-800-RECONEX, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Alabama, Georgia, Kentucky, Mississippi and South Carolina, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions within a maximum of 90 calendar days from receipt of a BFFO, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with 1-800-RECONEX, Inc. or seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote

Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide 1-800-RECONEX, Inc. with the estimated completion date in its Response.

- Joint Planning. Joint planning between BellSouth and 1-800-RECONEX, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to 1-800-RECONEX, Inc. during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. 1-800-RECONEX, Inc. will schedule and complete an acceptance walk through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying 1-800-RECONEX, Inc. that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that 1-800-RECONEX, Inc. fails to complete an acceptance walk through within this fifteen (15) day interval, the Remote Collocation Space shall be deemed accepted by 1-800-RECONEX, Inc.. BellSouth will correct any deviations to 1-800-RECONEX, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. 1-800-RECONEX, Inc. shall select a supplier which has been approved by BellSouth to perform all engineering and installation work 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, 1-800-RECONEX, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide 1-800-RECONEX, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing 1-800-RECONEX, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and 1-800-RECONEX, Inc. upon successful completion of installation. The BellSouth Certified Supplier shall bill 1-800-RECONEX, Inc. directly for all work performed for 1-800-RECONEX, Inc. pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying 1-800-RECONEX, Inc. or any supplier proposed by 1-800-RECONEX, Inc.. All work performed by or for 1-800-RECONEX, Inc. shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. 1-800-RECONEX, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service 1-800-RECONEX, Inc.'s Remote Collocation Space. Upon request, BellSouth will provide 1-800-RECONEX, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by 1-800-RECONEX, Inc.. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Site Collocation Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, 1-800-RECONEX, Inc. may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by 1-800-RECONEX, Inc., such information will be provided to 1-800-RECONEX, Inc. in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to 1-800-RECONEX, Inc. within one hundred eighty 180 calendar days of BellSouth's written denial of 1-800-RECONEX, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) 1-800-RECONEX, Inc. was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then 1-800-RECONEX, Inc. may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. 1-800-RECONEX, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- 7.9 <u>Virtual to Physical Conversion (In-Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation

arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days. BellSouth will bill 1-800-RECONEX, Inc. an Administrative Only Application Fee as set forth in Exhibit C for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, 1-800-RECONEX, Inc. cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if 1-800-RECONEX, Inc. cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill 1-800-RECONEX, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. 1-800-RECONEX, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

#### 8. Rates and Charges

- 8.1 <u>Recurring Charges</u>. Recurring charges begin on the Space Ready Date, or on the date 1-800-RECONEX, Inc. accepts the space, whichever is first.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by 1-800-RECONEX, Inc.'s current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by 1-800-RECONEX, Inc.. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 8.3 <u>Rack/Bay Space</u>. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power 1-800-

RECONEX, Inc.'s equipment. 1-800-RECONEX, Inc. shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.4 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for 1-800-RECONEX, Inc.'s Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at 1-800-RECONEX, Inc.'s option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for 1-800-RECONEX, Inc.'s equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by 1-800-RECONEX, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. 1-800-RECONEX, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At 1-800-RECONEX, Inc.'s option, 1-800-RECONEX, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 Security Escort. A security escort will be required whenever 1-800-RECONEX, Inc. or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and 1-800-RECONEX, Inc. shall pay for such half-hour charges in the event 1-800-RECONEX, Inc. fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

#### 9. Insurance

- 9.1 1-800-RECONEX, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 1-800-RECONEX, Inc. shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of 1-800-RECONEX, Inc.'s real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 1-800-RECONEX, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by 1-800-RECONEX, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of 1-800-RECONEX, Inc.'s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If 1-800-RECONEX, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from 1-800-RECONEX, Inc..
- 9.5 1-800-RECONEX, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. 1-800-RECONEX, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from 1-800-RECONEX, Inc.'s insurance company. 1-800-RECONEX, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center

675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 1-800-RECONEX, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If 1-800-RECONEX, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), 1-800-RECONEX, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. 1-800-RECONEX, Inc. shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to 1-800-RECONEX, Inc. in the event that self-insurance status is not granted to 1-800-RECONEX, Inc.. If BellSouth approves 1-800-RECONEX, Inc. for self-insurance, 1-800-RECONEX, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of 1-800-RECONEX, Inc.'s corporate officers. The ability to self-insure shall continue so long as 1-800-RECONEX, Inc. meets all of the requirements of this Section. If 1-800-RECONEX, Inc. subsequently no longer satisfies this Section, 1-800-RECONEX, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to 1-800-RECONEX, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or 1-800-RECONEX, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. Inspections

BellSouth may conduct an inspection of 1-800-RECONEX, Inc.'s equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between 1-800-RECONEX, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if 1-800-RECONEX, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide 1-800-RECONEX, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. <u>Security and Safety Requirements</u>

- 12.1 Unless otherwise specified, 1-800-RECONEX, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each 1-800-RECONEX, Inc. employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. 1-800-RECONEX, Inc. shall not be required to perform this investigation if an affiliated company of 1-800-RECONEX, Inc. has performed an investigation of the 1-800-RECONEX, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if 1-800-RECONEX, Inc. has performed a pre-employment statewide investigation of criminal history records of the 1-800-RECONEX, Inc. employee for the states/counties where the 1-800-RECONEX, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 1-800-RECONEX, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 1-800-RECONEX, Inc. shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and 1-800-RECONEX, Inc.'s name. BellSouth reserves the right to remove from its Remote Site Location any employee of 1-800-RECONEX, Inc. not possessing identification issued by 1-800-RECONEX, Inc. or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. 1-800-RECONEX, Inc. shall be solely responsible for ensuring that any Guest of 1-800-RECONEX, Inc. is in compliance with all subsections of this Section 12.

- 1-800-RECONEX, Inc. shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. 1-800-RECONEX, Inc. shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any 1-800-RECONEX, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that 1-800-RECONEX, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, 1-800-RECONEX, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 1-800-RECONEX, Inc. shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each 1-800-RECONEX, Inc. employee or agent hired by 1-800-RECONEX, Inc. within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, 1-800-RECONEX, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, 1-800-RECONEX, Inc. may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other 1-800-RECONEX, Inc. employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, 1-800-RECONEX, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, 1-800-RECONEX, Inc. shall promptly remove from BellSouth's Remote Site Location any employee of 1-800-RECONEX, Inc. BellSouth

does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of 1-800-RECONEX, Inc. is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview 1-800-RECONEX, Inc.'s employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to 1-800-RECONEX, Inc.'s Security contact of such interview. 1-800-RECONEX, Inc. and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving 1-800-RECONEX, Inc.'s employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill 1-800-RECONEX, Inc. for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that 1-800-RECONEX, Inc.'s employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill 1-800-RECONEX, Inc. for BellSouth property, which is stolen or damaged where an investigation determines the culpability of 1-800-RECONEX, Inc.'s employees, agents, or suppliers and where 1-800-RECONEX, Inc. agrees, in good faith, with the results of such investigation. 1-800-RECONEX, Inc. shall notify BellSouth in writing immediately in the event that the 1-800-RECONEX, Inc. discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. 1-800-RECONEX, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

## 13. <u>Destruction of Remote Collocation Space</u>

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for 1-800-RECONEX, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to 1-800-RECONEX, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. 1-800-RECONEX, Inc. may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If 1-800-RECONEX, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by 1-800-RECONEX, Inc.. Where allowed and where practical, 1-800-RECONEX, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, 1-800-RECONEX, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for 1-800-RECONEX, Inc.'s permitted use, until such Remote Collocation Space is fully repaired and restored and 1-800-RECONEX, Inc.'s equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where 1-800-RECONEX, Inc. has placed a Remote Site Adjacent Arrangement pursuant to Section 3, 1-800-RECONEX, Inc. shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public

authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and 1-800-RECONEX, Inc. shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

15.1 1-800-RECONEX, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and 1-800-RECONEX, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and 1-800-RECONEX, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. 1-800-RECONEX, Inc. should contact 1-800-743-6737 for any BellSouth MSDS required.
- Practices/Procedures. BellSouth may make available additional environmental control procedures for 1-800-RECONEX, Inc. to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. 1-800-RECONEX, Inc. will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by 1-800-RECONEX, Inc. when operating in the BellSouth Remote Site Location.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the 1-800-RECONEX, Inc. space with proper notification. BellSouth reserves the right to stop any 1-800-RECONEX, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by 1-800-RECONEX, Version 2Q02: 05/31/02

Inc. are owned by 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by 1-800-RECONEX, Inc. or different hazardous materials used by 1-800-RECONEX, Inc. at the BellSouth Remote Site Location. 1-800-RECONEX, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by 1-800-RECONEX, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and 1-800-RECONEX, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and 1-800-RECONEX, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, 1-800-RECONEX, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and 1-800-RECONEX, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, 1-800-RECONEX, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. 1-800-RECONEX, Inc. further agrees to cooperate with BellSouth to ensure that 1-800-RECONEX, Inc.'s employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by 1-800-RECONEX, Inc., its employees, agents and/or suppliers.

2.1.1 The most current version of reference documentation must be requested from 1-800-RECONEX, Inc.'s BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Remote Site Location)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps  Insurance	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> </ul>
	insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and	• 29CFR 1910.147 (OSHA

	equipment	Standard) • 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager     (CRES Related Matters)-BST     Supply Chain Services
	All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> </ul>
	Pollution liability insurance EVET approval of supplier	<ul> <li>Std T&amp;C 660-3</li> <li>Approved Environmental Vendor List (Contact ATCC Representative)</li> </ul>
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding     removing or disturbing     materials that contain     asbestos, call the BellSouth     Building Service Center:     AL, MS, TN, KY & LA     (local area code) 557-6194     FL, GA, NC & SC     (local area code) 780-2740

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical Version 2Q02: 05/31/02

hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET - Environmental Vendor Evaluation Team** 

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

**NESC** - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

# THREE-MONTH CLEC REMOTE SITE COLLOCATION FORECAST

STATE	City	CLLI	# Bays	# Of 25 Pair Binder Groups At FDI	Entrance Facilities # Of Sheaths & # Of Fibers	Proposed Application Date	NOTES

**Note**: Forecast information will be used for no other purpose than collocation planning.

Note   Control	COLLOCAT	ION - Alabama												Attach	ment: 4	Exhil	oit: D
ATE BLEMPTS   Manual Page   Ma												Svc Order	Svc Order				Incremental
CATEGORY   APTERLEMENTS   APPRILATED   Content of the Person   Content of th												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
## CATEGORY   RATE REMERTS   Mark   Bods   B			Intori														Manual Svc
Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Becronic   Botto	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR				Order vs.	Order vs.
10			m									po. 20.1	po. 2011				
Mile																D130 131	Disc Add I
Principal Collocation							Rec										
Physical Collectation - Ageination Fee - Initial State   Co.   PEISA   1,897.48   1,879.48   1,87								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Physical Collectation - Ageination Fee - Initial State   Co.   PEISA   1,897.48   1,879.48   1,87																	
Priyect Collection - Application for Subsequent   OLO   PETCH   1,286,28   0.51   0.	PHYSICAL CO		1		01.0	DE4D4		4 070 40	4 070 40	0.51	0.54						
Prigrated Collectation - Septiment Price - Intell			<del>                                     </del>														
Prysical Collection - Private Collection - Private Collection - Special Proposation - First Collection - Special Proposation - Coll Medification per Collection - Special Proposation - Coll Medification per Collection - Special Proposation - Coll Medification per Collection - Special Proposation - Coll Medification per Collection - Collecti			1														
Physical Collectation - Space Physical Col. Co. Modification per physical Collectation - Space Physical Collectation - Space Physical Collectation - Space Physical Collectation - Space Physical Collectation - Space Physical Collectation - Space Physical Collectation - Space Physical Collectation - Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Space Physical Collectation - Carpotes Colle			1						1,205.26	0.51	0.51						
Proceeding   COLO   PETED   GOLO			-		CLO	PEIBL		742.15		-							
Suppose   Collection - Space   Preparation - Co. Modification per Suppose   Co.					CLO	DE1S I		600.71	600.71								
Square ft			<u> </u>	1	CLO	FLIO		000.71	000.71								
Physical Collocation - Space President   Colloge   Col					CLO	PE1SK	1 06			I		1		1	1		
Modification per squared 1. Cagalises   CLO   PE1SL   2.62	<del>                                     </del>		+		010	LION	1.30			t		<b> </b>		<del> </del>	<del> </del>		
Physical Collocation - Space Preparation - Common Systems   CLO   PE18M   08.80   869.71   22.40	1 1				CLO	PE1SL	2.62			1							
Notification per Cage			1				2.02			t				1	1		
Physical Collocation - 24Wire Cross-Connects   CLO   PETED   3.22   869.71   899.71   22.49   2.49					CLO	PE1SM	88.86			I		1		1	1		
Physical Collocation - Flore Space per 93; PT.   CLO   PFFPJ   3.32			1				22.20	859.71	859.71	22.49	22.49			İ	1		
Physical Collocation - 2aples - 2able Support Structure			1				3.22	3001			22.10			İ	1		
Physical Collocation - Captiess - Color Support Structure					CLO	PE1PM	17.11										
Physical Collocation - Power Reduction, Application Fee   CLO   PETPL   7.83					CLO	PE1CJ	14.97										
Physical Collocation - 120V, Single Phase Standby Power Rate   CLO   PE1FB   4.91					CLO	PE1PL	7.83										
Physical Collocation - 240V, Single Phase Standby Power Rate		Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.51									
Physical Collocation - 240V, Single Phase Standby Power Rate																	
Physical Collocation - 120V, Three Phase Standby Power Rate		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
Physical Collocation - 120V, Three Phase Standby Power Rate																	
Physical Collocation - 277V, Three Phase Standby Power Rate		Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
Physical Collocation - 277V, Three Phase Standby Power Rate																	
UEANL_UEA_UDN_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UBL_U  DC_UAL_UBL_U  DC_UAL_UBL_UBL_U  DC_UAL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UB		Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	14.74										
UEANL_UEA_UDN_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UHL_UDL_U  DC_UAL_UBL_U  DC_UAL_UBL_U  DC_UAL_UBL_UBL_U  DC_UAL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UBL_UB		Dhysical Callegation (277)/ These Dhase Chardles Dasses Date			01.0	DE4EC	24.00										
DC,UAL,UHL,UCLU   EQ, UDL, UNCVX   EQ, UDL, UNCVX   UNIDX, UNROX   PE1P2   0.03   12.30   11.80   6.03   5.44		Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PETFG	34.06			-							
DC,UAL,UHL,UCLU   EQ, UDL, UNCVX   EQ, UDL, UNCVX   UNIDX, UNROX   PE1P2   0.03   12.30   11.80   6.03   5.44					HEANI HEA HONIH												
EQ. UDIL, UNCVX, UNLD																	
Physical Collocation - 2-Wire Cross-Connects																	
CLO, UAL, UDL, UDD, UEA, UHL, UNCVX, UNCDX, UCL		Physical Collocation - 2-Wire Cross-Connects				DE1D2	0.03	12 30	11.80	6.03	5.44						
UDN, UEA, UHL   UNCVX, UNCDX   UCL   PE1P4   U.0.05   12.39   11.87   6.39   5.73   UCL   PE1P4   U.0.05   U.0.1   U.0.2   U		Thysical Collection 2 wife Gross Colliners				12112	0.00	12.00	11.00	0.00	0.44						
UNCY, UNCDX, UNCDX UCL   PE1P4   0.05   12.39   11.87   6.39   5.73																	
Physical Collocation - 4-Wire Cross-Connects																	
CLO, UEANL, UEQ, W DS1L, WDS1S, USL, U1TD1, UXTD1, UXCIX, ULDD1, USLL, UJUD1, USLL, UJUD1, USLL, UJUD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXD3X, UNCSX, ULDD3, UJUD3, UJUD3, UJUD1,		Physical Collocation - 4-Wire Cross-Connects				PE1P4	0.05	12.39	11.87	6.39	5.73						
U1TD1, UXTD1, UXDD1, UNDD1, UXD03, ULD03, ULD03, UNDD2, ULD03, ULD12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, ULD48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1T03, UIT12, U1D48, U1D03,		,			CLO,UEANL,UEQ,W												
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD3, UXTS1, UXTS1, UXC3X, ULD3, UXTS1, UXC3X, ULD3, ULD1, ULD1, ULD1, ULD1, ULD1, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD4, UT172, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD3, ULD1, ULD4, UT174, UT174, UDL0, ULD3, UT174, UT174, UDL0, ULD3, UT174, UT174, UDL03, UT174, UT174, UDL03, UT174, UT174, UDL03, UT174, UDL03, ULD1, ULD4, UT174, UDL03, UT174, UDL03, UT174, UDL03, ULD3, ULD3, ULD1, ULD4, UT174, UDL03, ULD3,					DS1L,WDS1S, USL,												
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD3, UXTS1, UXTS1, UXC3X, ULD3, UXTS1, UXC3X, ULD3, ULD1, ULD1, ULD1, ULD1, ULD1, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD2, ULD4, UT172, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD2, ULD4, UT174, UDL0, ULD3, ULD1, ULD4, UT174, UT174, UDL0, ULD3, UT174, UT174, UDL0, ULD3, UT174, UT174, UDL03, UT174, UT174, UDL03, UT174, UT174, UDL03, UT174, UDL03, ULD1, ULD4, UT174, UDL03, UT174, UDL03, UT174, UDL03, ULD3, ULD3, ULD1, ULD4, UT174, UDL03, ULD3,																	
District   Collocation - DS1 Cross-Connects   USLEL, UNLD1, UDL   PE1P1   1.11   22.03   15.93   6.40   5.79																	
CLO, UE3,U1TD3, UXTD3, UXTD4, UNC3X, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULD12, ULD48, ULT02, U1T48, UDL03, UDL PE1P2 2.81 20.89 15.20 7.38 5.92  Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92  CLO, ULD03, ULD12, ULD48, UDL03, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92  CLO, ULD03, ULD12, ULD48, ULD12, ULD48, ULT03, ULD148, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT03, ULT048, ULT03, ULT03, ULT03, ULT03, ULT048, ULT03, ULT048, UDL03, UDL03, UDL03, U																	
UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, UTTS1, ULDS1, UTTS1, ULDS1, UNLD3, UDL PE1P3		Physical Collocation - DS1 Cross-Connects				PE1P1	1.11	22.03	15.93	6.40	5.79						
UNC3X, UNCSX, ULD51, ULD51, ULD51, UNLD3, UDL PE1P3																	
ULDD3, U1TS1,ULDS1, UNLD3, UDL PE1P3										I		1		1	1		
Physical Collocation - DS3 Cross-Connects																	
Physical Collocation - DS3 Cross-Connects										I		1		1	1		
CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, UDL03, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92  CLO, ULD03, ULD12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92  CLO, ULD03, ULD14, ULD48, U1703, U1712, U1748, UDL03, U1748, U1748, UDL03, U1748, U1748, U1T12, U1T48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92   ULD12, ULD48, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, U1T04, UDL03, U1T04, UDL03, U1T05, U1T14, UDL03, U1T05, U1T14, UDL03, ULD48, U1T05, U1T48, UDL03, ULD48, U1T05, U1T48, UDL03, ULD48, U1T05, U1T48, UDL03, ULD48, U1T05, U1T48, UDL03, ULD48, UDL03, ULD48, UDL03, ULD48, UDL03, ULD48, UDL03, UDL03, UT148, UDL03, UDL03, UDL03, UDL03, UDL04, UDL05, UDL	$\vdash$	Physical Collocation - DS3 Cross-Connects	<del>                                     </del>			PE1P3	14.16	20.89	15.20	7.38	5.92			<b> </b>	<b> </b>	ļ	
U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92										I		1		1	1		
U1T48, UDLO3, UDL12, UDF PE1F2 2.81 20.89 15.20 7.38 5.92   CLO, ULDO3, ULD12, ULD48, ULT03, U1T12, U1T48, UDLO3, U1T03, U1T12, U1T48, UDLO3, U1T48, UDLO3, UT4										I		1		1	1		
Physical Collocation - 2-Fiber Cross-Connect   UDL12, UDF   PE1F2   2.81   20.89   15.20   7.38   5.92	1 1									1							
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,		Physical Collection 2 Fiber Cross Connect				DE1E2	2 04	20.00	15 20	7 20	5.00						
ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	$\vdash$	Friysical Collocation - 2-Fiber Cross-Connect	+	1		Γ ⊑ 1Γ Z	∠.81	∠∪.89	15.20	7.38	5.92	-		-	-		
U1TO3, U1T12, U1T48, UDLO3,										I		1		1	1		
U1T48, UDLO3, U1T48, U1T48, UDLO3, U1T48, U1	1 1									1							
	1 1									1							
	1 1	Physical Collocation - Cageless - 2 Fiber Cross Connect		1	UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92	1		Ì	Ì		

COLLOCAT	ION - Alabama												Attachr	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.99	First 25.55	<b>Add'I</b> 19.86	First 9.71	<b>Add'l</b> 8.25	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
<b>-</b>	Physical Collocation - Cageless - 4-Fiber Closs-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	156.33	25.55	19.00	9.71	0.23	-					
<del>                                     </del>	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.  Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		<del>                                     </del>	CLO	PE1BW PE1CW	156.33			-					-		$\vdash$
<b></b>	Physical Collocation - Welded Wire Cage - Add 150 Sq. Ft.  Physical Collocation - Security Access System - Security System			CLO	PETCW	15.34										
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Access			CLO	PE1AX	45.70										
	Card Activation, per Card		1	CLO	PE1A1	0.05	27.79	27.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA	0.03	7.79	7.79								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.78	22.78								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	† †	13.10	13.10	İ	l				İ		İ
	Physical Collocation - Security Access - Key, Replace Lost or						-									1
	Stolen Key, per Key		<u></u>	CLO	PE1AL	<u> </u>	13.10	13.10	<u> </u>							
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,075.17	1,075.17								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect  POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect.			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL.	PE1PE	0.08										
	per cross-connect			UNCVX, UNCDX	PE1PF	0.17										1
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, WDS1L, W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANIL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX UEANIL, UEA, UDN, U	PE1PH	10.67										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	36.40										

COLLOCAT	TON - Alabama												Attach		Fulsi	L:4. D
COLLOCAL	ION - Alabama	l	l			1					Svc Order	Svc Order	Incremental	ment: 4	Incremental	bit: D Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						==(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B4	49.09										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.56									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.29	488.11	133.00	133.00						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per						. 55.25	.00.11	.55.00	.00.00				İ		İ
	cable record	<u> </u>	<u></u>	CLO	PE1CD		326.92	326.92	189.12	189.12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			0.0	DE 10-			-								
$\vdash$	each 100 pair	ļ	<u> </u>	CLO	PE1CO		4.81	4.81	5.90	5.90						
$\vdash$	Nonrecurring Collocation Cable Records - DS1, per T1TIE	<b> </b>	<u> </u>	CLO	PE1C1		2.25	2.25	2.76	2.76				<b> </b>		<del> </del>
$\vdash$	Nonrecurring Collocation Cable Records - DS3, per T3TIE  Nonrecurring Collocation Cable Records - Fiber Cable, per 99	<del>                                     </del>		CLO	PE1C3		7.88	7.88	9.66	9.66				-		
	fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.93	10.73	77.13	77.13						
	1 Trystodi Conocation Coodiny Essent Basic, per Fian Fied			OLO,OLOITO	1 2 1 2 1		10.00	10.70								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			01.0	DEADD	00.00										
<del></del>	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			OLO	LIDI	23.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	1		CLO,UDF	PE1ES	0.0011								1		1
$\vdash$	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax	<del>                                     </del>		CLU,UDF	PE IES	0.0011								-		
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects - Application			020, 020, 002	. 2.50	0.0010										
	Fee, per application			CLO	PE1DT		584.22									
PHYSICAL CO	DLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
$\vdash$	Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
<del>                                     </del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OI	I LIIVZ	0.03	12.50	11.00	0.03	3.44		13.00				
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOV	DE4D0	0.00	40.00	44.00	0.00			45.00				
$\vdash$	Wire ISDN  Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	ļ		UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Wire ISDN	l		UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1		SE. 17.	1112	0.00	12.50	11.00	5.05	0.44		10.00		1		
	Wire ISDN DS1	l		UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73		15.66				
ADJACENT C																

COLLOCAT	TON - Alabama													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -
		m						.,,			per Lor	per Lor	Electronic-	Electronic-		Electronic
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	Disc Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning			CLOAC			ICB									1
	Note: ICB means Individual Case Basis															
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168,22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
+	Physical Collocation in the Remote Site - Remote Site CLLI			020110			110.01	. 10.01				1				+
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56								
+	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38	01.00				1				<del>                                     </del>
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT			OLONO	LIKK		200.00					1				+
THOO AL OC	ADDAGENT											1				+
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essarv	for rem	ote site collocation.	the Parties v	vill negotiate ar	propriate rate	s.								

COLLOCAT	TION - Florida												Attach	ment: 4	Exhil	oit: D
OOLLOOM:	Torra Fronta										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Monrocurring	g Disconnect			000	Rates(\$)		
						Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
DUNGIO AL O	NI COATION															
PHYSICAL CO				01.0	55.51											
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00		1.01							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00		1.01							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.00									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	1	1	CLO	PE1SK	2.38				Ì		l				
	Physical Collocation - Space Preparation - Common Systems								1							
	Modification per square ft Cageless	1	1	CLO	PE1SL	2.96				Ì		l				
	Physical Collocation - Space Preparation - Common Systems	<b>†</b>				2.00			1			i		Ì	1	
	Modification per Cage	1	1	CLO	PE1SM	92.55				Ì		l				
<del>                                     </del>	Physical Collocation - Cable Installation per Cable	<del>                                     </del>	1	CLO	PE1BD	32.33	1,750.00		45.16	1		1	1	1	1	
<del>                                      </del>	Physical Collocation - Cable Installation per Cable  Physical Collocation - Floor Space per Sq. Ft.	1	-	CLO	PE1PJ	7.86	1,730.00		45.10	<del> </del>		<del> </del>	1	1	<del>                                     </del>	
<del></del>	Physical Collocation - Floor Space per Sq. Ft.  Physical Collocation - Cable Support Structure	ł	1	CLO	PE1PJ PE1PM	18.96			<del> </del>	-		-	-	-	-	
		1	-	CLO	PE1PM PE1PL	18.96 7.80			1	-		1		<del> </del>	-	
	Physical Collocation - Power, per Fused Amp					7.80	222.12									
	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
	,															
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0276	8.22	7.22	5.74	4.58						
-	Physical Collocation - 2-wire Cross-Connects			CLO, UAL, UDL,	PEIPZ	0.0276	0.22	1.22	5.74	4.36					-	
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects	<u> </u>	<u> </u>	UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66					1	
				CLO,UEANL,UEQ,W		1					l					
				DS1L,WDS1S, USL,		1					l					
				U1TD1, UXTD1,		1					l					
				UNC1X, ULDD1,		1					l					
				USLEL, UNLD1,		1					l					
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.32	27.77	15.52	5.93	4.77	l					
	,			CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,												
		1	1	ULDD3, U1TS1,ULDS1,	1					Ì		l				
	Dhusiaal Callagation DC2 Cost Control	1	1		DE4D0	40.01	05.40	44.0-		5.01		l				
$\vdash$	Physical Collocation - DS3 Cross-Connects	<b>!</b>		UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01		1	1	1	-	
				CLO, ULDO3,		1					l					
				ULD12, ULD48,		1					l					
				U1TO3, U1T12,		1					l					
		1		U1T48, UDLO3,								1				
	Physical Collocation - 2-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
				CLO, ULDO3,												
		1		ULD12, ULD48,								1				
				U1TO3, U1T12,		1					l					
				U1T48, UDLO3,		1					l					
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54	l					
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	1	1	CLO	PE1BW	189.45	200	22.01	13.20			1				
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1		CLO	PE1CW	18.58			1		1	<b> </b>	1			
	1, o.o.a. Conocation Troided Trile Cage - Add 1 00 04. 1 t.	1	ı		1044	10.00			·	1	·	1	L	<u> </u>	l	

COLLOCAT	ION - Florida												Attachr	ment: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. Physical Collocation - Security Access System - New Access			CLO	PE1AY	0.0105										
	Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.65									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AL		26.30									
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO	PE1AL PE1SR		26.30		+							
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.00	,									
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.00										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	0.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	0.00										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	0.00										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	DE400		77.54									
	Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR		77.54 1,525.00	980.22	267.08							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.50	300.22	379.78							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						

COLLOCA	TION - Florida												Attach	ment: 4	Exhil	oit: D
3322307			l								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.82	15.82	19.40	19.40						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter															
	Hour			CLO	PE1OQ		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter				1											
	Hour	1		CLO	PE1PQ		16.40		I				Ì	I	I	
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour	1		CLO,CLORS	PE1OT		44.27	27.82	I				Ì	I	I	
					1											
	Physical Collocation - Security Escort - Premium, per Half Hour	1		CLO,CLORS	PE1PT		54.55	34.10	I				Ì	I	I	
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		584.11									
PHYSICAL C	COLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res	<u> </u>	<u> </u>	UEPSR	PE1R2	0.074	34.53	32.51	<u></u>	<u></u>		11.90	<u> </u>	<u></u>		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	<u> </u>		UEPSP	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1		<u> </u>												
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.074	34.53	32.51				11.90		<u> </u>	<u> </u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus	<u></u>		UEPSB	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1		<u> </u>									1			
	Wire ISDN			UEPSX	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1										<u> </u>	<u> </u>	_	_	
	Wire ISDN	<u> </u>	<u> </u>	UEPTX	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	1							I				Ì	I	I	
	Wire ISDN DS1	<u> </u>		UEPEX	PE1R4	0.148	34.54	32.53	ļ			11.90		ļ	ļ	
ADJACENT	COLLOCATION	ļ	ļ		<u> </u>				<b>.</b>					<b>.</b>	<b>.</b>	
	Adjacent Collocation - Space Charge per Sq. Ft.	<u> </u>		CLOAC	PE1JA	0.1635			ļ					ļ	ļ	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<u> </u>		CLOAC	PE1JC	5.11			ļ					ļ	ļ	
	Adjacent Collocation - 2-Wire Cross-Connects	ļ	ļ	CLOAC	PE1P2	0.0213	24.69	23.69	11.77	10.62				<b>.</b>	<b>.</b>	
		1		UEA,UHL,UDL,UCL,	L				I				1	I	I	
	Adjacent Collocation - 4-Wire Cross-Connects	ļ	ļ	CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80				<b>.</b>	<b>.</b>	
	Adjacent Collocation - DS1 Cross-Connects	<u> </u>		USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91				ļ	ļ	
	Adjacent Collocation - DS3 Cross-Connects	<u> </u>		CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15	1			ļ	1	
1 1	Adjacent Collocation - 2-Fiber Cross-Connect	1		CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16	l .	<u>l</u>	]	l .	l .	

COLLOCAT	ION - Florida	-			-			_		-			Attachi	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec         Nonrecurring         Nonrecurring Disconnect           5.36         51.30         39.87         18.29         15.54           2.785.00         1.01         1.01         1.01									D130 131	Disc Add I
														Rates(\$)		
												SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4											
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance															
	Cable			CLOAC	PE1PM	18.96										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
			1													
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27										
			1													
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	for rem	ote site collocation	, the Parties v	will negotiate ap	opropriate rate	s.								

COLLOCA	FION - Georgia												Attach	ment: 4	Exhil	oit: D
00220071											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									por zon	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
	Physical Collocation - Space Preparation - Firm Order															
	Processing	1		CLO	PE1SJ		1,187.00									
	Physical Collocation - Space Preparation - C.O. Modification per						·									
1 1	square ft.	1		CLO	PE1SK	2.02						1		1		
	Physical Collocation - Space Preparation - Common Systems		1			-					İ					
1 1	Modification per square ft Cageless	1		CLO	PE1SL	2.80						1		1		
	Physical Collocation - Space Preparation - Common Systems	1							İ				İ	İ	İ	İ
1 1	Modification per Cage	1	1	CLO	PE1SM	95.23							Ì	I	I	
	Physical Collocation - Cable Installation	t i	1	CLO	PE1BD	55.25	2,750.00	2,750.00	1				1	t	t	
	Physical Collocation - Floor Space per Sq. Ft.		1	CLO	PE1PJ	7.50	_,. 55.56	_,. 00.00	1				1	t	t	
	Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	<del>i i</del>		CLO	PE1PR	0.00	398.80									
	1 Hysical Collocation 1 Gwel Reduction, 7 ppiloation 1 Ge	<u> </u>		OLO			000.00									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.52										
	1 Hysical Collocation - 1201, Gingle 1 Hase Standby I owel Rate	<del>- '-</del>		OLO	1 - 11 - 5	3.32										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.05										
	1 Hysical Collocation - 240V, Cirigle 1 Hase Standby 1 Owel Rate	<del>- '-</del>		OLO	1 2 11 0	11.00										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.58										
	Friysical Collocation - 120V, Tillee Friase Standby Fower Rate	<u> </u>		GLO	FLIFE	10.56										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.27										
<del></del>	Friysical Collocation - 277 V, Tillee Friase Standby Fower Rate	- '		GLO	FLIIG	30.27								-	-	
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Callegation 2 Wire Come Comments				DE4D0	0.20	40.00	40.00								
	Physical Collocation - 2-Wire Cross-Connects	-	-	UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.30	12.60	12.60								
				UDN, UEA, UHL,												
	D			UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.50	12.60	12.60								
1 1			1	CLO,UEANL,UEQ,W	]								Ì	I	I	
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	8.00	155.00	27.00								
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
1 1				ULDD3,										1		
1 1			1	U1TS1,ULDS1,									Ì	I	I	
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	72.00	155.00	27.00								
1 1			1	CLO, ULDO3,									Ì	I	I	
1 1			1	ULD12, ULD48,									Ì	I	I	
1 1			1	U1TO3, U1T12,					Ì		I	l	Ì	I		
1 1			1	U1T48, UDLO3,									Ì	I	I	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.86	52.14	38.72			<u> </u>					
				CLO, ULDO3,												1
1 1				ULD12, ULD48,										1		
1 1			1	U1TO3, U1T12,									Ì	I	I	
1 1				U1T48, UDLO3,										1		
	Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	5.08	64.74	51.31	1	1	1	1	1		i	1

Phys Phys Assig Phys Carc Phys Carc Phys Carc Phys Char Phys Char Phys Stole Phys Stole Phys Stole	RATE ELEMENTS  Pysical Collocation - Welded Wire Cage - First 100 Sq. Ft. Pysical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. Pysical Collocation - Security System Per Central Office Per Signable Sq. Ft. Pysical Collocation - Security Access System - New Access Ird Activation, per Card Pysical Collocation - Security Access System - New Access Pysical Collocation - Security Access System - New Access Pysical Collocation - Security Access System - Replace Lost or Pysical Collocation - Security Access System - Replace Lost or Pysical Collocation - Security Access System - Replace Lost or Pysical Collocation - Security Access - Initial Key, per Key Pysical Collocation - Security Access - Key, Replace Lost or Pysical Collocation - Security Access - Key,	Interi m	Zone	BCS  CLO CLO CLO CLO CLO CLO	PE1BW PE1CW PE1AY PE1A1 PE1A4	Rec - 161.27 15.82 0.0172 0.0607	Nonrec First	RATES(\$) curring Add'I	Nonrecurring Disconn First Add'l	Submitted Elec per LSR	Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$) SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
Phys Phys Assig Phys Carc Phys Carc Phys Carc Phys Char Phys Char Phys Stole Phys Stole Phys Stole	ysical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. ysical Collocation - Security System Per Central Office Per signable Sq. Ft. ysical Collocation - Security Access System - New Access and Activation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System-Administrative lange, existing Access Card, per Request, per State, per Card ysical Collocation - Security Access System-Replace Lost or olen Card, per Card ysical Collocation - Security Access - Initial Key, per Key ysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CTO CTO CTO	PE1AY PE1A1	161.27 15.82 0.0172					SOMAN			SOMAN	SOMAN
Phys Phys Assig Phys Carc Phys Carc Phys Carc Phys Char Phys Char Phys Stole Phys Stole Phys Stole	ysical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. ysical Collocation - Security System Per Central Office Per signable Sq. Ft. ysical Collocation - Security Access System - New Access and Activation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System-Administrative lange, existing Access Card, per Request, per State, per Card ysical Collocation - Security Access System-Replace Lost or olen Card, per Card ysical Collocation - Security Access - Initial Key, per Key ysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CTO CTO CTO	PE1AY PE1A1	161.27 15.82 0.0172	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Phys Phys Assig Phys Carc Phys Carc Phys Carc Phys Char Phys Char Phys Stole Phys Stole Stole Phys Stole	ysical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. ysical Collocation - Security System Per Central Office Per signable Sq. Ft. ysical Collocation - Security Access System - New Access and Activation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System - New Access and Deactivation, per Card ysical Collocation - Security Access System-Administrative lange, existing Access Card, per Request, per State, per Card ysical Collocation - Security Access System-Replace Lost or olen Card, per Card ysical Collocation - Security Access - Initial Key, per Key ysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CTO CTO CTO	PE1AY PE1A1	15.82 0.0172									
Phys Assis Phys Carc Phys Carc Phys Char Phys Stole Phys Stole	Augustical Collocation - Security System Per Central Office Per signable Sq. Ft.   yaysical Collocation - Security Access System - New Access  trd Activation, per Card  yaysical Collocation - Security Access System - New Access  rd Deactivation, per Card  yaysical Collocation - Security Access System-Administrative  yaysical Collocation - Security Access System-Administrative  yaysical Collocation - Security Access System-Replace Lost or  olen Card, per Card  yaysical Collocation - Security Access - Initial Key, per Key  yaysical Collocation - Security Access - Key, Replace Lost or  olen Key, per Key			CTO CTO	PE1AY PE1A1	0.0172									
Assigned Physical Phy	signable Sq. Ft.  ysical Collocation - Security Access System - New Access ard Activation, per Card  ysical Collocation - Security Access System - New Access ard Deactivation, per Card  ysical Collocation - Security Access System - New Access  ysical Collocation - Security Access System-Administrative  lange, existing Access Card, per Request, per State, per Card  ysical Collocation - Security Access System-Replace Lost or  olen Card, per Card  ysical Collocation - Security Access - Initial Key, per Key  ysical Collocation - Security Access - Key, Replace Lost or  olen Key, per Key			CLO	PE1A1										
Carc Phys Carc Phys Char Char Phys Stole Phys Phys Stole Stole	ard Activation, per Card ysical Collocation - Security Access System - New Access ard Deactivation, per Card ysical Collocation-Security Access System-Administrative lange, existing Access Card, per Request, per State, per Card ysical Collocation - Security Access System-Replace Lost or olen Card, per Card ysical Collocation - Security Access - Initial Key, per Key lysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CLO		0.0607									1
Phys Chai Phys Stole Phys Stole Phys Stole	rd Deactivation, per Card  sysical Collocation-Security Access System-Administrative lange, existing Access Card, per Request, per State, per Card lysical Collocation - Security Access System-Replace Lost or olen Card, per Card lysical Collocation - Security Access - Initial Key, per Key lysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key				PE1A4		46.20	46.20							<u> </u>
Chai Phys Stole Phys Phys Stole	nange, existing Access Card, per Request, per State, per Card hysical Collocation - Security Access System- Replace Lost or holen Card, per Card hysical Collocation - Security Access - Initial Key, per Key hysical Collocation - Security Access - Key, Replace Lost or holen Key, per Key			CLO			8.72	8.72							<u> </u>
Stole Phys Phys Stole	olen Card, per Card ysical Collocation - Security Access - Initial Key, per Key ysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key				PE1AA		15.40	15.40							<u> </u>
Phys Phys Stole	hysical Collocation - Security Access - Initial Key, per Key hysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CLO	PE1AR		45.02	45.02							i
Phys Stole	sysical Collocation - Security Access - Key, Replace Lost or olen Key, per Key			CLO	PE1AK		26.16	26.16				İ			
Phy:	sysical Collocation - Space Availability Report per premises			CLO	PE1AL		26.16	26.16							·
		1		CLO	PE1SR		2,148.00	2,148.00							
	DT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, r cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.40									
	DT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, r cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1.20									
	DT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, r cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20									
РОТ	DT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, r cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX		8.00									
РОТ	DT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, r cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		38.79									
РОТ	DT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, r cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF		52.31									
Phys	ysical Collocation - Request Resend of CFA Information, per					02.01									<u> </u>
CLLI		L	<u> </u>	CLO	PE1C9 PE1CR		77.42 1,706.00				L	<u> </u>		<u> </u>	<u> </u>

COLLOCAT	TION - Georgia													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1			<u> </u>				Nonrec	urrina	Monrocurring	Disconnect			088	Rates(\$)		<u> </u>
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per				+		FIISL	Auu i	Filat	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
	cable record			CLO	PE1CD		922.38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			020	I LIOD		022.00									1
	each 100 pair			CLO	PE1CO		18.00	18.00								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
$\longmapsto$	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00						1		ļ
				0.00.00	 									1		
$\vdash$	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00							ļ	ļ
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0		<u> </u>	CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit		<u> </u>	CLO	PEIBR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIDP	23.00					1					1
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			010	I LIBO	00.00										1
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			020	. 2.52	07.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application															ĺ
	Fee, per application			CLO	PE1DT		583.18									
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE 4 DO	0.00	40.00	40.00					40.04	0.40		
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSA	PEIRZ	0.30	12.00	12.00					10.94	0.42		
	Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
<del>                                     </del>	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		1	ULFIX	FLINZ	0.30	12.00	12.00			1		10.54	0.42		
	Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
ADJACENT C	OLLOCATION		<u> </u>			0.00	12.00	12.00			1		10.54	0.42	1	<b>†</b>
T	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542								1		<b>†</b>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										1
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						1
				UEA,UHL,UDL,UCL	,		-				Ì					
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93				1		
i	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00									

COLLOCAT	ION - Georgia												Attachi	ment: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec		Nonrecurring Disconnect				OSS Rates(\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	note site collocation	, the Parties v	vill negotiate ap	propriate rate	S.		·						

COLLOCA.	FION - Kentucky												Attach	ment: 4	Fxhil	oit: D
OOLLOGA	Ton Romany										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
GATEGORI	KATE ELEMENTO	m	20110	500	0000			IIAI LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-						1	Nonrec	urrina	Monrocurring	Disconnect		l .	000	Rates(\$)		
-						Rec					SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-							First	Add'l	First	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
BUNGIONI O	OLI COATION															
PHYSICAL C	OLLOCATION			01.0	55.51		0 ==0 = 1									
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35	1.01	1.01						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.		<u> </u>	CLO	PE1SK	2.32			<u> </u>		l	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation - Space Preparation - Common Systems															
	Modification per square ft Cageless	1	1	CLO	PE1SL	3.26			Ì			l				
	Physical Collocation - Space Preparation - Common Systems															
	Modification per Cage	1		CLO	PE1SM	110.57										
	Physical Collocation - Cable Installation	1		CLO	PE1BD	1	1,729.11		45.16			İ				
	Physical Collocation - Floor Space per Sq. Ft.	<b>†</b>		CLO	PE1PJ	7.99	, ==					i		1	1	
	Physical Collocation - Cable Support Structure	1	1	CLO	PE1PM	19.86			<b> </b>			<del> </del>		t	t	
	Physical Collocation - Cable Support Structure  Physical Collocation - Power -48V DC Power, per Fused Amp	1	<b>†</b>	CLO	PE1PL	8.06			<b> </b>			<del> </del>				
	Physical Collocation - Power Reduction, Application Fee	1		CLO	PE1PR	0.00	399.50									
<b>-</b>	Friysical Collocation - Fower Reduction, Application ree	-		CLO	FLIFK	+	399.30							-	-	
	Dhysical Callegation 400V Single Dhana Standby Davis Date			CLO	PE1FB	5.44										
-	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PETFB	5.44										
	D			0.0		40.00										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
		1	1	CLO,UEANL,UEQ,W		5.5550	200	20.02	.2.77	0		1				
		1		DS1L,WDS1S, USL,								1				
		1		U1TD1, UXTD1,								1				
		1	1	UNC1X, ULDD1,	1				Ì			l				
		1	1	USLEL, UNLD1,	1				Ì			l				
	Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	1.48	44.23	31.98	12.81	11.57		1				
+-+-	Physical Collocation - DST Cross-Connects	1	<del>                                     </del>		FEIFI	1.48	44.23	31.98	12.81	11.57				-	-	
		1	1	CLO, UE3,U1TD3,	1				Ì			l				
		1	1	UXTD3, UXTS1,	1				Ì			l				
		1	1	UNC3X, UNCSX,	1				Ì			l				
				ULDD3,		l					l					
				U1TS1,ULDS1,		l					l					
	Physical Collocation - DS3 Cross-Connects	1		UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83						
		1	1	CLO, ULDO3,	1						1	i				
		1	1	ULD12, ULD48,	1				Ì			l				
		1		U1TO3, U1T12,								1				
		1	1	U1T48, UDLO3,	1				Ì			l				
	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84		l				
				CLO, ULDO3,		1						İ				
1 1		1		ULD12, ULD48,	l				]		1			I	I	
1 1		1		U1TO3, U1T12,								1				
1 1		1		U1T48, UDLO3,								1				
	Physical Collocation - 4-Fiber Cross-Connect	1		UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49		1				
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<del>                                     </del>	<b>-</b>	CLO	PE1BW	184.97	01.20	00.01	10.41	10.40		<del>                                     </del>		1	1	
<del>                                     </del>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1	<del>                                     </del>	CLO	PE1CW	18.14			<del>                                     </del>		<del> </del>			1	1	
	i nysica conocation - vveided vviie caye - Add i 30 34. Ft.	1	L	OLO	LIOVV	10.14			1		·	1	l			

COLLOCAT	ION - Kentucky												Attach	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect		1		Rates(\$)		
	Physical Collocation - Security Access System - Security System					Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Access			CLO	PE1AX	76.10										
	Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64	15.64								
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.29	26.29								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,158.67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.113										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U		0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	14.23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	65.50										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.55									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		1,524.45	980.01	267.02							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							-
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						

COLLOCAT	ION - Kentucky													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						i I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	<del></del>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
L	Physical Collocation - Security Escort - Premium, per Half Hour		ļ	CLO,CLORS	PE1PT		54.54	34.09								<u> </u>
	V to P Conversion, Per Customer Request-Voice Grade		<del>                                     </del>	CLO	PE1BV	33.00								<b> </b>	<b>!</b>	<del>                                     </del>
<b></b>	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1		<u> </u>	CLO CLO	PE1BO PE1B1	33.00 52.00			<del>                                     </del>						<b>-</b>	<del>                                     </del>
	V to P Conversion, Per Customer Request-DS1  V to P Conversion, Per Customer request-DS3		<u> </u>	CLO	PE1B1 PE1B3	52.00 52.00			<del>                                     </del>						<b>-</b>	<del>                                     </del>
<b>-</b>	V to P Conversion, Per Customer request-bs3  V to P Conversion, Per Customer Request per VG Circuit		<b>-</b>	OLO	LIDO	52.00					1			1	<del> </del>	<del>                                     </del>
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax				PE1DS	0.0012										
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL		0.0018										
PHYSICAL CO	Fee, per application			CLO	PE1DT		584.20									-
PHYSICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-										-				-	
	Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
ADJACENT C	OLLOCATION	<del></del>		0_1 _/\		1.70	77.23	31.30	12.01	11.57		7.00		<del>                                     </del>	t	<del>                                     </del>
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173								1	<b>†</b>	<b>†</b>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46				1	I	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						1
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49			_			
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,165.50		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										

COLLOCATI	ION - Kentucky												Attachr	nent: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOCAT	TION - Louisiana												Attach	ment: 4	Exhil	oit: D
CCLLCCA	Louisiana Louisiana										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Indan:									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonred	urring	Nonrecurrin	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per			0.0	551011											
<del>                                     </del>	square ft.	1		CLO	PE1SK	2.31				-				1	1	
	Physical Collocation - Space Preparation - Common Systems	1		CLO	DE46	2.70								1	1	
$\vdash$	Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems	<del> </del>		CLO	PE1SL	2.70			-	-			-	-	-	
	Modification per Cage	1		CLO	PE1SM	91.60					1			I	I	
	Physical Collocation - Cable Installation	1		CLO	PE1BD	91.00	841.54	841.54				1		1	1	
<del>                                     </del>	Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.	<del>                                     </del>		CLO	PE1PJ	5.30	041.04	041.34	1	1			1	t	t	
<del>                                     </del>	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.32										
	Physical Collocation - Power Reduction, Application Fee	<del>t i</del>		CLO	PE1PR	0.02	398.88									
<b>+</b>	Thysical conceasion Town Reduction, replication To	<u> </u>		020			000.00									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	,															
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0318	11.94	11.46								
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
	51 1 10 11 11 11 11 11 11			UNCVX, UNCDX,	55.5											
<b>—</b>	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0636	12.04	11.53								
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL, U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.04	21.39	15.47								
<b>+</b>	Friysical Collocation - DST Cross-Cornects			CLO, UE3,U1TD3,	FLIFI	1.04	21.39	13.47								
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	13.21	20.28	14.76								
				CLO, ULDO3,		1	_	-								
		1		ULD12, ULD48,										1	1	
		1		U1TO3, U1T12,							1			I	I	
		1		U1T48, UDLO3,							1			I	I	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.62	20.28	14.76								
				CLO, ULDO3,										1	1	
1 1		1		ULD12, ULD48,										1	1	
		1		U1TO3, U1T12,							1			I	I	
	Dhusias Callessias A Fiber Cross Connect	1		U1T48, UDLO3,	DE4E4	4.05	04.04	40.00						1	1	
$\vdash$	Physical Collocation - 4-Fiber Cross-Connect	<b>!</b>		UDL12, UDF CLO	PE1F4 PE1BW	4.65 184.50	24.81	19.29	1	<b> </b>			1	<b>!</b>	<b>!</b>	
<del>                                     </del>	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	<del>                                     </del>		CLO	PE1BW PE1CW	184.50			-					<del>                                     </del>	<del>                                     </del>	
	Friysical Collocation - Welded Wile Cage - Add 150 Sq. Ft.			OLO	FEICW	10.10				l	l	l .	l	L	L	

COLLOCAT	ION - Louisiana												Attach	ment: 4	Exhil	oit: D
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge -		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft. Physical Collocation - Security Access System - New Access			CLO	PE1AY	0.0224										
	Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.74	7.74								
	Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	<del>                                     </del>	1	CLO CLO	PE1AL PE1SR		13.01 1,044.07	13.01 1,044.07	-		<del>                                     </del>					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX		0.079	1,044.07	1,044.07								
	per cross-connect			UEANL,UEA,UDN,U		0.079										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.12										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	9.95										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF		45.80										
	Physical Collocation - Request Resend of CFA Information, per					.5.50					1					
	CLLI Recurring Collegation Coble Records per request	<u> </u>		CLO	PE1C9	40.07	77.43									
	Recurring Collocation Cable Records - per request Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CU PE1CE	10.97 5.29										
	Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CT	0.08										

COLLOCAT	ION - Louisiana													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			220	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04	11131	Auu i	11130	Addi	OOMILO	JONAN	JONAN	JONAN	JOHAN	JOHIAN
	Recurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C4	0.13			1							
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber			020		0.10										
	records			CLO	PE1CG	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								1
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00			ļ					ļ	ļ	<b>ļ</b>
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00			<b> </b>					ļ	-	4
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00			<b> </b>					ļ	-	4
ļ	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit	1		CLO	PE1B3	52.00			<del>                                     </del>					<del> </del>	1	<del>                                     </del>
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		583.30									
PHYSICAL CO			<u> </u>	CLO	PEIDI		583.30		-							
PHISICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-								+							1
	Wire Analog - Res  Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Line Side PBX Trunk - Bus  Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0318	11.94	11.46				15.20				
	Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46				15.20				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53				15.20				
ADJACENT C	OLLOCATION		<u> </u>	01040	DE4.IA	0.0550								1	1	<del>                                     </del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		-	CLOAC CLOAC	PE1JA PE1JC	0.0552			<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	<del> </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1JC PE1P2	5.61 0.0245	11.94	11.46								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL, CLOAC	PE1P4	0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20.28	14.76								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29		•						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20		ļ					ļ	ļ	ļ
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.45										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92										

COLLOCAT	ION - Louisiana												Attachi	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring Di	sconnect			oss	Rates(\$)		
1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47	36.47								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.21									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT							•								
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rates	s								

COLLOCAT	TION - Mississippi												Attach	ment: 4	Exhil	oit: D
COLLOGA											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
CATEGORI	KATE EEEMENTO	m	Lone	B00	0000			IVATEO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		ļ					Nonrec		Name a secondar	Disconnect			000	Rates(\$)		
						Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.51							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.51							
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76									
	Physical Collocation - Space Preparation - Firm Order															
	Processing	- 1		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	1		CLO	PE1SK	2.30										
	Physical Collocation - Space Preparation - Common Systems			İ	1				İ			İ	İ	İ	1	
	Modification per square ft Cageless	1 1		CLO	PE1SL	2.52					l			1		
	Physical Collocation - Space Preparation - Common Systems	<u> </u>	1			2.02			1			<del> </del>	<b>†</b>	<del> </del>	t	
	Modification per Cage	1 .		CLO	PE1SM	85.67					l			1		
<del>                                      </del>	Physical Collocation - Cable Installation	-	1	CLO	PE1BD	05.07	926.27	926.27	22.62			<del> </del>	<del> </del>	+	<del>                                     </del>	
<b> </b>		1	1			F 74	320.27	920.27	22.02		-	-		<del> </del>	<del>                                     </del>	
$\vdash$	Physical Collocation - Floor Space per Sq. Ft.	1	1	CLO	PE1PJ	5.74			<del> </del>			<del>                                     </del>	<del>                                     </del>	+	1	
<del>                                     </del>	Physical Collocation - Cable Support Structure	<b>.</b>		CLO	PE1PM	17.42 7.33			<del> </del>			<del>                                     </del>	<del>                                     </del>	+	1	
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	7.33										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		398.76									
	Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.29										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	10.58										
	Physical Collocation - 120V, Three Phase Standby Power Rate	- 1		CLO	PE1FE	15.87										
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	36.65										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						
	Physical Collocation - 2-wire Cross-Connects	-			PE IPZ	0.0288	12.37	11.87	6.04	5.45				-		
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
				CLO,UEANL,UEQ,W	1	Π					1	i	<u> </u>			
				DS1L,WDS1S, USL,							l			1		
				U1TD1, UXTD1,							l			1		
				UNC1X, ULDD1,							l			1		
				USLEL, UNLD1,							l			1		
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.14	22.16	16.02	6.60	5.97	l			1		
		1	1	CLO, UE3,U1TD3,		1.1-7	22.10	10.02	0.00	0.01		<del> </del>	<b>†</b>	<del> </del>	t	
				UXTD3, UXTS1,												
				UNC3X, UNCSX.												
				ULDD3,	1						1	l	Ì	1		
	Plantical Callingston, POO Carry C			U1TS1,ULDS1,	DE 4D°			.=			1	l	Ì	1		
	Physical Collocation - DS3 Cross-Connects	1	ļ	UNLD3, UDL	PE1P3	14.49	21.01	15.29	7.61	6.10		ļ		<b></b>		
				CLO, ULDO3,							l			1		
				ULD12, ULD48,							l			1		
				U1TO3, U1T12,							l			1		
				U1T48, UDLO3,		l						1		1		
L I	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10	<u> </u>	<u> </u>	<u> </u>	<u>1</u>	<u> </u>	
				CLO, ULDO3,												
				ULD12, ULD48,	1						1	l	Ì	1		
				U1TO3, U1T12,	1						1	l	Ì	1		
				U1T48, UDLO3,	1						1	l	Ì	1		
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.10	25.70	19.97	10.01	8.50	1	l	Ì	1		
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<del>                                     </del>	<b>I</b>	CLO	PE1BW	183.20	20.70	10.07	10.01	0.00		<del>                                     </del>	<b> </b>	<del>†</del>	1	
<del>                                     </del>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	+	1	CLO	PE1CW	17.97			<del> </del>		<del> </del>		<del> </del>	†	1	
	i nysica Conocation - vveided vviie Cage - Add 1 30 34. Ft.	1	1	010	1. [ 1000	17.37			1		l	1	1	1		

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhil	oit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System															
	per Central Office Physical Collocation - Security Access System - New Access	I		CLO	PE1AX	75.23										
	Card Activation, per Card	- 1		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		7.84	7.84								
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	<u> </u>	<u> </u>	CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises	- 1		CLO UEANL,UEA,UDN,U	PE1SR		1,081.40	1,081.40						-		
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.91										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		50.24										
	Physical Collocation - Request Resend of CFA Information, per			01.0	DE 40-		:									
<b>—</b>	CLLI Nonrecurring Collocation Cable Records - per request		<u> </u>	CLO CLO	PE1C9 PE1CR		77.41 763.69	490.94	133.77							
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		763.69 328.81	490.94	133.77							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93						

Version 2Q02: 07/11/02 Page 22 of 37

COLLOCA	TION - Mississippi													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							N		T 11	B'					2.00 .01	
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001141	001111
	Nonrecurring Collocation Cable Records - DS1, per T1TIE		1	CLO	PE1C1		First 2.27	Add'l 2.27	First 2.78	Add'I 2.78		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per TTTE  Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	Nonrecurring Collocation Cable Records - DS3, per 1311E  Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	PEICS		7.92	7.92	9.72	9.72				-		
	fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79	77.00	77.00						1
	Thysical concountry Coonty Econt Busic, por Hair Hour			020,020.10				10.1.0								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			01.0	DE 4 D D	00.00										
	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										<u> </u>
	Reconfigured			CLO	PE1BP	23.00										
-	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIDP	23.00								-		
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			020	I LIBO	00.00										1
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700					000										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															1
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		583.13									
PHYSICAL CO	DLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE 4 DO	0.0000	40.07	44.07	0.04	5.45		45.75				
	Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFSF	PEIKZ	0.0200	12.37	11.07	6.04	5.45		15.75		-		
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OL	I LINE	0.0200	12.07	11.07	0.04	0.40		10.70				
	Wire Analog - Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-						_									
	Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		15.75		<u> </u>		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-									<u> </u>						
	Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91		15.75		1		<b></b>
ADJACENT C	OLLOCATION			0.010		0.00					ļ				ļ	<b>↓</b>
	Adjacent Collocation - Space Charge per Sq. Ft.		<u> </u>	CLOAC	PE1JA	0.0678								1	1	<del>                                     </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects			CLOAC CLOAC	PE1JC PE1P2	4.68	10.07	11.87	6.04	5.45	1			<del>                                     </del>		<del>                                     </del>
<b></b>	Aujacem Conocation - 2-wire Cross-Connects	<b>-</b>	<del>                                     </del>	UEA,UHL,UDL,UCL,	PEIFZ	0.0223	12.37	11.8/	6.04	5.45	<del>                                     </del>			<del></del>	1	<del> </del>
	Adjacent Collocation - 4-Wire Cross-Connects		1	CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91				I		
<del>                                     </del>	Adjacent Collocation - 4-Wire Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97				<b>-</b>	1	<del>                                     </del>
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10				1		1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10				1		
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50						1
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.29										<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.58					<u> </u>					

COLLOCAT	ION - Mississippi												Attachi	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36.65										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															ı
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17	13.17								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54	116.54								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	s.							1	<u> </u>

CATEGORY   RATE ELEMENTS   Interf   2 ne	COLLOCAT	TON North Carolina												A441-			B
### CATEOONY RATE ELEMENTS   Intel   2006   BGB   USOC   RATES(b)   Decision   Decision   Charges   Charge	COLLOCAL	ION - NORTH CAROLINA	ı	ı	I		1					Svo Order	Svo Orde-				
ATT ELEMENTS   Marie   Done   BCS																	
### 2016 ###																	Charge -
Rec   Novercoming Described   Filterion   Electronic Electronic   Electronic Electronic   Elec	04750000	DATE EL EMENTO	Interi	<b>-</b>	500	11000			DATEO(6)								Manual Svc
Bechnology   Bec	CATEGORY	RATE ELEMENTS	m	Zone	BCS	0500			RATES(\$)			per LSR	per LSR	Order vs.			Order vs.
Non-control   Non-control														Electronic-	Electronic-	Electronic-	Electronic-
No.														1st	Add'l	Disc 1st	Disc Add'l
No.																	
Principal Collocation - Application fee - Final   SLO   PETER   SLOCATION   Slocation	<u> </u>						Rec										
Psychol Collection - Application New States   1	<u> </u>							First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Psychol Collection - Application New States   1																	
Physical Collocation - Aprillation Fee - Deliveraged   CLO   PECR   3,119,00   3,119,00   1, 19,0	PHYSICAL CO		<u> </u>		01.0	DE 4 D 4		0.000.00									
Paystat Collocation - Agent Seminary - Agent Seminary - Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - Seminary - Common Systems   Col.   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - College Institution   Col.   Paystat Collocation - Col.   Paystat Collocation - Pa			l I														
Physical Collocation - Space Preparation - Country Systems   CLD   PE1SK   1.07									3,119.00								
Square No.					CLO	PE1BL		741.44									
Physical Collocation - Space Preparation - Common Systems   CLO   PE18L   3.26			١.		0.0	DE 4014											
Modification per aguare ft. Cogatess   1   CLO   PE1SL   3.36					CLO	PE1SK	1.57										
Physical Collocation - Space Preparation Common Systems   CCLO   PE1SM   110.79			١.		0.0	55.40											
Nocification per Cage   1			l l		CLO	PE1SL	3.26										
Space Preparation Feet - Pleaser PR Nominal 480 Dc Amp   1 CLO   PERIS   3.76			1 .	1	l., .	DE (0::					1				I	I	I
Physical Collocation - 24-Wire Cross-Connects   CLO   PETP   3.45	$\vdash$		<u> </u>	<u> </u>								1					
Physical Collocation - Poor Space per St. P.   1	$\vdash$			ļ			5.76				<b>_</b>						
Physical Collocation - Califol Support Structure   1							ļ	2,305.00	2,305.00								
Physical Collocation - Power 48th US Power per Fused Amp   1																	
Physical Collocation - Power Retalcyton, Application Fee																	
Physical Collocation - 120V, Single Phase Standby Power Rate   1							8.50										
Physical Collocation - 240V. Single Phase Standby Power Rate   1		Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.13									
Physical Collocation - 240V. Single Phase Standby Power Rate   1																	
Physical Collocation - 120V, Three Phase Standby Power Rate   CLO   PETE   16.61		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.50										
Physical Collocation - 120V, Three Phase Standby Power Rate   CLO   PETE   16.61																	
Physical Collocation - 277V, Three Phase Standby Power Rate   I   CLO   PE1FG   38.12		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.01										
Physical Collocation - 277V, Three Phase Standby Power Rate   I   CLO   PE1FG   38.12																	
UEANL, UEA, UD, UD, UD, UD, UD, UD, UD, UD, UD, UD		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.51										
UEANL, UEA, UD, UD, UD, UD, UD, UD, UD, UD, UD, UD																	
DC, UAL, UHL, UCL, UNCXX   DC, UNL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNCXX		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.12										
DC, UAL, UHL, UCL, UNCXX   DC, UNL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   DC, UAL, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNDX, UNCXX   UNCXX																	
Fo., Upl., Unc.VX.   PETP2   0.32   41.78   39.23																	
Physical Collocation - 2-Wire Cross-Connects																	
CLO, UAL, UDL, UDL, UDL, UDL, UDL, UDL, UDL, UD																	
UDN, UEA, UHTL, UNCYK, UNCDX, UNCDY, UNCDY, UNCDY, UNCDY, UNCDY, UNCDY, UNCDY, UNCDY, UNCDY, UNCOX		Physical Collocation - 2-Wire Cross-Connects	ı			PE1P2	0.32	41.78	39.23								
DINCYX, UNDX, UN																	
Physical Collocation - 4-Wire Cross-Connects																	
CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, ULDD1, UNCTX, ULDD2, USLE, UNLD1, UNCS, ULDD3, UXTS1, UNCSX, ULDD3, UXTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, UNCSX, ULDD3, UTS1, ULD12, ULD48, U1TO3, UTS12, UTS14, UDCS3, UTS14, UDCS3, UTS14, UDCS3, UTS14, UDCS3, UTS14, UDCS3, UTS14, UT					UNCVX, UNCDX,												
DS1L,WDS1S, USL, U1TD1, UXTD1,		Physical Collocation - 4-Wire Cross-Connects	I		UCL	PE1P4	0.64	41.91	39.25								
U1TD1, UXTD1, UD1, UND1, USLEL, UNLD1, DD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD4, ULDD4, ULDD4, ULDD4, ULDD4, ULDD4, ULDD4, ULDD4, ULDD5, ULDD4, ULDD5, ULDD5, ULDD5, ULDD6, ULDD5, ULDD6, ULDD6, ULDD6, ULDD7, ULDD8, ULD7, ULDD8, ULD7, ULDD8, ULD7, ULD2, ULD7, ULD8, ULD8, ULD7, ULD8, ULD8, ULD7, ULD8, ULD8, ULD8, ULD7, ULD8, ULD8,			CLO,UEANL,UEQ,W														
UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, UNC3X, UNC3X, UNC3X, UNC3X, UNC3X, ULD3, UNT31, UNC3X, UNC5X, ULD3, ULD3, ULD1, ULD4,					DS1L,WDS1S, USL,												
District   Circle					U1TD1, UXTD1,												
Physical Collocation - DS1 Cross-Connects					UNC1X, ULDD1,												
CLO, UE3,U1TD3, UXTD3, ULDD4					USLEL, UNLD1,												
UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, ULDD5, UNLD3, ULDD3, ULDD48, U1T03, U1T12, UDL12, UDF PE1F2 2.94 51.97 38.59		Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	2.34	71.02	51.08								
UNC3X, UNCSX, ULDD3, UTTS1,ULDS1, UNLD3, UDL PE1P3					CLO, UE3,U1TD3,												
ULDD3, U1TS1, ULDS1, UNLD3, UDL PE1P3					UXTD3, UXTS1,												
Physical Collocation - DS3 Cross-Connects					UNC3X, UNCSX,												
Physical Collocation - DS3 Cross-Connects					ULDD3,												
Physical Collocation - DS3 Cross-Connects					U1TS1.ULDS1.												
ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.94 51.97 38.59		Physical Collocation - DS3 Cross-Connects	1		UNLD3, UDL	PE1P3	42.84	69.84	49.43								
ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2 2.94 51.97 38.59					CLO, ULDO3,												
U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF PE1F2																	
Physical Collocation - 2-Fiber Cross-Connect   UDL12, UDF   PE1F2   2.94   51.97   38.59																	
Physical Collocation - 2-Fiber Cross-Connect   UDL12, UDF   PE1F2   2.94   51.97   38.59			1	1							1				I	I	I
ULD12, ULD48, U1T03, U1T12, U1T04,		Physical Collocation - 2-Fiber Cross-Connect	- 1			PE1F2	2.94	51.97	38.59								
ULD12, ULD48, U1T03, U1T12, U1T04,								•	22.30	l	1				1	1	1
U1T48, UDLO3,			1	1							1				I	I	I
U1T48, UDLO3,					U1TO3, U1T12,						1				1	1	
Physical Collocation - 4-Fiber Cross-Connect   UDL12, UDF   PE1F4   5.62   64.53   51.15			1							I	1		]		I	I	1
Physical Collocation - Welded Wire Cage - First 100 Sq. Ft. I CLO PE1BW 102.76		Physical Collocation - 4-Fiber Cross-Connect	1	1		PE1F4	5.62	64.53	51.15		1				I	I	I
			I	1													
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	Ì	1	CLO	PE1CW	10.44			İ	1				İ	İ	1

COLLOCA	FION - North Carolina												Attach	ment: 4	Exhil	oit: D
302200A											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	DATE EL EMENTO	Interi	7	DCC.	11000			DATEO(*)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office	١.		CLO	PE1AX	41.03										
	Physical Collocation - Security Access System - New Access	<u>'</u>		CLO	PEIAX	41.03			1					1		
	Card Activation, per Card	- 1		CLO	PE1A1	0.062	55.30	55.30								
	Physical Collocation-Security Access System-Administrative	l .		0.0												
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.51	15.51								
	Stolen Card, per Card			CLO	PE1AR		45.34	45.34								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.18	26.18								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	<u> </u>		CLO	PE1AL		26.18	26.18								
$\vdash$	Physical Collocation - Space Availability Report per premises			CLO UEANL,UEA,UDN,U	PE1SR		2,140.00	2,140.00			<del>                                     </del>			<del>                                     </del>		
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.10										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.19										
	İ			UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1, UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	0.79										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3, U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,	55.45.1											
$\vdash$	per cross-connect			UDLSX UEANL,UEA,UDN,U	PE1PH	4.85			-							
1 1				DC,UAL,UHL,UCL,U					1							
				EQ,CLO, ULDO3,												
1 1				ULD12, ULD48,												
1 1	DOT Box Assessments exists 4 01/20 0 5 The Over 0			U1TO3, U1T12,					1							
1 1	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			U1T48, UDLO3, UDL12, UDF	PE1B2	45.30			1							
	por orosa-contribut			UEANL,UEA,UDN,U		45.50			<b>-</b>		t			<b>†</b>		
1 1				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,					1							
1 1				ULD12, ULD48,												
1 1	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1TO3, U1T12, U1T48, UDLO3,					1							
1 1	per cross-connect			UDL12, UDF	PE1B4	61.09			1							
	Physical Collocation - Request Resend of CFA Information, per					220			1							
	CLLI			CLO	PE1C9		77.48									
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	ļ		CLO	PE1CR		1,707.00		<u> </u>					<u> </u>		
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923.08		1							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per								<u> </u>		<b>†</b>			<u> </u>		
	each 100 pair		<u>L</u>	CLO	PE1CO		18.02	18.02	<u></u>		<u></u>			<u></u>		

COLLOCA	ΓΙΟΝ - North Carolina													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.51	29.51								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.82	278.82								
-	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56	-		-			-	-	-
	Friysical Collocation - Security Escort - Basic, per Hail Hour			CLO,CLORG	FLIDI		42.32	23.30								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,															
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		66.10	39.32								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIBP	23.00			-							
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			OLO	I LIBO	33.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			020		07.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0027										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		583.66									
PHYSICAL CO	OLLOCATION Description Of the Control of the Contro															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	PETR2	0.32	41.78	39.23					26.94	12.76		
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			OLI OI	I LIIVE	0.02	41.70	00.20					20.04	12.70		
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	l			DE 10-										1	
	Wire ISDN	ļ		UEPTX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1	1		UEPEX	PE1R4	0.64	41.91	39.25	1				26.94	12.76		
AD IACENT O	WIRE ISON DS1 COLLOCATION	<del>                                     </del>		UEPEX	PETR4	0.64	41.91	39.25	<del>                                     </del>		-		26.94	12.76	<del>                                     </del>	-
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.	1		CLOAC	PE1JA	0.179			+					+	+	
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.96			t					t	t	
	Adjacent Collocation - 2-Wire Cross-Connects	1		CLOAC	PE1P2	0.32	41.78	39.23	<b>-</b>					<b>-</b>	<b>-</b>	
		1		UEA,UHL,UDL,UCL,		0.02		00.20	1					1	1	
	Adjacent Collocation - 4-Wire Cross-Connects	1		CLOAC	PE1P4	0.64	41.91	39.25	I					1	I	
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	2.34	71.02	51.08								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	42.84	69.84	49.43								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee	ļ		CLOAC	PE1JB		3,153.00		ļ					1	ļ	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		01.040	DE4E5				1					I		
	per AC Breaker Amp	<b>!</b>		CLOAC	PE1FB	5.50			<b>.</b>					-	-	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	I	1	CLOAC	PE1FD	11.01			1	l	1				1	1

COLLOCATI	ON - North Carolina												Attachr	nent: 4	Exhil	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Manual Svc Order vs.	Charge -	Charge -	Charge -
						B	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT	Ţ							•							
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rates	S.								

COLLOCAT	FION - South Carolina												Attach	ment: 4	Exhil	oit: D
CCLLCCA	Total Court Curomiu										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-		Electronic-
															Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurrin	Disconnect			oss	Rates(\$)	·	U
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,883.67	1,883.67	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		602.05	602.05								
	Physical Collocation - Space Preparation - C.O. Modification per															
1 1	square ft.	1		CLO	PE1SK	2.75			Ì		1			I	I	
	Physical Collocation - Space Preparation - Common Systems															
L l	Modification per square ft Cageless	<u>L</u>		CLO	PE1SL	3.24			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Physical Collocation - Space Preparation - Common Systems															
1 1	Modification per Cage	1		CLO	PE1SM	110.16					1			I	I	
	Physical Collocation - Cable Installation			CLO	PE1BD		794.22	794.22	22.54	22.54						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reduction, Application Fee	-		CLO	PE1PR		400.33									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects	<u> </u>		UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	<u> </u>		UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93			<u> </u>	<u> </u>	<u> </u>	
				CLO, ULDO3,												
1 1		1		ULD12, ULD48,					Ì		1			I	I	
1 1		1		U1TO3, U1T12,							İ			1		
		1		U1T48, UDLO3,										I	I	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						
		1		CLO, ULDO3,												
		1		ULD12, ULD48,		[								1	1	
		1		U1TO3, U1T12,					Ì		1			I	I	
		1		U1T48, UDLO3,							İ			1		
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										

COLLOCAT	ION - South Carolina												Attach	ment: 4	Exhil	oit: D
		Interi									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge -		Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)	<u>l</u>	<u>l</u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Access	1		CLO	PE1AX	74.72										
	Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81	7.81								
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AL		40.40	40.40								
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	1	1	CLO	PE1AL PE1SR		13.13 1,077.57	13.13 1,077.57			1					
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.085	-,	,,								
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	10.71										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		49.29										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.71	<u>-</u>				]				
	Nonrecurring Collocation Cable Records - per request	1	1	CLO	PE1C9 PE1CR		760.98	489.20	133.29	133.29	<del>                                     </del>					
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						

COLLOCA	FION - South Carolina													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)		
	N			0.0	55101		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE  Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO CLO	PE1C1 PE1C3		2.26 7.90	2.26 7.90	2.77 9.68	2.77 9.68						
	Nonrecurring Collocation Cable Records - DS3, per 1311E  Nonrecurring Collocation Cable Records - Fiber Cable, per 99			CLO	PE103		7.90	7.90	9.08	9.08						-
	fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75	77.00	77.00						†
	1 Hydrodi Concodiidi. Coodiiky 2000it Babio, por Hair Hour			020,020.10			10.00	10.10	†							
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit			CLO	PE1B3	52.00			-							<del>                                     </del>
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	FLIDI	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			020		20.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			01.0 1150 1101	DE 4 DO	0.0045										
	Cable Support Structure, per cable, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects - Application			CLO, UE3, USL	PE1DS	0.0015			-							<del> </del>
	Fee, per application			CLO	PE1DT		584.42									
DHASICVI CO	DLLOCATION			CLO	FLIDI		304.42									
THI GICAL C	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															†
	Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1	0.00										
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55.450		40.00									
	Wire ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				<del>                                     </del>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			ULFIX	FLINZ	0.0341	12.32	11.00	0.04	3.43		13.09				
	Wire ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
ADJACENT C	COLLOCATION			02. 27.		2	22.00	.0.00	0.12	0.00		10.00				
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
				UEA,UHL,UDL,UCL,									_	_		
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74				Į.		
	Adjacent Collocation - DS1 Cross-Connects	ļ		USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						ļ
	Adjacent Collocation - DS3 Cross-Connects	ļ		CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93				ļ	ļ	ļ
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC CLOAC	PE1F2	2.37 4.53	20.94	15.23	7.40	5.93				1	1	<b></b>
<del></del>	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	<u> </u>		CLOAC	PE1F4 PE1JB	4.53	25.61 1,580.20	19.90	9.73 0.51	8.26 0.51			-	-	-	
<del>                                     </del>	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		OLUAU	L,E IND		1,080.20		0.51	0.51	1		1	1	1	1
	per AC Breaker Amp	1		CLOAC	PE1FB	5.67			j			1				
	Adjacent Collocation - 240V, Single Phase Standby Power Rate					5.07			†							
	per AC Breaker Amp	l	1	CLOAC	PE1FD	11.36					l	1				

COLLOCATI	ION - South Carolina												Attachi	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT							•		•						
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rates	s								

COLLOC	ATION - Tennessee												Attach	ment: 4	Exhil	oit: D
COLLOG	Tomicosco										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually				Manual Svc
CATEGOR	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OATEOOR	NATE ELEMENTO	m	20110	500	0000			ιτΑι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>							Nonrecurring		Monroourrin	g Disconnect			000	Rates(\$)		
						Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL	COLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,140.00	3,140.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25									
	Physical Collocation - Space Preparation - Firm Order															
	Processing	- 1		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	1	1	CLO	PE1SK	2.74			1	1			1	1		
	Physical Collocation - Space Preparation - Common Systems	<u> </u>							1	1	Ì	1	1	1	1	
	Modification per square ft Cageless	1	1	CLO	PE1SL	2.95			1	1			1	1		
<del>                                     </del>	Physical Collocation - Space Preparation - Common Systems	<del>- '-</del>	<b>-</b>			2.33			t	t	†	1	t	†	1	
1 1	Modification per Cage		1	CLO	PE1SM	100.14			1	1			1	1		
$\vdash$	Physical Collocation - Cable Installation	<del>- '</del> -	<del>                                     </del>	CLO	PE18D	100.14	1,757.00	1,757.00	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	
$\vdash$		<del>                                     </del>	<b>!</b>			0.77	1,757.00	1,757.00	<del>                                     </del>	<del>                                     </del>	1	1	<del>                                     </del>	+	1	
$\vdash$	Physical Collocation - Floor Space per Sq. Ft.	-		CLO	PE1PJ	6.75			1	1	1	-	-	1	-	
$\vdash$	Physical Collocation - Cable Support Structure	<u> </u>	<b>_</b>	CLO	PE1PM	19.80					1	<b>.</b>		<b>_</b>		
	Physical Collocation - Power -48V DC Power, per Fused Amp	I		CLO	PE1PL	8.87										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	1		CLO	PE1FE	16.82										
		1														
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.84										
h	1 Trysical Collocation - 277 V, Tillee I Hase Standby I Gwel Itale	<del>- '-</del>	-	CLO	1110	30.04					1			+		
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.066	33.94	31.95								
				CLO,UEANL,UEQ,W							1					
		1	1	DS1L,WDS1S, USL,		Ì			1	1		1	I	1		
		1		U1TD1, UXTD1,		Ì			1	1		1	I	1		
		1	1	UNC1X, ULDD1,		Ì			1	1			I	1		
		1	1	USLEL, UNLD1,		Ì			1	1			I	1		
	Physical Collegation DC1 Cross Coursely	1	1	USLEL, UNLD1, UDL	DE4D4	1.51	53.27	40.40	1	1			I	1		
$\vdash$	Physical Collocation - DS1 Cross-Connects	<del>                                     </del>	<b>!</b>		PE1P1	1.51	53.27	40.16	<del>                                     </del>	<del>                                     </del>	1	1	<del>                                     </del>	+	1	
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	1	1	UNLD3, UDL	PE1P3	19.26	52.37	38.89	1	1			I	1		
				CLO, ULDO3,												
1 1		1	1	ULD12, ULD48,		Ì			1	1		1	I	1		
		1	1	U1TO3, U1T12,		Ì			1	1		1	1	1		
1 1		1	1	U1T48, UDLO3,		Ì			1	1		1	1	1		
1 1	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34		1	2.69	2.69	1.56	1.56
$\vdash$	i nyoloal Collocation - 2-1 ibel Cluss-Collinect	<del>                                     </del>	-	CLO, ULDO3,		15.04	41.50	23.02	12.30	10.34	}	+	2.09	2.09	1.30	1.50
1 1		1	1	ULD12, ULD48,		Ì			1	1		1	1	1		
1 1		1	1			Ì			1	1			1	1		
1 1		1		U1TO3, U1T12,		Ì			1	1			1	1		
1 1	Physical Callegration A Filter Co	1	1	U1T48, UDLO3,	DE4E:		====									
$\vdash$	Physical Collocation - 4-Fiber Cross-Connect	ļ		UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<u> </u>	<u> </u>	CLO	PE1BW	218.53			ļ	ļ		1	ļ	1	1	
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	<u></u>		CLO	PE1CW	21.44					<u></u>			1		

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhil	oit: D
													Incremental	Incremental	Incremental	Incremental
											Submitted Elec	Submitted Manually		Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LOIX	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System															
	per Central Office Physical Collocation - Security Access System - New Access			CLO	PE1AX	55.99										
	Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	, , , , , , , , , , , , , , , , , , , ,															
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61	15.61						-		
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or			0.0												
	Stolen Key, per Key Physical Collocation - Space Availability Report per premises	<del> </del>		CLO CLO	PE1AL PE1SR		26.24 2,027.00	26.24 2,154.00						-		
	1 Hysical Collocation - Space Availability (Teport per premises	· ·		UEANL,UEA,UDN,U	LIOK		2,027.00	2,104.00								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UNCVX, UNCDX, UNCNX	PE1PE	0.40										
	per cross connect			UEANL,UEA,UDN,U		0.40										
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,	DEADE	4.00										
	per cross-connect			UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	1.20										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1, UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			U1TS1, ULDS1, UNLD3, UDL,												
	per cross-connect			UDLSX	PE1PH	8.00										
İ				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,												
	Per Cross-Connect			UDL12, UDF UEANL,UEA,UDN,U	PE1B2	38.79										
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1TO3, U1T12, U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B4	52.31										
	Physical Collocation - Request Resend of CFA Information, per															
	CLLI	<u> </u>		CLO CLO	PE1C9 PE1CR		77.67 1,711.00									
<del>                                     </del>	Nonrecurring Collocation Cable Records - per request Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	<del>                                     </del>		CLO	PETCK	<del> </del>	1,711.00				<del>                                     </del>			<u> </u>		
<u> </u>	cable record	<u> </u>	<u> </u>	CLO	PE1CD	<u> </u>	925.06				<u> </u>	<u></u>	<u> </u>	<u> </u>		
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			0.0	DE 400		40									
	each 100 pair		<u> </u>	CLO	PE1CO		18.05	18.05					l	L		

COLLOCAT	ION - Tennessee													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Monrocurrin	g Disconnect			088	Rates(\$)	1	<u> </u>
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.45	8.45	11130	Auu	JOHILO	JONAN	JOINAIN	JOHAN	JOHIAN	JOINAIN
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.57	29.57	İ						1	
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	District College in County Francis Breath and College			01 0 01 000	DE 4 DT		54.40	04.00								
<del> </del>	Physical Collocation - Security Escort - Premium, per Half Hour  V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1PT PE1BV	33.00	54.42	34.02	1		1				-	
+	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1B0	33.00			-						-	
<b>—</b>	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit								İ						İ	
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PEIAC	16.16	2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32	,	,								
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			CLO	PE13S	53.96	298.03									

COLLOCA	TION - Tennessee													ment: 4		bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect		•		Rates(\$)		•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-DS3 Cross Connects-Connection to															
	DSX, per ckt.			CLO	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			OLO	ILIAZ		70.10									<del> </del>
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0019										
	Physical Collocation - Co-Carrier Cross Connects - Application			0.0	DE 4 DE											
BHASIC VI C	Fee, per application OLLOCATION			CLO	PE1DT		585.09		1							<del> </del>
I III SICAL U	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				<del>                                     </del>		<del>                                     </del>									<del>                                     </del>
	Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-														40	
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFSB	PEIKZ	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					0.00										1
	Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
ADJACENT C	COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656			<u> </u>							<del> </del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53					-					<del> </del>
<u> </u>	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
	,			UEA,UHL,UDL,UCL,												1
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77		1.12
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC CLOAC	PE1F2 PE1F4	3.49 6.50	26.23	15.51	13.41	10.78			1.77	1.77		1.12
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1F4 PE1JB	6.50	29.75 2,973.00	19.02	17.60 0.9475	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLUNU	1 - 100		2,313.00		0.5415		<del>                                     </del>				-	<del>                                     </del>
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
İ	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.64										ļ
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	DE4EF	47.45										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	17.45	<del>                                     </del>		<del> </del>							<del> </del>
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL C	OLLOCATION IN THE REMOTE SITE					40.00										
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Plantial Cally and a factor in the Paris Cally Cally in the			01.000	DE 4 D C		2.2-									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69				-					<b></b>
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI			OLONG	LION		210.49		<u> </u>		<del>                                     </del>			<b> </b>	1	<del>                                     </del>
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL C	OLLOCATION IN THE REMOTE SITE - ADJACENT							· · · · ·								
	Beauty O're A l'escat Oelle est			01.000	DE 4 D 2											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27					-					<del> </del>
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										

COLLOC	ATION - Tennessee												Attachn	nent: 4	Exhil	oit: D
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation-Application Fee CLORS PE1RU 755.62 755.62															
NO	NOTE: If Security Escott and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															

# ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where 1-800-RECONEX, Inc. is utilizing its own switch, 1-800-RECONEX, Inc. shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, 1-800-RECONEX, Inc. will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to 1-800-RECONEX, Inc., BellSouth will provide 1-800-RECONEX, Inc. with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. 1-800-RECONEX, Inc. acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that 1-800-RECONEX, Inc. return unused intermediate numbers to BellSouth. 1-800-RECONEX, Inc. shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- BellSouth will allow 1-800-RECONEX, Inc. to designate up to 100 intermediate telephone numbers per rate center for 1-800-RECONEX, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. 1-800-RECONEX, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where 1-800-RECONEX, Inc. subscribes to BellSouth's local switching, BellSouth shall bill and 1-800-RECONEX, Inc. shall pay the end

user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and 1-800-RECONEX, Inc. will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and 1-800-RECONEX, Inc..
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and 1-800-RECONEX, Inc. will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

#### 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

# **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

# TABLE OF CONTENTS

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to 1-800-RECONEX, Inc. that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated
orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent 1-800-RECONEX, Inc. requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of 1-800-RECONEX, Inc., BellSouth will not assess 1-800-RECONEX, Inc. additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide 1-800-RECONEX, Inc. access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole

Version 2Q02: 05/31/02

responsibility of 1-800-RECONEX, Inc. to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for 1-800-RECONEX, Inc.'s access and use of BellSouth's electronic interfaces are set forth at <a href="https://www.interconnection.bellsouth.com">www.interconnection.bellsouth.com</a> and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. 1-800-RECONEX, Inc. shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. 1-800-RECONEX, Inc. shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, 1-800-RECONEX, Inc. shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. 1-800-RECONEX, Inc. will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit 1-800-RECONEX, Inc.'s access to customer record information. If a BellSouth audit of 1-800-RECONEX, Inc. is accessing customer record information reveals that 1-800-RECONEX, Inc. is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to 1-800-RECONEX, Inc. may take corrective action, including but not limited to suspending or terminating 1-800-RECONEX, Inc.'s electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. 1-800-RECONEX, Inc. may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

Version 2Q02: 05/31/02

- 2.1.4 Maintenance and Repair. 1-800-RECONEX, Inc. may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer 1-800-RECONEX, Inc. non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide 1-800-RECONEX, Inc. an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and 1-800-RECONEX, Inc. agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to 1-800-RECONEX, Inc., is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

#### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by 1-800-RECONEX, Inc. will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, 1-800-RECONEX, Inc. shall be required to submit a new service request. Incorrect or invalid requests returned to 1-800-RECONEX, Inc. for correction or clarification will be held for thirty (30) days. If 1-800-RECONEX, Inc. does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. 1-800-RECONEX, Inc. will be the single point of contact with BellSouth for ordering activity for network elements and other services used by 1-800-RECONEX, Inc. to provide services to its end users, except that

BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. 1-800-RECONEX, Inc. and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by 1-800-RECONEX, Inc. to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify 1-800-RECONEX, Inc. that such a request has been processed, but will not be required to notify 1-800-RECONEX, Inc. in advance of such processing.

- 3.2.1 Neither BellSouth nor 1-800-RECONEX, Inc. shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 1-800-RECONEX, Inc. shall return a FOC to BellSouth within thirty-six (36) hours after 1-800-RECONEX, Inc.'s receipt from BellSouth of a valid LSR.
- 3.2.4 1-800-RECONEX, Inc. shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of 1-800-RECONEX, Inc. elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to 1-800-RECONEX, Inc. by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify 1-800-RECONEX, Inc. that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer

Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

- 3.6 Cancellation Charges. If 1-800-RECONEX, Inc. cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if 1-800-RECONEX, Inc. places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where 1-800-RECONEX, Inc. places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, 1-800-RECONEX, Inc. may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should 1-800-RECONEX, Inc. elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by 1-800-RECONEX, Inc., Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

# **Attachment 7**

**Billing** 

## TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	1
5.	ACCESS DAILY USAGE FILE	14
Ra	ates	Exhibit Δ

#### **BILLING**

#### 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Tapestry and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to 1-800-RECONEX, Inc. under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from 1-800-RECONEX, Inc., 1-800-RECONEX, Inc. shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of 1-800-RECONEX, Inc.'s accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.5 BellSouth will bill 1-800-RECONEX, Inc. in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill 1-800-RECONEX, Inc., and 1-800-RECONEX, Inc. will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for 1-800-RECONEX, Inc. as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.1.7 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, Bellsouth will make an adjustment to such recurring rates billed in advance and at the previously effective

rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 <u>Establishing Accounts.</u> After receiving certification as a local exchange carrier from the appropriate regulatory agency, 1-800-RECONEX, Inc. will provide the appropriate BellSouth local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of 1-800-RECONEX, Inc. 1-800-RECONEX, Inc. shall make payment to BellSouth for all services billed. Payments made by 1-800-RECONEX, Inc. to BellSouth as payment on account will be credited to 1-800-RECONEX, Inc.'s accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between 1-800-RECONEX, Inc. and 1-800-RECONEX, Inc.'s customer.
- 1.3 <u>Payment Due</u>. Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to 1-800-RECONEX, Inc. will not include those taxes or fees from which 1-800-RECONEX, Inc. is exempt. 1-800-RECONEX, Inc. will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of 1-800-RECONEX, Inc..
- 1.6 <u>Late Payment</u>. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge

shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, 1-800-RECONEX, Inc. may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

- 1.7 <u>Discontinuing Service to 1-800-RECONEX, Inc.</u>. The procedures for discontinuing service to 1-800-RECONEX, Inc. are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by 1-800-RECONEX, Inc. of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to 1-800-RECONEX, Inc. that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by 1-800-RECONEX, Inc. to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to 1-800-RECONEX, Inc. if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and 1-800-RECONEX, Inc.'s noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to 1-800-RECONEX, Inc. without further notice.
- 1.7.5 Upon discontinuance of service on 1-800-RECONEX, Inc.'s account, service to 1-800-RECONEX, Inc.'s end users will be denied. BellSouth will reestablish service for 1-800-RECONEX, Inc. upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. 1-800-RECONEX, Inc. is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after 1-800-RECONEX, Inc. has been denied and no arrangements to reestablish service have been made consistent with this subsection, 1-800-RECONEX, Inc.'s service will be disconnected.

1.8

Deposit Policy. 1-800 RECONEX, Inc. shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security. Any such security deposit shall in no way release 1-800 RECONEX, Inc. from its obligation to make complete and timely payments of its bill. 1-800 RECONEX, Inc. shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in 1-800 RECONEX, Inc.'s "accounts receivable and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event 1-800 RECONEX, Inc. fails to remit to BellSouth any deposit requested pursuant to this Section, service to 1-800 RECONEX, Inc. may be terminated, pursuant to Section 1.7.2 of this Attachment 7, and any security deposits will be applied to 1-800 RECONEX, Inc.'s account(s). In the event 1-800 RECONEX, Inc. defaults on its account, service to 1-800 RECONEX, Inc. will be terminated, pursuant to Section 1.7.2 of this Attachment 7, and any security deposits will be applied to its account. A customer may request, in writing, that BellSouth review their current credit worthiness and that BellSouth refund their security deposit(s) if such Customer meets all of the following criteria: 12 months prompt payment history of all undisputed charges; acceptable debt rating; Customer has not filed nor received protection from bankruptcy rules and statutes for a period of ten years. When conducting its review to consider refund of deposit(s), BellSouth will apply the same methodology it used to determine that a security deposit was required. If BellSouth's review determines the customer is now credit worthy, the Customer's deposit(s) will be refunded or credited to the Customer's account.

Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from 1-800-RECONEX, Inc., shall be forwarded to the individual and/or address provided by 1-800-RECONEX, Inc. in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by 1-800-RECONEX, Inc. as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from 1-800-RECONEX, Inc. to BellSouth's billing organization, a final notice of disconnection of services purchased by 1-800-RECONEX, Inc. under this Agreement shall be

sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

# 2. BILLING DISPUTES

- 2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. 1-800-RECONEX, Inc. shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports

and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

# 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to 1-800-RECONEX, Inc. by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to 1-800-RECONEX, Inc. on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 1-800-RECONEX, Inc. must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, 1-800-RECONEX, Inc. must request that BellSouth establish a unique hosted RAO code for 1-800-RECONEX, Inc.. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from 1-800-RECONEX, Inc. that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. 1-800-RECONEX, Inc. shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from 1-800-RECONEX, Inc..
- All data received from 1-800-RECONEX, Inc. that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from 1-800-RECONEX, Inc. that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in

accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by 1-800-RECONEX, Inc. and will forward them to 1-800-RECONEX, Inc. on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and 1-800-RECONEX, Inc. will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission. Where a dedicated line is required, 1-800-RECONEX, Inc. will be responsible for ordering the circuit and coordinating the installation with BellSouth. 1-800-RECONEX, Inc. is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to 1-800-RECONEX, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the 1-800-RECONEX, Inc. end for the purpose of data transmission will be the responsibility of 1-800-RECONEX, Inc..
- 3.11 All messages and related data exchanged between BellSouth and 1-800-RECONEX, Inc. will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 1-800-RECONEX, Inc. will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for 1-800-RECONEX, Inc. to send data to BellSouth more than sixty (60) days past the message date(s), 1-800-RECONEX, Inc. will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or 1-800-RECONEX, Inc., where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any

resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.

- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from 1-800-RECONEX, Inc., the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify 1-800-RECONEX, Inc. of the error. 1-800-RECONEX, Inc. will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, 1-800-RECONEX, Inc. will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide 1-800-RECONEX, Inc. with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by 1-800-RECONEX, Inc. as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between 1-800-RECONEX, Inc. and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by 1-800-RECONEX, Inc. and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by 1-800-RECONEX, Inc., is covered by CATS. Also covered is traffic that either is originated by or billed by 1-800-RECONEX, Inc., involves a company other than 1-800-RECONEX, Inc., qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once 1-800-RECONEX, Inc. is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.

- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of 1-800-RECONEX, Inc.. BellSouth will distribute copies of these reports to 1-800-RECONEX, Inc. on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of 1-800-RECONEX, Inc.. BellSouth will distribute copies of these reports to 1-800-RECONEX, Inc. on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by 1-800-RECONEX, Inc. from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of 1-800-RECONEX, Inc. BellSouth will remit the revenue billed by 1-800-RECONEX, Inc. to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on 1-800-RECONEX, Inc.. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX, Inc. via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by 1-800-RECONEX, Inc. within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of 1-800-RECONEX, Inc.. BellSouth will remit the revenue billed by 1-800-RECONEX, Inc. within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX, Inc. via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and 1-800-RECONEX, Inc. agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

# 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from 1-800-RECONEX, Inc., BellSouth will provide the Optional Daily Usage File (ODUF) service to 1-800-RECONEX, Inc. pursuant to the terms and conditions set forth in this section.
- 4.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a 1-800-RECONEX, Inc. customer.
- 4.4 Charges for the ODUF will appear on 1-800-RECONEX, Inc.s' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. If, however, 1-800-RECONEX, Inc. should encounter significant volumes of errored messages that prevent processing by 1-800-RECONEX, Inc. within its systems, BellSouth will work with 1-800-RECONEX, Inc. to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to 1-800-RECONEX, Inc.: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 Operator Services Messages 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) Credit/Cancel Records 4.7.1.1.10 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

- 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to 1-800-RECONEX. Inc..
- 4.7.1.4 In the event that 1-800-RECONEX, Inc. detects a duplicate on ODUF they receive from BellSouth, 1-800-RECONEX, Inc. will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to 1-800-RECONEX, Inc. via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to 1-800-RECONEX, Inc. which BellSouth RAO that is sending the message. BellSouth and 1-800-RECONEX, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by 1-800-RECONEX, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 1-800-RECONEX, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. 1-800-RECONEX, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to 1-800-RECONEX, Inc. by BellSouth.

- 4.7.5 ODUF Control Data
- 4.7.5.1 1-800-RECONEX, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate 1-800-RECONEX, Inc.'s receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by 1-800-RECONEX, Inc. for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from 1-800-RECONEX, Inc., BellSouth shall send ODUF test files to 1-800-RECONEX, Inc.. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that 1-800-RECONEX, Inc. set up a production (live) file. The live test may consist of 1-800-RECONEX, Inc.'s employees making test calls for the types of services 1-800-RECONEX, Inc. requests on ODUF. These test calls are logged by 1-800-RECONEX, Inc., and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

### 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from 1-800-RECONEX, Inc., BellSouth will provide the Access Daily Usage File (ADUF) service to 1-800-RECONEX, Inc. pursuant to the terms and conditions set forth in this section.
- 5.2 1-800-RECONEX, Inc. shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that 1-800-RECONEX, Inc. has purchased from BellSouth
- 5.4 Charges for ADUF will appear on 1-800-RECONEX, Inc.'s monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of 1-800-RECONEX, Inc. will be the responsibility of 1-800-RECONEX, Inc.. If, however, 1-800-RECONEX, Inc. should encounter significant volumes of errored messages that prevent processing by 1-800-RECONEX, Inc. within its systems, BellSouth will work with 1-800-RECONEX, Inc. to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to 1-800-RECONEX, Inc.:

- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to 1-800-RECONEX, Inc..
- 5.6.3 In the event that 1-800-RECONEX, Inc. detects a duplicate on ADUF they receive from BellSouth, 1-800-RECONEX, Inc. will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to 1-800-RECONEX, Inc. via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and 1-800-RECONEX, Inc. for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to 1-800-RECONEX, Inc. which BellSouth RAO is sending the message. BellSouth and 1-800-RECONEX, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by 1-800-RECONEX, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 1-800-RECONEX, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack

Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. 1-800-RECONEX, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to 1-800-RECONEX, Inc. by BellSouth.

- 5.6.7 ADUF Control Data
- 5.6.7.1 1-800-RECONEX, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate 1-800-RECONEX, Inc.'s receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by 1-800-RECONEX, Inc. for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from 1-800-RECONEX, Inc., BellSouth shall send a test file of generic data to 1-800-RECONEX, Inc. via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUF	F/EODUF/CMDS - Alabama												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						1	Nonre	curring	Nonrecurrin	a Disconnect			OSS	Rates(\$)	l.	ــــــــــــــــــــــــــــــــــــــ
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDIE/CMDS															<b></b>
	SS DAILY USAGE FILE (ADUF)		1							1	1					1
AGGE	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										<u> </u>
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										ļ
ENHA	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message		1		N/A	0.22		İ			İ					Ť .
	If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appl	icable BellSoutl	n tariff or as	negotiated by t	he Parties upo	n request by e	ther Party.					1

ODUF/ADU	JF/EODUF/CMDS - Florida												Attachi	ment: 7	Exhil	bit: A
															Incremental	
												Submitted		Charge -	Charge -	Charge -
CATECORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			DATEC(®)			Elec					Manual Svc
CATEGORY	RAIE ELEMENTS	m	Zone	BCS	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre			g Disconnect				Rates(\$)	ı	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(all purples and a second ple and a second purple and															<b>_</b>
	/OEDUF/CMDS															ļ
ACC	ESS DAILY USAGE FILE (ADUF)															<u> </u>
	ADUF: Message Processing, per message		ļ		N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTI	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CEN.	TRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENH	ANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				N/A	0.229109										
Note	s: If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appli	icable BellSout	n tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

Submitted Submitted Charge - C	ODUF/ADUF	/EODUF/CMDS - Georgia												Attachi	ment: 7	Exhi	bit: A
N/A   O.000434   ODUF: Message Processing, per message   N/A   O.0004355   ODUF: Message Processing, per message   N/A   O.0004555   ODUF: Message Processing, per message   N/A   O.0004555   ODUF: Message Processing, per message   N/A   O.0004555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processing, per message   N/A   O.0034555   ODUF: Message Processi	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
CENTRALIZED MESSAGE Processing, per message							Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
ACCESS DAILY USAGE FILE (ADUF)  ADUF: Message Processing, per message  N/A  OPTIONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per Magnetic Tape provisioned  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Message Processing, per Magnetic Tape provisioned  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  N/A  OOUT  N/A  OOUT  N/A  OOUT  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  N/A  OOUT  N/A  OOUT  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ACCESS DAILY USAGE FILE (ADUF)  ADUF: Message Processing, per message  N/A  OPTIONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per message  N/A  OOUT: Message Processing, per Magnetic Tape provisioned  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Message Processing, per Magnetic Tape provisioned  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT: Data Transmission (CONNECT:DIRECT), per message  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  N/A  OOUT  N/A  OOUT  N/A  OOUT  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  N/A  OOUT  N/A  OOUT  N/A  OOUT  DENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																	
ADUF: Message Processing, per message  N/A  ADUF: Data Transmission (CONNECT:DIRECT), per message  N/A  OPTIONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  N/A  ODUF: Message Processing, per message  N/A  ODUF: Message Processing, per message  N/A  ODUF: Message Processing, per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Message Processing, per Magnetic Tape provisioned  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message	ODUF/ADUF/O	EDUF/CMDS															
ADUF: Data Transmission (CONNECT:DIRECT), per message  OPTIONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  N/A  O.0001275  ODUF: Message Processing, per message  N/A  O.0082548  ODUF: Message Processing, per Magnetic Tape provisioned  N/A  O.0082548  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  O.000434  CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)  CMDS: Message Processing, per message  N/A  O.0004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A  O.0004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A  O.0004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A  O.001  ENHANCED OPTIONAL DAILY USAGE FILE (EDDUF)  EODUF: Message Processing, per message  N/A  O.0034555																	
OPTIONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned N/A ODUF: Data Transmission (CONNECT:DIRECT), per message ODUF: Data Transmission (CONNECT:DIRECT), per message CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) CMDS: Message Processing, per message N/A ODUF CMDS: Data Transmission (CONNECT:DIRECT), per message N/A ODUF CMDS: Data Transmission (CONNECT:DIRECT), per message N/A ODUF CMDS: Data Transmission (CONNECT:DIRECT), per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message N/A ODUF CMDS: Message Processing, per message		ADUF: Message Processing, per message				N/A	0.0136327										
ODUF: Recording, per message						N/A	0.0000434										
ODUF: Message Processing, per message  N/A  ODUF: Message Processing, per Magnetic Tape provisioned  N/A  ODUF: Message Processing, per Magnetic Tape provisioned  N/A  ODUF: Data Transmission (CONNECT:DIRECT), per message  N/A  CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)  CMDS: Message Processing, per message  N/A  O.004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A  O.001  ENHANCED OPTIONAL DAILY USAGE FILE (EDOUF)  EODUF: Message Processing, per message  N/A  O.0034555																	
ODUF: Message Processing, per Magnetic Tape provisioned  N/A 28.85  ODUF: Data Transmission (CONNECT:DIRECT), per message  CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)  CMDS: Message Processing, per message  N/A 0.004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A 0.001  ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message  N/A 0.001																	
ODUF: Data Transmission (CONNECT:DIRECT), per message		ODUF: Message Processing, per message				N/A	0.0082548										
CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)  CMDS: Message Processing, per message  N/A  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A  ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message  N/A  0.001		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
CMDS: Message Processing, per message  N/A 0.004  CMDS: Data Transmission (CONNECT:DIRECT), per message  N/A 0.001  ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message  N/A 0.0034555						N/A	0.0000434										
CMDS: Data Transmission (CONNECT:DIRECT), per message  ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message  N/A 0.0034555																	
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)  EODUF: Message Processing, per message  N/A 0.0034555		CMDS: Message Processing, per message				N/A	0.004										ļ
EODUF: Message Processing, per message N/A 0.0034555						N/A	0.001										
						N/A	0.0034555			1							+
			corvice	or fur	oction will be as set			h tariff or as n	enotiated by t	he Parties uno	request by o	ther Party					+

ODUF/ADUF	F/EODUF/CMDS - Kentucky												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				NI/A	0.005000			1							
No.	EODUF: Message Processing, per message	L			N/A	0.235889			l Barrian	L	l Barri					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appl	icable BellSout	n tariff or as n	egotiated by t	ne Parties upoi	n request by e	tner Party.					

ODUF/ADUF	F/EODUF/CMDS - Louisiana												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.050045			ļ							ļ
<b></b>	EODUF: Message Processing, per message	L	<u> </u>	L	N/A	0.250015		L	<u> </u>	L	<u> </u>					
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fur	oction will be as set	torth in appl	icable BellSout	n tariff or as n	egotiated by t	he Parties upoi	n request by ei	ther Party.					

ODUF/	ADUF	/EODUF/CMDS - Mississippi												Attachi	ment: 7	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	T.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre			g Disconnect				Rates(\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODLIE/AI	DUE	FDUFICADO		1							-	ļ					+
		EDUF/CMDS		1							-	ļ					+
		S DAILY USAGE FILE (ADUF)				N/A	0.008087					-					
		ADUF: Message Processing, per message				IN/A	0.000007					-					
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000063										
		ODUF: Message Processing, per message				N/A	0.004707										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															1
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Е	NHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message		1		N/A	0.250424										
N		If no rate is identified in the contract, the rate for the specific	service	e or fur	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					1

ODUF/ADUF	/EODUF/CMDS - North Carolina												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.01435										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001277										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENT	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
ENULAN	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)				N/A	0.2205406			<u> </u>							<del>                                     </del>
Neter	EODUF: Message Processing, per message			-4:ill b4		0.2285406			ha Dantiaaa.		than Danter					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or tun	ction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upoi	request by e	tner Party.					

ODUF/ADUI	F/EODUF/CMDS - South Carolina												Attachi	ment: 7	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															ļ
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															1
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															<u> </u>
	EODUF: Message Processing, per message				N/A	0.258301			the Parties upor							

ODUF/ADUF/	EODUF/CMDS - Tennessee												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OE	DUF/CMDS															
	S DAILY USAGE FILE (ADUF)															
,	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	AL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	CED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.004					ļ					ļ
	EODUF: Message Processing, per message	L			N/A	0.004					<u> </u>					ļ
Notes: I	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	torth in appli	cable BellSout	n tariff or as ne	egotiated by t	ne Parties upor	request by e	tner Party.					

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

# **ATTACHMENT 9**

# PERFORMANCE MEASUREMENTS

# PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

# BellSouth Service Quality Measurement Plan (SQM)

**Region Performance Metrics** 

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

# Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="https://pmap.bellsouth.com">https://pmap.bellsouth.com</a> in the Documentation Downloads folder.

# **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

# **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

# **Contents**

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	
PO-1: Loop Makeup - Response Time – Manual	
PO-2: Loop Make Up - Response Time - Electronic	
Section 2: Ordering	
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation	
Average Interval.	
Section 3: Provisioning	
P-1: Mean Held Order Interval & Distribution Intervals	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Averanteeval.	
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a complete	
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	3-32
P-13: I NP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distri	

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments.	
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	4-11
M&R-7: Mean Time To Notify CLEC of Network Outages	4-12
Section 5: Billing	5-1
B-1: Invoice Accuracy	5-1
B2: Mean Time to Deliver Invoices	5-3
B3: Usage Data Delivery Accuracy	5-5
B4: Usage Data Delivery Completeness	5-6
B5: Usage Data Delivery Timeliness	
B6: Mean Time to Deliver Usage	
B7: Recurring Charge Completeness	
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance	ce (DA)6-3
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Direct	•
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	
Section 8: E911	Q_1
E-1: Timeliness.	
E-1: Timemess  E-2: Accuracy	
E-3: Mean Interval	
Section 9: Trunk Group Performance	
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	
C-2: Collocation Average Attailgement Time  C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	
CM-2: Change Management Notice Average Delay Days	11-5

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	11-7
CM-5: Notification of CLEC Interface Outages	11-8
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	12-1
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed	Within X
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	1
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	1
Appendix B: Glossary of Acronyms and Terms	1
Appendix C: BellSouth Audit Policy	

# **Section 1: Operations Support Systems (OSS)**

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

### **Definition**

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

### **Exclusions**

None

### **Business Rules**

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

### Calculation

**Response Time** = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

### Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

# **Report Structure**

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract (per reporting dimension)	<ul> <li>Legacy Contract (per reporting dimension)</li> </ul>
Response Interval	Response Interval
Regional Scope	Regional Scope

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

753 of 910

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
   Information on feature and rate availability. BellSouth queries this legacy system.

**Table 1: Legacy System Access Times For RNS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	X	X	X	X	X
OASIS	OASISMTN	Feature/Service	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

**Table 3: Legacy System Access Times For LENS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	Х

**Table 4: Legacy System Access Times For TAG** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

### **SEEM Measure**

SEEM Measure			
Yes	Tier I		
	Tier II	X	

Note: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

# **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation SEEM Analog/Benchmark** • RSAG - Address (Regional Street Address Guide- Percent Response Received within 6.3 seconds: > 95% Address) – stores street address information used to Parity + 2 seconds validate customer addresses. CLECs and BellSouth query this legacy system. • **RSAG – TN** (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. **ATLAS** (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy • HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system.

# **SEEM OSS Legacy Systems**

System	BellSouth	CLEC
	Telephone Number/Add	ress
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
ATLAS	RNS,ROS	TAG. LENS
	Appointment Scheduli	ng
DSAP	RNS, ROS	TAG, LENS
	CSR Data	•
CRSACCTS	RNS	
CRSOCSR	ROS	
HAL/CRIS		LENS
CRSECSRL		TAG
CRSECSR		TAG
	Service/Feature Availab	oility
OASISBIG	RNS, ROS	
PSIMS/ORB		LENS

1-4

# **OSS-2: Interface Availability (Pre-Ordering/Ordering)**

### **Definition**

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss\_hour.html)

#### **Exclusions**

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

### Calculation

**Interface Availability (Pre-Ordering/Ordering)** = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	• Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	Hours of Downtime

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# **SEEM OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

# **OSS-3: Interface Availability (Maintenance & Repair)**

#### Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss hour.html)

#### **Exclusions**

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

#### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

### Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

#### **Data Retained**

Relating to CLEC E	xperience	Relating to BellSouth Performance
<ul> <li>Availability of CLEC TAFI</li> </ul>		Availability of BellSouth TAFI
• Availability of LMOS HOST, M	ARCH, SOCS, CRIS,	• Availability of LMOS HOST, MARCH, SOCS, CRIS,
PREDICTOR, LNP and OSPCM	I	PREDICTOR, LNP and OSPCM
• ECTA		

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability (M&R)**

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability (M&R)**

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	X

760 of 910

# **OSS-4: Response Interval (Maintenance & Repair)**

#### **Definition**

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface\_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

### Calculation

**OSS Response Interval** = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

**Percent Response Interval** (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is 
$$\leq 4$$
,  $\geq 4$ ,  $\leq 10$ ,  $\leq 10$ ,  $\geq 10$ , or  $\geq 30$  seconds.

# **Report Structure**

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity

# Legacy System Access Times for M&R

System	BellSouth & CLEC	Count				
		<= 4	> 4 <= 10	<= 10	> 10	> 30
CRIS	X	X	X	X	X	X
DLETH	X	X	X	X	X	X
DLR	X	X	X	X	X	X
LMOS	X	Х	X	X	X	X
LMOSupd	X	X	X	X	X	X
LNP	X	Х	X	X	X	X
MARCH	X	X	X	X	X	X
OSPCM	X	X	X	X	X	X
Predictor	X	Х	X	X	X	X
SOCS	X	Х	X	X	X	X
NIW	X	Х	X	X	X	X

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# PO-1: Loop Makeup - Response Time - Manual

### **Definition**

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

### **Exclusions**

- Inquiries, which are submitted electronically.
- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation.
- · Canceled Inquiries.

#### **Business Rules**

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via mail or FAX to BellSouth's Complex Resale Support Group (CRSG).

This measurement combines three intervals:

- 1. From receipt of the Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

#### Calculation

**Response Interval** = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

**Percent within interval** = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

# **Report Structure**

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region
- Interval for manual LMUs:
  - $0 \le 1 \text{ day}$
  - >1 <= 2 days
  - >2 <= 3 days
  - $0 \le 3 \text{ days}$
  - >3 <= 6 days
  - >6 <= 10 days
  - > 10 days
- · Average Interval in days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Inquiries	
• SI Intervals	
State and Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loops	Benchmark
	• 95% <= 3 Business Days

Issue Date: June 4, 2002

# PO-2: Loop Make Up - Response Time - Electronic

### **Definition**

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

### **Exclusions**

- · Manually submitted inquiries.
- Designated Holidays are excluded from the interval calculation.
- Canceled Requests.
- · Scheduled OSS Maintenance.

### **Business Rules**

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, LENS, TAG or RoboTAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via LENS, TAG or RoboTAG Interfaces.

**Note**: The Loop Make Up Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

### Calculation

#### **Response Interval** = (a - b)

- a = Date and Time LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

# Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

### **Percent within interval** = (e / f) X 100

- e = Total LMUSIs received within the interval
- $\bullet$  f = Total Number of LMUSIs processed within the reporting period

### **Report Structure**

- CLEC Aggregate
- · CLEC Specific
- · Geographic Scope
  - State
  - Region
- Interval for electronic LMUs:
  - $0 \le 1$  minute
  - >1 <= 5 minutes
  - $0 \le 5$  minutes
- $> 5 \le 8$  minutes
- > 8 <= 15 minutes
- > 15 minutes
- · Average Interval in minutes

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable

Legacy Contract
Response Interval
Regional Scope

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Loops	Benchmark
	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Loop	• 90% <= 5 Minutes (05/01/01)
	• 95% <= 1 Minute (08/01/01)

# **Section 2: Ordering**

# O-1: Acknowledgement Message Timeliness

#### **Definition**

This measurement provides the response interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG respectively until an acknowledgement notice is sent by the system.

### **Exclusions**

· Scheduled OSS Maintenance

### **Business Rules**

The process includes EDI & TAG system functional acknowledgements for all messages/Local Service Requests (LSRs) which are electronically submitted by the CLEC. Users of EDI may package many LSRs into one transmission which will receive the acknowledgement message. EDI users may place multiple LSRs in one "envelope" requesting service in one or more states which will mask the identity of the state and CLEC. The start time is the receipt time of the message at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). If more than one CLEC uses the same ordering center (aggregator), an Acknowledgement Message will be returned to the "Aggregator". However, BellSouth will not be able to determine which specific CLEC or state this message represented.

#### Calculation

**Response Interval** = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

### Average Response Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total number of electronically submitted messages/LSRs received, from CLECs via EDI or TAG respectively, in the Reporting Period.

### **Reporting Structure**

- · CLEC Aggregate
- CLEC Specific/Aggregator
- Geographic Scope
  - Region
- · Electronically Submitted LSRs

 $0 - \le 10$  minutes

>10 -<= 20 minutes

>20 - <= 30 minutes

 $0 - \le 30$  minutes

>30 - <= 45 minutes

>45 -<= 60 minutes

>60 - <= 120 minutes

>120 minutes

· Average interval for electronically submitted messages/LSRs in minutes

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• EDI
	- 90% <= 30 minutes (05/01/01)
	- 95% <= 30 minutes (08/01/01)
• TAG	• TAG – 95% <= 30 minutes

768 of 910

# **O-2: Acknowledgement Message Completeness**

### **Definition**

This measurement provides the percent of transmissions/LSRs received via EDI or TAG respectively, which are acknowledged electronically.

### **Exclusions**

- · Manually submitted LSRs
- · Scheduled OSS Maintenance

#### **Business Rules**

EDI and TAG send Functional Acknowledgements for all transmissions/LSRs, which are electronically submitted by a CLEC. Users of EDI may package many LSRs from multiple states in one transmission. If more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the transmission/LSR will be partially mechanized or fully mechanized.

#### Calculation

Acknowledgement Completeness =  $(a / b) \times 100$ 

- a = Total number of Functional Acknowledgements returned in the reporting period for transmissions/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted transmissions/LSRs received in the reporting period by EDI or TAG respectively

### **Report Structure**

- CLEC Aggregate
- · CLEC Specific/Aggregator
- · Geographic Scope
  - Region

**Note**: The Order calls for Mechanized, Partially Mechanized, and Totally Mechanized, however, the Acknowledgement message is generated before the system recognizes whether this electronic transmission will be partially or fully mechanized.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Record of Functional Acknowledgements	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• EDI	• Benchmark: 100%
• TAG	

# O-3: Percent Flow-Through Service Requests (Summary)

### Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

### **Exclusions**

- Fatal Rejects
- · Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### **Definitions:**

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex\*
- 2. Special pricing plans
- 3. Some Partial migrations
- New telephone number not yet posted to BOCRIS
- Pending order review required
- CSR inaccuracies such as invalid or missing CSR data in
- Expedites (requested by the CLEC)
- Denials-restore and conversion, or disconnect and conver sion orders
- Class of service invalid in certain states with some types of
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

\*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

Total System Fallout: Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

**Z Status:** LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

#### Calculation

**Percent Flow Through** = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

### **Percent Achieved Flow Through** = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

### **Report Structure**

- · CLEC Aggregate
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors By Type
- TAG	- Bellsouth System Error
- EDI	
- LENS	
Total Number of Errors by Type, by CLEC	
- Fatal Rejects	
- Auto Clarification	
- CLEC Caused System Fallout	
Total Number of Errors by Error Code	
Total Fallout for Manual Processing	

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark <sup>2</sup>
Residence	• Benchmark: 95%
Business	Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark <sup>3</sup>
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	• Benchmark: 85%

Benchmarks do not apply to the "Percent Achieved Flow Through."

Benchmarks do not apply to the "Percent Achieved Flow Through."

# O-4: Percent Flow-Through Service Requests (Detail)

### **Definition**

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

#### **Exclusions**

- Fatal Rejects
- Auto Clarification
- · Manual Fallout
- · CLEC System Fallout
- · Scheduled OSS Maintenance

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and three types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### Definitions:

**Fatal Rejects:** Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

**Auto-Clarification:** Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex\*
- 2. Special pricing plans
- 3. Some Partial migrations
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in
- Denials-restore and conversion, or disconnect and conversion orders
- Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Indentions and Captions)

7. Expedites (requested by the CLEC)

\*See LSR Flow-Through Matrix following O-6 for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through.

**Total System Fallout:** Errors that require manual review by the LSCS to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

### Calculation

**Percent Flow Through** = a / [b - (c + d + e + f)] X 100

- a = The total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fall out for manual processing
- d = the number of LSRs that are returned to the CLEC for clarification
- e = the number of LSRs that contain errors made by CLECs
- f = the number of LSRs that receive a Z status

### **Percent Achieved Flow Through** = $a / [b-(c+d+e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for clarification
- d = the number of LSRs that contain errors made by CLECs
- e = the number of LSRs that receive Z status

### Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- · Number of fatal rejects
- · Mechanized interface used
- · Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- · Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance	
Report Month	Report Month	
• Total Number of LSRs Received, by Interface, by CLEC	Total Number of Errors by Type	
- TAG	- Bellsouth System Error	
- EDI		
- LENS		
Total Number of Errors by Type, by CLEC		
- Fatal Rejects		
- Auto Clarification		
- CLEC Errors		
Total Number of Errors by Error Code		
Total Fallout for Manual Processing		

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark⁴
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

-

Benchmarks do not apply to the "Percent Achieved Flow Through."

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark <sup>5</sup>
Residence	• Benchmark: 95%
• Business	• Benchmark: 90%
• UNE	• Benchmark: 85%
• LNP	Benchmark: 85%

2-8

<sup>&</sup>lt;sup>5</sup> Benchmarks do not apply to the "Percent Achieved Flow Through."

# **O-5: Flow-Through Error Analysis**

### **Definition**

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

### **Exclusions**

Each Error Analysis is error code specific, therefore exclusions are not applicable.

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

### Calculation

Total for each error type.

### **Report Structure**

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- · Count of each error type
- · Percent of each error type
- · Cumulative percent
- · Error Description
- · CLEC Caused Count of each error code
- · Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Number of LSRs Received	<ul> <li>Total Number of Errors by Type (by error code)</li> </ul>
• Total Number of Errors by Type (by error code)	- BellSouth System Error
- CLEC Caused Error	

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark	
Not Applicable	Not Applicable	

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-6: CLEC LSR Information

#### **Definition**

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

### **Exclusions**

- Fatal Rejects
- · LSRs submitted manually

### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

### Calculation

Not Applicable

### **Report Structure**

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
<ul> <li>Record of LSRs Received by CC, PON and Ver</li> </ul>	
• Record of Timestamp, Type, Err # and Note or Error	
Description for each LSR by CC, PON and Ver	

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Not Applicable	Not Applicable

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **LSR Flow Through Matrix**

Product	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Comple x Service	plex	Planned Fallout For Manual Handling <sup>1</sup>		TAG 2	LEN S <sup>4</sup>
2 wire analog DID trunk port	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire analog port	U	A	N,T	No	UNE	No	Yes	Y	Y	N
2 wire ISDN digital line	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
2 wire ISDN digital loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
3 Way Calling	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
4 wire analog voice grade loop	U,C	A	N,T	Yes	UNE	Yes	No	Y	Y	N
4 wire DSO & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire DS1 & PRI digital loop	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
4 wire ISDN DSI digital trunk ports	U,C	A	N,T	No	UNE	Yes	NA	N	N	N
Accupulse	C	E	N,C,T,V,W	No	Yes	Yes	NA	N	N	N
ADSL	R,B,C	E	V,W	No	UNE	No	No	Y	Y	N
Area Plus	R,B	E,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Basic Rate ISDN	U,C	A	N,T	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	C, D,T,V,W	No	Yes	Yes	Yes	Y	Y	N
Basic Rate ISDN 2 Wire	C	E	N,T	No	Yes	Yes	N/A	N	N	N
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	YES	Yes	N/A	N	N	N
Analog Data/Private Line	C	E	N, C, T, V, W, D, P,	No	Yes	Yes	N/A	N	N	N
Allalog Data/Tilvate Line	C	E	0	NO	168	168	IV/A	11	11	11
Call Block	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Forwarding	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Return	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Selector	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Tracing	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Call Waiting Deluxe	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
Caller ID	R,B	E,B,M	N,C,T,V,W	Yes	No	No	No	Y	Y	Y
CENTREX	C	P	V,P	No	Yes	Yes	NA	N	N	N
DID ACT W	С	N	W	No	Yes	Yes	Yes	Y	Y	Y
Digital Data Transport	U	Е	N,C,T,V,W	No	UNE	Yes	NA	N	N	N
Directory Listing Indentions	B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y
Directory Listings Captions	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y
Directory Listings (simple)	R,B,U	B,C,E,F, J,M,N	N,C,T,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y
DS3	U	A,M	N,C,V	No	UNE	Yes	NA	N	N	N
DS1Loop	U	A,M	N,C,V	Yes	UNE	Yes	No	Y	Y	N
DSO Loop	U	A, B	N,C,D,T,V	Yes	UNE	Yes	No	Y	Y	N
Enhanced Caller ID	R,B	E,M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
ESSX	С	P	C,D,T,V,S,B,W,L ,P,Q	No	Yes	Yes	NA	N	N	N
Flat Rate/Business	В	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Flat Rate/Residence	R	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Frame Relay	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
FX	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Ga. Community Calling	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
HDSL	Ü	A	N,C,D	Yes	UNE	No	No	Y	Y	N
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S4	C/S	Yes	Y	Y	N
Hunting Series Completion	R,B	E, M	C,D,N,T,V,W	Yes	C/S	C/S	No	Y	Y	Y
INP to LNP Conversion	U	C	C	No	UNE	Yes	Yes	Y	Y	N

777 of 910

Product	Product Type	Reqtype	ACT Type	F/T <sup>3</sup>	Comple		Planned Fallout For		TAG	LEN S <sup>4</sup>
	Type				Service					3
							Handling <sup>1</sup>			
LightGate	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N
Line Sharing	U	A	C,D	Yes	UNE	No	No	Y	Y	Y
Local Number Portability	U	С	C,D,P,V,Q	Yes	UNE	Yes	No	Y	Y	N
LNP With Complex Listing	С	С	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
LNP with Partial Migration	U	С	D,P,V,Q	No	UNE	Yes	Yes	Y	Y	N
LNP with Complex Services	C	C	P,V,Q,W	No	UNE	Yes	Yes	Y	Y	N
Loop+INP	U	В	D,P,V,Q	Yes	UNE	No	No	Y	Y	N
Loop+LNP	U	В	C,D,N,V	Yes	UNE	No	No	Y	Y	N
Measured Rate/Bus	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Measured Rate/Res	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Megalink	C	Е	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Megalink-T1	С	E,M	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N
Memory Call	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Memory Call Ans. Svc.	R,B	E, M	C,D,N,T,V,W	Yes	No	No	No	Y	Y	Y
Multiserv	C	P	N,C,D,T,V,S,B,	No	Yes	Yes	NA	N	N	N
			W,L,P,Q							
Native Mode LAN Interconnection (NMLI)	С	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N
Off-Prem Stations	С	Е	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Optional Calling Plan	R,B	E, M	N	Yes	No	No	No	Y	Y	Y
Package/Complete Choice and Area	R,B	E, M	N,T,C,V,W	Yes	No	No	No	Y	Y	Y
Plus	С	T.	NCDTUWDO	NI.	Yes	Yes	NTA	NT	NI	NI
Pathlink Primary Rate ISDN	В	E E	N,C,D,T,V,W,P,Q	No	No	No	NA NA	N N	N N	N
Pay Phone Provider PBX Standalone Port	С	F	C,D,T,N,V,W N,C,D	No No	Yes	Yes	Yes	Y	Y	N N
PBX Trunks	R,B	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N
Port/Loop PBX	U U	M	A,C,D,V	No	No	No	Yes	Y	Y	N
Port/Loop Simple	U	M	A,C,D,V A,C,D,V	Yes	No	No	Yes	Y	Y	Y
Preferred Call Forward	R,B,U	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
RCF Basic	R,B	E	N,D,W,T,F	Yes	No	No	No	Y	Y	Y
Remote Access to CF	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Repeat Dialing	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Ringmaster	R,B	E,M	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N
SmartRING	C	E	N,D,C,V,W	No	Yes	Yes	NA	N	N	N
Speed Calling	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Synchronet	C	E	N	Yes	Yes	Yes	Yes	Y	Y	N
Tie Lines	C	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N
Touchtone	R,B	E	C,D,T,N,V,W	Yes	No	No	No	Y	Y	Y
Unbundled Loop-Analog 2W, SL1,	U	A,B	C,D,T,N,V,W	Yes	UNE	No	No	Y	Y	Y
SL2										
WATS	R,B	Е	W,D	No	Yes	Yes	NA	N	N	N
XDSL	C,U	A,B	N,T,C,V,D	Yes	UNE	No	No	Y	Y	N
XDSL Extended LOOP	C,U	A,B	N,T,C,V,D	No	UNE	Yes	NA	N	N	N
Collect Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
900 Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
3rd Party Call Block	R,B	Е	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
Three Way Call Block	R,B	E	N,T,C,V,W,D	Yes	No	No	No	Y	Y	Y
PIC/LPIC Change	R,B	Е	T,C,V,	Yes	No	No	No	Y	Y	Y
PIC/LPIC Freeze	R,B	Е	N,T,C,V	Yes	No	No	No	Y	Y	Y

Note<sup>1</sup>: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow through due to the complexity of the service.

Note<sup>2</sup>: The TAG column includes those LSRs submitted via Robo TAG.

Note<sup>3</sup>: For all services that indicate 'No' for flow-through, the following reasons, in addition to errors or complex services, also prompt manual handling: Expedites from CLECs, special pricing plans, denials restore and conversion or disconnect and conversion both required, partial migrations (although conversions-as-is flow through for issue 9), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, low volume e.g. activity type T=move, pending order review required, more than 25 business lines, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings – Indentions, Directory listings – Captions, transfer of calls option for CLEC end user – new TN not yet posted to BOCRIS. Many are unique to the CLEC environment.

Note<sup>4</sup>: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note<sup>5</sup>: EELs are manually ordered.

**Note**<sup>6</sup>: LSRs submitted for Resale Products and Services for which there is a temporary promotion or discount plan will be processed identically to those LSRs ordering the same Products or Services without a promotion or discount plan.

779 of 910

Issue Date: June 4, 2002

# **O-7: Percent Rejected Service Requests**

### **Definition**

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) received which are rejected due to error or omission. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- · Service Requests canceled by the CLEC prior to being rejected/clarified.
- · Scheduled OSS Maintenance

#### **Business Rules**

**Fully Mechanized:** An LSR is considered "rejected" when it is submitted electronically but does not pass LEO edit checks in the ordering systems (EDI, LENS, TAG, LEO, LESOG) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. Fatal rejects are excluded from the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs electronically submitted by the CLEC.

**Non-Mechanized:** LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Interconnection Purchasing Center (IPC). Trunk data is reported separately.

### Calculation

Percent Rejected Service Requests = (a / b) X 100

- a = Total Number of Rejected Service Requests in the Reporting Period
- b = Total Number of Service Requests Received in the Reporting Period

### **Report Structure**

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate
- Geographic Scope
  - State
  - Region
- Product Specific Percent Rejected
- Total Percent Rejected

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Mechanized, Partially Mechanized and Non-Mechanized	Diagnostic
Resale - Residence	
Resale - Business	
• Resale – Design (Special)	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loop	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	

# **SEEM Measure**

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-8: Reject Interval

### **Definition**

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is submitted by the CLEC and passes edit checks to insure the data received is correctly formatted and complete.

### **Exclusions**

- · Service Requests canceled by CLEC prior to being rejected/clarified
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

### **Business Rules**

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is rejected (date and time stamp or reject in EDI, TAG or LENS). Auto Clarifications are considered in the Fully Mechanized category.

**Partially Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via LENS, EDI, or TAG.

**Total Mechanized:** Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.

**Non-Mechanized:** The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately. All interconnection trunks are counted in the non-mechanized category.

### Calculation

**Reject Interval** = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

### Report Structure

- CLEC Specific
- · CLEC Aggregate
- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- · Geographic Scope

- State
- Region
- · Mechanized:
  - $0 \le 4$  minutes
  - >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- $0 \le 1$  hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 hours
- Partially Mechanized:
  - 0 <= 1 hour
  - >1 <= 4 hours
  - >4 <= 8 hours
  - >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- >24 hours
- Non-mechanized:
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- 0 <= 24 hours
- > 24 hours
   Trunks:
  - <= 4 days
- >4 <= 8 days
- >8 <= 12 days
- >12 <= 14 days
- >14 <= 20 days >20 days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
Total Number of Rejects	
State and Region	
• Total Number of ASRs (Trunks)	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale - Residence	Mechanized:
Resale - Business	- 97% <= I Hour
Resale - Design (Special)	Partially Mechanized:
• Resale PBX	- 85% <= 24 hours
Resale Centrex	- 85% <= 18 Hours (05/01/01)

Resale ISDN	- 85% <= 10 Hours (08/01/01)
• LNP (Standalone)	• Non-Mechanized: - 85% <= 24 hours
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
• Switch Ports	
• UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• UNE ISDN Loops	
UNE Other Non-Design	
<ul> <li>Local Interoffice Transport</li> </ul>	
• UNE Other Design	
• Local Interconnection Trunks	• Trunks: - 85% <= 4 Days

# **SEEM Measure**

SEEM Measure				
Yes	Tier I	X		
	Tier II	X		

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 97% <= 1 Hour
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 24 Hours

# **O-9: Firm Order Confirmation Timeliness**

### **Definition**

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR to distribution of a Firm Order Confirmation.

### **Exclusions**

- · Rejected LSRs
- · Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

### **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI. LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC.
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

### Calculation

### Firm Order Confirmation Interval = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

### Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

### **FOC Interval Distribution** (for each interval) = (e / f) X 100

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

### **Report Structure**

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
  - CLEC Specific
  - CLEC Aggregate
- · Geographic Scope
  - State
- Region
- Fully Mechanized:
- $0 \le 15$  minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$  hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
  - $0 \le 4$  hours
  - >4 <= 8 hours
  - >8 <= 10 hours
  - $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- 0 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4$  hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- $0 \le 36 \text{ hours}$
- >36 <= 48 hours
- >48 hours
- Trunks:
- 0 <= 5 days >5 - <= 10 days
- 0 <= 10 days
- >10 <= 15 days
- >15 <= 20 days
- >20 days

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	
<ul> <li>Total Number of LSRs</li> </ul>	
State and Region	
• Total Number of ASRs (Trunks)	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale – Residence	• Mechanized: - 95% <= 3 Hours
• Resale – Business	Partially Mechanized:
• Resale – Design (Special)	- 85% <= 24 Hours
Resale PBX	- 85% <= 18 Hours (05/01/01)
Resale Centrex	- 85% <= 10 Hours (08/01/01)
Resale ISDN	• Non-mechanized: - 85% <= 36 Hours
• LNP (Standalone)	
• INP( Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non-Design	
• 2W Analog Loop With LNP Design	
2W Analog Loop With LNP Non-Design	
• UNE Loop + Port Combinations	
Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
• UNE ISDN Loops	
UNE Other Design	
UNE Other Non-Design	
Local Interoffice Transport	
Local Interconnection Trunks	• Trunks: - 95% <= 10 Days

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% <= 3 Hours
Partially Mechanized	• 85% <= 24 Hours
	• 85% <= 18 Hours (05/01/01)
	• 85% <= 10 Hours (08/01/01)
Non-Mechanized	• 85% <= 36 Hours
IC Trunks	• 95% <= 10 Days

# O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual<sup>6</sup>

### **Definition**

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

### **Exclusions**

- Designated Holidays are excluded from the interval calculation
- Weekend hours from 5:00PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry
- · Canceled Requests
- Electronically Submitted Requests
- Scheduled OSS Maintenance

### **Business Rules**

This measurement combines four intervals:

- 1. From receipt of Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of SI/LSR in the LCSC to Firm Order Confirmation.

### Calculation

**FOC Timeliness Interval** = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

**Average Interval** = (c / d)

- c = Sum of all FOC Timeliness Intervals
- d = Total number of SIs with LSRs received in the reporting period

**Percent Within Interval** = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

### **Report Structure**

- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
  - State
  - Region
- Intervals

 $0 - \le 3 \text{ days}$ 

>3 - <= 5 days

 $0 - \le 5 \text{ days}$ 

>5 - <= 7 days

>7 - <= 10 days

>10 - <= 15 days

>15 days

<sup>6</sup> See O-9 for FOC Timeliness

• Average Interval measured in days

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of Requests	
• SI Intervals	
State and Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• xDSL (includes UNE unbundled ADSL, HDSL and UNE	• 95% Returned <= 5 Business days
Unbundled Copper Loops)	
Unbundled Interoffice Transport	

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# O-11: Firm Order Confirmation and Reject Response Completeness

#### **Definition**

A response is expected from BellSouth for every Local Service Request transaction (version). More than one response or differing responses per transaction is not expected. Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

#### **Exclusions**

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- · Non-Mechanized LSRs
- · Scheduled OSS Maintenance

### **Business Rules**

**Mechanized** – The number of FOCs or Auto Clarifications sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG).

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from LENS, EDI, TAG in response to electronically submitted LSRs (date and time stamp in LENS, EDI, TAG), which fall out for manual handling by the LCSC personnel.

Total Mechanized - The number of the combination of Fully Mechanized and Partially Mechanized LSRs

Non-Mechanized – The number of FOCs or Rejects sent to the CLEC via FAX Server in response to manually submitted LSRs (date and time stamp in FAX Server).

**Note**: Manual (Non-Mechanized) LSRs have no version control by the very nature of the manual process, therefore, non-mechanized LSRs are not captured by this report.

#### For CLEC Results:

Firm Order Confirmation and Reject Response Completeness is determined in two dimensions:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Percent of multiple responses is determined by computing the number of Local Service Request unique versions receiving more than one Firm Order Confirmation, Reject or the combination of the two and dividing by the number of Local Service Requests (all versions) received in the reporting period.

### Calculation

#### Single FOC/Reject Response Expected

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

### Multiple or Differing FOC / Reject Responses Not Expected

**Response Completeness** =  $[(a + b) / c] \times 100$ 

- a = Total Number of Firm Order Confirmations Per LSR Version
- b = Total Number of Reject Responses Per LSR Version
- c = Total Number of Service Requests (All Versions) Received in the Reporting Period

### Report Structure

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- · State and Region
- CLEC Specific
- · CLEC Aggregate
- · BellSouth Specific

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
Total Number of LSRs	
• Total Number of Rejects	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Returned
Resale Business	
Resale Design	
• Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
• 2W Analog Loop Non - Design	
• 2W Analog Loop With INP Design	
• 2W Analog Loop With INP Non - Design	
• 2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non - Design	
UNE Loop and Port Combinations	
• Switch Ports	
UNE Combination Other	
• UNE xDSL (ADSL, HDSL, UCL)	
Line Sharing	
UNE ISDN Loops	
UNE Other Design	
UNE Other Non - Design	
Local Interoffice Transport	
Local Interconnection Trunks	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Fully Mechanized	• 95% Returned

# O-12: Speed of Answer in Ordering Center

### **Definition**

Measures the average time a customer is in queue.

### **Exclusions**

None

### **Business Rules**

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

### Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

### **Report Structure**

Aggregate

- CLEC Local Carrier Service Center
- · BellSouth
  - Business Service Center
- Residence Service Center

Note: Combination of Residence Service Center and Business Service Center data.

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Mechanized tracking through LCSC Automatic Call	Mechanized tracking through BellSouth Retail center
Distributor	support system.

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Aggregate	Parity with Retail
CLEC – Local Carrier Service Center	
BellSouth	
- Business Service Center	
- Residence Service Center	

### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **O-13: LNP-Percent Rejected Service Requests**

#### **Definition**

Percent Rejected Service Request is the percent of total Local Service Requests (LSRs) which are rejected due to error or omission. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete, i.e., fatal rejects are never accepted and, therefore, are not included.

#### **Exclusions**

- Service Requests canceled by the CLEC
- · Scheduled OSS Maintenance

#### **Business Rules**

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR (via EDI or TAG) but required fields are not populated correctly and the request is returned to the CLEC.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

**Partially Mechanized:** A valid LSR which is electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back (rejected) to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

#### Calculation

**LNP-Percent Rejected Service Requests** = (a / b) X 100

- a = Number of Service Requests Rejected in the Reporting Period
- b = Number of Service Requests Received in the Reporting Period

## **Report Structure**

- Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized
- CLEC Specific
- · CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Not Applicable	Not Applicable

## **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic
• UNE Loop With LNP	

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

2-28

# O-14: LNP-Reject Interval Distribution & Average Reject Interval

#### **Definition**

Reject Interval is the average reject time from receipt of an LSR to the distribution of a Reject. An LSR is considered valid when it is electronically submitted by the CLEC and passes LNP Gateway edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by the CLEC
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group – Monday through Saturday 7:00PM until 7:00AM From 7:00 PM Saturday until 7:00 AM Monday

Business Resale, Complex, UNE Groups – Monday through Friday 6:00PM until 8:00AM From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

#### **Business Rules**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR until that LSR is rejected back to the CLEC. Elapsed time for each LSR is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

An LSR is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, TAG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention.

Fully Mechanized: There are two types of "Rejects" in the Fully Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are not populated correctly and the request is returned to the CLEC.

An **Auto Clarification** is a valid LSR which is electronically submitted (via EDI or TAG), but is rejected from LAUTO because it does not pass further edit checks for order accuracy. Auto Clarifications are returned without manual intervention.

**Partially Mechanized:** A valid LSR which electronically submitted (via EDI or TAG), but cannot be processed electronically due to a CLEC error and "falls out" for manual handling. It is then put into "clarification", and sent back to the CLEC.

Total Mechanized: Combination of Fully Mechanized and Partially Mechanized rejects.

Non-Mechanized: A valid LSR which is faxed or mailed to the BellSouth LCSC.

#### Calculation

**Reject Interval** = (a - b)

- a = Date & Time of Service Request Rejection
- b = Date & Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Total Number of Service Requests Rejected in Reporting Period

## Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

## **Report Structure**

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State, Region
- Fully Mechanized:
- $0 \le 4$  minutes
- >4 <= 8 minutes
- >8 <= 12 minutes
- >12 <= 60 minutes
- 0 <= 1 hour
- >1 <= 4 hours
- >4 <= 8 hours
- >8 <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- > 24 hours
- Partially Mechanized:
  - $0 \le 1 \text{ hour}$
  - >1 <= 4 hours
  - >4 <= 8 hours
  - > 8 <= 10 hours
  - $0 \le 10 \text{ hours}$
  - >10 <= 18 hours
  - $0 \le 18 \text{ hours}$
  - >18 <= 24 hours
- > 24 hours
- Non-Mechanized:
- $0 \le 1 \text{ hour}$
- >1 <= 4 hours
- >4 <= 8 hours >8 - <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 hours
- · Average Interval in Days or Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Reject Interval	
<ul> <li>Total Number of LSRs</li> </ul>	
<ul> <li>Total number of Rejects</li> </ul>	
State and Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 97% <= I Hour
• UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 24 Hours

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

797 of 910

Issue Date: June 4, 2002

# O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirmation Average Interval

#### **Definition**

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of a valid LSR to distribution of a firm order confirmation.

#### **Exclusions**

- · Rejected LSRs
- Designated Holidays are excluded from the interval calculation
- · LSRs which are identified and classified as "Projects"
- The following hours for Partially Mechanized and Non-mechanized LSRs are excluded from the interval calculation:

Residence Resale Group - Monday through Saturday 7:00PM until 7:00AM

From 7:00 PM Saturday until 7:00 AM Monday.

Business Resale, Complex, UNE Groups - Monday through Friday 6:00PM until 8:00AM

From 6:00 PM Friday until 8:00 AM Monday.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

· Scheduled OSS Maintenance

#### **Business Rules**

- Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI, LENS or TAG.
- Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- Total Mechanized: Combination of Fully Mechanized and Partially Mechanized LSRs which are electronically submitted by the CLEC
- Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

#### Calculation

#### **Firm Order Confirmation Interval** = (a - b)

- a = Date & Time of Firm Order Confirmation
- b = Date & Time of Service Request Receipt)

#### Average FOC Interval = (c / d)

- c = Sum of all FOC Intervals
- d = Total Number of Service Requests Confirmed in Reporting Period

#### **FOC Interval Distribution** (for each interval) = $(e / f) \times 100$

- e = Service Requests Confirmed in interval
- f = Total Service Requests Confirmed in the Reporting Period

## **Report Structure**

Fully Mechanized, Partially Mechanized, Total Mechanized, Non-Mechanized

- CLEC Specific
- CLEC Aggregate
- State and Region
- Fully Mechanized:
- 0 <= 15 minutes
- >15 <= 30 minutes
- >30 <= 45 minutes
- >45 <= 60 minutes
- >60 <= 90 minutes
- >90 <= 120 minutes
- >120 <= 180 minutes
- $0 \le 3$  hours
- >3 <= 6 hours
- >6 <= 12 hours
- >12 <= 24 hours
- >24 <= 48 hours
- >48 hours
- Partially Mechanized:
- $0 \le 4$  hours
- >4 <= 8 hours
- >8 <= 10 hours
- $0 \le 10 \text{ hours}$
- >10 <= 18 hours
- $0 \le 18 \text{ hours}$
- >18 <= 24 hours
- $0 \le 24 \text{ hours}$
- >24 <= 48 hours
- >48 hours
- Non-Mechanized:
- $0 \le 4 \text{ hours}$
- >4 <= 8 hours >8 - <= 12 hours
- >12 <= 16 hours
- >16 <= 20 hours
- >20 <= 24 hours
- >24 <= 36 hours
- 0 <= 36 hours
- >36 <= 48 hours
- >48 hours

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
Total Number of LSRs	**
• Total Number of FOCs	
State and Region	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• Mechanized: 95% <= 3 Hours
UNE Loop with LNP	• Partially Mechanized: 85% <= 24 Hours
	• Partially Mechanized: 85% <= 18 Hours (05/01/01)
	• Partially Mechanized: 85% <= 10 Hours (08/01/01)
	• Non-Mechanized: 85% <= 36 hours

## **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **Section 3: Provisioning**

# P-1: Mean Held Order Interval & Distribution Intervals

#### **Definition**

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date at the close of the reporting period. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

#### **Exclusions**

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D) & From (F) orders
- Orders with appointment code of 'A' for Rural orders

#### **Business Rules**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

**Held Order Distribution Interval:** This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

#### Calculation

#### **Mean Held Order Interval** = a / b

- a = Sum of held-over-days for all Past Due Orders Held for the reporting period
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

## Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

# **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)

801 of 910

## **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON (PON)</li> <li>Order Submission Date (TICKET_ID)</li> <li>Committed Due Date (DD)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Hold Reason</li> <li>Total Line/circuit Count</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date</li> <li>Committed Due Date</li> <li>Service Type</li> <li>Hold Reason</li> <li>Total Line/circuit Count</li> <li>Geographic Scope</li> </ul>
<b>Note</b> : Code in parentheses is the corresponding header foun	d
in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With LNP Design	<ul> <li>Retail Residence and Business Dispatch</li> </ul>
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business - POTS Excluding Switch-
	Based Orders
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Switch Ports	• Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN - BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	• Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

#### **Definition**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the commitment date of the order. The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

## **Exclusions**

- · Orders held for CLEC end user reasons
- Disconnect (D) & From (F) orders
- · Non-Dispatch Orders

#### **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

#### Calculation

#### **Jeopardy Interval** = a - b

- a = Date and Time of Jeopardy Notice
- b = Date and Time of Scheduled Due Date on Service Order

#### Average Jeopardy Interval = c / d

- c = Sum of all jeopardy intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

#### Percent of Orders Given Jeopardy Notice = (e / f) X 100

- e = Number of Orders Given Jeopardy Notices in Reporting Period
- f = Number of Orders Confirmed (due) in Reporting Period)

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch Orders
- Mechanized Orders
- · Non-Mechanized Orders

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Date and Time Jeopardy Notice Sent</li> <li>Committed Due Date</li> <li>Service Type</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Date and Time Jeopardy Notice Sent</li> <li>Committed Due Date</li> <li>Service Type</li> </ul>

# **SQM Disaggregation - Analog/Benchmark**

SQM Analog/Benchmark
Retail Residence
Retail Business
Retail Design
Retail PBX
Retail Centrex
Retail ISDN
Retail Residence and Business (POTS)
Retail Residence and Business (POTS)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding
Switch- Based Orders)
Retail Residence and Business Dispatch
Retail Residence and Business - (POTS Excluding
Switch- Based Orders)
Retail Residence and Business Dispatch
• Retail Residence and Business (POTS Excluding Switch-
Based Orders)
• Retail Digital Loop < DS1
• Retail Digital Loop >= DS1
Retail Business and Residence
• Retail Residence and Business (POTS)
Retail Residence, Business and Design Dispatch
ADSL Provided to Retail
Retail ISDN BRI
ADSL Provided to Retail
Retail Design
Retail Residence and Business
Retail DS1/DS3 Interoffice
Parity with Retail
• 95% >= 48 Hours

## **SEEM Measure**

SEEM Measure				
No	Tier I			
	Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	• Not Applicable

# P-3: Percent Missed Installation Appointments

#### **Definition**

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc.)
- Disconnect (D) & From (F) orders
- End User Misses on Local Interconnection Trunks

#### **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be included and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

#### Calculation

Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- · Dispatch/No Dispatch

**Report Explanation**: The difference between End User MA and Total MA is the result of BellSouth caused misses. Here, Total MA is the total percent of orders missed either by BellSouth or CLEC end user. The End User MA represents the percentage of orders missed by the CLEC or their end user.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>CLEC Order Number and PON (PON)</li> <li>Committed Due Date (DD)</li> <li>Completion Date (CMPLTN DD)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Committed Due Date (DD)</li> <li>Completion Date (CMPLTN DD)</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

805 of 910

Issue Date: June 4, 2002

# **SQM** Disaggregation - Analog/Benchmark

SQM LEVEL of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	<ul> <li>Retail Residence, Business and Design Dispatch</li> </ul>
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
• UNE Other Non - Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

3-7

# P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

#### **Definition**

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D&F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)

#### **Business Rules**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. This includes all delays for BellSouth's CLEC/End Users. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0.4.99, 5.10 = 5.9.99, 10.15 = 10.14.99, 15.20 = 15.19.99, 20.25 = 20.24.99, 25.30 = 25.29.99, >= 30 = 30 and greater.

#### Calculation

#### **Completion Interval** = (a - b)

- a = Completion Date
- b = Order Issue Date

#### Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

#### **Order Completion Interval Distribution** (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Residence & Business reported in day intervals = 0, 1, 2, 3, 4, 5, 5+
- UNE and Design reported in day intervals = 0-5, 5-10, 10-15, 15-20, 20-25, 25-30,>= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)
- ISDN Orders included in Non-Design

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>CLEC Company Name</li><li>Order Number (PON)</li></ul>	<ul><li>Report Month</li><li>BellSouth Order Number</li></ul>

Application Date & Time (TICKET_ID)	Application Date & Time
Completion Date (CMPLTN_DT)	Order Completion Date & Time
• Service Type (CLASS_SVC_DESC)	Service Type
Geographic Scope	Geographic Scope
Note: Code in parentheses is the corresponding header found	
in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
• Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
<ul> <li>2W Analog Loop With INP Non-Design</li> </ul>	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
<ul> <li>UNE Loop + Port Combinations</li> </ul>	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch
	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE xDSL (HDSL, ADSL and UCL) without	• 7 Days
conditioning	
• UNE xDSL (HDSL, ADSL and UCL) with conditioning	• 14 Days
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL without conditioning	• 7 Days
UNE xDSL with conditioning	• 14 Days
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# P-5: Average Completion Notice Interval

#### **Definitions**

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D&F orders (Exception: "D" orders associated with LNP Standalone)

#### **Business Rules**

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was transmitted to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders the end timestamp will be timestamp of order update to C-SOTS system.

#### Calculation

**Completion Notice Interval** = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

#### Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Reporting intervals in Hours; 0, 1-2, 2-4, 4-8, 8-12, 12-24, >= 24 plus Overall Average Hour Interval (The categories are inclusive of these time intervals: 0-1 = 0.99; 1-2 =1-1.99; 2-4 = 2-3.99, etc.)
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>CLEC Order Number (so_nbr)</li> <li>Work Completion Date (cmpltn_dt)</li> <li>Work Completion Time</li> <li>Completion Notice Availability Date</li> <li>Completion Notice Availability Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number (so_nbr)</li> <li>Work Completion Date (cmpltn_dt)</li> <li>Work Completion Time</li> <li>Completion Notice Availability Date</li> <li>Completion Notice Availability Time</li> <li>Service Type</li> <li>Geographic Scope</li> </ul>
Note: Code in parentheses is the corresponding header found	<b>NOTE:</b> Code in parentheses is the corresponding header

in the raw data file. found in the raw data file.

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone)	• Retail Residence and Business (POTS)
• INP (Standalone)	• Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	<ul> <li>Retail Residence and Business Dispatch</li> </ul>
• 2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	Retail Residence and Business (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	• Retail Residence, Business and Design Dispatch (Including
D: (1	Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail     Description of the Provided To Retail
• UNE ISDN	Retail ISDN BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design	Retail Design
• UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# P-6: % Completions/Attempts without Notice or < 24 hours Notice

#### **Definition**

This Report measures the interval from the FOC end timestamp on the LSR until 5:00 P.M. on the original committed due date of a service order. The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

#### **Exclusions**

"0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

#### **Business Rules**

#### For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

#### For BellSouth Results:

BellSouth does not provide a FOC to its retail customers.

#### Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of original Committed Due Date
- b = All Completions

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours

Relating to CLEC Experience	Relating to BellSouth Performance
Committed Due Date (DD)	Not Applicable
FOC End Timestamp	
Report Month	
CLEC Order Number and PON	
Geographic Scope	
- State / Region	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
• 2W Analog Loop With LNP-Design	
• 2W Analog Loop With LNP Non-Design	
• 2W Analog Loop With INP-Design	
• 2W Analog Loop With INP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >=DS1	
• UNE Loop + Port Combinations	
• UNE Switch ports	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

## **SEEM Measure**

SEEM Measure				
No	Tier I			
Tier II				

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## P-7: Coordinated Customer Conversions Interval

#### **Definition**

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and with LNP, and where the CLEC has requested BellSouth to provide a coordinated cut over.

#### **Exclusions**

- · Any order canceled by the CLEC will be excluded from this measurement
- Delays due to CLEC following disconnection of the unbundled loop
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested

#### **Business Rules**

When the service order includes INP, the interval includes the total time for the cut over including the translation time to place the line back in service on the ported line. When the service order includes LNP, the interval only includes the total time for the cut over (the port of the number is controlled by the CLEC). The interval is calculated for the entire cut over time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

#### Calculation

#### **Coordinated Customer Conversions Interval** = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

#### **Percent Coordinated Customer Conversions** (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0.4.99, 5.15 = 5.14.99, >=15 = 15 and greater, plus Overall Average Interval.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Order Number	140 Belisouth Allalog Laists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Start Time	
Cut over Completion Time	
<ul> <li>Portability Start and Completion Times (INP orders)</li> </ul>	
• Total Conversions (Items)	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

## **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
<ul> <li>Unbundled Loops with INP/LNP</li> </ul>	• 95% <= 15 minutes
Unbundled Loops without INP/LNP	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
Unbundled Loops	• 95% <= 15 minutes

# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval

#### **Definition**

This category measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

#### **Exclusions**

- · Any order canceled by the CLEC will be excluded from this measurement
- · Delays caused by the CLEC
- · Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested
- All unbundled loops on multiple loop orders after the first loop

#### **Business Rules**

This report measures whether BellSouth begins the cut over of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cut over start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time.

#### Calculation

% within Interval =  $(a/b) \times 100$ 

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

**Average Interval** = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <=15 minutes; % >15 minutes, <= 30 minutes; % > 30 minutes, plus Overall Average Interval.

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog exists
• CLEC Order Number (so_nbr)	100 BellSouth Allalog exists
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
Cut over Scheduled Start Time	
Cut over Actual Start Time	
Total Conversions Orders	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product Reporting Level	• 95% Within + or – 15 minutes of Scheduled Start Time
- SL1 Time Specific	
- SL1 Non-Time Specific	
- SL2 Time Specific	
- SL2 Non-Time Specific	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• 95% Within + or – 15 minutes of Scheduled Start time

818 of 910

# P-7B: Coordinated Customer Conversions – Average Recovery Time

#### **Definition**

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

#### **Exclusions**

- Cut overs where service outages are due to CLEC caused reasons
- Cut overs where service outages are due to end-user caused reasons

#### **Business Rules**

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

#### Calculation

**Recovery Time** = (a - b)

- a = Date & Time That Trouble is Closed by CLEC
- b = Date & Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times
- d = Number of Troubles Referred to the BellSouth

## **Report Structure**

- CLEC Specific
- CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• None
CLEC Company Name	None
• CLEC Order Number (so_nbr)	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
CLEC Acceptance Conflict (CLEC_CONFLICT)	
CLEC Conflict Resolved (CLEC_RESOLVE)	
CLEC Conflict MFC (CLEC_CONFLICT_MFC)	
Total Conversion Orders	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
Unbundled Loops with INP/LNP	Diagnostic
Unbundled Loops without INP/LNP	

## **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable	Not Applicable

820 of 910

# P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed Service Order

#### **Definition**

Percent Provisioning Troubles received within 7 days of a completed service order associated with a Coordinated and Non-Coordinated Customer Conversion. Measures the quality and accuracy of Hot Cut Conversion Activities.

#### **Exclusions**

- · Any order canceled by the CLEC
- · Troubles caused by Customer Provided Equipment

#### **Business Rules**

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-Coordinated Hot Cut Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated and Non-Coordinated Hot Cut Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

#### Calculation

% Provisioning Troubles within 7 days of service order completion =  $(a \ / \ b) \ X \ 100$ 

- a = The sum of all Hot Cut Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of Hot Cut service order circuits completed in the previous report calendar month

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul><li>Report Month</li><li>CLEC Order Number (so_nbr)</li></ul>	No BellSouth Analog Exists
• PON	
Order Submission Date (TICKET_ID)	
Order Submission Time (TICKET_ID)	
Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
Total Conversion Circuits	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

## **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
UNE Loop Design	• <= 5%
UNE Loop Non-Design	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

Issue Date: June 4, 2002

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE Loops	• <= 5%

# P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested

#### **Definition**

The loop will be considered cooperatively tested when the BellSouth technician places a call to the CLEC representative to initiate cooperative testing and jointly performs the tests with the CLEC.

#### **Exclusions**

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing

#### **Business Rules**

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short.

#### Calculation

Cooperative Acceptance Testing - % of xDSL Loops Tested =  $(a / b) \times 100$ 

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

## **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Type of Loop tested

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exists
CLEC Company Name (OCN)	100 Delisoutii Alidiog Exists
<ul> <li>CLEC Order Number (so_nbr) and PON (PON)</li> </ul>	
• Committed Due Date (DD)	
• Service Type (CLASS_SVC_DESC)	
• Acceptance Testing Completed (ACCEPT_TESTING)	
• Acceptance Testing Declined (ACCEPT_TESTING)	
• Total xDSL Orders	
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

## **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation:	SQM Analog/Benchmark:
• UNE xDSL	• 95% of Lines Tested
- ADSL	
- HDSL	
- UCL	
- OTHER	

## **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• UNE xDSL	• 95% of Lines Tested

# P-9: % Provisioning Troubles within 30 days of Service Order Completion

#### **Definition**

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- · D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

#### **Business Rules**

Measures the quality and accuracy of completed orders. The first trouble report from a service order after completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

% Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

#### **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch (except trunks)

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Order Number and PON</li> <li>Order Submission Date (TICKET_ID)</li> <li>Order Submission Time (TICKET_ID)</li> <li>Status Type</li> <li>Status Notice Date</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Order Number</li> <li>Order Submission Date</li> <li>Order Submission Time</li> <li>Status Type</li> <li>Status Notice Date</li> <li>Standard Order Activity</li> <li>Geographic Scope</li> </ul>
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
• Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With LNP Design	Retail Residence and Business Dispatch
2W Analog Loop With LNP Non-Design	• Retail Residence and Business - (POTS Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
2W Analog Loop With INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP Non-Design	• Retail Residence and Business (POTS - Excluding Switch-
	Based Orders)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
• UNE Digital Loop < DS1	• Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	• Retail Digital Loop >= DS1
• UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN	Retail ISDN BRI
UNE Line Sharing	ADSL Provided to Retail
• INP (Standalone)	• Retail Residence and Business (POTS)
• LNP (Standalone)	• Retail Residence and Business (POTS)
• UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch Out	- Dispatch Out
- Non-Dispatch	- Non-Dispatch
- Dispatch In	- Dispatch In
- Switch-Based	- Switch-Based
• UNE Switch Ports	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
Diametek	(Including Dispatch Out and Dispatch In)
- Dispatch	- Dispatch
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)
Local Transport (Unbundled Interoffice Transport)     LINE Other New Designs	• Retail DS1/DS3 Interoffice
• UNE Other Non-Design	Retail Residence and Business     Retail Residence
• UNE Other Design	• Retail Design
Local Interconnection Trunks	• Parity with Retail

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# P-10: Total Service Order Cycle Time (TSOCT)

#### **Definition**

This report measures the total service order cycle time from receipt of a valid service order request to the return of a completion notice to the CLEC Interface.

## **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D (Disconnect Except "D" orders associated with LNP Standalone.) and F (From) orders. (From is disconnect side of a move order when the customer moves to a new address)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · Orders with CLEC/Subscriber caused delays or CLEC/Subscriber requested due date changes

#### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval. For UNE XDSL Loop, this measurement combines Service Inquiry Interval (SI), FOC Timeliness, Average Completion Interval, and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI) and the BellSouth Legacy Systems. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

#### Calculation

## **Total Service Order Cycle Time** = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

#### Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- ullet d = Total Number Service Orders Completed in Reporting Period

#### **Total Service Order Cycle Time Interval Distribution** (for each interval) = (e / f) X 100

- e = Total Number of Service Requests Completed in "X" minutes/hours
- f = Total Number of Service Requests Received in Reporting Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch / No Dispatch categories applicable to all levels except trunks
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >= 30=30 and greater.

Relating to CLEC Experience	Relating to BellSouth Performance
• Interval for FOC	<ul><li>Report Month</li><li>BellSouth Order Number</li></ul>

• CLEC Company Name (OCN)	Order Submission Date & Time
Order Number (PON)	Order Completion Date & Time
<ul> <li>Submission Date &amp; Time (TICKET_ID)</li> </ul>	Service Type
Completion Date (CMPLTN_DT)	Geographic Scope
Completion Notice Date and Time	
Service Type (CLASS_SVC_DESC)	
Geographic Scope	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file	

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• Diagnostic
Resale Business	
Resale Design	
Resale PBX	
Resale Centrex	
Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
2W Analog Loop With LNP Design	
• 2W Analog Loop With LNP Non-Design	
• UNE Switch Ports	
• UNE Loop + Port Combinations	
UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN	
UNE Line Sharing	
UNE Other Design	
UNE Other Non -Design	
• UNE Digital Loops < DS1	
• UNE Digital Loops >= DS1	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## P-11: Service Order Accuracy

#### **Definition**

The "service order accuracy" measurement measures the accuracy and completeness of a sample of BellSouth service orders by comparing what was ordered and what was completed.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

#### **Business Rules**

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

#### Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

#### **Report Structure**

- · CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch / No Dispatch

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	No BellSouth Analog Exist
<ul> <li>CLEC Order Number and PON</li> </ul>	
• Local Service Request (LSR)	
Order Submission Date	
Committed Due Date	
Service Type	
Standard Order Activity	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	• 95% Accurate
Resale Business	
• Resale Design (Specials)	
• UNE Specials (Design)	
• UNE (Non-Design)	
Local Interconnection Trunks	

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

830 of 910

Issue Date: June 4, 2002

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

Issue Date: June 4, 2002

### P-12: LNP-Percent Missed Installation Appointments

#### **Definition**

"Percent missed installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for total misses and End User Misses.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable

#### **Business Rules**

Percent Missed Installation Appointments (PMI) is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates. Missed Appointments caused by end-user reasons will be included and reported in a separate category. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date, which means there cannot be a cutoff time for commitments as certain types of orders are requested to be worked after standard business hours.

#### Calculation

LNP Percent Missed Installation Appointments = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State/Region
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)

**Report explanation:** Total Missed Appointments is the total percent of orders missed either by BellSouth or the CLEC end user. End User MA represents the percentage of orders missed by the CLEC end user. The difference between End User Missed Appointments and Total Missed Appointments is the result of BellSouth caused misses.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
<ul> <li>CLEC Order Number and PON (PON)</li> </ul>	Not Applicable
• Committed Due Date (DD)	
• Completion Date (CMPLTN DD)	
• Status Type	
Status Notice Date	
Standard Order Activity	
Geographic Scope	
<b>Note:</b> Code in parentheses is the corresponding header found in the raw data file.	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Retail Residence and Business (POTS)

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• LNP	• 95% Due Dates Met <sup>a</sup>

<sup>&</sup>lt;sup>a</sup>Due to data structure issues, BellSouth is using a benchmark comparison for SEEM rather than the Truncated Z as stated in the Order.

# P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

#### Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable.

#### **Business Rules**

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each telephone number on the service order is disconnected in the Central Office switch. Elapsed time for each ported telephone number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period.

#### Calculation

#### **Disconnect Timeliness Interval** = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date & time

#### Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

#### **Disconnect Timeliness Interval Distribution** (for each interval) = (e / f) X 100

- e = Disconnected numbers completed in "X" days
- f = Total disconnect numbers completed in reporting period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State, Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Order Number	Not Applicable
Telephone Number/Circuit Number	
Committed Due Date	
Receipt Date/Time (ESI Number Manager)	
Date/Time of Recent Change Notice	

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	• 95% <= 15 Minutes

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
LNP Standalone	• 95% <= 15 Minutes

# P-14: LNP-Total Service Order Cycle Time (TSOCT)

#### **Definition**

Total Service Order Cycle Time measures the interval from receipt of a valid service order request to the completion of the final service order associated with that service request.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable
- "L" appointment coded orders (indicating the customer has requested a later than offered interval)
- "S" missed appointment coded orders (indicating subscriber missed appointments), except for "SP" codes (indicating subscriber prior due date requested). This would include "S" codes assigned to subsequent due date changes.

#### **Business Rules**

The interval is determined for each order processed during the reporting period. This measurement combines three reports: FOC Timeliness, Average Order Completion Interval and Average Completion Notice Interval.

This interval starts with the receipt of a valid service order request and stops when a completion notice is sent to the CLEC Interface (LENS, TAG OR EDI). Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33 day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day.

Reporting is by Fully Mechanized, Partially Mechanized and Non-Mechanized receipt of LSRs.

#### Calculation

#### **Total Service Order Cycle Time** = (a - b)

- a = Service Order Completion Notice Date
- b = Service Request Receipt Date

#### Average Total Service Order Cycle Time = (c / d)

- c = Sum of all Total Service Order Cycle Times
- d = Total Number Service Orders Completed in Reporting Period

#### Total Service Order Cycle Time Interval Distribution (for each interval) = (e / f) X 100

- e = Total Number of Service Orders Completed in "X" minutes/hours
- f = Total Number of Service Orders Received in Reporting Period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Fully Mechanized; Partially Mechanized; Non-Mechanized
- Report in categories of < 10 lines/circuits; >= lines/circuits (except trunks)
- Intervals 0-5, 5-10, 10-15, 15-20, 20-25, 25-30, >= 30 Days. The interval breakout is: 0-5=0-4.99, 5-10=5-9.99, 10-15=10-14.99, 15-20=15-19.99, 20-25=20-24.99, 25-30=25-29.99, >= 30 = 30 and greater.

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
• Interval for FOC	• Not Applicable
CLEC Company Name (OCN)	
• Order Number (PON)	
• Submission Date & Time (TICKET_ID)	
Completion Date (CMPLTN_DT)	
Completion Notice Date and Time	

Service Type (CLASS\_SVC\_DESC)
 Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• LNP	Diagnostic

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# Section 4: Section 4: Maintenance & Repair

# **M&R-1: Missed Repair Appointments**

#### **Definition**

The percent of trouble reports not cleared by the committed date and time.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

**Note**: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

**Percentage of Missed Repair Appointments** = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Trouble reports closed in Reporting Period

#### **Report Structure**

- · Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>CLEC Company Name</li> <li>Submission Date &amp; Time (TICKET_ID)</li> <li>Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Submission Date &amp; Time</li> <li>Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail business
Resale Design	Retail Design
Resale PBX	•
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-2: Customer Trouble Report Rate

#### **Definition**

Percent of initial and repeated customer direct or referred troubles reported within a calendar month per 100 lines/circuits in service.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

#### Calculation

Customer Trouble Report Rate = (a / b) X 100

- a = Count of Initial and Repeated Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date &amp; Time</li> <li>Ticket Completion Date</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li># Service Access Lines in Service at the end of period</li> <li>Geographic Scope</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	<ul> <li>Retail Residence &amp; Business (POTS) (Exclusion of</li> </ul>
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-3: Maintenance Average Duration

#### **Definition**

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

For Average Duration the clock starts on the date and time of the receipt of a correct repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

#### Calculation

#### **Maintenance Duration** = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Trouble Ticket was Opened

#### Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Troubles in the reporting period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Service Type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header found in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission Time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Total Duration Time</li> <li>Service Type</li> <li>Disposition and Cause (Non-Design /Non-Special Only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	<ul> <li>Retail Residence &amp; Business (POTS) (Exclusion of</li> </ul>
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
• UNE Loops	Retail Residence and Business Dispatch
• UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-4: Percent Repeat Troubles within 30 Days

#### **Definition**

Closed trouble reports on the same line/circuit as a previous trouble report received within 30 calendar days as a percent of total troubles closed reported

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- · BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

Includes Customer trouble reports received within 30 days of an original Customer trouble report.

#### Calculation

Percent Repeat Troubles within 30 Days = (a / b) X 100

- a = Count of closed Customer Troubles where more than one trouble report was logged for the same service line within a continuous 30 days
- b = Total Trouble Reports Closed in Reporting Period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets (LINE_NBR)</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT)</li> <li>Total and Percent Repeat Trouble Reports within 30 Days (TOT_REPEAT)</li> <li>Service Type</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE_DESC)</li> <li>Geographic Scope</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission Time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Total and Percent Repeat Trouble Reports within 30 Days</li> <li>Service Type</li> </ul>
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	**

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
• UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch Ports	• Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
Tier II X		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale POTS	• Retail Residence and Business (POTS)
Resale Design	Retail Design
• UNE Loop + Port Combinations	Retail Residence and Business
UNE Loops	Retail Residence and Business Dispatch
UNE xDSL	ADSL Provided to Retail
UNE Line Sharing	ADSL Provided to Retail
Local Interconnection Trunks	Parity with Retail

# M&R-5: Out of Service (OOS) > 24 Hours

#### **Definition**

For Out of Service Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

#### **Exclusions**

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles

#### **Business Rules**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the trouble report is created in LMOS/WFA and the trouble is counted if the elapsed time exceeds 24 hours.

#### Calculation

Out of Service (OOS) > 24 hours = (a / b) X 100

- a = Total Cleared Troubles OOS > 24 Hours
- b = Total OOS Troubles in Reporting Period

#### **Report Structure**

- Dispatch/Non Dispatch
- CLEC Specific
- · BellSouth Aggregate
- CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Report Month</li> <li>Total Tickets</li> <li>CLEC Company Name</li> <li>Ticket Submission Date &amp; Time (TICKET_ID)</li> <li>Ticket Completion Date (CMPLTN_DT</li> <li>Percentage of Customer Troubles out of</li> <li>Service &gt; 24 Hours (OOS&gt;24_FLAG)</li> <li>Service type (CLASS_SVC_DESC)</li> <li>Disposition and Cause (CAUSE_CD &amp; CAUSE-DESC)</li> <li>Geographic Scope</li> <li>Note: Code in parentheses is the corresponding header foun in the raw data file.</li> </ul>	<ul> <li>Report Month</li> <li>Total Tickets</li> <li>BellSouth Company Code</li> <li>Ticket Submission Date</li> <li>Ticket Submission time</li> <li>Ticket Completion Date</li> <li>Ticket Completion Time</li> <li>Percent of Customer Troubles out of Service &gt; 24 Hours</li> <li>Service type</li> <li>Disposition and Cause (Non-Design/Non-Special only)</li> <li>Trouble Code (Design and Trunking Services)</li> <li>Geographic Scope</li> </ul>

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	• Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
• LNP (Standalone) (Not Available in Maintenance)	Not Applicable
2W Analog Loop Design	Retail Residence & Business Dispatch
2W Analog Loop Non - Design	Retail Residence & Business (POTS) (Exclusion of
	Switch-Based Feature Troubles)
UNE Loop + Port Combinations	Retail Residence & Business
• UNE Switch Ports	• Retail Residence & Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	• Retail ISDN – BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non - Design	Retail Residence & Business
Local Interconnection Trunks	Parity with Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# M&R-6: Average Answer Time – Repair Centers

#### **Definition**

This measures the average time a customer is in queue when calling a BellSouth Repair Center.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call (abandoned calls are not included).

Note: The Total Column is a combined BellSouth Residence and Business number.

#### Calculation

**Answer Time for BellSouth Repair Centers** = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

#### Report Structure

- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Average Answer Time	BellSouth Average Answer Time

#### **SQM Disaggregation - Analog/Benchmark**

	SQM Level of Disaggregation	SQM Analog/Benchmark
Ī	<ul> <li>Region. CLEC/BellSouth Service Centers and BellSouth</li> </ul>	• For CLEC, Average Answer Times in UNE Center and
	Repair Centers are regional.	BRMC are comparable to the Average Answer Times in
		the BellSouth Repair Centers.

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# M&R-7: Mean Time To Notify CLEC of Network Outages

#### **Definition**

This report measures the time it takes for the BellSouth Network Management Center (NMC) to notify the CLEC of major network outages.

#### **Exclusions**

None

#### **Business Rules**

BellSouth will inform the CLEC of any major network outages (key customer accounts) via a page or email. When the BellSouth NMC becomes aware of a network incident, the CLEC and BellSouth will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

The CLECs will be notified in accordance with the rules outlined in Appendix D of the CLEC "Customer Guide" which is published on the internet at: <a href="https://www.interconnection.bellsouth.com/guides/other\_guides/html/gopue/indexf.htm">www.interconnection.bellsouth.com/guides/other\_guides/html/gopue/indexf.htm</a>.

#### Calculation

**Time to Notify CLEC** = (a - b)

- a = Date and Time BellSouth Notified CLEC
- b = Date and Time BellSouth Detected Network Incident

**Mean Time to Notify CLEC** = (c / d)

- c = Sum of all Times to Notify CLEC
- d = Count of Network Incidents

#### **Report Structure**

- · BellSouth Aggregate
- · CLEC Aggregate
- CLEC Specific

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Major Network Events	<ul> <li>Major Network Events</li> </ul>
• Date/Time of Incident	<ul> <li>Date/Time of Incident</li> </ul>
• Date/Time of Notification	<ul> <li>Date/Time of Notification</li> </ul>

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
BellSouth Aggregate	Parity by Design
CLEC Aggregate	
CLEC Specific	

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **Section 5: Billing**

# **B-1: Invoice Accuracy**

#### **Definition**

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

#### **Exclusions**

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- · Test Accounts

#### **Business Rules**

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes.

#### Calculation

**Invoice Accuracy** =  $[(a - b) / a] \times 100$ 

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Billing Related Adjustments during current month

#### **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - Region
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Retail Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Total Billed Revenue
Total Billed Revenue	Billing Related Adjustments
Billing Related Adjustments	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	<ul> <li>CLEC Invoice Accuracy is comparable to BellSouth</li> </ul>
- Resale	Invoice Accuracy
- UNE	
- Interconnection	

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth State	

5-2

#### **B2: Mean Time to Deliver Invoices**

#### **Definition**

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first work day. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

#### **Exclusions**

Any invoices rejected due to formatting or content errors.

#### **Business Rules**

This report measures the mean interval for timeliness of billing records delivered to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

#### Calculation

**Invoice Timeliness** = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

**Mean Time To Deliver Invoices** = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Invoice Type	Invoice Type
- UNE	- CRIS
- Resale	- CABS
- Interconnection	Invoice Transmission Count
Invoice Transmission Count	<ul> <li>Date of Scheduled Bill Close</li> </ul>
Date of Scheduled Bill Close	

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	<ul> <li>CRIS-based invoices will be released for delivery within</li> </ul>
• Resale	six (6) business days.
• UNE	<ul> <li>CABS-based invoices will be released for delivery within</li> </ul>
• Interconnection	eight (8) calendar days.
	<ul> <li>CLEC Average Delivery Intervals for both CRIS and</li> </ul>
	CABS Invoices are comparable to BellSouth Average
	delivery for both systems.

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
Tier II X		

SEEM Disaggregation	SEEM Analog/Benchmark
• CLEC State	• Parity with Retail
- CRIS	
- CABS	
BellSouth Region	

## **B3: Usage Data Delivery Accuracy**

#### **Definition**

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

#### **Exclusions**

None

#### **Business Rules**

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

#### Calculation

Usage Data Delivery Accuracy =  $(a - b) / a \times 100$ 

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Geographic Scope
  - Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	• Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	<ul> <li>CLEC Usage Data Delivery Accuracy is comparable to</li> </ul>
	BellSouth Usage Data Delivery Accuracy

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC State	Parity With Retail
BellSouth Region	-

## **B4: Usage Data Delivery Completeness**

#### **Definition**

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Completeness = (a / b) X 100

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

#### **Report Structure**

- CLEC Specific
- · CLEC Aggregate
- · BellSouth Aggregate
- Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Completeness is comparable
	to BellSouth Usage Data Delivery Completeness

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

## **B5: Usage Data Delivery Timeliness**

#### **Definition**

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC.

#### Calculation

Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

#### **Report Structure**

- CLEC Aggregate
- CLEC Specific
- · BellSouth Aggregate
- Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• CLEC Usage Data Delivery Timeliness is comparable to
	BellSouth Usage Data Delivery Timeliness

#### **SEEM Measure**

SEEM Measure				
No	Tier I			
	Tier II			

#### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# **B6: Mean Time to Deliver Usage**

#### **Definition**

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

#### **Exclusions**

None

#### **Business Rules**

The purpose of this measurement is to demonstrate the average number of days it takes BellSouth to deliver Usage data to the appropriate CLEC. Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

#### Calculation

Mean Time to Deliver Usage =  $(a \ X \ b) \ / \ c$ 

- a = Volume of Records Delivered
- b = Estimated number of days to deliver
- c = Total Record Volume Delivered

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

#### **Report Structure**

- CLEC Aggregate
- · CLEC Specific
- BellSouth Aggregate
- Region

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Record Type	Record Type
- BellSouth Recorded	
- Non-BellSouth Recorded	

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	<ul> <li>Mean Time to Deliver Usage to CLEC is comparable to</li> </ul>
	Mean Time to Deliver Usage to BellSouth.

#### **SEEM Measure**

Г	SEEM Measure				
	No	Tier I			
		Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark	
Not Applicable	Not Applicable	

# **B7: Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of fractional recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

#### **Recurring Charge Completeness** = $(a / b) \times 100$

- a = Count of fractional recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of fractional recurring charges that are on the correct bill

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Invoice Type	Retail Analog
Total Recurring Charges Billed	Total Recurring Charges Billed
Total Billed on Time	Total Billed on Time

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill

# **B8: Non-Recurring Charge Completeness**

#### **Definition**

This measure captures percentage of non-recurring charges appearing on the correct bill.

#### **Exclusions**

None

#### **Business Rules**

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill.

#### Calculation

Non-Recurring Charge Completeness =  $(a / b) \times 100$ 

- a = Count of non-recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of non-recurring charges that are on the correct bill

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
Invoice Type	Retail Analog
<ul> <li>Total Non-recurring Charges Billed</li> </ul>	<ul> <li>Total Non-recurring Charges Billed</li> </ul>
Total Billed on Time	Total Billed on Time

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Product/Invoice Type	
Resale	• Parity
• UNE	Benchmark 90%
Interconnection	Benchmark 90%

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
Tier II			

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill

# **Section 6: Operator Services And Directory Assistance**

# OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

#### **Definition**

Measurement of the average time in seconds calls wait before answered by a toll operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

**Speed to Answer Performance/Average Speed to Answer - Toll = a/b** 

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

#### **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- · Average Speed of Answer

#### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll

#### **Definition**

Measurement of the percent of toll calls that are answered in less than ten seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

#### **Report Structure**

- · Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assistance (DA)

#### **Definition**

Measurement of the average time in seconds calls wait before answered by a DA operator.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

#### **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- · Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Dis	saggregation	SQM Analog/Benchmark
• None		Parity by Design

#### **SEEM Measure**

ĺ	SEEM Measure			
	No	Tier I		
		Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)

#### **Definition**

Measurement of the percent of DA calls that are answered in less than twelve seconds.

#### **Exclusions**

None

#### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

#### Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

#### **Report Structure**

- · Reported for the aggregate of BellSouth and CLECs
  - State

#### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

#### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **Section 7: Database Update Information**

### D-1: Average Database Update Interval

#### **Definition**

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings. For E-911, see Section 8.

#### **Exclusions**

- · Updates Canceled by the CLEC
- · Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services

#### **Business Rules**

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system.

#### For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

#### Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
  makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

#### Calculation

**Update Interval** = (a - b)

- a = Completion Date & Time of Database Update
- b = Submission Date and Time of Database Change

#### Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

# **Report Structure**

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
• Database File Submission Time	<ul> <li>Database File Submission Time</li> </ul>
Database File Update Completion Time	<ul> <li>Database File Update Completion Time</li> </ul>
<ul> <li>CLEC Number of Submissions</li> </ul>	<ul> <li>BellSouth Number of Submissions</li> </ul>
Total Number of Updates	<ul> <li>Total Number of Updates</li> </ul>

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation:	SQM Analog/Benchmark:
Database Type	Parity by Design
• LIDB	
Directory Listings	
Directory Assistance	

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **D-2: Percent Database Update Accuracy**

#### **Definition**

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB), Directory Assistance, and Directory Listings using a statistically valid sample of LSRs/Orders in a manual review. This manual review is not conducted on BellSouth Retail Orders.

#### **Exclusions**

- · Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services

#### **Business Rules**

For each update completed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (order) submitted by the CLEC. Each database (LIDB, Directory Assistance, and Directory Listings) should be separately tracked and reported.

A statistically valid sample of CLEC Orders are pulled each month. That sample will be used to test the accuracy of the database update process. This is a manual process.

# Calculation

**Percent Update Accuracy** = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

# Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Not Applicable
<ul> <li>CLEC Order Number (so_nbr) and PON (PON)</li> </ul>	• Not Applicable
• Local Service Request (LSR)	
Order Submission Date	
Number of Orders Reviewed	
<b>Note</b> : Code in parentheses is the corresponding header found in the raw data file.	

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Database Type	• 95% Accurate
• LIDB	
Directory Assistance	
Directory Listings	

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

7-4

# D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

#### **Definition**

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded in end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure, BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

#### **Exclusions**

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date
- · Expedite requests

#### **Business Rules**

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration -Dispatch In database.

#### Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- $\bullet$  a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs scheduled to be loaded by the LERG effective date

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Company Name	Not Applicable
Company Code	
NPA/NXX	
LERG Effective Date	
Loaded Date	

SQM Level of Disaggregation	SQM Analog/Benchmark
Geographic Scope	• 100% by LERG Effective Date
- Region	

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# **SEEM Disaggregation - Analog/Benchmark**

ĺ	SEEM Disaggregation	SEEM Analog/Benchmark
	• Not Applicable	Not Applicable

7-6

# Section 8: E911

# E-1: Timeliness

#### **Definition**

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Timeliness** = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

#### **Data Retained**

- · Report month
- · Aggregate data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# E-2: Accuracy

#### **Definition**

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

#### **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Accuracy** = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

## Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report month
- Aggregate data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# E-3: Mean Interval

#### **Definition**

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

#### **Exclusions**

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

#### **Business Rules**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

#### Calculation

**E911 Interval** = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

**E911 Mean Interval** = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

#### **Data Retained**

- · Report month
- · Aggregate data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• None	Parity by Design

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **Section 9: Trunk Group Performance**

# **TGP-1: Trunk Group Performance-Aggregate**

#### **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- Final groups actually overflowing, not blocked

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

# **Trunk Categorization:**

This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

Point B

Point B

#### **CLEC Affecting Categories:**

Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem
<b>BellSouth Affectin</b>	g Categories:	

Point A

Point A

Category 9: BellSouth End Office BellSouth End Office

# Calculation

#### Monthly Average Blocking:

• For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.

• The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

## Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- CLEC Aggregate
- BellSouth Aggregate
  - State

# **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	• Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC aggregate	<ul> <li>Any 2 hour period in 24 hours where CLEC blockage</li> </ul>
BellSouth aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

#### **SEEM Measure**

SEEM Measure			
Yes	Tier I		
	Tier II	X	

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Aggregate	<ul> <li>Any 2 hour period in 24 hours where CLEC blockage</li> </ul>
BellSouth Aggregate	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1,3,4,5,10,16 for CLECs and 9 for
	BellSouth

# **TGP-2: Trunk Group Performance-CLEC Specific**

#### **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

#### **Exclusions**

- Trunk Groups for which valid data is not available for an entire study period
- Duplicate trunk group information
- Trunk groups blocked due to CLEC network/equipment failure
- Trunk groups blocked due to CLEC delayed or refused orders
- Trunk groups blocked due to unanticipated significant increases in CLEC traffic
- · Final groups actually overflowing, not blocked

#### **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering.

#### Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

#### **Aggregate Monthly Blocking:**

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

#### **Trunk Categorization:**

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

#### **CLEC Affecting Categories:**

Point A	Point B

Category 1: BellSouth End Office BellSouth Access Tandem
Category 3: BellSouth End Office CLEC Switch
Category 4: BellSouth Local Tandem CLEC Switch

Category 5:BellSouth Access TandemCLEC SwitchCategory 10:BellSouth End OfficeBellSouth Local TandemCategory 16:BellSouth TandemBellSouth Tandem

**BellSouth Affecting Categories:** 

Point A Point B

Category 9: BellSouth End Office BellSouth End Office

#### Calculation

## Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

#### **Aggregate Monthly Blocking:**

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- CLEC Specific
  - State

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
Total Trunk Groups	Total Trunk Groups
Number of Trunk Groups by CLEC	Aggregate Hourly Blocking Per Trunk Group
Hourly Blocking Per Trunk Group	Hourly Usage Per Trunk Group
Hourly Usage Per Trunk Group	Hourly Call Attempts Per Trunk Group
Hourly Call Attempts Per Trunk Group	

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
CLEC Trunk Group	<ul> <li>Any 2 hour period in 24 hours where CLEC blockage</li> </ul>
-	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
CLEC Trunk Group	• Any 2 hour period in 24 hours where CLEC blockage
BellSouth Trunk Group	exceeds BellSouth blockage by more than 0.5% using
	trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for
	BellSouth

# **Section 10: Collocation**

# C-1: Collocation Average Response Time

#### **Definition**

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within 10 calendar days after having received a bona fide application for physical collocation, BellSouth must respond as to whether space is available or not.

#### **Exclusions**

Any application canceled by the CLEC.

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

# Calculation

**Response Time** = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

#### Report Structure

- · Individual CLEC (alias) Aggregate
- Aggregate of all CLECs

## **Data Retained**

- · Report Period
- Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 20 Calendar Days
• Virtual-Initial	Physical Caged - 30 Calendar Days
Virtual-Augment	<ul> <li>Physical Cageless - 30 Calendar Days</li> </ul>
Physical Caged-Initial	
Physical Caged-Augment	
Physical-Cageless-Initial	
Physical Cageless-Augment	

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# C-2: Collocation Average Arrangement Time

#### **Definition**

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

#### **Exclusions**

- Any Bona Fide firm order canceled by the CLEC
- · Any Bona Fide firm order with a CLEC-negotiated interval longer than the benchmark interval

#### **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC.

#### Calculation

**Arrangement Time** = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

# **Report Structure**

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

## **Data Retained**

- · Report Period
- Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 50 Calendar Days (Ordinary)
Virtual-Initial	• Virtual - 75 Calendar Days (Extraordinary)
Virtual-Augment	Physical Caged - 90 Calendar Days
Physical Caged-Initial	<ul> <li>Physical Cageless - 60 Calendar Days (Ordinary)</li> </ul>
Physical Caged-Augment	<ul> <li>Physical Cageless - 90 Calendar Days (Extraordinary)</li> </ul>
Physical Cageless-Initial	
Physical Cageless-Augment	

#### **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# C-3: Collocation Percent of Due Dates Missed

#### **Definition**

Measures the percent of missed due dates for both virtual and physical collocation arrangements.

#### **Exclusions**

Any Bona Fide firm order canceled by the CLEC.

# **Business Rules**

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The clock starts on the date that BellSouth receives a complete and accurate Bona Fide firm order accompanied by the appropriate fee if required. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

# Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed within BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

## **Report Structure**

- · Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- · Report Period
- Aggregate Data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	• >= 95% on time
• Virtual-Initial	
Virtual-Augment	
Physical Caged-Initial	
Physical Caged-Augment	
Physical Cageless-Initial	
Physical Cageless-Augment	

# **SEEM Measure**

SEEM Measure		
Yes	Tier I	X
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
All Collocation Arrangements	• >= 95% on time

# **Section 11: Change Management**

# **CM-1: Timeliness of Change Management Notices**

#### **Definition**

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

## Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Timeframes
- b = Total Number of Change Management Notifications Sent

#### **Report Structure**

· BellSouth Aggregate

#### **Data Retained**

- · Report Period
- Notice Date
- Release Date

# **SQM Disaggregation - Analog/Benchmark**

	SQM Level of Disaggregation	SQM Analog/Benchmark
Ī	• Region	• 95% >= 30 Days of Release

# **SEEM Measure**

SEEM Measure			
Yes	Tier I		
	Tier II		X

SEEM Disaggregation	SEEM Analog/Benchmark
Region	• 95% >= 30 Days of Release

# CM-2: Change Management Notice Average Delay Days

#### **Definition**

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

#### **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

#### Calculation

**Change Management Notice Delay Days** = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

## Report Structure

· BellSouth Aggregate

# **Data Retained**

- Report Period
- Notice Date
- Release Date

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

# **SEEM Measure**

SEEM Measure			
No	Tier I		
	Tier II		

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# CM-3: Timeliness of Documents Associated with Change

#### **Definition**

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and timeframes set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

#### Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Timeframes after Notices
- b = Total Number of Change Management Documentation Sent

# **Report Structure**

• BellSouth Aggregate

# **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 95% >= 30 days if new features coding is required
	• 95% >= 5 days for documentation defects, corrections or
	clarifications

#### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

SEEM Disaggregation	SEEM Analog/Benchmark
• Region	• $95\% >= 30$ days of the change

# CM-4: Change Management Documentation Average Delay Days

#### **Definition**

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

#### **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

#### **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

#### Calculation

**Change Management Documentation Delay Days** = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

**Change Management Documentation Average Delay Days** = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

## **Report Structure**

· BellSouth Aggregate

## **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# **SQM** Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• <= 8 Days

#### **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **CM-5: Notification of CLEC Interface Outages**

#### **Definition**

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

#### **Exclusions**

None

# **Business Rules**

This measure is designed to notify the CLEC of interface outages within 15 minutes of BellSouth's verification that an outage has taken place. This metric will be expressed as a percentage.

# Calculation

Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECS are notified within 15 minutes
- b = Total Number of Interface Outages

# **Report Structure**

• CLEC Aggregate

#### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
<ul> <li>Number of Interface Outages</li> </ul>	Not Applicable
• Number of Notifications <= 15 minutes	

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• By interface type for all interfaces accessed by CLECs	• 97% in 15 Minutes

Interface	Applicable to
EDI	CLEC
CSOTS	CLEC
LENS	CLEC
TAG	CLEC
ECTA	CLEC
TAFI	CLEC/BellSouth

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# Section 12: Bona Fide / New Business Request Process

# BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days

#### **Definition**

Percentage of Bona Fide/New Business Requests processed within 30 business days for the development and purchases of network elements not currently offered.

# **Exclusions**

Any application cancelled by the CLEC

#### **Business Rules**

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth completes application processing for Network Elements that are not operational at the time of the request.

#### Calculation

Percentage of BFR/NBR Requests Processed Within 30 Business Days = (a / b) X 100

- a = Count of number of requests processed within 30 days
- b = Total number of requests

## **Report Structure**

- Individual CLEC (alias) Aggregate
- · Aggregate of all CLECs

#### **Data Retained**

- Report Period
- Aggregate Data

# SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Region	• 90% <= 30 business days

# **SEEM Measure**

SEEM Measure		
No	Tier I	
	Tier II	

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days

#### **Definition**

Percentage of quotes provided in response to Bona Fide/New Business Requests within X (10/30/60) business days for network elements not currently offered.

#### **Exclusions**

· Requests that are subject to pending arbitration

#### **Business Rules**

The clock starts when BellSouth receives a complete and accurate application. The clock stops when BellSouth responds back to the application with a price quote.

#### Calculation

Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed Within X (10/30/60) Business Days = (a / b) X 100

- a = Count of number of requests processed within "X" days
- b = Total number of requests where "X" = 10, 30, or 60 days

# **Report Structure**

- New Network Elements that are operational at the time of the request
- New Network Elements that are ordered by the FCC
- New Network Elements that are not operational at the time of the request

# **Data Retained**

- · Report Period
- · Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	• 90% <= 10/30/60 business days
	- Network Elements that are operational at the time of
	the request – 10 days
	- Network Elements that are Ordered by the FCC – 30
	days
	- New Network Elements – 90 days

## **SEEM Measure**

SEEM Measure						
No	Tier I					
	Tier II					

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable

# **Appendix A:** Reporting Scope

# **A-1: Standard Service Groupings**

See individual reports in the body of the SQM.

# A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

# **Service Order Activity Types**

- Service Migrations Without Changes
- · Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

# **Pre-Ordering Query Types**

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- · Service Inquiry

# **Maintenance Query Types:**

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
  - DLR
  - DLETH
  - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

## Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- · Aggregate CLEC State
- · Aggregate CLEC Region
- BellSouth State
- · BellSouth Region

# Appendix B: Glossary of Acronyms and Terms

# Symbols used in calculations

Σ

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

~

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

# Α

#### **ACD**

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

#### Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

#### **ALEC**

Alternative Local Exchange Company = FL CLEC

#### **ADSI**

Asymmetrical Digital Subscriber Line

#### ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

#### ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

#### **ATLASTN**

ATLAS software contract for Telephone Number.

#### **Auto Clarification**

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

#### В

#### BFR:

Bona Fide Request

#### BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

#### **BOCRIS**

Business Office Customer Record Information System (Front-end to the CRIS database.)

#### BRI

Basic Rate ISDN

#### **BRC**

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves business and CLEC customers.

#### **BellSouth**

BellSouth Telecommunications, Inc.

# C

#### **CABS**

Carrier Access Billing System

#### CCC

Coordinated Customer Conversions

#### **CCP**

Change Control Process

## Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

#### CKTID

A unique identifier for elements combined in a service configuration

## CLEC

Competitive Local Exchange Carrier

#### CLP

Competitive Local Provider = NC CLEC

#### CM

Change Management

#### **CMDS**

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

## **COFFI**

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/ SONGS. It indicates all services available to a customer.

#### COG

Corporate Gateway - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

## **CRIS**

Customer Record Information System - The BellSouth proprietary corporate database and billing system for non-access customers and services.

#### **CRSACCTS**

CRIS software contract for CSR information

#### **CRSG**

Complex Resale Support Group

#### C-SOTS

CLEC Service Order Tracking System

#### **CSR**

Customer Service Record

#### **CTTG**

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

#### **CWINS Center**

Customer Wholesale Interconnection Network Services Center (formerly the UNE Center).

#### D

#### DA

Directory Assistance

#### Design

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

#### **Disposition & Cause**

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

#### **DLETH**

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

#### DLR

Detail Line Record - All the basic information maintained on a line record in LMOS, e.g. name, address, facilities, features etc.

#### DS\_0

The worldwide standard speed for one digital voice signal (64000 bps).

#### DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

#### DOF

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

#### DOM

Delivery Order Manager - Telcordia product designed for the electronic submission of xDSL Local Service Requests.

#### DSAF

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

#### **DSAPDDI**

DSAP software contract for schedule information.

#### **DSL**

Digital Subscriber Line

#### DUI

Database Update Information

# Ε

#### E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

#### EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

#### **ESSX**

BellSouth Centrex Service

# F

#### **Fatal Reject**

LSRs electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

#### Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

#### FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

#### FX

Foreign Exchange

#### GH

#### HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

#### **HALCRIS**

HAL software contract for CSR information

#### **HDSL**

High Density Subscriber Loop/Line

# IJK

#### **ILEC**

Incumbent Local Exchange Company

#### **INP**

Interim Number Portability

#### **ISDN**

Integrated Services Digital Network

#### IPC

Interconnection Purchasing Center

#### L

#### LAN

Local Area Network

#### LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

#### LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

#### Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

#### LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

#### LEC

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

#### LERG

Local Exchange Routing Guide

# **LESOG**

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

#### **LFACS**

Loop Facilities Assessment and Control System

#### LIDB

Line Information Database

#### LISC

Local Interconnection Service Center - The center that issues trunk orders.

#### LMOS

Loop Maintenance Operations System - A BellSouth Operations System that stores the assignment and selected account information for use by downstream OSS and BellSouth personnel during provisioning and maintenance activities.

#### LMOS HOST

LMOS host computer

#### LMOSupd

LMOS updates

#### LMU

Loop Make-up

#### LMUS

Loop Make-up Service Inquiry

#### LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

#### Loops

Transmission paths from the central office to the customer premises.

#### LRN

Location Routing Number

#### LSR

Local Service Request - A request for local resale service or unbundled network elements from a CLEC.

# M

#### Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

#### **MARCH**

BellSouth Operations System which accepts service orders, interprets the coding contained in the service order image, and constructs the specific switching system Recent Change command messages for input into end office switches.

## Ν

#### **NBR**

New Business Request

#### NC

"No Circuits" - All circuits busy announcement.

#### NIW

Network Information Warehouse

#### **NMLI**

Native Mode LAN Interconnection

## NPA

Numbering Plan Area

#### NXX

The "exchange" portion of a telephone number.

## 0

# OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

## **OASISBSN**

OASIS software contract for feature/service

## OASISCAR

OASIS software contract for feature/service

#### **OASISLPC**

OASIS software contract for feature/service

#### **OASISMTN**

OASIS software contract for feature/service

#### **OASISNET**

OASIS software contract for feature/service

#### OASISOCP

OASIS software contract for feature/service

#### **ORDERING**

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

#### **OSPCM**

Outside Plant Contract Management System - Provides Scheduling Information.

#### OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and application which is used to provide the support functions.

#### **Out Of Service**

Customer has no dial tone and cannot call out.

# P

#### **PMAP**

Performance Measurement Analysis Platform

#### PMOAP

Performance Measurement Quality Assurance Plan

# PON

Purchase Order Number

#### **POTS**

Plain Old Telephone Service

#### PREDICTOR

The BellSouth Operations system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups (e.g. RRC & BRC) to Mechanized Loop Testing and switching system I/O ports, and provide certain information regarding the attributes and capabilities of outside plant facilities.

#### **Preordering**

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

#### **PRI**

Primary Rate ISDN

#### **Provisioning**

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

# **PSIMS**

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

#### **PSIMSORB**

PSIMS software contract for feature/service.

#### QR

#### **RNS**

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

#### ROS

Regional Ordering System

#### RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

#### RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

#### RSAGADDR

RSAG software contract for address search.

#### **RSAGTN**

RSAG software contract for telephone number search.

# S

#### SAC

Service Advocacy Center

#### SEEM

Self Effectuating Enforcement Mechanism

## **SOCS**

Service Order Control System - The BellSouth Operations System which routes service order images among BellSouth drop points and BellSouth Operations Systems during the service provisioning process.

#### **SOG**

Service Order Generator - Telcordia product designed to generate a service order for xDSL.

#### SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

## **SONGS**

Service Order Negotiation and Generation System.

# Т

#### **TAFI**

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

#### **TAG**

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

#### TN

Telephone Number

#### **Total Manual Fallout**

The number of LSRs which are entered electronically but require manual entering into a service order generator.

# UV

#### UNE

Unbundled Network Element

#### **UCL**

Unbundled Copper Link

#### **USOC**

Universal Service Order Code

# WXYZ

#### WATS

Wide Area Telephone Service

#### WFA

Work Force Administration

#### WMC

Work Management Center

## WTN

Working Telephone Number.

# **Appendix C:** Appendix C: BellSouth Audit Policy

BellSouth currently provides many CLECs with certain audit rights as a part of their individual interconnection agreements. However, it is not reasonable for BellSouth to undergo an audit of the SQM for every CLEC with which it has a contract. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the aggregate level reports for both BellSouth and the CLEC(s) each of the next five (5) years (2001-2005) to be conducted by an independent third party. The results of that audit will be made available to all the parties subject to proper safeguards to protect proprietary information. This aggregate level audit includes the following specifications:

- 1. The cost shall be borne 50% by BellSouth and 50% by the CLEC or CLECs.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLEC(s) shall jointly determine the scope of the audit.

BellSouth reserves the right to make changes to this audit policy as growth and changes in the industry dictate.

# **Attachment 10**

# **BellSouth Disaster Recovery Plan**

CON	TENT	<u>S</u>		PAGE			
1.0	D			2			
1.0	Purpose						
2.0	e						
3.0	Identifying the Problem						
	3.1	Site Co	ontrol	3			
	3.2	Enviro	nmental Concerns	4			
4.0	The Emergency Control Center (ECC)						
5.0	Recovery Procedures						
	5.1	CLEC (	Outage	5			
	5.2	BellSou	uth Outage	5			
		5.2.1	Loss of Central Office	6			
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6			
		5.2.3	Loss of a Central Office with Tandem Functions	6			
		5.2.4	Loss of a Facility Hub	6			
	5.3 Combined Outage (CLEC and BellSouth Equipment)			7			
6.0	T1 Identification Procedures						
7.0	Acronyms						

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

# 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

# 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

# 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

# **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

# 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

# **5.2.2** Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

## 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

# 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

# **5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)**

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

# 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

# 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

# **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

# **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# **Attachment 11**

**Bona Fide Request and New Business Requests Process** 

Version 2Q02: 05/31/02

# BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that 1-800-RECONEX, Inc. is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. 1-800-RECONEX, Inc. also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.
- 2.0 Bona Fide Requests ("BFR") are to be used when 1-800-RECONEX, Inc. makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when 1-800-RECONEX, Inc. makes a request of BellSouth to provide a new or custom capability or function to meet 1-800-RECONEX, Inc.'s business needs that was not previously included in the Agreement.
- A BFR or a NBR shall be submitted in writing by 1-800-RECONEX, Inc. and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a 1-800-RECONEX, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to 1-800-RECONEX, Inc.'s Local Contract Manager.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from 1-800-RECONEX, Inc., BellSouth shall respond to 1-800-RECONEX, Inc. by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection or Network Element or is otherwise not required to be provided under the Act. However, if the preliminary analysis is determined to be of such complexity that it causes BellSouth to expend inordinate resources, a fee will be levied upon 1-800-RECONEX, Inc. and collected prior to the beginning of the preliminary analysis and the thirty (30) business days will

begin upon receipt of the fee. In addition to the preliminary analysis, an explanation of the fee will be provided.

- 1-800-RECONEX, Inc. may cancel a BFR or NBR at any time. If 1-800-RECONEX, Inc. cancels the request more than three (3) business days after submitting it, 1-800-RECONEX, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If 1-800-RECONEX, Inc. does not cancel a BFR or NBR, 1-800-RECONEX, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan for BFRs within thirty (30) business days of 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis. BellSouth shall propose a firm price and a detailed implementation plan for NBRs within sixty (60) business days of 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis.
- 7.0 If 1-800-RECONEX, Inc. accepts the preliminary analysis, BellSouth shall proceed with 1-800-RECONEX, Inc.'s BFR or NBR, and 1-800-RECONEX, Inc. agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR or NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If 1-800-RECONEX, Inc. cancels a BFR or NBR after BellSouth has received 1-800-RECONEX, Inc.'s acceptance of the preliminary analysis, 1-800-RECONEX, Inc. agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with 1-800-RECONEX, Inc.'s BFR or NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 If 1-800-RECONEX, Inc. believes that BellSouth's firm price quote is not consistent with the requirements of the Act, 1-800-RECONEX, Inc. may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless 1-800-RECONEX, Inc. agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.

- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.
- Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.