# BELLSOUTH® / CLEC Agreement

# Customer Name: Momentum Business Solutions, Inc.

Momentum Business Solutions - Renegotiation	2
table of contents	3
general terms and conditions	5
attachment 1	28
Att 1 - Resale Discounts and Rates	53
attachment 2	55
attachment 2 rates	127
attachment 3	479
Attachment 3 - Local Interconnection Rates	509
attachment 4 pc	518
attachment 4 rs	561
Attachment 4 - Collocation Rates	600
attachment 5	635
Attachment 5 - Svc Prov Num Portability Rates	642
attachment 6	651
attachment 7	658
Attachment 7 - ODUF/ADUF/CMDS Rates	673
attachment 8	682
attachment 9	684
attachment 10	686
attachment 11	695
Momentum Business Solutions, Inc.	700
Momentum Business Solutions - port amendment	745
Momentum Business - port/loop combo usoc amendment	780
Remote Call Forwarding language	786

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

# INTERCONNECTION AGREEMENT BETWEEN BELLSOUTH TELECOMMUNICATIONS INC. AND

Momentum Business Solutions, Inc.

# TABLE OF CONTENTS

#### **General Terms and Conditions**

#### **Definitions**

- 1. Introduction
- 2. CLEC Certification
- 3. Term of the Agreement
- 4. Operational Support Systems
- 5. Parity
- 6. White Pages Listings
- 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 8. Liability and Indemnification
- 9. Intellectual Property Rights and Indemnification
- 10. Proprietary and Confidential Information
- 11. Resolution of Disputes
- 12. Taxes
- 13. Force Majeure
- 14. Adoption of Agreements
- 15. Modification of Agreement
- 16. Non-waiver of Legal Rights
- 17. Indivisibility
- 18. Waivers
- 19. Governing Law
- 20. Arm's Length Negotiations
- 21. Notices
- 22. Rule of Construction
- 23. Headings of No Force or Effect
- 24. Multiple Counterparts
- 25. Implementation of Agreement
- 26. Filing of Agreement
- 27. Compliance with Applicable Law
- 28. Necessary Approvals
- 29. Good Faith Performance
- 30. Nonexclusive Dealings
- 31. Rate True-Up
- 32. Survival
- 33. Establishment of Service
- 34. Entire Agreement

Version 4Q01: 12/01/01

# **TABLE OF CONTENTS (cont'd)**

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering and Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

Version 4Q01: 12/01/01

# AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Momentum Business Solutions, Inc. (hereinafter "Momentum") a Delaware corporation, and shall be deemed effective 30 calendar days following the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Momentum or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, Momentum is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

**WHEREAS**, Momentum wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize Collocation Space or space available pursuant to Adjacent Arrangement (all as defined in Attachment 4 of this Agreement); and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Momentum agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communication Commission.

**General Terms and Conditions** means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996** ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. INTRODUCTION

- This Agreement sets forth the terms, conditions and prices under which BellSouth agrees to provide Momentum (a) services for Resale (hereinafter referred to as Resale Services), (b) unbundled Network Elements and UNE-P (hereinafter "Network Elements"), (c) Interconnection, (d) Collocation, and (e) all other features and arrangements described in this Agreement
- 1.2 BellSouth and Momentum may fulfill the requirements imposed upon them by this Agreement by themselves or may cause their agents to take action to fulfill such responsibilities.

#### 2. CLEC Certification

- 2.1 Momentum agrees to provide BellSouth in writing the certificate number or docket number, for the docket pending certification, for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate commission for approval.
- Additionally, Momentum will notify BellSouth in writing when it becomes certified or has a docket pending certification to operate in any other state in the BellSouth region. Upon notification, BellSouth will file this Agreement with the appropriate commission for approval.

# 3. Term of the Agreement

- 3.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.
- 3.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement").
- 3.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 3.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 3.4 If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 3.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in Subsequent Agreement.

# 4. Operational Support Systems

Bellsouth shall provide Momentum with nondiscriminatory access to BellSouth's Operational Support Systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing of Resale Services and unbundled Network Elements, pursuant to the terms and conditions of Attachment 6, and consistent with the Act, including Sections 251, all applicable FCC and State Commission Requirements. Momentum shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

# 5. Parity

The services and service provisioning that BellSouth provides Momentum for resale will be at least equal in quality to that provided to BellSouth, or any BellSouth subsidiary, affiliate or end user. In connection with resale, BellSouth will provide Momentum with pre-ordering, ordering, maintenance and trouble reporting, and daily usage data functionality that will enable Momentum to provide

equivalent or higher levels of customer service to their local exchange customers as BellSouth provides to its own end users.

5.2 BellSouth shall also provide Momentum with unbundled network elements, including UNE-P, and access to those elements at just, reasonable and nondiscriminatory rates, terms and conditions. The quality of an unbundled network element, as well as the quality of the access to such unbundled network element, that BellSouth provides to Momentum shall be at least equal in quality and price to that which BellSouth provides to itself or to any BellSouth subsidiary, affiliate or other CLEC. The terms and conditions pursuant to which BellSouth provides access to unbundled network elements, including but not limited to the time within which BellSouth provisions such access to unbundled network elements, shall, at a minimum, be no less favorable to Momentum than the terms and conditions under which BellSouth provisions such elements to itself. Consistent with all applicable rules and regulations, BellSouth shall provide Momentum with pre-ordering, ordering, provisioning, maintenance and repair, and billing functionality at least equal to that which BellSouth provides for its own retail services.

# 6. White Pages Listings

- 6.1 BellSouth shall provide Momentum and their customers access to white pages directory listings under the following terms:
- 6.2 <u>Listings</u>. Momentum shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Momentum residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Momentum and BellSouth subscribers.
- 6.2.1 <u>Rates.</u> So long as Momentum provides subscriber listing information to BellSouth in accordance with Section 6.3 below, BellSouth shall provide one (1) primary White Pages listing per subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariff's.
- Procedures for Submitting Momentum Subscriber Information are found in The BellSouth Business Rules for Local Ordering.
- Notwithstanding any provision(s) to the contrary, Momentum shall provide to BellSouth, and BellSouth shall accept, Momentum's Subscriber Listing Information (SLI) relating to Momentum's customers in the geographic area(s) covered by this Interconnection Agreement. Momentum authorizes BellSouth to release all such Momentum SLI provided to BellSouth by Momentum to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such Momentum SLI

shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain Commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the Commission of such state has approved modifications to such tariff.

- Momentum SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Momentum's SLI, or costs on an ongoing basis to administer the release of Momentum SLI, Momentum shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Momentum's SLI, Momentum will be notified. If Momentum does not wish to pay its proportionate share of these reasonable costs, Momentum may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Momentum may amend its interconnection agreement accordingly. Such amendment would become effective at such time that both Parties have signed, and Momentum will be liable for all costs incurred up to that time.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Momentum under this Agreement. To the extent arising out Momentum's negligence or willful misconduct, Momentum shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Momentum listings or use of the SLI provided pursuant to this Agreement. BellSouth shall forward to Momentum any complaints received by BellSouth relating to the accuracy or quality of Momentum listings.
- 6.7 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 6.8 Unlisted/Non-Published Subscribers. Momentum will be required to provide to BellSouth the names, addresses and telephone numbers of all Momentum customers who wish to be omitted from directories. Unlisted/Non-Published Subscriber listings will be offered at tariff rates as set forth in the GSST.
- 6.9 Inclusion of Momentum Customers in Directory Assistance Database. BellSouth will include and maintain Momentum subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Momentum shall provide such

Directory Assistance listings at no recurring charge. BellSouth and Momentum will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

- 6.10 <u>Listing Information Confidentiality</u>. BellSouth will accord Momentum's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Momentum's customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.
- 6.11 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 6.12 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to Momentum subscribers at no charge.

# 7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Momentum, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Momentum end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Momentum end users for the same length of time it maintains such information for its own end users.
- 5.2 Subpoenas Directed to Momentum. Where BellSouth is providing to Momentum telecommunications services for resale or providing to Momentum the local switching function, then Momentum agrees that in those cases where Momentum receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Momentum end users, and where Momentum does not have the requested information, Momentum will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.
- 7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

# 8. Liability and Indemnification

- 8.1 <u>BellSouth Liability.</u> BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible Momentum revenues.
- 8.2 <u>Momentum Liability</u>. In the event that Momentum consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Momentum under this Agreement.
- 8.3 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to Momentum for any act or omission of another telecommunications company providing services to Momentum.

#### 8.4 Limitation of Liability

With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Momentum, any Momentum customer or by any other person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this subsection, BellSouth's liability shall be limited to an amount equal to the proportionate credit for the actual cost of service provided or improperly provided pursuant to this Agreement for the period during which the service was affected. With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth customer or by any other person or entity, for damages associated with any of the services provided by Momentum pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this subsection, Momentum's liability shall be limited to an amount equal to the proportionate credit for the actual cost of service provided or improperly provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages by Momentum, any Momentum customer or any other person or entity resulting from the gross negligence or willful misconduct of BellSouth or claims for damages by Momentum resulting from the failure of BellSouth to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability. Likewise, claims for damages by BellSouth, any BellSouth customer or any other person or entity resulting from the gross negligence or willful misconduct of Momentum and claims for damages by BellSouth resulting from the failure of Momentum to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability.

- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 8.4.2 Neither BellSouth nor Momentum shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 8.4.3 Except in the case of gross negligence or intentional misconduct, under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 8.4.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- 8.5 <u>Indemnification for Certain Claims</u>. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or

obligations arising out of this Agreement. Notwithstanding the foregoing, to the extent a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party, the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder.

8.6 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

# 9. Intellectual Property Rights and Indemnification

- 9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. BellSouth is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any "Momentum" name, service mark or trademark (collectively, the "Momentum Marks"). Likewise, Momentum is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any "BellSouth" name, service mark or trademark (collectively, the "BellSouth Marks"). Either party may reference the name of the other party in response to Customers' or potential Customers' inquiry regarding the source of the underlying service, or the identity of repair or service technicians under this Agreement. Further, either party may reference the name of the other party in comparative advertising so long as the reference is truthful and factual, does not relate to the source of the underlying service and does not imply any agency relationship, partnership, endorsement, sponsorship or affiliation by or with the other. Neither party may represent that it offers the same service as the other party. Neither party may engage in practices that may result in a likelihood of confusion.
- Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment

(including software), to receive any service, or to perform its respective obligations under this Agreement.

- <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will 9.3 defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 preceding. Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party (the "Indemnified Party") shall promptly give written notice to the other Party (the "Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable requests for assistance or Information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party.
- 9.4 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 9.4.2 obtain a license sufficient to allow such use to continue.
- 9.4.3 In the event Section 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would

necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 9.6 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 9.7 <u>Dispute Resolution.</u> Any claim arising under this Section 9 shall be excluded from the dispute resolution procedures set forth in Section 11 and shall be brought in a court of competent jurisdiction.

# 10. Proprietary and Confidential Information

- 10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Momentum, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 10.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 10.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 10.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 10.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement

and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.

- 10.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 10.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application that is now or may hereafter be owned by the Discloser.
- 10.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.
- 10.8 Assignments. Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Momentum, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

# 11. Resolution of Disputes

Except as otherwise provide herein, any dispute, controversy or claim (individually and collectively, a "Dispute") arising under this Agreement shall be resolved in accordance with the procedures set forth in this Section. In the event of a Dispute between the Parties relating to this Agreement, and upon the written request of either Party, each of the Parties shall appoint within ten (10) calendar days after a Party's receipt of such request, a designated representative who has authority to settle the Dispute and negotiate in good faith in an effort to resolve such Dispute. The specific format for such discussions will be left to the discretion of the designated representatives; however, all reasonable requests for relevant

information made by one Party to the other Party shall be honored. If the Parties are unable to resolve issues related to a Dispute within thirty (30) days after a Party's request is made for appointment of designated representatives as set forth above, either Party may petition the appropriate state regulatory agency, the FCC. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement. Notwithstanding the foregoing, in no event shall the Parties permit the pendency of a valid, good faith Dispute to disrupt service to any Momentum or BellSouth End User, unless such service is damaging or interfering with customer services or network operations.

#### 12. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 12.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 12.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 12.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 12.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 12.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 12.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 12.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>
- 12.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any

such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

- 12.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 12.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 12.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 12.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

# 13. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire,

flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

### 14. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Momentum any interconnection, service, or Network Element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

# 15. Modification of Agreement

- 15.1 If Momentum changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Momentum to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Momentum or BellSouth to perform any material terms of this Agreement, Momentum or BellSouth may, upon written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

#### 16. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

### 17. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of Collocation Space (or space pursuant to Adjacent Arrangement) under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of Collocation Space (or space pursuant to Adjacent Arrangement) if the covenants and promises of the other Party with respect to the other services provided for under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recoupable against other payment obligations under this Agreement.

#### 18. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 19. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

#### 20. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

#### 21. Notices

21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

#### **Momentum Business Solutions, Inc.**

Alan Creighton, CEO 2090 Columbiana Road, Suite 3000 Birmingham, Alabama 35216

and

Vice President, Legal and Regulatory 2090 Columbiana Road, Suite 3000 Birmingham, Alabama 35216

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 21.3 Notwithstanding the foregoing, BellSouth may provide Momentum notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 22. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 23. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

# 24. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

# 25. Implementation of Agreement

If Momentum is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets.

#### 26. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Momentum shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Momentum. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Momentum is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 27. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

#### 28. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property

owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### 29. Good Faith Performance

In the performance of their obligations under this Agreement, the Parties shall act in good faith and consistently with the intent of the Act. Where notice, approval, or similar action by a Party is permitted or required by any provision of this Agreement, (including, without limitation, the obligation of the Parties to further negotiate the resolution of new or open issues under this Agreement) such action shall not be unreasonable delayed, withheld, or conditioned.

## **30.** Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Momentum as a requesting carrier under the Act).

# 31. Rate True-Up

- This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are interim or expressly subject to true-up under this Agreement.
- The interim prices for Network Elements and Other Services and Network Interconnection shall be subject to true-up according to the following procedures:
- 31.3 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement.
- The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the

Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Momentum specifically or upon all carriers generally, such as a generic cost proceeding.

#### 32. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 33. Establishment of Service

If BellSouth is informed that an unauthorized change in local service to Momentum has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Momentum as the CLEC initiating the alleged unauthorized change, the appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and Momentum.

# 34. Entire Agreement

- This Agreement means the General Terms and Conditions and the Attachments identified in Section 34.2 below, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- 34.2 This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

**Network Interconnection** 

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

Billing and Billing Accuracy Certification

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

34.3 The following services are included as options for purchase by Momentum pursuant to the terms and conditions set forth in this Agreement. Momentum may elect to purchase said services by written request to its Account Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

General Terms	and	Conditions
		Page 23

**Momentum Business Solutions, Inc.** 

President & CEO

April 12, 2002

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

# By: Signature on file Name: Gregory R. Follensbee Name: Alan L. Creighton

Title:

Date:

Version 4Q01:12/01/01

Title:

Date:

**BellSouth Telecommunications, Inc.** 

Senior Director

May 13, 2002

Attachment	1
Page	1

# **Attachment 1**

Resale

# **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to Momentum	8
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Line Information Database (LIDB)	14
10.	RAO Hosting	14
11.	Optional Daily Usage File (ODUF)	14
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	ale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Opt	tional Daily Usage File (ODUF)	Exhibit C
Enl	nanced Option Daily Usage File (EODUF)	Exhibit D
Res	ale Discounts and Rates	Exhibit E

#### **RESALE**

#### 1. Discount Rates

- 1.1 Momentum may purchase all retail Telecommunications Services provided by BellSouth. The discount rates applied to Momentum purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by Momentum for the purposes of resale to Momentum's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Momentum, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

- All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Momentum for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When Momentum provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if Momentum provides its own operator services and directory services, the discount shall be 21.56%. Momentum must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.
- 3.2 Momentum may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 Momentum must resell services to other End Users.
- 3.2.2 Momentum cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 Momentum will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Momentum for said services.
- Momentum will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Momentum. Either party will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Momentum. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 When a subscriber of Momentum or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and Momentum will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Momentum to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to Momentum, BellSouth will provide Momentum with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Momentum acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Momentum acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Momentum shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Momentum to designate up to 100 intermediate telephone numbers per CLLIC, for Momentum's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Momentum acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a a sufficient quantity of Momentum's reasonable need in that particular CLLIC.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service may be discontinued if any proper court of law holds that the service being used is in violation of the law.

- 3.11 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Momentum's End Users, pursuant to Section 7 of the General Terms and Conditions.
- 3.12 If Momentum or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Momentum has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to Momentum remain the property of BellSouth.
- 3.14 White page directory listings for Momentum End Users will be provided in accordance with Section 6 of the General Terms and Conditions.
- 3.15 Service Ordering and Operational Support Systems (OSS)
- 3.15.1 Momentum must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which Momentum may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.15.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.15.3 <u>Denial/Restoral OSS Charge.</u> In the event Momentum provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.15.4 Cancellation OSS Charge. Momentum will incur an OSS charge for an accepted LSR that is later canceled.
- 3.15.5 Threshold Billing Plan. Momentum will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentage of 90% in the year 2001. The threshold plan will be discontinued in 2002.
- 3.15.5.1 BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that

quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs for the following quarter will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

- 3.16 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.17 BellSouth shall provide branding for, or shall unbrand, voice mail services for Momentum per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.18 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
  - 3.19 In the event Momentum acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Momentum that Special Assembly at the wholesale discount at Momentum's option.

    Momentum shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.20 BellSouth shall provide 911/E911 for Momentum customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Momentum customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Momentum customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.21 BellSouth shall bill, and Momentum shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.22 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Momentum, and Momentum shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4. BellSouth's Provision of Services to Momentum

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Momentum to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Momentum shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Momentum for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 Momentum may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If Momentum cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Momentum or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 Momentum accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Momentum will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Momentum shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill Momentum for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact Momentum's End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, Momentum will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Momentum's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 6.1.2 Momentum shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Momentum will have End User authorization prior to viewing the End User's customer service record or switching the End User's service.

  BellSouth will not require End User confirmation prior to establishing service for Momentum's End User customer. Momentum must, however, be able to demonstrate End User authorization upon request.
- 6.1.3 BellSouth will accept a request directly from the End User for conversion of the End User's service from Momentum to BellSouth or will accept a request from

another CLEC for conversion of the End User's service from Momentum to such other CLEC. Upon completion of the conversion BellSouth will notify Momentum that such conversion has been completed.

### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to Momentum's End User on behalf of, and at the request of, Momentum. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Momentum.
- 7.1.2 At the request of Momentum, BellSouth will disconnect a Momentum End User customer.
- 7.1.3 All requests by Momentum for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 Momentum will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Momentum when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Momentum and/or the End User against any claim, loss or damage arising from providing this information to Momentum. It is the responsibility of Momentum to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

# 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.2 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls
- 8.2.2 Process 0+ and 0- intraLATA toll calls.

8.2.3 Process calls that are billed to Momentum end user's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 8.2.9 Process emergency call trace originated by Public Safety Answering Points. 8.2.10 Process operator-assisted directory assistance calls. 8.2.11 Adhere to equal access requirements, providing Momentum local end users the same IXC access that BellSouth provides its own operator service. 8.2.12 Exercise at least the same level of fraud control in providing Operator Service to Momentum that BellSouth provides for its own operator service. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Momentum. 8.2.15 Provide call records to Momentum in accordance with ODUF standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. 8.3 Directory Assistance Service 8.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching. 8.3.2 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Momentum's end user. BellSouth shall provide calleroptional directory assistance call completion service at rates contained in Exhibit E to one of the provided listings. **Directory Assistance Service Updates** 8.3.3

8.3.3.1 BellSouth shall update end user listings changes daily. These changes include: 8.3.3.1.1 New end user connections 8.3.3.1.2 End user disconnections 8.3.3.1.3 End user address changes 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies. 8.4 Branding for Operator Call Processing and Directory Assistance 8.4.1 BellSouth's branding feature provides a definable announcement to Momentum end users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Momentum's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in Exhibit E. 8.4.2 BellSouth offers three (3) service levels of branding to Momentum when ordering BellSouth's Directory Assistance and Operator Call Processing. 8.4.2.1 Service Level 1 - BellSouth Branding 8.4.2.2 Service Level 2 - Unbranding 8.4.2.3 Service Level 3 - Custom Branding 8.4.3 Where Momentum resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route Momentum's end user calls to that provider through Selective Carrier Routing. 8.4.4 **Branding Options** 8.4.4.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Momentum to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches. 8.4.4.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services. 8.4.4.3 Where available, Momentum specific and unique line class codes are programmed in each BellSouth end office switch were Momentum intends to service end users

with customized OCP/DA branding. The line class codes specifically identify Momentum's end users so OCP/DA calls can be routed over the appropriate trunk group to the request OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Momentum intends to provide Momentum-branded OCP/DA to its end users in these multiple rate areas.

- 8.4.4.4 BellSouth Branding is the Default Service Level.
- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Momentum to order dedicated trunking from each BellSouth end office identified by Momentum, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Momentum Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set for in applicable BellSouth Tariffs.
- 8.4.4.6 Unbranding-Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Momentum to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.4.7 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.8 In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Momentum shall not be required to purchase direct trunking.
- 8.4.4.9 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assitance, Momentum must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Momentum must submit a manual order form which requires, among other things, Momentum's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Momentum shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Momentum's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Momentum end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

8.4.4.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in Exhibit E of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Momentum applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Momentum shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in Exhibit E of this Attachment.

## 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to Momentum's Account Manager stating a requested activation date.

### 10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

# 11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

## 12. Enhanced Optional Daily Usage File (EODUF)

- The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)**

Type of Service		1	AL	FL		GA		KY		LA		MS		NC		SC		TN	
1	Type of Service		Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
	ndfathered	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Pron	vices (Note 1) notions - > 90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
3 Pron	$\frac{\text{s(Note 2)}}{\text{motions -} \le 90}$ $\text{s (Note 2)}$	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	line/Link Up	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11	Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Men	noryCall <sup>®</sup> Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mob	oile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
-	eral Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Non	-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	User Line Chg- nber Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	lic Telephone ess Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	de Wire Maint vice Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Applicable No																		
1.	Grandfathered				•														
2.	Where available for resale, <b>promotions</b> will be made available only to End Users who would have qualified for the promotion had it been provided by BellSouth directly.																		
3.	In Tennessee, long-term <b>promotions</b> (offered for more than ninety (90) days) may be obtained at one of the following rates:																		
	(a) the state	d tariff	rate, less t	he whol	esale disco	ount;													
	(b) the prom	notional	rate (the p	promotio	onal rate o	ffered b	y BellSou	th will 1	not be disc	ounted :	further by	the who	lesale disc	count ra	te)				
4.	Lifeline/Link V Sections A3 and	-	•		•				et the crite	ria that	BellSouth	current	ly applies	to subso	cribers of t	hese ser	rvices as se	et forth	in
5.	Some of BellSo	outh's lo	cal exchar	ge and	toll telecor	mmunic	cations ser	vices ar	e not avail	able in	certain cei	ntral off	ices and ar	reas.					

### LINE INFORMATION DATA BASE (LIDB)

### RESALE STORAGE AGREEMENT

### I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Momentum.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Momentum.

#### II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Momentum and pursuant to which BellSouth, its LIDB customers and Momentum shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Momentum's provision of billing number information to BellSouth for inclusion in

BellSouth's LIDB. Momentum understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Momentum, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Momentum's account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:
  - 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Momentum has identified the billing number as one that should not be billed for collect or third number calls.

### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Momentum of fraud alerts so that Momentum may take action it deems appropriate.

### III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by Momentum pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Momentum for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Momentum's data from BellSouth's data, the following shall apply:

- (1) Momentum will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Momentum's End User accounts which are resident in LIDB pursuant to this Agreement. Momentum authorizes BellSouth to place such charges on Momentum's bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.
- (2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- (3) Momentum shall have the responsibility to render a billing statement to its End Users for these charges, but Momentum shall pay BellSouth for the charges billed regardless of whether Momentum collects from Momentum's End Users.
- (4) BellSouth shall have no obligation to become involved in any disputes between Momentum and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Momentum. It shall be the responsibility of Momentum and the B&C Customers to negotiate and arrange for any appropriate adjustments.

### C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Momentum will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Momentum. BellSouth will not issue line-based calling cards in the name of Momentum's individual End Users. In the event that Momentum wants to include

calling card numbers assigned by Momentum in the BellSouth LIDB, a separate agreement is required.

### IV. Fees for Service and Taxes

- A. Momentum will not be charged a fee for storage services provided by BellSouth to Momentum, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Momentum in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

### **Optional Daily Usage File**

- 1. Upon written request from Momentum, BellSouth will provide the Optional Daily Usage File (ODUF) service to Momentum pursuant to the terms and conditions set forth in this section.
- 2. Momentum shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Momentum customer.
  - Charges for delivery of the Optional Daily Usage File will appear on Momentum's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 4. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 5. Messages that error in Momentum's billing system will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 <u>Usage To Be Transmitted</u>
- 6.1.1 The following messages recorded by BellSouth will be transmitted to Momentum:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll
  - WATS and 800 Service

- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Momentum.
- 6.1.4 In the event that Momentum detects a duplicate on Optional Daily Usage File they receive from BellSouth, Momentum will drop the duplicate message (Momentum will not return the duplicate to BellSouth).
- 6.2 Physical File Characteristics
- 6.2.1 The Optional Daily Usage File will be distributed to Momentum via an agreed medium with CONNECT:Direct being the preferred transport method. The ODUF feed will be a variable block format (2476) with an LRECL of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission. Where a dedicated line is required, Momentum will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Momentum will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Momentum. Additionally, all message toll charges associated with the use of the dial circuit by Momentum will be the responsibility of Momentum. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and

software, that is required on Momentum end for the purpose of data transmission will be the responsibility of Momentum.

## 6.3 <u>Packing Specifications</u>

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.

#### THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

# 6.4 <u>Pack Rejection</u>

Momentum will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Momentum will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Momentum by BellSouth.

### 6.5 Control Data

Momentum will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Momentum received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Momentum for reasons stated in the above section.

### 6.6 Testing

Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Momentum set up a production (LIVE) file. The live test may consist of Momentum's employees making test calls for the types of services Momentum requests on the Optional Daily Usage File. These test calls are logged by Momentum, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

### **Enhanced Optional Daily Usage File**

- 1. Upon written request from Momentum, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Momentum pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Momentum shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Momentum's monthly bills. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of Momentum will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the ODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Momentum:

Customer usage data for flat rated local call originating from Momentum's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Version 4Q01 12/01/01

**Conversation Time** 

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Momentum.
- 7.1.3 In the event that Momentum detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Momentum will drop the duplicate message (Momentum will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to Momentum over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Momentum's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Momentum for the purpose of data transmission. Where a dedicated line is required, Momentum will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Momentum will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Momentum. Additionally, all message toll charges associated with the use of the dial circuit by Momentum will be the responsibility of Momentum. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and

Version 4Q01 12/01/01

software, that is required on Momentum's end for the purpose of data transmission will be the responsibility of Momentum.

- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

# RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
APPLICABI	LE DISCOU	NTS								
RESIDENCE	E	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in	this row, the d	iscount for Busin	ess will be the applicab	le discount rate for	CSAs.					
<b>OPERATIO</b>	NAL SUPPO	ORT SYSTE	MS (OSS) RATES	}						
<u>ELEMENT</u>	<u>USOC</u>									
Electronic LSR	SOMEC	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50	\$3.50
Manual LSR	SOMAN	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99	\$19.99
ENHANCE	D OPTIONA	AL DAILY U	SAGE FILE (EO	DUF) RATES						
EODUF: Messag	ge Processing,									
per message		\$0.004	\$0.229109	\$0.0034555	\$0.235889	\$0.250015	\$0.250424	\$0.004	\$0.258301	\$0.004
ODED A TOE	CEDVICE	C (ODED AT)	OD CALL DDOC	ECCINC AND	DIDECTOR		ICE)			
OPERATOR	SERVICES	6 (OPERATO	OR CALL PROCE	255ING AND	DIKECTUR	I ASSISTAN	(CE)			
		G USING LINE	CLASS CODES (SCI	R-LCC)						
ELEMENT	<u>USOC</u>									
Nonrecurring Ch Per Unique LCC										
per Switch	, per Kequest,	\$230.60	\$84.33	\$180.62	\$229.65	\$82.25	\$227.99	\$229.65	\$226.22	\$179.80
Nonrecurring Di	sconnect									
Charge: Per Unio	que LCC, per									
Request, per Swi	tch	NA	\$11.46	NA	NA	NA	NA	NA	NA	NA
<b>CUSTOM B</b>	RANDING A	ANNOUNCE	MENT (CBA)							
DIRECTORY A	ASSISTANCE (	(DA) CBA via O	LNS SOFTWARE							
Recording of DA	CBA	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00	\$3,000.00
Loading of DA O DRAM Card/Sw		\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00	\$1,700.00

Version 1Q02: 3/22/02

# RESALE DISCOUNTS AND RATES

	ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
CUSTOM BRANDING	ANNOUNCE	CMENT (CBA) CO	ONT'd						
DIRECTORY ASSISTANCE (	(DA) UNBRAN	DING via OLNS SOF	TWARE						
Loading of DA per OCN (1 OCN per Order)	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00	\$420.00
Loading of DA per Switch, per OCN	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00	\$16.00
OPERATOR ASSISTANCE (C	OPERATOR ASSISTANCE (OA) CBA via OLNS SOFTWARE								
<u>ELEMENT</u>									
Recording of OA CBA	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00	\$7,000.00
Loading of OA CBA per shelf/ NAV per OCN	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00	\$500.00
Loading of DA CBA per DRAM Card/Switch per OCN	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00	\$1,170.00
OPERATOR ASSISTANCE (C	OA) UNBRAND	ING via OLNS SOFT	WARE						
Loading of OA per OCN - Regional	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00	\$1,200.00

# **Attachment 2**

**Network Elements and Other Services** 

Version 4Q01: 12/17/01

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	24
4	LOCAL SWITCHING	31
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	37
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	44
7 SCF	BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT REENING SERVICE	49
8	LINE INFORMATION DATABASE (LIDB)	
9	SIGNALING	52
10	OPERATOR SERVICE AND DIRECTORY ASSISTANCE	59
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	64
12	CALLING NAME (CNAM) DATABASE SERVICE	65
13 ADV	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) VANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	67
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	68
LII	OB Storage Agreement Exhibi	it A
Rat	esExhibi	t B

### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Momentum in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Momentum. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Momentum to purchase other Network Elements or services.
- For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Momentum used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of Momentum, and to the extent technically feasible, provide to Momentum access to its Network Elements for the provision of Momentum's telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 Momentum may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Momentum chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Momentum to the designated Momentum collocation space.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

### 1.6 Rates

- 1.6.1 The prices that Momentum shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Momentum purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.6.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.6.3 If Momentum modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Momentum in accordance with FCC No. 1 Tariff, Section 5.
- 1.6.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

## 2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to Momentum's collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then Momentum can use the Special Construction process to request that BellSouth place facilities in order to meet Momentum's loop requirements. Standard Loop intervals shall not apply to the Special Construction process.
- 2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.5 The Loop shall be provided to Momentum in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

- 2.1.6 Momentum may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Momentum has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Momentum shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Momentum using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

## 2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 Momentum will be responsible for testing and isolating troubles on the Loops. Momentum must test and isolate trouble to the BellSouth portion of a designed unbundled loop (e.g., UVL-SL2, UCL-D, etc.) before reporting repair to the UNE Center. At the time of the trouble report, Momentum will be required to provide the results of the Momentum test which indicate a problem on the BellSouth provided loop.
- Once Momentum has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If Momentum reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge Momentum for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status. If Momentum reports trouble on a designed loop and no trouble is found, BellSouth will charge Momentum for any dispatch and testing outside the central office.

## 2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Momentum to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Momentum's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Momentum to order a specific time for OC to take place. BellSouth will make every effort to accommodate Momentum's specific conversion time request. However, BellSouth reserves the right to negotiate with Momentum a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Momentum may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Momentum specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

## 2.1.10 **CLEC to CLEC Conversions for Unbundled Loops**

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by Momentum when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in Momentum's Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to Momentum pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Momentum must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.2 <u>Unbundled Voice Loops (UVLs)</u>

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Momentum will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Momentum. Momentum may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Momentum may request further testing on UVL-SL1 loops. Loop Testing is available for new and reuse of BellSouth facilities. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Momentum. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Momentum to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible) 2.3.2.3 2-wire Unbundled ADSL Compatible Loop 2.3.2.4 2-wire Unbundled HDSL Compatible Loop 2.3.2.5 4-wire Unbundled HDSL Compatible Loop 2.3.2.6 4-wire Unbundled DS1 Digital Loop 2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below 2.3.2.8 DS3 Loop 2.3.2.9 STS-1 Loop 2.3.2.10 OC3 Loop 2.3.2.11 OC12 Loop 2.3.2.12 OC48 Loop 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Momentum will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service. 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600. 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL. 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and

a DLR.

- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.
- 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 155.52 Mbps; OC12 622.08 Mbps; and OC-48 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

## 2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

## 2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions Short and Long.
- 2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC is required on UCLs where a reuse of existing facilities has been requested by Momentum.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by Momentum to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

Version 4Q01: 12/17/01

### 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Momentum can request Loop Make Up for which additional charges would apply.
- 2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Momentum may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Momentum to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.
- 2.4.3.6 Momentum may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

## 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

- 2.5.2 BellSouth shall condition Loops, as requested by Momentum, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, Momentum will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Momentum can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Momentum will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where Momentum has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.
- 2.5.6 Momentum shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Momentum desires BellSouth to condition.

## 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where Momentum has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Momentum. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Momentum (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Momentum will then have the option of paying the one-time SC rates to place the loop.

# 2.7 <u>Network Interface Device (NID)</u>

- 2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.1.1 BellSouth shall permit Momentum to connect Momentum's Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

### 2.7.2 Access to NID

- 2.7.2.1 Momentum may access the end user's customer-premises wiring by any of the following means and Momentum shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.2.1.1 1) BellSouth shall allow Momentum to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.2.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.2.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.2.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2.7.2.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Momentum's responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.2.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.2.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.2.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Momentum to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.3 Technical Requirements
- 2.7.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.3.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Momentum's NID.
- 2.7.3.3 Existing BellSouth NIDS will be provided in "as is" condition. Momentum may request BellSouth do additional work to the NID on a time and material basis. When Momentum deploys its own local loops with respect to multiple-line termination devices, Momentum shall specify the quantity of NIDs connections that it requires within such device.
- 2.8 **Sub-loop Elements**
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.
- 2.8.2 <u>Unbundled Sub-Loop Distribution</u>

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.4 If Momentum requests a UCSL and it is not available, Momentum may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.5 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.
- 2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Momentum's use on this cross-connect panel. Momentum will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Momentum shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Momentum's

cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Momentum is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Momentum's request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate Momentum's request for Unbundled Sub-Loops, Momentum may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Momentum will have the option to proceed under the SC process to modify the BellSouth facilities.
- 2.8.2.9 The site set-up must be completed before Momentum can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Momentum's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.10 Once the site set-up is complete, Momentum will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Momentum requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Momentum for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

### 2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which, in multi-subscriber configurations, represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the end-users premises. BellSouth will not provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third

party owns the wiring to the end-user's premises or where the property owner will not allow BellSouth to place its facilities to the end user.

### 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.4 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.6 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

- 2.8.3.3.7 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.9.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.9.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

### 2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-

box. This element will allow for the connection of Momentum's loop distribution elements onto BellSouth's feeder system.

#### 2.8.4.5 Requirements

- 2.8.4.5.1 Momentum will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to Momentum. Momentum will then have the option of paying the special construction charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with that SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a Design Layout Record (DLR) for this network element.
- 2.8.4.7.3 Rates. Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.
- 2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

### 2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to Momentum Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
  BellSouth loops to be concentrated onto two or more DS1s. The high-speed
  connection from the concentrator will be at the electrical DS1 level and will
  connect to Momentum at Momentum's collocation site. System B will allow up to
  192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be
  upgraded to a System B. A minimum of two DS1s is required for each system
  (i.e., System A requires two DS1s and System B would require an additional two
  DS1s or four in total). All DS1 interfaces will terminate to Momentum's
  collocation space. ULC service is offered with concentration (2 DS1s for 96
  channels) or without concentration (4 DS1s for 96 channels) and with or without
  protection. A Loop Interface element will be required for each loop that is
  terminated onto the ULC system.

### 2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, Momentum may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Momentum's sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Momentum's sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Momentum's demarcation point associated with Momentum's collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 Momentum is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow Momentum's sub-loops to be placed on the USLC and transported to Momentum's collocation space at a DS1 level.

### 2.8.7 **Dark Fiber Loop**

- 2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Momentum to utilize Dark Fiber Loops.
- 2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with Momentum's collocation space in the end user's serving wire center.
- 2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 2.8.7.4 Requirements
- 2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Momentum's request subject to time and materials charges.
- 2.8.7.4.3 Momentum is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to Momentum information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Momentum.
- 2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Momentum within twenty (20) business days after Momentum submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Momentum to connect or splice

Momentum provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

### 2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to Momentum (LMU) information so that Momentum can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Momentum intends to install and the services Momentum wishes to provide. This section addresses LMU as a preordering transaction, distinct from Momentum ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.
- 2.9.1.2 BellSouth will provide Momentum LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Momentum as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 Momentum may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by Momentum and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Momentum's ability to provide advanced data services over the ordered loop type. Further, if Momentum orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Momentum is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

### 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

2.9.2.1 Momentum may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted

through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Momentum needs further loop information in order to determine loop service capability, Momentum may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

## 2.9.3 <u>Loop Reservations</u>

- 2.9.3.1 For a Mechanized LMUSI, Momentum may reserve up to ten Loop facilities. For a Manual LMUSI, Momentum may reserve up to three Loop facilities.
- 2.9.3.2 Momentum may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Momentum. During and prior to Momentum placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Momentum does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

#### 2.9.4 Ordering of Other UNE Services

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Momentum will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Momentum does not reserve facilities upon an initial LMUSI, Momentum's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where Momentum has reserved multiple Loop facilities on a single reservation, Momentum may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Momentum, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Momentum. If the ordered Loop type is not available, Momentum may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

### 3 High Frequency Spectrum Network Element

#### 3.1 General

- 3.1.1 BellSouth shall provide Momentum access to the high frequency spectrum of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Momentum the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service to the extent the End User Chooses BellSouth's voice service. Momentum shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to Momentum on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If Momentum requests that BellSouth modify a Loop longer than 18,000 ft. and such modification significantly degrades the voice services on the Loop, Momentum shall pay for the Loop to be restored to its original state.

### 3.2 Provisioning of High Frequency Spectrum and Splitter Space

3.2.1 BellSouth will provide Momentum with access to the High Frequency Spectrum as follows:

- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, Momentum must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop.
- 3.2.1.2 Momentum may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty six (36) calendar days of Momentum's submission of an error free Line Splitter Ordering Document ("LSOD") to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of Momentum in a central office in which Momentum is located, Momentum shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Momentum shall pay the electronic or manual ordering charges as applicable when Momentum orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Momentum access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Momentum's xDSL equipment in Momentum's collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Momentum with a carrier notification letter, informing Momentum of change. Momentum shall purchase ports on the splitter in increments of 8 or 24 ports.
- 3.2.1.5 BellSouth will install the splitter in (i) a common area close to Momentum's collocation area, if possible; or (ii) in a BellSouth relay rack as close to Momentum's DS0 termination point as possible. Momentum shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Momentum on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Momentum DS0 at such time that a Momentum end user's service is established.
- 3.2.1.6 Momentum may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. Momentum may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply.
- 3.2.1.7 Any splitters installed by Momentum in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Momentum may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.2.1.8 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and desires to continue providing xDSL service on such Loop, shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give notice in a reasonable time prior to disconnect, which notice shall give an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and purchases the full stand-alone Loop, may elect the type of loop it will purchase. will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event purchases a voice grade Loop, acknowledges that such Loop may not remain xDSL compatible.

### 3.2.2 **Ordering**

- 3.2.2.1 Momentum shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.2.2.2 BellSouth will provide Momentum the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.
- 3.2.2.2.1 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.2.2.2.2 BellSouth will provide Momentum access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Momentum shall pay the rates for such services, as described in Exhibit B.
- 3.2.2.2.3 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Momentum's data.

### 3.2.3 **Maintenance and Repair**

3.2.3.1 Momentum shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. If is using a BellSouth owned splitter, Momentum may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Momentum will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.3.3 Momentum shall inform its end users to direct data problems to Momentum, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.3.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to Momentum, BellSouth will notify Momentum. Momentum will provide no more than two (2) verbal connecting facility assignments (CFA) pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, Momentum will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue Momentum's access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

# 3.2.4 **Line Splitting**.

### **3.2.4.1 General**

- 3.2.4.2 Line Splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. Momentum shall provide BellSouth with a signed Letter of Authorization ("LOA") between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services.
- 3.2.4.3 The splitter may be provided by the Data LEC, Voice CLEC or BellSouth. When Momentum or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the network interface device (NID) at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the network interface device (NID) at the end user's

location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.2.4.4 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.2.4.5 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by Momentum or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port and two collocation cross connects. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.
- 3.2.4.6 When end users using High Frequency Spectrum CO Based line sharing service convert to Line Splitting, BellSouth will discontinue billing for the upper spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of Momentum or its authorized agent to determine if the loop is compatible for Line Splitting Service. Momentum or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and < customer\_name> or its authorized agent submits an LSR to BellSouth to change the loop.
- 3.2.4.7 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement. Where a UNE-P arrangement does not already exist, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

### **3.2.4.8 Ordering**

- 3.2.4.9 Momentum shall use BellSouth's Line Splitter Ordering Document ("LSOD") to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with Line Splitting.
- 3.2.4.10 BellSouth shall provide Momentum the Local Service Request ("LSR") format to be used when ordering Line Splitting service.
- 3.2.4.11 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.

- 3.2.4.12 BellSouth will provide Momentum access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and Momentum shall pay the rates for such services as described in Exhibit B.
- 3.2.4.13 BellSouth will provide loop modification to Momentum on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  HTTP://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

#### **3.2.4.14 Maintenance**

- 3.2.4.15 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Momentum will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.2.4.16 Momentum shall inform its end users to direct data problems to Momentum, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.2.4.17 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.2.4.18 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.2.4.19 If Momentum is not the data provider, Momentum shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees which arise out of actions related to the data provider.

### 3.2.5 Remote Site High Frequency Spectrum

3.2.6 Remote Site Line Sharing is being developed by the Line Sharing Collaborative, as described on the BellSouth website at <a href="www.interconnection.BellSouth.com">www.interconnection.BellSouth.com</a>. Processes, rates, terms, or conditions for ordering or provisioning of this product have not been finalized. BellSouth and Momentum shall work within the Line Sharing Collaborative to develop the processes, terms, and conditions required to implement Remote Site Line Sharing. Upon finalization of the appropriate and required processes, rates, terms, and conditions, the Parties shall amend the Agreement to incorporate those processes, rates, terms, and conditions.

### 4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Momentum for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Momentum for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

- 4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Momentum when Momentum serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

- 4.2.3 In the event that Momentum orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge Momentum the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Momentum's end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that Momentum purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an Momentum local end user, or originated by a BellSouth local end user and terminated to an Momentum local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge Momentum the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Momentum shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 BellSouth shall assess Momentum retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if Momentum has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.
- Where Momentum purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Momentum end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Momentum the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Momentum shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Momentum the UNE elements for the BellSouth facilities utilized. Each Party may

bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.10 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and Momentum shall not bill BellSouth originating or terminating switched access for such calls.

### 4.2.11 <u>Unbundled Port Features</u>

- 4.2.11.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.11.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.11.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.11.4 BellSouth will provide to Momentum selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Momentum will be made pursuant to the BFR/NBR Process as set forth in Attachment 12.

## 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Momentum all AIN triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Momentum.

## 4.2.13 **Local Switching Interfaces**.

- 4.2.13.1 Momentum shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

## 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

## 4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Momentum and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Momentum.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Momentum's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.
- 4.3.3 Upon Momentum's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Momentum's traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Momentum. AIN Selective Carrier Routing will provide Momentum with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to preselected destinations.
- 4.4.2 Momentum shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.

- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by Momentum, the routing of Momentum's end user calls shall be pursuant to information provided by Momentum and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Momentum shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each Momentum end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Momentum shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.
- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN\_SCR Central Office Identification Form Form C, AIN\_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to Momentum's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Momentum, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The non-recurring End Office Establishment Charge will be billed to Momentum following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Momentum following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Momentum following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

### 4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Momentum seeks to offer;
- 4.5.2.3 BellSouth has not permitted Momentum to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Momentum obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

### 4.6 <u>Interoffice Transmission Facilities</u>

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Momentum for the provision of a telecommunications service.

### 5 Unbundled Network Element Combinations

- 5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Non-Switched Transport Combinations; 3) UNE Loop/Special Access Combinations; and 4) UNE Loop/Port Combinations.
- For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by

BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

### 5.3 Enhanced Extended Links (EELs)

- Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.
- 5.3.2 Subject to Section 5.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.5 following. Momentum shall provide to BellSouth a letter certifying that Momentum is providing a significant amount of local exchange service (as described in Sections 5.3.7.2, 5.3.7.3, 5.3.7.4, or 5.3.7.5) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Momentum's POP serving wire center. The circuit must be connected to Momentum's switch for the purpose of provisioning telephone exchange service to Momentum's end-user customers. The EEL will be connected to Momentum's facilities in Momentum's collocation space at the POP SWC, or Momentum may purchase BellSouth's access facilities between Momentum's POP and Momentum's collocation space at the POP SWC.
- 5.3.3 When ordering EEL combinations, Momentum shall provide to BellSouth a letter certifying that Momentum will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.6 below, and shall indicate under what local usage option Momentum seeks to qualify.

  Momentum shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 5.3.7.2 through 5.3.7.4 is met. BellSouth shall have the right to audit Momentum's records to verify that Momentum is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 5.3.7.6 of this Attachment.
- BellSouth shall provide EEL combinations to Momentum in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Momentum those EEL combinations described in Section 5.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to Momentum in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to Momentum only to the extent such network elements are Currently Combined.

### 5.3.5 **EEL Combinations**

- 5.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop 5.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop 5.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop 5.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop 5.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop 5.3.5.6 DS1 Interoffice Channel + DS1 Local Loop 5.3.5.7 DS3 Interoffice Channel + DS3 Local Loop 5.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop 5.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop 5.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop 5.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop 5.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop 5.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop 5.3.6 To order EELs Momentum must meet the requirements in Section 5.3.7.2 or 5.3.7.3.
- 5.3.7 <u>Special Access Service Conversions</u>
- 5.3.7.1 Momentum may not convert special access services to combinations of loop and transport network elements, whether or not Momentum self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Momentum uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Momentum requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Momentum shall provide to BellSouth a letter certifying that Momentum is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Momentum seeks to qualify for conversion of special access circuits. Momentum shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

- 5.3.7.2 Momentum certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Momentum's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Momentum is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Momentum can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.7.3 Momentum certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at Momentum's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.7.4 Momentum certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Momentum does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.
- 5.3.7.5 In addition, there may be extraordinary circumstances where Momentum is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.7. In such case, Momentum may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Momentum's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.7.6 BellSouth may at its sole discretion audit Momentum records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Momentum shall be given thirty days written notice of scheduled audit. Such audit

shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Momentum shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Momentum is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Momentum.

- 5.3.7.7 Momentum may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.
- 5.3.8 **Rates**
- 5.3.8.1 Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee
- 5.3.8.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.3.8.1.2 For combinations of loop and transport network elements not set forth in Section 5.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.
- 5.3.8.1.3 To the extent that Momentum seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Momentum, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.3.8.2 All Other States
- 5.3.8.2.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.5 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit B of this Attachment.

#### 5.3.9 **Multiplexing**

5.3.9.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

### 5.4 Other Non-Switched Combinations

- In the states of Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall make available to Momentum, in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Momentum, in accordance with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.
- 5.4.2 Rates
- 5.4.2.1 Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee
- 5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.
- 5.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the standalone non-recurring and recurring charges of the network elements that make up the combination.
- 5.4.2.1.3 To the extent that Momentum seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Momentum, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.
- 5.4.2.2 All Other States
- 5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit B of this Attachment.
- 5.5 **UNE Loop/Special Access Combinations**
- 5.5.1 BellSouth shall make available to Momentum a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Momentum will require multiplexing functionality in connection with such combination, BellSouth

will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.7.

- 5.5.2 Rates
- 5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit B and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.
- 5.6 UNE Port/Loop Combinations
- 5.6.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for interLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.6.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.
- 5.6.2.1 Except as set forth in section 5.6.3 below, in Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
- 5.6.2.2 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B.
- 5.6.2.3 In Alabama, Florida, and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.
- 5.6.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-

Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Momentum if Momentum's customer has 4 or more DS0 equivalent lines.

- Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit B.
- 5.6.4 Combination Offerings
- 5.6.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.6.4.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 6 Transport, Channelization and Dark Fiber

### 6.1 **Transport**

- 6.1.1 Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Momentum.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide Momentum exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, Momentum to connect such interoffice facilities to equipment designated by Momentum, including but not limited to, Momentum's collocated facilities; and
- Permit, to the extent technically feasible, Momentum to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance,

- availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

### 6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between Momentum's Point of Presence ("POP") and Momentum's collocation space in the BellSouth Serving Wire Center for Momentum's POP, and
- 6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.
- 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.3.1 As capacity on a shared UNE facility.
- 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Momentum.
- 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.
- 6.2.2 Technical Requirements
- 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Momentum designated traffic.
- 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.
- 6.2.2.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.
- 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

- 6.2.2.4.1 DS0 Equivalent;
- 6.2.2.4.2 DS1;
- 6.2.2.4.3 DS3; and
- 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Momentum shall specify the termination points for Dedicated Transport.
- 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.2.7 BellSouth Technical References:
- 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.2.7.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

### 6.3 **Unbundled Channelization (Multiplexing)**

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps)

  Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Momentum may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.

- 6.3.3 BellSouth shall make available the following 6.3.3.1 Central Office Channel Interfaces (COCI): 6.3.3.2 DS1 COCI, which can be activated on a DS3 Channelization System. 6.3.3.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System. 6.3.3.4 Data COCI, which can be activated on a DS1 Channelization System. 6.3.3.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options. 6.3.4 **Technical Requirements** 6.3.4.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Momentum's channelization equipment must adhere strictly to form and protocol standards. Momentum must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access. 6.3.4.2 DS0 to DS1 Channelization 6.3.4.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions. 6.3.4.3 DS1 to DS3 Channelization 6.3.4.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3. 6.3.4.4 DS1 to STS Channelization 6.3.4.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings. 6.4 **Dark Fiber Transport**
- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating

elements, regeneration or other electronics necessary for Momentum to utilize Dark Fiber Transport.

- Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.
- 6.4.3 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Momentum's request subject to time and materials charges.
- 6.4.3.3 Momentum is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.4 BellSouth shall use its best efforts to provide to Momentum information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Momentum. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Momentum within twenty (20) business days after Momentum submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable Momentum to connect or splice Momentum provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.
- 7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service
- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded

from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Momentum's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Momentum.

7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

### 8 Line Information Database (LIDB)

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Momentum must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to Momentum any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process Momentum's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions.

  BellSouth shall indicate to Momentum what additional functions (if any) are performed by LIDB in the BellSouth network.
- Within two (2) weeks after a request by Momentum, BellSouth shall provide Momentum with a list of the customer data items, which Momentum would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of Momentum data to the LIDB shall be solely at the direction of Momentum. Such direction from Momentum will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for Momentum data upon Momentum's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Momentum customer records will be missing from LIDB, as measured by Momentum audits. BellSouth will audit Momentum records in LIDB against DBAS to identify record mismatches and provide this data to a designated Momentum contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Momentum within one business day of audit. Once reconciled records are received back from Momentum, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Momentum to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of Momentum's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 8.2.11 BellSouth shall provide Momentum with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Momentum and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of Momentum data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Momentum in writing.
- 8.2.13 BellSouth shall provide Momentum performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Momentum at least at parity with BellSouth Customer Data. BellSouth shall obtain

from Momentum the screening information associated with LIDB Data Screening of Momentum data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Momentum under the BFR/NBR process as set forth in Attachment 12.

- 8.2.14 BellSouth shall accept queries to LIDB associated with Momentum customer records, and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage ("PCLU") factor. Momentum shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. Momentum shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

### 9 Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal

transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2	Signaling Link Transport
9.2.1	Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Momentum-designated Signaling Points of Interconnection that provide appropriate physical diversity.
9.2.2	Technical Requirements
9.2.3	Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
9.2.3.1	As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
9.2.3.2	As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
9.2.4	Signaling Link Transport shall consist of two or more signaling link layers as follows:
9.2.4.1	An A-link layer shall consist of two links.
9.2.4.2	A B-link layer shall consist of four links.
9.2.4.3	A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
9.2.4.4	No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
9.2.4.5	No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).
9.2.5	Interface Requirements
9.2.5.1	There shall be a DS1 (1.544 Mbps) interface at Momentum's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
9.3	Signaling Transfer Points (STPs)

- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Momentum local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Momentum local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Momentum or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Momentum database, then Momentum agrees to provide BellSouth with the Destination Point Code for Momentum database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Momentum or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 9.4 <u>SS7 Advanced Intelligent Network (AIN) Access</u>

- 9.4.1 When technically feasible and upon request by Momentum, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Momentum's SS7 network to exchange TCAP queries and responses with a Momentum SCP.
- 9.4.2 SS7 AIN Access shall provide Momentum SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Momentum SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Momentum SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect Momentum or Momentum-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from Momentum local switching systems; and,
- 9.4.3.1.2 A B-link interface from Momentum local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.4.4 Message Screening
- 9.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Momentum local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Momentum switching system has a valid signaling relationship.
- 9.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Momentum local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Momentum switching system has a valid signaling relationship.
- 9.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Momentum from any signaling point or network interconnected through BellSouth's SS7 network where the Momentum SCP has a valid signaling relationship.

## 9.5 Service Control Points/Databases

- 9.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.5.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.5.3 Technical Requirements for SCPs/Databases
- 9.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

- 9.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

# 9.6 **Local Number Portability Database**

9.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 9.7 **SS7 Network Interconnection**

- 9.7.1 SS7 Network Interconnection is the interconnection of Momentum local signaling transfer point switches or Momentum local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Momentum local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Momentum or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.7.3 If traffic is routed based on dialed or translated digits between a Momentum local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Momentum local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.7.4 SS7 Network Interconnection shall provide:
- 9.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This

includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Momentum local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Momentum local STPs, and shall not include SCCP Subsystem Management of the destination.

- 9.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.
- 9.7.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 9.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.7.9 Interface Requirements
- 9.7.9.1 The following SS7 Network Interconnection interface options are available to connect Momentum or Momentum-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.7.9.1.1 A-link interface from Momentum local or tandem switching systems; and
- 9.7.9.1.2 B-link interface from Momentum STPs.
- 9.7.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.7.9.5 BellSouth shall set message screening parameters to accept messages from Momentum local or tandem switching systems destined to any signaling point in

the BellSouth SS7 network with which the Momentum switching system has a valid signaling relationship.

# 10 **Operator Service and Directory Assistance** 10.1 Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.2 Upon request for BellSouth Operator Services, BellSouth shall: 10.2.1 Process 0+ and 0- dialed local calls. 10.2.2 Process 0+ and 0- intraLATA toll calls. 10.2.3 Process calls that are billed to Momentum end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and shall also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing Momentum local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to Momentum that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by Momentum.

- 10.2.15 Provide call records to Momentum in accordance with ODUF standards specified in Attachment 7.
- 10.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

## 10.3 **Directory Assistance Service**

- 10.3.1 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Momentum's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

## 10.3.3 <u>Directory Assistance Service Updates</u>

- 10.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.3.3.1.1 New end user connections
- 10.3.3.1.2 End user disconnections
- 10.3.3.1.3 End user address changes
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

# 10.4 **Branding for Operator Call Processing and Directory Assistance**

- 10.4.1 BellSouth's branding feature provides a definable announcement to Momentum end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Momentum to have its calls custom branded with Momentum's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three (3) service levels of branding to Momentum when ordering BellSouth's Directory Assistance and Operator Call Processing.
- 10.4.2.1 Service Level 1 BellSouth Branding
- 10.4.2.2 Service Level 2 Unbranding

Version 4O01: 12/17/01

- 10.4.2.3 Service Level 3 Custom Branding
- Where Momentum resells BellSouth's services or purchases unbundled local switching from BellSouth, and utilizes a directory assistance provider and operator services provider other than BellSouth, BellSouth will route Momentum's end user calls to that provider through Selective Carrier Routing.

### 10.4.4 For Use with an Unbundled Port

- 10.4.4.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Momentum to have its OS/DA calls routed to BellSouth's OS/DA platform for BellSouth provided Custom Branded or Unbranded OS/DA or to its own or an alternate OS/DA platform for Self-Branded OS/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.4.4.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, Momentum specific and unique line class codes are programmed in each BellSouth end office switch where Momentum intends to serve end users with customized OS/DA branding. The line class codes specifically identify Momentum's end users so OS/DA calls can be routed over the appropriate trunk group to the requested OS/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Momentum intends to provide Momentum -branded OS/DA to its end users in these multiple rate areas.
- 10.4.4.4 BellSouth Branding is the Default Service Level.
- 10.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require Momentum to order dedicated trunking from each BellSouth end office identified by Momentum, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Momentum Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.4.4.6 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Momentum to the BellSouth TOPS. These calls are routed to "No Announcement."
- 10.4.4.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OS/DA provided by BellSouth Operator Services with unbundled ports and

unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OS/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

- In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Momentum shall not be required to purchase dedicated trunking.
- 10.4.4.9 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Momentum must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Momentum must submit a manual order form which requires, among other things, Momentum's OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Momentum shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Momentum's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Momentum end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.4.4.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Momentum applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Momentum shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Momentum is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

#### 10.4.5 For Facilities Based Carriers

10.4.5.1 All Service Levels require Momentum to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

- 10.4.5.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Momentum requires service.
- 10.4.5.3 Directory Assistance customized branding uses:
- 10.4.5.3.1 the recording of Momentum;
- 10.4.5.3.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.
- 10.4.5.4 Operator Call Processing customized branding uses:
- 10.4.5.4.1 the recording of Momentum;
- the front-end loading of the DRAM in the TOPS Switch;
- 10.4.5.4.3 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

# 10.5 <u>Directory Assistance Database Service (DADS)</u>

- 10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Momentum end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Momentum agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Momentum agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- BellSouth shall initially provide Momentum with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Momentum to prepare the Base File.
- 10.5.3 BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since Momentum's previous update. Delivery of updates will commence immediately after Momentum receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Momentum

mutually develop CONNECT: Direct <sup>TM</sup> electronic connectivity. Momentum will pay all costs associated with CONNECT: Direct <sup>TM</sup> connectivity, which will vary depending upon volume and mileage.

10.5.4 Momentum authorizes the inclusion of Momentum Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

# 10.6 <u>Direct Access to Directory Assistance Service</u>

- 10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Momentum's directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. DADAS will also provide Momentum with the ability to search all available subscriber listings in BellSouth's out-of-region listing database. Subscription to DADAS will allow Momentum to utilize its own switch, operator workstations and optional audio subsystems.
- 10.6.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

# 11 Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- BellSouth shall provide Momentum a data link to the ALI/DMS database or permit Momentum to provide its own data link to the ALI/DMS database.

  BellSouth shall provide error reports from the ALI/DMS database to Momentum after Momentum inputs end user information into the ALI/DMS database.

  Alternately, Momentum may request that BellSouth enter Momentum's end user information into the database, and validate end user information.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Momentum requests otherwise and shall be updated if Momentum requests, provided Momentum supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for Momentum end users shall meet industry standards.

# 12 Calling Name (CNAM) Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Momentum the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- Momentum shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Momentum's access to BellSouth's CNAM Database Services and shall be addressed to Momentum's Account Manager.
- BellSouth's provision of CNAM Database Services to Momentum requires interconnection from Momentum to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Momentum shall provide its own CNAM SSP. Momentum's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If Momentum elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Momentum desires to query.
- 12.6 If Momentum queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer

Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

- The mechanism to be used by Momentum for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Momentum in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Momentum to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- Momentum CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.
- Service Creation Environment and Service Management System (SCE/SMS)
  Advanced Intelligent Network (AIN) Access
- 13.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Momentum the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Momentum. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect Momentum service logic and data from unauthorized access.
- When Momentum selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Momentum to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- Momentum access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow Momentum to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

## 14 Basic 911 and E911

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to Momentum a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Momentum will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Momentum will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Momentum will be required to begin using E911 procedures.
- 14.3 E911 Service Provisioning. Momentum shall install a minimum of two dedicated trunks originating from the Momentum serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Momentum will be required to provide BellSouth daily updates to the E911 database. Momentum will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Momentum will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Momentum shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Momentum beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to Momentum shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

14.6 The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

# 15 Operational Support Systems (OSS)

BellSouth has developed and made available the following electronic interfaces by which Momentum may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

## 15.3 Denial/Restoral OSS Charge

- 15.3.1 In the event Momentum provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.
- 15.4 Cancellation OSS Charge
- 15.4.1 Momentum will incur an OSS charge for an accepted LSR that is later canceled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 15.4.3 Network Elements and Other Services Manual Additive
- 15.4.3.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

### **EXHIBIT A**

### LINE INFORMATION DATA BASE (LIDB)

#### FACILITIES BASED STORAGE AGREEMENT

## I. Definitions

- A. Billing number a number that Momentum creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by Momentum.
- C. Special billing number a ten-digit number that identifies a billing account established by Momentum.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by Momentum that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Momentum.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Momentum.

#### II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Momentum and pursuant to which BellSouth, its LIDB customers and Momentum shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Momentum's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Momentum understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Momentum, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Momentum's account team and/or

Version 4Q01: 12/17/01

Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

## 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether Momentum has identified the billing number as one that should not be billed for collect or third number calls.

## 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

## 3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Momentum of fraud alerts so that Momentum may take action it deems appropriate.

## **III.** Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Momentum pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Momentum for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

## B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Momentum's data from BellSouth's data, the following terms and conditions shall apply:

Version 4Q01: 12/17/01

- Momentum will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Momentum's End User accounts which are resident in LIDB pursuant to this Agreement. Momentum authorizes BellSouth to place such charges on Momentum's bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.
- 2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.
- 3. Momentum shall have the responsibility to render a billing statement to its End Users for these charges, but Momentum shall pay BellSouth for the charges billed regardless of whether Momentum collects from Momentum's End Users.
- 4. BellSouth shall have no obligation to become involved in any disputes between Momentum and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Momentum. It shall be the responsibility of Momentum and the B&C Customers to negotiate and arrange for any appropriate adjustments.

# C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Momentum will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Momentum. BellSouth will not issue line-based calling cards in the name of Momentum's individual End Users. In the event that Momentum wants to include calling card numbers assigned by Momentum in the BellSouth LIDB, a separate agreement is required.

## V. Fees for Service and Taxes

- A. Momentum will not be charged a fee for storage services provided by BellSouth to Momentum, as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing

jurisdiction with respect to the provision of the service set forth herein will be paid by Momentum in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

IINRI	NDI E	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<u></u>																
OPER/		_ SUPPORT SYSTEMS	t nogo	iotori	it profess the state	anacifia alaa	trania convica a	rdoring oborg		hu tha Stata Ca	mmissiens T	'ha alaatran	o conside o	rdorina obora	o ourrently of	ntoined in th	io roto
		(1) Electronic Service Order: CLEC should contact its contract is the BellSouth regional electronic service ordering charge.															State
		(2) Any element that can be ordered electronically will be bille		_													ly For
	those	elements that cannot be ordered electronically at present per t	he BBR	LO, th	ne listed SOMEC rat		• .				•	. ,		•			•
	oraerir	ng charge, SOMAN, will be applied to a CLECs bill when it sub Electronic OSS Charge, per LSR, submitted via BST's OSS	mits ar	LSK	o BellSouth.	1	1		1	1	1	ı		1		1	
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	IDLED I	EXCHANGE ACCESS LOOP				JOIVILO	<b>†</b>	3.30		<b>†</b>		1			<b>†</b>		
		ANALOG VOICE GRADE LOOP					1		1	1	1				1	1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14		3.22			27.37	12.97	17.77	17.7
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					27.37	12.97	17.77	17.7
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					27.37	12.97	17.77	17.7
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			LIFANII	LIDEWO		45.70	0.04					07.07	40.07	47.77	47.7
		Engineering Information Document (EI)			UEANL UEANL	UREWO	1	15.78 28.75	8.94 28.75	<u> </u>				27.37	12.97	17.77	17.7
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		51.29	51.29								<del></del>
		Order Coordination for Specified Conversion Time for UVL-SL1			027.11.12	02/1110		01120	01.20								
		(per LSR)			UEANL	OCOSL		45.99	45.99								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	_	1	UEQ	UEQ2X	11.01	44.69	22.40		7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	ı	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Order Coordination 2 Wire Unbundled Copper Loop - Non-	ı	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			27.37	12.97	17.77	17.77
		Designed (per loop)			UEQ	USBMC		51.29	51.29					27.37	12.97	17.77	17.77
		Engineering Information Document			UEQ	USBIVIC		28.75	28.75					27.37	12.97	17.77	17.77
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					27.37		17.77	17.77
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					27.37	12.97	17.77	17.77
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43					18.84	8.42		
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		- '	UEFSK UEFSB	UEALS	10.24	75.62	33.11	40.90	10.59			21.31	12.97	17.77	17.77
		Zone 1		1	UEPSR UEPSB	UEABS	18.24	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		Ė		1		70.02	33.11	.5.50				25/	.2.57	·····	
		Zone 2		2	UEPSR UEPSB	UEALS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	25.22	75.62	35.11	46.98	10.59			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	HEDOD LEDOD	LIEALO	00 70	75.00	05.44	40.00	10.50			00.07	10.0=	1	
		Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
		Zone 3		3	UEPSR UEPSB	UEABS	33.70	75.62	35.11	46.98	10.59			23.97	12.97	17.77	17.77
UNRUN	IDI FD I	EXCHANGE ACCESS LOOP		-	OLI OK OLI OB	CLADO	00.70	70.02	00.11	40.50	10.00			20.07	12.01	17.77	17.77
		ANALOG VOICE GRADE LOOP				1			Ì	Ì	Ì				1	İ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_													
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01	1		27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	52.64	45.99	106.40	40.31	20.01	1		21.31	12.97	11.11	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						.0.00							1	1	
	l	Battery Signaling - Zone 1	l	1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01	1		27.37	12.97	17.77	17.77

04/12/02 Page 1 of 352

UNBUNDL	ED NETWORK ELEMENTS - Alabama			1							,	,	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	02.01	45.99	100.10	10.01	20.01			21.01	12.01		
-	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
4-WIF	RE ANALOG VOICE GRADE LOOP		<b>†</b>	02/1	O.K.E.I.O		02	00.00					21.01	12.01		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	70.67	293.70	241.76	108.96	57.01			27.37	12.97	17.77	
	Order Coordination for Specified Conversion Time (per LSR)		- 3	UEA	OCOSL	70.07	45.99	241.70	100.50	37.01			21.51	12.51	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					27.37	12.97	17.77	17.77
2-W/IE	RE ISDN DIGITAL GRADE LOOP			OLA	OKEWO		07.72	30.30					21.51	12.37	17.77	17.77
Z-VVIII	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	00.30	45.99	255.67	106.93	37.01			21.31	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UDN	UREWO		91.63	44.16					27.37	12.97	17.77	17.77
0.14/15	RE Universal Digital Channel (UDC) COMPATIBLE LOOP			UDIN	UKEWU		91.03	44.10					21.31	12.97	17.77	17.77
2-9915	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2 2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	I	2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	3  CLEC to CLEC Conversion Charge without outside dispatch	ı	3	UDC UDC	UDC2X UREWO	30.92	104.17 91.63	78.10 44.16	108.95	57.01			18.94 27.37	8.42 12.97	17.77 17.77	17.77 17.77
2.1///	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDI	1.00		UKLWO		91.03	44.10					21.31	12.91	17.77	17.77
Z-VVII	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	LOUI	1	+				+							
	& facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	19.64	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2  2 Wire Unbundled ADSL Loop without manual service inquiry &		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	facility reservaton - Zone 3		3	UAL	UAL2W	35.59	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		3	UAL	OCOSL	33.38	45.99	129.00	100.52	13.02			21.31	12.91	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		86.20	40.40					27.37	12.97	17.77	17.77
2-W/IE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRLE	OOP	UAL	OKEWO		00.20	40.40					21.51	12.37	17.77	17.77
2-4411	2 Wire Unbundled HDSL Loop including manual service inquiry	I	1													
	& facility reservation - Zone 1		1	UHL	UHL2X	9.41	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	15.29	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27.70	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	21.10	45.99	404.00	100.00	00.00			27.07	12.07	17.77	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.41	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	15.29	222.20	146.40	100.52	15.82			27.37	12.97	17.77	17.77
-	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	OCOSL	27.70	222.20 45.99	146.40	100.52	15.82			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40	İ				27.37	12.97	17.77	17.77
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE														

04/12/02 Page 2 of 352

UNBUNDLE	D NETWORK ELEMENTS - Alabama			1							·		Attachment:		Exhibit: B	<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	11.52	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 2		2	UHL	UHL4X	18.71	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33.90	541.13	491.50	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	33.90	45.99	451.50	100.03	30.90			21.31	12.91	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00002		40.00									<del></del>
	and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.71	279.39	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	l			c==									
	and facility reservation - Zone 3		3	UHL UHL	UHL4W OCOSL	33.90	279.39 45.99	203.59	109.99	20.70			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL	UREWO		86.14	40.40					27.37	12.97	17.77	17.77
4-WID	E DS1 DIGITAL LOOP		<del>                                     </del>	OI IL	UNLWU		00.14	40.40					21.31	12.97	17.77	17.77
4 11111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51.74	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.05	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152.29	610.13	380.26	134.77	55.97			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.99									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05					27.37	12.97	17.77	17.77
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		L.,		1101.40	07.00	100.00	212 =2	100.00					10.00		
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	27.33 44.40	498.05 498.05	343.70 343.70	129.62 129.62	64.25 64.25			27.37 27.37	12.97 12.97	17.77 17.77	17.77 17.77
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80.45	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.33	498.05	343.70	129.62	64.25			27.37	12.97	17.77	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498.05	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	80.45	498.05 45.99	343.70	129.62	64.25			27.37	12.97	17.77	17.77
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75					27.37	12.97	17.77	17.77
2-WIR	E Unbundled COPPER LOOP			ODE	OKEWO		102.10	40.70					27.07	12.07	17.77	
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.90	283.37	163.68	120.15	22.37			18.94	8.42		İ
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.74	283.37	163.68	120.15	22.37			18.94	8.42		
	2 Wire Unbundled Copper Loop/Short including manual service		_	LICI	LICLED	21.83	202.27	402.00	400.45	22.27			40.04	0.40		İ
-	inquiry & facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLPB	21.83	283.37 36.46	163.68 36.46	120.15	22.37			18.94	8.42		<del></del>
	2-Wire Unbundled Copper Loop/Short without manual service			UCL	OCLIVIC		30.40	30.40								<del>                                     </del>
	inquiry and facility reservation - Zone 1	l ı	1	UCL	UCLPW	11.90	104.17	78.10					18.94	8.42		İ
	2-Wire Unbundled Copper Loop/Short without manual service						-									
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.74	104.17	78.10					18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	21.83	104.17	78.10					18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		36.46	36.46								<del>                                     </del>
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.43	270.28	150.59	120.15	22.37	1		18.94	8.42		1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		+	JUL	UULZL	30.43	210.20	130.39	120.13	22.31			10.34	0.42		<b>†</b>
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40.91	270.28	150.59	120.15	22.37	1		18.94	8.42		1
<u> </u>	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.02	270.28	150.59	120.15	22.37			18.94	8.42		1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
	2-Wire Unbundled Copper Loop/Long - without manual service	١.			1101 634			=0.1-			1					1
1	inquiry and facility reservation - Zone 1	l I	1	UCL	UCL2W	35.43	104.17	78.10					18.94	8.42		1

UNBUND	LED	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
ļ		O Miles I leb and led Consort and I am a with said and an inc						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service	ı	2	UCL	UCL2W	40.91	104.17	78.10					18.94	8.42		
		inquiry and facility reservation - Zone 3	l ı	3	UCL	UCL2W	65.02	104.17	78.10					18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46						-		
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48					18.94	8.42		
4-W		COPPER LOOP															
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.65	331.78	212.09	130.69	27.60			27.37	8.42		
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19.22	331.78	212.09	130.69	27.60			18.94	8.42		
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30.55	331.78	212.09	130.69	27.60			18.94	8.42		
<del></del>		Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCLMC	30.33	36.46	36.46	130.09	21.00			10.54	0.42		<del>                                     </del>
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16.65	104.17	78.10					18.94	8.42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19.22	104.17	78.10					18.94	8.42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30.55	104.17	78.10					18.94	8.42		
-		Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCLMC		36.46	36.46								_
		inquiry and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	47.56	318.70	199.00	130.69	27.60			18.94	8.42		
		inquiry and facility reservation - Zone 2  4-Wire Unbundled Copper Loop/Long - includes manual svc.		2	UCL	UCL4L	54.92	318.70	199.00	130.69	27.60			18.94	8.42		
		inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87.30	318.70	199.00	130.69	27.60			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36.46								
		Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	I	1	UCL	UCL4O	47.56	104.17	78.10					18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2     4-Wire Unbundled Copper Loop/Long - without manual svc.	I	2	UCL	UCL4O	54.92	104.17	78.10					18.94	8.42		
		inquiry and facility reservation - Zone 3		3	UCL	UCL4O	87.30	104.17	78.10					18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>		UCL	UCLMC	07.00	36.46	36.46					10.54	0.42		
		CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48					18.94	8.42		
LOOP MOD	DIFIC	CATION			LIAL LILIL 1101												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC,												
		Pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire	1		UDN, UDL, USL	ULM2L		67.39	67.39					27.37	12.97	17.77	17.77
		greater than 18k ft	I		UCL, ULS	ULM2G		337.50	337.50					27.37	12.97	17.77	17.77
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL	ULM4L		67.39	67.39					27.37	12.97	17.77	17.77
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	ı		UCL	ULM4G		337.50	337.50					27.37	12.97	17.77	17.77
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		78.10	78.10					27.37	12.97	17.77	17.77
SUB-LOOP																	
Sub		op Distribution							-								
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		421.08	421.08					18.94	8.42		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		67.10	67.10					18.94	8.42		

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)	ı	ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		394.74	394.74					18.94	8.42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		154.57	154.57					18.94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			ULAINL	OSDIVIC		45.55	45.55								
	Statewide		sw	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
	Cidiomac		0	0271112	005.11	0.02	210.00	72.00	120.12	20			10.01	0.12		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
								· · · · · · · · · · · · · · · · · · ·								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45.99								
	2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		CW	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wile copper cribariated cub Ecop Biotribution Clatewide		344	OL:	OOOZX	0.04	170.10	00.00	100.00	24.00			10.04	0.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
	4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45.99								
Unbu	Indled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF	ULM2X		255.74	40.00					18.94	8.42		
	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULIVIZX		355.71	12.26					18.94	8.42		
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		355.71	12.26					18.94	8.42		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			OL!	OLIVIAX		000.71	12.20					10.04	0.42		
	Tap Removal, per PR unloaded			UEF	ULM4T		560.55	14.30					18.94	8.42		
Unbu	Indled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.46	56.75					18.94	8.42		
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		127.93 11.73	98.21 11.73					18.94 18.94	8.42 8.42		
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.73	11.73					18.94	8.42		
SUB-LOOPS				02.1111	5.1007		11.75	11.73					10.54	0.42		
	Loop Feeder			İ												
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		421.08						18.94	8.42		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,									40			
	set-up			UDN,UCL,UDL,UDC	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32					18.94	8.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR		JW	UEA	OCOSL	0.50	45.99	170.05	115.55	21.04			10.34	0.42		
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice				3000L		40.00									
	Grade - Statewide		sw	UEA	USBFB	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,							· · · · · · · · · · · · · · · · · · ·								
	Voice Grade Loop - Statewide		SW	UEA	USBFC	8.58	206.44	170.05	119.95	27.04			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			LIEA	USBFD	19.91	040 44	81.32	134.77	22.02			40.04	0.40		
	Grade - Statewide Order Coordination For Specified Conversion Time, Per LSR		SW	UEA UEA	OCOSL	19.91	243.41 45.99	81.32	134.77	33.93			18.94	8.42	-	
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			J-C	JUUGL		40.33									
1	Grade - Statewide	l	CW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93	I	I	18.94	8.42	]	]

04/12/02 Page 5 of 352

LINDII	NDI EI	D NETWORK ELEMENTS - Alabama												Attachmanti	2	Evhibit. D	
UNBU	NDLE	DINET WORK ELEMENTS - Alabama	1	1	I							Svc Order	Svc Order	Attachment: Incremental		Exhibit: B Incremental	Incremental
												Submitted					
													Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΔ	TES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	OKI	RATE ELEMENTS	m	20116	603	0300		NA.	LO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)	l	
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.99	Auu	11130	Auui	COME	COMPAN	COMPAR	COMPAN	COMPAN	COMPAN
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI -			02/1	00002		10.00									
		Statewide		sw	UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45.99									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
		Statewide		SW	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR	1	<u> </u>	UCL	OCOSL		45.99									
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			l	1											
$\longmapsto$		Statewide	1	SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
$\vdash \!$		Order Coordination For Specified Time Conversion, per LSR	1	<u> </u>	UDL	OCOSL		45.99						<b> </b>	ļ	ļ	ļ
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			LIDI	HODED	04.50	040.44	04.00	404.77	00.00			40.00	40.00	40.00	40.00
-		Statewide	-	SW	UDL UDL	USBFP OCOSL	24.50	243.41 45.99	81.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LO	ODC	Order Coordination For Specified Conversion Time, per LSR			UDL	UCUSL		45.99									
		op Feeder	-			-											
	Sub-Lo	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13.55										
-		Sub Loop Feeder - DS3 - Facility Termination Per Month	<del>Li</del>		UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
		Sub Loop Feeder – STS-1 – Per Mile Per Month	<del>l i</del>		UDLSX	1L5SL	13.55	0,004.00	407.00	100.47	50.51			01.01	01.01	0.50	0.50
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	<del>l i</del>		UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
		Sub Loop Feeder – OC-3 – Per Mile Per Month	l i		UDLO3	1L5SL	10.28	0,001.00	107.00	100.11	00.07			01.01	01.01	0.00	0.00
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	1		UDLO3	USBF5	54.89										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	1		UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
		Sub Loop Feeder - OC-12 - Per Mile Per Month	I		UDL12	1L5SL	12.66										
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
		Month	ı		UDL12	USBF6	620.18										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	ı		UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
		Sub Loop Feeder - OC-48 - Per Mile Per Month	I		UDL48	1L5SL	41.51										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
-		Month	- !		UDL48	USBF9	310.30	0.570.00	407.00	100.47	00.07			04.04	04.04	0.00	0.00
-		Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,495.00	3,570.00	407.00	160.47	90.97			31.31	31.31	3.93	3.93
LIMBUM	DIEDI	Sub Loop Feeder - OC-12 Interface On OC-48 OOP CONCENTRATION	<u>'</u>		UDL48	USBF8	350.09	788.09	407.00	160.47	90.97			31.31	31.31	3.93	3.93
CINDUN	OLED L	Unbundled Loop Concentration - System A (TR008)	1	<del> </del>	ULC	UCT8A	441.42	650.81	650.81	1				19.99	19.99	19.99	19.99
<b>+</b>		Unbundled Loop Concentration - System B (TR008)	1	<u> </u>	ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
$\vdash$		Unbundled Loop Concentration - System A (TR303)	1	<u> </u>	ULC	UCT3A	478.93	650.81	650.81					15.55	19.99	19.99	19.39
$\vdash$		Unbundled Loop Concentration - System A (TR303)	1	<u> </u>	ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.99
$\vdash$		Unbundled Loop Concentration - DS1 Loop Interface Card	1	<b>†</b>	ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite	1														1
		Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - UDC Loop Interface (Brite															
		Card)	<u> </u>	<u></u>	UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration2 Wire Voice-Loop Start or															
		Ground Start Loop Interface (POTS Card)		<u> </u>	UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			18.94	8.42		
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1	l	I								1			1
$\longmapsto$		Loop Interface (SPOTS Card)	1	<u> </u>	UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			18.94	8.42		
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface		1			7.00	04.0=	00.00	40 =0	40 = 1			10.01			1
$\longmapsto$		(Specials Card)	1	<del>                                     </del>	UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			18.94	8.42	40.00	40.00
$\vdash \!$		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	1	<del>                                     </del>	ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
		Interface			UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
$\vdash \!$		Unbundled Loop Concentration - Digital 56 Kbps Data Loop	1	<del>                                     </del>	000	02007	10.51	21.07	20.90	10.76	10.71			15.55	13.33	15.55	13.33
		Interface	1	1	UDL	ULCC5	10.51	21.07	20.96	10.78	10.71	I		19.99	19.99	19.99	19.99

04/12/02 Page 6 of 352

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop						04.00		40.70							40.00
LINE OTHER	Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
UNE OTHER,	PROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX											<del> </del>
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											<del>                                     </del>
	ONTW Circuit id Establishment, Flovisioning Only - No Rate		1	UEANL,UEF,UEQ,U	OLINCL											
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate	1		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<b></b>
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									<u> </u>
-	Unbundled DS1 Loop - Superframe Format Option - no rate		1	USL	CCOSF	0.00	0.00									<del> </del>
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			USL	CCOLI	0.00	0.00									<del>                                     </del>
IIIOII OAI AO	High Capacity Unbundled Local Loop - DS3 - Per Mile per															+
	month			UE3	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374.52	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.16										<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238.97	167.16			31.31	31.31	3.93	3.93
LOOP MAKE-				UDLSX	UDLST	307.07	903.03	321.01	230.97	107.10			31.31	31.31	3.93	3.93
LOOI WAKE	Loop Makeup - Preordering Without Reservation, per working or															+
	spare facility queried (Manual).	1		UMK	UMKLW		131.22	131.22								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		136.93	136.93								
	Loop MakeupWith or Without Reservation, per working or			-												
	spare facility queried (Mechanized)	- 1		UMK	PSUMK		0.9809855	0.9809855								
	IENCY SPECTRUM															
SPLIT	TTERS-CENTRAL OFFICE BASED															<u> </u>
-	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	178.25	377.58	0.00	355.96	0.00			27.37	12.97		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	44.56	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77 17.77
	Line Sharing Splitter, Per System, 8 Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	<u> </u>		ULS	ULSD8	12.73	377.58	0.00	355.96	0.00			27.37	12.97	17.77	17.77
	deactivation (per LSOD)			ULS	ULSDG		172.94		99.67				27.37	12.97	17.77	17.77
END I	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM		OLODO		172.04		55.07				27.07	12.01	17.77	17.77
	Line Sharing - per Line Activation (BST Owned splitter)	1		ULS	ULSDC	0.61	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		32.77	16.37					27.37	12.97	17.77	17.77
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		32.77	16.37					27.37	12.97	17.77	17.77
	Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.02	9.83			27.37	12.97	17.77	17.77
<b> </b>	Line Splitting - per line activation DLEC owned splitter	<del>                                     </del>		UEPSR UEPSB	UREOS	0.61			ļ							<b></b>
	Line Splitting - per line activation BST owned - physical	- 1		UEPSR UEPSB UEPSR UEPSB	UREBP	0.641	37.01	21.19	20.02	9.83			27.37	12.97	17.77	17.77
IINBIINDI ED	Line Splitting - per line activation BST owned - virtual  DEDICATED TRANSPORT	<del></del>	-	OEPOK UEPOB	UREBV	0.639	37.01	21.19	20.02	9.83		-	27.37	12.97	17.77	17.77
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	ım billir	a perio	od - below DS3-one	month DS3/	STS-1=four mo	nths		1		1					+
	ROFFICE CHANNEL - DEDICATED TRANSPORT	T 2000			, 500				1		1		1		1	t
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<b> </b>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>—</b>	Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade  Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bat			U1TVX	1L5XX	0.0101										
<u> </u>	Facility Termination per month  Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
<u> </u>	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	1L5XX	0.0101										
<del>                                     </del>	- Facility Termination per month  Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79		<u> </u>	31.31	31.31	3.93	3.93
	per month			U1TDX	1L5XX	0.0101						<u> </u>				
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79		<u> </u>	31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	CHANNEL - DEDICATED TRANSPORT		<u> </u>		DOG/OTO : :							<u> </u>				
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	a - belo	ULDVX	, DS3/STS-1=f	our months 15.96	386.19	66.33	73.28	6.39		<del>                                     </del>	31.31	31.31	3.93	3.93
	Local Chamier - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	6.39			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD1 ULDD3	ULDF1 1L5NC	47.29 7.91	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.91	,,									
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	466.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MULTIPLEXER	Channelization - DS1 to DS0 Channel System		<u> </u>	LIVTD1	MQ1	122.50	182.08	125.14	21.07	19.58		<b> </b>	31.31	31.31	3.93	3.93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1					21.07	19.58						
	month (2.4-64kbs) 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.36	13.15	9.43					31.31	31.31	3.93	3.93
	month		<u> </u>	UDN	UC1CA	2.92	13.15	9.43				<u> </u>	31.31	31.31	3.93	3.93
	Voice Grade COCI - DS1 to DS0 Channel System - per month		<u> </u>	UEA	1D1VG	0.64	13.15	9.43				<u> </u>	31.31	31.31	3.93	3.93
$\longrightarrow$	DS3 to DS1 Channel System per month		<u> </u>	UXTD3	MQ3	201.37	356.28	187.94	66.51	63.65		<b> </b>	31.31	31.31	3.93	
$\longrightarrow$	STS1 to DS1 Channel System per month		<b>}</b>	UXTS1	MQ3 UC1D1	201.37	356.28 13.15	187.94 9.43	66.51	63.65	1	<b></b> '	31.31 31.31	31.31 31.31	3.93 3.93	3.93 3.93
$\overline{}$	DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		<b> </b>	USL	OCIDI	15.39	13.15	9.43			1	<del>                                     </del>	31.31	31.31	3.93	3.93
	month			ULDD1	UC1D1	15.39	13.15	9.43					31.31	31.31	3.93	3.93
<del>- + -</del>	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel				1											

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	68.84			20111							
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.505	05.50										
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF UDF	1L5DF UDF14	25.53	1,278.17	275.73	634.11	395.32	-		31.31	31.31	3.93	3.93
-	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI	ODI 14		1,270.17	213.13	034.11	353.32			31.31	31.31	3.93	3.50
	Thereof per month - Local Loop			UDF	1L5DL	68.84										
	NRC Dark Fiber - Local Loop			UDF	UDFL4	00.01	1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
TRANSPORT C							.,									
	al Features & Functions:															
	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX					_				-						1
	Number Reserved		<u> </u>	OHD	N8R1X		7.13	0.97	1				27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	1	1		1 7							1	_	1	_	1
	POTS Translations		<u> </u>	OHD	1		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established With				l											
	POTS Translations			OHD	N8FTX		15.88	1.97	10.04	0.97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Customized Area of Service			0.15												
	Per 8XX Number			OHD	N8FCX		5.69	2.85					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OUD	N8FMX		0.00	2.04					27.27	07.07	47.75	47.75
	Routing Per CXR Requested Per 8XX No.  8XX Access Ten Digit Screening, Change Charge Per Request			OHD OHD	N8FAX		6.66 8.10	3.81 0.97					27.37 27.37	27.37 27.37	17.75 17.75	17.75 17.75
	8XX Access Ten Digit Screening, Change Charge Fer Request			OLID	INOI AX		0.10	0.57					21.31	21.31	17.73	17.73
	Features			OHD	N8FDX		5.69						27.37	27.37	17.75	17.75
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			OLID	NOI DX		0.00						21.01	21.01	17.70	17.70
I	LIDB Common Transport Per Query			OQT	1	0.00004										
	LIDB Validation Per Query			OQU	1	0.0142							1		1	
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64.36						27.37	27.37	17.75	17.75
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	148.72										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0001										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
	CCS7 Signaling Connection, Per link (B link) (also known as D															
<del>                                     </del>	link)	<u> </u>	<u> </u>	UDB	TPP++	18.79	171.98	171.98	135.70	135.70			25.93	25.93	16.31	16.31
<b> </b>	CCS7 Signaling Usage, Per ISUP Message	<u> </u>	<u> </u>	UDB	CTUEC	0.00004			ļ				-	ļ	-	<b>├</b>
<del>                                     </del>	CCS7 Signaling Usage Surrogate, per link per LATA CCS7 Signaling Point Code, per Originating Point Code	l	<del>                                     </del>	UDB	STU56	376.12							<del>                                     </del>	<b> </b>	<del>                                     </del>	
	Establishment or Change, per STP affected	l	1	UDB	CCAPO		40.00	40.00				1	25.93	25.93	16.31	16.31
<del>                                     </del>	CCS7 Signaling Point Code, per Destination Point Code		<b>†</b>	000	COAFO		40.00	40.00	1				25.95	25.93	10.31	10.31
	Establishment or Change, Per Stp Affected		1	UDB	CCAPD		8.00	8.00				1	25.93	25.93	16.31	16.31
E911 SERVICE		1	<b>†</b>		1		0.00	5.50					20.00	20.00		
T T	Local Channel - Dedicated - 2-wr Voice Grade		<u> </u>		1	13.91	382.95	62.40					18.94	8.42		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		1			0.0222										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination				_1	17.07	79.61	36.08					18.94	18.94		<u> </u>
	Local Channel - Dedicated - DS1					38.36	356.15	312.89					44.22			
	Interoffice Transport - Dedicated - DS1 Per Mile	ļ	<u> </u>			0.4523			ļ				ļ	ļ	ļ	
		l	1		1 1	=- :-						1		40.51	I	1
CALLING	Interoffice Transport - Dedicated - DS1 Per Facility Termination	<b> </b>	<u> </u>		1 1	78.47	147.07	111.75	ļ .				18.94	18.94	<b>!</b>	<del>                                     </del>
CALLING NAM	IE (CNAM) SERVICE CNAM for DB Owners, Per Query	l	<del>                                     </del>	OQV	+ +	0.01							<del>                                     </del>	<b> </b>	<del>                                     </del>	<del></del>
<del>                                     </del>	CNAM for Non DB Owners, Per Query	<u> </u>	<u> </u>	OQV	+	0.01			<del>                                     </del>				<b>-</b>		<b>-</b>	<del>                                     </del>
<del>                                     </del>	CNAM (Non-Databs Owner), NRC, applies when using the	1	<del> </del>	UUV	+	0.01			1			<b> </b>	<del> </del>	1	<del> </del>	<del>                                     </del>
	Character Based User Interface (CHUI)	l	1	oqv	CDDCH		595.00	595.00				1	27.37	27.37	17.75	17.75
OPERATOR CA	ALL PROCESSING	1	<b>†</b>	·	000011		555.00	333.00	<del>                                     </del>			<b> </b>	21.31	21.31	17.73	17.73
1	Oper. Call Processing - Oper. Provided, Per Min Using BST	1	<b>†</b>		+				<del>                                     </del>			<b> </b>	<b>I</b>	<b> </b>	<b>I</b>	<u> </u>
l I	LIDB	İ				1.20							1		1	1

UNBUNDE	ED NETWORK ELEMENTS - Alabama	1	1	ı									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES					0.20										
INWARD OF L	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt					1.10										
	- Per Minute					1.15										
BRANDING -	OPERATOR CALL PROCESSING															
1	Recording of Custom Branded OA Announcement				CBAOS	1	7,000.00	7,000.00	İ				19.99	19.99	19.99	19.99
<u> </u>	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL	1	500.00	500.00	İ				19.99	19.99	1	
Unbra	anding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (	ACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.10										
	BER SERVICES INTERCEPT ACCESS SERVICE															
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE DATA BASE SERVICE (DADS)					0.04										
	Directory Assistance Data Base Service Charge Per Listing				DROOF	0.04										
DDANDING	Directory Assistance Data Base Service, per month DIRECTORY ASSISTANCE				DBSOF	150.00										
	ty Based CLEC															
raciii	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM						-,									
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	anding via OLNS for UNEP CLEC						400.00	100.00								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
SELECTIVE F	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE P	Selective Routing Per Unique Line Class Code Per Request Per					+								1		<del> </del>
	Switch				USRCR		230.60	230.60					40.71	9.58		
VIRTUAL CO					CONON	+	230.00	230.00	1				40.71	3.30	1	t
VIKTOAL CO	Virtual Collocation - Application Cost			AMTFS	EAF		2,848.30	2,848.30								
<del>-  </del>	Virtual Collocation - Application Cost, per cable			AMTFS	ESPCX		2,750.00	2,750.00			<b> </b>			<b> </b>	<b> </b>	<b>I</b>
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20	2,700.00	2,700.00								
<u> </u>	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	3.48			İ							1
<u> </u>	Virtual Collocation - Cable Support Structure, per entrance								İ							1
	cable			AMTFS	ESPSX	13.35				<u></u>	<u> </u>				<u> </u>	<u> </u>
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	virtual Conocation - 2-wile Cross Connects (100p)			OINOINA	ULAUZ	0.20	30.76	25.40	12.75	11.30			15.55	19.99	15.99	15.99
				UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,												
	Virtual Collocation - 4-wire Cross Connects (loop)	l		UNCVX, UNCDX	UEAC4	0.56	66.71	50.43	12.82	11.39	J		19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	12.10	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99
				USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,												
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	7.50	155.00	14.00	ļ							<b></b>
				USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
<del></del>	Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CB	0.0026										<u> </u>
	Cable Support Structure, per linear ft  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMTFS	VE1CD	0.0038										
	Support Structure,per cable  Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			AMTFS	VE1CC		535.37									
	Cable Support Structure, per cable			AMTFS	VE1CE		535.37									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00								<del> </del>
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res Virtual Collocation - 2-wire Cross Connect, Exchange Fort 2-			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Cross C			UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Voice Grade PBX Trunk - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	Analog Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
	ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			27.37	12.97	17.77	1.44
VIRTUAL COL	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.56	66.71	50.43					27.37	12.97	17.77	1.44
VIKTUAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line				-					1	}		1		-	<del> </del>
AIN SELECT!	Splitting VE CARRIER ROUTING			UEPSR, UEPSB	VE1LS	0.0287	24.59	23.59	12.05	10.87			19.99	19.99	19.99	19.99
AIN SELECTI	Regional Service Establishment			SRC	SRCEC		202,197.82		17,181.39		1		27.37	27.37	27.37	27.37
	End Office Establishment	÷		SRC	SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
	Query NRC, per query	- 1		SRC		0.0031412										

UNBU	INDLE	NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - B	ELLSO	JTH AIN SMS ACCESS SERVICE															
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
-		AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P	†	64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
		AIN SMS Access Service - User Identification Codes - Per User			Ally	OAWIII		04.03	04.03	21.04	27.04			21.51	21.01	17.75	17.75
		ID Code			A1N	CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
		AIN SMS Access Service - Security Card, Per User ID Code,															
		Initial or Replacement			A1N	CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<u> </u>			0.0026					1					<u> </u>
<u> </u>		AIN SMS Access Service - Session, Per Minute	<u> </u>	<b>!</b>			0.0892							ļ			<b>_</b>
1		AIN SMS Access Service - Company Performed Session, Per Minute		1			2.08			1							
AIN - P	FLLSO	JTH AIN TOOLKIT SERVICE		<del>                                     </del>		1	2.08			<del>                                     </del>		1					1
- AIN 3 B	1	AIN Toolkit Service - Service Establishment Charge, Per State,				+											
		Initial Setup			CAM	BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00	8,363.00					27.37	27.37	17.75	17.75
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Term. Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				L											
		DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
		DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC	-	117.98	117.98	37.90	37.90			21.31	21.31	17.75	17.75
		DN, Feature Code				BAPTF		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
		AIN Toolkit Service - Query Charge, Per Query				2,	0.024	111.00		07.00	01.00			2	21.01		
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
		Subscription, Per Node, Per Query					0.006										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
		Account, Per 100 Kilobytes					1.63										
1		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription		1	CAM	BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
<b>-</b>		AIN Toolkit Service - Special Study - Per AIN Toolkit Service	1	1	CAIVI	DAFIVIO	10.00	44.56	44.56	31.84	31.84	}		21.31	21.31	17.75	17.75
1		Subscription		1	CAM	BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	1	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
<u> </u>	1	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		<b>!</b>	CAM	BAPDS	15.90	44.56	44.56	31.84	31.84	1		27.37	27.37	17.75	17.75
1		Service Subscription		1	CAM	BAPES	0.003	47.74	47.74	1				27.37	27.37	17.75	17.75
ENHAN	ICED EX	TENDED LINK (EELs)		<b>†</b>		J0	0.000	71.17	77.79					21.01	21.01	17.75	17.75
	NOTE:	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of foll	owing MSAs: Orlan	do, FL; Miam	i, FL; Ft. Laude	rdale, FL;		1							
	NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High P	oint, N	C. Use all rates belo	w except Sw	itch As Is Char	ge.									
		n all states, EEL network elements shown below also apply to							As Is Charge a	pplies to curre	ntly combined	I facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
		In GA, TN, KY, LA, MS & SC the EEL network elements apply VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT				lements.(No	Switch As Is Ch	arge.)		-							<b></b>
<b>—</b>	Z-WIRE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EKUFF	ICE IK	ANSPURI (EEL)	+	<del>                                     </del>			<del>                                     </del>		-					<del>                                     </del>
		First 2-Wire VG Grade Loop(SL2) in a DS1 interofficed Transport  Combination - Zone 1  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		1	UNCVX	UEAL2	17.95										ļ
		Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
<b>-</b>	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<u> </u>	3	OINCVA	UEALZ	5∠.84			<del> </del>		1					1
		per month  Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.2067										
		Termination per month			UNC1X	U1TF1	68.75										

4DUNDE	D NETWORK ELEMENTS - Alabama	ı ———		1	<del>, ,</del>						Cup Carle	Cup Cada	Attachment:		Exhibit: B	Inoro
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Channelization System Per Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVA	UEALZ	29.16										
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ŭ	0.10171	O L / LLL	02.01										
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>04											
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINICAV	U1TF1	CO 75										
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UTIFT	68.75										
	Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCIX	IVIQI	122.50										
	per month			UNCVX	1D1VG	0.64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70.67										
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.64										
	Nonrecurring Currently Combined Network Elements Switch -As-								40.00							
4 W/ID	Is Charge  56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITED	EEICE	UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
4-WIK	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL)	+											
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	OBLOO	27.00										
	Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per	l		l	J											
	Month			UNC1X	MQ1	122.50									-	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	l		LINCDY	4D4DD	4.00										
-	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1	<b> </b>		UNCDX	1D1DD	1.36										1
	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL56	27.33										
+	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONCDA	ODESO	21.33									1	1
1	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	44.40										
				U. 10DA	JDL00	77.70									<b>!</b>	
_	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<b>—</b>					-	Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
<b>—</b>	OCU-DP COCI (data) - DS1 to DS0 Channel System -						FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-				1											
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	TRANSPORT (EEL)												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
<del>                                     </del>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		'	UNCDX	UDL64	21.33										
	Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
<b>—</b>	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSAA	0.2007										
	Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.30										
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		3	LINODY	LIDI 04	00.45										
<b>—</b>	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	80.45										
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	NSPORT (EEL)												
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	51.74										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<u>'</u>	ONOTA	OOLXX	31.74										
	Transport - Zone 2		2	UNC1X	USLXX	84.05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESAX	0.2001										
	Termination Per Month			UNC1X	U1TF1	68.75										
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 14/15	Is Charge	FROFFI	CE TD	UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI First DS1Loop in DS3 Interoffice Transport Combination - Zone	LKUFFI	CE IKA	MOPUKI (EEL)	1											
	1		1	UNC1X	USLXX	51.74										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2	ļ	2	UNC1X	USLXX	84.05										
1 1	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	<u> </u>	3	OINC IA	USLAX	152.29			+							
	Per Month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
$\vdash$	month	<u> </u>	<u> </u>	UNC3X	U1TF3	804.02										
$\vdash$	DS3 to DS1 Channel System combination per month DS3 Interface Unit (DS1 COCI) combination per month			UNC3X UNC1X	MQ3 UC1D1	201.37 15.39			1							
	Additional DS1Loop in DS3 Interoffice Transport Combination -	-	-	OINC I A	OCIDI	15.39			1							
1 1	Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 2	1	2	UNC1X	USLXX	84.05							]			]

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring					Rates(\$)		
	ALIE IROU I POOL I W. T. I I I I						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	17.95										<del>                                     </del>
	Combination - Zone 2		2	UNCVX	UEAL2	29.16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCVX	U1TV2	24.15										
	Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	39.00										
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	70.67										
	Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR		0.1000				10.00	10.00			01.01	01.01	0.00	0.00
	High Capacity Unbundled Local Loop - DS3 combination - Per															
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -			UNC3X	1L5ND	10.16										
	Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	804.02										
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
STS1 F	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFF	FICE TE	RANSPO		UNCCC		11.10	11.10	13.90	13.90			31.31	31.31	3.93	3.90
0.0.1	High Capacity Unbundled Local Loop - STS1 combination - Per				41.5110	10.10										
	Mile per month High Capacity Unbundled Local Loop - STS1 combination -			UNCSX	1L5ND	10.16										
	Facility Termination per month Interoffice Transport - Dedicated - STS1 combination - Per Mile			UNCSX	UDLS1	387.67										
	per month .			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	801.57										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
2-WIRE	IS Charge  EISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI	<del> </del>	OINCOV	UNCCC		11.18	11.18	13.96	13.96	<del>                                     </del>		31.37	31.31	3.93	3.93
2 7711(1	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	(===	<u>,                                     </u>		1											
	Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	37.74										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3			UNCNX	U1L2X	68.38							İ			

ONBONDE	D NETWORK ELEMENTS - Alabama			1	1	1							Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	122.50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68.38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)			_									
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39	•	•		•						
	Nonrecurring Currently Combined Network Elements Switch -As-								40.00	10.00						
4-WID	Is Charge E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 1	DANG	UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-WIK	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	FFICE	1	UNCDX	UDL56	27.33										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		3	UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD5	17.28	44.40	44.40	40.00	40.00			24.24	24.24	2.00	0.00
4 14/15	Is Charge  E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 3	DANC	UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
4-VVIR	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	KANS	CKI (EEL)	+											<b>-</b>
	Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										

<u>UNBUNDLE</u>	D NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				41 = 204											
	Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	OTTEO	17.20										
	Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
DDITIONAL N	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	Switch As Is c	harge does app	oly.									
	SynchroNet)															
Nonred	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps		1	UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCDA	UNCCC		11.10	11.10	13.96	13.96			31.31	31.31	3.93	3.9
	Is Charge - DS1		1	UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	2.10.71			11.10	11.10	10.50	10.30			01.01	01.01	0.00	5.5
	Is Charge - DS3			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Nonrecurring Currently Combined Network Elements Switch -As-															
	ls Charge - STS1			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.9
	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3	one month, DS3 a	nd above=fou	r months										
	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports				<u> </u>											
	Although the Port Rate includes all available features in GA, I E VOICE GRADE LINE PORT RATES (RES)	KY, LA	& IN, t	ne desired features	will need to i	e oraerea usir	ig retail USOC	S								
Z-WIRE	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21	-		27.37	12.97	17.77	1.4
	Exchange Forts - 2-wire Analog Line Fort- Nes.			OLI OK	OLITIC	2.07	21.33	21.33	0.21	0.21			21.01	12.57	17.77	1.7
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
						_				-			-	-		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire VG unbundled AL extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					27.37	12.97	17.77	1.4
FEATU	All Available Vertical Features			UEPSR	UEPVF	3.50	0.00	0.00					27.37	12.97	17.77	1.4
2-WIRE	E VOICE GRADE LINE PORT RATES (BUS)			ULFOR	OLF VI	3.30	0.00	0.00					21.31	12.97	17.77	1.*
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
_																
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		<u> </u>	UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
1	Exchange Ports - 2-Wire VG unbundled AL extended local															l .
	dialing parity Port with Caller ID - Bus.		<u> </u>	UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.4
		<b> </b>	<del>                                     </del>	UEPSB	USASC	0.00	0.00	0.00	0.21	0.21	1	1	27.37	12.97	17.77	1.4
	ISubsequent Activity		1	J. J.	20,100	0.00	0.00	0.00					21.01	12.01		· · ·
FEATI	Subsequent Activity  JRES						0.00	0.00					27.37	12.97	17.77	1.
FEATU				UEPSB	UEPVF	5.55	0.00									
	JRES			UEPSB	UEPVF	5.55	0.00							12.01		
	IRES  All Available Vertical Features   ANGE PORT RATES (DID & PBX)   2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.07	21.93	21.93		6.21			27.37	12.97	17.77	
	IRES  [All Available Vertical Features  ANGE PORT RATES (DID & PBX)  [2-Wire VG Unbundled 2-Way PBX Trunk - Res  [2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSE UEPSP	UEPRD UEPPC	2.07 2.07	21.93 21.93	21.93 21.93	6.21	6.21			27.37	12.97 12.97	17.77	1.4
	IRES   All Available Vertical Features   ANGE PORT RATES (DID & PBX)     2-Wire VG Unbundled 2-Way PBX Trunk - Res   2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus   2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSE UEPSP UEPSP	UEPRD UEPPC UEPPO	2.07 2.07 2.07	21.93 21.93 21.93	21.93 21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97 12.97	17.77 17.77	1. 1.
	IRES  All Available Vertical Features  ANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res  2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus  2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus  2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSE UEPSP UEPSP UEPSP	UEPRD UEPPC UEPPO UEPP1	2.07 2.07 2.07 2.07	21.93 21.93 21.93 21.93	21.93 21.93 21.93 21.93	6.21 6.21 6.21	6.21 6.21 6.21			27.37 27.37 27.37	12.97 12.97 12.97 12.97	17.77 17.77 17.77	1.2 1.2 1.2 1.2
	IRES   All Available Vertical Features   ANGE PORT RATES (DID & PBX)     2-Wire VG Unbundled 2-Way PBX Trunk - Res   2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus   2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSE UEPSP UEPSP	UEPRD UEPPC UEPPO	2.07 2.07 2.07	21.93 21.93 21.93	21.93 21.93 21.93	6.21 6.21	6.21 6.21			27.37 27.37	12.97 12.97 12.97	17.77 17.77	1. 1.

04/12/02 Page 17 of 352

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC	2.07 2.07	21.93 21.93	21.93 21.93	6.21 6.21	6.21			27.37	12.97 12.97	17.77 17.77	1.44 1.44
<b></b>	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del> </del>		UEPSP	UEPAD	2.07	21.93	21.93	0.21	6.21			27.37	12.97	17.77	1.44
	Capable Port			UEPSP	UEPXE	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
<b>-</b>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	2.01	21.33	21.95	0.21	0.21			21.01	12.57	17.77	1.44
	Administrative Calling Port			UEPSP	UEPXL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								V							1
	Room Calling Port			UEPSP	UEPXM	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
<b></b>	Subsequent Activity	1	<u> </u>	UEPSP	USASC	0.00	0.00	0.00					27.37	12.97	17.77	1.44
FEATU		<b> </b>	<del>                                     </del>	HEDOD HEDOS	LIED\/E	2.50	0.00	0.00					27.37	40.07	47.77	
EVCU	All Available Vertical Features  ANGE PORT RATES (COIN)	<del> </del>		UEPSP UEPSE	UEPVF	3.50	0.00	0.00					27.37	12.97	17.77	1.44
EXCH	Exchange Ports - Coin Port	<del> </del>			-	2.34	21.93	21.93	5.21	5.21			25.93	12.97	16.33	0.48
NOTE:	: Transmission/usage charges associated with POTS circuit s	witched	neade	will also annly to c	ircuit switch						ated with 2	wire ISDN r		12.91	10.55	0.40
	: Access to B Channel or D Channel Packet capabilities will be													s Request Pro	LCBSS.	
	LOCAL EXCHANGE SWITCHING(PORTS)	- avana	1	J through Britishes	Duomicoo ite	quest i rocess.	rtates for the	раскет сараві	lities will be de	terrimica via t	lie Bona i i	l	ten Busines	I	1	
	ANGE PORT RATES (DID & PBX)				1											
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	68.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
	All Features Offered			UEPTX UEPSX	UEPVF	5.55	0.00	0.00								
	: Transmission/usage charges associated with POTS circuit s													L		
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	e availal	ole onl						lities will be de	termined via t	he Bona Fid	de Request/	New Busines:	s Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port	1		UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 96.37	0.00 407.62	0.00 203.11	158.35	40.11			54.75	54.75	11.53	11.53
LINDLINDI ED	LOCAL SWITCHING, PORT USAGE	1	1	UEPEX	UEPEX	90.37	407.02	203.11	100.00	40.11			54.75	54.75	11.55	11.55
	Office Switching (Port Usage)	+			1											
	End Office Switching Function, Per MOU					0.0018										
	End Office Trunk Port - Shared, Per MOU					0.0002										
Tande	em Switching (Port Usage) (Local or Access Tandem)					0.000										
	Tandem Switching Function Per MOU					0.00063										
	Tandem Trunk Port - Shared, Per MOU					0.00033										
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0.00001										
<u> </u>	Common Transport - Facilities Termination Per MOU	1	<u> </u>			0.00045										ļ
	PORT/LOOP COMBINATIONS - COST BASED RATES				1											ļ
	Based Rates are applied where BellSouth is required by FCC a res shall apply to the Unbundled Port/Loop Combination - Cos								nd Port coefic:	of this Boto F	L vhihit			<del> </del>	<del> </del>	<del> </del>
Featur	office and Tandem Switching Usage and Common Transport Us	st Based	Rate	section in the same	manner as tr	it chall applied	o the Stand-A	one Unbundi	ed Port Section	or this Rate E	XNIDIT.	n Bort/Loor	Combination	1		
For Ge	eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and	Tenness	see, the	e recurring UNE Por	t and Loop c	harges listed at	oply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurr	ng charges a	pply to Not
	ntly Combined Combos for all states. In GA, KY, LA, MS, SC ar															
	urrently Combined Combos in all other states, the nonrecurrin										<b>3</b>					
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Ĭ														
	Port/Loop Combination Rates															<u> </u>
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55		•		•						
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3		1	44.44										
UNE L	oop Rates	ļ			<del>                                      </del>											ļ
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	14.35										ļ
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2	<b> </b>	2	UEPRX	UEPLX	23.31								<b> </b>	<b> </b>	1
0.18/	2-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>	3	UEPRX	UEPLX	42.24								<b> </b>	<b> </b>	<b> </b>
Z-Wire	2-Wire voice unbundled port - residence	1	1	UEPRX	UEPRL	2.20	90.00	90.00				<del>                                     </del>	40.71	9.58	<del>                                     </del>	<del> </del>

04/12/02 Page 18 of 352

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	ļ
												Svc Order		Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		DAT	ES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Sv
JATEGORT	RATE ELEMENTS	m	Zone	BCS	USUC		KAI	⊏2(≱)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - res			UEPRX	UEPAR	2.20	90.00	90.00					40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	2.20	90.00	90.00					40.71	9.58		
FEA	TURES															
	All Features Offered			UEPRX	UEPVF	3.50	0.00	0.00					40.71	9.58		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	1	1		0.00								1	1	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1									1	1	1
	Switch-as-is			UEPRX	USAC2		2.80	0.41					40.71	9.58	I	
+	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-	1	021 100	00/102		2.00	0.71					70.71	3.30	t	1
	Switch with change	1		UEPRX	USACC		2.80	0.41					40.71	9.58	1	
$\!\!\!\!+\!\!\!\!-$		+	1	UCPRA	USACC		∠.ŏ∪	0.41	-				40.71	9.58	<del>                                     </del>	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1											0.05	Ì	I	
	Subsequent Database Update	-			1		1.44						8.25		1	1
ADD	ITIONAL NRCs	1	1	ļ											<b></b>	<b></b>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			1	1		l							Ì	I	
	Activity			UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58	ļ	<b></b>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														1	ļ
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
T	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE	Loop Rates						ĺ									
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31	İ							İ	İ	İ
-	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	42.24								1	1	1
2-Wi	re Voice Grade Line Port (Bus)	1	ΙĪ	1										1	1	1
	2-Wire voice unbundled port without Caller ID - bus	1	1	UEPBX	UEPBL	2.20	90.00	90.00	1				40.71	9.58	<b>†</b>	1
-+	2-Wire voice unbundled port with Caller + E484 ID - bus	+	<b>I</b>	UEPBX	UEPBC	2.20	90.00	90.00					40.71	9.58	t	<del>                                     </del>
+-	2-Wire voice unbundled port with Caller + L464 ib - bus	1	1	UEPBX	UEPBO	2.20	90.00	90.00					40.71	9.58	<del> </del>	1
+-	2-Wire voice Grade unbundled Alabama extended local dialing	+	1	OLITON	ULFBU	2.20	90.00	30.00					40.71	3.30	<del></del>	1
				UEPBX	UEPAW	2.20	00.00	90.00					40.71	9.58	1	
$\longrightarrow$	parity port with Caller ID - bus	1	1				90.00								<del>                                     </del>	<del>                                     </del>
	2-Wire voice unbundled incoming only port with Caller ID - Bus	1	1	UEPBX	UPEB1	2.20	90.00	90.00					40.71	9.58	<del>                                     </del>	<del>                                     </del>
LOC	AL NUMBER PORTABILITY	-		LIEDDY	LNDOY	2.05									1	1
	Local Number Portability (1 per port)	-	<u> </u>	UEPBX	LNPCX	0.35									-	1
FEA	TURES	1	1	LIEBBY	1,155,15	0.55							40 = -		<b></b>	<b></b>
	All Features Offered	1	<u> </u>	UEPBX	UEPVF	3.50	0.00	0.00					40.71	9.58	<b></b>	<u> </u>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ļ											ļ	ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	· [													1	
	Switch-as-is			UEPBX	USAC2		2.80	0.41					40.71	9.58		ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change		<u></u>	UEPBX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Subsequent Database Update						1.44						8.25	Ì	I	
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						İ									
	Activity			UEPBX	USAS2		0.00	0.00					40.71	9.58	I	
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			İ	1			2.30						1.50	İ	İ
	Port/Loop Combination Rates	1			1		İ							İ	1	İ
<del></del>	2-Wire VG Loop/Port Combo - Zone 1	1	1		+ +	16.55			1					<del> </del>	<b>—</b>	1
+-	2-Wire VG Loop/Port Combo - Zone 2	+	2	1	+ +	25.51	-							<b> </b>	t	<del>                                     </del>
+-	2-Wire VG Loop/Port Combo - Zone 3	+	3	1	+ +	44.44	-							-	<del> </del>	<del> </del>
		+	3		+	44.44	+							1	<del> </del>	1
LINE														•	1	1
UNE	Loop Rates	+	- 1	LIEDBC	LIEDLY	14.05			+							
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2	UEPRG UEPRG	UEPLX UEPLX	14.35 23.31										

NRONDL	LED	NETWORK ELEMENTS - Alabama		1										Attachment:		Exhibit: B	
ATEGORY	ſ	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wi		oice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	2.20	90.00	90.00					40.71	9.58		
LOC		NUMBER PORTABILITY															
FEA		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					40.71	9.58		
FEA		All Features Offered			UEPRG	UEPVF	3.50	0.00	0.00					40.71	9.58		
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFRG	UEFVF	3.50	0.00	0.00					40.71	9.56		
NON		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				100.00		2.50	3.71						0.50		
1		Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58		1
	2	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Subsequent Database Update						1.44						8.25			
ADD		NAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58		
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						14.64	14.64					40.71	9.58		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE		rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
		2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
		2-Wire VG Loop/Port Combo - Zone 2		3			44.44										
UNF		op Rates															
- 0.1		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14.35										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	23.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42.24										
2-Wi	ire V	oice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20	90.00	90.00					40.71	9.58		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20	90.00	90.00					40.71	9.58		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama			LIEDDY	LIEDAG	0.00	00.00	00.00					40.74	0.50		
		Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX UEPPX	UEPA2 UEPLD	2.20 2.20	90.00 90.00	90.00					40.71 27.37	9.58 9.58		
		2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way Combination PBX 0sage Port			UEPPX	UEPXB	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Administrative Calling Port			UEPPX	UEPXL	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
		Discount Room Calling Port		ļ	UEPPX	UEPXO	2.20	90.00	90.00					40.71	9.58		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		-	UEPPX	UEPXS	2.20	90.00	90.00					40.71	9.58		
LOC		NUMBER PORTABILITY Local Number Portability (1 per port)	<b>-</b>	<del>                                     </del>	UEPPX	LNPCP	3.15	0.00	0.00					40.71	9.58		-
FEA				<b>-</b>	ULPPA	LINFOP	3.15	0.00	0.00			1		40.71	9.58	1	
FEA		All Features Offered			UEPPX	UEPVF	3.50	0.00	0.00					40.71	9.58	-	
NON		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			52. T X	JEI VI	0.50	5.00	0.00					70.71	5.50		
1.014		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1										1	
		Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1		0							2.50	İ	
		Conversion - Switch with Change		1	UEPPX	USACC		2.80	0.41	1	ĺ		1	40.71	9.58	l	ı

ONBONDL	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														ĺ
	Subsequent Database Update						1.44						8.25			
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ĺ
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					40.71	9.58		
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			16.88										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			25.84										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			44.77										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	23.31										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	42.24										1
2-Wi	re Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	,														
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															ĺ
	(AL, LA, MS)			UEPCO	UEPRB	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking:															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1														
	(AL, FL)			UEPCO	UEPRK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.53	90.00	90.00					40.71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.53	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.53	90.00	90.00					40.71	9.58		
ADD	ITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	90.00	90.00					40.71	9.58		
LOC	AL NUMBER PORTABILITY	1		L											1	1
ļ ļ	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35									ļ	1
NON	RECURRING CHARGES - CURRENTLY COMBINED	1		ļ					ļ						ļ	<b></b>
( l	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-[		l										1	I	
ļ ļ	Switch-as-is	1		UEPCO	USAC2		2.80	0.41					40.71	9.58	ļ	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	1		l			_							_	I	
	Switch with change	1	1	UEPCO	USACC		2.80	0.41	ļ				40.71	9.58	<b>.</b>	ļ
ADD	ITIONAL NRCs	1		ļ					ļ						ļ	1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	1	1	UEPCO	USAS2		0.00	0.00	ļ				40.71	9.58	<b>.</b>	ļ
	UNDLED REMOTE CALL FORWARDING - RES	1		1					ļ					ļ	<b>.</b>	<b></b>
	-Recurring	1		1					ļ					ļ	<b>.</b>	<b></b>
UNB	UNDLED REMOTE CALL FORWARDING - Bus	1	-	LIED ID												<b>.</b>
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus	1		UEPVB	UERTR	2.07	21.93	21.93	ļ				27.37	12.97	17.77	1.44
	-Recurring	1							ļ					ļ	<b>.</b>	ļ
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	LINE	PORT (	KES)												<b></b>
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	UED.S			.==							1	
	(LUM)	1	DODT :	UEPFR	UEPAP	2.07	225.00	175.00	<b>.</b>	ļ			40.71	9.58	-	<del> </del>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	L LINE	PORT (	ROS)					ļ						-	<b>!</b>
	D PORT/LOOP COMBINATIONS - COST BASED RATES	L DODE	-	<b></b>												<b>.</b>
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	N PURT	1	ļ							ļ				<b></b>	<b>.</b>
JUNE	Port/Loop Combination Rates	1	1								1				1	1

04/12/02 Page 21 of 352

<u> </u>	IETWORK ELEMENTS - Alabama													Attachment:	2	Exhibit: B	
														Incremental			Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	В	CS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													•	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-V	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				29.59										
2-V	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				36.58										
2-V	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				45.06										
UNE Loop	Rates																
2-V	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	20.42										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	27.41										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	35.89										
UNE Port F																	1
	change Ports - 2-Wire DID Port			UEPPX		UEPD1	9.17	600.00	45.00					40.71	9.58		
	RRING CHARGES - CURRENTLY COMBINED																
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	vitch-as-is			UEPPX		USAC1		14.61	3.73					40.71	9.58		
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OL: 17		00/101			00						0.00		†
	h BellSouth Allowable Changes			UEPPX		USA1C		14.61	3.73					40.71	9.58		
ADDITION			-	OLITA		00/110		14.01	0.10					70.71	0.00		+
	Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.56	53.56					40.71	9.58		-
	Number/Trunk Group Establisment Charges			UEPPA		USAST		33.30	33.36					40.71	9.36		<del> </del>
				LIEDDY		NDT	0.00	0.00	0.00								<b></b>
	D Trunk Termination (One Per Port) ditional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
							0.00	0.00									ļ
	Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	serve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								ļ
	serve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								ļ
	JMBER PORTABILITY																
	cal Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	<u> </u>													
	Loop Combination Rates																
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	IE Zone 1		1	UEPPB	UEPPR		36.62										
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	IE Zone 2		2	UEPPB	UEPPR		44.49										
2W	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
UN	IE Zone 3		3	UEPPB	UEPPR		55.39										
UNE Loop	Rates																
2-V	Vire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	27.20							40.71	9.58		
	•																
2-V	Vire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	35.07							40.71	9.58		
	Vire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.97							40.71	9.58		1
UNE Port F																	
	change Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.42	525.00	400.00					40.71	9.58		
	RRING CHARGES - CURRENTLY COMBINED																
	Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	mbination - Conversion			UEPPB	UEPPR	USACB	0.00	77.01	54.04					40.71	9.58		
ADDITION			-	OLITE	OLITIK	CONOD	0.00	77.01	04.04					70.71	0.00		+
	JMBER PORTABILITY																
	cal Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								-
			-	UEPPB	UEFFR	LINFUX	0.33	0.00	0.00								<del> </del>
	EL USER PROFILE ACCESS: (S/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<del>                                     </del>
	S (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	, ,			UEPPB	UEPPR				0.00						<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
CS		. MC ~	TA"	OEYYB	UEPPK	U1UCC	0.00	0.00	0.00						1	1	<del> </del>
	EL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	,MS, &	1N)	LIEBBB	LIEBBB	1141165											<b>├</b>
	(S/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							ļ	<b>.</b>
	(S (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							ļ	ļ
CS				UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							ļ	ļ
	MINAL PROFILE			ļ													<b></b>
	er Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<b></b>
	. FEATURES																<u> </u>
	Vertical Features - One per Channel B User Profile		$\perp$	UEPPB	UEPPR	UEPVF	3.50	0.00	0.00					40.71	9.58		
INTEROFE	ICE CHANNEL MILEAGE													_			

NOUNDLE	D NETWORK ELEMENTS - Alabama		1	1		1						Com Cont	Cura Cura	Attachment:		Exhibit: B	la sus
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	;	usoc		RAT	FES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and			l													
	facilities termination			UEPPB UE		M1GNC	17.81	107.11	48.27					40.71	9.58		
	Interoffice Channel mileage each, additional mile			UEPPB U	EPPR	M1GNM	0.0339	0.00	0.00				0.00				
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			198.29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			274.00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3	UEPPP			425.41										
UNE	Zone 3	1	3	UEPPP		_	425.41										
UNE L	Dop Rates	<b> </b>	1	UEPPP		USL4P	101.92						ļ	40.71	9.58	-	ļ
	4-Wire DS1 Digital Loop - UNE Zone 1	<u> </u>															
	4-Wire DS1 Digital Loop - UNE Zone 2	<u> </u>	2	UEPPP		USL4P	177.63							40.71	9.58	1	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329.04							40.71	9.58		
UNE P	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	96.37	1,150.00	1,150.00					40.71	9.58		
NONRI	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	238.13	157.11					40.71	9.58		
ADDIT	ONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9801									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23.02	23.02								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05								
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	29.05									
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	29.05									
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	29.05									
CALL																	
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interof	fice Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.692										
4-WIRE	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			170.59										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC			246.30										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC			397.71										
UNE L	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC		USLDC	101.92										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		USLDC	177.63										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC		USLDC	329.04										
UNE P	ort Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC		UDD1T	68.67										
NONR	CURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination																
1	- Switch-as-is	1	1	UEPDC		USAC4		258.98	134.03	1		I	l	40.71	9.58	1	l

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDII	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		20.00	20.93					40.71	9.56		
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			OLI DO	ODITO		20.00	20.00					40.71	0.00		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				1			_5.00						2,00		
	Activation Per Chan - Inward Trunk with DID		l	UEPDC	UDTTD		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
BIPOL	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Altern	nate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
T-1	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
гегер	hone Number/Trunk Group Establisment Charges Telephone Number for 2-Way Trunk Group			UEPDC	LIDTOV	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00									
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	runk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBBO	41 NOD	0.000	0.00	0.00								
-	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.692	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	TominadOff)			OLFDO	ILINUS	0.00	0.00	0.00	0.00					1	1	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		l	UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														
Each	System can have up to 24 combinations of rates depending on			ber of ports used												
UNE D	DS1 Loop						_	•		•						
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00						ļ	ļ	
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	1S)	<u> </u>	UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58	1	
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM24 VUM48	231.78	0.00	0.00					40.71	9.58	-	
	96 DSO Channel Capacity - 1 per 2 DS1s	-	<b> </b>	UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58	1	
-+	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58	1	<del>                                     </del>
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	980.00	0.00	0.00	<b>-</b>				40.71	9.58	1	<b> </b>
-+	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,158.90	0.00	0.00	<b>-</b>				40.71	9.58	1	<b> </b>
Į.				UEPMG	VUM28	1,390.68	0.00	0.00					40.71	9.58	1	1

04/12/02 Page 24 of 352

INRONDL	ED NETWORK ELEMENTS - Alabama			1	1	1							Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
		1					Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,854.24	0.00	0.00					40.71	9.58		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,317.80	0.00	0.00					40.71	9.58		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781.36	0.00	0.00					40.71	9.58		
Non E	672 DS0 Channel Capacity - 1 per 28 DS1s  Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wi	th Chan	a a li <del>r</del> ati a	UEPMG	VUM67	3,244.92	0.00	0.00	-				40.71	9.58	1	
	nimum System configuration is One (1) DS1, One (1) D4 Chann						stem		1						1	
	ples of this configuration functioning as one are considered A															
	NRC - Conversion (Currently Combined) with or without	1		 	T				†						İ	
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	300.95	16.72					40.71	9.58		
	em Additions at End User Locations Where 4-Wire DS1 Loop w	ith Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and										
New (	(Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA. LA. KY. MS. &TN Only			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Rinol	Iar 8 Zero Substitution			UEPING	VUIVID4	0.00	/16.11	468.04	148.75	17.00			40.71	9.58		
ыры	Clear Channel Capability Format, superframe - Subsequent	1														
	Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Alterr	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
Ft.	Extended Superframe Format		D	UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelizat ange Ports	ion with	Port						-						-	
EXCII	ange Forts	+														
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.58	0.00	0.00	0.00	0.00			40.17	9.58		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.58	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9.20	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)			UEPPX	UEPA4	1.58	0.00	0.00					40.71	9.58		
	2 Wire Channelized PBX Area Calling Service Outgoing Only	-		UEPPA	UEPA4	1.56	0.00	0.00	+				40.71	9.56	1	
	Port (AL Only)			UEPPX	UEPA3	1.58	0.00	0.00					40.71	9.58		
Featu	ure Activations - Unbundled Loop Concentration								†						İ	
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.64	25.39	13.41	4.19	4.16			40.71	9.58		
	Feature (Service) Activation for each Trunk Side Port Terminated	t														
Tolon	in D4 Bank  bhone Number/ Group Establishment Charges for DID Service	-		UEPPX	1PQWU	0.64	78.13	18.42	59.24	11.58			40.17	9.58		
reiep	DID Trunk Termination (1 per Port)	+		UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	†						İ	
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port	1	-	UEPPX	LNPCP	3.15	0.00	0.00							1	
	FURES - Vertical and Optional I Switching Features Offered with Line Side Ports Only	+	<del>                                     </del>	<del>                                     </del>	+				<del>                                     </del>						<del>                                     </del>	
Local	All Features Available	+	<del>                                     </del>	UEPPX	UEPVF	3.50	0.00	0.00	1				40.71	9.58	t	
NBUNDLED	PORT LOOP COMBINATIONS - MARKET RATES	1				0.00	2.00	2.00					.0.71	5.00	1	
	et Rates shall apply where BellSouth is not required to provide	unbun	led lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
These	e scenarios include:															
	nbundled port/loop combinations that are Not Currently Comb							•								
	nbundled port/loop combinations that are Currently Combined											Ļ				
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Laudero												NC In the :-	torim where	PoliCouth as	not bill
	South currently is developing the billing capability to mechanic et Rates, BellSouth shall bill the rates in the Cost-Based section									not currently c	ombined in	AL, FL and	No. In the Ir	iterim where	Deli South Cal	IIIO JUII
IM arke																

04/12/02 Page 25 of 352

CATEGORY RATE ELEMENTS    Interior in m	t: B	Exhibit: B	2	Attachment:												BUNDLED NETWORK ELEMENTS - Alabama	JNRIIN
RATE ELEMENTS					Cua Oudan	Cora Curdan					ı	1		1 1	1	BONDELD NETWORK ELEMENTS - Alabama	JINDUIN
## RATE ELEMENTS ## 200 BCS USOC ## PATES(S) ## RATES(S) ## REGION BY LESS USON 15 CONTROL   RECIPION   RECIPI																	
ATECHEV RATE ELEMENTS   Time   Sond		Charge -															
All Column   All														I_ I	Interi		
End office and Tursdern Switching Usage and Common Transport Usage rates in the Port section of this rate which that largely to all combinations of couples of the Port Section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all combinations from the Usage Common Transport Usage rates in the Port section of the Usage Common Transport Usage rates in the Port section of the Usage Common Transport Usage rates in the Port section of this rate which that largely to all common Transport Usage rates in the Port section of the Usage Common Transport Usage rates in the Port and Additional RRC Columns for section For Common Transport Usage rates in the Port and Additional RRC Columns for section of the Usage Common Transport Usage rates in the Port and Additional RRC Columns for section in the Usage Common Transport Usage rates in the Port and Additional RRC Columns for section of the Usage Common Transport Usage rates in the Port Section Transport Usage Rates in the Port Section Transport Usage Rates In the Port Section Transport Usage Rates In the Port Section Transport Usage Rates In the Port Section Transport Usage Rates In the Port Section Transport Usage Rates In the Port Section Transport Usage Rates In the Port Section Transport Usage Rates I	r vs. Order vs.	Order vs.	Order vs.	Order vs.	per LSR	per LSR			I ES(\$)	RAI		USOC	BCS	Zone		TEGORY RATE ELEMENTS	JATEGO
Description   Description	onic- Electronic-	Electronic-	Electronic-	Electronic-													
	1st Disc Add'l	Disc 1st	Add'l	1st													
Control and Tandom Switching Usage and Common Transport Usage rate in the Pert action of this rate shifth shall apply to all combinations across to topoport network elements except or VIME Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Combined Sections. Additional MEC columns of seath Port USBC. For Courselly Coursell Co																	
Compared Transform Servicing Usage and Common Transport Usage and Common											Rec						
COLDING   Committed   Commit	MAN SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMEC	Add'l	First	Add'l	First	NCC						
For Nat Currently Combined scenarios, where Market Raises apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the Combined scenarios, the Nonrecurring charges are listed in the Combined scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC compared Combined Scenarios. Additional NRC combined Scenarios. Additio	rate usage charge	e a flat rate u	ns which have	Combination	n Port/Loop	or UNE Coi	nents except f	rt network elen	ons of loop/po	all combination	it shall apply to	nis rate exhib	he Port section of tl	es in th	sage rate	End Office and Tandem Switching Usage and Common Transport U	F
Combined section. Additional NRCs may apply also and are categorized excendingly.   PAPIRE VOICE GRADE LOOP WITH PAPIRE LINE POT (RES)																(USOC: URECU).	C
Applies VOICE GRADE LOOP WITH JAVIER LINE FORT (RES)	NRC - Currently	in the NRC -	ges are listed	curring charg	s, the Nonre	ed scenario	rently Combine	SOC. For Curr	for each Port U	IRC columns f	nd Additional N	in the First a	g charges are listed	curring	ne Nonre	For Not Currently Combined scenarios where Market Rates apply, the	F
Applies VOICE GRADE LOOP WITH JAVIER LINE FORT (RES)	•		-				-						alv.	cording	rized ac	Combined section. Additional NRCs may apply also and are categor	c
UNE Process Combination Rates													Ĭ				
2-Wint VG LoopPert Cortic - Zene 1   1   28.50			†														
2-WW VG LoopPer Corror - Zone 2   2			1								28.35			1			
September   Sept			t t														
UNE Loop Rates			t t														
2-Wire Votos Grade Loop (SL1) - Zone 1	<del></del>	<del>                                     </del>	<del>                                     </del>								00.£4	+		Ŭ			
2-Wine Vision Grade Long (SELT) - Zown 9	$\overline{}$	<del>                                     </del>	+								14 35	UEPLY	LIEPRX	1	1		-+
2-Wive Vote Grade Lope (SL1) - Zone 3   3   UPPRX   UPPLX   4 2 24	-+-	<del>                                     </del>	+												1		-+
2-Wire Voice Grade Line Fort (Res)		<del>                                     </del>	+												1		-+
2-Wire vicie unbundled port inselence   UEPRX   UEPRC   14.00   90.00   90.00   40.71   9.58	-+	<del>                                     </del>	+								42.24	UEPLA	OLPRA	3	1		<del></del>
2-Wire voice unbundled port with Caller ID - res   UEPRX   UEPR   14.00   90.00   90.00   40.71   9.58	-+	₩	0.50	40.74					00.00	00.00	14.00	LIEDDI	LIEDDY	$\vdash$	<del>                                     </del>		—— <del> 2</del>
2-Wire voice unbundled port outgoing only - res		<del></del>										<b></b>		$\vdash$	1		$\longrightarrow$
2-Wife votice unbundles res, low usage line port with Caller ID   UEPRX		<b></b>															$-\!\!+$
CLOAD   CLOA			9.58	40.71					90.00	90.00	14.00	UEPRO	UEPRX				$\rightarrow$
COAL NUMBER PORTABILITY   UPPX   UP																	
LOCAI NUMBER Portability (1 per port)		ļ	9.58	40.71					90.00	90.00	14.00	UEPAP	UEPRX	1			
FEATURES				,								LLIBOY	LIEBBY .				
All Features Offered   UEPX   UEPY   0.00		<u> </u>									0.35	LNPCX	UEPRX				
NONRECURRING CHARGES - CURRENTLY COMBINED		<u> </u>															F
ADDITIONAL NRCs   NRC - 2-Wire Voice Grade Loop/Line Port Combination -		↓							0.00	0.00	0.00	UEPVF	UEPRX				
NRC - 2-Wire Voice Grade Loop (Line Port Combination - Subsequent   UEPRX   USAS2   0.00		<u> </u>															
Subsequent																	P
2-Wife Voice GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates			9.58	40.71					0.00	0.00		USAS2	UEPRX				
2-Wire VIC Loop/Port Combo - Zone 1																	
2-Wire Vic Loop/Port Combo - Zone 2   2   37.31   56.24																	t
2-Wire VG Loop/Port Combo - Zone 3   3   56.24				1										1			
UNE Loop Rates				1							37.31			2		2-Wire VG Loop/Port Combo - Zone 2	
2-Wire Voice Grade Loop (St.1) - Zone 1				1							56.24			3		2-Wire VG Loop/Port Combo - Zone 3	
2-Wire Voice Grade Loop (St.1) - Zone 2   2 UEPBX   UEPLX   23.31				1													Ų
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPBX   UEPLX   42.24											14.35	UEPLX	UEPBX	1		2-Wire Voice Grade Loop (SL1) - Zone 1	
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPBX   UEPLX   42.24													UEPBX	2		2-Wire Voice Grade Loop (SL1) - Zone 2	
2-Wire Voice Grade Line Port (Bus)											42.24	UEPLX		3			
2-Wire voice unbundled port with Caller + E484 ID - bus   UEPBX UEPBC   14.00   90.00   90.00   90.00   40.71   9.58																2-Wire Voice Grade Line Port (Bus)	2
2-Wire voice unbundled port with Caller + E484 ID - bus   UEPBX UEPBC   14.00   90.00   90.00   90.00   40.71   9.58			9.58	40.71					90.00	90.00	14.00	UEPBL	UEPBX			2-Wire voice unbundled port without Caller ID - bus	
2-Wire voice unbundled port outgoing only - bus   UEPBX   UEPBO   14.00   90.00   90.00   90.00   40.71   9.58			9.58	40.71					90.00	90.00		UEPBC	UEPBX				
LOCAL NUMBER PORTABILITY   Local Number Portability (1 per port)   UEPBX   LNPCX   0.35																	$\neg$
Local Number Portability (1 per port)											1		1				
FEATURES			<del>                                     </del>								0.35	LNPCX	UEPBX				-
All Features Offered		1	<del>                                     </del>								5.55						F
NONRECURRING CHARGES - CURRENTLY COMBINED			9.58	40 71					0.00	0.00	0.00	UEP\/F	UEPBX				<del>- '</del>
ADDITIONAL NRCs			5.50	.5.71					0.00	5.00	5.50						-
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent   UEPBX USAS2   0.00   0.00   0.00   40.71   9.58	-+	<del>                                     </del>	<del>                                     </del>								<del>                                     </del>	1	1		1		
Subsequent	-+	<del>                                     </del>	<del>                                     </del>	<del></del>								1	<b> </b>		<u> </u>		-+
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)   UNE Port/Loop Combination Rates			0.50	40.71					0.00	0.00		LISAS2	LIEPBX				
UNE Port/Loop Combination Rates		<del>                                     </del>	3.55	40.71					0.00	0.00		30,102	521 DX		<del>                                     </del>		<del>-  </del> -
2-Wire VG Loop/Port Combo - Zone 1	-	<del>                                     </del>	<del>                                     </del>	<del></del>								1	<b> </b>		<u> </u>		
2-Wire VG Loop/Port Combo - Zone 2   2   37.31		<del>                                     </del>	+								28 35	1		1	1		—
2-Wire VG Loop/Port Combo - Zone 3   3   56.24	-+	<del> </del>	+									1	+		1		-+
UNE Loop Rates         2-Wire Voice Grade Loop (SL1) - Zone 1         1         UEPRG         UEPLX         14.35 </td <td>-+</td> <td><del>                                     </del></td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>+</td> <td><b>+</b></td> <td></td> <td>1</td> <td></td> <td><math>\longrightarrow</math></td>	-+	<del>                                     </del>	+									+	<b>+</b>		1		$\longrightarrow$
2-Wire Voice Grade Loop (SL1) - Zone 1	-+	₩	┼──┤								56.∠4	1	-	3	<del>                                     </del>		<del></del>
2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRG UEPLX 23.31		₩	┼──┤								44.05	LIEDLY	LIEDDC	4	1		
	-+	<b>↓</b>	+									-			-		$\longrightarrow$
1 17-Willia Voice Farge Loop (SEE) - Zone 3	$-\!+\!-\!-$	<b>├</b>	$\longrightarrow$											_			
2-Wire Voice Grade Line Port Rates (RES - PBX)		<b></b>		,							42.24	UEPLX	UEPRG	3	<u> </u>		$\longrightarrow$

04/12/02 Page 26 of 352

HINDHIND	ID NETWORK ELEMENTS Alabama												Attack	<u> </u>	Evhibit: D	
UNBUNDLI	ED NETWORK ELEMENTS - Alabama	ı	ı		1				I	I	Svo Order	Sup Orde-	Attachment: Incremental		Exhibit: B	Incremental
		1									Svc Order Submitted					
											Elec	Submitted Manually		Charge - Manual Svc	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)							Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	Воо	0000		IVA	LO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.71	9.58		
ADDI	TIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1											1	1		
	Group	ļ					14.64	14.64	ļ				40.71	9.58		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<b></b>														
UNE	Port/Loop Combination Rates				_	00.05										
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1		+	28.35							<b> </b>	<b> </b>		
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2	<b> </b>	2		+	37.31			1				<del> </del>	<del> </del>		
116	2-Wire VG Loop/Port Combo - Zone 3	<b> </b>	3		_	56.24			ļ		-		-	-		
UNE	oop Rates		1	UEPPX	LIEDLY	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPPX	UEPLX UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 2					42.24										
0.14/:	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42.24										
Z-WIF	e Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	<u> </u>		_											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.71	9.58		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus  Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.71	9.58		
<b>—</b>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00			-		40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama			UEPPA	UEFFI	14.00	90.00	90.00			1		40.71	9.56		
	Calling Port			UEPPX	UEPA2	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00			1		40.71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	14.00	50.00	50.00					40.71	0.00		
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<b>†</b>	<b>†</b>				55.50	33.30	1					5.50		
	Room Calling Port	1	1	UEPPX	UEPXM	14.00	90.00	90.00	]				40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								İ							
	Discount Room Calling Port	1	1	UEPPX	UEPXO	14.00	90.00	90.00	]				40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.71	9.58		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.71	9.58		
	ECURRING CHARGES - CURRENTLY COMBINED															
ADDI	TONAL NRCs						, and the second									
				l	1											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	<u> </u>	<u> </u>	UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58		
	2 Wire Loop/Line Side Port Combination - Non feature -	1	1						]				Ì	Ì		
$\vdash$	Subsequent Activity- Nonrecurring	ļ	<b> </b>				0.00	0.00	ļ				40.71	9.58		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
<del></del>	Group	<u></u>	<b> </b>				14.64	14.64	ļ				40.71	9.58		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	<b>₹</b> Γ														
UNE	Port/Loop Combination Rates		<u> </u>		_											
	2-Wire VG Coin Port/Loop Combo – Zone 1	ļ	1		-	28.35										
	2-Wire VG Coin Port/Loop Combo – Zone 2	ļ	2		-	37.31										
	2-Wire VG Coin Port/Loop Combo – Zone 3	ļ	3		-	56.24										
UNE	oop Rates	<u> </u>	<u> </u>								L	L	<u> </u>	<u> </u>		

04/12/02 Page 27 of 352

ONROND	DLED NETWORK ELEMENTS - Alabama												Attachment:		Exhibit: B	
CATEGOR	RY RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					1		Nonros		Nonrecurring	Disconnect			000	Botoo(\$)		
			1			Rec	Nonrec				001150	0011411		Rates(\$)	001111	001111
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	14.35	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	23.31										
				UEPCO	UEPLX	42.24										
2 14	2-Wire Voice Grade Loop (SL1) - Zone 3 Wire Voice Grade Line Port Rates (Coin)		3	UEFCO	UEPLA	42.24										
2-1	2-Wire Coin 2-Way without Operator Screening and w	ithout	-		-											
	Blocking (AL, KY, LA, MS)	itriout		UEPCO	UEPRF	14.00	90.00	90.00					40.71	9.58		
-	2-Wire Coin 2-Way with Operator Screening (AL, KY)		1	UEPCO	UEPRE	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening (AL, KT)  2-Wire Coin 2-Way with Operator Screening and Blod	king: 011		UEFCO	UEFRE	14.00	90.00	90.00					40.71	9.56		
	900/976, 1+DDD (AL, KY, LA, MS, SC)	King. 011,		UEPCO	UEPRA	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011	Planking	-	UEPCO	UEPKA	14.00	90.00	90.00					40.71	9.56		
	(AL. LA. MS)	Blocking		UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58		
				UEPCO	UEPRB	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blockin	ıy.		LIEDCO	LIEDOD	44.00	00.00	00.00	]				40.74	0.50	Ì	1
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	1 Pleakin =	-	UEPCO	UEPCD	14.00	90.00	90.00					40.71	9.58	1	1
	2-Wire Coin Outward with Operator Screening and 01	DIOCKING		LIEDOO	LIEDDIA	44.00	00.00	00.00	]				40.71	0.50	Ì	1
	(AL, FL)	a aluia au	-	UEPCO	UEPRK	14.00	90.00	90.00					40.71	9.58	1	1
	2-Wire Coin Outward with Operator Screening and Blo	ocking:														
	011, 900/976, 1+DDD (AL, KY, LA, MS)	000/000	1	UEPCO	UEPRH	14.00	90.00	90.00					40.71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking:	900/976,														
	1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14.00	90.00	90.00					40.71	9.58		
LO	OCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
AD	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Sul			UEPCO	USAS2		0.00	0.00					40.71	9.58		
	ED PORT/LOOP COMBINATIONS - MARKET BASED RA															
	WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE D	DID TRUNK PORT														
UN	NE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE		1			69.59										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE		2			76.58										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE	Zone 3	3			85.06										
UN	NE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone		1	UEPPX	UECD1	20.42										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone		2	UEPPX	UECD1	27.41										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone	3	3	UEPPX	UECD1	35.89										
UN	NE Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	40.00	600.00	45.00					40.71	9.58		
	ONRECURRING CHARGES - CURRENTLY COMBINED															
AD	DDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Tru	nk		UEPPX	USAS1		53.56	53.56					40.71	9.58		
Tel	elephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Nur			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per N	lumber		UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LO	OCAL NUMBER PORTABILITY								<u> </u>							
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN D	IGITAL LINE SID	E POR	Т					<u> </u>							
UN	NE Port/Loop Combination Rates								<u> </u>							
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Sid	de Port -														
[	UNE Zone 1		_1	UEPPB UEPPR	<u> </u>	87.20			<u>                                      </u>				<u></u>		<u> </u>	<u> </u>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Sid	de Port -														
	UNE Zone 2		2	UEPPB UEPPR	1	104.49			]						Ì	1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Sid	le Port -			1				i i							
	UNE Zone 3		3	UEPPB UEPPR		115.97			]						Ì	
1181	NE Loop Rates			1	1				i i							
IUN			1 .	LIEDDD LIEDDD	USL2X	27.20							40.74	0.50		Ì
UN	2-Wire ISDN Digital Grade Loop - UNE Zone 1	J	1	UEPPB UEPPR	USLZX	27.20							40.71	9.58		
UN	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USLZX	21.20							40.71	9.58		

04/12/02 Page 28 of 352

NRONDL	ED NETWORK ELEMENTS - Alabama											,		Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
-								Names		Nameaumina	Diagonage			220	Detec(f)	l	
		_					Rec	Nonrec		Nonrecurring		001150	SOMAN		Rates(\$)	SOMAN	001141
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		2	UEPPB	UEPPR	LICL OV	45.97	First	Add'l	First	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 40.71	9.58		SOMAN
LINE	Port Rate	-	3	UEPPB	UEPPR	USLZX	45.97							40.71	9.58	-	-
UNE	Exchange Port - 2-Wire ISDN Line Side Port			LIEDDD	UEPPR	UEPPB	60.00	525.00	400.00					40.71	9.58		
NON	RECURRING CHARGES - CURRENTLY COMBINED			OLFFB	ULFFR	OLFFB	00.00	323.00	400.00					40.71	9.56		
	ITIONAL NRCs	1															
	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	SC,MS, 8	TN)						-								
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USE	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	TICAL FEATURES			LIEBBB													
	All Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB	UEPPR	UEPVF	5.55	0.00	0.00					40.71	9.58		
INIE	ROFFICE CHANNEL MILEAGE	_															
	Interoffice Channel mileage each, including first mile and facilities termination			LIEDDD	UEPPR	M1GNC	17.81	107.11	48.27					40.71	9.58		
	Interoffice Channel mileage each, additional mile	_			UEPPR	M1GNC M1GNM	0.0339	0.00	0.00					40.71	9.58		
4-10/11	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUI	IK DODT		UEFFB	UEFFR	IVITGINIVI	0.0339	0.00	0.00								
	Port/Loop Combination Rates	WK FOKT	1	1													
UNL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	1		1											
	Zone 1		1	UEPPP			951.92										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OL: II			301.02										
	Zone 2		2	UEPPP			1,027.63										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						1,021100										
	Zone 3		3	UEPPP			1,179.04										
UNE	Loop Rates						,										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	101.92							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329.04							40.71	9.58		
UNE	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00					40.71	9.58		
	RECURRING CHARGES - CURRENTLY COMBINED																
ADDI	ITIONAL NRCs			<u> </u>		1											
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			l		L										1	
	Inward/two way tel nos within Std Allowance (except NC)		<u> </u>	UEPPP		PR7TF		0.9801									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			LIEDDD		DD7TO		00.00	00.00								
	Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	-	<del>                                     </del>	UEPPP		PR7TO	<del>                                     </del>	23.02	23.02						<b> </b>	<b>!</b>	
			1	HEDDE		DD77T	]	40.05	40.05						1	I	
1.00	Subsequent Inward Tel Nos Above Std Allowance AL NUMBER PORTABILITY	+	<del>                                     </del>	UEPPP		PR7ZT	<del>                                     </del>	46.05	46.05						-	<del></del>	
LUC	Local Number Portability (1 per port)	+	1	UEPPP		LNPCN	1.75								1	<del> </del>	-
INITE	RFACE (Provsioning Only)	+	1	ULPPP		LINE CIN	1./5								1	<del> </del>	-
11412	Voice/Data	+		UEPPP		PR71V	0.00	0.00	0.00						<del>                                     </del>	t	
	Digital Data	1		UEPPP		PR71D	0.00	0.00	0.00							<u> </u>	
	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00						1	1	
New	or Additional "B" Channel					T	2.00	2.00	2.00						İ	İ	
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	40.00							İ	İ	
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	40.00								1	1
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	40.00									
CALI	L TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								

04/12/02 Page 29 of 352

UNDUNDLE	D NETWORK ELEMENTS - Alabama			1							1 -		Attachment:		Exhibit: B	<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				,	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoff	ice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	80.382	198.15	148.18	25.44				40.71	9.58		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.692										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates			LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		sw 1	UEPDC	-	470.50										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC UEPDC	+	170.59 246.30			-							<del></del>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		3	UEPDC	-	397.71										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	+	391.11										-
	pop Rates			OLFDC	+	1										
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	-										<b>—</b>
	4-Wire DS1 Digital Loop - UNE Zone 1		1 1	UEPDC	USLDC	101.92							40.71	9.58		<b>—</b>
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	177.63							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04							40.71	9.58		
	4-Wire DS1 Digital Loop - UNE Zone 4			UEPDC	USLDC											
	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,003.02	478.01	211.87	20.77			40.71	9.58		
	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		258.98	134.03					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		258.98	134.04					40.71	9.58		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		258.98	134.03					40.71	9.58		
ADDITI	ONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	110404								40.74	0.50		
	Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4				-				40.71	9.58		<del></del>
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.85	28.95					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDITA		20.00	20.95					40.71	9.56		-
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			OLI DO	ODITO	1	20.03	20.03					40.71	3.30		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.85	28.85					40.71	9.58		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			02. 20	02110		20.00	20.00						0.00		
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28.85					40.71	9.58		İ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28.85					40.71	9.58		
	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
Alterna	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								<b>└</b>
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								<b></b>
	one Number/Trunk Group Establisment Charges			LIEDDO	LIDTOX											<del></del>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										<b>├</b>
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00			1						1	<del></del>
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			-							<del></del>
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00	-						-	<del></del>
+	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00		1						1	t
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								<b>—</b>
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								<b>—</b>
	ted DS1 (Interoffice Channel Mileage) -				1::	0.00	0.00	0.00							1	<b></b>
	o for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port			+	_				-			1			l	

<u>UNBU</u> NDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΔ1	ΓES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Incrementa Charge - Manual Svo
ATEGORI	RATE ELEMENTS	m	Zone	B03	0300		NAI	L3(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198.15	148.18	25.44	20.42			40.71	9.58		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00						<u> </u>	
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	em can have various rate combinations based on type and nur S1 Loop	nber of	ports	used												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101.92	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329.04	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	115.89	0.00	0.00					40.71	9.58		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231.78	0.00	0.00					40.71	9.58		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463.56	0.00	0.00					40.71	9.58		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	695.34	0.00	0.00					40.71	9.58		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	980.00	0.00	0.00					40.71	9.58		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20 VUM28	1,158.90	0.00	0.00					40.71	9.58		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG UEPMG	VUM28 VUM38	1,390.68	0.00	0.00					40.71 40.71	9.58		
_	384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s		-	UEPMG	VUM40	1,854.24 2,317.80	0.00	0.00					40.71	9.58 9.58		
-	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,317.80	0.00	0.00					40.71	9.58		
_	672 DS0 Channel Capacity - 1 per 28 DS1s		-	UEPMG	VUM67	3.244.92	0.00	0.00					40.71	9.58		
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	eliztio					0.00					40.71	3.30		
	mum System configuration is One (1) DS1, One (1) D4 Channel						otom									-
	les of this configuration functioning as one are considered Ad															
	n Additions Where Currently Combined and New (Not Currently				I											
In Top	8 MSAs and AL, FL, and NC Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation -			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65			40.71	9.58		
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -						-									
Altern	Subsequent Activity Only ate Mark Inversion (AMI)			UEPMG	CCOEF	0.00	0.00	600.00								
Aitelli	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							1	
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							1	
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1											
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.71	9.58		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.17	9.58		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			40.71	9.58		
	2-Wire Channelized PBX Area Calling Service Combination Port														]	
	(AL Only)			UEPPX	UEPA4	14.00	0.00	0.00	<u> </u>		<u> </u>	<u>                                       </u>	40.71	9.58	<u> </u>	

	ED NETWORK ELEMENTS - Alabama	1		1	1	1					Cup Cade	Cva C-dr	Attachment:		Exhibit: B	Inoro
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		1					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only)			UEPPX	UEPA3	14.00	0.00	0.00					40.71	9.58		
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			40.71	9.58		
	Feature (Service) Activation for each Trunk Side Port Terminated	i														
	in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			40.17	9.58		
Telep	hone Number/ Group Establishment Charges for DID Service			LIEDDY	NET	0.00	0.00	0.00								
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States	1	1	UEPPX UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers	1	1	UEPPX	ND5 ND6	0.00	0.00	0.00								
	Reserve DID Numbers	<del> </del>	1	UEPPX	NDV	0.00	0.00	0.00	1		<b> </b>			1	1	
l ocal	Number Portability	+	1	OLITA	INDV	0.00	0.00	0.00	1					1	1	
Local	Local Number Portability - 1 per port	1	1	UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES - Vertical and Optional	1			0,	5.15	0.00	0.00						1	1	
	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.50	0.00	0.00					40.71	9.58		
UNBUNDLED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S														
1. Cos	st Based Rates are applied where BellSouth is required by FCC	and/or	State	Commission rule t	provide Unbu	undled Local S	witching or Sw	itch Ports.								
2. Fea	tures shall apply to the Unbundled Port/Loop Combination - C	Cost Bas	sed Rat	te section in the sa	me manner as	they are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
	1000	11		n the Port section	of this rate oxh	ibit chall apply	to all combine	tions of loop	/		4 for LINE C	oin Port/Lo	on Combinat	ione		
3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates II	the roll section	JI LIIIS TALE EXII	ibit siiaii appiy	to all combina	ations of loop	port network e	iements excep	L TOT UNE C	OIII I OIULO	op Combinat	10113.		
4. For	Georgia, Kentucky, Louisiana, Mlssissippi, South Carolina, ar	nd Tenn	iessee,	the recurring UNE	Port and Loop	p charges listed	d apply to Curr	ently Combine	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For	i Office and Tandem Switching Usage and Common Transport Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS	nd Tenn	iessee,	the recurring UNE	Port and Loop	p charges listed	d apply to Curr	ently Combine	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin	nd Tenn S, SC, ar ng charg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar c Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin ket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only B VG Loop/2-Wire Voice Grade Port (Centrex) Combo	nd Tenn S, SC, ar ig charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, a c Currently Combined Combos for all states. In GA, KY, LA, Ms urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by CI Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only Self Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring ill be those identifi on an Individual (	Port and Loop charges are c ed in the Nonro	p charges lister ommission ord ecurring - Curr til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurring rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only B VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring Ill be those identifi	Port and Loop charges are c ed in the Nonro	p charges listed commission ord ecurring - Curr	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, a c Currently Combined Combos for all states. In GA, KY, LA, Mourently Combined Combos in all other states, the nonrecurring rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only a VG Loop/2-Wire Voice Grade Port (Centrex) Comboson Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboson 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Centrex 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Centrex 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Centrex 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) P	nd Tenn S, SC, ar ng charg be neg	nessee, and TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar t Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin riket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo cort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	nd Tenn S, SC, ar ng charg be neg	iessee, nd TN t jes sha	the recurring UNE these nonrecurring ill be those identifi on an Individual (	Port and Loop charges are c ed in the Nonro	p charges lister ommission ord ecurring - Curr til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For C 5. Ma UNE-F 2-Wire	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only B VG Loop/2-Wire Voice Grade Port (Centrex) Combo- Port/Loop Combination Rates (Non-Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, nd TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar st currently Combined Combos for all states. In GA, KY, LA, Ms surrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, and Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurring ricket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only be VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, nd TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar st currently Combined Combos for all states. In GA, KY, LA, Ms surrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, nd TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, nd TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curr til further notic 16.55 25.51	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurring rket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only BY G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	nd Tenn S, SC, ar ng charg be neg	nessee, nd TN t ges sha otiated	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curr til further notic 16.55 25.51	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, at a Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN to ges sha otiated	the recurring UNE these nonrecurring ll be those identifi on an Individual (  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Not For CC 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN to ges sha otiated	the recurring UNE these nonrecurring ll be those identifi on an Individual (  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only SVG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN tipes share otiated 1 2 3 1 2	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44 22.62 29.61	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisianā, MIssīssippi, South Carolina, ar currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	nessee, and TN tipes share otiated 1 2 3 1 2	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonro	p charges listed ommission ord ecurring - Curre til further notic 16.55 25.51 44.44 22.62 29.61	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar at Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin rivet Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	nd Tenn S, SC, ar ng charg be neg	essee, and TN to the ses sha obtiated to the ses sha o	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonrasse Basis, uni	p charges listed ommission ord ceurring - Currrctill further notic 16.55 25.51 44.44 22.62 29.61 38.09	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and a Currently Combined Combos for all states. In GA, KY, LA, MS arrently Combined Combos in all other states, the nonrecurring river the combos of the	nd Tenn S, SC, ar ng charg be neg	essee, and TN to ges sha ottiated	the recurring UNE these nonrecurring I be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonrocase Basis, unit asserbasis, un	p charges listed ommission ord coursing - Curret life further notic	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ard Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin rivet Rates for Unbundled Centrex Port/Loop Combination will rivet Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by GLoop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee, ad TN the shadotiated a	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	UECS1 UECS1 UECS2	p charges listed ommission ord curring - Curri	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi For C 5. Ma UNE-F 2-Wire UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, a Ricurrently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring URE these nonrecurring these nonrecurring these nonrecurring these nonrecurring these identification and individual of the period of the perio	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice   16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of For C 5. Ma UNE-F 2-Wire F UNE F UNE F UNE F	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, at Currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by G Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring III be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	UECS1 UECS1 UECS2	p charges listed ommission ord curring - Curri	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, ar at Currently Combined Combos for all states. In GA, KY, LA, MS attrently Combined Combos for all states. In GA, KY, LA, MS attrently Combined Combos in all other states, the nonrecurrin rivet Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by GLoop/2-Wire Voice Grade Port (Centrex) Combosort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboDesign  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring URE these nonrecurring these nonrecurring these nonrecurring these nonrecurring these identification and individual of the period of the perio	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice   16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurring reter Rates for Unbundled Centrex Port/Loop Combination will be CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only as V6 Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboort/Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring URE these nonrecurring these nonrecurring these nonrecurring these nonrecurring these identification and individual of the period of the perio	UECS1 UECS1 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice   16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   35.89	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisianā, MIssīsippi, South Carolina, at currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring URE these nonrecurring these nonrecurring these nonrecurring these nonrecurring these identification and individual of the period of the perio	UECS1 UECS1 UECS2 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice   16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   27.41	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisiana, Mississippi, South Carolina, and Currently Combined Combos for all states. In GA, KY, LA, MS arrently Combined Combos in all other states, the nonrecurrin ricet Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only by Garop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonosign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combonon-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 3) - Zone 3  2-Wire Voice Grade Loop (SL 3) - Zone 3  2-Wire Voice Grade Loop (SL 3) - Zone 3  2-Wire Voice Grade Loop (SL 3) - Zone 3  2-Wire Voice Grade Loop (SL 3) - Zone 3	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring il be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonricase Basis, unit asserbasis, un	p charges listed ommission ord commission ord courring - Currettil further notic    16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   27.41   35.89   2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi- rket Rates and	onal Port nor d are listed in		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin reter Rates for Unbundled Centrex Port/Loop Combination will reter Rates for Unbundled Centrex Port/Loop Combination will by GLoop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring URE these nonrecurring these nonrecurring these nonrecurring these nonrecurring these identification and individual of the period of the perio	UECS1 UECS1 UECS2 UECS2	p charges listed commission ord ceruring - Current life further notice   16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   35.89	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi	onal Port nor		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisianā, Missīssippi, South Carolina, at currently Combined Combos for all states. In GA, KY, LA, MS urrently Combined Combos in all other states, the nonrecurrin rket Rates for Unbundled Centrex Port/Loop Combination will PCENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only 8 vG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring UNE these nonrecurring III be those identified on an Individual (	UECS1 UECS1 UECS2 UECS2 UEPYA UEPYB	p charges listed ommission ord commission ord courring - Currettil further notic    16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   20.42   27.41   35.89   2.20   2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	st and additi- rket Rates and additi- rket Rates and additi- rket Rates and additi- 40.71	onal Port nor d are listed in		
4. For to Noi of to Noi of For C 5. Ma UNE-F 2-Wire UNE F UN	Georgia, Kentucky, Louisiana, MIssissippi, South Carolina, ar Currently Combined Combos for all states. In GA, KY, LA, MS currently Combined Combos in all other states, the nonrecurrin reter Rates for Unbundled Centrex Port/Loop Combination will reter Rates for Unbundled Centrex Port/Loop Combination will by GLoop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	nd Tenn S, SC, ar ng charg be neg	essee,	the recurring UNE these nonrecurring il be those identifi on an Individual (  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	Port and Loop charges are c ed in the Nonricase Basis, unit asserbasis, un	p charges listed ommission ord commission ord courring - Currettil further notic    16.55   25.51   44.44   22.62   29.61   38.09   14.35   23.31   42.24   27.41   35.89   2.20	d apply to Curr lered cost base ently Combined	ently Combine ed rates and in	ed and Not Cur	rently Combin	ed Combos	. The the fire	rst and additi- rket Rates and	onal Port nor d are listed in		

ONRONDL	ED NETWORK ELEMENTS - Alabama			,									Attachment:		Exhibit: B	
-											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Sv Order vs.
		""											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						1	Nonrec	urrina	Nonrecurring	Disconnect			088	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	COMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				+		LIISI	Auu i	FIISL	Add I	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAIN
	Term - Basic Local Area			UEP91	UEPYZ	2.20							40.71	9.58		
	Wire Voice Grade Port terminated in on Megalink or equivalent     Basic Local Area			UEP91	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2.20							40.71	9.58		
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP91	UEPQZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	2.20							40.71	9.58		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu				OLI 01	LIVI OO	0.00			1							
i catu	All Standard Features Offered, per port			UEP91	UEPVF	2.64										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52		+				40.71	9.58		
				UEP91	UEPVC	2.64	405.52						40.71	9.56		
114.00	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.64										
NARS				LIEBO.										0.50		
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					40.71	9.58		
	ellaneous Terminations															
2-Wire	e Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	9.17										
Intero	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	24.15							40.71	9.58		
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0101							40.71	9.58		
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.64										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.64										
	Slot			UEP91	1PQW7	0.64										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.64										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.64										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex				1 1				1							
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		2.80	0.41					40.71	9.58	<u> </u>	
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21						40.71	9.58		
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21						40.71	9.58		
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02		İ				40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73		1				40.71	9.58		
UNE-	P CENTREX - 5ESS (Valid in All States)								1							
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1	i i			1							

UNBUNDI	ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
					1						Svc Order			Incremental		Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		D A -	TES(\$)								
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300		NA.	i L3(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1						1	Nonred	rrina	Nonrecurring	n Dissennest		l	000	Rates(\$)		
						Rec	First		First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	0.005-0.100   0.0						FIRSt	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		16.55										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													
	Non-Design		2	UEP95		25.51										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		44.44										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
	Design		1	UEP95		22.62										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		29.61										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		38.09										
UNE	Loop Rate				† †	1			İ	İ	İ	İ		İ		İ
-   -   -   -	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	14.35			1		i	1		1		i
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	23.31					i			1		1
<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	42.24			1		<del> </del>	1		<b> </b>		<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	20.42										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP95	UECS2	27.41										
				UEP95												
1,15,15	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	35.89										
	Port Rate				_											
All S																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.20							40.71	9.58		
AI. K	Y, LA, MS, SC, & TN Only															
7.2, .	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	2.20							40.71	9.58		
<del>                                     </del>	2-Wire Voice Grade Fort (Centrex 800 termination)		1	UEP95	UEPQB	2.20			1		<b>-</b>	1	40.71	9.58		<del> </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP95	UEPQH	2.20			<del> </del>				40.71	9.58		<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Carlet ID)1		<del>                                     </del>	021 00	ا الله	2.20			1	1	1	l	70.71	3.36		1
	Center)2			UEP95	UEPQM	2.20					I	1	40.71	9.58		İ
$\vdash$	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	OLF 30	OLF QIVI	2.20			1	1	<del> </del>	1	40.71	9.38		<del> </del>
				UEP95	UEPQZ	2.20					1	l	40.71	9.58		1
<del>                                     </del>	Term		1	ULF90	UEFUL	2.20			<del> </del>		<del>                                     </del>	<b> </b>	40.71	9.58		<del>                                     </del>
	O Mine Vision Creade Book townsing to 12 to 184 and 12 to 18			LIEDOE	LIEDOS	2.00					I	1	40.71	0.50		İ
<b>  </b>	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPQ9	2.20			ļ		ļ	ļ	40.71	9.58		ļ
<sub>-</sub>	2-Wire Voice Grade Port Terminated on 800 Service Term		1	UEP95	UEPQ2	2.20			ļ		ļ	ļ	40.71	9.58		ļ
Loca	Switching		ļ	LIEBAE	LUDEC :											
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488			ļ			ļ		ļ		
Loca	Number Portability			L	1				ļ			ļ		ļ		
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu					1											
	All Standard Features Offered, per port			UEP95	UEPVF	2.64										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52							40.71	9.58	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.64										
NAR	<u> </u>					İ										
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00						40.71	9.58	
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	1			l		40.71	9.58	
	Unbundled Network Access Register - Outdial		i –	UEP95	UAROX	0.00	0.00	0.00	İ	İ	İ	İ		40.71	9.58	İ
1				- ··		0.00	0.00	5.00	1			<b></b>			0.00	<del></del>
Misc	ellaneous Terminations					l l										

NNRANDLED I	NETWORK ELEMENTS - Alabama			1									Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	unk Side Terminations, each			UEP95	CEND6	9.17										
	gital (1.544 Megabits)															
	S1 Circuit Terminations, each			UEP95	M1HD1	68.67										
	SO Channels Activated, each			UEP95	M1HDO	0.00	28.25							40.71	9.58	
	Channel Mileage - 2-Wire					24.45										
	teroffice Channel Facilities Termination			UEP95 UEP95	MIGBC MIGBM	24.15									-	
	teroffice Channel mileage, per mile or fraction of mile ctivations (DS0) Centrex Loops on Channelized DS1 Servic	•		UEP95	IVIIGBIVI	0.0101										
	el Bank Feature Activations	е													-	-
	eature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.64										
10	sature Activation on 5-4 Channel Bank Centrex Loop Glot			OLI 33	II QWO	0.04										
Fe	eature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.64								1	I	
	eature Activation on D-4 Channel Bank FX Trunk Side Loop					0.01								1	1	
Sid				UEP95	1PQW7	0.64										
Fe	eature Activation on D-4 Channel Bank Centrex Loop Slot -															
	fferent Wire Center			UEP95	1PQWP	0.64								1	I	
Fe	eature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.64										
Fe	eature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
Slo				UEP95	1PQWQ	0.64										
	eature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.64										
	rring Charges (NRC) Associated with UNE-P Centrex															
	RC Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port			UEP95	USAC2		2.80	0.41					40.71	9.58		
	ew Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21						40.71	9.58		
	ew Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21						40.71	9.58		
	AR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.71	9.58		
	:NTREX - DMS100 (Valid in All States)  G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Loop Combination Rates (Non-Design)															
ONE POIL	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	on-Design		1	UEP9D		16.55										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFBD		10.55										
	on-Design		2	UEP9D		25.51										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 05		20.01										
	on-Design		3	UEP9D		44.44										
	Loop Combination Rates (Design)															
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
De	esign		1	UEP9D		22.62										
2-\	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	esign		2	UEP9D		29.61										
	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	esign		3	UEP9D		38.09										
UNE Loop																
	Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	14.35								ļ	1	
	Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	23.31										
	Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	42.24										
	Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	20.42			1						1	
	Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D UEP9D	UECS2	27.41								-	1	1
	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	35.89			1					-	<del></del>	-
UNE Port		-		1	+									1	<del> </del>	
	Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.20							40.71	9.58	+	
	Wire Voice Grade Port (Centrex ) Basic Local Area Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI 3D	OLFIA	2.20			1				40.71	3.30	<del> </del>	
Are				UEP9D	UEPYB	2.20							40.71	9.58	1	
	Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			02.1 00	02.10	2.20			1				40.71	3.36	<b>I</b>	<del>                                     </del>
Are				UEP9D	UEPYC	2.20							40.71	9.58		
	Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			† · · · · · · · · · · · · · · · · · · ·	1 1	0							1	3.50	t	t
	ea		l	UEP9D	UEPYD	2.20					l		40.71	9.58		

CATEGORY  2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area	re Voice Grade Port (Centrex / EBS-M5112))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	Interi	Zone	BCS  UEP9D  UEP9D	USOC	Rec		TES(\$) curring Add'I	Nonrecurring First		Svc Order Submitted Elec per LSR	Svc Order Submitted	Manual Svc Order vs. Electronic- 1st		Exhibit: B Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2-Wir Area 2-Wir Area	ire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		Zone	UEP9D			Nonre	curring			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
2-Wir Area 2-Wir Area	ire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		Zone	UEP9D			Nonre	curring			Elec	Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
2-Wir Area 2-Wir Area	ire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		Zone	UEP9D			Nonre	curring					Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic-	Order vs. Electronic-
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	m			UEPYE						poi zeix	po. 20.1	Electronic- 1st	Electronic- Add'l	Electronic-	Electronic-
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE								1st	Add'l		
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE										2.00 .01	2.007.001
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE								oss	Rates(\$)		
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE		First	l'hbA	E:4							
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE			uu i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir Area 2-Wir Area	re Voice Grade Port (Centrex / EBS-M5112))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYE											i
Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir Area 2:Wir	rire Voice Grade Port (Centrex / EBS-M5312))3Basic Local rire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local rire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local rire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D		2.20							40.71	9.58		
2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5312))3Basic Local ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	1											i
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				UEPYF	2.20							40.71	9.58		
2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYG	2.20							40.71	9.58		i
Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	rire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF 9D	OLFIG	2.20							40.71	9.30		
2-Wir Area 2-Wir Area 2-Wir Area 2-Wir	re Voice Grade Port (Centrex / EBS-M5208))3 Basic Local in Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYT	2.20							40.71	9.58		i
Area 2-Wir Area 2-Wir Area 2-Wir	ire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI OD	OLI II	2.20							40.71	5.55		
Area 2-Wir Area 2-Wir	, ,,			UEP9D	UEPYU	2.20							40.71	9.58		1
Area 2-Wir Area 2-Wir	, ,,				1									2.00		 I
Area 2-Wir				UEP9D	UEPYV	2.20							40.71	9.58		ı
2-Wir	ire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
				UEP9D	UEPY3	2.20							40.71	9.58		<u></u>
Δτρο	ire Voice Grade Port (Centrex with Caller ID) Basic Local															
				UEP9D	UEPYH	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				l											1
	cation))3 Basic Local Area			UEP9D	UEPYW	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															i
	c Local Area			UEP9D	UEPYJ	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex from diff Serving Wire Center) isic Local Area			UEP9D	UEPYM	2.20							40.71	9.58		1
	ire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPTIVI	2.20							40.71	9.56		
	c Local Area			UEP9D	UEPYO	2.20							40.71	9.58		i
	ire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			OLI OD	OLI 10	2.20							40.71	5.55		
	c Local Area			UEP9D	UEPYP	2.20							40.71	9.58		i
	ire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3													0.00		
	c Local Area			UEP9D	UEPYQ	2.20							40.71	9.58		i
2-Wir	ire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
	c Local Area			UEP9D	UEPYR	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	c Local Area			UEP9D	UEPYS	2.20							40.71	9.58		<b></b>
	ire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															i
	c Local Area			UEP9D	UEPY4	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			LIEDOD	LIEDVE	2.20							40.74	0.50		1
	c Local Area ire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPY5	2.20			<b> </b>				40.71	9.58		
	c Local Area			UEP9D	UEPY6	2.20							40.71	9.58		ı
	ire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OL1 3D	JL1 10	2.20		1	1				40.71	3.30		
	c Local Area			UEP9D	UEPY7	2.20							40.71	9.58		1
	ire Voice Grade Port, Diff Serving Wire Center - 800 Service			00	J=: .,	2.20		1					70.71	5.50		
Term				UEP9D	UEPYZ	2.20							40.71	9.58		ı
	ire Voice Grade Port terminated in on Megalink or equivalent				† †			İ	1							·
	c Local Area			UEP9D	UEPY9	2.20							40.71	9.58		1
	ire Voice Grade Port Terminated on 800 Service Term Basic				į į	ĺ										1
	al Area			UEP9D	UEPY2	2.20							40.71	9.58		<u></u>
	MS, SC, & TN Only															
	ire Voice Grade Port (Centrex)			UEP9D	UEPQA	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex / EBS-M5009)3		-	UEP9D	UEPQD	2.20		<b> </b>	-				40.71	9.58		
	ire Voice Grade Port (Centrex / EBS-M5209)3 ire Voice Grade Port (Centrex / EBS-M5112)3		-	UEP9D UEP9D	UEPQE UEPQF	2.20 2.20		<b> </b>	-				40.71 40.71	9.58 9.58		
	ire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	2.20			1				40.71	9.58		i
	ire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	2.20		1	1				40.71	9.58		
	ire Voice Grade Port (Centrex / EBS-M5208)3	<b>-</b>		UEP9D	UEPQU	2.20		<u> </u>	<u> </u>				40.71	9.58		i
	ire Voice Grade Port (Centrex / EBS-M5206)3			UEP9D	UEPQV	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQ3	2.20							40.71	9.58		
	ire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	2.20			<u> </u>				40.71	9.58		

NRONDL	ED NETWORK ELEMENTS - Alabama										1_		Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															ĺ
	Indication)3			UEP9D UEP9D	UEPQW UEPQJ	2.20 2.20							40.71 40.71	9.58 9.58		+
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<u> </u>	UEP9D	UEPQJ	2.20							40.71	9.58		<b> </b>
	2-vviile voice Grade Fort (Centrex Horn din Serving vviile Center)			UEP9D	UEPQM	2.20							40.71	9.58		i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	2.20							40.71	9.58		<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	2.20							40.71	9.58		i
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	2.20							40.71	9.58		
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	2.20							40.71	9.58		<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20							40.71	9.58		1
	2-vvire voice Grade Port (Centrex/diller SVVC /EBS-M5312)2, 3			UEP9D	UEPQS	2.20			<u> </u>				40.71	9.58		<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	2.20							40.71	9.58		i
	2 VVIII VOIGO GIAGO I GIT (GOITHON MITCH GVV O / EBO WOOGO)2, O			OLI OD	OLI QT	2.20							40.71	0.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	2.20							40.71	9.58		1
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	2.20							40.71	9.58		<u> </u>
																İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	2.20							40.71	9.58		1
_	Term			UEP9D	UEPQZ	2.20			<b> </b>				40.71	9.58		<del> </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	2.20							40.71	9.58		i
	2-Wire Voice Grade Port Terminated in 60 Weganink of equivalent			UEP9D	UEPQ2	2.20							40.71	9.58		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										<b></b>
Featu				UEP9D	UEPVF	2.64										<del> </del>
	All Standard Features Offered, per port All Select Features Offered, per port		<u> </u>	UEP9D	UEPVS	0.00	405.52									<del></del>
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.64	403.32									<b></b>
NARS				02.02	02. 10	2.01										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.71	9.58		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.71	9.58		
	Illaneous Terminations															
2-Wir	e Trunk Side Trunk Side Terminations, each			UEP9D	CEND6	9.17				1						<del>                                     </del>
4-Wir	e Digital (1.544 Megabits)			UEP9D	CENDO	9.17										<del>                                     </del>
4-4411	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.67										<b>—</b>
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.25						40.71	9.58		
Interd	ffice Channel Mileage - 2-Wire			-					1							
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.15										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0101										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<b></b>						ļ							<del></del>
D4 Ch	Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.64			ļ	<del>                                     </del>						<del>                                     </del>
-	r eature Activation on D-4 Channel Bank Centrex Loop Slot		<b>-</b>	OFLAD	IFUVVO	0.64			1	<del> </del>	1	1	1	1	1	<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.64				1						i
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			00	~****	0.04			İ	<b>†</b>			1			
	Slot			UEP9D	1PQW7	0.64				1						1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.64										L
						l				1						i
1	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.64										1

HINBLINDI	.ED NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CINDONDL	LED NET WORK ELEMENTS - Alabama		1						I	I	Svc Order	Svc Order	Incremental		Incremental	Incremental
İ											Submitted	Submitted		Charge -		Charge -
											Elec			Manual Svc	Charge -	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		PAT	TES(\$)				Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300		NA.	L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<b>——</b>		1			+	1	Nonrec	urrina	Nonrocurring	g Disconnect		l .	066	Rates(\$)		l
$\vdash$		1			-	Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1			+		LIISI	Auu i	FIISL	Add I	SOWIEC	SOWAN	SUMAIN	SOWAN	SOWAN	SOWAN
	Slot			UEP9D	1PQWQ	0.64										
$\vdash$	Feature Activation on D-4 Channel Bank WATS Loop Slot	1		UEP9D	1PQWQ	0.64										
Non	Recurring Charges (NRC) Associated with UNE-P Centrex	1		UEF9D	IFQWA	0.04										
NOTI-		1		-							ļ					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.80	0.41					40.71	9.58		
$\vdash$	New Centrex Standard Common Block	1		UEP9D	M1ACS	0.00	667.21	0.41					40.71	9.58		
$\vdash$	New Centrex Standard Common Block	1		UEP9D	M1ACC	0.00	667.21						40.71	9.58		
$\vdash$	NAR Establishment Charge, Per Occasion	1		UEP9D	URECA	0.00	72.73						40.71	9.58		
LINE	-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)	1	1	טבו שט	UNLUA	0.00	12.13		<del> </del>		1	-	40.71	9.30		-
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo	+	1	<del> </del>	+ +				ł	1	1	1	1	1		1
	Port/Loop Combination Rates (Non-Design)	+		<del> </del>	+ +				<b>†</b>	1	1	1				
IONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		+ +				+		1	1				-
1 1	Non-Design	1	1	UEP9E		16.55								Ì		
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	<del></del>	OLF 9L	+	10.00			1	<del> </del>	-		-	<b> </b>		-
1 1	Non-Design	1	2	UEP9E	1	25.51										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSE	+ +	20.51			+		1	1				-
	Non-Design		3	UEP9E		44.44										
LINE	Port/Loop Combination Rates (Design)	1	3	ULF9L	+	44.44										
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del> </del>			-											
	Design	1	1	UEP9E		22.62										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	-	UEF9E	+	22.02										
	Design		2	UEP9E		29.61										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		UEF9E	_	29.01										
	Design		3	UEP9E		38.09										
LINE	Loop Rate	1	3	UEP9E	+	30.09					1					
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS1	14.35					1					
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	1		UEP9E	UECS1	23.31					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP9E	UECS2	20.42					1					
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9E	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	35.89					1					
LINE	Port Rate	1	3	OLI 3L	02002	33.03										
	FL, KY, LA, MS, & TN only	1			+											
AL, I	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1		UEP9E	UEPYA	2.20					1		40.71	9.58		
$\vdash$	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		OLI SL	OLITA	2.20							40.71	3.30		
1 1	Area	1		UEP9E	UEPYB	2.20							40.71	9.58		
$\vdash \vdash$	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1	02.02	551.15	2.20			<b>†</b>				40.71	5.50		
1 1	Area	1		UEP9E	UEPYH	2.20							40.71	9.58		
$\vdash$	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1			2.20			<b>†</b>	<u> </u>	1		40.71	5.50		
1 1	Center)2 Basic Local Area			UEP9E	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1		J = 1 1111	2.20			t				40.71	5.50		1
1 1	Term - Basic Local Area	1		UEP9E	UEPYZ	2.20							40.71	9.58		
$\vdash \vdash$	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del>l</del>	1		J=: 12	2.20			<b>†</b>	<u> </u>	1		40.71	5.50		1
1 1	- Basic Local Area	1		UEP9E	UEPY9	2.20							40.71	9.58		
$\vdash$	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		02. 02	521.10	2.20			<b>†</b>				40.71	5.50		
1 1	Basic Local Area	1		UEP9E	UEPY2	2.20							40.71	9.58		
AI.	KY, LA, MS, & TN Only	1	1		12	2.20			<b>†</b>	<u> </u>	1		40.71	5.50		1
···-, ·	2-Wire Voice Grade Port (Centrex )	1		UEP9E	UEPQA	2.20			<b>†</b>				40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP9E	UEPQB	2.20			t				40.71	9.58		1
	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	i e	UEP9E	UEPQH	2.20					l	1	40.71	9.58		
<del>                                     </del>	2-Wire Voice Grade Port (Centrex from diff Serving Wire	<b>†</b>		1	1	2.23			1					5.50		l
1 1	Center)2	1		UEP9E	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1			2.23			t					5.50		1
1 1	Term	1		UEP9E	UEPQZ	2.20							40.71	9.58		1
1 1	f · =····	1	1		J J	2.20			t				40.71	5.50		<b> </b>
$\vdash$																1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	+		UEP9E	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term	t		UEP9E UEP9E	UEPQ9 UEPQ2	2.20 2.20							40.71 40.71	9.58 9.58		

04/12/02 Page 38 of 352

LIMBI	INDI E	D NETWORK ELEMENTS - Alabama												A44b	•	Exhibit: B	
UND	JNDLE	D NETWORK ELEMENTS - Alabama	1	1		1					I	Svc Order	Svc Order	Attachment: Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	CODV	RATE ELEMENTS	Interi	Zone	BCS	usoc		DAT	TES(\$)			Elec	Manually				Manual Svc
CATE	GORT	RATE ELEMENTS	m	Zone	ВСЗ	0300		KA	I E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	_						- 1	Nonrec		Nonrecurring	, Diagonnost			000	Rates(\$)		
	+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	+	Castron Intercore Functionality and and			UEP9E	URECS	0.5488	FIIST	Addi	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Lacali	Centrex Intercom Funtionality, per port			UEP9E	UREUS	0.5488										
	Local				LIEBOE	LNDOO	0.05										
	F	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
	Feature						2.24										
		All Standard Features Offered, per port			UEP9E	UEPVF	2.64	105.50						40.74			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52						40.71	9.58		
		All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.64										
	NARS																
		Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00					40.71	9.58		
		Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00					40.71	9.58		
	1	Unbundled Network Access Register - Outdial	1	ļ	UEP9E	UAROX	0.00	0.00	0.00					40.71	9.58	ļ	
		laneous Terminations											ļ				
	2-Wire	Trunk Side															
		Trunk Side Terminations, each			UEP9E	CEND6	9.17										
	4-Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP9E	M1HD1	68.67										
		DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	28.25						40.71	9.58		
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9E	MIGBC	24.15										
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0101										
	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	D4 Cha	annel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.64										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.64										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.64										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.64										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.64										
		Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			02. 02		0.01										
		Slot			UEP9E	1PQWQ	0.64										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.64										
	Non-Pa	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OL	11 9,1171	0.04										
<b>-</b>	NOII-N	NRC Conversion Currently Combined Switch-As-Is with allowed	<del>                                     </del>			+							<b> </b>	-	<del> </del>	-	
		changes, per port			UEP9E	USAC2		2.80	0.41					40.71	9.58	Ì	
<b>-</b>	+	New Centrex Standard Common Block	1	1	UEP9E	M1ACS	0.00	667.21	0.41	1		+	<del> </del>	40.71	9.58	<del> </del>	
<del></del>	1	New Centrex Standard Common Block	1	1	UEP9E	M1ACC	0.00	667.21				<del>                                     </del>	1	40.71	9.58	1	
	+	NAR Establishment Charge, Per Occasion	1		UEP9E	URECA	0.00	72.73				1	1	40.71	9.58	1	
<del></del>	IINE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	1	1	OLF 3L	UNLUA	0.00	12.13				<del>                                     </del>	1	40.71	9.38	1	
<del></del>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1	1		+				1		+	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	
<b>-</b>		ort/Loop Combination Rates (Non-Design)	1	1		+	<b></b>							-	<del></del>	<b> </b>	
<b>-</b>	ONE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		+	-					<del>                                     </del>	-		<del>                                     </del>		
				1	I IEDO2		16.55							Ì	I	Ì	
<b></b>	+	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1	UEP93	+	10.05					<del>                                     </del>	-		<del>                                     </del>		
				_	LIEDOS	1	05.51						1		1		
<b></b>	1	Non-Design	1	2	UEP93	+	25.51					1		1	<del>                                     </del>	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93	1	44.44						1		1		
-	LIN'S S		1	3	UEP93	+	44.44					1		1	<del>                                     </del>	1	
<u> </u>	UNE P	ort/Loop Combination Rates (Design)	1	1		+						1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		LIEDOS		00.00							Ì	I	Ì	
	1	Design	1	1	UEP93		22.62						ļ		<b></b>	ļ	
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										1	l	Ì	I	Ì	
	1	Design Color	1	2	UEP93		29.61										
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												Ì	I	Ì	
	1	Design	1	3	UEP93		38.09							ļ	<b>.</b>	ļ	
	UNE L	oop Rate				1									ļ		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	14.35						ļ				
		2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP93	UECS1	23.31										

ONBONDEED	NETWORK ELEMENTS - Alabama			1									Attachment:		Exhibit: B	<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurrin	g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	42.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	20.42										
2	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	27.41										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	35.89										
UNE Por																
	LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.20							40.71	9.58		<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1 7	$\exists$										1
	Center)2 Basic Local Area			UEP93	UEPYM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1 7	$\neg$										1
	Term - Basic Local Area			UEP93	UEPYZ	2.20							40.71	9.58		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.20							40.71	9.58		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	2.20							40.71	9.58		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP93	UEPQZ	2.20							40.71	9.58		
2	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.20							40.71	9.58		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.20							40.71	9.58		
	witching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
	umber Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP93	UEPVF	2.64										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.64										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00					40.71	9.58		1
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	ļ	ļ			40.71	9.58		<b></b>
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00					40.71	9.58	ļ	<del></del>
	neous Terminations															
	runk Side			LIEBOO	OENDO	0.17			ļ	ļ						<del></del>
	Trunk Side Terminations, each			UEP93	CEND6	9.17			ļ	ļ						<b></b>
	Digital (1.544 Megabits)			LIEBOO	1	20.5			ļ	ļ						<del></del>
	DS1 Circuit Terminations, each			UEP93	M1HD1	68.67			ļ	ļ						<del></del>
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	28.25						40.71	9.58	1	<b>├</b>
	ce Channel Mileage - 2-Wire			LIEDOS	MICEC	01.15								1	1	<b>├</b>
	Interoffice Channel Facilities Termination			UEP93	MIGBC	24.15			1							<del>                                     </del>
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0101			1	1	-			-	-	<del>                                     </del>
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е			+				-	-						<del></del>
	nnel Bank Feature Activations			LIEDOS	1DO\\\\\\\\	0.04			-	-						<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.64								1	1	<b>├</b>
.	Footure Activation on D. 4 Channel Bank EV Line Cide Land Clark			UEP93	1PQW6	0.64										1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	TPQW6	0.64			1	1	-			-	-	<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBOO	40014/7	0.04										1
	Slot			UEP93	1PQW7	0.64			1	1	-			-	-	+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEBOO	4001115											1
ı ji	Different Wire Center			UEP93	1PQWP	0.64					1					

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	Rec Nonrecurring Nonrecurring Disconnect OSS Rates(\$)											Rates(\$)				
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93 UEP93	1PQWV	0.64										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.64										1
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		2.80	0.41					40.71	9.58		
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21	0.41					40.71	9.58		+
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21						40.71	9.58		
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73						40.71	9.58		
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															1
	2 - Requres Interoffice Channel Mileage															1
Note 3	- Requires Specific Customer Premises Equipment															
NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth in	n General Ter	ms and Conditi	ons.									

UNB	JNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
														Incremental			
												Submitted			Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC		DV.	ΓES(\$)			Elec		Manual Svc			
CATE	JONI	RATE ELEMENTS	m	Zone	BC3	0300		NA.	L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates(\$)		
							1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODED	ATIONAL	CURRORT SYSTEMS				1										<b></b>	<b></b>
OPER		. SUPPORT SYSTEMS (1) Electronic Service Order: CLEC should contact its contrac	t nego	tiator it	it profess the state of	specific elect	tronic service o	rdering charge	s as ordered b	y the State Co	mmissions T	ne electron	ic service or	dering charg	e currently co	ntained in th	is rate
		is the BellSouth regional electronic service ordering charge.															.s rate
		(2) Any element that can be ordered electronically will be bill															ly. For
		elements that cannot be ordered electronically at present per t															
	orderin	g charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.		-										
		Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
	1	Electronic OSS Charge, per LSR, submitted via BST's OSS		1		001150										1 '	1 '
LINDII	NDI ED 5	interactive interfaces (Regional)  XCHANGE ACCESS LOOP		<b>!</b>		SOMEC		3.50								<b></b> '	<del>                                     </del>
UNBU		ANALOG VOICE GRADE LOOP		1			1									<del>                                     </del>	<del>                                     </del>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.79	49.57	22.83	25.62	6.57		11.90				
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.27	49.57	22.83	25.62	6.57		11.90				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.36	49.57	22.83	25.62	6.57		11.90				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09					11.90				
	<del>                                     </del>	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		33.12					11.90			<b></b>	<b></b>
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90			1 '	j '
		Engineering Information Document (EI)			UEANL	UKEWU		12.28	12.28				11.90			<del>                                     </del>	<del>                                     </del>
		Manual Order Coordination for UVL-SL1s (per loop)		1	UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1															·
		(per LSR)			UEANL	OCOSL		23.02	23.02							<u> </u>	
	2-WIRE	Unbundled COPPER LOOP															
	-	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	<u> </u>	1	UEQ	UEQ2X	13.83	41.64	19.02	19.65	5.09		11.90			<b></b> '	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		2	UEQ UEQ	UEQ2X UEQ2X	15.29 20.29	41.64 41.64	19.02 19.02	19.65 19.65	5.09 5.09		11.90 11.90			<del> </del>	$\vdash$
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	<u>'</u>	3	ULQ	ULQZX	20.29	41.04	19.02	19.03	3.09		11.90			<del>                                     </del>	<del>                                     </del>
		Designed (per loop)			UEQ	USBMC		9.00	9.00							i '	j '
		Engineering Information Document			UEQ			12.28	12.28				11.90				
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		77.09					11.90				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		33.12					11.90			<b> </b>	
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.27	7.43				11.90			1 '	İ
UNBU	NDI ED E	XCHANGE ACCESS LOOP			UEQ	UKEWU		14.21	7.43				11.90			<del>                                     </del>	<del>                                     </del>
CITE		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														i	
	1	Zone 1		1	UEPSR UEPSB	UEALS	12.79	49.57	22.83	25.62	6.57		11.90			<b></b> '	<u> </u>
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		١.	LIEDOD LIEGOS	LIEAGO				0.5.5						1 '	1
-	+	Zone 1  2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.79	49.57	22.83	25.62	6.57		11.90			<b></b> '	<del></del>
	1	Zone 2		2	UEPSR UEPSB	UEALS	17.27	49.57	22.83	25.62	6.57		11.90			1 '	1
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	JL, 1LU	11.21	43.37	22.03	25.02	0.57		11.50			<del>                                     </del>	<b> </b>
L	<u> </u>	Zone 2	L	2	UEPSR UEPSB	UEABS	17.27	49.57	22.83	25.62	6.57	<u></u>	11.90		<u> </u>	<u>                                      </u>	<u> </u>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-														l '	
	<u> </u>	Zone 3		3	UEPSR UEPSB	UEALS	33.36	49.57	22.83	25.62	6.57		11.90			<b></b> '	<b> </b>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEABS	22.20	40.57	22.83	25.62	6.57		11.00			1 '	1
UNRU	NDI ED E	Zone 3 EXCHANGE ACCESS LOOP		3	ULFOR UEPOB	OEMB9	33.36	49.57	22.83	25.62	0.5/		11.90			<del>                                     </del>	<del>                                     </del>
0.400		ANALOG VOICE GRADE LOOP		l -		1	<del>                                     </del>									<del>                                     </del>	
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														[	ļ -
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.50	135.75	82.47	63.53	12.01		11.90			L	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l	l										1	1
	<del>                                     </del>	Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.57	135.75	82.47	63.53	12.01		11.90			<b></b> '	<b>├</b>
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	37.82	135.75	82.47	63.53	12.01		11.90			1 '	1
	+	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	31.02	23.02	02.47	63.33	12.01		11.90			<del>                                     </del>	<del>                                     </del>
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>		3000		20.02									<b>†</b>
L	<u> </u>	Battery Signaling - Zone 1	L	_1	UEA	UEAR2	14.50	135.75	82.47	63.53	12.01	<u></u>	11.90		<u> </u>	<u>                                       </u>	1

04/12/02 Page 42 of 352

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	i .
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															i
	Battery Signaling - Zone 2		2	UEA	UEAR2	19.57	135.75	82.47	63.53	12.01		11.90				l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															i .
	Battery Signaling - Zone 3		3	UEA	UEAR2	37.82	135.75	82.47	63.53	12.01		11.90				<b>L</b>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35				11.90				<del>                                     </del>
4-WIRE	ANALOG VOICE GRADE LOOP						107.00			15.50						<b></b>
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	23.02	167.86	115.15	67.08	15.56		11.90				<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	31.07	167.86	115.15	67.08	15.56		11.90				+
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	167.86	115.15	67.08	15.56		11.90				<del>                                     </del>
<b></b>	Order Coordination for Specified Conversion Time (per LSR)	<b>-</b>		UEA UEA	OCOSL UREWO		23.02 87.71	36.35	<del>                                     </del>			11.90	-		-	<del>                                     </del>
2-14/100	CLEC to CLEC Conversion Charge without outside dispatch  ISDN DIGITAL GRADE LOOP	<b>-</b>		ULA	UKEWU		81.13	30.35	<del>                                     </del>			11.90	-		-	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 1		-1	UDN	U1L2X	21.76	147.69	94.41	62.23	10.71		11.90	-	-	-	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN	U1L2X	29.38	147.69	94.41	62.23	10.71		11.90	1	1	1	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	29.38 56.76	147.69	94.41	62.23	10.71	<b>-</b>	11.90	1	1	1	<del></del>
	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	30.70	23.02	34.41	02.23	10.71		11.90				t
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15				11.90				<del>                                     </del>
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	OKEWO		31.01	44.13				11.50				<del></del>
2 111112	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				-											<del>                                     </del>
	1		1	UDC	UDC2X	21.76	147.69	94.41	62.23	10.71		11.90				ı
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	000	ODOZX	21.70	147.00	04.41	02.20	10.71	1	11.50				<b> </b>
	2		2	UDC	UDC2X	29.38	147.69	94.41	62.23	10.71		11.90				i
<b></b>	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	050	02027	20.00		0	02.20	10.11	1	11.00				<b> </b>
	3		3	UDC	UDC2X	56.76	147.69	94.41	62.23	10.71		11.90				i
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UDC	UREWO	00.70	91.61	44.15	02.20	10.11		11.90				
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.65	149.53	103.85	75.05	15.63		11.90				i .
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	17.08	149.53	103.85	75.05	15.63		11.90				i .
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	33.00	149.53	103.85	75.05	15.63		11.90				i .
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
	facility reservaton - Zone 1		1	UAL	UAL2W	12.65	124.83	71.12	60.64	9.12		11.90				<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &															i .
	facility reservaton - Zone 2		2	UAL	UAL2W	17.08	124.83	71.12	60.64	9.12		11.90	ļ		ļ	<b>!</b>
	2 Wire Unbundled ADSL Loop without manual service inquiry &			l						_			1		1	1
ļ	facility reservaton - Zone 3		3	UAL	UAL2W	33.00	124.83	71.12	60.64	9.12		11.90	<b> </b>	ļ	<b> </b>	+
	Order Coordination for Specified Conversion Time (per LSR)		-	UAL	OCOSL		23.02	40.00	1			44.00	-		-	<del>                                     </del>
O MUDE	CLEC to CLEC Conversion Charge without outside dispatch HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E		UAL	UREWO		86.19	40.39				11.90				+
Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP													<del>                                     </del>
	& facility reservation - Zone 1		1	UHL	UHL2X	9.97	159.09	113.41	75.05	15.63		11.90				1
	2 Wire Unbundled HDSL Loop including manual service inquiry	-		OI IL	υπιζλ	9.97	159.09	113.41	75.05	15.63		11.90	1	1	1	<del>                                     </del>
	& facility reservation - Zone 2		2	UHL	UHL2X	13.46	159.09	113.41	75.05	15.63		11.90	1		1	1
-	2 Wire Unbundled HDSL Loop including manual service inquiry			O. IL	UI ILEA	13.40	109.09	113.41	75.05	10.03		11.50	1	1	1	<del></del>
	& facility reservation - Zone 3		3	UHL	UHL2X	26.00	159.09	113.41	75.05	15.63		11.90	1		1	1
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL	20.00	23.02		. 5.00	.0.00		50				
	2 Wire Unbundled HDSL Loop without manual service inquiry						23.02						1		1	
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.97	134.40	80.69	60.64	9.12		11.90	Ì		Ì	1
1	2 Wire Unbundled HDSL Loop without manual service inquiry		Ė		1			22.30	55.51				1		1	
1	and facility reservation - Zone 2		2	UHL	UHL2W	13.46	134.40	80.69	60.64	9.12		11.90	1		1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry						-									
	and facility reservation - Zone 3	<u> </u>	3	UHL	UHL2W	26.00	134.40	80.69	60.64	9.12	<u> </u>	11.90	<u> </u>	<u> </u>	<u> </u>	L
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4 WIDE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													1

04/12/02 Page 43 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	15.69	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	21.17	193.31	138.98	77.15	12.61		11.90				
	4-Wire Unbundled HDSL Loop including manual service inquiry					40.00		400.00				44.00				
	and facility reservation - Zone 3		3	UHL	UHL4X	40.90	193.31	138.98	77.15	12.61		11.90				
+-	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4W	15.69	168.62	115.47	62.74	11.22		11.90				
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL4VV	15.69	168.62	115.47	62.74	11.22		11.90			-	
	and facility reservation - Zone 2		2	UHL	UHL4W	21.17	168.62	115.47	62.74	11.22		11.90				
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4VV	21.17	100.02	115.47	02.74	11.22	1	11.90			1	+
ı	and facility reservation - Zone 3		3	UHL	UHL4W	40.90	168.62	115.47	62.74	11.22		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	40.30	23.02	113.47	02.74	11.22		11.50			1	+
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39				11.90			1	+
4-WIR	E DS1 DIGITAL LOOP			OTIL	OKEWO		00.12	40.00				11.50				<del></del>
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.44	313.75	181.48	61.22	13.53		11.90				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	99.13	313.75	181.48	61.22	13.53		11.90				<del></del>
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	191.51	313.75	181.48	61.22	13.53		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02									1
i	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04				11.90				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	68.82	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.62	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.39	161.56	108.85	67.08	15.56		11.90				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.62	161.56	108.85	67.08	15.56		11.90				<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68.82	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02					44.00				
<del></del>	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74				11.90				
2-WIR	E Unbundled COPPER LOOP															-
ı	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.65	148.50	102.82	75.05	15.63		11.90				
	2-Wire Unbundled Copper Loop/Short including manual service		-	UCL	UCLPB	12.00	146.50	102.02	75.05	15.63		11.90			-	+
i l	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.08	148.50	102.82	75.05	15.63		11.90				
	2 Wire Unbundled Copper Loop/Short including manual service			OOL	OCLI D	17.00	140.50	102.02	73.03	13.03		11.50			1	+
i l	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	33.00	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		Ü	UCL	UCLMC	00.00	9.00	9.00	70.00	10.00		11.50				+
	2-Wire Unbundled Copper Loop/Short without manual service			002	0020		0.00	0.00								<b>†</b>
i l	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.65	123.81	70.09	60.64	9.12		11.90				
i	2-Wire Unbundled Copper Loop/Short without manual service															1
ı	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.08	123.81	70.09	60.64	9.12		11.90				
	2-Wire Unbundled Copper Loop/Short without manual service															
ı	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	33.00	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37.07	148.50	102.82	75.05	15.63		11.90				
ı T	2-Wire Unbundled Copper Loop/Long - includes manual svc.	l														1
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	50.04	148.50	102.82	75.05	15.63		11.90				
ı I 🗔	2-Wire Unbundled Copper Loop/Long - includes manual svc.									·						
ı l	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	96.67	148.50	102.82	75.05	15.63		11.90			ļ	<b>↓</b>
	10-10	1	1	UCL	UCLMC		9.00	9.00	1		ĺ.	1		1	1	<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Long - without manual service			002								_		1		

UNBUND	LEI	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec		curring	Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	50.04	123.81	70.09	60.64	9.12		11.90				
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	96.67	123.81	70.09	60.64	9.12		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	30.07	9.00	9.00	00.04	3.12		11.30				
		CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47				11.90				
4-V	VIRE	COPPER LOOP						-									
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	18.03	177.87	132.76	77.15	17.73		11.90				
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	24.34	177.87	132.76	77.15	17.73		11.90				
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	47.02	177.87	132.76	77.15	17.73	]	11.90				
		Order Coordination for Unbundled Copper Loops (per loop)		Ľ	UCL	UCLMC	77.02	9.00	9.00	77.10	17.75		11.30				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	18.03	153.18	100.03	62.74	11.22		11.90				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	24.34	153.18	100.03	62.74	11.22		11.90				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	47.02	153.18	100.03	62.74	11.22		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	64.52	177.87	132.76	77.15	17.73		11.90				
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	87.09	177.87	132.76	77.15	17.73		11.90				
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	168.25	177.87	132.76	77.15	17.73		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1     4-Wire Unbundled Copper Loop/Long - without manual svc.		1	UCL	UCL4O	64.52	153.18	100.03	62.74	11.22		11.90				
		inquiry and facility reservation - Zone 2		2	UCL	UCL4O	87.09	153.18	100.03	62.74	11.22		11.90				
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	168.25	153.18	100.03	62.74	11.22		11.90				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MOD	DIFIC	ATION			UAL, UHL, UCL, UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		0.00	0.00								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		343.12	343.12				11.90				
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		343.12	343.12				11.90				
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.52	10.52				11.90				
SUB-LOOP																	
Sul		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		487.23	487.23				11.90				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		6.25	6.25				11.90				

04/12/02 Page 45 of 352

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Facility Set-Up	1		UEANL	USBSC		169.25	169.25				11.90				ĺ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	ı		UEANL	USBSD		38.65	38.65				11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.61	60.19	21.78	47.50	5.26		11.90				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.27	60.19	21.78	47.50	5.26		11.90				ĺ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USDINZ	10.27	60.19	21.70	47.50	5.26		11.90				
	Zone 3		3	UEANL	USBN2	19.85	60.19	21.78	47.50	5.26		11.90				1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.12	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.96	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.18	68.83	30.42	49.71	6.60		11.90				
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	3.50	9.00 51.84	9.00 13.44	47.50	5.26		11.90				<b></b>
	Sub-Loop 2-vviile intrabuliuling Network Cable (iivC)			OLANL	USBNZ	3.30	31.04	13.44	47.50	5.20		11.50				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	_		UEANL	USBR4	6.68	55.91	17.51	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								ĺ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1		UCS2X	6.25	60.19	21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı			UCS2X	8.44	60.19	21.78	47.50	5.26		11.90				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı	3	UEF	UCS2X	16.30	60.19	21.78	47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								ĺ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1		UCS4X	5.20	68.83	30.42	49.71	6.60		11.90				<del>                                     </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2		UCS4X	7.02	68.83	30.42	49.71	6.60		11.90				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.55	68.83	30.42	49.71	6.60		11.90				
	0-10			UEF	1100140		0.00	0.00								Ï
Unbun	Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification			UEF	USBMC		9.00	9.00			<del> </del>	<del> </del>				<del>                                     </del>
55411	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11				11.90				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		15.58	15.58				11.90				İ
Unbun	dled Network Terminating Wire (UNTW)			OLI	OLIVI <del>M</del> I		15.58	10.08			<del>                                     </del>	11.90				<del></del>
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.2286	18.02	18.02				11.90				
Networ	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines				UND12 UND16		68.08 110.48	42.80 85.20			-	11.90 11.90				<b></b>
<del>                                     </del>	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W				UNDC2		7.63	7.63			<del>                                     </del>	11.90				<del></del>
	Network Interface Device Cross Connect - 4W				UNDC4		7.63	7.63				11.90				
SUB-LOOPS																
Sub-Lo	op Feeder			LIEA							1	1				
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		487.23					11.90				1
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	IIGDEV		6.25	6.25				11.90				
<del>                                     </del>	USL Feeder DS1 Set-up at DSX location, per DS1 termination				USBFZ		522.41	11.32			<del>                                     </del>	11.90				<del></del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice						322.71	11.02			<b>†</b>	11.50				
	Grade - Zone 1		1	UEA	USBFA	8.05	92.75	51.24	58.45	13.07		11.90				

04/12/02 Page 46 of 352

ONRONDLE	D NETWORK ELEMENTS - Florida	,		,									Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice							7.44.		71441		00				
	Grade - Zone 2		2	UEA	USBFA	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															1
	Grade - Zone 1		1	UEA	USBFB	8.05	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	10.87	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	l	1	UEA	USBFC	8.05	92.75	E1 04	E0 4F	13.07		11.00		1	I	
$\vdash$	Voice Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,	<u> </u>		UEA	OSBEC	8.05	92.75	51.24	58.45	13.07		11.90	-		<b>-</b>	<del> </del>
	Voice Grade - Zone 2	l	2	UEA	USBFC	10.87	92.75	51.24	58.45	13.07		11.90		1	I	
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse			ULA	USBI C	10.07	92.13	31.24	30.43	13.07		11.90				
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.00	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UEA	OCOSL	21.00	23.02	01.24	00.40	10.07		11.50				1
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			02/1	00002		20.02									1
	Grade - Zone 1		1	UEA	USBFD	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	45.00	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	17.26	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_													
	Grade - Zone 2		2	UEA	USBFE	23.29	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_		USBFE	45.00	400.00	64.46	CO 54	44.00		44.00				
-	Grade - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	UEA UEA	OCOSL	45.00	106.92 23.02	64.46	63.54	14.83		11.90				
-	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.04	109.71	66.68	60.21	12.49	-	11.90			-	
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.00	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	44.43	109.71	66.68	60.21	12.49		11.90				†
	Order Coordination For Specified Conversion Time, Per LSR		Ŭ	UDN	OCOSL		23.02	00.00	00.21	.20		11.00			1	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.04	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.00	109.71	66.68	60.21	12.49		11.90				1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	44.43	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	46.27	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	62.45	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	120.65	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02									
<b> </b>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	ļ	1	UCL	USBFH	7.25	85.27	42.24	58.54	10.82		11.90				<b>.</b>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	_	LICI	HODELL	0.70	25.27	40.01	50.51	10.00		44.00			1	
<b> </b>	Hobundled Cub Loop Fooder Loop O'Min Connection 7		2	UCL	USBFH	9.79	85.27	42.24	58.54	10.82		11.90			1	<del> </del>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone	l	3	UCL	USBFH	18.92	85.27	42.24	58.54	10.82		11.90			1	
<del>                                     </del>	Order Coordination For Specified Conversion Time, per LSR	1	<u> </u>	UCL	OCOSL	10.92	23.02	42.24	30.34	10.62		11.90	1	1	<del> </del>	+
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14.22	99.66	57.20	60.98	12.28		11.90		<del> </del>	<del>                                     </del>	+
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		2	UCL	USBFJ	19.20	99.66	57.20	60.98	12.28		11.90	1	1	<b>†</b>	<b>†</b>
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	37.09	99.66	57.20	60.98	12.28		11.90			1	1
	Order Coordination For Specified Conversion Time, per LSR		Ť	UCL	OCOSL	220	23.02	220	22.20	.2.20				İ	1	1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	18.68	100.62	58.16	63.54	14.83		11.90				1
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	48.71	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
1 1	Zone 1	<u> </u>	1	UDL	USBFO	18.68	100.62	58.16	63.54	14.83	<u> </u>	11.90	<u></u>			<u></u>

04/12/02 Page 47 of 352

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	48.71	100.62	58.16	63.54	14.83		11.90				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		23.02									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	10.60	100.62	E0 16	62.54	14.83		11.90				
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		<u> </u>	UDL	USBFP	18.68	100.62	58.16	63.54	14.83		11.90				
	Zone 2		2	UDL	USBFP	25.21	100.62	58.16	63.54	14.83		11.90				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			ODL	USBI F	25.21	100.02	30.10	03.34	14.03		11.50				
	Zone 3		3	UDL	USBFP	48.71	100.62	58.16	63.54	14.83		11.90		1	I	
	Order Coordination For Specified Conversion Time, per LSR		Ť	UDL	OCOSL	70.71	23.02	33.70	00.04	14.55		11.50		1	1	
SUB-LOOPS					1				1					İ	1	
	oop Feeder															
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.69										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	I		UDLSX	1L5SL	15.69										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	ı		UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	11.90										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per	_														
	Month	<u>!</u>	<u> </u>	UDLO3	USBF5	62.98			100.00	21.52		11.00				
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	1	<u> </u>	UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-12 - Per Mile Per Month Sub Loop Feeder - OC-12 - Facility Termination Protection Per	l		UDL12	1L5SL	14.65			-							
	Month			UDL12	USBF6	502.47										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	i	1	UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		11.90				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	-i		UDL48	1L5SL	48.06	3,300.00	407.13	100.03	34.30		11.50				
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per	-		OBLIO	TEGGE	40.00										
	Month	- 1		UDL48	USBF9	251.80										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	- 1		UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		11.90				
	Sub Loop Feeder - OC-12 Interface On OC-48	_		UDL48	USBF8	331.15	788.39	407.15	168.35	95.43		11.90				
UNBUNDLED L	LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	90.05	149.76	149.76	40.10	4.00		11.90	ļ	ļ	-	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90			1	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - UDC Loop Interface (Brite			ODIN	OLUU I	0.00	10.09	10.00	0.77	0.73	}	11.90	1	1	+	
	Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90			1	
<b>-</b>	Unbundled Loop Concentration2 Wire Voice-Loop Start or				22000	0.00	10.55	10.50	0.77	0.73		11.30	1	1	<b>†</b>	
	Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90		1	I	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery				1	0			1	5.70				İ	1	
	Loop Interface (SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90			1	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
	(Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90	<u> </u>			
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.68	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop			l	I T				_			1			_	
	Interface			UDL	ULCC7	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop					40.51	40 ==	40 ==		0		44.00		1	I	
	Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90	ļ	ļ	-	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop			UDL	Lucce	10.54	16.50	16.50	6 77	6.70		11.00		1	I	
LINE OTHER P	Interface PROVISIONING ONLY - NO RATE		<u> </u>	UDL	ULCC6	10.51	16.59	16.50	6.77	6.73	-	11.90	-		<b>-</b>	
UNE UTHER, P	NID - Dispatch and Service Order for NID installation		<b>-</b>	UENTW	UNDBX				<del> </del>	1	1		1	1	<del> </del>	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE				t		<del>                                     </del>	<b> </b>		<del>                                     </del>	t	
	2 2 2 2 2 2 2 2			UEANL,UEF,UEQ,U					<b>I</b>		1	<b> </b>		<b> </b>	<b>I</b>	
		i .	1	ENTW	UNECN				1	I	1	i	i	Ì	l	1

UNBU	UNDLE	NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE C	THER, P	ROVISIONING ONLY - NO RATE	<u> </u>														
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH	CAPACIT	Y UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.92		-								
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90				
	1	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			1		555.56	300.01	3.0.01	.556	00.04					1	1
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.92										
1.000	MAKE-U	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84		11.90			1.83	
LOOP	MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		55.07	55.07								
		spare facility queried (Mechanized)			UMK	PSUMK		0.6784	0.6784								
HIGH		NCY SPECTRUM															
	SPLITI	ERS-CENTRAL OFFICE BASED  Line Sharing Splitter, per System 96 Line Capacity - True up		1			-									-	-
		pending approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
		Line Sharing Splitter, per System 24 Line Capacity - True up	K		ULS	ULSDA	119.72	3/9.13	0.00	347.90	0.00		11.90				
		pending approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				
		Line Sharing Splitter, Per System, 8 Line Capacity	ì		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD) - True up pending approval by PSC			ULS	ULSDG		173.66		97.42			11.90				
	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM	AKA LINE SHARING												
		Line Sharing - per Line Activation - True up pending approval by PSC(BST Owned Splitter)			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90				
		-y · · · · ( · · · · · · · · · · · · · ·			1					10.01						1	
		Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90				
		Line Sharing - per Subsequent Activity per Line Rearrangement - True up pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44				11.90				
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
		Line Splitting - per line activation DLEC owned splitter	_ I		UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.638	29.68	21.28	19.57	9.61		11.90				
		Line Splitting - per line activation BST owned - virtual	Ī		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90				
UNBU	NDLED I	DEDICATED TRANSPORT	L	<u> </u>	<u> </u>											ļ	ļ
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu DEFICE CHANNEL - DEDICATED TRANSPORT	m billir	g perio	od - below DS3=one	month, DS3/	S i S-1=four mo	nths								<b> </b>	<b> </b>
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<del>                                     </del>	1	<del> </del>	1				1					1	<del> </del>	<del> </del>
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03		11.90				
l		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination per month	1		U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	<del>                                     </del>		UTIVA	UTIKZ	25.32	47.35	31.70	10.31	7.03		11.90				
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1 201 11	0.000										
	- Facility Termination per month			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTTDX	01103	10.44	47.33	31.70	10.31	7.03		11.50				
	per month		1	U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month	<u> </u>	ļ	U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	1		01101	1L5XX	0.1856										
	Termination per month			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0.12.	0	00.11	100.01	00	2	10.00		11100				
	month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56		11.90				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		01131	ILSAA	3.01										
	Termination per month			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56		11.90				
	AL CHANNEL - DEDICATED TRANSPORT					·										
NOT	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	ng perio	d - belo	w DS3=one month	, DS3/STS-1=f	our months										
	Local Channel - Dedicated - 2-Wire Voice Grade per month -		١.	1 II B) 0/	111 50 10	04.04	005.04	10.07	07.00	4.00		44.00				
	Zone 1  Local Channel - Dedicated - 2-Wire Voice Grade per month -	1	1	ULDVX	ULDV2	21.94	265.84	46.97	37.63	4.00		11.90				
	Zone 2		2	ULDVX	ULDV2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade per month -				-				000							
	Zone 3		3	UNDVX	ULDV2	57.22	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per															
	month - Zone 1  Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		1	ULDVX	ULDR2	21.94	265.84	46.97	37.63	4.00		11.90				
	Month - Zone 2		2	ULDVX	ULDR2	29.62	265.84	46.97	37.63	4.00		11.90				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per			OLDVX	OLDINE	20.02	200.04	40.07	07.00	4.00		11.00				
	Month - Zone 3		3	ULDVX	ULDR2	57.22	265.84	46.97	37.63	4.00	<u> </u>	11.90			<u> </u>	
	Local Channel - Dedicated - 4-Wire Voice Grade per month -															
	Zone 1		1	UNDVX	ULDV4	22.81	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		2	UNDVX	ULDV4	30.79	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - 4-Wire Voice Grade per month -	1		CIADAV	JLD V4	30.79	200.54	41.07	44.22	5.33		11.90				
	Zone 3		3	UNDVX	ULDV4	59.48	266.54	47.67	44.22	5.33		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	35.28	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47.63	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS1 per month - Zone 3  Local Channel - Dedicated - DS3 - Per Mile per month	<u> </u>	3	ULDD1	ULDF1	92.01	216.65	183.54	24.30	16.95		11.90				
	Local Channel - Dedicated - DS3 - Per Mile per month  Local Channel - Dedicated - DS3 - Facility Termination per	1	1	ULDD3	1L5NC	8.50										
	month			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.50	,									
	Local Channel - Dedicated - STS-1 - Facility Termination per															
MILL TO	<u> </u>	<u> </u>	ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84		11.90					
MULTIPLEX	Channelization - DS1 to DS0 Channel System	1	<b>!</b>	UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per	1	1	ועואט	IVIQI	140.77	101.42	/1.02	11.09	10.49	-	11.90				1
		1	1	UDL	1D1DD	2.10	10.07	7.08				11.90			1	

ONRONDE	ED NETWORK ELEMENTS - Florida			1	-	1							Attachment:		Exhibit: B	<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
		-				I	Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per						11131	Addi	11130	Auu i	JOINEC	JOMAN	JOMAN	JONAN	JOHIAN	JONIAN
	month			UDN	UC1CA	3.66	10.07	7.08				11.90				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.38	10.07	7.08				11.90				+
	DS3 to DS1 Channel System per month			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				1
	STS1 to DS1 Channel System per month			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per					.,,,,,										1
	month			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															1
	per month			U1TD1	UC1D1	13.76	10.07	7.08				11.90				
DARK FIBER	R															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					İ										
I	Thereof per month - Local Channel	<u> </u>	L	UDF	1L5DC	55.04			<u> </u>		<u> </u>					1
	NRC Dark Fiber - Local Channel			UDF	UDFC4		751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		751.34	193.88	356.21	230.11		11.90				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	55.04										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		751.34	193.88	356.21	230.11		11.90				
TRANSPOR																
Opti	onal Features & Functions:															
8XX ACCES	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.15	0.70				11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		4.15	2.07				11.90				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OUD	NOTAN		4.05	0.70				44.00				
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX N8FAX		4.85 4.85	2.78 0.70				11.90				-
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				11.90				-
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		4.15	4.15				44.00				
	Features	-		OHD	NOFDX		4.15	4.15				11.90				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD	1	0.0006252										
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per	<b> </b>	<del> </del>	טו וט	+	0.0006232										+
	query			OHD	1	0.0006252										
I INE INEOR	MATION DATA BASE ACCESS (LIDB)			OHD		0.0000232										+
LINE INFOR	LIDB Common Transport Per Query			OQT		0.0000203					1					+
+	LIDB Validation Per Query			OQU		0.0136959										+
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX	0.0100000	55.13	55.13	55.13	55.13		11.90				+
SIGNALING				041,040	THE BX		00.10	00.10	00.10	00.10		11.50				+
OIOINALII10	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										+
-	CCS7 Signaling Usage, Per TCAP Message		t	UDB	1	0.0000607										<del>                                     </del>
	CCS7 Signaling Connection, Per link (A link)		<b>†</b>	UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				<b>—</b>
	CCS7 Signaling Connection, Per link (B link) (also known as D		1		1	5										<b>†</b>
1	link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				1
i	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152						7				1
	CCS7 Signaling Usage Surrogate, per link per LATA	l		UDB	STU56	694.32			İ							1
	CCS7 Signaling Point Code, per Originating Point Code		i –													1
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03		11.90				
E911 SERVI	CE															
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00		11.90				
1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				1	29.62	265.84	46.97	37.63	4.00		11.90				1
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	i	1			57.22	265.84	46.97	37.63	4.00	İ	11.90				1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					25.32	47.35	31.78	18.31	7.03		11.90				
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 2					47.63	216.65	183.54	21.47	19.05		11.90				
	Local Channel - Dedicated - DS1 - Zone 3 Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>			92.01 0.1856	216.65	183.54	21.47	19.05		11.90				
	Interoffice Transport - Dedicated - DST Fer Mile				-	0.1636										<del></del>
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05		11.90				
CALLING NAM	E (CNAM) SERVICE					00.44	100.04	30.47	21.41	13.03		11.30				-
CALLING HAW	CNAM for DB Owners, Per Query			OQV	1	0.001024	<b>-</b>				1		1	1	<b>†</b>	
	CNAM for Non DB Owners, Per Query			OQV	İ	0.001024			1					Ì	1	
	CNAM For DB Owners - Service Establishment			OQV	İ	. ,	25.35	25.35	19.01	19.01		11.90		Ì	1	
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			546.51	393.82	358.06	259.09		11.90				
LNP Query Ser																
	LNP Charge Per query			OQV		0.000852										
	LNP Service Establishment Manual		<u> </u>				13.83	13.83	12.71	12.71		11.90				
ODED A TOD CA	LNP Service Provisioning with Point Code Establishment ALL PROCESSING						655.50	334.88	297.03	218.40		11.90				
	Oper. Call Processing - Oper. Provided, Per Min Using BST		<u> </u>													<del></del>
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using					1.20										<del> </del>
	Foreign LIDB					1.24										İ
	Oper. Call Processing - Fully Automated, per Call - Using BST															
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
	RATOR SERVICES															
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt															İ
	- Per Call		<u> </u>			1.95										
BKANDING - O	PERATOR CALL PROCESSING Recording of Custom Branded OA Announcement		-		CBAOS		7,000.00	7,000.00	<del>                                     </del>		1	11.90	-	<del>                                     </del>	<del>                                     </del>	<del></del>
$\vdash$	Loading of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV		-		CBAOL		7,000.00	500.00	<del>                                     </del>		-	11.90	1	-	<del></del>	<del></del>
Unhran	nding via OLNS for UNEP CLEC				JUAUL	<del> </del>	300.00	300.00	1		1	11.50	1	1	t	<del>                                     </del>
	Loading of OA per OCN (Regional)				1		1,200.00	1,200.00			1	11.90	1	1	<b>†</b>	<b>†</b>
	SSISTANCE SERVICES				1		.,200.00	.,200.00				11.50		1	1	
	TORY ASSISTANCE ACCESS SERVICE				İ								İ		1	
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
	Directory Assistance Call Completion Access Service (DACC),							-								
	Per Call Attempt					0.10										<b></b>
	TORY TRANSPORT				ļ									ļ	1	<b>I</b>
	SSISTANCE SERVICES				ļ						ļ					<del></del>
	TORY ASSISTANCE DATA BASE SERVICE (DADS)				1	0.01									1	<del>                                     </del>
<del>                                     </del>	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month				DBSOF	0.04 150.00			<u> </u>		1	-			<del>                                     </del>	<del>                                     </del>
	IRECTORY ASSISTANCE				DBSUF	150.00			<b>H</b>		}		1	1	<del> </del>	<del>                                     </del>
	Based CLEC				1	1			<b>H</b>		}		1	1	<del> </del>	<del>                                     </del>
racilly	Recording and Provisioning of DA Custom Branded				1	<del> </del>			1		1		1	1	t	<del>                                     </del>
	Announcement			AMT	CBADA		6,000.00	6,000.00						1	I	1
	Loading of Custom Branded Announcement per DRAM						2,500.00	2,000.00	1					İ	1	
	Card/Switch			AMT	CBADC		1,170.00	1,170.00						1	I	1
UNEP (	CLEC				1						Ì					
	Recording of DA Custom Branded Announcement				1		3,000.00	3,000.00			1					

04/12/02 Page 52 of 352

ONRONDLE	D NETWORK ELEMENTS - Florida	1		1		1					I		Attachment:		Exhibit: B	<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															ļ
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								<b>.</b>
SELECTIVE R																ļ
	Selective Routing Per Unique Line Class Code Per Request Per				LIODOD		00.55	00.55	40.74	40.74		44.00				
METHALOGI	Switch				USRCR		93.55	93.55	12.71	12.71		11.90				
VIRTUAL COL				ALATEO			4 400 00	1.010.00								
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable			AMTES	EAF ESPCX	12.45	4,122.00 965.00	1,249.00								<b></b>
				AMTES			965.00									<b></b>
	Virtual Collocation - Floor Space, per sq. ft.		<b>!</b>	AMTES	ESPVX	4.25			<del> </del>						-	<del> </del>
	Virtual Collocation - Power, per breaker amp		<b>!</b>	AMTFS	ESPAX	6.95			<del> </del>						-	<del> </del>
	Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (Ioop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0,0502	11.57	11.57				11.90				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.0502	11.57	11.57				11.90				
	Virtual Collocation - 2-Fiber Cross Connects			UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	6.71	2,431.00					11.90				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			İ					]							
	Support Structure, per linear foot		<u> </u>	AMTFS,CLO	VE1CB	0.0028										1
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS, CLO	VE1CD	0.0041					]					
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.0041	535.54									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable		<u> </u>	AMTFS	VE1CE		535.54									1
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89									1
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64									
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									

UNBUNDLE	D NETWORK ELEMENTS - Florida					T					1 -	I -	Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				,	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11S	226.39	1,950.00									
	Virtual Collocation - DS-1.DSX Cross Connects, PER 28 CKTS			AMTFS	VE11X	11.51	1,950.00									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	56.97	528.00									
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter			AMTFS	SPTRE		10.89									
	hour			AMTFS	SPTOE		13.64									1 '
	Virtual collocation - Maintenance in CO - Premium per quarter															
VIRTUAL COL	hour	<del>                                     </del>		AMTFS	SPTPE		16.40								-	<del> </del>
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.524	11.57	11.57				11.90				<b></b> '
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.524	11.57	11.57				11.90				
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.524	11.57	11.57				11.90				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.524	11.57	11.57				11.90				<del>                                     </del>
	ISDN DS1			UEPEX	VE1R4	0.524	11.57	11.57				11.90				<u> </u>
VIRTUAL COL																<b></b> '
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0297	33.86	31.95				11.90				
AIN SELECTIV	E CARRIER ROUTING			, ,												
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00			11.90				
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69		11.90				'
	Query NRC, per query			SRC		0.0031868										<b> </b>
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,															$\vdash$
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
	AIN SMS Access Service - Session, Per Minute					0.7809										Ļ'
	AIN SMS Access Service - Company Performed Session, Per Minute					0.4609										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service - Training Session, Per Customer			J. 111	BAPVX		8,439.00	8,439.00	44.33	44.33		11.90				$\overline{}$
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						·									
	DN, Term. Attempt  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		8.64	8.64	10.03	10.03		11.90				<b> </b>
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				ļ'
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
C.1DOINDEL	D ILLITORIC ELEMENTO I IONG					1					Svc Order					Increments
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)								
CATEGORI	KATE EEEMENTO	m	20116	ВСО	0000		IVA.	ι ΕΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	rurring	Nonrecurring	n Disconnect			088	Rates(\$)		
<del>                                     </del>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						11130	Auu i	11130	Addi	JOINEC	JONAN	JOHAN	JONAN	JOHAN	JONAN
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
<del>                                     </del>	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI 10		30.00	30.00	13.00	13.00		11.30				1
	DN. CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5,		00.00	00.00	10.00	10.00		11.00				1
	DN. Feature Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service - Query Charge, Per Query					0.0535927										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063698										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes	1				0.06							Ì			I
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				İ	3.30				l				İ		1
	Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				1
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				1									İ		1
	Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1									1		
	Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
ENHANCED EX	KTENDED LINK (EELs)															
NOTE:	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of follo	owing MSAs: Orland	do, FL; Miam	i, FL; Ft. Laude	rdale, FL;									
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	High P	oint, N	C. Use all rates belo	w except Sw	itch As Is Char	ge.									
	In all states, EEL network elements shown below also apply to							As Is Charge a	pplies to curre	ntly combined	l facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	/·)
	In GA, TN, KY, LA, MS & SC the EEL network elements apply				ements.(No	Switch As Is Ch	narge.)									
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_													
	Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_													
-	Transport Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 =>07											
-	per month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			LINIOAV	U1TF1	00.44	474.40	100.10	45.04	47.05		11.90				
<b>—</b>				UNC1X		88.44 146.77	174.46	122.46	45.61	17.95 1.34						+
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	1.38	57.28 6.71	14.74 4.84	1.50	1.34		11.90 11.90				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVA	IDIVG	1.30	0.71	4.04				11.90				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31		11.90	1			1
<del>                                     </del>	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0140 4 /	JLALZ	14.50	121.39	00.34	40.00	0.31	<del>                                     </del>	11.50	1	1	1	1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90	1			1
<del>                                     </del>	Each Additional 2-Wire VG Loop(SL2) in the same DS1	-		0140 4 /	JLALL	15.57	121.39	00.34	40.00	0.31		11.50	<del>                                     </del>		1	†
	Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31		11.90	Ì			I
<del>                                     </del>	Voice Grade COCI - DS1 to DS0 Channel System combination -	-	-	5.101/	J L / 1 L L	31.02	121.33	00.04	40.00	0.31		11.30	<del>                                     </del>		1	†
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-			5.15 V/A	.5.,40	1.50	5.71	7.04				11.30				1
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
4-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR				3.30	3.30	3.30	5.50			1			1
1 2231	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				1								1	İ		1
	Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice				1											
	Transport Combination - Zone 2	1	2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90	Ì			1
i i	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice							_								
l l	Transport Combination - Zone 3	1	3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90	Ì			1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
				UNC1X	1L5XX U1TF1	0.1856										

04/12/02 Page 55 of 352

OMBUNDLE	D NETWORK ELEMENTS - Florida		1	ı	1						Core Carden	Core Corel co	Attachment:		Exhibit: B	In anomari : -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per			LINIOAV	1101	440.77	57.00	4474	4.50	4.04		44.00				ĺ
	Month  Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				<del>                                     </del>
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				i
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	15170	1.00	0.71	4.04				11.00				<b>—</b>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				ĺ
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				<b>L</b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		3	LINOVA	LIE AL 4	60.02	407.50	CO 54	40.00	0.04		44.00				ĺ
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				<del>                                     </del>
	per month			UNCVX	1D1VG	1.38	6.71	4.84				11.90				ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-						-									
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				İ
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	)											<b></b>
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				i
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDLS6	20.39	127.59	60.54	48.00	6.31		11.90				
	Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				ĺ
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															1
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.1856										<del>                                     </del>
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				ĺ
	Channelization - Channel System DS1 to DS0 combination Per		1	OI TO IX	01111	00.44	174.40	122.40	40.01	17.50		11.00				
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				i
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				<del>                                     </del>
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				ĺ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		-	UNCDA	ODLSO	20.39	127.59	00.34	46.00	0.31		11.50				<b> </b>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				1
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System -			LINODY	1D1DD	0.40	0.74	4.04				44.00				ĺ
	combination per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	2.10	6.71	4.84				11.90				<b>—</b>
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				ĺ
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															ĺ
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				<b> </b>
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				1
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	33.02	121.55	00.54	40.00	0.51		11.30				<b> </b>
	Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				i
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															ĺ
	Per Month			UNC1X	1L5XX	0.1856										<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				i
	Channelization - Channel System DS1 to DS0 combination Per		<del>                                     </del>	UNCIA	UIIFI	00.44	174.40	122.40	45.01	17.95		11.90				<b></b>
	Month			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				1
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)		<u> </u>	UNCDX	1D1DD	2.10	6.71	4.84				11.90				<b></b>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONCDV	JUL04	∠0.39	127.59	00.54	48.00	0.31		11.90				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				1

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		001100			Rates(\$)		
		Additional 4 Wise CAIChan Digital Conda Laggin access DC4						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
_		OCU-DP COCI (data) - DS1 to DS0 Channel System		3	ONCDA	UDL04	00.02	127.59	00.54	40.00	0.51		11.90				
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	6.71	4.84				11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge		<u> </u>	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TRA	NSPORT (EEL)												
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<del>- '</del> -	UNCIX	USLAA	73.44	217.75	121.02	31.44	14.45		11.90				
		Transport - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
		Transport - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.5307	0.4050										
		Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1856										
		Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-						-									
		Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	EROFFI	CE TRA	NSPORT (EEL)												
		First DS1Loop in DS3 Interoffice Transport Combination - Zone			LINIOAN	1101.207	70.44	047.75	101.00	54.44	44.45		44.00				
		First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
		2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
		First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONOTA	COLXX	33.10	217.70	121.02	01.44	14.40		11.50				
		3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			LINGOV	U1TF3	4 074 00	000.00	100.00	00.00	10.01		11.90				
		DS3 to DS1 Channel System combination per month			UNC3X UNC3X	MQ3	1,071.00 211.19	320.00 115.50	138.20 56.54	38.60 12.16	18.81 4.26		11.90				
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84	12.10	4.20		11.90				
		Additional DS1Loop in DS3 Interoffice Transport Combination -				1				İ							
		Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in DS3 Interoffice Transport Combination -															
<u> </u>		Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
$\vdash$		DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	UC1D1	13.76	6.71	4.84	51.44	14.45		11.90				
		Nonrecurring Currently Combined Network Elements Switch -As-				-0.5.	.5.70	0.71	0-1	1			50				
L		Is Charge		<u>L</u>	UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)				•								
		2-WireVG Loop used with 2-wire VG Interoffice Transport		l .	1110101	115 41 6											
<u> </u>		Combination - Zone 1		1	UNCVX	UEAL2	14.50	127.59	60.54	48.00	6.31	-	11.90				
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.57	127.59	60.54	48.00	6.31		11.90				
		2-WireVG Loop used with 2-wire VG Interoffice Transport			55 VA	J L / 1 L L	10.01	127.00	00.04	40.00	0.01		11.30				
		Combination - Zone 3		3	UNCVX	UEAL2	37.82	127.59	60.54	48.00	6.31	<u> </u>	11.90		<u> </u>		<u> </u>
		Interoffice Transport - Dedicated - 2-wire VG combination - Per							-								
		Mile Per Month		ļ	UNCVX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03		11.90				
<b>-</b>		Nonrecurring Currently Combined Network Elements Switch -As-		-	OINCVA	UTIVZ	25.32	94.70	5∠.59	45.28	18.03	-	11.90				
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	4-WIRE	VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR													
		4-WireVG Loop used with 4-wire VG Interoffice Transport															
		Combination - Zone 1		1	UNCVX	UEAL4	23.02	127.59	60.54	48.00	6.31		11.90				
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	31.07	127.59	60.54	48.00	6.31		11.90				
		COMBINATION - ZONE Z			OINCVA	UEAL4	31.07	127.59	00.54	48.00	0.31	L	11.90		<u> </u>		1

NADONDEE	D NETWORK ELEMENTS - Florida	1		1	1	I					Cup Cade	Cup Code	Attachment:		Exhibit: B	In organization
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
DS3 D	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.92										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	386.88	226.42	154.73	67.10	26.27		11.90				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1 I	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSP		CITOCO		0.00	0.00	0.50	0.50		11.00				
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426.60	226.42	154.73	67.10	26.27		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile				41 =>04											
	per month Interoffice Transport - Dedicated - STS1 combination - Facility Transportion programmer Tran			UNCSX	1L5XX U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC	1,056.00	8.98	8.98	8.98	8.98		11.90				
2-WIRI	ISON EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T (FFI	\ \	UNCSA	UNCCC		0.90	0.90	0.90	0.90		11.90			1	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90				
	Transport - Zone 3		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1856		100.10	47.04			44.00				
	Termination per month Channelization - Channel System DS1 to DS0 combination -			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	per month 2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			UNC1X	MQ1	146.77	57.28	14.74	1.50	1.34		11.90				
	combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.76	127.59	60.54	48.00	6.31		11.90				
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	29.38	127.59	60.54	48.00	6.31		11.90			-	
	Combination - Zone 3  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	UNCNX	U1L2X	56.76	127.59	60.54	48.00	6.31		11.90				
	combintation - per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCNX	UC1CA	3.66	6.71	4.84				11.90				
	Is Charge	<u> </u>		UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45		11.90				

ONRONDLE	D NETWORK ELEMENTS - Florida					1							Attachment:		Exhibit: B	<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS1 combination - Facility			0.100/1	120701	0.01										<b>†</b>
	Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81		11.90				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	211.19										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	73.44	217.75	121.62	51.44	14.45		11.90				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 2	l	2	UNC1X	USLXX	99.13	217.75	121.62	51.44	14.45	1	11.90				1
	Additional DS1Loop in STS1 Interoffice Transport Combination -				1											1
	Zone 3		3	UNC1X	USLXX	191.51	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.76	6.71	4.84				11.90				1
	Nonrecurring Currently Combined Network Elements Switch -As-				1											1
	Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															1
	Combination - Zone 1		1	UNCDX	UDL56	26.39	127.59	60.54	48.00	6.31		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															1
	Combination - Zone 2		2	UNCDX	UDL56	35.62	127.59	60.54	48.00	6.31		11.90				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		<del>                                     </del>													1
i	Combination - Zone 3		3	UNCDX	UDL56	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1
	Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		1	CHODA	120701	0.0001										1
	Facility Termination			UNCDX	U1TD5	18.44	94.70	52.59	45.28	18.03		11.90				
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	020	10.11	00	02.00	10.20	10.00		11.00				+
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS		0.1000		0.00	0.00	0.00	0.00		11.00				1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		1	- Citt (222)												1
	Combination - Zone 1		1	UNCDX	UDL64	26.39	127.59	60.54	48.00	6.31		11.90				
<del></del>	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>	C. T. C. D. T.	0520.	20.00	127.00	00.01	10.00	0.01		11.00				+
	Combination - Zone 2		2	UNCDX	UDL64	35.62	127.59	60.54	48.00	6.31		11.90				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		<u> </u>	CHODA	00201	00.02	127.00	00.01	10.00	0.01		11.00				1
	Combination - Zone 3		3	UNCDX	UDL64	68.82	127.59	60.54	48.00	6.31		11.90				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			C. CODA	0020.	00.02	127.00	00.01	10.00	0.01		11.00				+
	Per Mile	l	1	UNCDX	1L5XX	0.0091					1					1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		-	1										Ì	1
	Facility Termination	l		UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
ADDITIONAL	NETWORK ELEMENTS															1
	used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does and	oly.									†
	(SynchroNet)			,	1		-									1
Nonre	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-		İ		1											1
	Is Charge - 2 wire/4-Wire VG	l		UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	Nonrecurring Currently Combined Network Elements Switch -As-															
[	Is Charge - 56/64 kbps	<u> </u>	L	UNCDX	UNCCC	<u> </u>	8.98	8.98	8.98	8.98	<u></u>	11.90				<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1	l	1	UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
İ	Nonrecurring Currently Combined Network Elements Switch -As-				1											1
	Is Charge - DS3	l	1	UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				1
İ	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1	l	1	UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				1
															1	<del></del>
NOTE:	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3	=one month, DS3 an	าd above=fou	r months			]							

UNBUNDLI	ED NETWORK ELEMENTS - Florida			ı	1						1 -	-	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
Fuels	ange Ports						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ange Ports :: Although the Port Rate includes all available features in GA, I	KV I A 2	R TNI +	he desired features	will need to b	o ordered usin	a retail HSOCs									
	RE VOICE GRADE LINE PORT RATES (RES)		1	lic aconca reatures	I I I I I I I I I I I I I I I I I I I	c oracica asii	g retuin 00000									
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Forts 2 Wile Funding Enter of Will Cancilla Fices.			OLI OIL	CELITO	1.40	0.74	0.00	1.00	1.00		11.00				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSK	UEPAF	1.40	3.74	3.03	1.88	1.80		11.90				
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				11.90				
FEAT	URES															
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00				11.90				
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire VG unbundled Line Port with			LIEDOD	LIEDDO	4.40	0.74	0.00	4.00	4.00		44.00				
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1.00	1.00		11.90				-
FFAT	URES			OLI OD	OOAGC	0.00	0.00	0.00				11.50				
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCH	IANGE PORT RATES (DID & PBX)															
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPLD UEPLD	1.40 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187		11.90 11.90				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187		11.90				-
	2-Wire Vice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEBOR					40.05							
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187		11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187		11.90				
EEAT	Subsequent Activity TURES			UEPSP	USASC	0.00	0.00	0.00				11.90				
FEAT	All Available Vertical Features	<del>                                     </del>		UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90			-	-
FXCH	IANGE PORT RATES (COIN)	1	1	OLI OI OLFOL	OLI VI	2.20	0.00	0.00				11.50				
	Exchange Ports - Coin Port				1	1.40	3.74	3.63	1.88	1.80		11.90			İ	
NOTE	: Transmission/usage charges associated with POTS circuit so	witched	usage	will also apply to c	ircuit switche						ated with 2-		orts.		Ì	
NOTE	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)				1											
EXCH	HANGE PORT RATES (DID & PBX)	<u> </u>	<b> </b>	HEDEV	LIEDDO	0 =0	70.11	45.00	44.51	4.00		44.00			4.00	<b></b>
	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26		11.90			1.83	
	Levenande cours - DDHS cour - 4-Mile DST cour Milli DID	I	ı	UEPDD	1				1		i	i l			Ì	1

UNBII	NDLF	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
3.450												Svc Order	Svc Order		Incremental		Incremental
				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Б	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93		11.90			1.83	
		All Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00	0.00				11.90			1.83	
		Transmission/usage charges associated with POTS circuit sv															
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	availal	ble only	y through BFR/New	/ Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
UNBUN		LOCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0007662										
		End Office Trunk Port - Shared, Per MOU					0.000164										
	Tander	n Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU		1			0.0001319										ļ
		Tandem Trunk Port - Shared, Per MOU					0.000235										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar															
		es shall apply to the Unbundled Port/Loop Combination - Cos															
	End Of	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of the	his rate exhib	t shall apply to	all combination	ns of loop/po	rt network eler	nents except	for UNE Coi	n Port/Loop	Combination	1S.		mmlerta Nat
		orgia, Kentucky, Louisiana, MIssissippi, South Carolina and 1															
		tly Combined Combos for all states. In GA, KY, LA, MS, SC an								and NC these	nonrecurring	charges are	Market Ra	es and are als	so listed in th	e Market Rate	e section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	es sha	Il be those identifie	d in the Nonr	ecurring - Curre	ently Combined	l sections.				•				•
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.23 33.04										
	LINE L	2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
	UNE LO	pop Rates		4	UEPRX	UEPLX	12.94										
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87					1					
	2-Wiro	Voice Grade Line Port Rates (Res)		3	ULFIX	OLFLX	31.07					-					
	Z-VVIIE	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.17	90.00	90.00								
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC			30.00			i e	11 00				
		2-Wire voice unbundled port with Galler 15 - res		1				90 00	90.00				11.90				
<b>—</b>		2 Tric Toloc ambunuled port outgoing only - 163			LIEPRY		1.17	90.00	90.00				11.90				
					UEPRX	UEPRO	1.17	90.00	90.00 90.00								
		2-Wire voice unbundled Florida Area Calling with Caller ID - res				UEPRO	1.17	90.00	90.00				11.90 11.90				
		2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res. low usage line port with Caller ID			UEPRX								11.90				
		2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAF	1.17	90.00	90.00				11.90 11.90 11.90				
	FEATU	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)				UEPRO	1.17	90.00	90.00				11.90 11.90				
	FEATU	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES			UEPRX UEPRX	UEPAF UEPAP	1.17 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered			UEPRX	UEPAF	1.17	90.00	90.00				11.90 11.90 11.90				
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES All Features Offered  NUMBER PORTABILITY			UEPRX UEPRX	UEPAF UEPAP	1.17 1.17 1.17	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered . NUMBER PORTABILITY Local Number Portability (1 per port)			UEPRX UEPRX UEPRX	UEPRO UEPAF UEPAP UEPVF	1.17 1.17 1.17 2.26	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES All Features Offered  NUMBER PORTABILITY			UEPRX UEPRX UEPRX	UEPRO UEPAF UEPAP UEPVF	1.17 1.17 1.17 2.26	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered .NUMBER PORTABILITY Local Number Portability (1 per port) :CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX UEPRX UEPRX	UEPRO UEPAF UEPAP UEPVF	1.17 1.17 1.17 2.26	90.00 90.00 90.00	90.00 90.00 90.00				11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAP UEPVF LNPCX	1.17 1.17 1.17 2.26	90.00 90.00 90.00 0.00	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90				
	LOCAL	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAP UEPVF LNPCX	1.17 1.17 1.17 2.26	90.00 90.00 90.00 0.00	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90				
	NONRE	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPAP UEPVF LNPCX USAC2	1.17 1.17 1.17 2.26	90.00 90.00 90.00 0.00	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	NONRE	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPAP UEPVF LNPCX USAC2	1.17 1.17 1.17 2.26	90.00 90.00 90.00 0.00	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	NONRE	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CCURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs			UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPAP UEPVF LNPCX USAC2	1.17 1.17 1.17 2.26	90.00 90.00 90.00 0.00	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	NONRE	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	LOCAL NONRE ADDITI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	LOCAL NONRE ADDITI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	LOCAL NONRE ADDITI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY Local Number Portability (1 per port)  CCURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	LOCAL NONRE ADDITI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  All Features Offered  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1			UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				
	ADDITI	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CCURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPAF UEPAF UEPVF LNPCX USAC2 USACC	1.17 1.17 1.17 2.26 0.35 0.00	90.00 90.00 90.00 0.00 0.102	90.00 90.00 90.00 0.00				11.90 11.90 11.90 11.90 11.90				

04/12/02 Page 61 of 352

UNB	UNDLE	D NETWORK ELEMENTS - Florida			•									Attachment:		Exhibit: B	
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	-	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17.06	FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87										
	2-Wire	Voice Grade Line Port (Bus)			02. DX	02.2.	01.07										
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	90.00	90.00				11.90			1	
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	90.00	90.00				11.90				
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	90.00	90.00				11.90				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.17	90.00	90.00				11.90				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU																
		All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
	NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ļ											1	
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			Lienny											1	
		Switch-as-is			UEPBX	USAC2		0.102	0.102				11.90				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	ADD:-	Switch with change			UEPBX	USACC		0.102	0.102				11.90			<b>!</b>	
	ADDIT	IONAL NRCs			<b> </b>	1 1										<b>!</b>	
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00				11.90			1	
	2-14/101	ACTIVITY E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		-	UEPBA	USAS2		0.00	0.00				11.90			<b>-</b>	
		ort/Loop Combination Rates	-		<del> </del>	+										<del> </del>	
	ONE P	2-Wire VG Loop/Port Combo - Zone 1		1	<del> </del>	+	14.11			1						t	
	-	2-Wire VG Loop/Port Combo - Zone 1		2	<del> </del>	+	18.23			1						t	
	+	2-Wire VG Loop/Port Combo - Zone 2	<b>-</b>	3	<del> </del>	+	33.04									t	
	UNE	pop Rates		Ť		1	33.04									1	
	J.12 L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.94									1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	17.06									1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.87									1	
	2-Wire	Voice Grade Line Port Rates (RES - PBX)				1				i i						1	
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1				i i							
		Res			UEPRG	UEPRD	1.17	90.00	90.00				11.90			<u> </u>	
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				11.90				
	FEATU	IRES															
		All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				
	NONRI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l	1				]						I	
	_	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90			<b>.</b>	
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														1	
<u> </u>	ADDIT	Conversion - Switch with Change		-	UEPRG	USACC		8.45	1.91				11.90			1	
	ADDIT	IONAL NRCs	1		<del>                                     </del>	1										1	1
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDC	116463	0.00	0.00	0.00				11.00			1	
	-	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1		UEPRG	USAS2	0.00	0.00	0.00				11.90			<del>                                     </del>	
	1	Group			ĺ			7.09	7.09				11.90			1	
	2-WIPE	Group E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	1		<del> </del>	1		7.09	7.09			1	11.90			<del> </del>	1
		ort/Loop Combination Rates			<del> </del>	+ +										<del>                                     </del>	
	ONL F	2-Wire VG Loop/Port Combo - Zone 1		1	<del> </del>	+ +	14.11									<del>                                     </del>	
	1	2-Wire VG Loop/Port Combo - Zone 2		2		+ +	18.23			1						<b>-</b>	
	1	2-Wire VG Loop/Port Combo - Zone 3		3		1	33.04									1	
	UNE L	pop Rates		Ť	1	1	33.04									1	
	T	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.94									İ	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	17.06									1	
	1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.87									1	
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)				1				i i						1	
		,				1				i i							
	1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	90.00	90.00				11.90			1	
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	90.00	90.00	i i			11.90				
	1	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	90.00	90.00	i i			11.90				

04/12/02 Page 62 of 352

ONBONDE	ED NETWORK ELEMENTS - Florida			T						10 0 .		Attachment:		Exhibit: B	ł
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	<sup>-</sup> ES(\$)				Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring Disconnec	t		oss	Rates(\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														
	Capable Port			UEPPX	UEPXE	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
	Administrative Calling Port			UEPPX	UEPXL	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
	Room Calling Port			UEPPX	UEPXM	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														
	Discount Room Calling Port			UEPPX	UEPXO	1.17	90.00	90.00			11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	90.00	90.00			11.90				
LOC	L NUMBER PORTABILITY			OL: 1 X	02.70		00.00	00.00			11.00		-		1
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			11.90				
FFA7	URES			OLITA	LIVI OI	0.10	0.00	0.00			11.00		-		1
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00			11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	OLI VI	2.20	0.00	0.00			11.50				
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-	+	+				-		-		-
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91			11.90				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEFFA	USACZ		0.43	1.91			11.90				
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91			11.90				
ADDI	TIONAL NRCs			UEPPX	USACC		8.45	1.91			11.90				
ADDI															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00			11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt														
0.14/11	Group	_					7.86	7.86			11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	K I													
UNE	Port/Loop Combination Rates														
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.11									
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.23									
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.04									
UNE	Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94									
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87									
2-Wir	e Voice Grade Line Ports (COIN)														
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,														
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	90.00	90.00			11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking														
	(FL)			UEPCO	UEPFA	1.17	90.00	90.00			11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:														
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	90.00	90.00			11.90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking														
I	(AL, FL)	<u>L</u>	<u>L</u>	UEPCO	UEPRK	1.17	90.00	90.00			11.90		<u> </u>	<u> </u>	<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:														
1	900/976, 1+DDD, 011+ (FL)	1		UEPCO	UEPOF	1.17	90.00	90.00			11.90		I	Ì	
1	2-Wire Coin Outward with Operator Screening and Blocking:														
1	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	90.00	90.00			11.90		1		
Ì	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	90.00	90.00			11.90				
	2-Wire Coin Outward Smartline with 900/976 (all states except				i i	j									
1	LA)	I		UEPCO	UEPCR	1.17	90.00	90.00			11.90		1	Ì	
	TIONAL UNE COIN PORT/LOOP (RC)	1		1		1	1						1	İ	1
ADDI				<b>-</b>					t t		44.00		<del>                                     </del>		1
ADDI	UNE Coin Port/Loop Combo Usage (Flat Rate)			IUEPCO	IURECU	1.86	90.00	90.00			11.90				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	90.00	90.00			11.90				
	UNE Coin Port/Loop Combo Usage (Flat Rate)  L NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPCO UEPCO	LNPCX	0.35	90.00	90.00			11.90				

UNBUNDLED N	NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nire Voice Grade Loop / Line Port Combination - Conversion -	·														
	vitch-as-is			UEPCO	USAC2		0.102	0.102				11.90				
	Nire Voice Grade Loop / Line Port Combination - Conversion -			LIEBOO	110400		0.400	0.400				44.00				
ADDITION	vitch with change		-	UEPCO	USACC		0.102	0.102				11.90				
	Wire Voice Grade Loop/Line Port Combination - Subsequent				1											
	tivity			UEPCO	USAS2		0.00	0.00				11.90				
	ED REMOTE CALL FORWARDING - RES			02. 00	00/102		0.00	0.00				11.00				
Non-Recur																
	ED REMOTE CALL FORWARDING - Bus															
Uni	bundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.40	3.74	3.63	1.88	1.80		11.90				
Non-Recur																
	DICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	PORT (	(RES)												
	Wire voice unbundles res, low usage line port with Caller ID		1	LIEBER					]		1					
(LU		<u> </u>	<u> </u>	UEPFR	UEPAP	1.62	250.00	250.00				11.90				
	DICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE RT/LOOP COMBINATIONS - COST BASED RATES	LINE	ORI (	BUS)					-							
	DICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	POPT			-											
	Loop Combination Rates	FORT			-											-
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.21										
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			28.28										
	Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			46.53										
UNE Loop																
2-V	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.50						11.90			1.83	
2-W	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19.57						11.90			1.83	
	Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	37.82						11.90			1.83	
UNE Port F																
	change Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	850.00	75.00				11.90			1.83	
	IRRING CHARGES - CURRENTLY COMBINED															
	Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - vitch-as-is			UEPPX	110004		7.85	4.07				11.90				
	Vircn-as-is Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1		7.85	1.87				11.90				
	h BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				11.90				
ADDITION				OLITA	OOATO		7.00	1.07				11.50				
	Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26				11.90				
	Number/Trunk Group Establisment Charges															
	D Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90			1.83	
	Numbers, Establish Trunk Group and Provide First Group															
	20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00				11.90			1.83	
	ditional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				11.90			1.83	
	D Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				11.90			1.83	
	serve Non-Consecutive DID numbers			UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00	-			11.90 11.90			1.83 1.83	
	JMBER PORTABILITY			UEPFA	INDV	0.00	0.00	0.00				11.90			1.03	-
	cal Number Portability (1 per port)		1	UEPPX	LNPCP	3.15	0.00	0.00								
	DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	POR		LIVI OI	0.10	0.00	0.00								
	Loop Combination Rates		1													
2W	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	l			1											
	IE Zone 1		1	UEPPB UEPPR	<u> </u>	32.09										
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -										1					
	IE Zone 2	ļ	2	UEPPB UEPPR	1	38.15			ļ					ļ		
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	UEDDD ::====	1						1					
UNE Loop	NE Zone 3	<b> </b>	3	UEPPB UEPPR	-	59.94			ļ						1	
	Wire ISDN Digital Grade Loop - UNE Zone 1	<del>                                     </del>	1	UEPPB UEPPR	LIGLOV	24.71			<b>-</b>			11.90		-	1.83	
Z-V	Wile IODN Digital Grade Loop - UNE Zone 1	1		ULFFB UEFFR	USLZX	24.71			<del> </del>		-	11.90			1.83	1
2-W	Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	30.77						11.90			1.83	
	Wire ISDN Digital Grade Loop - UNE Zone 3	<b>†</b>	3	UEPPB UEPPR		52.56					<b> </b>	11.90		1	1.83	<u> </u>
UNE Port F			Ť			32.30			<u> </u>					1	50	1

04/12/02 Page 64 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Florida													Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			ΓES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonred			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	525.00	400.00				11.09			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00				11.90			1.83	
ADDIT	FIONAL NRCs																
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	L TN)	J D	J 1 10	3.000	0.00	0.00	0.00	1	t				<del> </del>	1	
	TERMINAL PROFILE	I	1	<b> </b>		<del>                                     </del>					<b>†</b>	1			-	<b> </b>	
COLIN	User Terminal Profile (EWSD only)		<b>I</b>	UEPPB	UEPPR	U1UMΔ	0.00	0.00	0.00		<b>†</b>	1			-	<b> </b>	
VEDT	ICAL FEATURES		1	JD	OLI I IX	STOWA	0.00	0.00	0.00	1	t	1	l		1	1	<del>                                     </del>
VERI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00		t	1	11.90		1	1	<del>                                     </del>
INTER	ROFFICE CHANNEL MILEAGE		1	OLPPD	ULPPK	OLF VF	2.20	0.00	0.00	<del> </del>	<del>                                     </del>	<del>                                     </del>	11.90		<del> </del>	<del> </del>	<del>                                     </del>
INTER			1	<b> </b>							<del>                                     </del>				-		
	Interoffice Channel mileage each, including first mile and				LIEDDD	14010	40 4404	47.05	04.70	40.04	7.00		44.00			4.00	
	facilities termination				UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	ļ
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE F	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			156.18										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			181.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			274.25										
UNE L	oop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	191.51						11.90			1.83	
UNE F	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	82.74	1,150.00	1,150.00				11.90			1.83	
NONR	ECURRING CHARGES - CURRENTLY COMBINED							,									
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	84.17	61.38				11.90			1.83	
ADDIT	TIONAL NRCs							•									
1.35.	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-										1	1			1	1	
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.5412			I		11.90		l	1.83	1
<del>                                     </del>	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	J_111		. 137.11		0.0412			<b> </b>		11.00			1.03	<del>                                     </del>
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71	Ì	1		11.90		Ì	1.83	1
<del>                                     </del>	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITE		1 10/10		12.71	12./1		<del> </del>	1	11.90		1	1.03	<del>                                     </del>
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		25.42	25.42		I		11.90		l	1.83	1
1.004	IL NUMBER PORTABILITY		1	JLI FF		111121		20.42	20.42	<del> </del>	+	<del>                                     </del>	11.50		<del> </del>	1.03	<del>                                     </del>
LUCA	Local Number Portability (1 per port)		1	UEPPP		LNPCN	1.75			-	<del></del>	<del>                                     </del>	-		-	-	<del></del>
INITE			<del>                                     </del>	UEPPP		LINECIN	1./5			-	<del></del>				-	<b> </b>	<del></del>
INTER	RFACE (Provsioning Only)   Voice/Data		1	UEPPP		PR71V	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	1			<del>                                     </del>	<del>                                     </del>	<del></del>
<b> </b>	Digital Data			UEPPP		PR71V PR71D	0.00	0.00	0.00	<del>                                     </del>	1	1	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<b></b>			1	UEPPP		PR71D PR71E		0.00		<del>                                     </del>	<del>                                     </del>	1			<del>                                     </del>	<del>                                     </del>	<del></del>
B1	Inward Data			UEPPP		PK/1E	0.00	0.00	0.00	<del>                                     </del>	1	1	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
New c	or Additional "B" Channel			LIEBBB		DD3D; (					1						<b>├</b>
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	15.48					11.90			1.83	
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	15.48		ļ	ļ	ļ	11.90			1.83	
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	15.48			ļ		11.90			1.83	
CALL	TYPES											L	<u> </u>				<b></b>
	Inward			UEPPP		PR7C1	0.00	0.00	0.00			L	<u> </u>				<b></b>
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								L
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
	ffice Channel Mileage				_			-			_			_			

04/12/02 Page 65 of 352

MOUNDLE	D NETWORK ELEMENTS - Florida	1	1	I	1 1						Cua Ord	Svc Order	Attachment: Incremental		Exhibit: B	Incrementa
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC UEPDC		154.08 246.46						11.90 11.90			1.83 1.83	
LINE L	oop Rates		3	UEPDC		246.46						11.90			1.83	-
ONE LO	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	73.44						11.90			1.83	
+	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	191.51						11.90			1.83	
UNF P	ort Rate	1	<u> </u>	02. 00	30250	101.01						11.30			1.00	
J 1	4-Wire DDITS Digital Trunk Port	1		UEPDC	UDD1T	54.95						11.90			1.83	
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			-	1										50	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1	İ										
1	- Switch-as-is	l	1	UEPDC	USAC4	l	95.31	46.71	]		1	11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDIT	IONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan						4= 00					44.00				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	UDTTE		45.00	15.69				11.90			1.83	
DIDOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDITE		15.69	15.69				11.90			1.83	
BIPOL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alterns	ate Mark Inversion		1	OLI DO	CCCLI	1	0.00	000.00				11.50			1.00	
Aiteilia	AMI -Superframe Format		1	UEPDC	MCOSF	1	0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges			OLI DO	WIGOT G		0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			j			11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group					Ì			İ							
1	of 20 DID Numbers	<u></u>	L	UEPDC	NDZ	0.00	0.00	0.00	<u>                                      </u>		<u></u>	11.90			1.83	<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities					Ì			ĺ							
	Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00	<u> </u>						<u> </u>	
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1856	0.00	0.00					· · · · · · · · · · · · · · · · · · ·			
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities	1			.2.,02	3550	5.50	0.00			1				1	

	ED NETWORK ELEMENTS Elevido												A44 l 4-	^	Cultibit. D	
UNDUNDL	ED NETWORK ELEMENTS - Florida	1	1	ı	1	1			ı	ı	00	00	Attachment:		Exhibit: B	1
													Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIE	RE DS1 LOOP WITH CHANNELIZATION WITH PORT			02. 50	0.0	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations														
	System can have up to 24 combinations of rates depending or			har of parts used												
	DS1 Loop	i type ai	ia nun	iber of ports used												
UNE				LIEDMO	1101.00	70.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	73.44	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2	1		UEPMG	USLDC	99.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	191.51	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)												L		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s	1	1	UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
-	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 16 DS1s	-		UEPMG	VUM40		0.00	0.00				11.90			1.83	
		1	1	UEPMG	VUM57	2,361.20	0.00					11.90				
	576 DS0 Channel Capacity -1 per 24 DS1s					2,833.44		0.00							1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s	<u> </u>	L	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit						stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channe															
Multi	ples of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24				11.90				
Syste	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat	ion with Port Comb	ination Curre	ently Exists and										
New	(Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only															
Rinol	lar 8 Zero Substitution			UEPMG	VUMD4	0.00	726 11	468 21	145.32	17 24		11 90				
Біроі	iai o Ecio oabsiitation			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
	Clear Channel Canability Format, superframe - Subsequent			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
	Clear Channel Capability Format, superframe - Subsequent								145.32	17.24						
	Activity Only			UEPMG UEPMG	VUMD4 CCOSF	0.00	726.11	468.21 655.00	145.32	17.24		11.90				
	Activity Only Clear Channel Capability Format - Extended Superframe -			UEPMG	CCOSF	0.00	0.00	655.00	145.32	17.24		11.90				
	Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only								145.32	17.24						
Alter	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI)			UEPMG UEPMG	CCOSF	0.00	0.00	655.00 655.00	145.32	17.24		11.90				
Alteri	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format			UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
	Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format			UEPMG UEPMG	CCOSF	0.00	0.00	655.00 655.00	145.32	17.24		11.90				
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
Exch	Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  nate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	17.24		11.90				
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00				11.90				
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG	CCOSF CCOEF	0.00	0.00 0.00 0.00	655.00 655.00	145.32	0.00		11.90			1.83	
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00				11.90			1.83	
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00 1.38	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00	0.00	0.00		11.90				
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPMG	CCOSF CCOEF MCOSF MCOPO UEPCX	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90			1.83	
Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90			1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated	on with	Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.38 1.38 1.38	0.00 0.00 0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X	0.00 0.00 0.00 0.00 1.38 1.38	0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00	0.00	0.00		11.90 11.90 11.90 11.90			1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port are Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated Feature (Service) Activation for each Trunk Side Port Terminated		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPOX UEP1X UEPDM	0.00 0.00 0.00 0.00 1.38 1.38 1.38	0.00 0.00 0.00 0.00 0.00 0.00 0.00	655.00 655.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPCX UEPOX UEP1X UEPDM 1PQWM	0.00 0.00 0.00 0.00 1.38 1.38 1.38 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 655.00 0.00 0.00 0.00 0.00 0.00 13.41	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizatiange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Poone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)		Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Dhone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.16	655.00 655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Shone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		Port	UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	655.00 0.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	
Exch Exch	Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only nate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports  Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port without DID 2-Wire Trunk Side Unbundled Channelized DID Trunk Port ure Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank Dhone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		Port	UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX	CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPTX UEPDM 1PQWM 1PQWU NDT NDZ	0.00 0.00 0.00 0.00 1.38 1.38 1.38 8.71 0.66 0.66	0.00 0.00 0.00 0.00 0.00 0.00 0.00 25.40 78.16	655.00 655.00 0.00 0.00 0.00 0.00 0.00 13.41 18.42 0.00 0.00	0.00 0.00 0.00 0.00 3.96	0.00 0.00 0.00 0.00		11.90 11.90 11.90 11.90 11.90 11.90 11.90 11.90			1.83 1.83 1.83	

04/12/02 Page 67 of 352

-																
UNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA'	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<u> </u>					Nonre	urrina	Nonrocurrin	a Disconnect			088	Rates(\$)		
h						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	11130	Auu	JONIEC	11.90	JONAN	JONIAN	JONAN	JOINAIN
Loca	al Number Portability			02.17		0.00	0.00	0.00				11.00				
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	D PORT LOOP COMBINATIONS - MARKET RATES															
	ket Rates shall apply where BellSouth is not required to provide	unbun	dled loc	cal switching or swi	tch ports per	FCC and/or St	ate Commission	n rules.								
	se scenarios include:	1		<u> </u>	<u> </u>											
	Inbundled port/loop combinations that are Not Currently Combi					0.14040 : D				D00						
	Inbundled port/loop combinations that are Currently Combined Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											0)		-		-
Relic	South currently is developing the billing capability to mechanic	ally hill	the rec	urring and non-recu	urring Market	Rates in this e	ection except	or nonrecurrin	na charges for	not currently	ombined in	ΔI.Fland	NC. In the i	terim where	BellSouth car	nnot bill
	ket Rates, BellSouth shall bill the rates in the Cost-Based section									our entry (		, anu		Wileie	_5554111 641	
	Market Rate for unbundled ports includes all available features			or and market N	Lates and 1850		to true up tile	ing dilierei		1				l		
	Office and Tandem Switching Usage and Common Transport U			ne Port section of th	is rate exhibi	t shall apply to	all combination	ons of loop/po	rt network ele	ments except	or UNE Coi	n Port/Loon	Combination	ns which have	e a flat rate us	sage charge
I I	DC: URECU).															
For N	Not Currently Combined scenarios where Market Rates apply, th	ne Nonre	curring	g charges are listed	in the First a	nd Additional	NRC columns	for each Port U	JSOC. For Cu	rrently Combin	ed scenario	s, the Nonre	curring char	ges are listed	in the NRC -	Currently
Com	nbined section. Additional NRCs may apply also and are catego	rized ac	cording	gly.						•				-		•
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
0.14/:	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPRX	UEPLX	31.87										
2-9911	ire Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence	-		UEPRX	UEPRL	14.00	90.00	90.00				11.90				
-	2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	1		UEPRX	UEPRC	14.00	90.00	90.00				11.90				
-	2-Wire voice unbundled port with Caller 15 - res  2-Wire voice unbundled port outgoing only - res	1		UEPRX	UEPRO	14.00	90.00	90.00		1		11.90				
<b></b>	2-vviie voice unbundled port outgoing only - res			OLI IOX	OLI NO	14.00	30.00	30.00				11.50				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14.00	90.00	90.00				11.90				
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
1 l =					I				]						1	_
$\vdash$	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is	1	<b>.</b>	UEPRX	USAC2		41.50	41.50		ļ		11.90				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			LIEDDY	LICACO		44.50	44.50				44.00				
455	change	<b> </b>	1	UEPRX	USACC		41.50	41.50	<del> </del>	<del> </del>		11.90		1	<b> </b>	<b>!</b>
ADDI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	+	<b>.</b>		+				<b> </b>	<del>                                     </del>				-	<del>                                     </del>	<del>                                     </del>
	Subsequent			UEPRX	USAS2		0.00	0.00	]			11.90			1	I
3-///	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	+		OLFIVA	USASZ		0.00	0.00	1	<del>                                     </del>		11.90		1	1	t
	Port/Loop Combination Rates	1			1					1						<b>-</b>
- OIVE	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	26.94				1						<b>-</b>
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	31.06			1	1					1	1
	2-Wire VG Loop/Port Combo - Zone 3	1	3		1	45.87			1	1					İ	1
UNE	Loop Rates				1				İ	İ				İ		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.87										
2-Wi	ire Voice Grade Line Port (Bus)															
2-Wii	ire Voice Grade Line Port (Bus)  2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBL UEPBC	14.00 14.00	90.00	90.00				11.90 11.90				

04/12/02 Page 68 of 352

UNDUNDL	ED NETWORK ELEMENTS - Florida				1						00	001	Attachment:		Exhibit: B	<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			<sup>-</sup> ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00				11.90				
LOC	AL NUMBER PORTABILITY			LIEBBY/	LNBOY											
NON	Local Number Portability (1 per port) RECURRING CHARGES - CURRENTLY COMBINED			UEPBX	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED				-				<b>-</b>							+
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
-	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			OLFBA	USACZ		41.50	41.50				11.90				+
	change			UEPBX	USACC		41.50	41.50				11.90				
ADD	TIONAL NRCs			02. BX	00,100		11.00					11.00				+
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -				1				†						1	1
	Subsequent	1		UEPBX	USAS2	1	0.00	0.00	1		1	11.90		I	I	1
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
	Port/Loop Combination Rates															1
	2-Wire VG Loop/Port Combo - Zone 1		1		1	26.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06										
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87										
UNE	Loop Rates															1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	31.87										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				11.90				
LOCA	AL NUMBER PORTABILITY			LIEBBO	LNDOD	0.45	0.00	0.00								
FFAT	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00	<del>                                     </del>						-	<del></del>
FEA	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				11.90				+
NON	RECURRING CHARGES - CURRENTLY COMBINED			UEFRG	UEFVF	0.00	0.00	0.00				11.90		-	-	+
NON	RECORDING CHARGES - CORRENTE I COMBINED				+											+
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			OLI ILO	00/102		41.00	71.00				11.50				<b>†</b>
	Change			UEPRG	USACC		41.50	41.50				11.90				
ADD	TIONAL NRCs								†						1	1
	2 Wire Loop/Line Side Port Combination - Non feature -															1
	Subsequent Activity- Nonrecurring						0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.09	7.09				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			26.94								ļ	ļ	<del> </del>
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06			<b></b>							<b>↓</b>
	2-Wire VG Loop/Port Combo - Zone 3	ļ	3			45.87										<b></b>
UNE	Loop Rates	ļ		LIEDDY	LIEDLY	10.01			<del>                                     </del>					-	-	
	2-Wire Voice Grade Loop (SL1) - Zone 1	<b> </b>		UEPPX	UEPLX	12.94			<del>                                     </del>					<b>!</b>	<b>!</b>	+
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPPX UEPPX	UEPLX UEPLX	17.06 31.87			<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	<del> </del>
2 /4/:-	2-Wire Voice Grade Loop (SL1) - Zone 3 re Voice Grade Line Port Rates (BUS - PBX)	1	3	OLPPA	UEPLA	31.8/			+		<b> </b>			<del> </del>	<del> </del>	+
2-9911	To voice Grade Line Fort Nates (DUS - FDA)	1			+	+			+		<b> </b>			<del> </del>	<del> </del>	+
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	14.00	90.00	90.00	1		1	11.90		I	I	1
<del>-  </del>	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00	<del>                                     </del>			11.90		1	1	<del>                                     </del>
1	Line Side Unbundled Incoming PBX Trunk Port - Bus	l		UEPPX	UEPP1	14.00	90.00	90.00	1			11.90		1	1	<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				11.90		1	1	1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				11.90		1	1	1
1	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00	† †			11.90		İ	İ	†
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90			1	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
1	Capable Port		1	UEPPX	UEPXE	14.00	90.00	90.00			l	11.90			1	1

NRONDLED	NETWORK ELEMENTS - Florida										1 -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	<sup>-</sup> ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				11.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			LIEDDY	LIEDVO	44.00	00.00	00.00				44.00				
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX UEPPX	UEPXO UEPXS	14.00 14.00	90.00 90.00	90.00				11.90 11.90				
	NUMBER PORTABILITY			OLFFX	ULFAG	14.00	90.00	90.00				11.50				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR						0.10										
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				11.90				
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			l	[]										1	1
	Change DNAL NRCs		-	UEPPX	USACC		41.50	41.50				11.90			<b> </b>	
ADDITIO	JNAL NRCS				+											
1 1	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00				11.90				
	2 Wire Loop/Line Side Port Combination - Non feature -			OLITA	OOAOZ	0.00	0.00	0.00				11.50				
	Subsequent Activity- Nonrecurring						0.00	0.00				11.90				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1		0.00	0.00				11.00				
	Group						7.09	7.09				11.90				
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	rt/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			26.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			31.06										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	45.87										
	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	17.06										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.87										
	Voice Grade Line Port Rates (Coin)			02. 00	02.2.	01.07										
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(FL)			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL. FL)			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPKK	14.00	90.00	90.00				11.90				
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
	2-Wire Coin Outward with Operator Screening and Blocking:				132. 3.		55.00	22.00				50				
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00				11.90			1	1
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50				11.90			<del> </del>	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50							1	1
	ONAL NRCs	-		OLFOO	USACC		41.50	41.50							1	<b> </b>
ADDITIO	JIME HILOS			<del> </del>	+ +										<b> </b>	
] [	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				11.90			1	1
IBUNDLED P	ORT/LOOP COMBINATIONS - MARKET BASED RATES				1		2.00	2700				50				
2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT				İ									1	
	rt/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			69.50										

04/12/02 Page 70 of 352

IRUNDLE	D NETWORK ELEMENTS - Florida													Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	E	BCS	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							_	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				74.57										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			1	92.82										
UNE La	pop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.50						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	19.57						11.90			1.83	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	37.82						11.90			1.83	
UNE Po	ort Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	55.00	850.00	75.00				11.90			1.83	
NONRE	CURRING CHARGES - CURRENTLY COMBINED									1							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00				11.90				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion												7				
	with BellSouth Allowable Changes Top 8 MSAs only		1	UEPPX		USA1C		850.00	75.00				11.90			Ì	
ADDITI	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.26	32.26				11.90				
Teleph	one Number/Trunk Group Establisment Charges									1							
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00				11.90			1.83	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				11.90			1.83	
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00	1							
2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	i													
	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		94.71										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		100.77										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 3		3	UEPPB	UEPPR		122.56										
UNE Lo	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	24.71						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	30.77						11.90			1.83	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	52.56						11.90			1.83	
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00				11.90			1.83	
	ONAL NRCs																
LOCAL	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	NNEL USER PROFILE ACCESS:															ļ	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							ļ	
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)	ļ						ļ						ļ	
USER	FERMINAL PROFILE					1											
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							ļ	
VERTIO	CAL FEATURES			l		<u> </u>				ļ						ļ	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
INTER	OFFICE CHANNEL MILEAGE		<u> </u>	1													
	Interoffice Channel mileage each, including first mile and		l		LIEDES		46 446						, , , , ,				1
	facilities termination				UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	ļ
	Interoffice Channel mileage each, additional mile		<b>-</b>		UEPPR		0.0091	0.00	0.00	.5.51			11.90			1.83	

04/12/02 Page 71 of 352

ONRONDE	ED NETWORK ELEMENTS - Florida			1									Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						I	Nonred	urring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT						7144		71441						00
	Port/Loop Combination Rates	1														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		973.44										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		999.13										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		1,091.51										
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP	USL4P	73.44						11.90		<b> </b>	1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPPP	USL4P	99.13					-	11.90		1	1.83	<del>                                     </del>
1	4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP	USL4P	191.51						11.90			1.83	
UNE	Port Rate	-	<u> </u>	UEPPP	UEPPP	900.00	1,150.00	1,150.00				44.00			4.00	
NON	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
NONE	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
ADDI	TIONAL NRCs			OLITI	00/101	0.00	020.00	020.00	1			11.00			1.00	
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.5412					11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		25.42	25.42				11.90			1.83	
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	ļ		UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)	ļ		LIEBBB	DD=01	0.00										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
Name	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New (	or Additional "B" Channel  New or Additional - Voice/Data B Channel	-		UEPPP	PR7BV	0.00	20.00					11.90			1.83	
	New or Additional - Digital Data B Channel	-		UEPPP	PR7BF	0.00	20.00					11.90			1.83	
	New or Additional Inward Data B Channel	-		UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALL	TYPES	1	1	OLFFF	FRIDD	0.00	20.00				1	11.90			1.03	1
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00	1							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00	1							
Interd	office Channel Mileage			02		0.00	0.00	0.00								1
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.1856										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1														
	Port/Loop Combination Rates	1													1	
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1	UEPDC		128.39						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		154.08						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		246.46						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											
	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC	USLDC	73.44						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	99.13						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	191.51						11.90			1.83	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC			`								
UNE	Port Rate		<u> </u>												1	
NONE	4-Wire DDITS Digital Trunk Port RECURRING CHARGES - CURRENTLY COMBINED			UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		95.31	46.71				11.90			1.83	

04/12/02 Page 72 of 352

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAD		05.04	40.74				44.00			4.00	
ADDIT	- Conversion with Change - Trunk Top 8 MSAs only  FIONAL NRCs			UEPDC	USAWB		95.31	46.71	-			11.90			1.83	
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4											
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel											,				
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC	טווטט		15.69	15.09	+			11.90			1.83	
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPOL	AR 8 ZERO SUBSTITUTION			OLI DO	ODTIL		10.00	10.00				11.50			1.00	
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepi	hone Number/Trunk Group Establisment Charges			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGX	0.00						11.90			1.83	
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Numbers, Establish Trunk Group and Provide First Group			OLI DO	ODTOL	0.00						11.50			1.00	
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						11.90			1.83	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	ated DS1 (Interoffice Channel Mileage) -															
FA/FC	Of for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				-											
	Termination)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Torrising and the second secon			02. 50	12.10	00.11	100.01	00.11	2	10.00		11.00				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25	I	_	l		. 7			Ι Τ						_	
	miles			UEPDC	1LNOB	0.1856	0.00	0.00						1	1	
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00						1	
	Terrimation)	1		OLFDC	ILINUS	0.00	0.00	0.00	0.00						+	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					1	1	
	Central Office Termininating Point			UEPDC	CTG	0.00								<u> </u>		
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	tem can have various rate combinations based on type and nu	mber of p	oorts	used												
UNE D	OS1 Loop			LIEDMO	1101.00	70.41	0.00	0.00						1	1	1
	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	<b></b>	2	UEPMG UEPMG	USLDC	73.44 99.13	0.00	0.00							<del>                                     </del>	
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	<b>-</b>		UEPMG	USLDC	191.51	0.00	0.00	<del>                                     </del>					-	<del></del>	
	DSO Channelization Capacities (D4 Channel Bank Configuration	20)	<u> </u>	021 IVIO	00250	101.01	0.00	0.00	<del>                                     </del>		1			1	1	1

04/12/02 Page 73 of 352

ONBONDER	ED NETWORK ELEMENTS - Florida			1	1	1							Attachment:		Exhibit: B	ł
											Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Charge -	Incrementa Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
I							Nonrec	urring	Nonrecurring	Disconnect			220	Rates(\$)		
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06	0.00	0.00	11130	Auu i	JONILO	11.90	JOINAIN	JOINAIN	1.83	JOMAN
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	<del> </del>
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90			1.83	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	<del> </del>
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ad	ld'I afte	r the m	ninimum system cor	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
Syster	m Additions Where Currently Combined and New (Not Currentl	y Comb	oined)													
In Top	p 8 MSAs and AL, FL, and NC Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00		11.90				
Bipola	ar 8 Zero Substitution											11.90				
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
Altern	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	n with	Port													
Excha	ange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		11.90			1.83	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
Featu	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated						40.00									
	in D4 Bank		<u> </u>	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank		<u> </u>	UEPPX	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90			1.83	
I elepi	hone Number/ Group Establishment Charges for DID Service		<u> </u>	LIEDDY	NDT	0.00	0.00	0.00				44.00				
-	DID Trunk Termination (1 per Port)		<u> </u>	UEPPX UEPPX	NDT NDZ	0.00	0.00	0.00				11.90			1	<del>                                     </del>
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		<u> </u>				0.00	0.00				11.90			1	1
	DID Numbers - groups of 20 - Valid all States		1	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00				11.90 11.90				<del>                                     </del>
	Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers		-	UEPPX	ND6	0.00	0.00	0.00	ļ			11.90			<b> </b>	<del></del>
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00				11.90			-	<del>                                     </del>
Local	Number Portability		<del>                                     </del>	OLFFA	INDV	0.00	0.00	0.00	<b></b>			11.90			1	+
Local	Local Number Portability - 1 per port		<del>                                     </del>	UEPPX	LNPCP	3.15	0.00	0.00	<b></b>						1	<del>                                     </del>
EEAT	URES - Vertical and Optional		1	OLFFA	LINE OF	ა. 15	0.00	0.00			1				1	<del>                                     </del>
	Switching Features Offered with Line Side Ports Only		1	<del> </del>	1						1				1	<del>                                     </del>
Local	All Features Available		1	UEPPX	UEPVF	2.26	0.00	0.00			1	11.90			1.83	<del>                                     </del>
INBLINDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		1	OLI FA	OLF VI	2.20	0.00	0.00			1	11.90			1.03	<del></del>
	st Based Rates are applied where BellSouth is required by FCC		State 4	Commission rule to	provide Unb	indled Local S	witching or Su	itch Porte								<del>                                     </del>
	itures shall apply to the Unbundled Port/Loop Combination - C								dled Port scoti	on of this Pate	Evhibit				1	<del>                                     </del>

UNBU	NDLE	D NETWORK ELEMENTS - Florida							<del></del>					Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		R/	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														ist	Add I	DISC 1St	DISC Add I
							_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
	For Ge	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	ecurring	UNE I	ort and Loop charg	es listed app	ly to Currently				ombos. The th	e first and	additional P	ort nonrecur	ing charges a		
		ned Combos for all states. In GA, KY, LA, MS and TN these no															
		ned Combos in all other states, the nonrecurring charges sha							_,		9 0900	o					Ju
		ket Rates for Unbundled Centrex Port/Loop Combination will							1	1	l		ı				1
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		Juatea	on an marvidual ca	Dasis, uiii	I Turtilei Hotic	·.									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)															
	ONL F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+			+	+		-					
		Non-Design	1	4	UEP91		14.11										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	UEF91		14.11										
				2	LIEDOA		40.00										
		Non-Design	<del>                                     </del>	2	UEP91	+	18.23		<del>                                     </del>	<del>                                     </del>		1	<b> </b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l	_	LIEDO4	1	20.01										
	LINIE	Non-Design	<u> </u>	3	UEP91	+	33.04		<b>.</b>	<b>.</b>	ļ						<del>                                     </del>
	UNE PO	ort/Loop Combination Rates (Design)				1			1	1		1					<del>                                     </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l .	LIEDO4	I							1		Ì	Ì	
		Design	ļ	1	UEP91	1	16.53		1	1		1					<del>                                     </del>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design		2	UEP91		21.60										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		37.85										
	UNE Lo	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.94										ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	17.06										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	31.87										ļ
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	15.36										ļ
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	20.43										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.68										ļ
	UNE Po																ļ
	All Stat	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.17						11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area			UEP91	UEPYB	1.17						11.90				ļ
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP91	UEPYH	1.17						11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2 Basic Local Area		<b> </b>	UEP91	UEPYM	1.17		<b></b>	ļ			11.90		ļ	ļ	<u> </u>
	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	l	1		İ				1		1	1		Ì	Ì	
		Term - Basic Local Area			UEP91	UEPYZ	1.17		1				11.90				ļ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1		1							1		Ì	Ì	
		- Basic Local Area	ļ	<u> </u>	UEP91	UEPY9	1.17		ļ	ļ			11.90				1
		2-Wire Voice Grade Port Terminated on 800 Service Term -	1	1		1							1		Ì	Ì	
		Basic Local Area			UEP91	UEPY2	1.17		ļ	ļ			11.90		ļ	ļ	<b></b>
	Georgi	a and Florida Only															
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.17						11.90				
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17						11.90				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17						11.90				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1							<u> </u>			-			
		Center)2		<u> </u>	UEP91	UEPHM	1.17			<u> </u>			11.90				<u> </u>
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term	<u> </u>	<u></u>	UEP91	UEPHZ	1.17		<u> </u>	<u> </u>	<u></u>		11.90		L	L	<u></u>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	<u></u>	UEP91	UEPH9	1.17		<u> </u>	<u> </u>			11.90		<u> </u>		<u> </u>
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17						11.90				
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
	Local N	Number Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
_	Feature	es															
		All Standard Features Offered, per port		1	UEP91	UEPVF	2.26						11.90				

04/12/02 Page 75 of 352

UNB	UNDLE	D NETWORK ELEMENTS - Florida			,									Attachment:		Exhibit: B	1
ATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						+		Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70	7.00.		,,,,,,		11.90				
		All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26						11.90				
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	8.81										
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	25.32								ļ		1
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0091										
		e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
	D4 Cha	nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.66										
		Slot			UEP91	1PQWQ	0.66										
	Maria Ba	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Re	Conversion - Currently Combined Switch-As-Is with allowed				_											
					UEP91	USAC2		21 50	0.40				11.00				
	-	changes, per port			UEP91			21.50	8.42				11.90 11.90				
		Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	5.17	8.32				11.90				-
		New Centrex Standard Common Block			UEP91	M1ACS		618.82									-
	-	New Centrex Customized Common Block			UEP91	M1ACC M2CC1	0.00	618.82					11.90				
		Secondary Block, per Block NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.31 66.48					11.90 11.90				-
	LINED			<u> </u>	UEF91	URECA	0.00	00.40					11.90				
		CENTREX - 5ESS (Valid in All States)		<u> </u>													
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>													
	UNE P	ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		_											1
		Non-Design		1	UEP95		14.11										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP95		18.23										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	l							1					
		Non-Design		3	UEP95		33.04										
	UNE Po	ort/Loop Combination Rates (Design)							-								
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		16.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>													
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95	+	21.60										
	LINE?	Design Parts		3	UEP95	1	37.85										
	UNE LO	pop Rate	<b>-</b>	4	LIEDOS	IJEC94	12.04			<u> </u>		-			-	1	<del>                                     </del>
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.94			1						ļ.	1
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	17.06										1
	+	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.87			1		ļ			-	1	1
	+	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	15.36										1
	+	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	20.43			<del>                                     </del>					-	1	1
Ī	LINES	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP95	UECS2	36.68			1		ļ			-	1	1
		JIL KALE		1	1	1				1		ı			1	1	

04/12/02 Page 76 of 352

ARANDI	LED NETWORK ELEMENTS - Florida			1	<u> </u>						_		Attachment:		Exhibit: B	1
TEGORY	7 RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						-	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.17	11131	Auu i	THOU	Addi	CONILC	11.90	JOMAN	JONAN	JOHAN	JONAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP95	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     - Basic Local Area			UEP95	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.17						11.90				
	KY, LA, MS, SC, & TN Only															
FL 8	& GA Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPHM	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPHZ	1.17						11.90				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.17						11.90				
Loc	al Switching		<u> </u>	LIEDAE												
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
Loc	al Number Portability		1	UEP95	LNPCC	0.35									-	
Foot	Local Number Portability (1 per port) tures		<u> </u>	UEP95	LINPCC	0.35										
real	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
_	All Select Features Offered, per port		1	UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	370.70					11.50				
NAF				0L1 00	OLI VO	2.20										
1.0.1.	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90			1	
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				11.90				
Misc	cellaneous Terminations															
2-W	fire Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.81										
4-W	ire Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				
Inte	eroffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	MIGBM	0.0091									-	
	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	е			1	ł									1	-
D4 (	Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										<u> </u>
$\perp$	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		1	LIEBOE	4001110										I	
	Slot		1	UEP95	1PQWQ	0.66			1	i i					1	1

04/12/02 Page 77 of 352

DIADONDE	D NETWORK ELEMENTS - Florida	1		1	1	1					0	06	Attachment:		Exhibit: B	<del>                                     </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBOE	110 4 00	0.00	04.50	0.40				44.00				
	changes, per port  Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USAC2 USACN	0.00	21.50 5.17	8.42 8.32				11.90 11.90				<del></del>
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.32				11.90			-	<del> </del>
	New Centrex Standard Common Block			UEP95	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48					11.90				<del> </del>
UNE-P	P CENTREX - DMS100 (Valid in All States)			OLI SO	ORLOR	0.00	00.40					11.50				<del> </del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														1	
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design	<u> </u>	1	UEP9D		14.11				<u> </u>					<u></u>	<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.23										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		l		[									1	
	Non-Design (5)		3	UEP9D		33.04				ļ						<b></b>
UNE P	Port/Loop Combination Rates (Design)									ļ						ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١.,			40.50										
	Design Color (Color Colo		1	UEP9D		16.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		04.00										
	Design		2	UEP9D		21.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		37.85										
LINE I	oop Rate		3	UEF9D		37.00										
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.94										1
-	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP9D	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP9D	UECS1	31.87										<del> </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	15.36										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	20.43										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.68										
UNE P	Port Rate															
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1
	Area			UEP9D	UEPYB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.47						44.00				
	Area			UEP9D	UEPYE	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEF9D	UEPTF	1.17						11.90				
	Area			UEP9D	UEPYG	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLFBD	OLFIG	1.17						11.90				
	Area	1		UEP9D	UEPYT	1.17						11.90			I	
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			021 00	02.11	1.17				<del> </del>		11.50			t	<del>                                     </del>
	Area	1		UEP9D	UEPYU	1.17						11.90			I	
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			-		1				İ		7				
	Area	l		UEP9D	UEPYV	1.17						11.90			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area	1		UEP9D	UEPY3	1.17						11.90			I	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					ĺ	ĺ									
	Area			UEP9D	UEPYH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.17						11.90				<b></b>
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	l											·		1	
1	Basic Local Area		1	UEP9D	UEPYJ	1.17				<u> </u>		11.90		<u> </u>	<u> </u>	

04/12/02 Page 78 of 352

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area			UEP9D	UEPYM	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area  2-Wire Voice Crade Port (Centrex/differ SWC /EBS 5200)3, 3			UEP9D	UEPYP	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5440)2, 3			UEP9D	UEPYQ	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area  A Miss Control Port (Centrex/differ SWC /EBS-M500)3, 3			UEP9D	UEPYS	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area  2 Wire Voice Crade Port (Centrex/differ SWC /EBS M5216)2, 3			UEP9D	UEPY6	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.17						11.90				
	Wire Voice Grade Port terminated in on Megalink or equivalent     Basic Local Area			UEP9D	UEPY9	1.17						11.90				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17						11.90				
FL & 0	GA Only			LIEDOD	LIEDITA	4.47						44.00				
-	2-Wire Voice Grade Port (Centrex)		1	UEP9D UEP9D	UEPHA UEPHB	1.17 1.17						11.90 11.90				
<b>—</b>	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-P3E1)3			UEP9D	UEPHD	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPHE	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHF	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPHG	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.17						11.90				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.17						11.90	•			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.17						11.90				
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5316)3	1		UEP9D	UEPH3	1.17			<b>_</b>			11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)	1	<u> </u>	UEP9D	UEPHH	1.17						11.90				
1 1	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDLIM	4 4 7						44.00				
<del>                                     </del>	Indication)3 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3	1	1	UEP9D UEP9D	UEPHW UEPHJ	1.17 1.17			+	1		11.90 11.90		1		
<del>                                     </del>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	OL1 3D	OLI 110	1.17			+			11.30				
	2			UEP9D	UEPHM	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHO	1.17						11.90				
				l												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1	1	UEP9D	UEPHP	1.17			1			11.90				
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.17			+			11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.17						11.90				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.17						11.90				

UNBUNDLE	D NETWORK ELEMENTS - Florida				<del></del>	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring		g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.17						11.90				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPHZ	1.17						11.90				
	L <u>.</u> . <u>.</u>															
L	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17						11.90				
Land	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17						11.90				
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384			-	-	-					<b></b>
Local N	Number Portability			UEP9D	UKECS	0.7364			-	-	+					<del></del>
Locai	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35					+					-
Feature		1	<b>†</b>	021 00	2.11 00	0.55			<b>-</b>	<b>-</b>	1		<b> </b>	<b> </b>	<b> </b>	<b>—</b>
i salur	All Standard Features Offered, per port		<b>†</b>	UEP9D	UEPVF	2.26			1	<u> </u>			1	1	1	
	All Select Features Offered, per port		1	UEP9D	UEPVS	0.00	370.70		1	1		11.90	1	İ	1	
<b> </b>	All Centrex Control Features Offered, per port	1	i –	UEP9D	UEPVC	2.26			1	1	1					
NARS	2.27(1.2.1.2.2		i –													
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.81										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
Interof	fice Channel Mileage - 2-Wire					000										
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9D UEP9D	MIGBC MIGBM	25.32 0.0091										
Footure	a Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9D	IVIIGBIVI	0.0091			-	-	-					<b></b>
	nnel Bank Feature Activations	e			+ +				-	-	+					<del></del>
D4 Cila	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66			1	1	1					
	realtire Activation on 5-4 Charmer Bank Centrex Loop Glot			OLI 3D	II QWO	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 05	4.1.0	0.00					1					
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u>L</u>	UEP9D	1PQWV	0.66		<u></u>	<u></u>	<u></u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot		<u> </u>	UEP9D	1PQWQ	0.66			ļ	ļ	1		ļ	ļ	ļ	<b>I</b>
<del></del>	Feature Activation on D-4 Channel Bank WATS Loop Slot		<u> </u>	UEP9D	1PQWA	0.66										<b>├</b>
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		+					-	<u> </u>					<del></del>
	NRC Conversion Currently Combined Switch-As-Is with allowed		1	LIEDOD	LICACO		04.50		I	I		44.00	1	1	1	1
<del>                                     </del>	changes, per port Conversion of existing Centrex Common Block, each	-	<del>                                     </del>	UEP9D UEP9D	USAC2 USACN		21.50 5.17	8.42 8.32	<del>                                     </del>	<del>                                     </del>	1	11.90 11.90	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	New Centrex Standard Common Block		1	UEP9D UEP9D	M1ACS	0.00	618.82	8.32	-	+	<del>                                     </del>	11.90				<del>                                     </del>
<del>                                     </del>	New Centrex Standard Common Block	-	<del> </del>	UEP9D	M1ACC	0.00	618.82		<b>+</b>	<b>+</b>	1	11.90	1	1	1	<del>                                     </del>
<del>                                     </del>	NAR Establishment Charge, Per Occasion	<b>-</b>	<u> </u>	UEP9D	URECA	0.00	66.48		<del>                                     </del>	<del>                                     </del>	1	11.90	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		<del>                                     </del>		5.1.2.5.1	3.00	33.40		<b>†</b>	1		50				
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1		1 1				1	1			1	İ	1	
	ort/Loop Combination Rates (Non-Design)		i –													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		i –													
	Non-Design	<u></u>	1	UEP9E		14.11		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -													_		
	Non-Design		2	UEP9E		18.23										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1		1 7				_	_	1		]	1	]	1
	Non-Design		3	UEP9E	1 1	33.04			ļ	ļ						1
UNE Po	ort/Loop Combination Rates (Design)		<u> </u>						L							<u> </u>

04/12/02 Page 80 of 352

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		R/	TES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonre	curring	Nonrecurrin	g Disconnect		l	OSS	Rates(\$)	l	
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				-		11131	Auu	11100	Auu	COMILO	COMPAR	COMPAN	COMPAN	COMPAN	COMPAR
	Design		1	UEP9E		16.53										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02.02	-	10.00			1							<b></b>
	Design		2	UEP9E		21.60										i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		37.85										i
UNE Lo	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.94										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	17.06										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	31.87										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	15.36										ſ
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	20.43										ſ
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.68		1		1						
	ort Rate							1		1						
AL, FL,	KY, LA, MS, & TN only															(
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.17						11.90				i
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.17						11.90				i .
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.17						11.90				i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.17						11.90				i
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.17						11.90				1
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.17						11.90				1
Florida	Only															
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	1.17						11.90				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17						11.90				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17						11.90				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPHM	1.17						11.90				i
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPHZ	1.17			<u> </u>		<u> </u>	11.90	<u></u>	<u> </u>	<u></u>	<u></u>
																1
<u>.                                      </u>	2-Wire Voice Grade Port terminated in on Megalink or equivalent	L	<u></u>	UEP9E	UEPH9	1.17		<u> </u>	<u> </u>	<u> </u>	L	11.90		<u> </u>		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17						11.90				
	witching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
	lumber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				<b></b>
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.81	-									
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										<b></b>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69					11.90				
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination		<u> </u>	UEP9E	MIGBC	25.32			1							1

04/12/02 Page 81 of 352

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	<b>Manual Svc</b>	Manual Sv
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add
								Nonrec	urring	Nonrecurrin	a Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0091	11100	дии	11130	Auu	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	Featur	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02		0.0001										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP9E	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9E	1PQWQ	0.66										
<u> </u>		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9E	USAC2		21.50	8.42				11.90				
		Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32				11.90				
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82					11.90				
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82					11.90				
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48					11.90				
		- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and su															

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
		_										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							ļ				l						
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODED	TIONIA	L SUPPORT SYSTEMS		-													
OPERA		(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator i	it profess the state of	enecific elect	ronic service o	rdering charge	e ae ordered k	v the State Co	mmissions T	he electron	c service or	dering charg	e currently co	ntained in th	e rato
		is the BellSouth regional electronic service ordering charge.															3 rate
		(2) Any element that can be ordered electronically will be bill		_													ly For
		elements that cannot be ordered electronically at present per t															
		greenents that cannot be ordered electronically at present per t ng charge, SOMAN, will be applied to a CLECs bill when it sub-				e in this cate	gory reflects the	e charge that v	voula be billed	to a CLEC on	ce electronic c	raering cap	abilities co	me on-line to	r that element	. Otnerwise,	tne manuai
-	oraerir		omits ar	LOK	o Bellsouth.	ı	1							1	1	1	
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
UNBU	NDI ED E	EXCHANGE ACCESS LOOP				SOIVILO		3.30									
ON BOI		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
<b>—</b>	<b>1</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
	<b>†</b>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4		4	UEANL	UEAL2			220						J		
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.75	8.92					18.94	8.42		
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		16.11	16.11								
		Order Coordination for Specified Conversion Time for UVL-SL1			l												
		(per LSR)		<u> </u>	UEANL	OCOSL		35.74	35.74								
-	2-WIRE	Unbundled COPPER LOOP		1	UEQ	LIEONY	44.00	44.69	22.40	25.05	7.00			18.94	0.40		
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X UEQ2X	11.02 12.72	44.69	22.40 22.40	25.65 25.65	7.06 7.06			18.94	8.42 8.42		
	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2  2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	H	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		
-		Order Coordination 2 Wire Unbundled Copper Loop - Non-	- '		OLQ	OLQZX	20.22	44.03	22.40	25.05	7.00			10.34	0.42		
		Designed (per loop)			UEQ	USBMC		16.11	16.11					18.94	8.42		
		Engineering Information Document			UEQ	0000		28.72	28.72					18.94	8.42		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					18.94	8.42		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					18.94	8.42		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.25	7.42					18.94	8.42		
UNBU		EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															
	UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line spli						PLX)									
	<u> </u>	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	- !	-	UEPSR, UEPSB	UEALS,	10.80										
	1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	-	1	UEPSR, UEPSB	UEABS	10.83										
-	1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	-	2	UEPSR, UEPSB UEPSR, UEPSB	UEALS, UEABS	12.47 12.47										
-	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2  2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3	UEPSR, UEPSB	UEALS	12.47										
	<del>                                     </del>	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	<u> </u>		UEPSR, UEPSB	UEABS	19.83										
UNBU	NDI FD F	EXCHANGE ACCESS LOOP	<del>- '-</del>		OLI OIX, OLFOD	JEADO	13.03										
5.150		ANALOG VOICE GRADE LOOP															
	T	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	1	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		l
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	<u></u>	Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			_												
	]	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١	l	l	l l								_		
	<u> </u>	Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
1	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	LIEADO	40.45	404 47	70.40					40.04	0.40		l
$\vdash$	1	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
1	1	Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		l
-	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.92	35.74	70.10					10.94	0.42		
		Craci Coordination for Openied Conversion fille (per Lok)		1	ULA	JUUGL	1	33.14									

04/12/02 Page 83 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Georgia										I		Attachment:		Exhibit: B	<del> .                                    </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		1
4-WIR	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36					18.94	8.42		
2-WIR	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42	ļ	ļ
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74									ļ
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04					18.94	8.42		ļ
2-WIR	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2	- 1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		44.69	31.55					18.94	8.42		
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	•												Ì
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															ĺ
	& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									ĺ
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1	- 1	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	CLEC to CLEC Conversion Charge without outside dispatch	- 1		UAL	UREWO		44.69	29.29					18.94	8.42		
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2	- 1	2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	ı	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry	l .	_		[						1				l	
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry	Ι.			[						1		40	l	l	
	and facility reservation - Zone 3		3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		<b></b>
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	1	UHL	OCOSL		35.74						10 -			<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55					18.94	8.42		<b></b>
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													<u> </u>
	4 Wire Unbundled HDSL Loop including manual service inquiry		1		[ ]											
	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		<u> </u>
	4-Wire Unbundled HDSL Loop including manual service inquiry	l .	1	l	1					_		]		Ī _	Ì	
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		

04/12/02 Page 84 of 352

CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)   Submitted   Submitted   Elect	Manual Svo Order vs. Electronic- 1st	II Incrementa     Charge -	Charge - Manual Svc Order vs. Electronic- Disc 1st  SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)   Submitted Submitted   Submitted	Charge - Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Svo Manual Manua	Charge - C Manual Svv Order vs Electronic- Add'l  S Rates(\$) SOMAN  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42	Charge - Manual Svc Order vs. Electronic- Disc 1st  SOMAN	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES(\$)     Elec   Manuary   Per LS   Per	Manual Svo Order vs.   Electronic- 1st	C Manual Svo Order vs. Electronic- Add'l S Rates(\$) SOMAN 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS	R Order vs. Electronic-1st OS: N SOMAN 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	Order vs Electronic- Add'I  S Rates(\$)  SOMAN  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42	Order vs. Electronic- Disc 1st  SOMAN	Order vs. Electronic- Disc Add'l
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3   UHL   UHL4W   10,07   44,69   31,55   25,65   7,06   UHL   UHL4W   10,39   44,69   31,55   25,65   7,06   UHL4W   10,39	Electronic—1st  OS: N SOMAN  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94	Electronic-Add'I S Rates(\$) SOMAN 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42	SOMAN	Electronic- Disc Add'l
A-Wire Unbundled HOSL Loop including manual service inquiry and facility reservation - Zone 3	1st OS: N SOMAN  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94  18.94	Add'I S Rates(\$) SOMAN  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42	Disc 1st	Disc Add'l
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	S Rates(\$)  SOMAN  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42  4 8.42	SOMAN	
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	\$\text{SOMAN}\$ 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	\$\text{SOMAN}\$ 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		SOMAN
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3   1   3   UHL   UHL4X   19.07   44.69   31.55   25.65   7.06	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		SOMAN
and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
Order Coordination for Specified Conversion Time (per LSR)	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
And facility reservation - Zone 1	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
A-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
and facility reservation - Zone 2	18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3   3 UHL   UHL4W   19.07   44.69   31.55   25.65   7.06	18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
and facility reservation - Zone 3	18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
Order Coordination for Specified Conversion Time (per LSR)	18.94 18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
CLEC to CLEC Conversion Charge without outside dispatch   1	18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
4-Wire DS1 Digital Loop - Zone 1	18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42 4 8.42		
4-Wire DS1 Digital Loop - Zone 1	18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42		
4-Wire DS1 Digital Loop - Zone 2	18.94 18.94 18.94 18.94 18.94	4 8.42 4 8.42 4 8.42 4 8.42		
4-Wire DS1 Digital Loop - Zone 3	18.94 18.94 18.94	4 8.42 4 8.42 4 8.42		
Order Coordination for Specified Conversion Time (per LSR)	18.94 18.94 18.94	4 8.42 4 8.42		
CLEC to CLEC Conversion Charge without outside dispatch   USL   UREWO   100.91   42.97	18.94 18.94	4 8.42		
4-WiRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	18.94 18.94	4 8.42		
4 Wire Unbundled Digital 19.2 Kbps	18.94		1	
4 Wire Unbundled Digital 19.2 Kbps   2 UDL   UDL19   29.74   348.55   241.20	18.94			
A Wire Unbundled Digital 19.2 Kbps				
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1				
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	18.94			
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3   3 UDL   UDL56   47.27   348.55   241.20	18.94			
Order Coordination for Specified Conversion Time (per LSR)	18.94			
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	10.34	7 0.42		
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2   2 UDL   UDL64   29.74   348.55   241.20	18.94	4 8.42		
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 47.27 348.55 241.20  Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 35.74  CLEC to CLEC Conversion Charge without outside dispate h UDL UREWO 101.95 49.66  2-Wire Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 I UCL UCLPB 12.02 44.69 31.55 25.65 7.06	18.94			
Order Coordination for Specified Conversion Time (per LSR) UDL OCOSL 35.74  CLEC to CLEC Conversion Charge without outside dispate h  2-WIRE Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1  1 1 UCL UCLPB 12.02 44.69 31.55 25.65 7.06	18.94			
CLEC to CLEC Conversion Charge without outside dispatc h  2-WIRE Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1  1 UCL UCLPB 12.02 44.69 31.55 25.65 7.06	18.94	8.42		
2-WIRE Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 I UCL UCLPB 12.02 44.69 31.55 25.65 7.06	40.04	4 0.40		
2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1 I 1 UCL UCLPB 12.02 44.69 31.55 25.65 7.06	18.94	4 8.42		
inquiry & facility reservation - Zone 1 I 1 UCL UCLPB 12.02 44.69 31.55 25.65 7.06				
	40.04			
	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Short including manual service				
inquiry & facility reservation - Zone 2 I 2 UCL UCLPB 13.88 44.69 31.55 25.65 7.06	18.94	4 8.42		
2 Wire Unbundled Copper Loop/Short including manual service				
inquiry & facility reservation - Zone 3 I 3 UCL UCLPB 22.07 44.69 31.55 25.65 7.06	18.94	4 8.42		
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 16.11 16.11		<del> </del>		
2-Wire Unbundled Copper Loop/Short without manual service		. [		
inquiry and facility reservation - Zone 1 I 1 UCL UCLPW 12.02 44.69 31.55 25.65 7.06	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Short without manual service		. [		
inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 13.88 44.69 31.55 25.65 7.06	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Short without manual service		I		
inquiry and facility reservation - Zone 3 I 3 UCL UCLPW 22.07 44.69 31.55 25.65 7.06	18.94	8.42		
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 16.11 16.11				
2-Wire Unbundled Copper Loop/Long - includes manual srvc.				
inquiry and facility reservation - Zone 1 I 1 UCL UCLL 35.56 44.69 31.55 25.65 7.06	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Long - includes manual svc.				
inquiry and facility reservation - Zone 2 I 2 UCL UCLL 41.07 44.69 31.55 25.65 7.06	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Long - includes manual svc.				
inquiry and facility reservation - Zone 3 I 3 UCL UCL2L 65.28 44.69 31.55 25.65 7.06	18.94	4 8.42		
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 16.11 16.11				
2-Wire Unbundled Copper Loop/Long - without manual service				
inquiry and facility reservation - Zone 1		4 8.42		
2-Wire Unbundled Copper Loop/Long - without manual service	18.94			
	18.94	4 8.42		
2-Wire Unbundled Copper Loop/Long - without manual service	18.94 18.94			
inquiry and facility reservation - Zone 3 I 3 UCL UCL2W 65.28 44.69 31.55 25.65 7.06		7 0.42	1	
Order Coordination for Unbundled Copper Loops (per loop) UCL UCLMC 16.11 16.11				

04/12/02 Page 85 of 352

ONRONDE	ED NETWORK ELEMENTS - Georgia			1	1	1							Attachment:		Exhibit: B	ļ <u>.</u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)	1		UCL	LIBEWO		44.69	31.55					18.94	8.42		
4-WIR	RE COPPER LOOP			UCL	UREWO		44.69	31.00					18.94	8.42		
4-1111	4-Wire Copper Loop/Short - including manual service inquiry		1		1											
	and facility reservation - Zone 1	1	1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3	I	3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Copper Loop/Short - without manual service inquiry and			LICI	LICL AV	40.00	44.00	04 5-	25.25	7.00			40.01	0.40		
	facility reservation - Zone 1		1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
-	4-Wire Copper Loop/Short - without manual service inquiry and	<del>- '-</del>		UUL	JOL4VV	13.08	44.09	31.35	25.05	7.00	-		10.94	0.42	1	1
	facility reservation - Zone 3	Li	3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)	·		UCL	UCLMC	22.01	16.11	16.11	20.00	7.00			10.01	02		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.						-									
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2	- 1	2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		l _													
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)		1	UCL	UCLMC		16.11	16.11								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.		<del>- '-</del>	UCL	UCL40	33.30	44.03	31.33	25.05	7.00			10.54	0.42		
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled Copper Loop/Long - without manual svc.													_		
	inquiry and facility reservation - Zone 3	- 1	3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	CLEC to CLEC conversion Charge without outside dispatch	- 1		UCL	UREWO		44.69	31.55					18.94	8.42		
LOOP MODIF	ICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC,	ULM2L		0.00	0.00					18.94	8.42		
	pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire		<u> </u>	UDN, UDL, USL	ULIVIZL		0.00	0.00					18.94	8.42		
	greater than 18k ft	1		UCL, ULS	ULM2G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	·		002, 020	O L.V.LO		0.00	0.00					10.01	02		
	less than or equal to 18K ft	L_ı	L	UHL, UCL	ULM4L	<u> </u>	0.00	0.00			<u> </u>		18.94	8.42		<u> </u>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft	- 1		UCL	ULM4G		0.00	0.00					18.94	8.42		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL,												
	per unbundled loop	ı	L	USL	ULMBT	<u> </u>	0.00	0.00	<u> </u>		<u> </u>		18.94	8.42	<u> </u>	<u></u>
SUB-LOOPS										-						
Sub-L	.oop Distribution														ļ	
1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	Ι.	1	LIFANII	LIODOA		404.00	101 00			1		40.01	0.10	1	
	Up		<u> </u>	UEANL	USBSA		421.08	421.08					18.94	8.42	<b> </b>	
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL	USBSB		67.10	67.10					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-up  Sub-Loop - Per Building Equipment Room - CLEC Feeder	<u> </u>		OLAINL	JUDUD		07.10	67.10					10.94	0.42		
	Facility Set-Up	1	1	UEANL	USBSC		394.74	394.74					18.94	8.42		
1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>					5514	55 4						U.72		
	Set-Up	1	1	UEANL	USBSD		154.57	154.57					18.94	8.42		

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			UEAINL	USBRC	1.37	2.40	2.40	1.74	1.74			10.94	0.42		<del>                                     </del>
	and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		ĺ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Statewide		sw	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide			UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		İ
	Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	Т		UEANL	USBR2	1.37	2.48	41.59	115.85	19.17			18.94	8.42		
İ	Sub-Loop 2-Wire Intrabuilding Network Cable (INC) -															
	Intermediary Access Terminal (IAT)		<u> </u>	UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
					LIODAGO		04.00	04.00								1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC) -			UEANL	USBMC		34.22	34.22								<del>                                     </del>
	Intermediary Access Terminal (IAT)			UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		ĺ
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.96	176.46	55.11	122.17	19.57			18.94	8.42		<del></del>
	()															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								ĺ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.84	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								ĺ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		<del>                                     </del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<del>l i</del>		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		<del></del>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Unbur	dled Network Terminating Wire (UNTW)			UENTW	UENPP	1.37	2.48	2.48	1.74	4 74			18.94	8.42		
Notwo	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID)			UENTW	UENPP	1.37	2.48	2.48	1.74	1.74			18.94	8.42		-
Netwo	Network Interface Device (NID) - 1-2 lines	<u> </u>		UENTW	UND12		86.37	56.69					18.94	8.42		<del>                                     </del>
	Network Interface Device (NID) - 1-6 lines	l i	1	UENTW	UND16		127.93	98.21					18.94	8.42		
	Network Interface Device Cross Connect - 2 W	Т		UENTW	UNDC2		6.15	6.15					18.94	8.42		
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6.15	6.15								
SUB-LOOPS							,									
Sub-L	oop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN.UCL.UDL.UDC	USBFW		421.08						18.94	8.42		1
+	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		1	UEA,	OSBEVV		421.08				1		10.94	0.42		<del>                                     </del>
	set-up			UDN.UCL.UDL.UDC	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521.57	11.30					18.94	8.42		
İ	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade- Statewide		SW	UEA	USBFA	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR	<b> </b>	<u> </u>	UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		ç	UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR		SW	UEA	OCOSL	8.58	35.74	170.05			1		18.94	8.42		<del>                                     </del>
<del>-  </del>	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		<del>                                     </del>	OLA .	JUUGL		33.14									<del>                                     </del>
	Voice Grade Loop - Statewide		sw	UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Statewide		SW	UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR	l		UEA	OCOSL		35.74							<u> </u>	<u> </u>	1

UNBUNDLE	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Statewide		SW	UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide			UDN	USBFF	17.73	208.50	62.31	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR		SW	UDN	OCOSL	17.73	35.74	02.31	119.00	29.56			10.94	0.42		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79.30	203.69	128.76	124.09	34.80			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		35.74									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop -															
	Statewide		sw	UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		<u></u>
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Statewide		SW	UDL	USBFO	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		35.74									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Statewide Order Coordination For Specified Conversion Time, per LSR		SW	UDL	OCOSL	24.50	35.74	81.32	134.77	33.93			19.99	19.99	19.99	19.99
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSK		-	UDL	UCUSL		33.74				1					
	op Feeder				+						-		-	-		-
Oub-LO	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	12.80										
	Sub Loop Feeder - DS3 - Facility Termination Per Month		i	UE3	USBF1	329.94	3.380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – STS-1 – Per Mile Per Month		i	UDLSX	1L5SL	12.80	0,000.00	100.00	100.01	02.70			10.01	0.12		
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		i	UDLSX	USBF7	372.78	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder – OC-3 – Per Mile Per Month		ı	UDLO3	1L5SL	9.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month		- 1	UDLO3	USBF5	57.79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		_	UDLO3	USBF2	524.13	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month		ı	UDL12	1L5SL	11.95										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month		-	UDL12	USBF6	519.09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		-	UDL12	USBF3	1,570.00	3,380.00	406.50	163.61	92.75			18.94	8.42		
	Sub Loop Feeder - OC-48 - Per Mile Per Month		1	UDL48	1L5SL	39.20			<u> </u>				<b>-</b>	<del>                                     </del>	-	-
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	259.99			]					I		
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		-	UDL48	USBF4	1,505.00	3,566.00	406.50	163.61	92.75			18.94	8.42	1	t
	Sub Loop Feeder - OC-12 Interface On OC-48		H	UDL48	USBF8	323.43	787.13	406.50	163.61	92.75		1	18.94	8.42	1	
UNBUNDLED L	OOP CONCENTRATION		<u> </u>		002.0	320.40	707.10	400.00	100.01	02.73			10.04	J₹Z	1	t
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441.42	650.81	650.81	1				19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52.97	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650.81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89.26	271.17	271.17					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5.04	126.57	92.14	33.57	9.40			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite		1		1 7								_	_		_
	Card)			UDN	ULCC1	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite			LIDO												
	Card)		<u> </u>	UDC	ULCCU	8.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		1	UEA	ULCC2	2.00	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		<u> </u>	ULA	ULUUZ	∠.00	∠1.07	∠0.96	10.78	10.71		-	19.99	19.99	19.99	19.99
	Loop Interface (SPOTS Card)		1	UEA	ULCCR	11.89	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface		<b>-</b>	OLA	OLOGIN	11.09	21.07	20.90	10.70	10.71			15.33	19.99	19.99	15.95
	(Specials Card)		1	UEA	ULCC4	7.09	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop					0	2	20.00	0	.0.71			.5.55			
	Interface		l	UDL	ULCC7	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99

04/12/02 Page 88 of 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec First	curring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop						11131	Auu	11130	Addi	JOHILO	JOHAN	JONIAN	JONAN	JONAN	JONIAN
	Interface			UDL	ULCC5	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20.96	10.78	10.71			19.99	19.99	19.99	19.99
LINE OTHER E	PROVISIONING ONLY - NO RATE			UDL	ULCCO	10.51	21.07	20.96	10.76	10.71			19.99	19.99	19.99	19.99
ONE OTTIER, I	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	•			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name Province - Only			UAL,UCL,UDC,UDL,	LINEON	0.00	0.00								1	
<b>—</b>	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00								-	<del> </del>
	rate	1	1	UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	<b>-</b>	l	OLA,ODIN,OOL,ODO	טטטו ע	0.00	0.00				<del>                                     </del>			<b> </b>	<b>†</b>	<del>                                     </del>
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								1	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACIT	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 - Facility			1150	LIEODY	000.04	000 50	400.40					07.55	07.55	40.00	40.00
	Termination per month			UE3	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.90										
-	High Capacity Unbundled Local Loop - STS-1 - Facility			ODLOX	TESIND	0.90										1
	Termination per month			UDLSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or															1
	spare facility queried (Manual).			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop MakeupWith or Without Reservation, per working or				50.00											
LIIGH EDEOUE	spare facility queried (Mechanized) NCY SPECTRUM			UMK	PSUMK		0.075	0.075							-	<u> </u>
	FERS-CENTRAL OFFICE BASED															<del> </del>
	Line Sharing Splitter, per System 96 Line Capacity	<del>                                     </del>	<b>!</b>	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00			18.94	8.42	t	†
	Line Sharing Splitter, per System 24 Line Capacity	<u> </u>	<u> </u>	ULS	ULSDB	32.00	0.00	0.00	0.00	0.00			18.94	8.42	1	1
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	11.00	0.00	0.00	0.00	0.00			18.94	8.42		1
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-									-						
	deactivation (per LSOD)			ULS	ULSDG		0.00	0.00	0.00	0.00			18.94	8.42		1
END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM												ļ	ļ
	Line Sharing - per Line Activation (BST Owned Splitter)	<u> </u>	<b>!</b>	ULS	ULSDC	0.61	10.51	7.70	0.00	0.00			18.94	8.42		4
1 1	Line Sharing - per Subsequent Activity per Line	1	1	ULS	III eDe		26.00	13.23	0.00	0.00			18.94	8.42		
$\vdash$	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line	<del>                                     </del>	<u> </u>	ULO	ULSDS	-	36.23	13.23	0.00	0.00			18.94	8.42	<b>-</b>	<del> </del>
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	0.00	0.00			18.94	8.42	1	
<del>                                     </del>	Line Sharing - per Line Activation (DLEC owned Splitter)	1		ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			18.94	8.42	<b>—</b>	†
	Line Splitting - per line activation DLEC owned splitter	l i		UEPSR UEPSB	UREOS	0.61			5.50	2.30			.0.04	J. 1/2	1	1
	Line Splitting - per line activation BST owned - physical	I	1	UEPSR UEPSB	UREBP	0.639	53.48	34.48	16.45	12.75			18.94	8.42		1
	Line Splitting - per line activation BST owned - virtual	I		UEPSR UEPSB	UREBV	0.636	53.48	34.48	16.45	12.75			18.94	8.42		1
	DEDICATED TRANSPORT					<u> </u>										
	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths			•						1
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	ļ	<u> </u>												ļ	<b>.</b>
1 1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			11477.07	41.500/	0.0000									1	
	Per Mile per month			U1TVX	1L5XX	0.0222								I	L	1

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec		curring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	17.07	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16.45	79.61	36.08					18.94	18.94		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.72										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	788.00	511.10	330.77					37.55	37.55	18.03	18.03
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.72										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	783.63	511.10	449.91					61.19	61.19	3.17	3.17
		CHANNEL - DEDICATED TRANSPORT	L			DOG/OTO : :				ļ			ļ				
	NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin Local Channel - Dedicated - 2-Wire Voice Grade Per Month	g perio	d - belo	ULDVX	ULDV2	our months 13.91	382.95	62.40					18.94	8.42		
		Local Channel - Dedicated - 2-Wire Voice Grade Fer Month  Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			OLDVX	OLDVZ	13.91	302.93	02.40					10.54	0.42		
		month			ULDVX	ULDR2	13.91	382.95	62.40					18.94	18.94		
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	14.99	368.44	64.05					18.94	8.42		
		Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	38.36	356.15	312.89					44.22	44.22	18.03	18.03
		Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	1L5NC	6.92										
		month			ULDD3	ULDF3	515.91	639.50	426.31					37.55	37.55	18.03	18.03
		Local Channel - Dedicated - STS-1- Per Mile per month Local Channel - Dedicated - STS-1 - Facility Termination per			ULDS1	1L5NC	6.92										
		month			ULDS1	ULDFS	517.56	639.50	426.31	ļl				18.94	18.94		
MULTIF	LEXER				UXTD1	MQ1	126.22	198.22	123.59					14.75	6.55	10.70	
<b>-</b>		Channelization - DS1 to DS0 Channel System OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ועואט	IVIQI	120.22	198.22	123.59	<del>                                     </del>				14.75	ხ.ეე	10.70	
		month (2.4-64kbs)  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDL	1D1DD	1.86	12.02	8.66					14.75	6.55	10.60	
		Woice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA 1D1VG	3.37 1.17	12.02 12.02	8.66 8.66					14.75 14.75	6.55 6.55	10.60 10.60	
$\vdash$		DS3 to DS1 Channel System per month			UXTD3	MQ3	1.17	265.91	188.78	<del>                                     </del>		1		14.75	6.55	10.60	
		STS1 to DS1 Channel System per month			UXTS1	MQ3	182.04	265.91	188.78					18.94	18.94	10.00	
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8.66	1				14.75	6.55	10.60	
		DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	11.02	12.02	8.66					14.75	6.55		
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel per month			U1TD1	UC1D1	11.02	12.02	8.66					14.75	6.55		
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	44.22										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69					18.94	18.94		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	44.22										

ONRONDL	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69					18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	44.22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355.29	273.69					18.94	18.94		
TRANSPORT	OTHER															
	nal Features & Functions:															
8XX ACCESS	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		6.57	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O									-						
I	POTS Translations	<u>L</u>	L	OHD	<u> </u>	<u> </u>	12.81	1.45					18.94	18.94	<u> </u>	<u>                                      </u>
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations	1	1	OHD	N8FTX		12.81	1.45					18.94	18.94	I	
i	8XX Access Ten Digit Screening, Customized Area of Service															
1	Per 8XX Number	1	1	OHD	N8FCX		4.46	2.23					18.94	18.94	I	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2.99					18.94	18.94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0.76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.72	4.46					18.94	18.94		
LINE INFORM	MATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0.0105974										
	LIDB Originating Point Code Establishment or Change			OQT. OQU	NRPBX		50.30						18.94	18.94		
SIGNALING (				,												
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133.99										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000087										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	17.05	131.96	131.96					18.94	18.94		
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000354										
+	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67			+							
	CCS7 Signaling Point Code, per Originating Point Code		1													
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					18.94	18.94		
	CCS7 Signaling Point Code, per Destination Point Code			000	00/11/0		10.00	10.00					10.01	10.01		
	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					18.94	18.94		
CALLING NA	ME (CNAM) SERVICE			000	00/11/2		0.00	0.00	+				.0.01	10.01		
	CNAM for DB Owners, Per Query	1		OQV	1	0.01								<del> </del>	t	l .
l	CNAM for Non DB Owners, Per Query	<b>†</b>		OQV	1	0.01								1	1	1
1	CNAM (Non-Databs Owner), NRC, applies when using the	1			1	0.01								<del> </del>	t	l .
	Character Based User Interface (CHUI)	1		oqv	CDDCH		595.00	595.00					18.94	18.94	1	
OPERATOR (	CALL PROCESSING	1			1		300.00	300.00	<b>+</b>				.0.04	.3.54	t	l .
1	Oper. Call Processing - Oper. Provided, Per Min Using BST	1			1										<u> </u>	<b>†</b>
	LIDB	1	1			1.20								l	I	
1	Oper. Call Processing - Oper. Provided, Per Min Using	1			1	1.20									<u> </u>	<b>†</b>
	Foreign LIDB	1	1			1.24								l	I	
-	Oper. Call Processing - Fully Automated, per Call - Using BST	1	1		1				<u> </u>					<del> </del>	<b>—</b>	1
	LIDB	1	1			0.20								l	I	
	Oper. Call Processing - Fully Automated, per Call - Using	1	1		1	5.20			<u> </u>					<del> </del>	<b>—</b>	1
	Foreign LIDB	1	1			0.20								l	I	
INWARD OP	ERATOR SERVICES	1	1		1	0.20			<u> </u>					<del> </del>	<b>—</b>	1
I	Inward Operator Svcs - Verification, Per Minute	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1.15								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<del></del>	Inward Operator Services - Verification, Per Militate  Inward Operator Services - Verification and Emergency Interrupt	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1.13								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	- Per Minute	1	1			1.15								l	I	
BRANDING -	OPERATOR CALL PROCESSING	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	1.15								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
PINCHAPING -		1	<del>                                     </del>	1	CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
ı	Recording of Custom Branded OA Appouncement															10.00
	Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00	-				19.99	19.99	10.00	

04/12/02 Page 91 of 352

UNB	JNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							IVEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIREC		SSISTANCE SERVICES															
	DIREC	TORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0.275										
	DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	JACC)														
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	DIDEC	TORY TRANSPORT					0.10										
DIREC		SSISTANCE SERVICES															
DIREC		TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	DINEO	Directory Assistance Data Base Service Charge Per Listing	1	<b>!</b>			0.04			<b>†</b>		1			<b> </b>	<b>I</b>	
	1	Directory Assistance Data Base Service Charge Fer Listing  Directory Assistance Data Base Service, per month		<b>†</b>	1	DBSOF	150.00								1	1	
BRAN	DING - E	DIRECTORY ASSISTANCE		<b>†</b>	1		.55.56								1	1	
		y Based CLEC															
		Recording and Provisioning of DA Custom Branded		1													
		Announcement			AMT	CBADA		6,000.00	6,000.00						1	I	
		Loading of Custom Branded Announcement per DRAM															
		Card/Switch			AMT	CBADC		1,170.00	1,170.00								
	UNEP																
		Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM															
		Card/Switch per OCN						1,170.00	1,170.00								
	Unbrai	nding via OLNS for UNEP CLEC															
		Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
		Loading of DA per Switch per OCN						16.00	16.00								
SELEC	CTIVE R	OUTING															
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch				USRCR		180.62	180.62					33.67	7.88		
VIRTU	AL COL	LOCATION						0.040.00									
		Virtual Collocation - Application Cost			AMTES	EAF ESPCX		2,848.30 2,750.00	2,848.30								
	-	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	0.00	2,750.00	2,750.00								
-	-	Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.20										
		Virtual Collocation - Power, per breaker amp  Virtual Collocation - Cable Support Structure, per entrance			AMTFS	ESPAX	3.48										
		cable			AMTFS	ESPSX	13.35										
					UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, AMTFS, UDL, UNCVX, UNCDX,	-											
		Virtual Collocation - 2-wire Cross Connects (loop)		<u>L</u>	UNCNX	UEAC2	0.0283	24.56	23.56	9.20	8.30			19.99	19.99	19.99	19.99
		Virtual Collocation - 4-wire Cross Connects (Ioop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
		Virtual Callacation 2 Fiber Cross Constitution			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	CNC2F	0.00	44.70	20.00	40.40				0.00	2.55		
	-	Virtual Collocation - 2-Fiber Cross Connects		<u> </u>	ULD48, UDF	CNC2F	2.88	41.72	30.36	10.43	8.36			2.20	2.20	-	
		Virtual Collegation 4 Fiber Cross Consects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
	1	Virtual Collocation - 4-Fiber Cross Connects		<del>                                     </del>		CINC4F	5.76	51.03	39.67	13./1	11.65	1		2.20	2.20	<del>                                     </del>	
		Notes a subsection - DCA Cours Co. 1994			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,	ONICAY	7.50	455.00	44.00								
	1	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	7.50	155.00	14.00			1					L

HINBHINDI	_ED NETWORK ELEMENTS - Georgia												Attachment:	<u> </u>	Exhibit: B	l
UNDUND	LED NET WORK ELEMENTS - Georgia	1				T					Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC ISL	DISC Add I
						Rec	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,ULC,AMTFS,U												
				E3, U1TD3, UXTS1,												
				UXTD3, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AMETER	\/E40D	0.0000										
-	Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
-	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			AIVIIFO	VETCD	0.0034										
	Support Structure, per cable	l		AMTFS	VE1CC		553.43						1	1	1	
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	1		, , 0			000.40									
	Cable Support Structure, per cable	l		AMTFS	VE1CE		553.43						1	1	1	
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	1	41.00	25.00	Ì				1	İ	1	
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00	İ	l						l
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL C	DLLOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-						40.00	40.00								
-	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSF	VETRZ	0.30	12.00	12.00					10.94	0.42		
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETILE	0.00	12.00	12.00					10.04	0.42		
	Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN			UEPSX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	ISDN			UEPTX	VE1R2	0.30	12.60	12.60					18.94	8.42		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire															
	ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60					18.94	8.42		
VIRTUAL C	OLLOCATION  Noticel Collegation 2 Wire Cross Connects (Lean) for Line	<u> </u>				<b>_</b>							<b> </b>	<b> </b>	<b> </b>	ļ
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	l		UEPSR. UEPSB	VE1LS	0.03	24.56	23.56	9.20	8.30			19.99	19.99	1	
AIN SELEC	Splitting FIVE CARRIER ROUTING	-		UEFOK, UEFOB	VE ILO	0.03	∠4.56	∠3.56	9.20	8.30			19.99	19.99		
AIN SELEC	Regional Service Establishment			SRC	SRCEC		391,788.00		<del> </del>				19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO	<del>                                     </del>	320.53	320.53					19.99	19.99	19.99	19.99
	Line/Port NRC, per end user	1		SRC	SRCLP		2.06	2.06	1				19.99	19.99	19.99	19.99
	Query NRC, per query			SRC		0.000448										
AIN - BELLS	SOUTH AIN SMS ACCESS SERVICE								<u> </u>				İ	<u> </u>	İ	
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup			A1N	CAMSE		90.25	90.25					18.94	18.94		
1 1																
$\vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		29.66	29.66					18.94	18.94		
$\vdash$	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P	ļ	29.66	29.66	1	-			18.94	18.94	<b> </b>	-
	AIN SMS Access Service - User Identification Codes - Per User ID Code	l		A1N	CAMAU		94.40	04.40					18.94	18.94	1	
<del></del>	AIN SMS Access Service - Security Card, Per User ID Code,	<del>                                     </del>		AIN	CAIVIAU	<del>                                     </del>	84.43	84.43	ļ				18.94	18.94	<del>                                     </del>	
	Initial or Replacement	l		A1N	CAMRC		35.44	35.44					18.94	18.94	1	
<del>                                     </del>	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAWING	0.0023	33.44	33.44					10.94	10.94	<b> </b>	
	AIN SMS Access Service - Storage, Per Offic (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute				t	0.0795604					1		1	1	1	1
	AIN SMS Access Service - Company Performed Session, Per				t	2.27 00004			1				1	1	1	
	Minute	l				2.08										
	•		•	•					•			•	•	•	•	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)	No.	Pi		Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect	COMEC	COMAN		Rates(\$)	COMAN	COMAN
AIN - RELISOL	I JTH AIN TOOLKIT SERVICE		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - BELLOOK	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		86.74	86.74					18.94	18.94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348.00	8,348.00					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		19.13	19.13					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		114.80	114.80					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
ļ <u> </u>	DN, Off-Hook Immediate				BAPTM		19.13	19.13	-	-			18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Query Charge, Per Query					0.0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.0053137										
	Account, Per 100 Kilobytes					1.46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	15.96	22.64	22.64					18.94	18.94		
İ	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			CAM	BAPLS	0.0861109	22.64	22.64					18.94	18.94		
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	15.87	22.64	22.64					18.94	18.94		
ENILIANCED EV	Service Subscription (TENDED LINK (EELs)			CAM	BAPES	0.0028704	22.64	22.64					18.94	18.94		
	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of foll	owing MSAs: Orlan	do FI · Miam	ni FI:Ft Laude	rdale FI:									
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
NOTE:	In all states, EEL network elements shown below also apply to	o curre	ntly co	mbined facilities wh	nich are conv	erted to UNE ra	tes. A Switch	As Is Charge a	pplies to curre	ently combined	l facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	.)
	In GA, TN, KY, LA, MS & SC the EEL network elements apply				lements.(No	Switch As Is Ch	arge.)									
2-WIRE	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport	EROFF	ICE TR	ANSPORT (EEL)	-											
	Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10	<u> </u>				18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.4523		. 2.10					.5701	27.12		
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	MQ1	126.22	194.63	141.51					33.63	21.49	19.88	11.85
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1 Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	Interoffice Transport Combination - Zone 2 Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		
	per month			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT														_	_

04/12/02 Page 94 of 352

ONBONDLE	D NETWORK ELEMENTS - Georgia	1	1	ı					I		C C	C C	Attachment:		Exhibit: B	lu anamar: 1 - 1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect				Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Per Month Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	1L5XX	0.4523										
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	126.22										
	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	1.17	12.02	8.66								
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1  Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		
	Interoffice Transport Combination - Zone 3  Voice Grade COCI - DS1 to DS0 Channel System combination -		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	1.17	12.02	8.66					18.94	8.42		
	Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIRI	56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT (EEL)	)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Per Month Interoffice Transport - Dedicated - DS1 - combination - Fer Mile Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.4523										
	Termination Per Month  Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNC1X	MQ1	126.22										
$\bot$	month (2.4-64kbs)  Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	Interoffice Transport Combination - Zone 2  Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	combination per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Is Charge			UNC1X	UNCCC		12.97	11.27					18.94	8.42		
4-WIRI	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	)											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Per Month			UNC1X	1L5XX	0.4523										

04/12/02 Page 95 of 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
	Interoffice Transport - Dedicated - DS1 combination - Facility				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination Per Month  Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Month OCU-DP COCI (data) - DS1 to DS0 Channel System			UNC1X	MQ1	126.22										<u> </u>
	combination - per month (2.4-64kbs) Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		<u> </u>
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		<b></b>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66					18.94	8.42		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TRA	NSPORT (EEL)												<b></b>
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TRA	NSPORT (EEL)												<u> </u>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.72										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	196.66	204.61					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66	ļ	ļ			18.94	8.42		ļ
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		12.97	11.27					45.46	15.72		
2-WIRI	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)	ļ											l
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10					18.94	8.42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10					18.94	8.42		

04/12/02 Page 96 of 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2-wire VG combination - Per						FIISL	Auu i	FIISL	Add I	SOIVIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	TEROFF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVX	UEAL4	22.20	206.95	170.57					18.94	8.42		
	Combination - Zone 2 4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	25.70	206.95	170.57					18.94	8.42		1
	Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-					17.07										
	Is Charge			UNCVX	UNCCC		12.97	11.27					45.46	15.72		
DS3 D	HIGHTAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	NSPOR	(I (EEL)												
	Mile per month			UNC3X	1L5ND	8.90										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72	639.50	420.40					37.55	37.33	16.03	10.03
	Interoffice Transport - Dedicated - DS3 combination - Facility						100.45	450.45					07.55	07.55	40.00	40.00
	Termination per per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	U1TF3	788.00	198.45	153.15					37.55	37.55	18.03	18.03
STS1	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TE	PANSP	UNC3X	UNCCC		12.97	11.27					45.46	15.72		<del> </del>
0101	High Capacity Unbundled Local Loop - STS1 combination - Per	l loc III	TAINOI	I LELL												
	Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40					37.55	37.55	18.03	18.03
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.03	18.03
	Is Charge			UNCSX	UNCCC		12.97	11.27					45.46	15.72		
2-WIR	E ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIV	1141.07	05.07	200.00	400.00					40.04	0.40		
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		1
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCNX	U1L2X 1L5XX	40.17 0.4523	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility		1	UNC1X	ILOXX	0.4523					-				-	<del>                                     </del>
	Termination per month		<u> </u>	UNC1X	U1TF1	78.47	194.63	141.51					33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.37	12.02	8.66					33.63	27.49	19.88	11.85
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															11.00
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	21.89	233.38	180.38			-		18.94	8.42	-	<del> </del>
	Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		

04/12/02 Page 97 of 352

Cor 2-w con Nor Is C 4-WIRE DS Firs Zor Firs Zor Inte Per Inte Ter STS DS: Adc Zor Adc	RATE ELEMENTS  Iditional 2-wire ISDN Loop in same DS1Interoffice Transport ombination - Zone 3 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System mibitation- per month conceurring Currently Combined Network Elements Switch -Ascharge S1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN S1 DS1 Loop in STS1 Interoffice Transport Combination - one 1 compared to the state of	Interi			USOC  U1L2X  UC1CA  UNCCC	Rec 40.17	Nonrec First 233.38	Add'l	Nonrecurring Disco	Suk I pe	er LSR p	Submitted Manually per LSR	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
Cor 2-w con Nor Is C 4-WIRE DS Firs Zor Firs Zor Inte Per Inte Ter STS DS: Adc Zor Adc	ombination - Zone 3 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System mibitation- per month correcurring Currently Combined Network Elements Switch -As- Charge St DGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN St DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set Month ceroffice Transport - Dedicated - STS1 combination - Per Mile or Month ceroffice Transport - Dedicated - STS1 combination - Facility minination TS1 to DS1 Channel System conbination per month	TEROF	FICE T	UNCNX UNC1X RANSPORT (EEL)	UC1CA	40.17	First	Add'l			OMEC S	SOMAN			SOMAN	SOMAN
Cor 2-w con Nor Is C 4-WIRE DS Firs Zor Firs Zor Inte Per Inte Ter STS DS: Adc Zor Adc	ombination - Zone 3 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System mibitation- per month correcurring Currently Combined Network Elements Switch -As- Charge St DGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN St DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set Month ceroffice Transport - Dedicated - STS1 combination - Per Mile or Month ceroffice Transport - Dedicated - STS1 combination - Facility minination TS1 to DS1 Channel System conbination per month	TEROF	FICE T	UNCNX UNC1X RANSPORT (EEL)	UC1CA	40.17			First A	dd'l SC	OMEC S	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Cor 2-w con Nor Is C 4-WIRE DS Firs Zor Firs Zor Inte Per Inte Ter STS DS: Adc Zor Adc	ombination - Zone 3 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System mibitation- per month correcurring Currently Combined Network Elements Switch -As- Charge St DGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN St DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set DS1 Loop in STS1 Interoffice Transport Combination - one 3 set Month ceroffice Transport - Dedicated - STS1 combination - Per Mile or Month ceroffice Transport - Dedicated - STS1 combination - Facility minination TS1 to DS1 Channel System conbination per month	TEROF	FICE T	UNCNX UNC1X RANSPORT (EEL)	UC1CA	-	233.38				1					
con Nor Is C  4-WIRE DS  Firs Zor Firs Zor Inte Per Inte Ter STT DS: Adc Zor Adc	mbintaion- per month onrecurring Currently Combined Network Elements Switch -As- Charge St DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN st DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 seroffice Transport - Dedicated - STS1 combination - Per Mile or Month seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility seroffice Transport - Dedicated - STS1 combination - Facility	TEROF	1	UNC1X RANSPORT (EEL)	1	3.37		180.38					18.94	8.42		
Is C  4-WIRE DS  First Zor  First Zor  Inte Per Inte Ter STIS DS: Adc Zor Adc	Charge St DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INT St DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 rest DS1 Loop in STS1 Interoffice Transport Combination - one 3 rest DS1 Loop in STS1 Interoffice Transport Combination - Per Mile or Month reroffice Transport - Dedicated - STS1 combination - Facility remination TS1 to DS1 Channel System conbination per month	TEROF	1	RANSPORT (EEL)	UNCCC		12.02	8.66					33.63	27.49	19.88	11.85
4-WIRE DS Firs Zor Firs Zor Firs Zor Inte Per Inte STT DS: Adc Zor Adc	S1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN st DS1 Loop in STS1 Interoffice Transport Combination - one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 steroffice Transport - Dedicated - STS1 combination - Per Mile or Month erroffice Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Facility semination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated	TEROF	1	RANSPORT (EEL)			12.97	11.27					45.46	15.72	[	
First Zoro First Zoro First Zoro Interest Per Interest Zoro Interest Zoro Interest Zoro Interest Zoro Zoro Zoro Zoro Zoro Zoro Zoro Zor	rst DS1 Loop in STS1 Interoffice Transport Combination - me 1 sit DS1 Loop in STS1 Interoffice Transport Combination - me 2 sit DS1 Loop in STS1 Interoffice Transport Combination - me 3 seroffice Transport - Dedicated - STS1 combination - Per Mile ar Month seroffice Transport - Dedicated - STS1 combination - Facility memination TS1 to DS1 Channel System conbination per month		1		5550		12.91	11.21				<del></del>	45.40	13.72	<del>                                     </del>	<del>                                     </del>
Zor First Zor First Zor Inte Per Inte STS DSS Adc Zor Adc Zor	one 1 st DS1 Loop in STS1 Interoffice Transport Combination - one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 eroffice Transport - Dedicated - STS1 combination - Per Mile or Month eroffice Transport - Dedicated - STS1 combination - Facility immination TS1 to DS1 Channel System conbination per month		1		+							<del></del>				<b>—</b>
Zor First Zor Inte Per Inte Ter STT DS: Add Zor Add	one 2 st DS1 Loop in STS1 Interoffice Transport Combination - one 3 teroffice Transport - Dedicated - STS1 combination - Per Mile or Month teroffice Transport - Dedicated - STS1 combination - Facility teroffice Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Transport - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - Dedicated - STS1 combination - D		2	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
Firs Zor Inte	rst DS1 Loop in STS1 Interoffice Transport Combination - ne 3 reroffice Transport - Dedicated - STS1 combination - Per Mile r Month reroffice Transport - Dedicated - STS1 combination - Facility remination TS1 to DS1 Channel System conbination per month			UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42		ĺ
Zor Inte Per Inte Ter STIS DSS Adc Zor Adc	one 3 reroffice Transport - Dedicated - STS1 combination - Per Mile or Month reroffice Transport - Dedicated - STS1 combination - Facility rmination TS1 to DS1 Channel System conbination per month			UNCIA	USLAA	04.13	443.20	130.09				-+	10.94	0.42		
Per Inte Ter STS DS: Adc Zor Adc Zor	er Month  er Office Transport - Dedicated - STS1 combination - Facility  miniation TS1 to DS1 Channel System conbination per month		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42	<u> </u>	<u> </u>
Inte Ter STS DS: Ado Zor Add Zor	teroffice Transport - Dedicated - STS1 combination - Facility ormination TS1 to DS1 Channel System conbination per month			UNCSX	1L5XX	2.72										1
Ter STS DS: Ado Zor Ado Zor	rmination TS1 to DS1 Channel System conbination per month			UNCSX	ILSXX	2.12						-+	-			<del>                                     </del>
DS: Add Zor Add Zor				UNCSX	U1TFS	783.63	198.45	449.91					37.55	37.55	18.08	18.03
Add Zor Add Zor				UNCSX	MQ3	182.04	196.66	204.61					37.55	37.55	18.08	18.03
Zor Add Zor	63 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66					37.55	37.55	18.08	18.03
Add Zor	Iditional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
	Iditional DS1Loop in STS1 Interoffice Transport Combination -			ONCIA	USLAA	33.33	443.20	130.09				-	10.54	0.42		
Aut	one 2		2	UNC1X	USLXX	64.13	443.20	138.69					18.94	8.42	<b>  </b>	<del>                                     </del>
Zor	Iditional DS1Loop in STS1 Interoffice Transport Combination - one 3		3	UNC1X	USLXX	101.93	443.20	138.69					18.94	8.42	j .	
	33 Interface Unit (DS1 COCI) combination per month		Ť	UNC1X	UC1D1	11.02	12.02	8.66					18.94	8.42		
Nor	onrecurring Currently Combined Network Elements Switch -As-															
	Charge		<u> </u>	UNCSX	UNCCC		12.97	11.27					45.46	15.72		<b></b>
	KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROF	FFICE 1	TRANS	PORT (EEL)											<b></b>	<b>├</b> ──
	wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport ombination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		ĺ
4-w	wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	ombination - Zone 2 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		2	UNCDX	UDL56	29.74	384.56	241.20				$\longrightarrow$	18.94	8.42		<del>                                     </del>
	ombination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42	[	
	eroffice Transport - Dedicated - 4-wire 56 kbps combination -															
	er Mile teroffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0222									<b>├</b>	<u> </u>
	ceronice Transport - Dedicated - 4-wire 56 kbps combination - acility Termination			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	onrecurring Currently Combined Network Elements Switch -As-															
	Charge		ED A NO	UNCDX	UNCCC		12.97	11.27					45.46	15.72	├──┤	<del>                                     </del>
	KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROF wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE	IKANS	PORT (EEL)												
Cor	ombination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		ļ
	wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport ombination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42	i	İ
	wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			ONCDA	JDL04	29.14	340.33	241.20				-+	10.94	0.42		
Cor	ombination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		<b></b>
	reroffice Transport - Dedicated - 4-wire 64 kbps combination - er Mile			UNCDX	1L5XX	0.0222									i	İ
Inte	eroffice Transport - Dedicated - 4-wire 64 kbps combination -		1		1											
	acility Termination onrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	16.45	147.07	111.75				$\longrightarrow$	33.63	27.49	19.88	11.85
Is C	Charge			UNCDX	UNCCC		12.97	11.27					45.46	15.72	<u> </u>	<u> </u>
	WORK ELEMENTS															
	d as a part of a currently combined facility, the non-recurr														<b>└─</b> ──	<del>                                     </del>
When used	ed as ordinarilty combined network elements in Georgia, the	e non-r	ecurrin	ig cnarges apply an	ia the Switch A	s is Unarge d	oes not.								1	<u> </u>
	ring Currently Combined Network Elements "Switch As Is"	Chargo	(One 1	nnlies to each sem								+	<del></del>	——————————————————————————————————————		

04/12/02 Page 98 of 352

LINDUNDU	ED NETWORK ELEMENTS. Coordia												A	•	E-1-11-11 B	
ONBONDLI	ED NETWORK ELEMENTS - Georgia	1				1			I		00	00	Attachment:		Exhibit: B	
													Incremental	Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		PΔ	TES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	БОО	0000		IVA	ι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						В	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		12.97	11.27					18.94	18.94		L
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ĺ
	ls Charge - 56/64 kbps			UNCDX	UNCCC		12.97	11.27					18.94	18.94		<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1	1		UNC1X	UNCCC		12.97	11.27					18.94	18.94		1
<b>—</b>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIX	UNCCC		12.97	11.27					18.94	18.94		<del>                                     </del>
	Is Charge - DS3			UNC3X	UNCCC		12.97	11.27					18.94	18.94		i .
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOON	011000		12.01	11.27					10.04	10.54		<b>—</b>
	Is Charge - STS1			UNCSX	UNCCC		12.97	11.27					18.94	18.94		ĺ
NOTE	: Local Channel - Dedicated Transport - minimum billing perior	d - Belo	w DS3=			r months										
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	13.91	272.07	60.43					18.94	18.94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	14.99	272.07	60.43					18.94	18.94		
	Local Channel - Dedicated - DS1 Per Month			UNC1X	ULDF1	38.36	356.15	312.89								
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	6.92										<b>!</b>
	Local Channel - Dedicated - DS3 - Facility Termination per	1			l	l						1	l			1
	month			UNC3X	ULDF3	515.91	639.50	426.31					18.94	18.94		<b></b>
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	6.92										<del>                                     </del>
	Local Channel - Dedicated - STS-1 - Facility Termination per month			UNCSX	ULDFS	517.56	639.50	426.31					18.94	18.94		ĺ
LINDUNDI ED	LOCAL EXCHANGE SWITCHING(PORTS)			UNCSX	ULDF5	517.56	639.50	426.31					18.94	18.94		<del> </del>
	ange Ports															
	: Although the Port Rate includes all available features in GA,	KY. I A	& TN. fl	ne desired features	will need to I	ne ordered usin	g retail USOCs									<del>                                     </del>
	RE VOICE GRADE LINE PORT RATES (RES)	, _,	1,	10 40004 104.400	1		9 / 0 ( )									
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.85	17.16	17.16					18.94	8.42		ĺ
																ĺ
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															ĺ
	with Caller ID (LUM)			UEPSR	UEPAP	1.85	0.00	17.16					18.94	8.42		+
FEAT	Subsequent Activity URES			UEPSR	USASC	0.00	0.00	0.00					18.94	8.42		<del>                                     </del>
FEAT	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		<del>                                     </del>
2-WIE	RE VOICE GRADE LINE PORT RATES (BUS)			OLI OIX	OLI VI	0.00	0.00	0.00					10.54	0.42		<del> </del>
2-1111	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															<b> </b>
	Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		1
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.	<u> </u>		UEPSB	UEPBC	1.85	17.16	17.16		<u> </u>			18.94	8.42	<u> </u>	<u> </u>
																1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	ļ		UEPSB	UEPBO	1.85	17.16	17.16		ļ			18.94	8.42		<del>                                     </del>
	Exhange Ports - 2-Wire VG unbundled incoming only port with	1		LIEDOD	LIEDE :							1				1
$\vdash$	Caller ID - Bus	<u> </u>		UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42	ļ	+
	Subsequent Activity URES	-		UEPSB	USASC	0.00	0.00	0.00					18.94	8.42		<del></del>
FEAT	All Available Vertical Features	<del>                                     </del>		UEPSB	UEPVF	0.00	0.00	0.00	-	-		-	18.94	8.42	1	<del>                                     </del>
FYCL	IANGE PORT RATES (DID & PBX)	1		OLFOD	OLF VF	0.00	0.00	0.00		1			10.94	0.42		<del>                                     </del>
LAGI	2-Wire VG Unbundled 2-Way PBX Trunk - Res	<del>                                     </del>		UEPSE	UEPRD	1.85	17.16	17.16				<b> </b>	18.94	8.42		<del>                                     </del>
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	<b>1</b>		UEPSP	UEPPO	1.85	17.16	17.16		Ì			18.94	8.42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16		<u> </u>			18.94	8.42	<u> </u>	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<u> </u>		UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		⊢—
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	ļ		UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42		<b>├</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1		UEPSP	UEPXE	4.05	47.40	47.40				1	40.04	8.42		1
	Capable Port	L		ULFOF	UEFAE	1.85	17.16	17.16	l	l	I	l	18.94	8.42	l	

04/12/02 Page 99 of 352

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
ļ		lour vi ili ili ili ili ili ili ili ili ili						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy     Administrative Calling Port     2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42		
		Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42		
ļ		Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42		
		Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					18.94	8.42		
1	FEATU	RES															
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		
		NGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					2.05	17.16	17.16	L				18.94	8.42		
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	e availal	ble only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	le Request/	New Business	Request Pro	cess.	
		OCAL EXCHANGE SWITCHING(PORTS)	ļ	<u> </u>													
	EXCHA	NGE PORT RATES (DID & PBX)	<b> </b>	<u> </u>	LIEDEY	HEDDO	11.0=	24.21	01.61	1				10.00	10.00	10.00	10.00
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
		All Features Offered	L		UEPTX UEPSX	UEPVF	0.00	0.00	0.00		L		L	L			
		Transmission/usage charges associated with POTS circuit sy													l		
	NOTE:	Access to B Channel or D Channel Packet capabilities will be	avaliai	pie oni							termined via t	ne Bona Fid	ie Request/	New Business	Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles  Exchange Ports - 4-Wire ISDN DS1 Port			UEPTX UEPSX UEPEX	U1UMA UEPEX	0.00 163.16	0.00 186.80	0.00 186.80	-				37.88	37.88		
LINIDLIN	DIEDI	OCAL SWITCHING, PORT USAGE			UEPEX	UEPEX	103.10	186.80	186.80					37.88	37.88		
		fice Switching (Port Usage)															
	Liiu Oi	End Office Switching Function, Per MOU					0.0016333										
- 1		End Office Trunk Port - Shared, Per MOU					0.0001564										
	Tanden	n Switching (Port Usage) (Local or Access Tandem)															
1		Tandem Switching Function Per MOU					0.0006757										
1		Tandem Trunk Port - Shared, Per MOU					0.0002126										
	Commo	on Transport															
		Common Transport - Per Mile, Per MOU					0.000008										
		Common Transport - Facilities Termination Per MOU					0.0004152										
		PORT/LOOP COMBINATIONS - COST BASED RATES															
		ased Rates are applied where BellSouth is required by FCC ar								<u> </u>							
		es shall apply to the Unbundled Port/Loop Combination - Cos											L	L			
		fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T														na charaes a	nnly to Not
		tly Combined Combos for all states. In GA, KY, LA, MS, SC ar															
		rrently Combined Combos in all other states, the nonrecurring								and No these	nomecuming	criarges are	Warket IVa	ies and are ar	so nateu in tii	e market itale	section.
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	a oriary	3110			July - July	oning combine	300013113.	1			1		l	l	
		ort/Loop Combination Rates	<b>†</b>	<b>†</b>		<b>†</b>				<b>-</b>		<u> </u>	<b> </b>	<b> </b>	1		
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59			1							
							14.26			1						1	
		2-Wire VG Loop/Port Combo - Zone 2		2			14.20										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2			21.62										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 3 pop Rates					21.62										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 3  cop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	UEPLX	21.62										
	UNE Lo	2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX	UEPLX	21.62 10.80 12.47										
		2-Wire VG Loop/Port Combo - Zone 3		1 2		_	21.62										
		2-Wire VG Loop/Port Combo - Zone 3  oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	21.62 10.80 12.47 19.83		45.05						7.00		
		2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	21.62 10.80 12.47 19.83	22.14	15.25	8.45	3.91			33.67	7.88	11.17	
		2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.62 10.80 12.47 19.83 1.79 1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91 3.91
		2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundles res, low usage line port with Caller ID		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.62 10.80 12.47 19.83 1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91			37.06 33.67	7.88 7.88	11.17 11.17	3.91 3.91
		2-Wire VG Loop/Port Combo - Zone 3  pop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.62 10.80 12.47 19.83 1.79 1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91

04/12/02 Page 100 of 352

UNBUN	DLE	NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L		NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										<b>_</b>
N		Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	LNPCX	0.35										<del> </del>
IN.		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-				1							
		Switch-as-is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
Α		ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110 4 00	0.00	0.00	0.00					00.07	7.00	44.47	0.04
2		Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<u> </u>	<u> </u>	UEPRX	USAS2	0.00	0.00	0.00	<del>                                     </del>				33.67	7.88	11.17	3.91
		ort/Loop Combination Rates		<del>                                     </del>		+	-										<del>                                     </del>
- 1		2-Wire VG Loop/Port Combo - Zone 1		1			12.59			<del> </del>							
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
		2-Wire VG Loop/Port Combo - Zone 3		3			21.62		•		•						
U		op Rates		<u> </u>	LIEBBY	luen: ::		, i									<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										<b></b>
		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX UEPLX	12.47 19.83										
2.		Voice Grade Line Port (Bus)		3	UEPBA	UEPLA	19.03										
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
L		NUMBER PORTABILITY															
-	EATU	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
F		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00	+				33.67	7.88	11.17	3.91
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	OLI DX	OLI VI	0.00	0.00	0.00					33.07	7.00	11.17	3.31
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -					1										
		Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPBX	USACC		2.01	0.3108								
А		DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent															ļ
		Activity			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2-		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		1	OLI DA	00/102		0.00	0.00					00.07	7.00		0.01
		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
		2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
U		op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPRG	UEPLX	10.80										
-		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	12.47										1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83			<del> </del>							
2-		Voice Grade Line Port Rates (RES - PBX)		Ť		1	12.50										
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -							-		-						
		Res		<u> </u>	UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
L		NUMBER PORTABILITY	<b> </b>	<u> </u>	LIEBBO	LNDCS	2.15							~~~			
lei	EATU	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.91
I I		All Features Offered		<del>                                     </del>	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02. 100	JE: VI	3.30	0.00	3.00	<del>                                     </del>				55.07	7.00	/	5.51
T i		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															<u> </u>
		Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change	<u> </u>	<u> </u>	UEPRG	USACC		2.01	0.3108			ļ		33.67	7.88	11.17	3.91
IA.	וווטט	ONAL NRCs										l				l	<b></b>

<u>UNBUNDLED</u>	NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					19.99	19.99	19.99	19.9
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Lo	op Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire \	Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8,45	3.91			37.06	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91	1		33.67	7.88		3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			CLITA	OLI AD	1.70	22.17	10.20	0.40	0.01			00.01	7.00	11.17	0.0
	Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI AL	1.73	22.17	10.20	0.40	3.31			33.07	7.00	11.17	5.5
	Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITA	OLI XL	1.73	22.14	13.23	0.40	3.31			33.07	7.00	11.17	5.5
	Room Calling Port			UEPPX	UEPXM	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITA	OLI XIVI	1.73	22.14	13.23	0.43	3.31			33.07	7.00	11.17	5.0
	Discount Room Calling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8.45	3.91	-		33.67	7.88	11.17	3.9
	NUMBER PORTABILITY		<u> </u>	UEFFA	UEFAS	1.79	22.14	15.25	0.40	3.91			33.07	7.00	11.17	3.8
			-	UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.9
FEATU	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00					33.67	7.88	11.17	3.8
			-	HEDDY	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	0.0
	All Features Offered CURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>	UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY	110400		0.04	0.0400					00.07	7.00	44.47	
	Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.9
	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity		<u> </u>	UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	l										İ	1	1		İ
	Group	l	<u> </u>		1		14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	ort/Loop Combination Rates		<u> </u>		1								ļ	ļ		
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1	12.69							ļ	ļ		
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		1	14.36							1	1		
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		1	21.72							ļ	ļ		
	op Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (GA)	l	1	UEPCO	UEP2G	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.9

04/12/02 Page 102 of 352

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	(GA)			UEPCO	UEPGA	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIX	1.03	22.14	13.23	0.40	5.91			33.07	7.00	11.17	3.91
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00					33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	Switch with change			UEPCO	USACC		2.01	0.31					33.67	7.88	11.17	3.91
ADDI	TIONAL NRCs			OLI CO	OOACC		2.01	0.51					33.07	7.00	11.17	3.31
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent								1							1
	Activity			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	JNDLED REMOTE CALL FORWARDING - RES															
Non-l	Recurring															
UNBU	JNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.85	17.16	17.16					18.94	8.42		
	RECUTTING RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	DODT (	DE6/												
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															
	PORT/LOOP COMBINATIONS - COST BASED RATES	<u>.</u>	1	1												
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28.19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.80										
I I I I	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42.27										
UNE	Loop Rates  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	<u> </u>	1	UEPPX	UECD1	16.84	104.17	78.10	<del>                                     </del>							-
<del>                                     </del>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1 UECD1	16.84 19.45	104.17	78.10 78.10	<del>                                     </del>					-	-	<del>                                     </del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	l	3	UEPPX	UECD1	30.92	104.17	104.10			<del>                                     </del>					<b>†</b>
UNE	Port Rate		Ť		3232.	00.02		.510								1
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11.35	61.91	61.91					33.67	7.88		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		93.38	93.38					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1C		93.38	93.38					33.67	7.88		
	TIONAL NRCs	-	ļ													
I elep	hone Number/Trunk Group Establisment Charges  DID Trunk Termination (One Per Port)		<u> </u>	UEPPX	NDT	0.00	0.00	0.00	<del>                                     </del>		-					<del>                                     </del>
$\vdash$	DID Trunk Termination (One Per Port)  DID Numbers, Establish Trunk Group and Provide First Group		<u> </u>	UEPPA	וטוו	0.00	0.00	0.00	-					-		
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00	]							
	Additional DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPPX	ND4	0.00	0.00	0.00							1	t
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY															

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			ΓES(\$)		Submitte Elec per LS	Svc Order d Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonred	urring	Nonrecurring Discon	nect		oss	Rates(\$)		
							Rec	First	Add'l	First Add	'I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00							ĺ
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT													ĺ
UNE Po	ort/Loop Combination Rates															i
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		35.36									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_													
	UNE Zone 2  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		2	UEPPB	UEPPR		38.74									<b>——</b>
	UNE Zone 3		3	UEPPB	UEPPR		53.64									1
UNE Lo	pop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77				19.99	19.99		
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77				19.99	19.99		<b> </b>
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	ļ	3	UEPPB	UEPPR	USL2X	40.17	252.32	188.77				19.99	19.99		<del>                                     </del>
	ort Rate	ļ				Lucan-										<del>                                     </del>
	Exchange Port - 2-Wire ISDN Line Side Port	<b> </b>	<u> </u>	UEPPB	UEPPR	UEPPB	13.47	47.37	47.37				19.99	19.99		<b>-</b>
NONRE	ECURRING CHARGES - CURRENTLY COMBINED		<b> </b>			<b>  </b>							<b>.</b>	<b>.</b>		<del>                                     </del>
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	93.38	93.38				19.99	19.99		
ADDITI	IONAL NRCs															
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95					19.99	19.99		
LOCAL	NUMBER PORTABILITY			OLFFB	OLFFR	USASB		103.93				+	15.55	19.99		<del></del>
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCY	0.35	0.00	0.00							
	NNEL USER PROFILE ACCESS:			OLITD	OLITIK	LIVI OX	0.55	0.00	0.00							
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							
-	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB		U1UCC	0.00	0.00	0.00			+	-	-		<del></del>
	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	MS 8	TNI	OLFFB	ULFFR	01000	0.00	0.00	0.00							
	TERMINAL PROFILE	5,1410, 6	1111)			+						+				
	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			+				
	CAL FEATURES		1	OLFFB	ULFFR	UTUNA	0.00	0.00	0.00			+				
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	HEDVE	0.00	0.00	0.00				19.99	19.99		
	OFFICE CHANNEL MILEAGE			OLITD	OLITIK	OLI VI	0.00	0.00	0.00				13.33	13.33		
IIVI LIK	Interoffice Channel mileage each, including first mile and															
	facilities termination			UEPPB		M1GNC	16.47	79.61	36.08				19.99	19.99		ļ
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00			0.00				ļ
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT														ļ
UNE Po	ort/Loop Combination Rates		<u> </u>										ļ	ļ		1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			218.69									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			227.29						-	-		<del>                                     </del>
	Zone 3		3	UEPPP			265.09									<u> </u>
UNE Lo	pop Rates				-			`								
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP		USL4P	55.53	448.92	276.60				19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64.13	448.92	276.60				19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60			1	19.99	19.99		1
	ort Rate	ļ	ļ	LIEDDE		LIEDDD	100 10	100.00	100.00				40.00	40.00		<b>——</b>
	Exchange Ports - 4-Wire ISDN DS1 Port	1	1	UEPPP		UEPPP	163.16	186.80	186.80			+	19.99	19.99	-	<del>                                     </del>
NONRE	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>									+	-	-		<del></del>
1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	260.00	260.00				10.00	10.00		i
ADDIT	COMBINATION - Conversion -Switch-as-is	-	<del>                                     </del>	UEPPP		USACP	0.00	269.96	269.96			+	19.99	19.99		
AUUITI		<del>                                     </del>	-			<del>                                     </del>						+	<del>                                     </del>	<del>                                     </del>		·
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.9686								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		22.75	22.75							<u></u>

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Charge - Manual Sv Order vs.
						В	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															1
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45.49	45.49								
LOCA	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								1
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								1
New o	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71				İ		19.99	19.99		1
	New or Additional Inward Data B Channel		1	UEPPP	PR7BD	0.00	28.71		İ				19.99	19.99	İ	1
CALL	TYPES		1		1	2.00					1		12.00	12.00	1	1
	Inward		1	UEPPP	PR7C1	0.00	0.00	0.00			l -		1	1	1	1
1	Outward		1	UEPPP	PR7C0	0.00	0.00	0.00			l -		1	1	1	1
<del></del>	Two-way		1	UEPPP	PR7CC	0.00	0.00	0.00			1				<b> </b>	<b>†</b>
Interd	office Channel Mileage			OLITI	1100	0.00	0.00	0.00								<del> </del>
Intere	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		-
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523	147.07	111.75	0.00				13.33	13.33		
4-10/15	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLITI	ILIVID	0.4323										
	Port/Loop Combination Rates				+ +						1					
UNE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+ +	176.33					1					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		2	UEPDC		222.73										
	Loop Rates		3	UEPDC		222.13										
UNE			1	LIEBBO	USLDC	55.53	448.92	070.00					40.00	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPDC		64.13	448.92	276.00 276.60					19.99 19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC											
LINIE	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99		
UNE	Port Rate					100.00		== 10					10.00	10.00		
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.46					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99		Ļ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1											
	- Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDI	TIONAL NRCs										ļ					<b></b>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1		1 7										]	
	Service Activity Per Service Order		1	UEPDC	USAS4		147.47	147.47			ļ				ļ	ļ
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1 7			·								
	Subsequent Channel Activation/Chan - 2-Way Trunk		<u>L</u>	UEPDC	UDTTA		28.71	28.71			<u> </u>		19.99	19.99		<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk	L	<u></u>	UEPDC	UDTTB		28.71	28.71	<u> </u>		<u> </u>		19.99	19.99	<u> </u>	<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID	<u></u>	<u>L</u>	UEPDC	UDTTC		28.71	28.71	<u>                                       </u>		<u></u>		19.99	19.99	<u> </u>	<u></u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00			1					1
	B8ZS - Extended Superframe Format		1	UEPDC	CCOEF		0.00	600.00	İ				İ	İ	İ	1
Alterr	nate Mark Inversion		1		† †				İ		İ		İ	İ	İ	i i
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			İ				İ	
	AMI - Extended SuperFrame Format		t	UEPDC	MCOPO		0.00	0.00							1	1
Telen	hone Number/Trunk Group Establisment Charges		t				3.50	0.00							1	1
reich	Telephone Number for 2-Way Trunk Group		<del>                                     </del>	UEPDC	UDTGX	0.00					<del>                                     </del>			<del>                                     </del>		<del> </del>

04/12/02 Page 105 of 352

	LED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	ı Disconnect			oss	Rates(\$)		
-			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	11131	Addi	11130	Auu i	JOHILO	JONAN	JONAN	JOINAIN	JOHAN	JOMAN
-	DID Numbers, Establish Trunk Group and Provide First Group			OLI DO	00102	0.00										
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers		1	UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedi	icated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	1 Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
		1	1												_	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>		UEPDC	1LNOA	0.4523	0.00	0.00							1	
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)	ļ	<u> </u>	UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEDDO	41.000	0.00	0.00	0.00								
	Termination)		1	UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated		1	UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point		1	UEPDC	CTG	0.00										
4-WI	RE DS1 LOOP WITH CHANNELIZATION WITH PORT		1	OLI DO	010	0.00										
	em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act	ivations	_													
	n System can have up to 24 combinations of rates depending on			ber of ports used												
	DS1 Loop	i typo u.	1	Dor or porto doca												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00								
	40 DCO Channel Canadia. 4 and 0 DC4a						0.00						19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	205.28 410.56	0.00 0.00	0.00 0.00					19.99 19.99	19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG UEPMG	VUM96 VUM14	205.28 410.56 615.84	0.00 0.00 0.00	0.00 0.00 0.00					19.99 19.99 19.99	19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19	205.28 410.56 615.84 821.12	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20	205.28 410.56 615.84 821.12 1,026.40	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28	205.28 410.56 615.84 821.12 1,026.40 1,231.68	0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24	0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00					19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity - 1 per 8 DS1s 240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s 480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 12 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 20 DS1s			UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
Non	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 10 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s	h Charr	nolizti c	UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99		
	96 DSO Channel Capacity -1per 4 DS1s 144 DSO Channel Capacity -1 per 6 DS1s 192 DSO Channel Capacity -1 per 8 DS1s 240 DSO Channel Capacity -1 per 10 DS1s 288 DSO Channel Capacity -1 per 10 DS1s 288 DSO Channel Capacity -1 per 12 DS1s 384 DSO Channel Capacity -1 per 16 DS1s 480 DSO Channel Capacity -1 per 20 DS1s 576 DSO Channel Capacity -1 per 24 DS1s 672 DSO Channel Capacity -1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with			UEPMG  Port - Conve	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM47 VUM67	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 12 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop withinimum System configuration is One (1) DS1, One (1) D4 Channel	l Bank,	and U	UEPMG rts v	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 vrsion Charge with Feature A	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 10 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop withimmum System configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1, One (1) D4 Channeliples of this configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration is One (1) D51, One (1) D4 Channeliples of this configuration is One (1) D51 one (1) D4 Channeliples of this configuration is One (1) D51 one (1) D4 Channeliples (1)	l Bank,	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG TO 24 DSO Ports v	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 vrsion Charge with Feature A	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 10 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Chanel tiples of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without	l Bank,	and U	UEPMG TO 24 DSO Ports v sinimum system cor	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM57 VUM67 vrsion Charge with Feature A	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Mult	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 10 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop withimmum System configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1, One (1) D4 Channeliples of this configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration is One (1) DS1, One (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration functioning as one are considered Active Capacity -1 per 24 DS1 one (1) D4 Channeliples of this configuration is One (1) D51, One (1) D4 Channeliples of this configuration is One (1) D51 one (1) D4 Channeliples of this configuration is One (1) D51 one (1) D4 Channeliples (1)	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS TO 24 DSO Ports winimum system cor	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM67 VUM67 resion Charge with Feature A figuration is	205.28 410.56 615.84 821.12 1,026.40 1,231.68 2,052.80 2,463.36 2,873.92 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi	96 DSO Channel Capacity -1per 4 DS1s 144 DSO Channel Capacity - 1 per 6 DS1s 192 DSO Channel Capacity - 1 per 8 DS1s 240 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 10 DS1s 288 DSO Channel Capacity - 1 per 12 DS1s 384 DSO Channel Capacity - 1 per 16 DS1s 480 DSO Channel Capacity - 1 per 26 DS1s 576 DSO Channel Capacity - 1 per 24 DS1s 672 DSO Channel Capacity - 1 per 28 DS1s Recurring Charges (RRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channel per 6 this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes	el Bank, dd'I afte	and U	UEPMG TO 24 DSO Ports winimum system cor	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM67 VUM67 resion Charge with Feature A figuration is	205.28 410.56 615.84 821.12 1,026.40 1,231.68 2,052.80 2,463.36 2,873.92 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi	96 DSO Channel Capacity -1per 4 DS1s 144 DS0 Channel Capacity -1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 8 DS1s 240 DS0 Channel Capacity -1 per 10 DS1s 288 DS0 Channel Capacity -1 per 12 DS1s 384 DS0 Channel Capacity -1 per 16 DS1s 480 DS0 Channel Capacity -1 per 26 DS1s 576 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS0 Channel Capacity -1 per 28 DS1s 678 DS1 Channel Capacity -1 per 28 DS1s 678 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 679 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Channel Capacity -1 per 28 DS1s 670 DS1 Chan	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS TO 24 DSO Ports winimum system cor	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM67 VUM67 resion Charge with Feature A figuration is	205.28 410.56 615.84 821.12 1,026.40 1,231.68 2,052.80 2,463.36 2,873.92 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0					19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 8 DS1s  240 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 12 DS1s  384 DS0 Channel Capacity -1 per 16 DS1s  480 DS0 Channel Capacity -1 per 20 DS1s  576 DS0 Channel Capacity -1 per 20 DS1s  672 DS0 Channel Capacity -1 per 28 DS1s  Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wittinimum System configuration is One (1) DS1, One (1) D4 Channel in Capacity -1 per 26 DS1s  NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  Lem Additions at End User Locations Where 4-Wire DS1 Loop wit (Not Currently Combined) In GA, KY, LA, MS & TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, & TN Only	el Bank, dd'I afte	and U	UEPMG TO 24 DSO Ports winimum system cor	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM40 VUM67 VUM67 resion Charge with Feature A figuration is	205.28 410.56 615.84 821.12 1,026.40 1,231.68 2,052.80 2,463.36 2,873.92 Based on a Sy Activations.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 8 DS1s  240 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 12 DS1s  384 DS0 Channel Capacity -1 per 16 DS1s  480 DS0 Channel Capacity -1 per 20 DS1s  576 DS0 Channel Capacity -1 per 20 DS1s  672 DS0 Channel Capacity -1 per 20 DS1s  Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit inimum System configuration is One (1) DS1, One (1) D4 Channel ciples of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  seem Additions at End User Locations Where 4-Wire DS1 Loop wit (Not Currently Combined) In GA, KY, LA, MS & TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  lar 8 Zero Substitution	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG O TO 24 DSO Ports v sinimum system cor	VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM38 VUM40 VUM67 rsion Charge with Feature A figuration is  USAC4	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,2873.29 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DSO Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 8 DS1s  240 DS0 Channel Capacity -1 per 8 DS1s  240 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 12 DS1s  384 DS0 Channel Capacity -1 per 16 DS1s  480 DS0 Channel Capacity -1 per 26 DS1s  576 DS0 Channel Capacity -1 per 28 DS1s  672 DS0 Channel Capacity -1 per 28 DS1s  -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channel inimum System configuration is One (1) DS1, One (1) D4 Channel inimum System configuration functioning as one are considered Activation and Changes (NRC) Associated with 4-Wire DS1 Loop with the Conversion (Currently Combined) with or without BellSouth Allowed Changes  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Capability Format, superframe - Subsequent	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG OF TO 24 DSO Ports withinum system cor	VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM38 VUM57 VUM67 resion Charge with Feature A figuration is  USAC4 ination Curre	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DSO Channel Capacity -1 per 6 DS1s  192 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 10 DS1s  288 DSO Channel Capacity -1 per 10 DS1s  384 DSO Channel Capacity -1 per 16 DS1s  480 DSO Channel Capacity -1 per 26 DS1s  576 DSO Channel Capacity -1 per 28 DS1s  672 DSO Channel Capacity -1 per 28 DS1s  Recurring Charges (RRC) Associated with 4-Wire DS1 Loop with the composition of the continuous period of the continuo	el Bank, dd'I afte	and U	UEPMG O TO 24 DSO Ports v sinimum system cor	VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM38 VUM40 VUM67 rsion Charge with Feature A figuration is  USAC4	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,2873.29 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DS0 Channel Capacity -1 per 6 DS1s  192 DS0 Channel Capacity -1 per 8 DS1s  240 DS0 Channel Capacity -1 per 10 DS1s  288 DS0 Channel Capacity -1 per 10 DS1s  384 DS0 Channel Capacity -1 per 12 DS1s  384 DS0 Channel Capacity -1 per 16 DS1s  480 DS0 Channel Capacity -1 per 26 DS1s  576 DS0 Channel Capacity -1 per 28 DS1s  672 DS0 Channel Capacity -1 per 28 DS1s  Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channel tiples of this configuration functioning as one are considered Activation Allowed Changes  The Additions at End User Locations Where 4-Wire DS1 Loop with (Not Currently Combined) In GA, KY, LA, MS & TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  DIAT 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe -	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM67 VUM67 VUM67 VUM67 VIM67	205.28 410.56 615.84 821.12 1,026.40 1,1231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DSO Channel Capacity -1 per 6 DS1s  192 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 10 DS1s  288 DSO Channel Capacity -1 per 10 DS1s  384 DSO Channel Capacity -1 per 16 DS1s  480 DSO Channel Capacity -1 per 26 DS1s  576 DSO Channel Capacity -1 per 28 DS1s  672 DSO Channel Capacity -1 per 28 DS1s  -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channel in the configuration in the configuration of the considered Activity Combined) with or without BellSouth Allowed Changes  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG OF TO 24 DSO Ports withinum system cor	VUM96 VUM14 VUM19 VUM20 VUM20 VUM28 VUM38 VUM57 VUM67 resion Charge with Feature A figuration is  USAC4 ination Curre	205.28 410.56 615.84 821.12 1,026.40 1,231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Multi Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DSO Channel Capacity - 1 per 6 DS1s  192 DSO Channel Capacity - 1 per 8 DS1s  240 DSO Channel Capacity - 1 per 10 DS1s  288 DSO Channel Capacity - 1 per 10 DS1s  288 DSO Channel Capacity - 1 per 12 DS1s  384 DSO Channel Capacity - 1 per 16 DS1s  480 DSO Channel Capacity - 1 per 26 DS1s  576 DSO Channel Capacity - 1 per 28 DS1s  672 DSO Channel Capacity - 1 per 28 DS1s  Recurring Charnels (RRC) Associated with 4-Wire DS1 Loop with the company of the continuous of the con	el Bank, dd'I afte	and U	UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM28 VUM67 VUM67 vrsion Charge with Feature A ffiguration is  USAC4 vination Curre  VUMD4  CCOSF	205.28 410.56 415.84 821.12 1,026.40 1,231.68 2,052.80 2,463.36 2,2873.29 Based on a Sy Activations. counted.  0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		
A Mi Mult Syste New	96 DSO Channel Capacity -1per 4 DS1s  144 DSO Channel Capacity -1 per 6 DS1s  192 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 8 DS1s  240 DSO Channel Capacity -1 per 10 DS1s  288 DSO Channel Capacity -1 per 10 DS1s  384 DSO Channel Capacity -1 per 16 DS1s  480 DSO Channel Capacity -1 per 26 DS1s  576 DSO Channel Capacity -1 per 28 DS1s  672 DSO Channel Capacity -1 per 28 DS1s  -Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channel in the configuration in the configuration of the considered Activity Combined) with or without BellSouth Allowed Changes  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY, MS, &TN Only  1 DS1/D4 Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	el Bank, dd'I afte	and U	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM96 VUM14 VUM19 VUM20 VUM28 VUM38 VUM67 VUM67 VUM67 VUM67 VIM67	205.28 410.56 615.84 821.12 1,026.40 1,1231.68 1,642.24 2,052.80 2,463.36 2,873.92 Based on a Sy Activations. counted.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	144.05	17.09			19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99	19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99 19.99		

04/12/02 Page 106 of 352

0112011222	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
					1						Svc Order				Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE EL EMENTO	Interi		500			D.4.	FFO(A)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						D	Nonre	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Excha	ange Ports								-							
xona																
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
$\vdash$	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
$\vdash$	Life Side Odiward Charmenzed FBA Trunk Fort - Business		1	ULFFX	ULFUX	1.79	0.00	0.00	0.00	0.00			33.07	7.00		
						. ==										
$\vdash$	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88		
Featur	re Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.62	25.09	13.25	3.99	3.97			33.67	7.88		
	Feature (Service) Activation for each Trunk Side Port Terminated								1 / 1			ĺ		1		
1 1	in D4 Bank			UEPPX	1PQWU	0.62	77.21	18.20	56.49	11.04		l	33.67	7.88		
Teleni	hone Number/ Group Establishment Charges for DID Service	<b>—</b>	+		1	0.02	,,,_,	10.20	00.40	11.04	<del> </del>	<del>                                     </del>	55.57	7.50		
reiebi	DID Trunk Termination (1 per Port)	<b>—</b>	+	UEPPX	NDT	0.00	0.00	0.00	-	-	<b> </b>	<b> </b>		-		
$\vdash$		-	1							<b></b>	<b>-</b>	<b> </b>				
$\vdash$	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		-	UEPPX	NDZ	0.00	0.00	0.00	ļ	ļ	<b>.</b>	<b> </b>		ļ		
$\vdash$	DID Numbers - groups of 20 - Valid all States		ļ	UEPPX	ND4	0.00	0.00	0.00			ļ					
	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FFΔTI	URES - Vertical and Optional					0.10										
	Switching Features Offered with Line Side Ports Only		1													
Local	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
LINIDI DI ED			1	UEFFA	UEFVF	0.00	0.00	0.00								
	PORT LOOP COMBINATIONS - MARKET RATES		<u> </u>	L	l											
	et Rates shall apply where BellSouth is not required to provide	unbun	dled loc	cal switching or swi	tch ports per	FCC and/or St	ate Commission	n rules.								
	e scenarios include:															
	bundled port/loop combinations that are Not Currently Combin															
	bundled port/loop combinations that are Currently Combined			ly Combined in Zon	a 1 of tha To	n 8 MSAS in Be	ellSouth's reai	on for end use								
The To	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale, Mia	mi); G/	A (Atlanta); LA (New	Orleans); NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston	ia-Rock Hill);	'N (Nashvill	e).				
The To		ale, Mia	mi); G/	A (Atlanta); LA (New	Orleans); NO	(Greensboro-	Winston Salem	-Highpoint/Ch	arlotte-Gaston ng charges for	ia-Rock Hill); not currently	N (Nashvill combined in	e). AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
BellSo	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd	ale, Mia ally bill	mi); GA	A (Atlanta); LA (New urring and non-recu	Orleans); NO	(Greensboro-) Rates in this s	Winston Salemection except	-Highpoint/Ch or nonrecurrir	ng charges for	not currently	N (Nashvill combined in	e). AL, FL and	NC. In the ir	nterim where	BellSouth car	not bill
BellSo Market	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: outh currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section	ale, Mia ally bill n prece	mi); G/ the rec ding in	A (Atlanta); LA (New urring and non-recu	Orleans); NO	(Greensboro-) Rates in this s	Winston Salemection except	-Highpoint/Ch or nonrecurrir	ng charges for	ia-Rock Hill); not currently	N (Nashvill combined in	e). AL, FL and	NC. In the in	nterim where	BellSouth car	not bill
BellSo Market The Market	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd outh currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features	ale, Mia ally bill n prece in all st	ami); GA the rec ding in ates.	A (Atlanta); LA (New urring and non-recu lieu of the Market R	Orleans); NO Irring Market Lates and res	(Greensboro- Rates in this s erves the right	Winston Salem ection except to true-up the	-Highpoint/Ch or nonrecurrir billing differen	ng charges for nce.	not currently	combined in	AL, FL and				
BellSo Market The Market	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd: outh currently is developing the billing capability to mechanics ot Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Us	ale, Mia ally bill n prece in all st	ami); GA the rec ding in ates.	A (Atlanta); LA (New urring and non-recu lieu of the Market R	Orleans); NO Irring Market Lates and res	(Greensboro- Rates in this s erves the right	Winston Salem ection except to true-up the	-Highpoint/Ch or nonrecurrir billing differen	ng charges for nce.	not currently	combined in	AL, FL and				
BellSo Market The Market End Or (USOC	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanica at Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport UsC: URECU).	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in th	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th	Orleans); NO erring Market ates and res is rate exhib	(Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	e a flat rate us	age charge
BellSo Market The Market End Or (USOC	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanica at Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Usc: URECU).  ot Currently Combined scenarios where Market Rates apply, the	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	(Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The Market End Or (USOC For No Combi	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  of Currently Combined scenarios where Market Rates apply, the inted section. Additional NRCs may apply also and are categore.	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	(Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The M: End O: (USOC For No Combi	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport UsC: URECU).  of Currently Combined scenarios where Market Rates apply, the prined section. Additional NRCs may apply also and are categories VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	(Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The M: End O: (USOC For No Combi	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usage: URECU).  of Currently Combined scenarios where Market Rates apply, the office of Common and are categorized by Orlean Common Transport Usage and Common Transport Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Transport U	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The M: End O: (USOC For No Combi	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport UsC: URECU).  of Currently Combined scenarios where Market Rates apply, the prined section. Additional NRCs may apply also and are categories VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	(Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The M: End O: (USOC For No Combi	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usage: URECU).  of Currently Combined scenarios where Market Rates apply, the office of Common and are categorized by Orlean Common Transport Usage and Common Transport Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Transport U	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	Greensboro- Rates in this s erves the right it shall apply to	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	e a flat rate us	age charge
BellSo Market The M: End O: (USOC For No Combi	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics or Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  ot Currently Combined scenarios where Market Rates apply, the princed section. Additional NRCs may apply also and are categories VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1]  [2-Wire VG Loop/Port Combo - Zone 2]	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	G(Greensboro-I Rates in this s erves the right it shall apply to and Additional I 24.80 26.47	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	e a flat rate us	age charge
BellSo Market The MO (USOC For No Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage (C. URECU).  of Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are categorate Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed	Orleans); NO erring Market ates and res is rate exhib	G(Greensboro- Rates in this s erves the right it shall apply to and Additional in	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	e a flat rate us	age charge
BellSo Market The MO (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanicate Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Usag	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring coording	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly.	Orleans); NO Irring Market ates and res lates and res lis rate exhib in the First a	(Greensboro- Rates in this s erves the right it shall apply to and Additional I 24.80 26.47 33.83	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	e a flat rate us	age charge
BellSo Market The MO (USOC For No Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  C: URECU).  C: URECU).  In Combined scenarios where Market Rates apply, the inned section. Additional NRCs may apply also and are categorical EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring ccording 1 2 3	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly.	Orleans); NO rring Market ates and res is rate exhib in the First a	Greensboro-Rates in this serves the right it shall apply to and Additional serves the right it shall apply to and Additional serves the right it shall apply to and Additional serves the right in the r	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The Mo End O (USOC For No Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  C-OT/LOOP Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly.	Orleans); NO orlea	Greensboro-Rates in this serves the right it shall apply to and Additional land Additional land 24.80 26.47 33.83	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The Mi End O' (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanicate Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Used User Combon to Currently Combined scenarios where Market Rates apply, the ined section. Additional NRCs may apply also and are categorie Volleg Rabe Loop WiTH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring ccording 1 2 3	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of th g charges are listed gly.	Orleans); NO rring Market ates and res is rate exhib in the First a	Greensboro-Rates in this serves the right it shall apply to and Additional serves the right it shall apply to and Additional serves the right it shall apply to and Additional serves the right in the r	Winston Salem ection except to to true-up the	-Highpoint/Ch for nonrecurring billing different ons of loop/po	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
BellSo Market The M End O' (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanica to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features of lice and Tandem Switching Usage and Common Transport Use: URECU).  Or Currently Combined scenarios where Market Rates apply, the sined section. Additional NRCs may apply also and are categorical to Currently Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Op Rates  2-Wire VG Loop (SL1) - Zone 1  2-Wire VG Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  8 Voice Grade Line Port (Res)	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX	Orleans); NO Orlea	c (Greensboro- Rates in this s erves the right it shall apply to and Additional l 24.80 26.47 33.83 10.80 12.47 19.83	Winston Salem ection except to to true-up the o all combination	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination	ges are listed	e a flat rate us	age charge Currently
BellSo Market The Mi End O' (USOC For No Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URICU Combined scenarios where Market Rates apply, the inted section. Additional NRCs may apply also and are categore VolCE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 11.80 11.80 11.80	Winston Salemection except to true-up the pall combination NRC columns	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination	ns which have	e a flat rate us in the NRC - 4	age charge Currently
BellSo Market The M End O (USOC For Nc Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Of Currently Combined scenarios where Market Rates apply, the princed section. Additional NRCs may apply also and are categorics VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	(Greensboro-) Rates in this s erves the right it shall apply to and Additional 1  24.80 26.47 33.83  10.80 12.47 19.83	Winston Salemection except to true-up the oall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination occurring charge and the combination of the combination	ges are listed	e a flat rate us in the NRC - o	age charge Currently
BellSo Market The Mi End O' (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanicate the Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features of little and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 11.80 11.80 11.80	Winston Salemection except to true-up the pall combination NRC columns	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination	ns which have	e a flat rate us in the NRC - 4	age charge Currently
BellSo Market The Mi End O' (USOC For No Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Of Currently Combined scenarios where Market Rates apply, the princed section. Additional NRCs may apply also and are categorics VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	(Greensboro-) Rates in this s erves the right it shall apply to and Additional 1  24.80 26.47 33.83  10.80 12.47 19.83	Winston Salemection except to true-up the oall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination occurring charge and the combination of the combination	ges are listed	e a flat rate us in the NRC - o	age charge Currently
BellSo Market The M End O (USOC For Nc Combi 2-WIRI UNE P	top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usc: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  Additional NRCs may apply also and are categorics Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3  [2-Wire Voice Grade Loop (SL1) - Zone 1  [2-Wire Voice Grade Loop (SL1) - Zone 2  [2-Wire Voice Grade Loop (SL1) - Zone 3  [2-Wire Voice Grade Loop (SL1) - Zone 3  [2-Wire voice unbundled port - residence  [2-Wire voice unbundled port with Caller ID - res  [2-Wire voice unbundled port outgoing only - res  [2-Wire voice unbundled port son usage line port with Caller ID	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 14.00 14.00	winston Salemection except to true-up the pall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	ges are listed  7.88  7.88  7.88	11.17 11.17	age charge Currently  3.91 3.91 3.91
BellSo Market The M End O (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics or Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage: Usage Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Common Tran	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	(Greensboro-) Rates in this s erves the right it shall apply to and Additional 1  24.80 26.47 33.83  10.80 12.47 19.83	Winston Salemection except to true-up the oall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	o Combination occurring charge and the combination of the combination	ges are listed	e a flat rate us in the NRC - o	age charge Currently
BellSo Market The M End O (USOC For No Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanicate Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Usage. C: URECU).  Office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage. C: URECU).  Office and Tandem Switching Usage and Common Transport Usage and Common T	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-reculieu of the Market Riee Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 114.00	winston Salemection except to true-up the pall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	ges are listed  7.88  7.88  7.88	11.17 11.17	age charge Currently
BellSo Market The M End O (USOC For No Combi 2-WIRI UNE P  UNE L  2-Wire	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: Usc Currently Common Transport Usc: Usc Currently Common Transport Usc: URECU.  Office and Tandem Switching Usage and Common Transport Usc: URECU.  Office (Stable Loop With 2-Wire Line PORT (RES)  Office (Stable Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Office (Stable Use)  Office	ale, Mia ally bill n prece in all st sage rat	ami); GAm	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 14.00 14.00	winston Salemection except to true-up the pall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	ges are listed  7.88  7.88  7.88	11.17 11.17	age charge Currently  3.91 3.91 3.91
BellSo Market The Mi End O (USOC For Na Combi 2-WIRI UNE P	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics or Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usa; URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URICU Combined scenarios where Market Rates apply, the inned section. Additional NRCs may apply also and are categore in Correct Common Combination Rates  C: URICU Combined Scenarios Where LINE PORT (RES)  Cort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring ccording  1 2 3 1 2	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO orleans); NO orleans); NO orleans); NO orleans and results and re	24.80 26.47 33.83 11.80 14.00 14.00 14.00 0.35	winston Salemection except to true-up the pall combination of the pall combina	90.00 90.00	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91 3.91
BellSo Market The Market The Market End Or (USOC For No. Combi 2-WIRI UNE P  UNE L  2-Wire	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics to Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: URECU).  Office and Tandem Switching Usage and Common Transport Usc: Usc Currently Common Transport Usc: Usc Currently Common Transport Usc: URECU.  Office and Tandem Switching Usage and Common Transport Usc: URECU.  Office (Stable Loop With 2-Wire Line PORT (RES)  Office (Stable Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Office (Stable Use)  Office	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring ccording  1 2 3 1 2	A (Atlanta); LA (New urring and non-reculieu of the Market Riee Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO Orlea	24.80 26.47 33.83 10.80 114.00	winston Salemection except to true-up the pall combination NRC columns:	-Highpoint/Ch or nonrecurrir billing differen ons of loop/po for each Port U	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	ges are listed  7.88  7.88  7.88	11.17 11.17	age charge Currently
BellSo Market The M End O (USOC For No Combi 2-WIRI UNE P  UNE L  2-Wire	op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdouth currently is developing the billing capability to mechanics or Rates, BellSouth shall bill the rates in the Cost-Based section larket Rate for unbundled ports includes all available features in Office and Tandem Switching Usage and Common Transport Usa; URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URECU).  C: URICU Combined scenarios where Market Rates apply, the inned section. Additional NRCs may apply also and are categore in Correct Common Combination Rates  C: URICU Combined Scenarios Where LINE PORT (RES)  Cort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	ale, Mia ally bill n prece in all st sage rat	ami); GA the rec ding in ates. tes in the ecurring ccording  1 2 3 1 2	A (Atlanta); LA (New urring and non-recu lieu of the Market R ne Port section of the g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Orleans); NO orleans); NO orleans); NO orleans); NO orleans and results and re	24.80 26.47 33.83 11.80 14.00 14.00 14.00 0.35	winston Salemection except to true-up the pall combination NRC columns of the salement of the	90.00 90.00	ng charges for ice. rt network elei	not currently of	ombined in	AL, FL and	33.67 33.67	7.88 7.88 7.88	11.17 11.17 11.17	3.91 3.91

04/12/02 Page 107 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPRX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	FIONAL NRCs															ļ
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		<u> </u>													
UNE P	Port/Loop Combination Rates		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 1															
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47			-	-						<b></b>
IINE I	2-Wire VG Loop/Port Combo - Zone 3		3			33.83			-	-						<b></b>
UNE L	Loop Rates		1	UEPBX	UEPLX	10.80			-	-	<u> </u>			-	-	<del>                                     </del>
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPBX	UEPLX	10.80			<b>-</b>	<del>                                     </del>	1			-	-	<del>                                     </del>
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	-		UEPBX	UEPLX	19.83			<b>-</b>	<del>                                     </del>	1			-	-	<del>                                     </del>
2-10/:	e Voice Grade Line Port (Bus)	-	3	OLFBA	ULFLA	19.03			<b>+</b>	<b>+</b>	<b> </b>			1	1	<del>                                     </del>
Z-WIFE	2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	14.00	90.00	90.00	<del> </del>	<del> </del>	1	1	33.67	7.88	11.17	3.9
<del>    </del>	2-Wire voice unbundled port with Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00	<del> </del>	<del> </del>	<del>                                     </del>		33.67	7.88	11.17	3.9
	2-Wire voice unbundled port with Caller + £484 ID - bus  2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	14.00	90.00	90.00	<del> </del>	<del> </del>	1	1	33.67	7.88	11.17	
LOCA	L NUMBER PORTABILITY		1	OLI DX	OLI DO	14.00	30.00	30.00	1	1	1		33.07	7.00	11.17	5.5
LOOA	Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35			1	1	1					-
FEATU				OLI DX	LIVI OX	0.55										+
, LAI	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NONR	ECURRING CHARGES - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00					00.07	7.00	11.17	0.0
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI DX	00/102		71.00	41.00					00.07	7.00	11.17	0.0
	change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	FIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.9
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE L	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRG	UEPLX	10.80					ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRG	UEPLX	12.47										<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83			1	1						
2-Wire	e Voice Grade Line Port Rates (RES - PBX)		<b> </b>						<b>.</b>	ļ						
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -								I	I						
	Res			UEPRG	UEPRD	14.00	90.00	90.00			ļ		33.67	7.88	11.17	3.9
LOCA	L NUMBER PORTABILITY			LIEDDO	LNDCS						ļ					ļ
	Local Number Portability (1 per port)		ļ	UEPRG	LNPCP	3.15	0.00	0.00			ļ					
FEATU			<u> </u>	LIEDDO	LIED) (E	0.00	0.00	0.00	-	-			00.0=	7.00	44 :-	
	All Features Offered		<u> </u>	UEPRG	UEPVF	0.00	0.00	0.00	<b>!</b>	<b>!</b>	ļ		33.67	7.88	11.17	3.9
NONR	ECURRING CHARGES - CURRENTLY COMBINED		<u> </u>		+				<b>!</b>	<b>!</b>	ļ			1	<del> </del>	<del> </del>
	2 Wire Voice Grade Loop/Line Bort Combination Switch As Is			UEPRG	USAC2		41.50	41.50	I	I			33.67	7.88	11.17	3.9
<del></del>	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Combination - Switch with	-	<del>                                     </del>	ULFRU	USAUZ		41.50	41.50	<b>-</b>	<del>                                     </del>	1		33.07	7.88	11.17	3.9
	2-wire voice Grade Loop/ Line Port Combination - Switch with Change		1	UEPRG	USACC		41.50	41.50	I	1			33.67	7.88	11.17	3.9
ADDIT	TIONAL NRCs			OLFING	USACC		41.30	41.30	<del> </del>	<del> </del>	<del>                                     </del>		33.07	7.68	11.17	3.9
ADDIT	2 Wire Loop/Line Side Port Combination - Non feature -		1						1	1	1	1				<del>                                     </del>
	Subsequent Activity- Nonrecurring						0.00	0.00	1	1			33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<del>                                     </del>		+		0.00	0.00	t	t	1		33.07	7.00	11.17	3.9
	Group						14.64	14.64	I	I			19.99	19.99	19.99	19.99
2-WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		<b>l</b>		+		17.04	17.04	<b>-</b>	<b>-</b>			10.55	13.33	13.33	19.9
	Port/Loop Combination Rates		<del>                                     </del>		+				t	t	1			<del>                                     </del>	<del>                                     </del>	<del></del>
	o. a noop co	1	1		1	24.80				1	1			1		

04/12/02 Page 108 of 352

	NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	2111 1/21 /2 /2 /2						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 2		2		+ +	26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3		+ +	33.83										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
-	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPPX	UEPLX	19.83										
	Voice Grade Line Port Rates (BUS - PBX)		Ü	OLITA	OLI LX	10.00										
	10.00 0.000 2 0.11 1.000 (200 1.27)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.9
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.9
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with			UEPPX	USACC		41.50	41.50					33.67	7.88	44.47	2.0
ADDITI	Change ONAL NRCs			UEPPX	USACC		41.50	41.50					33.07	7.88	11.17	3.9
ADDITI	ONAL NRCS				+											
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.9
+	2 Wire Loop/Line Side Port Combination - Non feature -			OLFFX	U3A32	0.00	0.00	0.00					33.07	7.00	11.17	3.9
	Subsequent Activity- Nonrecurring				1		0.00	0.00					33.67	7.88	11.17	3.9
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		-		+ +		0.00	0.00	<del>                                     </del>				33.07	7.00	17	5.5
	Group						14.64	14.64					19.99	19.99	19.99	19.9
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	T			1									.0.00	.0.00	
	ort/Loop Combination Rates				1									İ	1	
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		1 1	24.80								İ	İ	
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			26.47										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			33.83										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (Coin)							·								
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1									_		
	900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEBO.											
	(GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	3.9
	2-Wire Coin 2-Way with Operator Screening and 900/976															

UNBUNDLE	ED NETWORK ELEMENTS - Georgia													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	вс	s	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+,and Local (GA)			UEPCO		UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)			UEPCO		UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO		UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO		USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO		USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDIT	TIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	PORT/LOOP COMBINATIONS - MARKET BASED RATES		<u> </u>									ļ		ļ	ļ	ļ	
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE P	Port/Loop Combination Rates																
+-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				99.84										
$\longrightarrow$	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				102.45 113.92										
LINE	Loop Rates		3				113.92										
ONEL	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.84	104.78	78.10								
-+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX		UECD1	19.45	104.78	78.10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	30.92	104.78	104.10								
UNE F	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	83.00	850.00	75.00					33.67	7.88		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		850.00	75.00					33.67	7.88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		850.00	75.00					33.67	7.88		
	FIONAL NRCs																
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)	ļ	<u> </u>	UEPPX		NDT	0.00	0.00	0.00					ļ		ļ	
1	DID Numbers, Establish Trunk Group and Provide First Group		1	HEDEN		NDZ	0.00	2.22	0.00					1		1	
$\longrightarrow$	of 20 DID Numbers  Additional DID Numbers for each Group of 20 DID Numbers	l	<del>                                     </del>	UEPPX UEPPX		ND2 ND4	0.00	0.00	0.00			1		ļ	<b> </b>	ļ	1
-+-	DID Numbers, Non- consecutive DID Numbers , Per Number	-	1	UEPPX		ND5	0.00	0.00	0.00								<del> </del>
-+	Reserve Non-Consecutive DID numbers	<b> </b>	1	UEPPX		ND6	0.00	0.00	0.00			<b> </b>					
<del>-  </del>	Reserve DID Numbers		1	UEPPX		NDV	0.00	0.00	0.00								1
LOCA	L NUMBER PORTABILITY		i –						- · · ·		l						
L	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	PORT														
UNE F	Port/Loop Combination Rates	ļ	<u> </u>									ļ		ļ	ļ	ļ	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		81.89										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		85.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		100.17										
UNE L	oop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.89	252.32	188.77					19.99	19.99		
								i l		1	1	1	1	1	1	1	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.27	252.32	188.77					19.99	19.99		
IINE 5	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR UEPPR		25.27 40.17	252.32 252.32	188.77 188.77					19.99 19.99	19.99 19.99		

04/12/02 Page 110 of 352

UNBUNDLE	D NETWORK ELEMENTS - Georgia							. <u></u>						Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	acs	usoc			ΓES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONR	ECURRING CHARGES - CURRENTLY COMBINED																[
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	215.00	215.00					19.99	19.99		i
ADDIT	TONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		165.95						19.99	19.99		i
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHA	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)	1	1	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	1		1	i	1		1	
1	CSD		i e	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00			1	1	1		1	
B-CH4	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. 8	TN)	J 1 D	J I IX	3.000	0.00	0.00	0.00			1	<del>                                     </del>	<b> </b>		<del>                                     </del>	<del></del>
	TERMINAL PROFILE	_,o, 6	· ··•,	<b> </b>		1				<del>                                     </del>		<b>-</b>		<del>                                     </del>		<del>                                     </del>	
OOLK	User Terminal Profile (EWSD only)	1	1	UEPPB	UEPPR	LI1LIMΔ	0.00	0.00	0.00	<del>                                     </del>		<b>-</b>		<del>                                     </del>		<del>                                     </del>	
VEDTI	CAL FEATURES	l		OLFFB	JLFFK	O TOWA	0.00	0.00	0.00			1	1	1		1	<del></del>
VENTI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00			1		19.99	19.99		<del>                                     </del>
INTER	COFFICE CHANNEL MILEAGE			UEPPB	UEFFR	UEFVF	0.00	0.00	0.00					19.99	19.99		<b></b>
INIER	Interoffice Channel mileage each, including first mile and																<del>                                     </del>
								=====									i
	facilities termination				UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99		<b></b>
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0222	0.00	0.00								<b></b>
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															1
UNE P	Port/Loop Combination Rates																1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																i
	Zone 1		1	UEPPP			955.53										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																i
	Zone 2		2	UEPPP			964.13										1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																ſ
	Zone 3		3	UEPPP			1,001.93										i .
UNE L	oop Rates																ſ
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	55.53	448.92	276.60					19.99	19.99		[
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	64.13	448.92	276.60					19.99	19.99		ſ
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	101.93	448.92	276.60					19.99	19.99		
UNE P	Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	900.00	1,200.00	1,200.00					19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED							·	•								
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	925.00	925.00					19.99	19.99		i
ADDIT	TONAL NRCs			i i i i i i i i i i i i i i i i i i i										12.30		1	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		i –										İ	İ		İ	
	Inward/two way tel nos within Std Allowance (except NC)	l		UEPPP		PR7TF		0.9686		]				Ì		Ì	1
<del>- 1</del>	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	J				3.3330		1				1	1	1	
	Outward Tel Numbers (All States except NC)	l		UEPPP		PR7TO		22.75	22.75				l	Ì		l	1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	<b>-</b>	<b>I</b>	<u> </u>				22.70	22.10	<del>                                     </del>		1	<b> </b>	-		<b> </b>	<del>                                     </del>
	Subsequent Inward Tel Nos Above Std Allowance	l		UEPPP		PR7ZT		45.49	45.49	]				Ì		Ì	1
LOCA	L NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	JLI'FF		111141		45.48	40.49			1	1	1	1	1	
LOCA	Local Number Portability (1 per port)	1	1	UEPPP		LNPCN	1.75			<del>                                     </del>		<b>-</b>		<del>                                     </del>		<del>                                     </del>	
INITED	PFACE (Provsioning Only)	<b>-</b>	<del>                                     </del>	OLPPP		LINE OIN	1./5							<b> </b>	-	<b> </b>	<del></del>
INTER	Voice/Data	-	1	UEPPP		PR71V	0.00	0.00	0.00			<del>                                     </del>	-	-	-	-	<del>                                     </del>
	Digital Data	<b>-</b>	<del>                                     </del>	UEPPP		PR71D	0.00	0.00	0.00					<b> </b>	-	<b> </b>	<del></del>
		<del>                                     </del>	1	UEPPP		PR71D PR71E				<b> </b>		<del> </del>	-				<del>                                     </del>
Na	Inward Data	<del>                                     </del>	1	UEPPP		rk/IE	0.00	0.00	0.00	<del>                                     </del>		1	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	<del></del>
New o	r Additional "B" Channel	<b></b>	<u> </u>	LIEDDO		DDZD\/	2.00	00.71				1	1	10.00	10.00	1	+
	New or Additional - Voice/Data B Channel		<u> </u>	UEPPP		PR7BV	0.00	28.71						19.99	19.99		+
	New or Additional - Digital Data B Channel	<b></b>	1	UEPPP		PR7BF	0.00	28.71				ļ	ļ	19.99	19.99		<del>                                     </del>
	New or Additional Inward Data B Channel	<b></b>	1	UEPPP		PR7BD	0.00	28.71				ļ	ļ	19.99	19.99		<del>                                     </del>
CALL	TYPES		1	==								ļ					<b>├</b>
	Inward	<u> </u>		UEPPP		PR7C1	0.00	0.00	0.00	ļ		ļ		ļ			<b></b>
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								<b></b>
1	Two-way	l	1	UEPPP		PR7CC	0.00	0.00	0.00	I		1		I	l	l	i

04/12/02 Page 111 of 352

ONBONDLE	D NETWORK ELEMENTS - Georgia			1							_		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoff	ice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	ort/Loop Combination Rates			LIEBBO												
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		470.00										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	-											
	pop Rates  4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	+									-	-
	4-Wire DS1 Digital Loop - Statewide 4-Wire DS1 Digital Loop - UNE Zone 1		SW 1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99	-	-
	4-Wire DS1 Digital Loop - UNE Zone 1		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99		1
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99	<del> </del>	
	4-Wire DS1 Digital Loop - UNE Zone 4			UEPDC	USLDC	101.33	440.32	210.00					13.33	10.99		-
	ort Rate			OLI DO	OOLDO											
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,011.43	477.87	206.70	20.70			19.99	19.99		
	CURRING CHARGES - CURRENTLY COMBINED			02. 20	000	. 00.00	1,011110		200.70	20.70			10.00	.0.00		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		269.96	269.96					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		269.96	269.96					19.99	19.99		
ADDITI	ONAL NRCs			OLI DO	OOAWB	1	209.90	203.30					13.33	13.33		
ADDITI	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				+	1										
	Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLFDC	ODITO		20.71	20.71					15.55	19.99		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99		
	AR 8 ZERO SUBSTITUTION			OLI DO	ODITE		20.71	20.71					10.00	10.00		
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group			l	1 1										1	
	of 20 DID Numbers		<u> </u>	UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers		<u> </u>	UEPDC	ND4	0.00									ļ	
	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPDC	ND5	0.00										
1	Reserve Non-Consecutive DID Nos.		<u> </u>	UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers ted DS1 (Interoffice Channel Mileage) -			UEPDC	NDV	0.00	0.00	0.00								<del> </del>

UNBUND	LED NETWORK ELEMENTS - Georgia	,										,	Attachment:		Exhibit: B	
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	78.47	147.07	111.75					19.99	19.99		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDO	1LNOB	0.4500	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	TLNOB	0.4523	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Termination)			OLFDC	ILINOS	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.4523	0.00	0.00							1	
	Local Number Portability, per DS0 Activated	1		UEPDC	LNPCP	3.15	3.30	3.50						1	1	
	Central Office Termininating Point			UEPDC	CTG	0.00			1					İ	İ	
4-W	/IRE DS1 LOOP WITH CHANNELIZATION WITH PORT								i i					İ		
	stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations												<u> </u>	İ	
	ystem can have various rate combinations based on type and nur	mber of	ports	used												
UNI	E DS1 Loop												_			
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								<u> </u>
UNI	E DSO Channelization Capacities (D4 Channel Bank Configuration	ns)		L	1											
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s	ļ		UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
$\vdash$	96 DSO Channel Capacity -1per 4 DS1s	<u> </u>		UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99	<b> </b>	
<del></del>	144 DS0 Channel Capacity - 1 per 6 DS1s	<b> </b>		UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99	<b> </b>	
<del></del>	192 DS0 Channel Capacity -1 per 8 DS1s	<b> </b>		UEPMG UEPMG	VUM19 VUM20	821.12 1,026.40	0.00	0.00					19.99 19.99	19.99 19.99	<b> </b>	ļ
$\vdash$	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s	<del>                                     </del>	-	UEPMG	VUM20 VUM28	1,026.40	0.00	0.00					19.99	19.99	<del>                                     </del>	<u> </u>
$\vdash$	384 DS0 Channel Capacity - 1 per 12 DS1s	<del>                                     </del>	-	UEPMG	VUM28 VUM38	1,231.68	0.00	0.00	<del>                                     </del>				19.99	19.99	-	-
<del></del>	480 DS0 Channel Capacity - 1 per 16 DS1s	1		UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99	1	<b> </b>
<del>                                     </del>	576 DS0 Channel Capacity - 1 per 20 DS1s	<del>                                     </del>		UEPMG	VUM57	2,463.36	0.00	0.00	<del> </del>				19.99	19.99	1	<u> </u>
	672 DS0 Channel Capacity - 1 per 24 DS1s	<del>                                     </del>		UEPMG	VUM67	2,463.36	0.00	0.00					19.99	19.99	1	
Nor	n-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	n Chanr	neliztio					0.00					13.33	13.35	<del> </del>	<del>                                     </del>
	linimum System configuration is One (1) DS1, One (1) D4 Channe								<b>†</b>					<b> </b>	<b> </b>	<b> </b>
	Itiples of this configuration functioning as one are considered Ac													İ	İ	
	NRC - Conversion (Currently Combined) with or without	I	T	.,,					i							
	BellSouth Allowed Changes - Top 8 MSAs Only	1		UEPMG	USAC4	0.00	450.00	50.00					19.99	19.99	1	
	stem Additions Where Currently Combined and New (Not Currentl	y Comb	ined )													
In T	Top 8 MSAs and AL, FL, and NC Only					_	_	•		•			_			
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc	l													]	
	Fea Activation -			UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00			19.99	19.99		
Bip	olar 8 Zero Substitution			ļ												<u> </u>
	Clear Channel Capability Format, superframe - Subsequent	1		l		_	_							1	1	
$\vdash$	Activity Only	<u> </u>		UEPMG	CCOSF	0.00	0.00	600.00						ļ	<b> </b>	
	Clear Channel Capability Format - Extended Superframe -	l		UEPMG	CCOEF	0.00	0.00	000.00								
A 14.	Subsequent Activity Only ernate Mark Inversion (AMI)	1		UEPING	CCOEF	0.00	0.00	600.00						-	-	1
Alte	Superframe Format	<del>                                     </del>	-	UEPMG	MCOSF	0.00	0.00	0.00	<del>                                     </del>					-	-	<del>                                     </del>
<del>                                     </del>	Extended Superframe Format	<del>                                     </del>		UEPMG	MCOPO	0.00	0.00	0.00	<del>                                     </del>					1	1	1
Fvc	change Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI MO	1,10010	0.00	0.00	0.00								
	change Ports															
	<del>-</del>	1		1										1	1	
	Line Side Combination Channelized PBX Trunk Port - Business	1		UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			33.67	7.88	1	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			33.67	7.88		
														1		
	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			33.67	7.88	1	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	83.00	0.00	0.00	0.00	0.00			33.67	7.88		
1 1	ature Activations - Unbundled Loop Concentration															

04/12/02 Page 113 of 352

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
											Svc Order		Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
		m						- (,,			per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>			<u> </u>				Names		Namaaaaa	Dianamant						
			1			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Side Port Terminated		1				FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
	in D4 Bank			UEPPX	1PQWM	0.62	40.00	20.00	6.00	5.00			33.67	7.88		
	Feature (Service) Activation for each Trunk Side Port Terminated			-												
	in D4 Bank			UEPPX	1PQWU	0.62	110.00	30.00	65.00	20.00			33.67	7.88		
Telep	hone Number/ Group Establishment Charges for DID Service			LUEDDY.	LID.T											
<b>———</b>	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00								
$\vdash$	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States		1	UEPPX UEPPX	NDZ ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number		1	UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	İ							
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	URES - Vertical and Optional	ļ	ļ			ļ										
Local	Switching Features Offered with Line Side Ports Only All Features Available	<b> </b>	1	UEPPX	UEPVF	0.00	0.00	0.00	<del>                                     </del>							
LINBUNDI ED	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	<u> </u>	1	UEPPX	UEPVF	0.00	0.00	0.00								
	st Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports								
	atures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
	d Office and Tandem Switching Usage and Common Transport eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the r											oin Port/Lo	op Combinat	ions.		
	pined Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	hese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the	Market Rate s	ection. For 0	Currently
	pined Combos in all other states, the nonrecurring charges sha									1			1		1	
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	e.									
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	7	1		-											
	Port/Loop Combination Rates (Non-Design)		1						1							
- ONE I	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design		1	UEP91		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP91		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	Non-Design		3	UEP91		21.62										
UNE	Port/Loop Combination Rates (Design)		+		-											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1	UEP91		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>' '</del>	OLI 01		10.00										
	Design		2	UEP91		21.24			1		1					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	<u> </u>	3	UEP91		32.71										
UNE I	Loop Rate	ļ	<del>  </del>			10.55										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP91	UECS1	10.80										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP91 UEP91	UECS1 UECS1	12.47 19.83			-							
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP91	UECS1	16.84			<del> </del>		-			1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP91	UECS2	19.45			<b>+</b>							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.92			1							
UNE F		1														
All St	ates (Except North Carolina and Sout Carolina)															
					UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEFTA	1.79	22.14	10.20						1.00		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP91	UEPYB	1.79	22.14	15.25						7.88		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area								8.45 8.45	3.91			33.67 33.67			
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area     2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91 UEP91	UEPYB UEPYH	1.79	22.14 22.14	15.25 15.25	8.45	3.91			33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP91	UEPYB	1.79	22.14	15.25						7.88		

04/12/02 Page 114 of 352

ONRON	DLE	NETWORK ELEMENTS - Georgia			,									Attachment:		Exhibit: B	<b>↓</b>
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	LIEDVO	4.70	00.44	45.05	0.45	0.04			00.07	7.00		
_		Basic Local Area			UEP91	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Ge		a and Florida Only 2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<b></b>
		2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del></del>
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		<del></del>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF91	OLFIIII	1.79	22.14	13.23	0.45	3.91			33.07	7.00		
		Center)2			UEP91	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OI	OLITIM	1.70	22.14	10.20	0.40	0.01			00.01	7.00		
		Term			UEP91	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		•				·· <b></b>	0	22	.0.20	50	5.51			30.07			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Lo		witching					-										
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.5554										
Lo	ocal N	umber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fe	eature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00										
		All Select Features Offered, per port			UEP91	UEPVS	0.00	454.69									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										
N/	ARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00					33.67	7.88		
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00					33.67	7.88		
		aneous Terminations															
2-1		Trunk Side															
		Trunk Side Terminations, each			UEP91	CENA6	11.35	61.91	61.91					33.67	7.88		
In		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	17.07										
_		Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0222										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4		nnel Bank Feature Activations			LIEDO4	400140	0.00										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										<del></del>
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	IFQW6	0.62										<del></del>
		Slot		1	UEP91	1PQW7	0.62			]		1					1
<del>                                     </del>		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF 31	IF Q(VV)	0.02			<del>                                     </del>					1	1	
		Different Wire Center			UEP91	1PQWP	0.62										1
		S Tillo Odilloi	<del></del>		02101	11 34771	0.02					<b> </b>					<del></del>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										1
<b></b>		Feature Activation on D-4 Channel Bank Tilvate Line Loop Glot				~,,,,	0.02					<b> </b>					<u> </u>
		Slot		1	UEP91	1PQWQ	0.62			]		1					1
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
No		curring Charges (NRC) Associated with UNE-P Centrex															
		Conversion - Currently Combined Switch-As-Is with allowed				1									İ	İ	
		changes, per port		1	UEP91	USAC2		2.01	0.3108	]		1		33.67	7.88		1
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	659.41						33.67	7.88		
		Secondary Block, per Block			UEP91	M2CC1	0.00	77.10		j				33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	71.88						33.67	7.88		
	NE-P	CENTREX - 5ESS (Valid in All States)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo								<u> </u>							
UN		rt/Loop Combination Rates (Non-Design)								j							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design	l	1	UEP95	i l	12.59			]		1	I				1

INBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		21.62										
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP95		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	UEP95	-	18.63										+
	Design		2	UEP95		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SO		21.27										+
	Design		3	UEP95		32.71										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	12.47									_	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	19.83										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.84										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	19.45										
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.92										
All Sta	Port Rate		<u> </u>		-											+
All Sta	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
-	2-Wire Voice Grade Port (Centrex ) Basic Educat Area  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI SO	OLI ID	1.70	22.17	10.20	0.40	0.01			00.07	7.00		+
	Area			UEP95	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOE	UEPY2	4.70	22.44	45.05	0.45	2.04			22.67	7.00		
EI 9 (	Basic Local Area GA Only		<u> </u>	UEP95	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
r L & C	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		1
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								0							
	Center)2			UEP95	UEPHM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service														_	
	Term			UEP95	UEPHZ	1.79	22.14	15.25	8.45	3.91	ļ		33.67	7.88		<u> </u>
	O.W. W. Cond. Bod to and the state of the st	1		LIEDOS	LIEDI :	. ==										
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		<u> </u>	UEP95	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		+
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5554										+
Local	Number Portability			OLI 33	OKLOO	0.5554										+
Local	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										1
Featur					1	2.00										<b>†</b>
	All Standard Features Offered, per port			UEP95	UEPVF	0.00							33.67	7.88		
	All Select Features Offered, per port			UEP95	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00				•			33.67	7.88		
NARS				L							ļ					<u> </u>
	Unbundled Network Access Register - Combination	ļ		UEP95	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Indial	<b> </b>	<u> </u>	UEP95	UAR1X	0.00	0.00	0.00	1		1		33.67	7.88	-	
Micaa	Unbundled Network Access Register - Outdial	<b>!</b>	-	UEP95	UAROX	0.00	0.00	0.00	1				33.67	7.88		+
	Ilaneous Terminations Trunk Side	-	-		+			-	-		-		1	1	-	+
Z-VVIFE	Trunk Side Trunk Side Terminations, each	1		UEP95	CEND6	11.35	61.91	61.91	1		}		33.67	7.88	1	+
	Digital (1.544 Megabits)		├	02100	02.100	11.00	01.31	01.91	1		ł		55.07	7.00	1	+

NRONDL	ED NETWORK ELEMENTS - Georgia			1							1 -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect		l l	oss	Rates(\$)		l.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 Circuit Terminations, each			UEP95	M1HD1	120.80	89.44	52.46					33.67	7.88		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.71						33.67	7.88		
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	17.07										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0222										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cr	hannel Bank Feature Activations			LIEDOS	1PQWS	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62			-							
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex								-							
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		2.01	0.3108					33.67	7.88		
	changes, per port  New Centrex Standard Common Block			UEP95	M1ACS	0.00	659.41	0.3108					33.67	7.88		
-	New Centrex Standard Common Block			UEP95	M1ACC	0.00	659.41						33.67	7.88		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	71.88						33.67	7.88		
UNE-	P CENTREX - DMS100 (Valid in All States)			OLI SO	OKLOK	0.00	71.00						00.07	7.00		
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.59										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		14.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		21.62										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9D		18.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		21.24										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		32.71										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	12.47									ļ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	19.83			ļ							
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	1	UEP9D	UECS2	16.84									<del>                                     </del>	
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D UEP9D	UECS2	19.45 30.92			<del>                                     </del>						<del>                                     </del>	
LINE	Port Rate	1	3	OLFBD	ULUSZ	30.92			<del>                                     </del>						1	
	STATES			<del> </del>	+				<del>                                     </del>						<del> </del>	<b> </b>
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
-+	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			02.100	02.10	1.13	22.14	10.20	0.40	5.31			33.07	7.00	<del> </del>	<del>                                     </del>
	Area			UEP9D	UEPYC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

UNBUNDLE	NETWORK ELEMENTS - Georgia										1_	1-	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec First		Nonrecurring First		SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
+	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local				1		FIRST	Add'l	FIRST	Add'l	SOWIEC	SUMAN	SUMAN	SUMAN	SUMAN	SOWAN
	Area			UEP9D	UEPYF	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			OLI OD		1.70	22.14	10.20	0.40	0.01			00.07	7.00		
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Area			UEP9D	UEPYV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIED/41	1 70	00.44	45.05	0.45	0.04			00.07	7.00		
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	Indication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			UEP9D	UEPYW	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88		
	Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 Basic Local Area			UEP9D	UEPYM	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPYZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
FL & G	A Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPHC	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		<b> </b>	UEP9D UEP9D	UEPHD UEPHE	1.79	22.14	15.25	8.45 8.45	3.91	<b> </b>	1	33.67	7.88 7.88	-	<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3		<b> </b>	UEP9D	UEPHE	1.79 1.79	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91	<b> </b>	}	33.67 33.67	7.88	1	1
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPHG	1.79	22.14	15.25	8.45	3.91		<b> </b>	33.67	7.88		<del>                                     </del>
<del>    </del>	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPHT	1.79	22.14	15.25	8.45	3.91	<b> </b>	<del>                                     </del>	33.67	7.88		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91		1	33.67	7.88	1	<b>†</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPHV	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPH3	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPHW	1.79	22.14	15.25	8.45	3.91			33.67	7.88		

NRONDL	ED NETWORK ELEMENTS - Georgia												Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPHJ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDAD												
	2			UEP9D UEP9D	UEPHM UEPHO	1.79 1.79	22.14 22.14	15.25	8.45 8.45	3.91 3.91			33.67 33.67	7.88 7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPHU	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPHP	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPHQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2 The Tales Stade For (Serial Station and ST 57225 5255)2; 5			02. 02	02	0		.0.20	0.10	0.01			00.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPHR	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPHS	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPH4	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	0.14%			LIEDAD												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPH5	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPH6	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wile Voice Grade Fort (Centrex differ SWC /EBS-W5216)2, 3			UEF9D	UEPHO	1.79	22.14	15.25	0.40	3.91			33.07	7.00		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPH7	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI OD	OLITII	1.75	22.14	10.20	0.40	0.01			00.07	7.00		
	Term			UEP9D	UEPHZ	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
									<b>99</b>							
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.79	22.14	15.25	8.45	3.91			33.67	7.88		
Loca	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5554										
Loca	Number Portability															
F	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	454.69						33.67	7.88		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00	454.05						33.07	7.00		
NARS				OLI OD	OLI VO	0.00										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					33.67	7.88		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					33.67	7.88		
Misc	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	11.35							ļ		ļ	
4-Wir	e Digital (1.544 Megabits)			LIEBAR	1,,,,,,,,,	100		=0 :-								ļ
_	DS1 Circuit Terminations, each			UEP9D	M1HD1	120.80	89.44	52.46					33.67	7.88		
lnto	DS0 Channels Activiated per Channel  office Channel Mileage - 2-Wire	1		UEP9D	M1HDO	0.00	28.71						33.67	7.88	<del> </del>	1
interd	Interoffice Channel Facilities Termination	-	-	UEP9D	MIGBC	17.07							-		-	-
	Interoffice Channel mileage, per mile or fraction of mile	1		UEP9D	MIGBM	0.0222							<del> </del>		1	-
Feati	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02100	IVIIODIVI	0.0222							<b> </b>	1	<b> </b>	t
	nannel Bank Feature Activations	Ī			1											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop				1								1			
	Slot			UEP9D	1PQW7	0.62							ļ		ļ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.62			<u> </u>					<u> </u>		<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62										

UNB	UNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		2.01	0.3108					33.67	7.88		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	659.41						33.67	7.88		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	659.41						33.67	7.88		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	71.88						33.67	7.88		
		Centrex Intercom Funtionality, per port			UEP9E	URECS											
	4-Wire	Digital (1.544 Megabits)															
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Requires Specific Customer Premises Equipment															
	NOTE:	Rates displaying an "R" in Interim column are interim and su	bject to	rate tr	ue-up as set forth in	General Ter	ms and Condit	ions.									

UNBU	NDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	<u> </u>
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.
			m						<b>、</b> ,,			per Lok	per Lok	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
								FIRST	Addi	FIRST	Addi	SUMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
		SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.  (2) Any element that can be ordered electronically will be bill															Ily For
		elements that cannot be ordered electronically at present per t															
	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	omits ar	LSR t	o BellSouth.							• .				·	
		Manual Service Order Charge, per LSR, Disconnect Only (KY)				SOMAN				0.99							
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
UNBUN	DLED I	EXCHANGE ACCESS LOOP				SOIVILO		3.30									
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65		7.86				1
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65	-	7.86 7.86				-
		Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	31.11	46.88	46.88	20.03	7.05		7.86				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16				7.86				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				7.86				
		Engineering Information Document (EI)  Manual Order Coordination for UVL-SL1s (per loop)			UEANL UEANL	UEAMC		13.49 9.00	13.49 9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1			OL7 II VL	OL7 WIO		0.00	0.00								1
		(per LSR)			UEANL	OCOSL		23.01	23.01								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ UEQ	UEQ2X UEQ2X	10.58 11.51	44.97 44.97	20.89	25.64 25.64	6.65 6.65		7.86 7.86				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i i		UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65		7.86				<del> </del>
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1	-	13.49 46.88	13.49 46.88				7.86				<u> </u>
		Loop Testing - Basic 1st Hall Hour			UEQ	URETA		24.16	24.16				7.86				1
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UCL-ND)			UEQ	UREWO		14.27	7.43				7.86				
		EXCHANGE ACCESS LOOP  ANALOG VOICE GRADE LOOP															
	Z-VVIR	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															1
		Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65	<del>                                     </del>	7.86				-
		Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			02. 0. 02. 02	027120	10.01	.0.00		20.00	7.00		7.00				
		Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65		7.86				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	24.44	40.00	22.57	20.05	7.65		7.86				
		Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSK UEPSB	UEALS	31.11	46.66	22.57	26.65	7.05		7.80				
		Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65		7.86				
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>													<b></b>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>			12.07	104.00	01.07	70.00	14.00		7.00				<b>†</b>
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88		7.86				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	UEA	UEAL2	22.22	424.22	04.07	70.05	44.00		7.00				
		Ground Start Signaling - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	33.22	134.89 23.01	81.87	73.65	14.88	1	7.86				+
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					1	20.01									
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88		7.86				

04/12/02 Page 121 of 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88		7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01					= 00				
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				7.86				
4-WIR	E ANALOG VOICE GRADE LOOP		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66		7.86				
	4-Wire Analog Voice Grade Loop - Zone 1				UEAL4	29.26 34.25	164.11		78.91 78.91	18.66		7.86				
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA UEA	UEAL4	34.25 85.06	164.11	112.36 112.36	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	85.06	23.01	112.36	78.91	18.00		7.86				
<del>    </del>	CLEC to CLEC Conversion Charge without outside dispatch		<b>!</b>	UEA	UREWO		87.72	36.36	<del>                                     </del>			7.86	1	1	1	t
2-WID	E ISDN DIGITAL GRADE LOOP		1	OLA	OKLAAO		01.12	30.30			-	1.00				1
Z-VVIK	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83		7.86	<del> </del>		<del> </del>	1
<del>                                     </del>	2-Wire ISDN Digital Grade Loop - Zone 1  2-Wire ISDN Digital Grade Loop - Zone 2	<del></del>	2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83		7.86	<del> </del>		<del> </del>	t
<b></b>	2-Wire ISDN Digital Grade Loop - Zone 2  2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83		7.86				1
	Order Coordination For Specified Conversion Time (per LSR)		Ŭ	UDN	OCOSL	42.07	23.01	30.02	71.00	10.00		7.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16				7.86				
2-WIR	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				1											
	1		1	UDC	UDC2X	18.44	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	2		2	UDC	UDC2X	25.08	146.77	95.02	71.38	13.83		7.86				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	42.87	146.77	95.02	71.38	13.83		7.86				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16				7.86				
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP	)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47		7.86				
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	1141 0141	40.00	101.10	00.00	00.00	44.54		7.00				
<del></del>	facility reservaton - Zone 1  2 Wire Unbundled ADSL Loop without manual service inquiry &	<b>-</b>	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54		7.86	-		-	<del>                                     </del>
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54		7.86	1		1	
<del>                                     </del>	2 Wire Unbundled ADSL Loop without manual service inquiry &	-	-	UAL	UALZVV	11.79	121.18	09.00	69.09	11.04		1.00	1	1	1	<del> </del>
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	12.07	23.01	03.00	03.09	11.54		7.00				-
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40				7.86	1		1	<u> </u>
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry		Ι	İ	1								1		1	1
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54		7.86	1		1	
	2 Wire Unbundled HDSL Loop including manual service inquiry		i							**						
<u> </u>	& facility reservation - Zone 2	<u> </u>	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54	<u> </u>	7.86	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	L	[ ]				]				1		1	
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54		7.86				
1	2 Wire Unbundled HDSL Loop without manual service inquiry		_	L				=0.5-								
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54		7.86	<del> </del>	1	<del> </del>	
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	l	LILLOVA	40.04	400.74	70.50	00.00	44.54		7.00	1		1	
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54	1	7.86	<del>                                     </del>			<del>                                     </del>
	Order Coordination for Specified Conversion Time (nor LCD)															
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UHL UHL	OCOSL UREWO		23.01 86.14	40.40				7.86				

04/12/02 Page 122 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky		1	ı							0	06	Attachment:		Exhibit: B	I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69		7.86				
	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	UTIL4X	15.00	105.75	123.30	74.93	14.09		7.00			1	
	and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		7.86				
	4-Wire Unbundled HDSL Loop without manual service inquiry			l		4= 00										
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80		7.86			-	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		7.86				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL OCOSL	10.98	23.01	114.04	11.32	15.60		1.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				7.86				<del> </del>
4-WIR	RE DS1 DIGITAL LOOP				9112119											
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55		7.86				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66		7.86			-	
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66		7.86				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	27.59	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		7.86				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	36.37	157.81 23.01	106.06	78.91	18.66		7.86			-	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				7.86				
2-WIR	RE Unbundled COPPER LOOP			ODL	OKEWO		102.10	40.70				7.00				<del>                                     </del>
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		7.86				
	2 Wire Unbundled Copper Loop/Short including manual service					40.00										
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB UCLMC	12.87	140.95 9.00	78.70 9.00	69.09	11.54		7.86			-	
	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Short without manual service			UCL	UCLIVIC		9.00	9.00								ļ
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		7.86				
	2-Wire Unbundled Copper Loop/Short without manual service			002	002. 11	10.02	120110	07.07	00.00			7.00				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		7.86				
Ì	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)		<u> </u>	UCL	UCLMC		9.00	9.00							ļ	<u> </u>
1	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	UCL2L	04.04	440.05	70.70	00.00	44.54		7.00			1	
	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCLZL	24.91	140.95	78.70	69.09	11.54		7.86			<del></del>	<del> </del>
1	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	36.94	140.95	78.70	69.09	11.54		7.86				
<del></del>	2-Wire Unbundled Copper Loop/Long - includes manual svc.				3322	55.54	140.00	70.70	00.00	11.54	1	7.00			<b>†</b>	t
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	69.95	140.95	78.70	69.09	11.54		7.86				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop/Long - without manual service							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL2W	24.91	120.15	67.97	69.09	11.54		7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					·							Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	0.000						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	20.04	100.15	67.97	69.09	11.54		7.00				ĺ
	inquiry and facility reservation - Zone 2  2-Wire Unbundled Copper Loop/Long - without manual service			UCL	UCLZVV	36.94	120.15	67.97	69.09	11.54		7.86				<b> </b>
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	69.95	120.15	67.97	69.09	11.54		7.86				i
	Order Coordination for Unbundled Copper Loops (per loop)				UCLMC	00.00	9.00	9.00	00.00			7.00				
	CLEC to CLEC Conversion Charge without outside dispatch						0.00									
	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				ĺ
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															ĺ
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		7.86				<b></b>
	4-Wire Copper Loop/Short - including manual service inquiry		_	LICI	1101.40	17.00	470.01	400.00	71.0-	44.00		7.00				ĺ
	and facility reservation - Zone 2	<b> </b>	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		7.86				<del>                                     </del>
1	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		7.86				i
1	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	20.10	9.00	9.00	74.95	14.09		7.00				
<del>- 1</del>	4-Wire Copper Loop/Short - without manual service inquiry and				COLIVIO	-	3.00	3.00								
	facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		7.86				ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		7.86				ĺ
	4-Wire Copper Loop/Short - without manual service inquiry and															ĺ
	facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		7.86				<b></b>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								<b></b>
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		1	UCL	UCL4L	46.91	470.04	100.00	74.05	14.69		7.86				ĺ
	inquiry and facility reservation - Zone 1  4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	UCL	UCL4L	46.91	170.31	108.06	74.95	14.69		7.86				<b> </b>
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	45.78	170.31	108.06	74.95	14.69		7.86				ĺ
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			OOL	UOL4L	43.70	170.51	100.00	74.93	14.03		7.00				<b>—</b>
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	171.34	170.31	108.06	74.95	14.69		7.86				ĺ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	-	9.00	9.00								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	46.91	149.52	97.33	74.95	14.69		7.86				l
	4-Wire Unbundled Copper Loop/Long - without manual svc.															ĺ
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	45.78	149.52	97.33	74.95	14.69		7.86				<b></b>
	4-Wire Unbundled Copper Loop/Long - without manual svc.		_													ĺ
	inquiry and facility reservation - Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4O UCLMC	171.34	149.52 9.00	97.33 9.00	74.95	14.69		7.86				<del> </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		9.00	9.00								<del>                                     </del>
	(UCL-Des)			UCL	UREWO		97.23	42.48				7.86				ĺ
LOOP MODIFIC						t	37.20	.2. 70	1			7.00				
				UAL, UHL, UCL,		İ										
				UEQ, ULS, UEA,		1						1				İ
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												ĺ
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		9.24	9.24				7.86				<b></b>
1	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			1101 1110	ULM2G		342.24	342.24				7.86				İ
	Unbundled Loop Modification Removal of Load Coils - 4 Wire		<u> </u>	UCL, ULS	ULM2G		342.24	342.24				7.86				<b> </b>
	less than or equal to 18K ft			UHL, UCL	ULM4L		9.24	9.24				7.86				ĺ
<del>-  </del>	Unbundled Loop Modification Removal of Load Coils - 4 Wire		1	OT IL, OOL	CLIVITL		3.24	3.24				7.00				
1	pair greater than 18k ft			UCL	ULM4G		342.24	342.24				7.86				i
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		10.47	10.47				7.86				
SUB-LOOPS																
	pop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-					İ	İ									
1	Up		1	UEANL	USBSA		207.91	207.91			I	7.86				1

ONBONDLE	D NETWORK ELEMENTS - Kentucky			•									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						I	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del> </del>							11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		12.50	12.50				7.86				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		80.87	80.87				7.86				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		45.04	45.04				7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				LIODNIO	0.04	05.00	00.05	50.04	7.00		7.00				
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90		7.86				
	Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90		7.86				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		ULAINL	USBINZ	9.00	05.05	39.03	39.01	7.90		7.00				
	Zone 3	1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	<u> </u>						<u></u>	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88		7.86			1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	LIFANII	LICDALA	2.00	400.01	50.00	25.01	10.00		7.00			1	
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88		7.86				
	Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88		7.86				
	Zone 3		3	UEAINL	USBIN4	25.60	102.31	30.32	65.24	10.00		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90		7.86				
	3					_										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L .	UEANL	USBMC		9.00	9.00	====							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	UCS2X	5.45	85.03 85.03	39.05 39.05	59.81 59.81	7.90 7.90		7.86				
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	H	3	UEF	UCS2X UCS2X	7.06 9.67	85.03	39.05	59.81	7.90		7.86 7.86			-	
	2 Wife Copper Oribunaled Sub-Loop Distribution - Zone 3		3	OLI	0032X	9.07	05.05	39.03	39.01	7.50		7.00				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88		7.86				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		7.86				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00								
Unbur	Indled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-	1											1	1
1	Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		5.23	5.23				7.86				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		1	OL1	OLIVIZA		5.25	5.23				1.00			<del> </del>	
1	Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23				7.86			1	
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			1			5.20	2.20							1	
	Tap Removal, per PR unloaded			UEF	ULM4T		7.97	7.97	<u> </u>			7.86				
Unbur	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51				7.86				
Netwo	ork Interface Device (NID)		<u> </u>	LIENTA	LINIDAG		70.50	10.1=				7.00				
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines			UENTW UENTW	UND12 UND16		73.53 115.96	49.47 91.91				7.86 7.86			<del>                                     </del>	
-	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC2		8.56	8.56				7.86			+	
	Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		8.56	8.56				7.86			t	
SUB-LOOPS	The state of the s				3.1237		0.00	0.00				7.00			<b>†</b>	
	oop Feeder			1											1	
İ	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,												
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		207.91					7.86				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	l		UEA,				12.50				7.86			1	
	set-up			UDN,UCL,UDL,UDC			12.50									

04/12/02 Page 125 of 352

ONBONDLE	D NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		_													
	Grade - Zone 2		2	UEA	USBFA	9.70	114.83	64.61	72.34	17.21		7.86				<b>_</b>
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Conversion Time, per LSR		3	UEA	OCOSL	19.55	23.01	04.01	12.34	17.21		7.00				<del>                                     </del>
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice			OLA	00002		20.01									<del> </del>
	Grade - Zone 1		1	UEA	USBFB	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.01									ļ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.67	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			UEA	USBFC	7.07	114.03	04.01	12.34	17.21		7.00				1
	Voice Grade - Zone 2		2	UEA	USBFC	9.70	114.83	64.61	72.34	17.21		7.86				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse		_	0271	002.0	0.70		0 1.01	72.01			1.00				1
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.53	114.83	64.61	72.34	17.21		7.86				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.01									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice				HODED	07.04	404.70	70.00	04.00	54.50		7.00				
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		2	UEA	USBFD	27.24	131.73	79.98	81.82	51.56		7.86				
	Grade - Zone 3		3	UEA	USBFD	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR		3	UEA	OCOSL	01.41	23.01	13.30	01.02	31.50		7.00				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	22.82	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	27.24	131.73	79.98	81.82	51.56		7.86				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice							== ==		=.=0						
	Grade - Zone 3		3	UEA	USBFE	61.41	131.73	79.98	81.82	51.56		7.86				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	OCOSL USBFF	13.00	23.01 131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	28.95	131.79	80.04	74.16	16.60		7.86				
	Order Coordination For Specified Conversion Time, Per LSR		_	UDN	OCOSL		23.01									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	13.00	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	16.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	28.95	131.79	80.04	74.16	16.60		7.86				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	62.57	125.43	73.68	81.82	21.56		7.86				
-	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		3	USL	USBFG USBFG	87.71 273.33	125.43 125.43	73.68 73.68	81.82 81.82	21.56 21.56		7.86 7.86				1
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3  Order Coordination For Specified Conversion Time, Per LSR		3	USL	OCOSL	213.33	23.01	73.68	81.82	21.56		7.80				1
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6.44	105.31	53.57	71.16	13.61		7.86			<u> </u>	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<u> </u>		302	0.44	.00.01	55.07	710	.5.01		7.50				
	2		2	UCL	USBFH	5.78	105.31	53.57	71.16	13.61	1	7.86				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	4.25	105.31	53.57	71.16	13.61		7.86				<u> </u>
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		23.01									<u> </u>
$\vdash$	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	11.33	125.55	73.80	77.12	16.86		7.86			ļ	<u> </u>
<b></b>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.18 10.32	125.55 125.55	73.80 73.80	77.12 77.12	16.86 16.86		7.86 7.86			-	-
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3  Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	10.32	23.01	73.80	11.12	10.86		7.80		1	1	<del>                                     </del>
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	20.78	125.43	73.68	81.82	21.56	1	7.86			-	<del>                                     </del>
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	26.41	125.43	73.68	81.82	21.56		7.86		1	1	<b>†</b>
-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	23.10	125.43	73.68	81.82	21.56		7.86		1	Ì	1

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								N			<u></u>						
$\vdash \!$				1		+	Rec	Nonrec		Nonrecurring		CONTEC	001111		Rates(\$)	COLLAN	0022437
		Cub Lasa Fandar Day 4 Wins FC When Digital Conda Lasa		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	20.78	125.43	73.68	81.82	21.56		7.86				
_		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1	UDL	USBFU	20.78	125.43	73.08	81.82	21.56		7.80				
		Zone 2		2	UDL	USBFO	26.41	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODL	OODI O	20.41	120.40	73.00	01.02	21.50		7.00				
		Zone 3		3	UDL	USBFO	23.10	125.43	73.68	81.82	21.56		7.86				
		Order Coordination For Specified Time Conversion, per LSR		Ť	UDL	OCOSL	20.10	23.01	7 0.00	01.02	21.00		7.00				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFP	20.78	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFP	26.41	125.43	73.68	81.82	21.56		7.86				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFP	23.10	125.43	73.68	81.82	21.56		7.86				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		23.01									
SUB-LOC						1										ļ	ļ
s		op Feeder				11.50											
		Sub Loop Feeder - DS3 - Per Mile Per Month	!		UE3	1L5SL	15.38			100.00							
		Sub Loop Feeder - DS3 - Facility Termination Per Month		ļ	UE3	USBF1	346.30	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	- !		UDLSX	1L5SL	15.38			100.00	21.12						
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	- !		UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	ı		UDLO3	1L5SL	11.67										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	58.27										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	<u> </u>	1	UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-12 - Per Mile Per Month	i i	1	UDL12	1L5SL	14.36	3,300.00	407.14	100.00	31.13		7.00				
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per	-		ODE12	ILJOL	14.50										
		Month	1		UDL12	USBF6	658.35										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month	1		UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	47.11	,									
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per															
		Month	- 1		UDL48	USBF9	330.39										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	ı		UDL48	USBF4	1,533.00	3,571.00	407.14	160.86	91.19		7.86				
		Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		7.86				
UNBUND		OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	423.72	359.34	359.34				7.86				
$\vdash \!$		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	51.60	149.72	149.72				7.86	ļ	ļ	<b> </b>	ļ
$\vdash \!$		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	460.27	359.34	359.34				7.86	ļ	ļ	<b> </b>	ļ
$\vdash$		Unbundled Loop Concentration - System B (TR303)		1	ULC	UCT3B	86.95	149.72	149.72	22.00	6.00		7.86	1	1	<del> </del>	<b> </b>
$\vdash$		Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite		1	ULC	UCTCO	4.90	71.69	51.51	22.99	6.00		7.86		-		
		Card)			UDN	ULCC1	7.78	16.59	16.50	8.42	8.37		7.86			1	
<del>                                     </del>		Unbundled Loop Concentration - UDC Loop Interface (Brite	<del>                                     </del>		ODIN	02001	1.10	10.59	10.30	0.42	0.37		1.00			<del> </del>	<del>                                     </del>
		Card)			UDC	ULCCU	7.78	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or					0	. 5.55	. 5.00	5.∓2	0.07						
		Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.95	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery				1				37.12	2.07		50				
		Loop Interface (SPOTS Card)			UEA	ULCCR	11.58	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface															
		(Specials Card)			UEA	ULCC4	6.90	16.59	16.50	8.42	8.37		7.86	<u> </u>	<u> </u>		
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	33.74	16.59	16.50	8.42	8.37		7.86				
l [		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop				I T										]	<u> </u>
ļ.,		Interface			UDL	ULCC7	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			LIDI	00-											
<b> </b>		Interface			UDL	ULCC5	10.23	16.59	16.50	8.42	8.37		7.86				
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop			LIDI	111.000	40.00	40.50	10.50	2.42	0.00		7.00				
		Interface		-	UDL	ULCC6	10.23	16.59	16.50	8.42	8.37		7.86			ļ	<b> </b>
	ח⊏K, מ	ROVISIONING ONLY - NO RATE		1	UENTW	UNDBX									-	<del>                                     </del>	<del>                                     </del>
UNE OTF		NID - Dispatch and Service Order for NID installation															

04/12/02 Page 127 of 352

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															D130 131	DISC Add I
$\vdash$						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
<del></del>				UEANL,UEF,UEQ,U			FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER	, PROVISIONING ONLY - NO RATE															
	Habita diad Contact Name Description of College and			UAL,UCL,UDC,UDL,	LINIEGNI	0.00	0.00									
-	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00								-	-
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	Ino rate CITY UNBUNDLED LOCAL LOOP			UGL	COUEF	0.00	0.00		<del>                                     </del>							
T. SIT SAI AC	High Capacity Unbundled Local Loop - DS3 - Per Mile per								<del> </del>							
	month			UE3	1L5ND	9.25			<u> </u>		<u> </u>				<u> </u>	
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42		7.86				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			LIDLOY	1L5ND	0.05										
-	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.25			+							
	Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42		7.86				
LOOP MAKE				0520%	00201	020.01	001.00	555.55	170.00	120.12		1.00				
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility															
<u> </u>	queried (Manual).  Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		24.85	24.85								
	spare facility queried (Mechanized)			UMK	PSUMK		0.67	0.67								
HIGH FREQU	JENCY SPECTRUM			OIVIIC	1 GOIVIIC		0.07	0.07	1							
	TTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		7.86				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00		7.86				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.62		100.40			7.86				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	( SPEC	TRUM				173.02		100.40			7.00			1	1
1.40	Line Sharing - per Line Activation (BST Owned Splitter)	J. LO		ULS	ULSDC	0.61	37.16	21.28	20.17	9.90	<b> </b>	7.86			<b>†</b>	<b>†</b>
	Line Sharing - per Subsequent Activity per Line															
$\sqcup \sqcup \sqcup$	Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43				7.86				
	Line Sharing - per Subsequent Activity per Line				111.000		00.00	10.70				7.00				
$\vdash$	Rearrangement(DLEC Owned Splitter)  Line Sharing - per Line Activation (DLEC owned Splitter)	-		ULS	ULSCS	0.61	32.90 47.44	16.43 19.31	20.67	12.74		7.86 7.86			-	1
$\vdash$	Line Splitting - per Line Activation (DLEC owned Splitter)  Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	47.44	19.31	∠∪.७/	12.74		7.80			<del> </del>	<del> </del>
	Line Splitting - per line activation BST owned - physical	i		UEPSR UEPSB	UREBP	0.647	37.02	21.20	21.10	9.87		7.86				
	Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	0.645	37.02	21.20	21.10	9.87		7.86				
UNBUNDLE	DEDICATED TRANSPORT															
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT				1											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
$\vdash$	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVA	ILUM	0.01					<b> </b>				<b>†</b>	<b>†</b>
	Facility Termination per month			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade								1						1	1
igsquare	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
1 1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			U1TVX	LIATEC	00.4.	47.01	04 =0	00.7-	2		7.00				
			1	11 17 1 1 / X	U1TR2	29.11	47.34	31.78	22.77	8.75		7.86			1	
	Facility Termination per month  Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			OTTVX	02	20										

UNBUN	IDLE	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile						47.04	01.70	22.11	0.70		7.00				
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0115										
		Termination per month Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75		7.86				
		per month			U1TDX	1L5XX	0.0115										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75		7.86				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						47.55	51.70	22.11	0.73		7.00				
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.23										
		Termination per month			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49		7.86				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	114750	4 475 45	005.40	040.04	00.57	07.75		7.00				
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75		7.86				
		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	4.97										<u> </u>
		Termination per month			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75		7.86				
		CHANNEL - DEDICATED TRANSPORT															
N		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo													
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.57	265.78	46.96	46.79	4.98		7.86				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.86	266.48	47.65	47.54	5.73		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	40.46	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	43.39	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	164.50	209.60	176.51	30.21	21.07		7.86				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.74										
		Local Channel - Dedicated - DS3 - Facility Termination per															
		month			ULDD3	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.74										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86				
MULTIPL	EXER	S															
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	113.33	101.40	71.60	13.79	13.04		7.86				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.32	10.07	7.08				7.86				
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.84	10.07	7.08				7.86				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.6228	10.07	7.08				7.86				<del>                                     </del>
		DS3 to DS1 Channel System per month			UXTD3	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				<del> </del>
		STS1 to DS1 Channel System per month			UXTS1	MQ3	158.20	199.23	118.62	50.16	48.59		7.86				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.80	10.07	7.08				7.86				
		DS3 Interface Unit (DS1 COCI) used with Local Channel per			III DD4	LICADA	44.00	40.07	7.00				7.00				
		month DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			ULDD1	UC1D1	11.80	10.07	7.08				7.86				
DABY E	DED	per month			U1TD1	UC1D1	11.80	10.07	7.08				7.86				<del>                                     </del>
DARK FII	BEK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+											<del>                                     </del>
		Thereof per month - Local Channel			UDF	1L5DC	47.01			]						1	
		NRC Dark Fiber - Local Channel			UDF	UDFC4		732.53	192.67	377.27	241.67		7.86				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Interoffice Channel			UDF	1L5DF	30.74										<u> </u>
1		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		732.53	192.67	377.27	241.67		7.86				

ONBONDLE	D NETWORK ELEMENTS - Kentucky			1									Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	47.01										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		732.53	192.67	377.27	241.67		7.86				
TRANSPORT (																
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		4.14	0.70				7.86				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations		<b> </b>	OHD	<u> </u>		8.78	1.18	7.08	0.86		7.86				<b></b>
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1	1	0.15												
	POTS Translations		ļ	OHD	N8FTX		8.78	1.18	7.08	0.86		7.86				<b></b>
	8XX Access Ten Digit Screening, Customized Area of Service			CLID	NOTOY			~								
	Per 8XX Number			OHD	N8FCX		4.14	2.07				7.86				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR			CLID	NOTAN											
	Routing Per CXR Requested Per 8XX No.		<u> </u>	OHD	N8FMX		4.85	2.78				7.86				ļ
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70				7.86				<u> </u>
	8XX Access Ten Digit Screening, Call Handling and Destination			0.10												
	Features		<u> </u>	OHD	N8FDX		4.14	4.14				7.86				ļ
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,			OHD		0.0006478										ļ
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,		<u> </u>	OHD		0.0006478										ļ
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			007												
	LIDB Common Transport Per Query		<u> </u>	OQT		0.000023										ļ
	LIDB Validation Per Query			OQU	NIDDD.	0.0137322	== 10					=				ļ
0.00.00	LIDB Originating Point Code Establishment or Change		<u> </u>	OQT, OQU	NRPBX		55.12		67.59			7.86				ļ
SIGNALING (C				LIDD	TDD	00.74	40.50	40.50	00.45	00.45						
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						ļ
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per TCAP Message			UDB	PT8SX	151.39 0.0000656										
			-	UDB	TDD		40.50	40.50	00.45	00.45		7.00				ļ
	CCS7 Signaling Connection, Per link (A link)		-	UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				ļ
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45		7.86				
			-	UDB	IPP++	0.0000164	43.56	43.56	22.45	22.45		7.86				<del></del>
	CCS7 Signaling Usage, Per ISUP Message CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08										<b></b>
			<u> </u>	UDB	31036	751.06										<del></del>
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43		7.86				
	CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		46.02	40.02	36.43	36.43	1	7.00				
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43		7.86				
E911 SERVICE		-	<del>                                     </del>	220	00/11 D		70.02	40.02	30.43	50.45	1	1.00				<del>                                     </del>
	Local Channel - Dedicated - 2-wr Voice Grade		l		+	18.57	265.78	46.96	46.79	4.98			18.94	18.94		<del>                                     </del>
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				1	0.0115	200.70	40.50	40.73	4.90			10.54	10.04		<b>†</b>
1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility				1	0.0110										<b>†</b>
	Termination					29.11	47.34	31.78	22.77	8.75		1	18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 1		1		1	40.46	209.60	176.51	30.21	21.07			18.94	18.94		1
	Local Channel - Dedicated - DS1 - Zone 2		<del>                                     </del>			43.39	209.60	176.51	30.21	21.07			18.94	18.94		
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07			18.94	18.94		
	Interoffice Transport - Dedicated - DS1 Per Mile				1	0.23										
			<b>†</b>		1	5.20										1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49		1	18.94	18.94		
CALLING NAM	IE (CNAM) SERVICE															
I	CNAM For DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For Non DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30		7.86				
	CNAM For DB Owners - Service Provisioning With Point Code		1													
	Establishment	1	1	OQV			1,591.54	1,177.08	431.95	317.61		7.86				
İ	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment		<u>L</u>	OQV			546.40	393.74	438.93	317.61	<u></u>	7.86				
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				,	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	ONAM (New Portal of County NIDO continue Incoming the Incoming Inc						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			oqv	CDDCH		595.00	595.00				7.86				
LNP Query Se				OQV	CDDCIT		393.00	393.00	1			7.00				<del>                                     </del>
	LNP Charge Per query					0.0008695										
	LNP Service Establishment Manual						13.82	13.82	12.71	12.71		7.86				
	LNP Service Provisioning with Point Code Establishment						953.27	487.00	431.95	317.61		7.86				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES					0.20										
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - 0	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				7.86				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				7.86				
Unbra	nding via OLNS for UNEP CLEC Loading of OA per OCN (Regional)						1,200.00	1,200.00				7.86				$\longmapsto$
DIRECTORY	SSISTANCE SERVICES						1,200.00	1,200.00				7.00				$\vdash$
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	TORY TRANSPORT															
	SSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)					0.04										
	Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month				DBSOF	0.04 150.00			+							-
BRANDING - I	DIRECTORY ASSISTANCE				DBSOI	130.00			1							<del></del>
	y Based CLEC		1		1	1			† †							
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00		· · · · ·						
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															lacksquare
	Loading of DA per OCN (1 OCN per Order)	<u> </u>	<b>!</b>		-		420.00	420.00	ļ						ļ	$\vdash$
SELECTIVE R	Loading of DA per Switch per OCN	<u> </u>	<b>!</b>		+		16.00	16.00								$\vdash$
OLLEGIVE R	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.53	93.53	15.58	15.58		7.00				
VIRTUAL COL			<del>                                     </del>		USRCR		93.53	93.53	15.58	15.58		7.86			1	<del>                                     </del>
I COL	Virtual Collocation - Application Cost		<b>†</b>	AMTFS	EAF		2,419.86	2,419.86	1.01	1.01						<del>                                     </del>
	Virtual Collocation - Cable Installation Cost, per cable		1	AMTFS	ESPCX		1,729.11	1,729.11	45.16	45.16					İ	
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	7.99										
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	8.06										
	Virtual Collocation - Cable Support Structure, per entrance	ĺ														1
	cable	l	ĺ	AMTFS	ESPSX	17.38										

CATEGORY   NATE ELEMENTS   Marie   Done   BCS   USOC   NATES(8)   Secretarial Incrementa	LINDINDI E	D NETWORK ELEMENTS - Kentucky												Attachments	<u> </u>	Exhibit: B	
Part   Care	UNBUNDLE	D NETWORK ELEMENTS - Kentucky	1	1		1	I				I	Cua Ordar	Cua Ordar	Attachment:			Incremental
### APPLICATION OF THE REMEMBERS ### APPLICATION OF THE PRINCE PROPERTY OF THE																	
## Date   Control   Contro																	Charge -
March   Marc	CATECORY	DATE ELEMENTO	Interi	7000	DCC	HEOC		DAT	TEC/¢\								Manual Svc
14	CATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC		KAI	I E3(\$)			per LSR	per LSR				Order vs.
PRICE   Note received   Note received   Note received   Note														Electronic-	Electronic-	Electronic-	Electronic-
Press   Ader   Press   Ader   Press   Ader   Press   Ader   SOMEC   SOMAN														1st	Add'l	Disc 1st	Disc Add'l
Press   Ader   Press   Ader   Press   Ader   Press   Ader   SOMEC   SOMAN							1	Manroa		Monroourring	, Diagonnost			000	Potoc(\$)		
CENNLEGALERIAL   CHROCOME   CHRONO Commerce (loog)   CHRONO CALLES   CHRONO							Rec					COMEC	COMAN			COMAN	SOMAN
CCUALLIFICATION   Collection - 2-wire Class Connects (loop)   CCUALLIFICATION   CCUATI					LIEANII LIEA LIDNI II			FIISt	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
Co. AMPS   LOC.   LOC																	
Virtual Collocation - 2-wire Cross Connects (eep)																	
Virtual Collocation - 2-wer Cross Commons (loop)																	
Virtual Collocation - 4-Alea Close Connects (100g)		Notice College (Control Control Control (Control				115400	0.0000	04.00	00.00	40.44	40.05		40.00				
Virtual Colocation - 4-wire Cross Connects (loop)		Virtual Collocation - 2-wire Cross Connects (100p)			UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95		19.99				
Virtual Colocation - 4-wire Cross Connects (loop)					LIEA LIIII LICI LIDI												
Winter Colocation - 4-wire Cross Connects (loop)																	
Virtual Colociation - 2-Fiber Cross Connects																	
United Collocation - 2-Fiber Cross Connects		Virtual Collocation - 4-wire Cross Connects (loop)				UEAC4	0.0619	24.88	23.82	12.77	11.46		19.99				
U1712, U1703, ULDOS,																	
Virtual Collocation - 2-Fber Cross Commercs	1 1		1							1							
Virtual Collocation - 2-Fiser Cross Connects	1 1		1			]				I				I	Ì		
MITS_UDIT_2		No. 10 11 11 15 15 15 15 15 15 15 15 15 15 15				01100=											
URLO3, LUTS,		Virtual Collocation - 2-Fiber Cross Connects				CNC2F	3.80	41.94	30.51	14.76	11.84			19.99	19.99	19.99	19.99
UTT2 (UTT3, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULS, ULS, ULS, ULS, ULS, ULS, ULS, UL																	
Virtual Colicoation - 4-Fiber Cross Connects																	
Virual Collocation - 4-Fiber Cross Connects																	
USL.U.C.AMTES, U.R. (VTD1, UND1, UTD1 USEL, UND1), UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UTD1 USEL, UND1, UND																	
U.R. UXTD1, U.NCX, V.I.DD1, U.TD1, U.SEL, U.NCX, V.I.DD1, U.TD1, U.SEL, U.NCX, V.I.DD3, U.NC		Virtual Collocation - 4-Fiber Cross Connects				CNC4F	7.59	51.29	39.87	19.41	16.49			19.99	19.99	19.99	19.99
UNC1X, LIDD1, UTD1, USELE, UND1   UTD1, USELE, UND1   UND1   USELE, UND1   UND1   USELE, UND1   USELE, UND1   USELE, UND1   USELE, UND2   USELe, UND2   USELE, UND2   US																	
Virtual collocation - DS1 Cross Connects																	
Virtual collocation - DS1 Cross Connects																	
USLUCAMTRS   E., UITRS   UNISTS   UNI																	
E.S., UTIDS, LUXCIS		Virtual collocation - DS1 Cross Connects				CNC1X	1.48	44.23	31.98	12.81	11.57						
Virtual collocation - DS3 Cross Connects																	
Virtual collocation - DS3 Cross Connects					E3, U1TD3, UXTS1,												
Virtual collocation - DS3 Cross Connects																	
Virtual collocation - DS3 Cross Connects   UDLSX UNLD3   CND3X   18.89   41.93   30.51   14.75   11.83					UNCSX, ULDD3,												
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per linear frod   AMTFS   VE1CB   0.003   Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per linear ft   AMTFS   VE1CD   0.0045   Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   AMTFS   VE1CC   535.55   Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   AMTFS   VE1CC   535.55   Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTFS   VE1CE   535.55   Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   AMTFS   VE1CE   535.55   Virtual Collocation - Security Escort - Basic, per half hour   AMTFS   SPTDX   33.98   21.53   Virtual Collocation - Security Escort - Overtime, per half hour   AMTFS   SPTDX   44.26   27.81   Virtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTDX   54.54   34.09   Virtual collocation - Maintenance in CO - Portimium, per half hour   AMTFS   SPTDX   54.54   34.09   Virtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTDM   73.23   27.81   Virtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTDM   SPTD					U1TS1, ULDS1,												
Support Structure, per linear foot   AMTFS   VE1CB   0.003					UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per larger Label Support Structure, per cable   AMTFS   VE1CD   Co.0045   Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable   AMTFS   VE1CC   S35.55		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Cable Support Structure, per linear ft   AMTES   VE1CD   0.0045		Support Structure, per linear foot			AMTFS	VE1CB	0.003										
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per cable   AMTES   VE1CC   535.55		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
Support Structure, per cable		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTES   VE1CE   535.55		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Cable Support Structure, per cable   AMTES   VE1CE   535.55			<u></u>		AMTFS	VE1CC		535.5 <sub>5</sub>									
Virtual collocation - Security Escort - Basic, per half hour   AMTFS   SPTBX   33.98   21.53		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
Virtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTOX   44.26   27.81	1 1	Cable Support Structure, per cable	1		AMTFS	VE1CE		535.55		1							
Virtual collocation - Security Escort - Premium, per half hour   AMTES   SPTEX   54.54   34.09																	
Virtual collocation - Security Escort - Premium, per half hour   AMTFS   SPTPX   54,54   34,09		Virtual collocation - Security Escort - Overtime, per half hour			AMTFS			44.26	27.81								
Virtual collocation - Maintenance in CO - Basic, per half hour   AMTFS   CTRLX   56.07   21.53					AMTFS				34.09								
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   90.39   34.09					AMTFS	CTRLX		56.07	21.53								
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   90.39   34.09		·															
VIRTUAL COLLOCATION	1 1	Virtual collocation - Maintenance in CO - Overtime, per half hour	1		AMTFS	SPTOM		73.23	27.81	1							
VIRTUAL COLLOCATION																	
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	LI	Virtual collocation - Maintenance in CO - Premium per half hour	<u></u>	<u> </u>	AMTFS	SPTPM	<u> </u>	90.39	34.09	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
Wire Analog - Res	VIRTUAL COL																
Wire Analog - Res		Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	1 1	Wire Analog - Res	1		UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86				
Wire Line Side PBX Trunk - Bus		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	1 1		1		UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86	I	Ì		
Voice Grade PBX Trunk - Res			Ì									İ	1				
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1 1		1		UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95		7.86	I	Ì		
Analog Bus			1			İ				1				İ	İ		
Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN UEPSX VE1R2 0.0309 24.68 23.68 12.14 10.95 7.86 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1 1		1		UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95	1	7,86				
ISDN			<b>†</b>				3.0000	2	20.50		.0.50			t	1		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	1 1		1		UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95	1	7,86				
			<b>†</b>		-	1								t	1		
DDN	1 1	ISDN	1		UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95	l	7.86		Ì		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			1		T					_	I -	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
VIRTUAL COL				OLFLX	VL IIX4	1.40	44.23	31.50	12.01	11.57		7.00				
VIICTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1													
	Splitting			UEPSR, UEPSB	VE1LS	0.309	24.68	23.68	12.14	10.95		7.86				
AIN SELECTIV	VE CARRIER ROUTING					0.000										
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34		7.86				
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85		7.86				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				7.86				
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE		1													
	AIN SMS Access Service - Service Establishment, Per State,			AAN	CAMOE		40.55	40.55	44.00	44.00		7.00				
<del>                                     </del>	Initial Setup		1	A1N	CAMSE		43.55	43.55	44.93	44.93		7.86				1
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03		7.86				
<del>                                     </del>	AIN SMS Access Service - Port Connection - Dial/Shared Access  AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		7.86		1	1	1
	AIN SMS Access Service - Port Connection - ISBN Access  AIN SMS Access Service - User Identification Codes - Per User			73114	CAWIII		0.04	0.04	10.03	10.03		1.00			1	1
	ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88		7.86				
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93		7.86				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4608										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			0444	D 4 DOO		40.55	40.55	44.00	44.00		7.00				
	Initial Setup  AIN Toolkit Service - Training Session, Per Customer			CAM	BAPSC BAPVX		43.55 8,436.93	43.55 8,436.93	44.93	44.93		7.86 7.86				
<b></b>	AIN Toolkit Service - Training Session, Per Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		8,436.93	8,436.93				7.86				
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03		7.86				
<del>                                     </del>	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFII		0.04	0.04	10.03	10.03		7.00				
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50		7.86				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
$\vdash$	DN, CDP				BAPTC		51.01	51.01	18.50	18.50		7.86				ļ
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DARTE		F4 0.1	E4 0.	40.50	40 =0		7.00				
$\vdash$	DN, Feature Code		1		BAPTF	0.0549207	51.01	51.01	18.50	18.50		7.86			1	<del>                                     </del>
	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0549207								-		1
	Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1		+	0.0000432									<u> </u>	<b>†</b>
	Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					5.57										1
	Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08		7.86				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service								ĺ							
	Subscription			CAM	BAPLS	3.26	9.56	9.56				7.86				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			L	L				Π							
<b></b>	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08		7.86			ļ	ļ
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	DADEO	244	0.50	0.50				7.00				
ENHANCES	Service Subscription EXTENDED LINK (EELs)		_	CAM	BAPES	0.11	9.56	9.56				7.86			ļ.	1
	: New EELs available in GA, TN, KY, LA, MS, & SC and density	. 7000 1	of fall	lowing MCAs, Orlan	do El · Mic	EliEt Laurda	rdalo El ·							-	-	<b> </b>
	: New EELS available in GA, TN, KY, LA, MS, & SC and density : Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem														1	1
	: In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not anniv	r.)
								ununge a	ouilei	,					upply	Ť
NOTE:	: In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordii	nariiv c	combinea network e	Herrients.tho	SWITCH AS IS Cr	iarge.)									

04/12/02 Page 133 of 352

ONBONDEL	D NETWORK ELEMENTS - Kentucky			I							Cup Carle	Cup Cada	Attachment:		Exhibit: B	In oroman's
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVA	ULALZ	17.45	123.22	00.40	39.09	7.04		7.00				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	DS1 Channelization System Per Month Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67		7.86 7.86				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			UNCVA	IDIVG	0.62	0.71	4.04				7.00				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			0.10171	02/122	12.01	120.22	00.10	00.00	7.01		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84		7.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFE	ICF TR		UNCCC		0.90	0.50	11.17	11.17		7.00				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	<u> </u>														
	Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_	1110101		05.00	405.00	00.40	50.00	7.04		7.00				
	Transport Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	TEOAX	0.13										
	Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	ULAL4	29.20	123.22	00.40	39.09	7.04		7.00				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.62	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.90	0.90	11.17	11.17		7.00				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINCDV	UDLOB	30.37	125.22	60.48	59.69	7.84		7.80			-	
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 - combination Facility			55.	. 20, 0 (	3.10										
1	Termination Per Month	l	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				İ

ARONDER	D NETWORK ELEMENTS - Kentucky			1	, ,								Attachment:		Exhibit: B	<del> </del>
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			LINODY	10100	4.00	0.74	4.04				7.00				
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		<u> </u>	ONODA	ODESO	21.55	120.22	00.40	39.09	7.04		7.00				<del> </del>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				-										1	1
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	)											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								====							
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	LINODY	LIDI 04	00.40	405.00	00.40	50.00	7.04		7.00				
_	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86			-	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	30.37	125.22	00.40	59.69	7.04		7.00				
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	120701	0.10										<del>                                     </del>
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															1
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_						====							
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		3	UNCDX	LIDL C4	20.27	405.00	CO 40	50.00	7.04		7.00				
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86			-	-
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	10100	1.02	0.71	4.04				7.00				<del></del>
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	EROFFI	CE TR													
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice			1 , ,												
	Transport - Zone 1	<u> </u>	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86			<u></u>	<u></u>
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				ļ
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1		l												
	Transport - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINICAY	11.577	0.40									1	
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility	<u> </u>	<b>!</b>	UNC1X	1L5XX	0.19									<del>                                     </del>	<del>                                     </del>
	Termination Per Month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86			I	
-	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	OINO IA	UTIFI	15.02	101.24	123.33	30.72	22.32		1.00			<del>                                     </del>	<del>                                     </del>
	Is Charge	1	1	UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	EROFFI	CE TR		2230		0.00	3.50							1	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			1 ,	1											1
L	1	<u> </u>	_1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86			<u> </u>	<u>L</u>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		1													
1	13	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	1	7.86			1	1

CHECHDE	ED NETWORK ELEMENTS - Kentucky	1		I	1	I					Cua Ord	Cua Orden	Attachment: Incremental		Exhibit: B	Incremental
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month  Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84		-		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE IN	FROFE	ICF TE		UNCCC		0.90	0.90	11.17	11.17		7.00				+
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2		UEAL2			60.48	59.69	7.84		7.86				
	2-WireVG Loop used with 2-wire VG Interoffice Transport			UNCVX		17.45	125.22									
	Combination - Zone 3 Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84		7.86				
	Mile Per Month Interoffice Transport - Dedicated - 2- Wire Voice Grade			UNCVX	1L5XX	0.01										
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42		7.86				
	Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TF	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84		7.86				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per			0.1017.	OL/IL!	00.00	120.22	00.10	00.00	7.01		7.00			İ	
	Mile Per Month Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	1L5XX	0.01										
	combination - Facility Termination per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR													
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9.25										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		1	UNC3X	1L5XX	4.09	231.30	147.09	05.45	32.07		1.00			<del> </del>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS3 combination - Facility			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39		7.86				
	Termination per per month  Nonrecurring Currently Combined Network Elements Switch -As-					900.89									1	
QTQ1	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	L FICE TE	ANSP	UNC3X	UNCCC		8.98	8.98	11.17	11.17	<del>                                     </del>	7.86			<del>                                     </del>	
3131	High Capacity Unbundled Local Loop - STS1 combination - Per	I ICE IF	ANOF	I (EEL)	+										<del> </del>	
	Mile per month			UNCSX	1L5ND	9.25					ļ					1
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.09										

ONRONDE	ED NETWORK ELEMENTS - Kentucky			Г									Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39		7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINGOV	1111000		0.00	0.00	44.47	44.47		7.00				
0.14/15	Is Charge	T (EE)		UNCSX	UNCCC		8.98	8.98	11.17	11.17		7.86				
Z-WIR	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI (EEL	,												-	-
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	ONON	OTLZX	10.44	125.22	00.40	33.03	7.04		7.00				
	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination														1	
	Transport - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		7.86				
	Channelization - Channel System DS1 to DS0 combination -				1										1	
	per month	ļ	<u> </u>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINIONIV	110404	0.04	0.74	4.04				7.00				
	combination - per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIV	U1L2X	18.44	405.00	60.48	50.00	7.04		7.86				
	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCNX	UTLZX	18.44	125.22	60.48	59.69	7.84		7.86				
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		7.86				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			ONON	OTLZX	23.00	125.22	00.40	33.03	7.04		7.00				
	Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84		7.86				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System														1	
	combintaion- per month			UNCNX	UC1CA	2.84	6.71	4.84				7.86				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86				
	First DS1 Loop in STS1 Interoffice Transport Combination -		_	LINICAV	LICLYY	444.40	240.70	444.00	C2 0C	47.07		7.00				
	Zone 2 First DS1 Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86				
	Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile		3	ONOTA	OOLXX	231.10	210.70	114.00	05.50	17.57		7.00				
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS1 combination - Facility														1	
<u> </u>	Termination	<u>L</u>	L	UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	<u> </u>	7.86			<u> </u>	<u> </u>
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30		7.86				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.80	6.71	4.84				7.86				
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1									1				_	_
	Zone 1	ļ	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		7.86			1	
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1	_	LINIOAN	LIOLAGE		6.00			.=	1	- 00				
	Zone 2	<b>!</b>	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		7.86			<b>!</b>	1
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97		7.86			1	
<del>                                     </del>	DS3 Interface Unit (DS1 COCI) combination per month	1	3	UNC1X UNC1X	UC1D1	11.80	6.71	4.84	63.96	17.97	-	7.86			<del></del>	-
H	Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<b>-</b>	CINCIA	30101	11.00	0.71	4.04				1.00			t	t
	Is Charge	1		UNCSX	UNCCC		8.98	8.98	11.17	11.17	1	7.86				
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE	RANS		2230		5.50	3.30							1	
1	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport						İ									İ
	Combination - Zone 1	<u></u>	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	<u> </u>	7.86			<u> </u>	<u> </u>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport									_						
	Combination - Zone 2	ļ	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		7.86			1	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	_	LINODY	LIDLES		,				1					
ı I	Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		7.86			-	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															

ATECOPY  RATE ELEMENTS  Uses  BCS  USOC  RATE(S)	HINDHIND! F	D NETWORK ELEMENTS - Kontucky												Attack	<u> </u>	Evhibit: D	
ATECHORY  RATE ELEMENTS  Manual Manua	ONBONDLE	D NETWORK ELEWIENTS - Kentucky	1	ı						I	1	Svo Orde-	Suc Orde-			Exhibit: B	Increment-
## CAPPED ON THE PRINCIPLE STATE OF THE PRINC																	
CATEGORY   RATE REMERTS   Marie   Rose   RCS   USOC   RATE(Q)   Well-Continued   Section   Sec																	
Beautiful   Beau	CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)				,				
	CATEGORI	NATE ELEMENTO	m	20116	500	0000		IVA.	LO(4)			per LSR	per LSR				
Non-control   Non-control																	
March   Marc														1st	Add'l	Disc 1st	Disc Add'l
Part							_ 1	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
Facility Tomoration							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Noncourting Controlled Network Enternals Sentich   Duction		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
SCRINGE   Control   Cont		Facility Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42		7.86				
A WANG EA KREW SURFALL PATENDOED LOOP WITH AL KREW INTERPORTED TRANSPORT EELS)		Nonrecurring Currently Combined Network Elements Switch -As-															
Sevent of Happe Locycle was of Happe Locycle was placed before the property of the Commission of Locycle and Commission						UNCCC		8.98	8.98	11.17	11.17		7.86				
Contribution - Zone 1	4-WIR		FFICE 1	RANS	PORT (EEL)												
Autor of Alops Long-very 64 stops Interoffice Transport   2   IACDX   UDL64   30.48   195.22   10.48   50.69   7.84   7.86   1																	
Contribution - Zou 2				1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		7.86				
Assertion   Asse																	
Combination 7-24m 3				2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		7.86				
Interface Transport - Cedeciated - 4-wire 64 Algos combination -   UNCDX				_						==							
Per Mile				3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		7.86				
Interfice Trainaport - Declarated				1	LINCDY	11 5 7 7	0.04										
Facility Termination	<del>                                     </del>		<del>                                     </del>	-	UNCDX	ILOXX	0.01							-	<del>                                     </del>		
Namescuring Currenty Combined Network Elements Switch -64-   NAMES					LINCDV	LIATOR	17.05	00.00	F2 67	EC 21	22.42		7.06				
In Charge   Approximate   Ap			<u> </u>	1	OINCDA	UTIDO	17.25	90.09	33.67	30.31	22.42	1	1.00				
Approved Net Network Elements Switch as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is charge does apply.			1		LINCDY	LINCCC		8 08	8 08	11 17	11 17		7.86				
When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As Is Charge does apply.	ADDITIONAL			1	ONODA	ONCCC		0.30	0.30	11.17	11.17		7.00				
When used as ordinarity combined network elements is Neinh Ast   Charge (one spit) and the Switch Ast   Charge (one spit) and the Swi			rng cha	raes do	not apply, but a S	witch As Is c	harge does and	ilv.									
Nonrecurring Currently Combined Network Elements Switch As Is Charge 2 weed-Wire VG   Nonrecurring Currently Combined Network Elements Switch As-Is   UNCXX   UNCCC   8.98   8.98   11.17   11.17   7.86																	
Nortrecurring Currently Combined Network Elements Switch -As-   Is Charge - 2 Waref-African Currently Combined Network Elements Switch -As-   Scharge - 100							ge										
S. Charge - 2 wired-Wrire VG   Noncouring Currently Combined Network Elements Switch - As- In Charge - 5604 Mpg   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504 Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Combined Network Elements Switch - As- In Charge - 1504   Noncouring Currently Cu				ľ		1											
S Charge - 5694 kbps   UNCDX   UNCCC   8.98   8.98   11.17   11.17   7.96					UNCVX	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - DSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - DSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - DSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - DSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - DSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Combined Network Elements Switch -As-   Is Charge - STSI   Nonrecuring Currently Switch -As-   Is Charge - STSI   Nonrecuring Currently		Nonrecurring Currently Combined Network Elements Switch -As-	-														
Scharge - DST		Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecurring Currently Combined Network Elements Switch -As- is Charge - DS3   Nonrecurring Currently Combined Network Elements Switch -As- is Charge - STS1   UNCSX   UNCCC   8.98   8.98   11.17   11.17   7.86   11.17   11.17			-														
Scharge - DS3					UNC1X	UNCCC		8.98	8.98	11.17	11.17		7.86				
Nonrecurring Currently Combined Network Elements Switch -A8-   Sunce   Sunce   Still			-														
NOTE: Local Channel - Dedicated - 2-Wire Voice Grade per month   UNCXV   ULDV2   18.57   265.78   46.96   46.79   4.98   7.66					UNC3X	UNCCC		8.98	8.98	11.17	11.17		7.86				
NOTE: Local Channel - Dedicated Transport - Inhimum billing period - Below DS3-one month, DS3 and abovedrour months   Local Channel - Dedicated - 4-Wire Voice Grade per month   LOCXV   LUDV2   18.57   265.78   46.96   46.79   4.98   7.86   Local Channel - Dedicated - 4-Wire Voice Grade per month   LOCXV   LUDV4   19.86   266.48   47.65   47.54   5.73   7.86   Local Channel - Dedicated - DS1 per month Zone 1   1 LOCAL VILDF1   40.46   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS1 per month Zone 2   2 LOCAL VILDF1   43.39   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS1 per Month Zone 3   3 LOCAL VILDF1   41.40   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS3 - Per Mile per month   LOCAL VILDF1   41.40   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS3 - Per Mile per month   LOCAL VILDF1   41.40   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS3 - Per Mile per month   LOCAL VILDF1   41.40   20.96.60   176.51   30.21   21.07   7.86   Local Channel - Dedicated - DS3 - Per Mile per month   LOCAL VILDF3   576.05   551.38   338.08   173.00   120.42   7.86   Local Channel - Dedicated - ST5-1 - Per Mile per month   LOCAL VILDF3   576.05   551.38   338.08   173.00   120.42   7.86   Local Channel - Dedicated - ST5-1 - Per Mile per month   LOCAL VILDF3   576.05   551.38   338.08   173.00   120.42   7.86   Local Channel - Dedicated - ST5-1 - Facility Termination per month   LOCAL VILDF3   576.05   551.38   338.08   173.00   120.42   7.86   Local Channel - Dedicated - ST5-1 - Facility Termination per month   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANGE SWITCHING(PORTS)   LOCAL EXCHANG			-														
Local Channel - Dedicated - 2-Wire Volice Grade per month   UNCXV   ULDV4   18.57   265.78   46.96   46.79   4.98   7.86	NOTE		l Bala	D00				8.98	8.98	11.17	11.17		7.86				
Local Channel - Dedicated - 4-Wire Voice Grade per month   UNCXV   ULDV4   19.86   266.48   47.65   47.54   5.73   7.86	NOTE		a - Belo	W D53:				005.70	40.00	40.70	4.00		7.00				
Local Channel - Dedicated - DS1 per month Zone 1																	
Local Channel - Dedicated - DS1 - Per Month Zone 2   2 UNC1X   ULDF1   43.39   209.60   176.51   30.21   21.07   7.86				1													
Local Channel - Dedicated - DS3 - Per Month Zone 3   3 UNC1X   ULDF1   164.50   209.60   176.51   30.21   21.07   7.86	<del>                                     </del>		1											1	1		
Local Channel - Dedicated - DS3 - Facility Termination per	<del>                                     </del>		<del>                                     </del>												<del> </del>		
Local Channel - Dedicated - DS3 - Facility Termination per	<del>                                     </del>		<del>                                     </del>	-				203.00	170.51	30.21	21.07		7.00		<del> </del>		
Month							5.14										
Local Channel - Dedicated - STS-1 - Per Mile per month   UNCSX   1.5NC   8.74			1		UNC3X	ULDF3	576.05	551.38	338.08	173.00	120.42		7.86		1		
Local Channel - Dedicated - STS-1 - Facility Termination per month   UNCSX   ULDFS   543.24   551.38   338.08   173.00   120.42   7.86     UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)			1					2200	222.00				50				
MOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																	
Exchange Ports   NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs   Subsequent Activity   UEPSR   UEPR   UE		month	1		UNCSX	ULDFS	543.24	551.38	338.08	173.00	120.42		7.86		1		
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCS	UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)	<u> </u>														
2-WIRE VOICE GRADE LINE PORT RATES (RES)																	
Exchange Ports - 2-Wire Analog Line Port- Res.			KY, LA	& TN, t	ne desired features	will need to I	be ordered usin	g retail USOC	3								
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	2-WIR																
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.   UEPSR   UEPRO   1.49   3.74   3.63   2.23   2.13   7.86		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13		7.86				
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.   UEPSR   UEPRO   1.49   3.74   3.63   2.23   2.13   7.86			1												1		
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.	$\vdash$	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	<u> </u>	<u> </u>	UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13		7.86				
Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.		Evolungo Porto - 2 Wiro Angles Line Port evitaria e est.			LIEDOD	LIEDDO	4 40	0.74	2.00	0.00	0.40		7.00				
dialing parity Port with Caller ID - Res.	<del></del>		ļ	1	UEPSK	UEPRU	1.49	3.74	3.63	2.23	2.13		7.86		-		
Exchange Ports - 2-Wire VG unbundled res, low usage line port   UEPSR					LIEDOD	HEDDM	1 40	274	2.62	2.22	2 42		7.00				
with Caller ID (LUM)	$\vdash$		1		ULFOR	UEPRIVI	1.49	3.74	3.03	2.23	2.13		7.80				
Subsequent Activity					LIEPSR	LIEPAD	1 /0	3 74	3 63	2 22	2 12		7 96				
FEATURES	<del>                                     </del>		<b>!</b>							2.23	2.13				<b> </b>		
	FFAT		<del>                                     </del>		0_1 OIX	30,100	0.00	0.00	0.00				7.00		<del> </del>		
		All Available Vertical Features	1	1	UEPSR	UEPVF	0.00	0.00	0.00				7.86		1		

04/12/02 Page 138 of 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
0.1.201.222											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											· ·	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									L	L_,						
						Rec	Nonrec		Nonrecurring					Rates(\$)		
2 14/15	E VOICE CRADE LINE DORT DATES (DUS)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Z-WIK	E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -										1					
	Rus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OD	OLI DL	1.40	0.74	0.00	2.20	2.10		7.00				
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13		7.86				
	Exchange Ports - 2-Wire VG unbundled KY extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13		7.86				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13		7.86				
	Subsequent Activity	<u> </u>		UEPSB	USASC	0.00	0.00	0.00				7.86			ļ	
FEATU				LIEDOD	LIEDY'E											
EVA	All Available Vertical Features	<u> </u>		UEPSB	UEPVF	0.00	0.00	0.00	<b>.</b>			7.86	ļ	-	ļ	-
EXCH	ANGE PORT RATES (DID & PBX)	<b> </b>	<b>-</b>	HEDOE	LIEDDD	4 40	20.05	40.47	45.00	0.00		7.00	1	<b>!</b>	<b> </b>	<b>!</b>
<b> </b>	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	<u> </u>		UEPSE UEPSP	UEPRD UEPPC	1.49 1.49	39.05 39.05	18.17 18.17	15.38 15.38	0.89		7.86 7.86		<del>                                     </del>		<del>                                     </del>
-	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus  2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89		7.86				
+	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89		7.86		1		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89		7.86		1		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
	Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89		7.86				
<b>-</b>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEFSF	UEPAJ	1.49	39.05	10.17	15.36	0.09		7.00				
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89		7.86				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI OI	OLI AL	1.43	39.03	10.17	13.30	0.03		7.00				
	Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89		7.86		1		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			-	1	5	22.20		13.30	2.30		1		1	İ	1
	Discount Room Calling Port	<u> </u>		UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89	<u> </u>	7.86	<u></u>	<u> </u>	<u>                                     </u>	<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89		7.86				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				7.86				
FEAT					1											
	All Available Vertical Features	ļ		UEPSP UEPSE	UEPVF	0.00	0.00	0.00				7.86		ļ		ļ
EXCH	ANGE PORT RATES (COIN)	<u> </u>			+	4 10	0 = 1	0.00	0.00	0.10		7.00	ļ	-	ļ	-
1	Exchange Ports - Coin Port	-			1	1.49	3.74	3.63	2.23	2.13		7.86		<del>                                     </del>	<b> </b>	<del>                                     </del>
	Switching Features offered with Port  Transmission/usage charges associated with POTS circuit s	witched	LICOGO	will also apply to a	irouit ewitchs	d voice and/ar	circuit cwitch	ad data transn	l	annole acces	isted with 3	wire ISDN -	orte	<del></del>	-	<del></del>
	: Transmission/usage charges associated with POTS circuit si : Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	<del> </del>
INOTE.	Exchange port - 4-wire ISDN trunk port -all available features	- uvanai	51115	ough bi ivitew		quote i 100633.	a.co for tile	paonor capabi		via t	Dona Fi	rroquest/	Duames	quest i-10	1	t
	included				UEPEX	101.60	188.36	95.15	61.92	22.67		7.86		1		1
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)				,_, _,,	.000	.00.00	20.10	052	22.57				1	İ	1
	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port	1		UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30		7.86				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86		7.86				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17		7.86				
	All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00	l .							
	Transmission/usage charges associated with POTS circuit s													L	l	ļ
NOTE:	Access to B Channel or D Channel Packet capabilities will be	e availal	ne only	tnrough BFR/New	Business Re	quest Process.	kates for the	packet capabi	lities will be de	etermined via t	ne Bona Fi	ae Request/	New Busines	s kequest Pro	cess.	

04/12/02 Page 139 of 352

IUNRUM	DLEr	NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
2.12311		Hermany				1	l					Svc Order		Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)								
OAT LOO	٠.	KATE ELEMENTO	m			0000		IVA	ΕΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+	1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)	l	1
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00	11100	Auu	COMILO	COMPAN	COMPAR	COMPAN	COMPAN	COMPAR
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67		7.86				
UNBUNDI		OCAL SWITCHING, PORT USAGE															
		ice Switching (Port Usage)															
		End Office Switching Function, Per MOU					0.0011971										
		End Office Trunk Port - Shared, Per MOU					0.0002112										
Ta	anden	Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.000194										
		Tandem Trunk Port - Shared, Per MOU					0.0002416										
C	ommo	n Transport															
	Ī	Common Transport - Per Mile, Per MOU		1			0.000003										
		Common Transport - Facilities Termination Per MOU					0.0007466										
UNBUNDI	LED P	ORT/LOOP COMBINATIONS - COST BASED RATES		1													
C	ost Ba	ased Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swit	ching or Swite	h Ports.								
Fe	eature	s shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rate s	section in the same	manner as th	ey are applied t	o the Stand-A	one Unbundle	ed Port section	of this Rate E	xhibit.					
Eı	nd Off	ice and Tandem Switching Usage and Common Transport Uporgia, Kentucky, Louisiana, MIssissippi, South Carolina and	sage rat	es in ti	he Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	rt network eler	nents except 1	or UNE Coi	n Port/Loop	Combination	ns.		
Fo	or Geo	orgia, Kentucky, Louisiana, Mississippi, South Carolina and	Tennes	see, the	e recurring UNE Por	t and Loop c	narges listed ap	ply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	pply to Not
C	urrent	ly Combined Combos for all states. In GA, KY, LA, MS, SC ar	nd TN th	nese no	onrecurring charges	are commiss	sion ordered co	st based rates	and in AL, FL	and NC these	nonrecurring	charges are	Market Rat	es and are als	so listed in th	e Market Rate	e section.
Fo	or Cur	rently Combined Combos in all other states, the nonrecurrin	g charg	es sha	Il be those identified	d in the Nonr	ecurring - Curre	ntly Combine	d sections.								
2-	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	Ī					_									
U	NE Po	rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
				2													
U	NE Lo	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3					15.52										
UI		2-Wire VG Loop/Port Combo - Zone 2			UEPRX	UEPLX	15.52										
UI		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates		3	UEPRX UEPRX	UEPLX UEPLX	15.52 31.74										
UI		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		3	-		15.52 31.74 9.64										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		1 2	UEPRX	UEPLX	15.52 31.74 9.64 14.37										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		1 2	UEPRX	UEPLX UEPLX UEPRL	15.52 31.74 9.64 14.37	21.29	15.49	2.85	2.67		7.86				
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res)		1 2	UEPRX UEPRX	UEPLX UEPLX	15.52 31.74 9.64 14.37 30.59	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	15.52 31.74 9.64 14.37 30.59										
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	15.52 31.74 9.64 14.37 30.59 1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	15.52 31.74 9.64 14.37 30.59 1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	15.52 31.74 9.64 14.37 30.59 1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
2-	Wire	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundled res, low usage line port with Caller ID (LUM)		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	15.52 31.74 9.64 14.37 30.59 1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
2-	Wire	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	Wire	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM	15.52 31.74 9.64 14.37 30.59 1.15 1.15	21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop of Line Port with Caller ID - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86				
2-	EATUI OCAL	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRM UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86				
2-	EATUI OCAL	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop of Line Port with Caller ID - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVF	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86				
FI Lu	EATUI OCAL	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRM UEPAP UEPAP	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86				
FI Lu	EATUI OCAL	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch - Vange DNAL NRCs		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVF	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu	EATUI OCAL	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outging only - res 2-Wire voice unbundled port outging only - res 2-Wire voice unbundled port outging only - res 2-Wire voice unbundled Fort outging only - res 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1 2	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		1 2	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP UEPAP UEVF	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15	21.29 21.29 21.29 21.29 0.00	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch under Summer Portability (Portability Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		1 2	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates		1 2	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	Wire V	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1 2 3 3	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
2-	EATUI OCAL ONRE	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 // Voice Grade Loop (SL1) - Zone 3 // Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) /*VI/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire Volco Dop/Port Combo - Zone 2		1 2	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI LL A	EATUI OCAL ODDITIO	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) VIVICOG Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2		1 2 3 3	UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP LINPCX USAC2 USACC	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATUU OCAL ONRE	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Fort experience of the comparity of the		1 1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP LNPCX USAC2 USAC2 USAS2	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATUU OCAL ONRE	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES 3-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES AUF AUF COMMENT OF COMMEN		1 1 2 3 3	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP UEPAC USAC2 USAC2 USAC2 USAS2	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Al	EATUU OCAL ONRE	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire VG Loop Grade Loop (SL1) - Zone 2		1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP LINPCX USAC2 USAC2 USACC USAS2	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI LL AI	EATUU OCAL DDITII	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Kentucky extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCS) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCS 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		1 1 2 3 3	UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPRO UEPAP UEPAP UEPAP USAC2 USAC2 USAS2	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				
FI Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu Lu	EATUI OCAL ONRE  WIRE PO NE Lo	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change DNAL NRCs 2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Int/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire VG Loop Grade Loop (SL1) - Zone 2		1 1 2 3 3 1 1 2 2 3 3 1 1 2 2	UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP UEPAP UEPAP LINPCX USAC2 USAC2 USACC USAS2	15.52 31.74 9.64 14.37 30.59 1.15 1.15 1.15 1.15 0.00 0.35	21.29 21.29 21.29 21.29 0.00 0.10	15.49 15.49 15.49 15.49 0.00	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86 7.86 7.86 7.86				

04/12/02 Page 140 of 352

<b>NRONDF</b>	ED NETWORK ELEMENTS - Kentucky			1							_		Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonroce		Nonrecurring	Dissennest				Rates(\$)	D130 131	DISC Add I
$\longrightarrow$	+		1			Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	2-Wire voice unbundled port with Caller + E484 ID - bus		1	UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67	CONILC	7.86	JOMAN	JONIAN	JOHAN	JONAN
	2-Wire voice unbundled port with eating 1 2-0-18 bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	21.29	15.49	2.85	2.67		7.86				
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	-		UEPBX	USAC2		0.10	0.10				7.86				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPBX	USACC		0.10	0.10				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		1	UEPBX	USAS2		0.00	0.00				7.86				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates					10.70										
	2-Wire VG Loop/Port Combo - Zone 1		1		-	10.79 15.52										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3			31.74										
LINE	Loop Rates	-	3			31.74										
ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
-	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-Wi	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67		7.86				
LOC	AL NUMBER PORTABILITY			02.110	OZ. NO	0	21120	10.10	2.00	2.0.		7.00				
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				7.86				
FEA?	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				7.86				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91				7.86				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -									·			·		1	
	Conversion - Switch with Change	1		UEPRG	USACC		8.45	1.91				7.86				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				7.86				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00				7.00			I	
0 1511	Group RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	1	1		7.86	7.86				7.86			<b>!</b>	1
		+	1	-	+										<del>                                     </del>	ļ
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	+	1	-	+	10.79			<del>                                     </del>						<del></del>	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 1	1	2	1	+	15.52									t	1
	2-Wire VG Loop/Port Combo - Zone 2	+	3		+	31.74									<del>                                     </del>	
UNF	Loop Rates	1			+	01.74			1						<b>-</b>	
U.1L	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.64									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	14.37									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67		7.86				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		7.86				
				UEPPX UEPPX UEPPX	UEPPO UEPP1 UEPLD	1.15 1.15 1.15	21.29 21.29 21.29	15.49 15.49 15.49	2.85 2.85 2.85	2.67 2.67 2.67		7.86 7.86 7.86				

04/12/02 Page 141 of 352

ONROND	LED	NETWORK ELEMENTS - Kentucky			1									Attachment:		Exhibit: B	<b></b>
ATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								<b>N</b> 1		N.	B'					DISC 1St	DISC Aud I
						-	Rec	Nonrec		Nonrecurring		COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	First 21.29	Add'I 15.49	First 2.85	Add'l 2.67	SOMEC	7.86	SUMAN	SUMAN	SOWAN	SUMAN
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67		7.86				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67		7.86				1
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I X	OLI AD	1.10	21.20	10.40	2.00	2.07		7.00				1
		Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area			OZ. I X	02.7.2	0	21120	10.10	2.00	2.01		7.00				
		Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port															
		without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	P	Administrative Calling Port		<u></u>	UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67		7.86		<u> </u>		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
		Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67		7.86				1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	<u> </u>	1									1		
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		7.86				<u> </u>
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67		7.86				
LO		NUMBER PORTABILITY															
		_ocal Number Portability (1 per port)		<u> </u>	UEPPX	LNPCP	3.15	0.00	0.00								
FE	ATUR				LIEDDY	LIED) (E	0.00	0.00	0.00				7.00				
NO		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				7.86				
NO		CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91				7.86				
-		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	UEPFA	USACZ		0.40	1.91			1	7.00				1
		Conversion - Switch with Change			UEPPX	USACC		8.45	1.91				7.86				
ΔD		NAL NRCs			ULFFX	USACC		0.43	1.51				7.00				1
122		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															+
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				7.86				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OZ. I X	00/102	0.00	0.00	0.00				7.00				
		Group						7.86	7.86				7.86				
2-V		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
		rt/Loop Combination Rates															
	2	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										ĺ
UN		op Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59										
2-V		oice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)		<u> </u>	UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67		7.86				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		1	UEPCO	UEPRA	1.15	24.20	15 40	2.05	2.67		7.00		1		
		200/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking	-	<del>                                     </del>	ULFCO	UEFKA	1.15	21.29	15.49	2.85	2.07		7.86		-	1	<del>                                     </del>
		2-vvire Coin 2-vvay with Operator Screening and 011 Blocking		1	UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67		7.86		1		
		2-Wire Coin 2-Way with Operator Screening & Blocking:			021 00	OLI KA	1.10	21.29	15.49	2.00	2.07		1.00		1	1	<del>                                     </del>
		2-Wire Com 2-Way with Operator Screening & Blocking. 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		1	UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67		7.86		1		
		2-Wire Coin Outward without Blocking and without Operator	1		02.1 00	OL. 0D	1.13	21.23	13.43	2.00	2.01	<u> </u>	7.00		<b> </b>	1	<b>†</b>
		Screening (KY, LA, MS)		1	UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67		7.86		1		
		2-Wire Coin Outward with Operator Screening and 011 Blocking	1			02.704	1.10	21.20	10.49	2.00	2.01	<u> </u>	7.00		<b> </b>	1	<b>†</b>
		GA, KY, MS)		1	UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67		7.86		1		
		2-Wire Coin Outward with Operator Screening and Blocking:				1		0									1
		011, 900/976, 1+DDD (AL, KY, LA, MS)		1	UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67		7.86		1		
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,				1 1			-								1
1		1+DDD, 011+, and Local (AL, KY, LA, MS)		1	UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67		7.86		Ì		

04/12/02 Page 142 of 352

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
UND		NETWORK ELEMENTO Romadky										Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91						7.86				
		2-Wire Coin Outward Smartline with 900/976 (all states except															1
		LA)			UEPCO	UEPCR	2.91						7.86				
		ONAL UNE COIN PORT/LOOP (RC)					ļ										
	LOCAL	UNE Coin Port/Loop Combo Usage (Flat Rate)  NUMBER PORTABILITY			UEPCO	URECU	2.57	21.29	15.49	2.85	2.67						<del></del>
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35								1		<del>                                     </del>
		CURRING CHARGES - CURRENTLY COMBINED			OLI CO	LIVI OX	0.55										<del></del>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPCO	USAC2		0.10	0.10				7.86				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	400:-	Switch with change			UEPCO	USACC		0.10	0.10				7.86				<b></b> '
	ADDITI	ONAL NRCs															<b></b>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				7.86				1
<b>-</b>	UNBUN	IDLED REMOTE CALL FORWARDING - RES			OLI OU	UUAUZ	+	0.00	0.00				1.00		<del> </del>		<del>                                     </del>
		curring					1								İ		ļ ,
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.49	3.74	3.63				7.86				
		ecurring															<b></b>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															-
LIMBLE		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	OKI (I	308)		+								-		<b>—</b>
ONBOI		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														<del></del>
		ort/Loop Combination Rates	I														<del></del>
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			21.30										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			26.08										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			41.85										
	UNE Lo	pop Rates															
	1	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1 2	UEPPX UEPPX	UECD1	12.67 17.45						7.86 7.86				<del>                                     </del>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1 UECD1	33.22						7.86				<del>                                     </del>
	UNE Po	ort Rate		3	OLITA	OLODI	33.22						7.00				<del></del>
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31		7.86		İ		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	L	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87				7.86				
		ONAL NRCs			LIEDDY	LICACA		20.05	20.05				7.00				
<b> </b>		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges			UEPPX	USAS1	1	32.25	32.25			-	7.86		-		<del>                                     </del>
<b> </b>		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			1	7.86		<b>†</b>		
	<b>1</b>	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00				7.86		1	Ì	
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00				7.86				
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00				7.86	_			
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				7.86		ļ	ļ	<del></del>
<u> </u>	LOCAL	NUMBER PORTABILITY			LIEDDY	LNDCD	2.45	0.00	0.00			1			1	<b> </b>	<del>                                     </del>
	2-WIPE	Local Number Portability (1 per port)  ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT	UEPPX	LNPCP	3.15	0.00	0.00						<del>                                     </del>		<del>                                     </del>
-		ort/Loop Combination Rates	INE SIDE	FORT			+								<del> </del>	1	<del>                                     </del>
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1										
	<u> </u>	UNE Zone 1		1	UEPPB UEPPR		25.69						<u> </u>		<u> </u>		1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						_									
	ļ	UNE Zone 2		2	UEPPB UEPPR		31.92										1
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -													1		1
-	LINE	UNE Zone 3 pop Rates		3	UEPPB UEPPR	1	50.21					-			-		<del>                                     </del>
-	ONE LO	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USI 2X	16.10						7.86				<del>                                     </del>
<b> </b>	<b> </b>	2 This issis bigital Stade Loop - SINE Zone I		+-	CLITE OLITE	JULEA	10.10					1	7.00		<b>†</b>		<b>—</b>
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	22.33						7.86		1		1
	•		•	•		•						•					

UNBUNDL	LED NETWORK ELEMENTS - Kentucky													Attachment:		Exhibit: B	ļ
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	E	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
																2.00 .00	2.007.444
		_					Rec	Nonrec		Nonrecurring					Rates(\$)		
+-	2-Wire ISDN Digital Grade Loop - UNE Zone 3		2	UEPPB	UEPPR	LICL OV	40.63	First	Add'l	First	Add'l	SOMEC	<b>SOMAN</b> 7.86	SOMAN	SOMAN	SOMAN	SOMAN
LINE	E Port Rate	+	3	UEPPB	UEPPK	USLZA	40.03						7.00				
ONL	Exchange Port - 2-Wire ISDN Line Side Port	+		UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56		7.86				
NON	NRECURRING CHARGES - CURRENTLY COMBINED			OLITE	OLITIK	OLITB	0.00	020.00	200.10	02.10	17.00		7.00				
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
1	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00				7.86				
	DITIONAL NRCs																
LOC	CAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CI	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	20 MC 2	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00							-	<u> </u>
B-CF		U,IVIS, 8	IN)	LIEDDO	UEPPR	HALICD	0.00	0.00	0.00			-				<del>                                     </del>	<del>                                     </del>
	CVS/CSD (DMS/5ESS) CVS (EWSD)	+	<b>!</b>	UEPPB UEPPB	UEPPR	U1UCD U1UCE	0.00	0.00	0.00							<del></del>	<b> </b>
	CSD CSD	+	<b>-</b>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							t	<del>                                     </del>
USF	ER TERMINAL PROFILE	+	<b>-</b>	OLI: FB	OLFFR	31001	0.00	0.00	0.00			-				t	<del>                                     </del>
- 1002	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER	RTICAL FEATURES			02	OL: III	0.0	0.00	0.00	0.00								
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTE	EROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
1	facilities termination			UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75		7.86				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00				7.86				
	/IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
UNE	E Port/Loop Combination Rates																
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD			470.00										
	Zone 1	_	1	UEPPP			170.06										
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	-		UEPPP			197.70					-				-	1
1	Zone 3		3	UEPPP			381.35										
UNF	E Loop Rates	1	3	OLITI			301.33										
- 0.1.2	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	114.10						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	297.76						7.86				
UNE	E Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	83.59	736.16	382.74	159.48	48.82		7.86				
NON	NRECURRING CHARGES - CURRENTLY COMBINED																
1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	81.70	1.37				7.86				
ADD	DITIONAL NRCs																
1	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD		DDZTE		0.54					7.00				
	Inward/two way tel nos within Std Allowance (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1	1	UEPPP		PR7TF		0.54					7.86			+	
.	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		12.71	12.71				7.86				
-+	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	+	<del>                                     </del>	JE: II		. 10, 10		14.11	12.71				7.00			t	<b>†</b>
. 1	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		25.41	25.41				7.86			1	
LOC	CAL NUMBER PORTABILITY	1		<u> </u>												1	
	Local Number Portability (1 per port)	1		UEPPP		LNPCN	1.75										
INTE	ERFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00		•						
	Inward Data	1		UEPPP		PR71E	0.00	0.00	0.00								
	v or Additional "B" Channel					<u> </u>											ļ
New	A 1 100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																
New	New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel			UEPPP		PR7BV PR7BF	0.00	15.48 15.48					7.86 7.86				

NRONDLE	D NETWORK ELEMENTS - Kentucky			1									Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•		Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage Fixed Each Including First Mile			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49		7.86			-	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.23	105.52	98.46	23.09	20.49		7.86			-	-
4-WID	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			OLFFF	ILINID	0.23										
	ort/Loop Combination Rates				+											
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		175.62									1	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		359.28			i i							
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10						7.86				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76						7.86				
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98		7.86				
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							40.00								
	- Switch-as-is			UEPDC	USAC4		92.84	46.70				7.86				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		92.84	46.70				7.00				
	- Conversion with DS1 Changes 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			UEPDC	USAWA		92.84	46.70				7.86				
	- Conversion with Change - Trunk			UEPDC	USAWB		92.84	46.70				7.86				
ADDIT	IONAL NRCs			OLFDC	USAVID		32.04	40.70				7.00				
ADDII	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+											
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent														1	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09				7.86				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09				7.86				
BIPOL	AR 8 ZERO SUBSTITUTION			LIEBBO	22225		2.22									
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				7.86				
Alterna	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				7.86			-	
Aitern	ate Mark Inversion AMI -Superframe Format		-	UEPDC	MCOSF	-	0.00	0.00	<del> </del>						<del></del>	+
-+	AMI - Extended SuperFrame Format	-		UEPDC	MCOSF		0.00	0.00							+	<del>                                     </del>
Teleni	none Number/Trunk Group Establisment Charges			OLFDC	IVICOFO		0.00	0.00								
reiebi	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00	<b> </b>			7.86			t	
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	0.00	0.00				7.86			<b>†</b>	1
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00				7.86			1	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00	İ			7.86				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00	i i			7.86				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				7.86				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00		-		7.86				
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities			l					]						_	
	Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49		7.86				
															1	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		-	UEPDC	1LNOA	0.23	0.00	0.00							1	<u> </u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
-+	Interoffice Channel Mileage - Additional rate per mile - 9-25			OLFDO	ILINUZ	0.00	0.00	0.00								<del>                                     </del>
1	miles	l	1	UEPDC	1LNOB	0.45	0.00	0.00							1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00								
4-WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			+						1					
	ystem can have up to 24 combinations of rates depending on			har of parts used	+						1					
		type a	iu nun	Dei oi ports useu												
UNE DS	S1 Loop	<b>-</b>	-	LIEDMC	LICI DO	00.47	0.00	0.00			<b>!</b>	-				-
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG UEPMG	USLDC	86.47	0.00	0.00			<del>                                     </del>	<b> </b>			<del>                                     </del>	
	4-Wire DS1 Loop - UNE Zone 2		2		USLDC	114.10	0.00	0.00			1					
I I I I	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00			<b></b>	ļ			ļ	
	SO Channelization Capacities (D4 Channel Bank Configuration	15)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	111.16	0.00	0.00			<b></b>	7.86				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00			<u> </u>	7.86				ļ
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00				7.86				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	666.96	0.00	0.00				7.86				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	889.28	0.00	0.00				7.86				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,111.60	0.00	0.00				7.86				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,333.92	0.00	0.00				7.86				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56	0.00	0.00				7.86				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,223.20	0.00	0.00				7.86				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84	0.00	0.00				7.86				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.112.48	0.00	0.00				7.86				
Non-Re	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	eliztio	n with Port - Conve	rsion Charge	Based on a Sv	stem									
	num System configuration is One (1) DS1, One (1) D4 Channel															
	es of this configuration functioning as one are considered Ad															
	NRC - Conversion (Currently Combined) with or without			ļ	T											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24				7.86				
System	Additions at End User Locations Where 4-Wire DS1 Loop wit	h Char	nelizat									7.00				
	ot Currently Combined) In GA, KY, LA, MS & TN Only		1													
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc				+											
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77		7.86				
Rinolar	*8 Zero Substitution			OLI MO	VOIVID	0.00	7 10.00	400.00	140.00	17.77		7.00				
Біроіаі	Clear Channel Capability Format, superframe - Subsequent				+											
	Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				7.86				
-	Clear Channel Capability Format - Extended Superframe -			ULFING	CCOSI	0.00	0.00	730.00			1	7.00				
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				7.86				
Altown	te Mark Inversion (AMI)	<b>-</b>		OLFIVIO	OUCEF	0.00	0.00	130.00			<b> </b>	1.00		-	<b> </b>	<del>                                     </del>
	Superframe Format	<b>-</b>	<del>                                     </del>	UEPMG	MCOSF	0.00	0.00	0.00			<b> </b>	-				-
			<del>                                     </del>								<b>-</b>	-				<b> </b>
Firelesis	Extended Superframe Format		Dor*	UEPMG	МСОРО	0.00	0.00	0.00			ļ	ļ		-	1	<b></b>
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	חכ with	ron		+						<b>!</b>	ļ		1		
⊨xchan	ge Ports				4						<b></b>	ļ			ļ	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00	ļ	7.86				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00	<u> </u>	7.86				ļ
		l			l==										Ì	
	Line Side Inward Only Channelized PBX Trunk Port without DID		<u> </u>	UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00	ļ	7.86			ļ	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00	ļ	7.86				
Feature	Activations - Unbundled Loop Concentration				1											
	Feature (Service) Activation for each Line Side Port Terminated	l	1		1	]						1			Ì	1
	in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15	L	7.86		<u> </u>		
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank	<u></u>		UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54	<u> </u>	7.86		<u></u>	L	
Telepho	one Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				7.86				
				LIEDDY	ND4	0.00	0.00	0.00	1			7.86				
	DID Numbers - groups of 20 - Valid all States Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND5	0.00	0.00	0.00				7.86				

04/12/02 Page 146 of 352

	INDI F	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
OND	ONDEL						l				T	Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre		Monroourring	Disconnect			000	Rates(\$)		
-	-						Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	FIISL	Add I	SOMEC	7.86	SUMAN	SOWAN	SOWAN	SOWAN
		Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00				7.86				
	Local N	Number Portability			02.17		0.00	0.00	0.00				7.00				
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		JRES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
		Rates shall apply where BellSouth is not required to provide	unbun	dled loc	cal switching or swit	ch ports per	FCC and/or St	ate Commission	n rules.								
		scenarios include:			. Flaniska and Namb	Canalina											
-		oundled port/loop combinations that are Not Currently Combinorum profiles port/loop combinations that are Currently Combined					n O MCAC in D	IICauth'a ragi	an for and use	rowith 4 or me	ero DCO oguise	lont lines					
		pp 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											۵)				
		uth currently is developing the billing capability to mechanica												NC. In the ir	nterim where	BellSouth can	not bill
		Rates, BellSouth shall bill the rates in the Cost-Based section									,		,				
		arket Rate for unbundled ports includes all available features															
	End Of	ffice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of the	s rate exhib	it shall apply to	all combination	ons of loop/po	rt network elei	ments except	or UNE Coi	n Port/Loop	Combination	ns which have	a flat rate us	age charge
		: URECU).	Ū								·		•				
	For No	t Currently Combined scenarios where Market Rates apply, th	e Nonre	ecurring	g charges are listed	in the First a	nd Additional	NRC columns	for each Port U	JSOC. For Cur	rently Combin	ed scenario	s, the Nonre	curring charg	ges are listed	in the NRC - 0	Currently
		ned section. Additional NRCs may apply also and are categor															
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
		mum System configuration is One (1) DS1, One (1) D4 Channe															
		les of this configuration functioning as one are considered Ac		r the m	inimum system con	iguration is	counted.										
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE: t Based Rates are applied where BellSouth is required by FCC		State C	Commission rule to	rovido Unb	undlad Lasal C	witching or Cu	ritah Darta								
		cures shall apply to the Unbundled Port/Loop Combination - C								L							
	3. Fnd	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions.		
	3. End For Ge	Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re	Usage	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	l Coin Port/Lo additional P	op Combinat ort nonrecurr	ions. ing charges a	pply to Not C	urrently
	For Ge	Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re ned Combos for all states. In GA, KY, LA, MS and TN these no	Usage ecurring	rates in g UNE F	the Port section of Port and Loop charg	this rate exh es listed app	ibit shall apply bly to Currently	to all combined an	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combine	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the round Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sha	Usage ecurring onrecur	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combine Combine 5. Mar	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the roned Combos for all states. In GA, KY, LA, MS and TN these nd ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will	Usage ecurring onrecur all be the be neg	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rong of Combos for all states. In GA, KY, LA, MS and TN these no med Combos in all other states, the nonrecurring charges shake Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	Usage ecurring onrecur all be the be neg	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shateket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	Usage ecurring onrecur all be the be neg	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the r. ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)	Usage ecurring onrecur all be the be neg	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these nc ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage ecurring onrecur all be the be neg	rates in g UNE F ring cha ose ide	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	this rate exh es listed app on ordered c curring - Cur	ibit shall apply oly to Currently ost based rates rently Combine til further notice	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	porgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these nc ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)    2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design	Usage ecurring onrecur all be the be neg	rates in g UNE f ring cha ose ide	the Port section of Port and Loop charg arges are commission ntified in the Nonrec	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these not combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage ecurring onrecur all be the be neg	rates in g UNE f ring cha ose ide	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Cas	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine iil further notice	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these nd ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage ecurring onrecur all be the be neg	rates in g UNE f ring cha ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	this rate exh es listed app on ordered c curring - Cur	ibit shall apply oly to Currently ost based rates rently Combine til further notice	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these not combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage ecurring onrecur all be the be neg	rates in g UNE f ring cha ose ide otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Cas	this rate exh es listed app on ordered c curring - Cur	ibit shall apply bly to Currently ost based rates rently Combine iil further notice	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these nd ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage ecurring onrecur all be the be neg	rates in g UNE f ring chapse ideo otiated	the Port section of  Ort and Loop charg  arges are commissic  ntified in the Nonrec  on an Individual Ca:  UEP91	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently ost based rates rently Combine till further notic	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage ecurring onrecur all be the be neg	rates in g UNE f ring chapse ideo otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently ost based rates rently Combine til further notic 10.79 15.52 31.74	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the re- ned Combos for all states. In GA, KY, LA, MS and TN these nc ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo- ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design	Usage ecurring onrecur all be the be neg	rates in g UNE f ring chapse ideo otiated	the Port section of  Ort and Loop charg  arges are commissic  ntified in the Nonrec  on an Individual Ca:  UEP91	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently ost based rates rently Combine till further notic	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage ecurring onrecur all be the be neg	rates in g UNE Fring chapter in g UNE Fring chapter in g chapter in g chapter in g in g in g in g in g in g in g in	the Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Cases UEP91  UEP91  UEP91  UEP91	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently sost based rates rently Combine iil further notic 10.79 15.52 31.74	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign	Usage ecurring onrecur all be the be neg	rates in g UNE f ring chapse ideo otiated	the Port section of Port and Loop charg arges are commission intified in the Nonrec on an Individual Ca	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently ost based rates rently Combine til further notic 10.79 15.52 31.74	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these nd ned Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage ecurring onrecur all be the be neg	rates in g UNE Fring chaose ideotiated	the Port section of Port and Loop chargarges are commission intified in the Nonrecon an Individual Case UEP91  UEP91  UEP91  UEP91  UEP91	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently sost based rates rently Combine iil further notic  10.79  15.52  31.74  13.82  18.60	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage ecurring onrecur all be the be neg	rates in g UNE Fring chapter in g UNE Fring chapter in g chapter in g chapter in g in g in g in g in g in g in g in	the Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Cases UEP91  UEP91  UEP91  UEP91	this rate exh es listed app on ordered c curring - Cur	ibit shall apply by to Currently sost based rates rently Combine iil further notic 10.79 15.52 31.74	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage ecurring onrecur all be the be neg	rates in g UNE Fring chaose ideotiated	the Port section of Port and Loop chargarges are commission tiffed in the Nonrecton an Individual Cases of the Port of the Por	this rate exh es listed app no ordered c urring - Cur se Basis, un	ibit shall apply ly to Currently ost based rates rently Combine iil further notic 10.79 15.52 31.74 13.82 18.60	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	orgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shated Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, &TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign	Usage ecurring onrecur all be the be neg	rates in g UNE ring charge in the control of the co	the Port section of Port and Loop chargarges are commission intified in the Nonrecon an Individual Cases of the Port of the Nonrecon an Individual Cases of the Port of the Nonrecon an Individual Cases of the Port of the Nonrecon an Individual Cases of the Nonrecon an Individual Cases of the Nonrecon and In	this rate exhes listed app no ordered courring - Curse Basis, un	ibit shall apply by to Currently ost based rates rently Combine iil further notice 10.79 15.52 31.74 13.82 18.60 34.37 9.64	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional Pates and are	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	rorgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage ecurring onrecur all be the be neg	g UNE Fring chaosse idea otiated	the Port section of Port and Loop chargarges are commission tiffed in the Nonrecton an Individual Cases of the Port of the Por	uecs1	ibit shall apply ly to Currently ost based rates rently Combine iil further notic 10.79 15.52 31.74 13.82 18.60	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	additional P	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges shared the combos in all other states, the nonrecurring charges shared the combos in all other states, the nonrecurring charges shared the combos of the combos	Usage ecurring onrecur all be the be neg	rates in g UNE F ring chapter in g chapter i	the Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Carena (No. 1991)  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91  UEP91	this rate exhes listed app no ordered courring - Curse Basis, un	10.79 15.52 31.74 13.82 18.60 34.37	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	7.86	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the runed Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2	Usage ecurring onrecur all be the be neg	g UNE F F G G G G G G G G G G G G G G G G G	the Port section of Port and Loop charg arges are commission tiffied in the Nonrecon an Individual Case UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS1	10.79 15.52 13.82 18.60 34.37 9.64 14.37 30.59	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	7.86 7.86 7.86	ort nonrecurr	ing charges a		
	For Ge Combin Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	Usage ecurring onrecur all be the be neg	rates in g UNE F F F F F F F F F F F F F F F F F F F	the Port section of Port and Loop chargarges are commission tiffied in the Nonrecon an Individual Case UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
	For Ge Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	Usage ecurring onrecur all be the be neg	rates in gune from the first state of the first sta	uthe Port section of Port and Loop charge arges are commission tiffied in the Nonrecon an Individual Carena and Individual Carena an	UECS1 UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
	For Ge Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges shared the transparent of the combos in all other states, the nonrecurring charges shared the transparent of the combos of the comb	Usage ecurring onrecur all be the be neg	rates in gune from the first state of the first sta	uthe Port section of Port and Loop chargers are commission tiffied in the Nonrecon an Individual Carena Individual Caren	UECS1 UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	to all combine. Combined an and in AL, FL ed sections. e.	ations of loop/ d Not Currentl , NC and SC th	port network ey Combined Consess nonrecurr	elements excepombos. The triing charges an	t for UNE C	7.86 7.86 7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
	For Ge Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	Usage ecurring onrecur all be the be neg	rates in gune from the first state of the first sta	uthe Port section of Port and Loop charge arges are commission tiffied in the Nonrecon an Individual Carena and Individual Carena an	UECS1 UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45	to all combinate to all combined and in AL, FL and sections.	ations of loop/ d Not Currentl	port network e y Combined Co	lements excepombos. The th	t for UNE C	7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		
	For Ge Combin 5. Mar UNE-P 2-Wire UNE Po	torgia, Kentucky, Louisiana, Mississippi and Tennessee, the rened Combos for all states. In GA, KY, LA, MS and TN these noned Combos in all other states, the nonrecurring charges shared the transparent of the combos in all other states, the nonrecurring charges shared the transparent of the combos of the comb	Usage ecurring onrecur all be the be neg	rates in gune from the first state of the first sta	uthe Port section of Port and Loop chargers are commission tiffied in the Nonrecon an Individual Carena Individual Caren	UECS1 UECS1 UECS2 UECS2 UECS2	10.79 15.52 31.74 13.82 18.60 34.37 9.64 14.37 30.59 12.67 17.45 33.22	to all combine. Combined an and in AL, FL ed sections. e.	ations of loop/ d Not Currentl , NC and SC th	port network ey Combined Consess nonrecurr	elements excepombos. The triing charges an	t for UNE C	7.86 7.86 7.86 7.86 7.86 7.86	ort nonrecurr	ing charges a		

04/12/02 Page 147 of 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															ĺ
	Center)2 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				l											ĺ
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				<b>.</b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPY9	4.45	24.20	45.40	0.05	0.07		7.00				ĺ
	- Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				<b>.</b>
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				ĺ
AL K	/, LA, MS, & TN Only			UEF91	UEP12	1.15	21.29	15.49	2.00	2.07		7.86				<b>-</b>
AL, K	2-Wire Voice Grade Port (Centrex )		1	UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67	<b>-</b>	7.86	1	1	1	<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67	-	7.86				<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex vith Caller ID)1		1	UEP91	UEPQH	1.15	21.29	15.49		2.67	-	7.86				<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire		<b>!</b>	OE1 31	טבו עוו	1.15	21.29	15.49	2.05	2.07		1.00	1	1	1	<del>                                     </del>
	Center)2			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	02101	JEI GIVI	1.13	21.23	13.43	2.00	2.07		7.00				<b>—</b>
	Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				ĺ
				02. 0.	02. Q2	0	21.20	.00	2.00	2.07		7.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				İ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873						7.86				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featur	res															
	All Standard Features Offered, per port			UEP91	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				7.86				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each		<u> </u>	UEP91	CENA6	10.51	92.18	15.82	52.16	5.30		7.86	1	1	<del> </del>	<del>                                     </del>
Intero	ffice Channel Mileage - 2-Wire		<u> </u>	LIEDO1	MICRO	00.44			<b> </b>	<b> </b>		7.00	1	1	<del> </del>	<del>                                     </del>
$\vdash$	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile		<del>                                     </del>	UEP91 UEP91	MIGBC MIGBM	29.11 0.01			ļ	<b> </b>	-	7.86 7.86		-	<del>                                     </del>	──
Foot	re Activations (DS0) Centrex Loops on Channelized DS1 Service		<del>                                     </del>	OFLAI	IVIIGBIVI	0.01						7.86			-	├──
	e Activations (DSU) Centrex Loops on Channelized DS1 Servic	C	<del> </del>	1	+ -				1	1		-	1	1	1	<del></del>
D4 CII	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62			<del> </del>	<del> </del>		7.86			<del> </del>	
<del>                                     </del>	1 Salars Activation on 5-4 Chamilet Bank Centrex Loop Stot		<b>!</b>	OE1 31	11 4440	0.02			1	1		7.00	1	1	1	<del>                                     </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62						7.86				1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop		<b>!</b>		1. 2.10	0.02					<u> </u>	7.00		1	<b> </b>	<del> </del>
	Slot		1	UEP91	1PQW7	0.62						7.86			1	1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1		1	0.0 <u>E</u>			Ì	1					1	
	Different Wire Center		1	UEP91	1PQWP	0.62						7.86			1	1
					1	_										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62						7.86				1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot	L	L	UEP91	1PQWQ	0.62			<u> </u>	<u> </u>	L	7.86		<u> </u>	<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62						7.86				
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed														]	1
	changes, per port		<u> </u>	UEP91	USAC2		0.102	0.102				7.86				<b></b>
	Conversion of Existing Centrex Common Block		<u> </u>	UEP91	USACN		18.95	8.32								1
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				1
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				<u> </u>

LINDLIND	I ED	NETWORK ELEMENTS Kontucky												A44b	•	Fubility D	
UNBUND	LED	NETWORK ELEMENTS - Kentucky		ı								Cur Onden		Attachment:		Exhibit: B	l
														Incremental			Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec			g Disconnect				Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27		7.86				
	N	IAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75					7.86				
UN	E-P C	ENTREX - 5ESS (Valid in All States)															
2-V	Vire V	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
UN	E Port	t/Loop Combination Rates (Non-Design)															
	2	-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		lon-Desian		1	UEP95		10.79										
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	<u> </u>													
		Non-Design		2	UEP95		15.52			1			l				
<del>                                     </del>		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	+-	02.00	+	10.02			<del>                                     </del>	<del>                                     </del>		<del> </del>		1	1	
		I-vviile vo Loop/2-vviile voice Grade Port (Certifex)Port Combo -	1	3	UEP95		31.74			I	Ì	l	1		I		
LIKI		t/Loop Combination Rates (Design)	<del>                                     </del>	3	OL: 30	+	31.74			<del> </del>	1	<del> </del>			1	1	
UN			<del>                                     </del>	<del>                                     </del>		-				<del>                                     </del>		-	-		<del>                                     </del>	-	
		!-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	LIEDOE		40.00			1					1		
$\vdash$		Design	-	1	UEP95	1	13.82			1	1	1	ļ		1	-	
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	l _						I	Ì	l	1		I		
		Design	ļ	2	UEP95		18.60			<b></b>		ļ			<b></b>		
		-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		34.37										
UN		p Rate															
	2	!-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64						7.86				
	2	!-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.37						7.86				
	2	-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	30.59						7.86				
	2	-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67						7.86				
	2	-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45						7.86				
	2	-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22						7.86				
UN	E Port	t Rate															
	States																
		-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
		-Wire Voice Grade Port (Centrex 800 termination)	1	1	UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
		t-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1	1		· · -											
		Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
-		-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 33	OLI III	1.10	21.23	10.40	2.00	2.01		7.00				
		Center)2 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
		!-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1		UEF93	UEPTIVI	1.15	21.29	15.49	2.00	2.07		7.00				
					UEP95	UEPYZ	4.45	04.00	45.40	0.05	0.07		7.86				
<b>—</b>		Ferm - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
		-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	LIEBOE	LIEDVO	الليا	04.00	45.00	0.5-	0.00	l	7.00		I		
		Basic Local Area	ļ	1	UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67	ļ	7.86		<b></b>		
		-Wire Voice Grade Port Terminated on 800 Service Term -	1	1								l			I		
		Basic Local Area	ļ	ļ	UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL,		LA, MS, SC, & TN Only	ļ	<u> </u>						<b>.</b>					<b>.</b>	<b>.</b>	
		-Wire Voice Grade Port (Centrex )	<u> </u>	<u> </u>	UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86		ļ	1	
		-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
		-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
		-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2	<u> </u>	<u> </u>	UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2	-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Т	erm	1	1	UEP95	UEPQZ	1.15	21.29	15.49	2.85	2.67	l	7.86		I		
	2	-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67	l	7.86		I		
		-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
Loc		vitching		1				0			1	İ	1		İ	1	
		Centrex Intercom Funtionality, per port	1	t	UEP95	URECS	0.8873			t		1	7.86		1	1	
1 0		Imber Portability	<del>                                     </del>	<b>t</b>		5.1200	3.0070			t	<b> </b>	<del>                                     </del>	7.00		t	1	
		ocal Number Portability (1 per port)	<del>                                     </del>	<b>t</b>	UEP95	LNPCC	0.35			t	<b> </b>	<del>                                     </del>			t	1	
For	atures		<del>                                     </del>	<b>-</b>	02.00		0.00			<b>†</b>		<b> </b>			<del> </del>		
rea		NI Standard Features Offered, per port		<del>                                     </del>	UEP95	UEPVF	0.00			t		1	7.86		<del> </del>	1	
$\vdash$		NI Select Features Offered, per port	1	1	UEP95 UEP95	UEPVS	0.00	405.66		<del></del>	-	-	7.86		<del></del>	-	
<del>                                     </del>		All Centrex Control Features Offered, per port	<del>                                     </del>	1	UEP95 UEP95	UEPVS	0.00	405.00		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	7.86		<del>                                     </del>	1	
L		ui Centrex Control Features Orierea, per port	<del>                                     </del>	1	OLFSO	UEFVC	0.00			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	7.86		<del>                                     </del>	1	
NA	RS		1	l									l				

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	ļ
				1		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Indan:									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ( - ,			per Lon	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
-							Nonrec	urring	Nonrecurring	Disconnect		lI	oss	Rates(\$)		1
-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	FIISL	Auu i	SOWIEC	7.86	JOWAN	JOWAN	SOWAN	JOWAN
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				7.86				
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09					7.86				
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	29.11						7.86				
1	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.01						7.86				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е				. •						,,,				i e
	hannel Bank Feature Activations				1							7.86			1	1
12 + 0.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62						7.86				1
	- Salara Antivation on D - Chainlet Bank Centrex Loop Slot			021 00	11 9770	0.02						7.00			t	<del> </del>
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62						7.86			I	
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			05590	IFUVVO	0.62						08.1			<del>                                     </del>	<del>                                     </del>
	Slot			UEP95	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62						7.86				
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.102	0.102				7.86				
-	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75					7.86				
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			1												
	Non-Design		1	UEP9D	<u> </u>	10.79										<u> </u>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Non-Design		2	UEP9D		15.52									I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		31.74										
UNF	Port/Loop Combination Rates (Design)		_		1										1	1
- 10.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1											1
	Design		1	UEP9D		13.82										
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL: 3D	+ +	10.02									1	<del>                                     </del>
1	Design		2	UEP9D		18.60									I	
				OFLAD	+	10.00						-			<del>                                     </del>	1
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOD		24.27									I	
	Design		3	UEP9D	+	34.37									1	1
UNE	Loop Rate			LIEBAR	1,,505										<b></b>	<b> </b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.64						7.86			<b></b>	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.37						7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.45						7.86				
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	33.22						7.86				1
UNF	Port Rate			1		30.22									1	1
	STATES			<del> </del>	+ +						<del> </del>				1	<del>                                     </del>
	O I TI LEO		1	UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonre			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDVD	4.45	04.00	45.40	0.05	0.07		7.00				l
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		7.86				l
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local				1											
	Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				1											ĺ
	Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67		7.86				l
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLF3D	OLFII	1.13	21.29	13.49	2.03	2.07		7.00				
	Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		7.86				l
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area		ļ	UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area		1	UEP9D	UEPYU	4 4-	04.00	45.40	2.85	2.67		7.86				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		<b>!</b>	UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67		7.86				<del> </del>
	Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67		7.86				İ
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local					-	-									
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local				1											İ
	Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67		7.86				İ
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI OD	OLI IVV	1.10	21.20	10.40	2.00	2.07		7.00				
	Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67		7.86				İ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			OLI 9D	OLI 10	1.13	21.23	13.43	2.03	2.07		7.00				
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67		7.86				l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67		7.86				İ
<del>                                     </del>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	OLI 3D	OLFIN	1.15	21.29	15.49	2.00	2.07		1.00				<b>—</b>
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area		<u> </u>	UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		1	UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		<b>†</b>	OLI 3D	JL1 13	1.15	21.29	15.49	2.05	2.07	<del>                                     </del>	1.00				<del>                                     </del>
	Basic Local Area		1	UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area		ļ	UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDVZ	4.45	04.00	45.40	0.05	0.07		7.00				
	Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent		<del>                                     </del>	UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				1
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
AL, KY	, LA, MS, SC, & TN Only			LIEDAD	LIEDC:		21.5-		2.5-			7.86				
<del>-  </del>	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)		<b>!</b>	UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67		7.86 7.86				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3		<del>                                     </del>	UEP9D UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67	1	7.86				<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		1	UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67		7.86				

NRONDLEI	NETWORK ELEMENTS - Kentucky												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.15	21.29	15.49		2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				
	Indication)3			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Fort (Centrex from diff Serving Wire Center)			OLI 3D	OLI QU	1.10	21.23	15.45	2.00	2.07		7.00				
	2			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67		7.86				
						0	0					50				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67		7.86				
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67		7.86				
								·								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67		7.86				
					1					_		l				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67		7.86				
	0.W/ \/ 0 1- B / 0 1- / 1// 0.W0 / 550 \/ 1// 0.W0			LIEDOD	LIEBC *		21.25									
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67		7.86				
	2 Min Vain Conda Book (Control/differ CMC /FRC M5010)2 2			LIEDOD	LIEDO7	4.45	24.00	45 40	0.05	0.07		7.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67	-	7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
	IOIII			OLF3D	ULFUL	1.10	21.29	15.49	2.65	2.07		1.00				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated in 611 Megalifik of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67		7.86				
	witching			OLI OD	OLI QZ	1.10	21.20	10.40	2.00	2.01		7.00				
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873						7.86				
	umber Portability					0.00.0										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						7.86				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						7.86				
NARS	-			•		_				•						
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				7.86				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				7.86				
	aneous Terminations								ļ							
	Trunk Side			LIEDOD	CENIDO	10.51	00.46	45.00	50.10	F.60		7.00				
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
	Digital (1.544 Megabits) DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86	-	7.86				
	DS0 Channels Activiated per Channel			UEP9D	M1HD0	0.00	15.09	11.14	60.69	3.86		7.86				
	ice Channel Mileage - 2-Wire			OLFBD	IVITIDO	0.00	15.09				1	1.80				
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	29.11			1			7.86				
-	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.01			1			7.86				
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		01.30	IVIIODIVI	0.01						7.00				
	nnel Bank Feature Activations	-			1				1		<u> </u>					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62						7.86				
+						3.32						50				
1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62						7.86				

	LED NETWORK ELEMENTS - Kentucky	_		1							Cura Cura	Cura Curt	Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.62						7.86				ļ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62						7.00				
-	Different wire Center			UEP9D	TPQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	+		OLI 3D	II QVVV	0.02						7.00				<del> </del>
	Slot			UEP9D	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62						7.86				
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.102	0.102				7.86				
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block	_		UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86			1	ļ
	New Centrex Customized Common Block	1		UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				<u> </u>
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75					7.86				
	E-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1												-	
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	_		ULFBL		10.79										
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP9E		31.74										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		2	UEP9E		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		3	UEP9E		34.37										
UNE	Loop Rate		1	UEP9E	UECS1	0.04						7.00				
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1	9.64 14.37						7.86 7.86				
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59						7.86				1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP9E	UECS2	12.67						7.86				+
	2-Wire Voice Grade Loop (SL 2) - Zone 2	+	2	UEP9E	UECS2	17.45						7.86				<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	33.22						7.86			1	
UNE	Port Rate															
AL,	FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															ĺ
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										1					
	Area	-		UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86			1	<b></b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP9E	UEPYM	4 45	21.29	15.49	2.85	2.67		7.86			1	
	Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	+	1	OEFSE	UEFYIVI	1.15	21.29	15.49	∠.ŏ5	2.07	<b> </b>	7.80			<del></del>	<del>                                     </del>
	Term - Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67	1	7.86			I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t	1	OLI OL	OLI IZ	1.13	21.29	15.49	2.00	2.07		1.00			t	<del>                                     </del>
	- Basic Local Area	``		UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86			1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1				5	220	.0.70	2.00	2.51					1	
	Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67	1	7.86				
AL,	KY, LA, MS, & TN Only							-		-						
	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		ļ	UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP9E UEP9E	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49	2.85 2.85	2.67 2.67		7.86 7.86				
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		-	UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.07		7.86				
Local	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8873					-	7.86				-
l ocal	Number Portability		_	OLI SL	OKLOS	0.0073						7.00				
Local	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35						7.86				
Featur						0.00						7.00		1	1	t
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						7.86		İ	1	1
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66					7.86				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						7.86				
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
	llaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30		7.86				
4-Wire	Digital (1.544 Megabits)		ļ	LIEBAE	1441154		10100		22.22			=				
	DS1 Circuit Terminations, each			UEP9E UEP9E	M1HD1 M1HDO	74.77 0.00	164.86 15.09	77.74	60.69	3.86		7.86				
Interes	DS0 Channel Activated Per Channel		-	UEP9E	MIHDO	0.00	15.09					7.86				
intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		1	UEP9E	MIGBC	29.11						7.86				
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP9E	MIGBM	0.01						7.86				
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		OLI OL	IVIIODIVI	0.01						7.00				
	annel Bank Feature Activations	Ī														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.62						7.86				
		l												1	1	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u> </u>	<b>_</b>	UEP9E	1PQWV	0.62						7.86	ļ	ļ	<b> </b>	-
1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	ĺ		UEP9E	1PQWQ	0.62						7.00				
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	+	UEP9E UEP9E	1PQWQ 1PQWA	0.62						7.86 7.86	-			-
Non-P	lecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>	OLIPSE	IFQVVA	0.62						7.86	1	-	-	-
NOII-R	NRC Conversion Currently Combined Switch-As-Is with allowed	<del>                                     </del>	1		+ +				<del> </del>				1	1	1	t
	changes, per port	l		UEP9E	USAC2		0.102	0.102				7.86		1	1	
1	Conversion of Existing Centrex Common Block, each	1		UEP9E	USACN		18.95	8.32				7.00		1	1	1
	New Centrex Standard Common Block		1	UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86	İ			
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75					7.86				
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	1	l	1 7							1		1	]	_
	Non-Design	ļ	1	UEP93	$\rightarrow$	10.79			ļ					ļ	ļ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l				.=						1		1	1	
1	Non-Design	<b> </b>	2	UEP93	+	15.52							ļ	ļ	<b> </b>	-
																1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		31.74										

04/12/02 Page 154 of 352

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonre	curring	Nonrecurring	ı Disconnect		l	oss	Rates(\$)		
<del>                                     </del>		<del>                                     </del>			+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						11130	Auu i	11130	Addi	JONEC	JONAN	JONAN	JOHIAN	JOHAN	JOHIAN
	Design	1	1	UEP93		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	ULF 93	+	13.02								-		<del> </del>
	Design		2	UEP93		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 95	+	10.00										
	Design		3	UEP93		34.37										
LINE L	poop Rate		3	ULF 93	+	34.37										-
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										-
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
<b></b>	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP93	UECS2	17.45			<b> </b>		1	l		<b> </b>		<u> </u>
<del>  </del>	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP93	UECS2	33.22			<del>                                     </del>		1			<del>                                     </del>		<del>                                     </del>
LINE P	ort Rate	1	Ť		02002	00.22					1	l		<b> </b>		<u> </u>
	, LA, MS, & TN only	1	1		+ +						1	l		<b> </b>		<u> </u>
AL, KI	2-Wire Voice Grade Port (Centrex ) Basic Local Area	1	1	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67	1	7.86		<b> </b>		<b>——</b>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	02.00	JE: 170	1.10	21.23	10.49	2.00	2.07		7.50		<u> </u>		<b>—</b>
	Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI 00	OLI ID	1.10	21.20	10.40	2.00	2.07		7.00				
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 95	OLI III	1.10	21.23	13.43	2.00	2.07		7.00				
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			ULF 93	OLFTIVI	1.13	21.25	13.43	2.00	2.07		7.00		-		<del></del>
	Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF 93	OLFIZ	1.13	21.25	13.49	2.00	2.07		7.00				
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEF93	UEF19	1.15	21.29	15.49	2.00	2.07		7.00				
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67		7.86				<del></del>
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67		7.86		-		<b></b>
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67		7.86				-
	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire			ULF 93	ULFQII	1.13	21.25	13.43	2.03	2.07		7.00				
	Center)2			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67		7.86				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLF 93	ULFQIVI	1.13	21.25	13.49	2.00	2.07		7.00				-
	Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67		7.86				
<del>-  </del>	161111	1	<del>                                     </del>	OL1 33	ULFUL	1.15	21.29	15.49	2.00	2.07		1.00		<del>                                     </del>		<del>                                     </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	l	1	UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67		7.86		I		1
	2-Wire Voice Grade Port terminated in on Megalink of equivalent	1	1	UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67	1	7.86		<del> </del>	1	<del>                                     </del>
l ocal 9	Switching	1	<del>                                     </del>	021 00	OL1 42	1.13	21.29	15.45	2.00	2.07	1	1.00		<del>                                     </del>		<del>                                     </del>
Local	Centrex Intercom Funtionality, per port	-	l	UEP93	URECS	0.8873						7.86		<b>-</b>		<b>—</b>
l ocal l	Number Portability	1	1	021 00	011200	3.0073					1	7.00		<b> </b>		<b>—</b>
Local I	Local Number Portability (1 per port)	1	1	UEP93	LNCCC	0.35			<b> </b>		1	l		<b> </b>		<b>——</b>
Feature		-	l	02.00	11000	0.00								<b>-</b>		<b>—</b>
	All Standard Features Offered, per port	1	1	UEP93	UEPVF	0.00					1	7.86		<b> </b>		<b>—</b>
	All Centrex Control Features Offered, per port	-	l	UEP93	UEPVC	0.00						7.86		<b>-</b>		<b>—</b>
NARS	an South Street Control i Catalog Chereu, per port	1	1	021 00	02.70	0.00					1	7.00		<b> </b>		<b>——</b>
IVAINO	Unbundled Network Access Register - Combination	1	1	UEP93	UARCX	0.00	0.00	0.00	<b> </b>		1	l		<b> </b>		<b>——</b>
<del>                                     </del>	Unbundled Network Access Register - Indial	-	l	UEP93	UAR1X	0.00	0.00	0.00						<b>-</b>		<b>—</b>
<del>                                     </del>	Unbundled Network Access Register - Outdial	1	1	UEP93	UAROX	0.00	0.00	0.00			1	l		<b> </b>		<u> </u>
Miscel	Ianeous Terminations	1	1	- "		0.00	3.30	0.50						t	1	<b></b>
	Trunk Side	1	1		+ +									t	1	<b></b>
	Trunk Side Terminations, each	l	<b>†</b>	UEP93	CEND6	10.51	92.18	15.82	52.16	5.30		7.86		1		
4-Wire	Digital (1.544 Megabits)	1	1	- "			020	.0.02	520	0.50				t	1	<b></b>
	DS1 Circuit Terminations, each	1	1	UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86		7.86		t	1	
l	DS0 Channels Activated, Per Channel	l	<b>†</b>	UEP93	M1HDO	0.00	15.09		22.00	2.00		7.86		1		
Interof	fice Channel Mileage - 2-Wire	1	t			0.00	.0.00							t		
	Interoffice Channel Facilities Termination			UEP93	MIGBC	29.11			1			7.86		1		
			+	UEP93	MIGBM	0.01			1		<del>                                     </del>	7.86		<del>                                     </del>	<b> </b>	<b>T</b>
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	IVIIGBIVI	U.U I										

04/12/02 Page 155 of 352

JNBUNDLED	NETWORK ELEMENTS - Kentucky	-					_			-			Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_ [	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Chan	nnel Bank Feature Activations															
ı	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62						7.86				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW7	0.62						7.86				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.62						7.86				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62						7.86				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.62						7.86				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62						7.86				
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102				7.86				
(	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32				7.86				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27		7.86				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27		7.86				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75			•		7.86				
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Requres Interoffice Channel Mileage															
	Requires Specific Customer Premises Equipment															
NOTE: I	Rates displaying an "R" in Interim column are interim and su	bject to	rate ti	rue-up as set forth in	n General Ter	ms and Conditi	ons.	·								1

UNRI	NDI F	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	Nonrecurring	g Disconnect		•		Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPER#		L SUPPORT SYSTEMS			it markens the state					h 4h a C4a4a Ca		la a alaataa					
		(1) Electronic Service Order: CLEC should contact its contract is the BellSouth regional electronic service ordering charge.															is rate
		(2) Any element that can be ordered electronically will be bill															lly For
		elements that cannot be ordered electronically at present per t															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				e iii tiiis cate	gory renects th	e charge that	would be billed	a to a CLLC on	ice electronic (	ordering cap	Jabilities CO	ine on-ine io	i tilat elelileli	t. Otherwise,	tile manuai
	0.00	Electronic OSS Charge, per LSR, submitted via BST's OSS		1													
		interactive interfaces (Regional)				SOMEC		3.50									
UNBUN		EXCHANGE ACCESS LOOP															
	2-WIR	E ANALOG VOICE GRADE LOOP				ļ					L						
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87	ļ		ļ	15.20		ļ	ļ	
	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	23.33 48.43	36.54 36.54	16.87 16.87	1	<del>                                     </del>	<del>                                     </del>	15.20 15.20		-	-	-
	1	Loop Testing - Basic 1st Half Hour		3	UEANL	UEAL2 URET1	48.43	36.54	16.87 33.17		+	<b> </b>	15.20 15.20		-	-	-
	1	Loop Testing - Basic 1st Half Hour		<del> </del>	UEANL	URETA		19.28	19.28	+	<b>†</b>	<b> </b>	15.20		t	t	
		CLEC to CLEC Conversion Charge Without Outside Dispatch			0271112	OILE IX		10.20	10.20		İ		10.20		İ	İ	
		(UVL-SL1)			UEANL	UREWO		15.75	8.93				15.20				
		Engineering Information Document (EI)			UEANL			13.04	13.04								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1							.= =0								
	O WID	(per LSR) E Unbundled COPPER LOOP			UEANL	OCOSL		17.56	17.56								
	Z-WIR	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	-	1	UEQ	UEQ2X	12.40	35.27	15.60				15.20				
		2 Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	14.32	35.27	15.60		1		15.20		1	1	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	16.87	35.27	15.60				15.20				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
		Engineering Information Document			UEQ			13.04	13.04								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	33.17				15.20				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28				15.20				
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42				15.20				
UNBUN	IDI FD	EXCHANGE ACCESS LOOP			OLQ	OKEWO		14.23	7.42				13.20				
		E ANALOG VOICE GRADE LOOP									İ				İ	İ	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00		15.20			1	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	23.33	30.34	16.67	0.00	0.00		13.20		1	1	
		Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		t —			25.50	33.54	.5.57	5.50	3.50		.0.20				
		Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	<u></u>	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00	ļ	15.20		1	1	
UNBUN		EXCHANGE ACCESS LOOP		<u> </u>							-				1	1	
	z-WIR	E ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del>                                     </del>		+	1		-	<del> </del>	<del>                                     </del>	<b> </b>			<del>                                     </del>	<del>                                     </del>	<del></del>
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72		1						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del>- '-</del>	02/1	J L / 1L L	17.33	102.10	05.72		<b>†</b>						
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72		1		15.20				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72				15.20				
	ļ	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL	<b> </b>	17.56		ļ		<u> </u>	1				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	14.93	102.10	65.72		1		15.20				
	ı	Battery Signaling - Zone 1	1	1 1	ULA	UEAKZ	14.93	102.10	05.72	1	1	1	15.∠0	i	l .	l	l

04/12/02 Page 157 of 352

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															i
	Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72				15.20				l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															i
	Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72				15.20				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		17.56									<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30				15.20				<del>                                     </del>
4-WIRE	ANALOG VOICE GRADE LOOP					22.21	107.10					15.00				<b></b>
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127.40	91.02				15.20				<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02				15.20				+
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02	<b></b>			15.20				<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)			UEA UEA	OCOSL UREWO		17.56 87.59	36.30	<del>                                     </del>			15.20	-	-	-	<del> </del>
2-WIDE	CLEC to CLEC Conversion Charge without outside dispatch  E ISDN DIGITAL GRADE LOOP	<b>-</b>		OLA	UKEVVU		87.59	30.30	<del>                                     </del>			15.20			-	<del>                                     </del>
Z-WIKE	2-Wire ISDN Digital Grade Loop - Zone 1	<b>-</b>	1	UDN	U1L2X	22.09	113.34	76.96	<del>                                     </del>			15.20			-	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 1  2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN	U1L2X	35.28	113.34	76.96	<del>                                     </del>			15.20	1	1	1	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 2  2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	35.28 65.18	113.34	76.96	<del>                                     </del>			15.20	1	1	1	
	Order Coordination For Specified Conversion Time (per LSR)		3	UDN	OCOSL	05.16	17.56	70.90	<del>                                     </del>			13.20				<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09				15.20				t
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	OKLVVO		31.43	44.03	<del>                                     </del>			13.20				<del></del>
2 11111	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				+											<del>                                     </del>
	1		1	UDC	UDC2X	22.09	113.34	76.96				15.20				i
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	000	ODOZX	22.00	110.04	70.00				10.20				<b> </b>
	2		2	UDC	UDC2X	35.28	113.34	76.96				15.20				i
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		_	050	OBOLX	00.20	110.01	7 0.00				10.20				<b> </b>
	3		3	UDC	UDC2X	65.18	113.34	76.96				15.20				i
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UDC	UREWO	00.10	91.49	44.09				15.20				
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36				15.20				i
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36				15.20				i
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36				15.20				i
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
	facility reservaton - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02				15.20				<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry &															i
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02	<del>                                     </del>			15.20			ļ	<b></b>
	2 Wire Unbundled ADSL Loop without manual service inquiry &								1						1	1
	facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02	<del>                                     </del>			15.20	ļ	ļ	<b> </b>	<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56	10.01	<del>                                     </del>			45.00	1	1	<del> </del>	<del>                                     </del>
0 14/155	CLEC to CLEC Conversion Charge without outside dispatch  HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TID: - :		UAL	UREWO		86.07	40.34	<del>                                     </del>			15.20	1	1	<del> </del>	
Z-WIRE	2 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LUUP		+				<del>                                     </del>							⊢——
. [	& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77	1			15.20				1
	2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHLZX	9.79	125.50	76.77				15.20				<del> </del>
	& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77				15.20				i
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFF	UTILZX	11.52	123.30	70.77	<del>                                     </del>			13.20				<b>-</b>
	& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77	1			15.20			1	1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	12.77	17.56	10.11				10.20		1	<b> </b>	
	2 Wire Unbundled HDSL Loop without manual service inquiry				30002		00		<del>                                     </del>						1	
	and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43	1			15.20				1
	2 Wire Unbundled HDSL Loop without manual service inquiry		Ė		1	22		2 10	†						1	
1	and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43	1			15.20			1	1
	2 Wire Unbundled HDSL Loop without manual service inquiry							-								
	and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43	1			15.20				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	İ	17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34				15.20				(
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	COD													

04/12/02 Page 158 of 352

ONBONDLI	ED NETWORK ELEMENTS - Louisiana			1							·		Attachment:		Exhibit: B	<del></del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry		١.	l			450.00					4= 00				İ
	and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54				15.20				-
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	16.65	153.26	104.54				15.20				İ
	4-Wire Unbundled HDSL Loop including manual service inquiry			UNL	UHL4X	10.00	155.26	104.54	-			15.20				<del></del>
	and facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54				15.20				İ
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	11.01	17.56	101.01				10.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20				15.20				
	4-Wire Unbundled HDSL Loop without manual service inquiry			l	l l							4= 00				İ
	and facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20				15.20				-
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UHL UHL	OCOSL UREWO		17.56 86.00	40.34				15.20				<del></del>
4-WIE	E DS1 DIGITAL LOOP			UNL	UKEWU		00.00	40.34	+			15.20				<del>                                     </del>
4-4411	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	85.70	245.16	152.98	+			15.20				<del></del>
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98				15.20				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	491.94	245.16	152.98				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98				15.20				
4-WIF	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121.86	85.48				15.20				ـــــــ
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL UDL	UDL19 UDL56	38.92 30.99	121.86 121.86	85.48 85.48				15.20				<b>├</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	36.78	121.86	85.48 85.48	-			15.20 15.20				<del></del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.92	121.86	85.48	+			15.20				<del></del>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	00.02	17.56	00.40	+			10.20				<del></del>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	36.78	121.86	85.48				15.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48				15.20				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67				15.20				
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service		1	UCL	UCLPB	40.00	110.10	07.40				45.00				İ
	inquiry & facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Short including manual service		1	UCL	UCLPB	12.29	116.18	67.46				15.20				<del> </del>
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46				15.20				1
	2 Wire Unbundled Copper Loop/Short including manual service		<u> </u>	002	002. 2	1 1100	1.0.10	011.10				10.20				
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46			1	15.20			1	1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Short without manual service															İ
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Short without manual service		_	UCL	UCLPW	15.75	04.00	55.12				45.00				İ
	inquiry and facility reservation - Zone 3  Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	15.75	91.92 7.92	7.92				15.20				<del></del>
+	2-Wire Unbundled Copper Loop/Long - includes manual srvc.			UCL	JULIVIU		1.92	1.92								<del>                                     </del>
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	17.21	116.18	67.46				15.20				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>		0022	17.21	110.10	57.70	1			10.20			1	
1	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	24.98	116.18	67.46				15.20				1
	2-Wire Unbundled Copper Loop/Long - includes manual svc.								i i							
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	39.57	116.18	67.46	L			15.20			<u> </u>	<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92		·						
	2-Wire Unbundled Copper Loop/Long - without manual service		1								1				]	1
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	17.21	91.92	55.12				15.20			]	1

UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGOR		Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	rrina	Nonrecurring	Dissennest			000	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service				-		FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SOWAN
	inquiry and facility reservation - Zone 2		2	UCL	UCL2W	24.98	91.92	55.12				15.20				
	2-Wire Unbundled Copper Loop/Long - without manual service			OOL	OCLZVV	24.30	31.32	33.12	+			13.20				+
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	39.57	91.92	55.12				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	00.07	7.92	7.92				10.20				+
	CLEC to CLEC Conversion Charge without outside dispatch			002	COLIVIO		7.02	7.02								+
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
4-V	-WIRE COPPER LOOP			002	OILETTO		01.02	.2				10.20				1
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96				15.20				
	4-Wire Copper Loop/Short - including manual service inquiry						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									1
	and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96				15.20				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63				15.20				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	26.17	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	28.47	139.69	90.96				15.20				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	62.93	139.69	90.96				15.20				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	<u> </u>	UCL	UCLMC		7.92	7.92								
	4-Wire Unbundled Copper Loop/Long - without manual svc.							=				4= 00				
	inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCL4O	26.17	115.43	78.63				15.20				
	4-Wire Unbundled Copper Loop/Long - without manual svc.		2		1101.40	00.47	445.40	70.00				45.00				
	inquiry and facility reservation - Zone 2			UCL	UCL4O	28.47	115.43	78.63				15.20				+
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	62.93	115.43	78.63				15.20				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	62.93	7.92	78.63				15.20				+
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLIVIC		7.92	7.92			1					+
	(UCL-Des)			UCL	UREWO		91.92	42.47				15.20				
LOOP MOI	DDIFICATION			OOL	OKEWO		31.32	72.77				13.20				+
1001 11101				UAL. UHL. UCL.												+
				UEQ. ULS. UEA.												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		0.00	0.00				15.20				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire			, , , , , , , , , , , , , , , , , , , ,												1
	greater than 18k ft			UCL, ULS	ULM2G		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00				15.20				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	pair greater than 18k ft	<u></u>	<u></u>	UCL	ULM4G		0.00	0.00				15.20				<u> </u>
				UAL, UHL, UCL,												
			1	UEQ, UEF, ULS,												
				UEA, UEANL, UDL,								1				1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,								1				1
	per unbundled loop	<u> </u>		USL	ULMBT		12.15	12.15				15.20				<b>↓</b>
SUB-LOOF		<b></b>	<b> </b>						ļ							<del></del>
10	Sub-Loop Distribution															
Su	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana				·								Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		10.99	10.99				15.20				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	١.		UEANL	USBSC		86.16	86.16				15.20				
-	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- '	<u> </u>	UEAINL	USBSC		86.16	86.16				15.20				
	Set-Up			UEANL	USBSD		27.13	27.13				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OL7 WIL	CCDCD		27.10	27.10				10.20				
	Zone 1	- 1	1	UEANL	USBN2	7.57	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	- 1	2	UEANL	USBN2	12.75	63.89	30.06				15.20				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -									-						
	Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06				15.20			ļ	
					1100140		7.00	7.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<del>- '-</del>	OLANL	USBIN4	11.70	70.75	42.32				13.20				
	Zone 2		2	UEANL	USBN4	16.84	76.75	42.92				15.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	19.27	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.91	51.48	17.65				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBMC USBR4	0.50	7.92 57.54	7.92 23.71				45.00				
-	Sub-Loop 4-vvire intrabuliding Network Cable (INC)		<u> </u>	UEANL	USBR4	6.58	57.54	23.71				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.26	63.89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	10.07	63.89	30.06				15.20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1		UEF	UCS2X	12.70	63.89	30.06				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1		UCS4X	8.03	76.75	42.92				15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	10.71	76.75	42.92				15.20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92				15.20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
Unbun	dled Sub-Loop Modification			<u></u>	CODIVIO		1.32	1.32								
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load														1	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00				15.20			1	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00				15.20				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged			l	I 7										1	
111	Tap Removal, per PR unloaded		ļ	UEF	ULM4T		224.55	4.29				15.20			ļ	
	dled Network Terminating Wire (UNTW)			UENTW	UENPP	0.3454	44.70	14.72				15.20			<del>                                     </del>	
	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)			UEINIVV	UENPP	0.3454	14.72	14.72				15.20			-	
IAGEMOI	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		42.26	27.83				15.20			1	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		62.86	48.43	1			15.20			1	
1	Network Interface Device Cross Connect - 2 W				UNDC2		5.73	5.73				15.20			Ì	
	Network Interface Device Cross Connect - 4W				UNDC4	İ	5.73	5.73				15.20			1	
SUB-LOOPS																
Sub-Lo	pop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,											1	
	Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		144.09					15.20				
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	IISBEV		10.99	10.99				15.20			1	
	I30C-UD	i e	1	0D14,00L,0DL,0DC			10.99	10.99	1		1	15.20	1	ı	I	1

ONRONDLE	D NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l I	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice								1.1.01							
	Grade - Zone 1		1	UEA	USBFA	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	30.21	89.81	54.35				15.20				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		1	UEA	USBFB	8.71	89.81	54.35				15.20				
	Grade - Zone 1 Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice		-	UEA	USBFB	0.71	09.01	54.55				15.20				-
	Grade - Zone 2		2	UEA	USBFB	13.64	89.81	54.35				15.20				
<b>-</b>	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			OLA	ООВГВ	13.04	03.01	34.33				13.20				
	Grade - Zone 3	1	3	UEA	USBFB	30.21	89.81	54.35			1	15.20				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 1		1	UEA	USBFC	8.71	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	13.64	89.81	54.35				15.20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	30.21	89.81	54.35				15.20				
-	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		-	UEA	USBFD	21.44	103.09	67.31				15.20				-
	Grade - Zone 2		2	UEA	USBFD	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLIT	OOD! D	24.00	100.00	07.01				10.20				
	Grade - Zone 3		3	UEA	USBFD	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		17.56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.44	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	24.66	103.69	67.31				15.20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		_		HODEE	40.04	400.00	07.04				45.00				
-	Grade - Zone 3		3	UEA	USBFE OCOSL	42.84	103.69	67.31				15.20				
	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UEA UDN	USBFF	15.44	17.56 102.58	66.20				15.20				-
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	44.57	102.58	66.20				15.20				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		17.56									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	15.44	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.32	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	44.57	102.58	66.20				15.20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.38	98.15	61.77				15.20				
$\vdash$	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	<u> </u>	2	USL	USBFG	167.83	98.15	61.77				15.20			ļ	
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	1	3	USL	USBFG	469.87	98.15 17.56	61.77				15.20				-
$\vdash$	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	-	1	USL	OCOSL USBFH	6.96	17.56 81.36	44.98			-	15.20			<b> </b>	
<del>                                     </del>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	<del>                                     </del>		UUL	JOBITI	0.90	01.30	44.90				13.20		-	1	
	2	1	2	UCL	USBFH	4.97	81.36	44.98			1	15.20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone				-											
	3	1	3	UCL	USBFH	3.99	81.36	44.98			1	15.20				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		17.56									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL	USBFJ	15.68	98.07	61.69				15.20				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	9.68	98.07	61.69				15.20				
$\vdash$	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	6.39	98.07	61.69				15.20				
$\vdash$	Order Coordination For Specified Conversion Time, per LSR	<b> </b>		UCL	OCOSL	20.01	17.56	04 ==				45.00			1	
$\vdash$	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL UDL	USBFN USBFN	22.61 22.87	98.15	61.77 61.77				15.20			1	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	24.25	98.15 98.15	61.77				15.20 15.20			ļ	

UNBUNI	DLED	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Pos	Nonrec	urring	Nonrecurring	Disconnect		•		Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															İ
		Zone 1		1	UDL	USBFO	22.61	98.15	61.77				15.20				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		_	UDL	USBFO	22.87	00.45	61.77				45.00				l
		Zone 2 Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		2	UDL	USBFU	22.87	98.15	61.77	-			15.20				
		Zone 3		3	UDL	USBFO	24.25	98.15	61.77				15.20				İ
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL	2 1.20	17.56	0	1			10.20				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFP	22.61	98.15	61.77				15.20				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															İ
		Zone 2		2	UDL	USBFP	22.87	98.15	61.77				15.20				<del></del>
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.25	98.15	61.77	]			15.20				
<del>                                     </del>		Order Coordination For Specified Conversion Time, per LSR		3	UDL	OCOSL	24.25	17.56	01.77	<del>                                     </del>			15.20				<del> </del>
SUB-LOO		2.22. 2.22. amanan i or oppositor domination filmo, por LOIX				2000		17.50		<del>                                     </del>					1	1	
		op Feeder			İ	1				† †							
		Sub Loop Feeder - DS3 - Per Mile Per Month	ı		UE3	1L5SL	17.00										
		Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	368.44	3,381.00	406.56				15.20				
		Sub Loop Feeder – STS-1 – Per Mile Per Month	ı		UDLSX	1L5SL	17.00										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	_		UDLSX	USBF7	395.92	3,381.00	406.56				15.20				
		Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per		<u> </u>	UDLO3	1L5SL	12.90			-							
		Month			UDLO3	USBF5	60.45										İ
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	i		UDLO3	USBF2	594.77	3,381.00	406.56				15.20				
		Sub Loop Feeder - OC-12 - Per Mile Per Month	ı		UDL12	1L5SL	15.87	-,									
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
		Month	- 1		UDL12	USBF6	683.03										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,922.00	3,381.00	406.56				15.20				
		Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	52.07										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	341.64										ĺ
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	-i-		UDL48	USBF4	1,663.00	3,566.00	406.56				15.20				<u> </u>
		Sub Loop Feeder - OC-12 Interface On OC-48	i		UDL48	USBF8	385.45	787.24	406.56				15.20				
UNBUNDL		OOP CONCENTRATION						_									
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	374.26	316.00	316.00				15.20				
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	53.40	131.67	131.67				15.20				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	412.08	316.00	316.00				15.20				
		Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card		ļ	ULC ULC	UCT3B UCTCO	89.98 5.12	131.67 61.46	131.67 44.74	<del>                                     </del>			15.20 15.20				-
		Unbundled Loop Concentration - DST Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			OLO	00100	ნ.12	01.40	44.74	<del>                                     </del>			15.20				<del> </del>
		Card)			UDN	ULCC1	8.12	10.23	10.18	]			15.20				
		Unbundled Loop Concentration - UDC Loop Interface (Brite				1											
		Card)		<u> </u>	UDC	ULCCU	8.12	10.23	10.18				15.20				
		Unbundled Loop Concentration2 Wire Voice-Loop Start or															
		Ground Start Loop Interface (POTS Card)		<u> </u>	UEA	ULCC2	2.03	10.23	10.18				15.20				
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			L.E.A.	111.005	40.0=	40.00	10.10	]			45.00				
		Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCCR	12.07	10.23	10.18	<b></b>			15.20				<del>                                     </del>
		(Specials Card)			UEA	ULCC4	7.20	10.23	10.18				15.20				1
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.19	10.23	10.18	<del>                                     </del>			15.20				
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop						. =									
		Interface			UDL	ULCC7	10.67	10.23	10.18				15.20				
T		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			l	I T							l				1
		Interface		ļ	UDL	ULCC5	10.67	10.23	10.18				15.20		ļ	ļ	
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.67	10.00	10.10	]			45.00				
UNE OTH		ROVISIONING ONLY - NO RATE			UDL	ULCCB	10.67	10.23	10.18	<del>                                     </del>			15.20				<del> </del>
5.42 51H		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX				<del>                                     </del>		<del>                                     </del>	<b> </b>				
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE										1	

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Nonred	curring	Nonrecurring	Disconnect			220	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER	PROVISIONING ONLY - NO RATE															
				l												
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
-	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDIN,UEA,UNL,ULC	UNECIN	0.00	0.00		+							
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			, , , , , , , , ,												
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -		1		00055				1							
HIGH CARAC	no rate CITY UNBUNDLED LOCAL LOOP		<u> </u>	USL	CCOEF	0.00	0.00									1
HIGH CAPAC	High Capacity Unbundled Local Loop - DS3 - Per Mile per	-	1	1	1				<del>                                     </del>							1
	month	1	1	UE3	1L5ND	10.04			1							
	High Capacity Unbundled Local Loop - DS3 - Facility	<b>1</b>		1					1						Ì	
	Termination per month			UE3	UE3PX	362.34	438.46	256.30				15.20				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility											4= 00				
LOOP MAKE	Termination per month			UDLSX	UDLS1	374.56	438.46	256.30				15.20				
LOOP WAKE	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility				O.I.I. KETT		20:20	20.20	†							
	queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	PSUMK		0.19	0.19								
	IENCY SPECTRUM TTERS-CENTRAL OFFICE BASED															
SPLI	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00	0.00	0.00		15.20				
<b>-</b>	Line Sharing Splitter, per System 30 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79	183.33	0.00	0.00	0.00		15.20				
	Line Sharing Splitter, Per System, 8 Line Capacity	T	1	ULS	ULSD8	15.59	183.33	0.00	0.00	0.00		15.20				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		83.98		0.00			15.20				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM													
	Line Sharing - per Line Activation (BST Owned Splitter)			ULS	ULSDC	0.61	17.97	10.29	0.00	0.00		15.20				
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95				15.20				
	Line Sharing - per Subsequent Activity per Line	1	1	OLO .	OLODO		15.91	1.95				13.20				
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95				15.20				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00		15.20			İ	
	Line Splitting - per line activation DLEC owned splitter	1		UEPSR UEPSB	UREOS	0.61	-	-		-						
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.642	17.97	10.29								
LINDIA S	Line Splitting - per line activation BST owned - virtual DEDICATED TRANSPORT	$\vdash$	<u> </u>	UEPSR UEPSB	UREBV	0.64	17.97	10.29								1
UNBUNDLEL	DEDICATED TRANSPORT E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	n perio	d - below DS3-ono	month DS2/	STS-1-four mo	nths		<del>                                     </del>							
	ROFFICE CHANNEL - DEDICATED TRANSPORT - IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	VIIIIII	A heur	Delow Doo=Offe		J. J- 1–1041 1110			<del>                                     </del>							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1	1					†							
	Per Mile per month	<u>L</u>	L	U1TVX	1L5XX	0.013			<u>                                      </u>		<u></u>				<u> </u>	<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month		<u> </u>	U1TVX	U1TV2	22.60	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				41 = 20:											
$\vdash$	Rev Bat Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	<b> </b>	<u> </u>	U1TVX	1L5XX	0.013									1	1
	Facility Termination per month	1	1	U1TVX	U1TR2	22.60	39.36	26.62	1			15.20				
	p domy remination per month	1		OTTVA	JIIIVZ	22.00	35.30	20.02			1	10.20			ļ	}
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	_							1							

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						1				<u></u>						
						Rec	Nonred			Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	19.81	39.36	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			U1TDX	U1TD5	15.61	39.37	26.62				15.20				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			U1TDX	U1TD6	15.61	39.37	26.62				15.20				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.2652										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			U1TD1	U1TF1	70.47	86.69	79.44				15.20				ļ
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	850.45	270.69	158.05				15.20				ļ
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	6.04										ļ
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination per month			U1TS1	U1TFS	830.19	270.69	158.05				15.20				
	AL CHANNEL - DEDICATED TRANSPORT		<u>.                                    </u>	L		_										ļ
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
	month			ULDVX	ULDR2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	19.41	187.94	32.63				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.82										
	Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	ULDF3	400 44	400.40	050.00				45.00				
	month				V	469.44	438.46	256.30				15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.82										
	Local Channel - Dedicated - STS-1 - Facility Termination per			504	ULDFS	457.00	438.46	050.00				45.00				
MULTIPLEXE	month			ULDS1	ULDFS	457.22	438.46	256.30				15.20				
MULTIPLEXE	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	105.09	88.41	60.76				15.20				
$\longrightarrow \longmapsto$			-	ועואט	IVIQI	105.09	00.41	60.76				15.20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	4.00	0.00	4.50				45.00				
$\longrightarrow \longmapsto$			-	UDL	טטוטו	1.38	6.39	4.58				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.96	6.39	4.58				45.00				
				UEA	1D1VG	0.6497	6.39	4.58				15.20 15.20				
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
$\longrightarrow \longmapsto$	DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month			UXTD3	MQ3 MQ3	201.48 201.48	172.99 172.99	91.25 91.25				15.20 15.20		-	-	<del> </del>
				UXTS1 USL	MQ3 UC1D1	201.48 11.78		91.25 4.58				15.20 15.20		-	-	<del> </del>
	DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			USL	OCIDI	11.78	6.39	4.58			1	15.20		<del>                                     </del>	1	<del> </del>
	month	1		ULDD1	UC1D1	11.78	6.39	4.58						l		
$\longrightarrow \longmapsto$	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			וטבטטו	ועוסט	11.78	0.39	4.38						-	1	<del> </del>
	per month	1		U1TD1	UC1D1	11.78	6.39	4.58						l		
DARK FIBER				וטווטו	ועוסט	11.78	0.39	4.38		1	1			1	1	<del>                                     </del>
DANK FIDER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			-	+									-	1	<del> </del>
	Thereof per month - Local Channel	1		UDF	1L5DC	52.23								l		
	NRC Dark Fiber - Local Channel			UDF	UDFC4	32.23	620.60	133.88				15.20		-	1	<del> </del>
	Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	UDFU4		0∠0.00	133.88				15.20		-	1	┼──
'			1						i	1	1			1	1	1
	Thereof per month - Interoffice Channel			UDF	1L5DF	25.28										

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect		•	oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	52.23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		620.60	133.88				15.20				
TRANSPORT (																
	al Features & Functions:															
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.51	0.43				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.77	0.78				15.20				
	8XX Access Ten Digit Screening, Per 8XX No. Established With														1	1
	POTS Translations	<u></u>	<u>L</u>	OHD	N8FTX		5.77	0.78	<u> </u>	<u></u>		15.20		<u></u>	<u></u>	<u></u>
	8XX Access Ten Digit Screening, Customized Area of Service					_										
	Per 8XX Number	<u></u>	<u>L</u>	OHD	N8FCX		2.51	1.26	<u> </u>	<u></u>		15.20		<u></u>	<u></u>	<u></u>
	8XX Access Ten Digit Screening, Multiple InterLATA CXR					_										
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68				15.20				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43				15.20				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.51					15.20				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
	query			OHD		0.0006387										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000221										
	LIDB Validation Per Query			OQU		0.0135077										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		33.33					15.20				
SIGNALING (C	CS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50					15.20				
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	15.77	34.50	34.50				15.20				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10										
	CCS7 Signaling Point Code, per Originating Point Code												-		1	1
	Establishment or Change, per STP affected			UDB	CCAPO		28.17	28.17				15.20		<u> </u>	<u> </u>	<u> </u>
	CCS7 Signaling Point Code, per Destination Point Code												-		1	1
	Establishment or Change, Per Stp Affected		1	UDB	CCAPD		28.17	28.17				15.20				
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21				15.20				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013	·									
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility													_		1
	Termination		1			22.60	39.36	26.62				15.20				
	Local Channel - Dedicated - DS1 - Zone 1					39.18	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 - Zone 2					121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1 - Zone 3					70.02	172.34	149.27				15.20				
	Interoffice Transport - Dedicated - DS1 Per Mile		1			0.2652			1	1				1		<b></b>
									1	1				1		1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		1			70.47	86.69	79.44				15.20				
CALLING NAM	IE (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.0010217										
	CNAM for Non DB Owners, Per Query		1	OQV		0.0010217			1	1				1		<b></b>
	CNAM For DB Owners - Service Establishment			OQV			22.29					15.20				
	CNAM For Non DB Owners - Service Establishment			OQV	1		22.29					15.20			1	1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge -	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For DB Owners - Service Provisioning With Point Code							71441		71441	0020					
	Establishment			OQV			962.22	711.64				15.20				
	CNAM For Non DB Owners - Service Provisioning With Point															
	Code Establishment			OQV			332.43	238.05				15.20				
LNP Query Ser																
	LNP Charge Per query			OQV		0.0008559										
	LNP Service Establishment Manual						12.16	004.40				15.20				
ODERATOR C	LNP Service Provisioning with Point Code Establishment ALL PROCESSING				-		576.33	294.43		-	1	15.20				
OPERATOR CA	Oper. Call Processing - Oper. Provided, Per Min Using BST				-					-	+	-				-
	LIDB		1			1.20				1					1	
<b>-</b>	Oper. Call Processing - Oper. Provided, Per Min Using		<b>†</b>		1	1.20				<b>†</b>	1			1	1	t
	Foreign LIDB		1			1.24				1					1	
	Oper. Call Processing - Fully Automated, per Call - Using BST										1					1
	LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using															
	Foreign LIDB					0.20										
INWARD OPER	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt					1.15										
BBANDING - O	- Per Minute PERATOR CALL PROCESSING					1.15										
BRANDING - O	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00			1	15.20				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.20				
	iding via OLNS for UNEP CLEC										1					
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.20				
	SSISTANCE SERVICES															
	TORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														
	Directory Assistance Call Completion Access Service (DACC),					0.40										
DIRECT	Per Call Attempt TORY TRANSPORT				-	0.10				-	1					
	SSISTANCE SERVICES				-					-	+	-				-
	TORY ASSISTANCE DATA BASE SERVICE (DADS)				-											
	Directory Assistance Data Base Service Charge Per Listing					0.04					1					
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	IRECTORY ASSISTANCE															
Facility	Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement		<u> </u>	AMT	CBADA		6,000.00	6,000.00	-	1				1	<b> </b>	
	Loading of Custom Branded Announcement per DRAM Card/Switch		1	AMT	CBADC		1,170.00	1,170.00		1					1	
UNEP (			<del>                                     </del>	/ Livi I	CDADC		1,170.00	1,170.00	-	<del>                                     </del>				-	-	-
UNEP	Recording of DA Custom Branded Announcement		<del>                                     </del>		+		3,000.00	3,000.00	1	<del> </del>	1	1		1	1	<del>                                     </del>
	Loading of DA Custom Branded Announcement per DRAM		1		+		5,000.00	5,000.00		<b>†</b>	-					
	Card/Switch per OCN		1				1,170.00	1,170.00		1					1	
Unbran	iding via OLNS for UNEP CLEC		<u> </u>				,	, , , , ,			1					
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00		_			_			
SELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per									1						
MDTHAL CO.	Switch		<u> </u>		USRCR		82.25	82.25				15.20				
VIRTUAL COLI			<u> </u>	AMTEC	EAE		4 770 10			<b>.</b>	1					<b>.</b>
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable		<u> </u>	AMTFS AMTFS	EAF ESPCX		1,770.40 841.54			-	<del>                                     </del>					-
			1	AMTFS	ESPUX	3.20	841.54			<del>                                     </del>	1			-	<b> </b>	<del> </del>
	Virtual Collocation - Floor Space, per sq. ft.															

CATEORY   RATE ELEMENTS   Medical Support Students   Medical Submitted   Medical Sub	IINBIINDI E	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
## CATEGORY RATE ELEMENTS   Indeed and   Case   BCS   UBOC   SATERIAN   Case	ONBONDEE		1									Svc Order					Incremental
## BCS ##																	Charge -
CATEGORY   RATE ELEMENTS   m   Zone   BCS   UBC   RATE(S)   pp   LSR   pr   LSR   pr   LSR   coder vs.   coder v																	Manual Svc
Besteronic   Bes	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)								Order vs.
Sec   None   Note   None   N			m						- ( )			per LSK	per LSK				Electronic-
																	Disc Add'l
Vision Collication - Cella Sisport Structure, par entrance   ARTES   ESPEX   18.02																DISC 1St	DISC Add I
Owner Concessor - Carbo Support Structure, per cereasce   AART'S   ESPEX   16.02							Poo	Nonrec	urring	Nonrecurring	g Disconnect			oss			
Coling   C							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DEFAULE ACTIONS   DEFAULE AC		Virtual Collocation - Cable Support Structure, per entrance															
Visual Colocation - 2-wise Cross Connects (loop)		cable				ESPSX	16.02										
Fig.   Fig.																	
Visual Colicitation - 2-wine Cross Connects (loop)																	
Winual Collocation - 2-wine Cross Connects (loop)																	
SECULIAL CLUCK   WINTER CLUCK   UNITER CLUCK   UN																	
Virtual Coliocation - 4-wire Cross Connectis (toop)		Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0296	11.94	11.46				15.20				
Virtual Coliocation - 4-wire Cross Connectis (toop)																	
Virtual Colocation - 4-Week Cross Connects (loop)																	
MATERIAL   12   12   12   13   14   15   15   15   15   15   15   15													4= 00				
Virtual Colocation - 2-Fiber Cross Connects	<b></b>	Virtual Collocation - 4-wire Cross Connects (loop)				UEAC4	0.0591	12.04	11.53				15.20				
Virtual Colocation - 2-Fiber Cross Connects			1										1		I		
Virtual Collocation - 2-Fiber Cross Connects			1	1									1		I		
Virtual Collocation - 2-Fiber Cross Connects																	
AMTES UDL12 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UT182 UDL03 UDl03 UDL03 UDl03 UDL03 UDl03 UDL03 UDl03 UDL03 UDl03 UDL03 UDl0		Vistoral Callacation - 2 Fiber Corne Connects				CNICOE	2.05	20.20	44.70				45.00				
UDLOS, UTF48, UTF78,	<b> </b>	Virtual Collocation - 2-Fiber Cross Connects				CNC2F	2.00	20.29	14.76				15.20				
Uritiz, Uritids   Uritiz   Uritids   Uritiz   Uritids																	
Virtual Collocation - 4-Fiber Cross Connects																	
Virtual Collocation - 4-Fiber Cross Connects																	
USLUC AMTES   UIR, UNTIX   UIDDI   UNCIX U		Virtual Collecation 4 Fiber Cross Connects				CNC4E	5 21	24 91	10.20				15.20				
U.R. U.TD1, U.R.U.TD1, U.TD1, U.TD1, U.TD1, U.TD1, U.SLEL, U.DD1, U.TD1, U.SLEL, U.DD1, U.TD1, U.SLEL, U.DD1, U.TD1, U.SLEL, U.DD1, U.TD1, U.SLEL, U.DD1, U.TD1, U.SLEL, U.DD1, U.SLUC, CAMTRS 1, U.SLEL, U.	h	Virtual Collocation - 4-Fiber Cross Connects				CINC4F	5.51	24.01	19.29				15.20				
UNCY, ULDDI.   UNCY, ULDDI.   UNCY, ULDDI.   UNCY, U																	
Virtual collocation - DS1 Cross Cennects																	
Virtual collocation - DS1 Cross Connects																	
USL.ULC.AMTFS.U   USL.ULD.ST.   UXTD3.UNC3X, UNCSX, UDO3, UTTS1, ULDS1, UDS3, UTD3, UNCSX, UDO3, UTTS1, ULDS1, UDS4, UDLS2, UDLS3, UDD3, UTTS1, ULDS1, UDLS4, UDLS2, UDLS3, UDL		Virtual collocation - DS1 Cross Connects				CNC1X	1 04	21 39	15 47				15.20				
E3, UTTDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, ULDS, UNCSX, ULDDS, UTSI, ULDS, ULDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDS, UNCSX, ULDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, UNCSX, ULDDS, ULDS, U		Virtual concoation De l'oross connects				ONOTA	1.04	21.00	10.47				10.20				
UxTD3, UNCD3,																	
UNCSX, ULDD3, UTS1, ULDS1, UDS1, UDS2, UTS1, UDS3, U																	
Virtual collocation - DS3 Cross Connects																	
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per linear foot   AMTFS   VE1CB   0.0024																	
Support Structure, per linear foot		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	13.21	20.28	14.76				15.20				
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per inear ft   VEICD   0.0036   VIrtual Collocation - Co-Carrier Cross Connects - Fiber Cable   AMTFS   VEICC   S34.79   VIrtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTFS   VEICC   S34.79   VIrtual Collocation - Security Escort - Pasic, per half hour   AMTFS   SPTBX   16.44   10.42   VIrtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTDX   21.41   13.45   VIrtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTDX   21.41   13.45   VIrtual collocation - Security Escort - Premium per half hour   AMTFS   SPTDX   21.41   13.45   VIrtual collocation - Security Escort - Premium per half hour   AMTFS   SPTDX   21.41   13.45   VIrtual collocation - Security Escort - Premium per half hour   AMTFS   SPTDX   21.41   13.45   VIrtual collocation - Security Escort - Premium per half hour   AMTFS   SPTDX   27.12   10.42   VIrtual collocation - Maintenance in CO - Desisic, per half hour   AMTFS   SPTDM   35.42   13.45   VIrtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTDM   35.42   13.45   VIrtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTDM   43.72   16.49   VIrtual collocation - VIrtual Collocation - 2-Wire Cross Connect, Exchange Port 2- VIrtual Collocation - 2-Wire Cross Connect, Exchange Port 2- VIrtual Collocation - VIrtual Collocation		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Cable Support Structure, per linear ft		Support Structure, per linear foot			AMTFS	VE1CB	0.0024										
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per cable   AMTFS   VE1CC   534.79		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
Support Structure, per cable   AMTES   VE1CC   534.79		Cable Support Structure, per linear ft	<u></u>		AMTFS	VE1CD	0.0036				<u> </u>			<u></u>	<u></u>	<u></u>	<u> </u>
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTFS   SPTBX   16.44   10.42								_									
Cable Support Structure, per cable			<u> </u>		AMTFS	VE1CC		534.79									
Virtual collocation - Security Escort - Basic, per half hour   AMTFS   SPTBX   16.44   10.42			1														
Virtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTOX   21.41   13.45			<u> </u>			VE1CE											
Virtual collocation - Security Escort - Premium, per half hour   AMTFS   SPTPX   26.38   16.49			ļ								ļ				1		
Virtual collocation - Maintenance in CO - Basic, per half hour  Virtual collocation - Maintenance in CO - Overtime, per half hour  Virtual collocation - Maintenance in CO - Overtime, per half hour  AMTFS SPTOM 35.42 13.45  Virtual collocation - Maintenance in CO - Premium per half hour  Virtual collocation - Maintenance in CO - Premium per half hour  AMTFS SPTOM 43.72 16.49  Virtual collocation - 2-wire Cross Connect, Exchange Port 2-  Wire Analog - Res  VE1R2 0.0296 11.94 11.46 15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-  Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Voice Grade PBX Trunk - Res  UEPSE VE1R2 0.0296 11.94 11.46 15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Voice Grade PBX Trunk - Res  UEPSE VE1R2 0.0296 11.94 11.46 15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Analog Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ļ							ļ							
Virtual collocation - Maintenance in CO - Overtime, per half hour  Virtual collocation - Maintenance in CO - Premium per half hour  Virtual collocation - Maintenance in CO - Premium per half hour  Virtual collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus  VE1R2  0.0296  11.94  11.46  15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus  VE1R2  0.0296  11.94  11.46  15.20  VERS  VE1R2  0.0296  11.94  11.46  15.20			ļ							ļ							
Virtual collocation - Maintenance in CO - Premium per half hour  VIRTUAL COLLOCATION  Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Res  VE1R2  UEPSR  VE1R2  0.0296  11.94  11.46  15.20  VE1R2  0.0296  11.94  11.46  15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res  UEPSE  VE1R2  0.0296  11.94  11.46  15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus  VE1R2  0.0296  11.94  11.46  15.20  VE1R2  0.0296  11.94  11.46  15.20  VE1R2  0.0296  11.94  11.46  15.20	<b></b>	virtual collocation - Maintenance in CO - Basic, per half hour	<u> </u>		AMIFS	CIRLX		27.12	10.42					ļ	-	ļ	ļ
Virtual collocation - Maintenance in CO - Premium per half hour  VIRTUAL COLLOCATION  Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Res  VE1R2  UEPSR  VE1R2  0.0296  11.94  11.46  15.20  VE1R2  0.0296  11.94  11.46  15.20  VIRTUAL COLLOCATION  VIRTUAL COLLOCAT		Visit and and the section of Maintenance in CO. O. ordinary and 1991	1		AMTEC	CDTCM		05.40	10.1-				1		I		
VIRTUAL COLLOCATION	<del></del>	virtual collocation - Maintenance in CO - Overtime, per half hour	1	-	AWIFS	SPIOM		35.42	13.45	1	ļ			-	<del>                                     </del>		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		Virtual collection Maintenance in CO. Browing per ball barre	1		AMTEC	CDTDM		42.70	16 10						1		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res UEPSE VE1R2 0.0296 11.94 11.46 15.20 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	VIRTUAL COL		<del>                                     </del>	<del>                                     </del>	AIVITO	OF I FIVI	<del>                                     </del>	43.72	10.49	1			<b> </b>		<del></del>		
Wire Analog - Res	VINTUAL COL		1	1		1						1			1		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res UEPSP VE1R2 0.0296 11.94 11.46 15.20  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1		LIEPSR	VF1R2	0 0206	11 04	11 16				15 20		1		
Wire Line Side PBX Trunk - Bus	<del>                                     </del>		<del> </del>	l	OLI OIL	v = 11\Z	0.0290	11.54	11.40				10.20		<b>-</b>		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res UEPSE VE1R2 0.0296 11.94 11.46 15.20 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus UEPSB VE1R2 0.0296 11.94 11.46 15.20 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1		UEPSP	VE1R2	0.0296	11 94	11 46				15 20		1		
Voice Grade PBX Trunk - Res			1				0.0200		0				.0.20		<u> </u>		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus UEPSB VE1R2 0.0296 11.94 11.46 15.20 Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1		UEPSE	VE1R2	0.0296	11.94	11.46				15.20		1		
Analog Bus			1				2.2200								İ		
Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			1		UEPSB	VE1R2	0.0296	11.94	11.46				15.20		1		
		ISDN	1		UEPSX	VE1R2	0.0296	11.94	11.46			1	15.20		1		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Vistoral Callegation 2 Miles Cases Comment. Fundament Post 2 Miles		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46				15.20				l
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			ULFIX	VLIKZ	0.0290	11.54	11.40				13.20				<b>—</b>
	ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53				15.20				l
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00		15.20				
AIN SELECTIV	E CARRIER ROUTING			LIEDID	00000		400 000 00					45.00				
	Regional Service Establishment End Office Establishment		1	UEBIB UEBIB	SRCEC SRCEO		100,209.33 164.29	164.29			1	15.20 15.20				<b>—</b>
	Query NRC, per query			UEBIB	SKCEU	0.0030293	104.29	104.29				15.20				<b>—</b>
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE		1	OLDID	+	0.0030293					1	<b> </b>				
	AIN SMS Access Service - Service Establishment, Per State,				1											
	Initial Setup			A1N	CAMSE		38.30	38.30				15.20				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60				15.20				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.60	7.60				15.20				
	AIN SMS Access Service - User Identification Codes - Per User				0.44444		00.00	00.00				45.00				ĺ
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		1	A1N	CAMAU		33.99	33.99			1	15.20				<b>—</b>
	Initial or Replacement			A1N	CAMRC		41.39	41.39				15.20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVING	0.0022	41.35	41.35				13.20				
	AIN SMS Access Service - Session, Per Minute					0.5795										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8104										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															ĺ
	Initial Setup			CAM	BAPSC		38.30	38.30				15.20				
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,175.10	4,175.10				15.20				
	DN, Term. Attempt				BAPTT		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				D/ 11 11		7.00	7.00				10.20				
	DN, Off-Hook Delay				BAPTD		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		7.60	7.60				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															l
	DN, 10-Digit PODP				BAPTO		33.47	33.47				15.20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		33.47	33.47				15.20				
+	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<del>                                     </del>		טרו וכ		33.47	33.41			<del>                                     </del>	13.20				<del>                                     </del>
	DN, Feature Code				BAPTF		33.47	33.47				15.20				1
	AIN Toolkit Service - Query Charge, Per Query					0.0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access											1				1
	Account, Per 100 Kilobytes		1		1	0.06			-		1				-	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60				15.20				1
-	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		1	OAW	DAL MO	10.90	00.1	7.00			1	15.20			1	<del>                                     </del>
	Subscription			CAM	BAPLS	2.80	8.41	8.41				15.20				1
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service				1	00	2.11									
	Subscription			CAM	BAPDS	8.20	7.60	7.60	<u></u>		<u></u>	15.20			<u></u>	<u> </u>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				_											
	Service Subscription			CAM	BAPES	0.09	8.41	8.41				15.20				
	XTENDED LINK (EELs)	L	L		1. 5. 50											<del>                                     </del>
	New EELs available in GA, TN, KY, LA, MS, & SC and density Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															<del></del>
	In all states, EEL network elements shown below also apply t							As Is Charne a	nnlies to curre	ntly combined	l facilities co	nverted to	UNFs.(Non-re	curring rates	do not anniv	<u> </u>
	In GA, TN, KY, LA, MS & SC the EEL network elements apply							io Griange a	PPINOS TO GUITE	y combined	aomitica ti		J.123,(14011-16	carring rates	ποι αρριγ	7
	. , ,,		, •				· J/									

04/12/02 Page 169 of 352

UNBUNDL	ED NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TF	ANSPORT (EEL)												
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed		_													
	Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				45.00				
-	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	per month			UNC1X	1L5XX	0.2652										
<b></b>	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESTON	0.2002			1							
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96				15.20				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26							1	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	UNCCC		5.43	F 40				45.00				
4-10/15	Is Charge RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EDOEE	ICE TE	UNC1X	UNCCC		5.43	5.43				15.20				
4-4411	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LKOFF	ICE II	I I I I I I I I I I I I I I I I I I I												
	Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		<u> </u>	CHOVA	O L / KL T	00.01	04.21	40.00				10.20				
	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice														1	
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	105.09	59.97	12.96								
	Voice Grade COCI - DS1 to DS0 Channel System combination -			110000	4041/0	0.0407	5.04	4.00								
-	per month Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	1D1VG	0.6497	5.91	4.26							-	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	UNCVA	UEAL4	30.61	94.21	45.09				15.20				
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	0.10171	02/12:	00.02	0	.0.00				10.20				
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIF	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)	)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice			LINORY	LIDLES			.=				,			1	
<del>                                     </del>	Transport Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09			1	15.20			1	1
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.00			1	
<del>                                     </del>	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	1		UNCDA	UDLOB	30.78	94.21	45.09	<del>                                     </del>			15.20			<b>-</b>	
	Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09				15.20			I	
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<b>!</b>	- 3	UNODA	UDLUU	30.92	34.∠1	45.09	<del>                                     </del>			13.20			<del>                                     </del>	
	Per Month			UNC1X	1L5XX	0.2652									1	
	Interoffice Transport - Dedicated - DS1 - combination Facility	1	<u> </u>			3.2002									1	
1 1	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20			I	

INBUNDLE	D NETWORK ELEMENTS - Louisiana			1					I		10	06	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)					Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIA	IVIQI	105.09	59.97	12.90								<b>+</b>
	month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								İ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				-
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09				15.20				ĺ
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			ONODA	ODESO	30.70	34.21	43.03				13.20				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.43	5.43				15.20				ĺ
4-WIRI	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.40	0.40				10.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				ĺ
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDX	UDL64	30.76	94.21	45.09				15.20				
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.2652										<b></b>
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				İ
	Channelization - Channel System DS1 to DS0 combination Per			UNCIA	UIIFI	70.47	143.36	103.00				15.20				
	Month			UNC1X	MQ1	105.09	59.97	12.96								ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		<u> </u>	ONODX	ODLOT	30.99	34.21	43.03				13.20				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3 OCU-DP COCI (data) - DS1 to DS0 Channel System		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				<b>—</b>
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								İ
	Nonrecurring Currently Combined Network Elements Switch -As-			0.102/1		1.00	0.01	20								
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				ļ
4-WIR	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTI	ROFFI	CE TR/	ANSPORT (EEL)												<b></b>
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				1
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		<u>'</u>	ONOTA	OOLXX	03.70	103.22	100.03				13.20				
	Transport - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				<b>—</b>
	Per Month			UNC1X	1L5XX	0.2652										ĺ
	Interoffice Transport - Dedicated - DS1 combination - Facility			55	. 20, 01	0.2002										
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				<b>!</b>
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	LINOOO		F	F 40				45.60				1
4-WIDI	Is Charge  DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTI	ROFF	CE TR	UNC1X	UNCCC		5.43	5.43				15.20				<del>                                     </del>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	LAGERI	LIK		+ -											<b>—</b>
	1	L	1	UNC1X	USLXX	85.70	169.22	100.89		<u> </u>		15.20		<u></u>	<u></u>	<u>L</u>
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
_	[2]		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				——
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	3	UNC1X	USLXX	491.94	169.22	100.89				15.20				1

ONBONDLE	D NETWORK ELEMENTS - Louisiana			I							Cup Cade	Cup Cada	Attachment:		Exhibit: B	Ingramanta
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	201.48	107.05	48.07								
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in DS3 Interoffice Transport Combination -			UNC1X	UC1D1	11.78	5.91	4.26								
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		5.43	5.43				15.20				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	FROFE	ICF TE		UNCCC		3.43	3.43				13.20				
2 ****	2-WireVG Loop used with 2-wire VG Interoffice Transport	I		CANOI ORI (LLL)												
	Combination - Zone 1 2-WireVG Loop used with 2-wire VG Interoffice Transport		1	UNCVX	UEAL2	14.93	94.21	45.09				15.20				1
	Combination - Zone 2 2-WireVG Loop used with 2-wire VG Interoffice Transport		2	UNCVX	UEAL2	25.35	94.21	45.09				15.20				<b></b>
	Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.43	5.43				15.20				
4-WID	INSTITUTE IN THE PROPERTY IN T	FROFE	ICE TE		UNCCC		5.45	5.43				15.20				<del></del>
7 1111	4-WireVG Loop used with 4-wire VG Interoffice Transport	I .		landi diti (LLL)												
	Combination - Zone 1  4-WireVG Loop used with 4-wire VG Interoffice Transport		1	UNCVX	UEAL4	30.81	94.21	45.09				15.20				
	Combination - Zone 2  4-WireVG Loop used with 4-wire VG Interoffice Transport		2	UNCVX	UEAL4	38.32	94.21	45.09				15.20				
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	60.39	94.21	45.09				15.20				ļ
	Mile Per Month			UNCVX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	19.81	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-				111000											
Des D	IS Charge IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	ETDA	Nepon	UNCVX	UNCCC		5.43	5.43				15.20				-
ע נפע	High Capacity Unbundled Local Loop - DS3 combination - Per	/⊏ IKAI	NOPUK	i (CCL)	1											<del>                                     </del>
	Mile per month High Capacity Unbundled Local Loop - DS3 combination - Pel			UNC3X	1L5ND	10.04										<del>                                     </del>
	Facility Termination per month		1	UNC3X	UE3PX	362.34	188.45	125.51								ĺ
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.04										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	850.45	296.68	121.16				15.20		_		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		5.43	5.43				15.20				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	RANSP						<u> </u>							
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.04										

UNBUNDL	ED NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Facility															l
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		5 40	5.40				45.00				
0.14/15	Is Charge	T (FF)		UNCSX	UNCCC		5.43	5.43				15.20				
2-1011	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination	KI (EEL	,													<del></del>
	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	ONONA	OTLZX	22.03	34.21	45.05				13.20				-
	Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				l
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2652										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88				15.20				
	Channelization - Channel System DS1 to DS0 combination -			l <b>.</b>	1											1
	per month			UNC1X	MQ1	105.09	59.97	12.96								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINONIX	110404	0.00	5.04	4.00								
	combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIX	U1L2X	22.00	04.04	45.09				45.00				
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09				15.20				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCIAX	UTLZX	33.20	34.21	45.09				13.20				-
	Combination - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09				15.20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		Ŭ	ONOTOR	UTLEX	00.10	04.21	40.00				10.20				
	combintaion- per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.43	5.43				15.20				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	First DS1 Loop in STS1 Interoffice Transport Combination -			LINIO4V	1101.307	404.04	400.00	400.00				45.00				
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20				<b></b>
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS1 combination - Facility			UNCOX	ILJAA	0.04										
	Termination			UNCSX	U1TFS	830.19	296.68	121.16				15.20				
	STS1 to DS1 Channel System conbination per month		<u> </u>	UNCSX	MQ3	201.48	107.05	48.07				.0.20				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1				_									1	
	Zone 1	<u> </u>	1	UNC1X	USLXX	85.70	169.22	100.89			<u> </u>	15.20				<u> </u>
	Additional DS1Loop in STS1 Interoffice Transport Combination -												_			
	Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89				15.20				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			l							1				1	1
	Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89				15.20			ļ	
	DS3 Interface Unit (DS1 COCI) combination per month		ļ	UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCSY	LINICCO		F 40	E 40			1	45.00			1	1
4-18/15	Is Charge RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	EEICE 3	ED A NO	UNCSX	UNCCC		5.43	5.43				15.20				<del>                                     </del>
4-441	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	FICE	CHANO	ONI (EEL)	1										<del> </del>	<del></del>
	Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09				15.20				1
<del>                                     </del>	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		+ '-	5.10DX	32230	50.35	37.21	43.09				10.20				
	Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09			1	15.20			1	1
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport		<u> </u>			33.10	- ····	.5.00								
	Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09				15.20				1
İ	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.013									Ì	1

04/12/02 Page 173 of 352

ONBONDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge		<u> </u>	UNCDX	UNCCC		5.43	5.43				15.20				
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE T	RANS	PORT (EEL)												
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		l .		l											
	Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09				15.20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
	Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09				15.20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	15.61	72.60	41.75				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.43	5.43				15.20				
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recur															
	used as ordinarilty combined network elements in Louisiana,	the non	-recur	ring charges apply a	and the Switc	h As Is Charge	does not.									
	ss to DCS - Customer Reconfiguration (FlexServ)															
	(SynchroNet)		<u> </u>													
Nonre	ecurring Currently Combined Network Elements "Switch As Is"		(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS1			UNC1X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.43	5.43				15.20				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1		L	UNCSX	UNCCC		5.43	5.43				15.20				
NOTE	: Local Channel - Dedicated Transport - minimum billing perior	d - Belo														
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	18.32	187.51	32.21				15.20				
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	19.41	187.94	32.63				15.20				
	Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	39.18	172.34	149.27				15.20				
	Local Channel - Dedicated -DS1 Per Month Zone 2			UNC1X	ULDF1	121.58	172.34	149.27				15.20				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	70.02	172.34	149.27				15.20				
	Local Channel - Dedicated - DS3 - Per Mile per month		<u> </u>	UNC3X	1L5NC	7.82										
	Local Channel - Dedicated - DS3 - Facility Termination per				550							4= 00				
	month			UNC3X	ULDF3	469.44	438.46	256.30				15.20				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.82						15.20				
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			UNCSX	ULDFS	457.22	438.46	256.30								
	LOCAL EXCHANGE SWITCHING(PORTS)		<u> </u>													
	ange Ports		0 711	ha daalaad footoo											-	-
	E: Although the Port Rate includes all available features in GA,	NY, LΑ δ	& IN,t	ne desired features	will need to I	oe ordered usin	g retail USOC	5							-	-
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)		<b>!</b>	LIEDOD	LIEDDI	4 = 0	0.01	0.01				45.00			1	1
—— <u> </u>	Exchange Ports - 2-Wire Analog Line Port- Res.	-	<u> </u>	UEPSR	UEPRL	1.52	2.31	2.21				15.20		-	<del>                                     </del>	<del>                                     </del>
	Fush annua Danta - O Milina Annula - Li Bost - 1th Oo-line 12 - 2		1	LIEDOD	LIEDEO	1.50	221	0.01				45.00			I	I
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		ļ	UEPSR	UEPRC	1.52	2.31	2.21				15.20		1	-	-
1	Fush anna Darta - O Wine Analan Line Dart autoria - I - Dart		1	LIEDOD	LIEDDO	4.50	0.04	0.04				45.00			I	I
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l	1	UEPSR	UEPRO	1.52	2.31	2.21				15.20				
			1													
	Exchange Ports - 2-Wire VG unbundled LA extended local			LIEDOD	UED/C							,= 00				
				UEPSR	UEPAS	1.52	2.31	2.21				15.20				

ONRONDLE	ED NETWORK ELEMENTS - Louisiana			,		1							Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.20				
FEAT					<b>-</b>											
0.14/15	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -				_											
	Bus			UEPSB	UEPBL	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Line Port with			ULFSB	OLFBL	1.32	2.31	2.21				13.20				
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21				15.20				
	unbundied port with Guiler (E404 IB Bus.			OLI OD	OLI DO	1.02	2.01	2.21				10.20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		1	UEPSB	UEPBO	1.52	2.31	2.21			1	15.20			1	
	Exchange Ports - 2-Wire VG unbundled LA extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21				15.20				
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21				15.20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area															
	Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21				15.20				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00				15.20				
FEAT	URES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
EXCH	ANGE PORT RATES (DID & PBX)			LIEDOE	LIEDDD	4.50	00.07	11.10				45.00				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE UEPSP	UEPRD	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPC	1.52 1.52	30.37 30.37	14.42 14.42				15.20 15.20				
				UEPSP	UEPPO UEPP1	1.52	30.37	14.42				15.20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port			UEPSP	UEPL2	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52	30.37	14.42				15.20				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
	Callling Port			UEPSP	UEPXK	1.52	30.37	14.42				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	l	L ¬						1	l			1	
	Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42				15.20			ļ	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		l	LIEDOD	LIED. a.							,				
	Room Calling Port	-	<b> </b>	UEPSP	UEPXM	1.52	30.37	14.42				15.20			<del> </del>	ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	UEPSP	UEPXO	1.52	30.37	14.42			1	15.20				
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	1		UEPOP	UEPXU	1.52	30.37	14.42				15.20				1
	Discount Calling Port		1	UEPSP	UEPXP	1.52	30.37	14.42			1	15.20			1	
-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42				15.20			<del> </del>	<b> </b>
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00				15.20			1	
FEAT	URES					5.50	3.30	3.30				.0.20			1	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00				15.20			İ	
EXCH	IANGE PORT RATES (COIN)					_										Ì
	Exchange Ports - Coin Port			_		1.52	2.31	2.21				15.20				
	: Transmission/usage charges associated with POTS circuit so															
	: Access to B Channel or D Channel Packet capabilities will be	availab	le onl	y through BFR/Nev	v Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fic	le Request/I	New Business	Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCH	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20				15.20			ļ	ļ
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID		1	LIEDDD	LIEDES						1	,			1	
1	capability	ı	1	UEPDD	UEPDD	68.47	196.18	92.92			1	15.20		l		

04/12/02 Page 175 of 352

UNBUN	IDLE	NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		•
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								
N	IOTE:	Transmission/usage charges associated with POTS circuit sv	witched	l usage	will also apply to ci	rcuit switch	ed voice and/or	circuit switch	ed data transn	nission by B-Ch	nannels associ	ated with 2-	wire ISDN	oorts.			
N		Access to B Channel or D Channel Packet capabilities will be	availal	ble onl							termined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles		-	UEPTX UEPSX	U1UMA	0.00 94.82	0.00	0.00				45.00				
LINDLING		Exchange Ports - 4-Wire ISDN DS1 Port  OCAL SWITCHING, PORT USAGE		<del> </del>	UEPEX	UEPEX	94.82	197.92	98.62				15.20				
		ice Switching (Port Usage)		1													
		End Office Switching Function, Per MOU		1			0.001868										
		End Office Trunk Port - Shared, Per MOU					0.00018										
T		Switching (Port Usage) (Local or Access Tandem)		1			0.00010										
		Tandem Switching Function Per MOU					0.0001067										
		Tandem Trunk Port - Shared, Per MOU					0.000222										
	ommo	n Transport															
		Common Transport - Per Mile, Per MOU					0.0000032				_						
		Common Transport - Facilities Termination Per MOU		<u> </u>			0.0003748										
		ORT/LOOP COMBINATIONS - COST BASED RATES	L		L	L.,	l			ļ				ļ	ļ		
		sed Rates are applied where BellSouth is required by FCC ar								<u> </u>		L					
	eature	s shall apply to the Unbundled Port/Loop Combination - Cos	t Basec	d Rate s	section in the same	manner as th	ney are applied	to the Stand-A	lone Unbundl	ed Port section	of this Rate E	xhibit.		0			
	nd Off	ice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T	sage rat	tes in ti	ne Port section of the	is rate exhib	t shall apply to	all combination	ons of loop/po	ort network eler	nents except	Combos T	n Port/Loop	Combination	ns. ort nonrocurri	na charace a	nnly to Not
		ly Combined Combos for all states. In GA, KY, LA, MS, SC an rently Combined Combos in all other states, the nonrecurring								and NC these	nonrecurring	cnarges are	warket Ka	ies and are als	so listea in th	e warket Kate	e section.
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	g cnarg	jes sna	ii de those identified	in the Noni	ecurring - Curr	entry Combine	a sections.					1	1		1
				1													
	INE Po	rt/Loop Combination Rates		1			12 12										
	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1		1 2			13.13										
	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
U	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1															
U	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		2	UEPRX	UEPLX	23.75										
U	INE Po	### rule		3	UEPRX	UEPLX	23.75 49.62 11.77 22.39										
L	INE Po	### rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2		3		-	23.75 49.62 11.77										
L	INE Lo	### RIVING Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)		2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	23.75 49.62 11.77 22.39 48.26										
L	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	23.75 49.62 11.77 22.39 48.26	38.85	19.08				15.20				
L	INE Po	### ##################################		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	23.75 49.62 11.77 22.39 48.26 1.36	38.85	19.08				15.20				
L	INE Po	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	23.75 49.62 11.77 22.39 48.26										
L	INE Po	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  //oice Grade Loop (SL1) - Zone 3  //oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
L	INE Po	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	23.75 49.62 11.77 22.39 48.26 1.36	38.85	19.08				15.20				
L	INE Po	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08				15.20 15.20 15.20				
L	INE Lo	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85	19.08 19.08				15.20 15.20				
L	INE Lo	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	INE Lo	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG	23.75 49.62 11.77 22.39 48.26 1.36 1.36	38.85 38.85 38.85	19.08 19.08				15.20 15.20 15.20				
	INE LO	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85	19.08 19.08 19.08				15.20 15.20 15.20				
	INE PO	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAP	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
	NE LO  -Wire \  -Wire \  OCAL	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port)		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAP	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
	NE LO  WITH A  EATUR  OCAL  IONRE	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port dutgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  **ES**  All Features Offered  NUMBER PORTABILITY  Local Number PORTABILITY  LOCAL NUMBER		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAS UEPAG UEPAF	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20				
	NE PO  Wire \  CONTROL  OCAL  ONRE	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RuL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion -		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	NE LO  WIRE VI  WITH VI  OCAL	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08				15.20 15.20 15.20 15.20 15.20					
	NE LO  Wire V  EATUR  OCAL  ONRE	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  // Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port dutgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sres, low usage line port with Caller ID (LUM)  2-Wire voice unbundled sres, low usage line port with Caller ID (LUM)  2-Wire voice Unbundled Louisiana Area Plus with Caller ID (LUM)  2-Wire Voice Unbundled Louisiana Area Plus with Caller ID (LUM)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	INE LO IN	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 //oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	-Wire \ -Wire \ OCAL	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  /oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port - residence  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundles res, low usage line port with Caller ID res  (RUL)  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  XES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	EATUI OCAL	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sres, low usage line port with Caller ID (LUM)  **EES**  All Features Offered  **NUMBER PORTABILITY**  Local Number Portability (1 per port)  **CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  **DNAL NRCs**  2-Wire Voice Grade Loop/Line Port Combination - Subsequent		2 3 1 2	UEPRX X USAC2 USACC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	INE LO IN	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  //oice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity  NACIONAL RCS		2 3 1 2	UEPRX	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36	38.85 38.85 38.85 38.85 38.85 0.00	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20					
	EATUI OCAL JONRE	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL) 2-Wire voice unbundles res, low usage line port with Caller ID (LUM) RES All Features Offered NUMBER PORTABILITY Local Number Portability (1 per port) CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is 2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		2 3 1 2	UEPRX X USAC2 USACC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	EATUI OCAL JONRE	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - valide in in in in in in in in in in in in in		1 2 3 3	UEPRX X USAC2 USACC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20					
	EATUI OCAL JONRE	rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  op Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop (SL1) - Zone 3  // Voice Grade Loop of Lougoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  RES  All Features Offered  NUMBER PORTABILITY  Local Number Portability (1 per port)  CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity  VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  rt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1 2 3	UEPRX X USAC2 USACC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 0.00 0.35	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20			20.00		
	NE LO  -Wire \( \)  COCAL  OCAL  DDITIC  -WIRE PO	rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 /oice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port - valide in in in in in in in in in in in in in		1 2 3 3	UEPRX X USAC2 USACC	23.75 49.62 11.77 22.39 48.26 1.36 1.36 1.36 1.36 0.00	38.85 38.85 38.85 38.85 0.00 0.10	19.08 19.08 19.08 19.08 19.08 0.00				15.20 15.20 15.20 15.20 15.20 15.20 15.20			20.00		

04/12/02 Page 176 of 352

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Charge -
						_	Nonrec	urring	Nonrecurring	Disconnect		ı	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.36	38.85	19.08				15.20				
	2-Wire voice Grade unbundled Louisiana extended local dialing															
	parity port with Caller ID - bus			UEPBX	UEPAX	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.36	38.85	19.08				15.20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with		1	LIEDDY	LIEDA:				]			4		1	1	
1.000	Caller ID (BUC)		<u> </u>	UEPBX	UEPAA	1.36	38.85	19.08				15.20				
LOCA	L NUMBER PORTABILITY   Local Number Portability (1 per port)		<u> </u>	LIEDBY	LNDCY	0.05			<del>                                     </del>					<b> </b>	<del> </del>	<del>                                     </del>
FEAT				UEPBX	LNPCX	0.35			-							<b></b>
FEAT	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.20				1
NOND	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	0.00	0.00	0.00				15.20				1
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				-											<b>.</b>
	Switch-as-is			UEPBX	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFBA	USACZ		0.10	0.10				13.20				
	Switch with change			UEPBX	USACC		0.10	0.10				15.20				
ADDIT	FIONAL NRCs			OLFBA	USACC		0.10	0.10				13.20				
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
	Activity			UEPBX	USAS2		0.00	0.00				15.20				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			02. 5/	00,102		0.00	0.00			1	10.20				†
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13										
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	48.26										
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.36	66.91	31.29				15.20				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.20				
FEAT					<u> </u>				ļ					ļ	ļ	ļ
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.20				
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>													<b>↓</b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBBO	110400		7.00	4.05				45.00				
	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>	UEPRG	USAC2		7.68	1.85	<del>                                     </del>			15.20		<b> </b>	<del> </del>	<del>                                     </del>
				LIEBBO	110400		7.00	4.05				45.00				
ADDIT	Conversion - Switch with Change			UEPRG	USACC		7.68	1.85	<del>                                     </del>			15.20				<del>                                     </del>
ADDII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>		+				<del>                                     </del>					-	-	<del>                                     </del>
1	Subsequent Activity		1	UEPRG	USAS2	0.00	0.00	0.00	]			15.20		1	1	
- 1	PBX Subsequent Activity - Change/Rearrange Multiline Hunt		<b>-</b>	OLI INO	00/102	0.00	0.00	0.00	<del>                                     </del>			13.20		1	1	<del></del>
	Group						7.11	7.11				15.20				
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		l		1		7.11	7.11			<u> </u>	10.20		<b> </b>	<b> </b>	<b>†</b>
	Port/Loop Combination Rates				1				†					1	1	
	2-Wire VG Loop/Port Combo - Zone 1		1		1	13.13			†					1	1	
1	2-Wire VG Loop/Port Combo - Zone 2		2		1	23.75			† †					1	1	
1	2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62			†					İ	İ	1
UNE L	Loop Rates				1				†							
1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77			†							
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	22.39			†					İ	İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	48.26										-

04/12/02 Page 177 of 352

UNBUND	DLED NETWORK ELEMENTS - Louisiana												Attachment:		Exhibit: B	
CATEGOR	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	<sup>-</sup> ES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	; <b> </b>		UEPPX	UEPPC	1.36	66.91	31.29				15.20				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36	66.91	31.29				15.20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31,29				15.20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana	+		02.17	02		00.01	01.20				10.20				
	Calling Port			UEPPX	UEPL2	1.36	66.91	31.29				15.20				
-	2-Wire Voice Unbundled PBX LD Terminal Ports	+	1	UEPPX	UEPLD	1.36	66.91	31.29				15.20				
	2-Wire Voice Unburidled PBX LD Terminal Ports  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-	1	UEPPX	UEPXA	1.36	66.91	31.29	-			15.20				
		-	1						-							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	1	UEPPX	UEPXB	1.36	66.91	31.29	-			15.20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	1	UEPPX	UEPXC	1.36	66.91	31.29				15.20			1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1	1	UEPPX	UEPXD	1.36	66.91	31.29	ļ			15.20				ļ
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1			1 1				1							1
	Capable Port	1	1	UEPPX	UEPXE	1.36	66.91	31.29				15.20				ļ
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional	1							1							1
	Calling Port		<u></u>	UEPPX	UEPXK	1.36	66.91	31.29				15.20			<u></u>	<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	+	1	OLITA	OLI XIVI	1.00	00.01	01.20				10.20				
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local	-	1	UEPFA	UEFAU	1.30	00.91	31.29	-			15.20				
				LIEDDY	LIEDVD	4.00	00.04	04.00				45.00				
	Discount Calling Port	<del>-</del>		UEPPX	UEPXP	1.36	66.91	31.29				15.20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29				15.20				
LO	OCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.20				
FE/	ATURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
NO	ONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85				15.20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85				15.20				
AD	DDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.20				
-	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	+	1	OLITA	00/102	0.00	0.00	0.00				13.20				
	Group						7.11	7.11				15.20				
2 14	WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	DT			+		7.11	7.11	+			13.20				
		I I														
UNI	IE Port/Loop Combination Rates	-				10.10										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			13.13										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			23.75										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			49.62										
UNI	IE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPCO	UEPLX	11.77										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39									<u> </u>	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26										
2-W	Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (AL, KY, LA, MS)	1	1	UEPCO	UEPRF	1.36	38.85	19.08				15.20				İ
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	. 1			1											
	900/976, 1+DDD (AL, KY, LA, MS)	1	1	UEPCO	UEPRA	1.36	38.85	19.08				15.20				l
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1	1			55.55		<del>                                     </del>			70.20				<del> </del>
	(AL, LA, MS)	1	1	UEPCO	UEPRB	1.36	38.85	19.08				15.20				l
	2-Wire Coin 2-Way with Operator Screening & Blocking:	+	+	02.100	טבו אט	1.50	30.03	19.00	<del>                                     </del>			10.20				<del> </del>
J		1	1	LIEBCO	UEPCD	4.00	38.85	19.08	]			15.20			1	İ
	900/976 1±DDD 011± & Local (AL KV LA MS)															
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)  2-Wire Coin Outward without Blocking and without Operator	-		UEPCO	UEPCD	1.36	30.00	19.00	+			15.20				

04/12/02 Page 178 of 352

ONRONDLE	ED NETWORK ELEMENTS - Louisiana			1	1	1				1	I		Attachment:		Exhibit: B	l
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08				15.20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08				15.20				
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08				15.20				
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00				15.20				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	RECURRING CHARGES - CURRENTLY COMBINED				1											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10				15.20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10				15.20				
ADDIT	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				15.20				
UNBU	INDLED REMOTE CALL FORWARDING - RES															
	Recurring															
UNBU	INDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.52	2.31	2.21				15.20				
	Recurring															
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	ORI (	BUS)												
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT														
	Port/Loop Combination Rates	I			1											
ONE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			33.62										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			58.73										
UNE L	Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	25.35						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	50.46						15.20				
UNE F	Port Rate			LIEBBY	LIEBB 4		0.17.05					4= 00				
NONE	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.27	217.95	83.92				15.20				
NONR	RECURRING CHARGES - CURRENTLY COMBINED  2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC1		7.10	1.81				15.20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		7.10	1.81				15.20				
ADDIT	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk	ļ		UEPPX	USAS1		26.01	26.01	ļ			15.20			ļ	
Telep	hone Number/Trunk Group Establisment Charges	ļ		LIEDDY	NDT	0.00	0.00	0.00				45.00				
	DID Trunk Termination (One Per Port)  Additional DID Numbers for each Group of 20 DID Numbers	<b> </b>		UEPPX UEPPX	NDT ND4	0.00	0.00	0.00	1			15.20 15.20			<del> </del>	
	DID Numbers, Non- consecutive DID Numbers , Per Number	<del>                                     </del>	-	UEPPX	ND4 ND5	0.00	0.00	0.00				15.20			-	-
	Reserve Non-Consecutive DID numbers	<del>                                     </del>		UEPPX	ND6	0.00	0.00	0.00	1			15.20			1	1
	Reserve DID Numbers	1		UEPPX	NDV	0.00	0.00	0.00				15.20				
LOCA	L NUMBER PORTABILITY	1		52. T X		0.00	5.00	0.00				10.20				
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT													
	Port/Loop Combination Rates														İ	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		27.48		<u> </u>						_		

04/12/02 Page 179 of 352

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrec	curring	Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																ł
	UNE Zone 2		2	UEPPB	UEPPR		40.34										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																í
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
	pop Rates																<b></b>
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09						15.20				<b></b>
			_										4= 00				í
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR		31.95						15.20				<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				<del></del>
	ort Rate			LIEDDD	LIEDDD	LIEDDD	0.00	404.40	400.40	-			45.00				
	Exchange Port - 2-Wire ISDN Line Side Port CURRING CHARGES - CURRENTLY COMBINED		-	UEPPB	UEPPR	UEPPB	8.39	184.10	128.42	<del>                                     </del>			15.20	-	-	-	
NONKE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		-			1				<del>                                     </del>				-	-	-	<del></del>
1	Combination - Conversion			HEPPR	UEPPR	USACB	0.00	37.40	26.23	]			15.20	1	1		i
ADDITI	ONAL NRCs		1	OLFFB	OLFFR	USACD	0.00	37.40	20.23	<del>                                     </del>		-	13.20				
	NUMBER PORTABILITY		1														
LOCAL	Local Number Portability (1 per port)		l	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	<del>                                     </del>							ſ
B-CHA	NNEL USER PROFILE ACCESS:			OLITE	OLITIK	LIVI OX	0.00	0.00	0.00								
B OHA	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								f
+	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			1	1				ſ
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C.MS. 8	TN)	02	<u> </u>	0.000	0.00	0.00	0.00								
	CVS/CSD (DMS/5ESS)	,, -	1	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								í T
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								í
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								í T
VERTIO	CAL FEATURES																í T
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				í
INTER	OFFICE CHANNEL MILEAGE																í .
	Interoffice Channel mileage each, including first mile and																í
	facilities termination				UEPPR	M1GNC	22.613	39.36	26.62				15.20				ı
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00				15.20				<u> </u>
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
UNE Po	ort/Loop Combination Rates																<b></b>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						400 =0										í
	Zone 1		1	UEPPP			180.52										<del></del>
1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		0	UEPPP			200 70			]				1	1		i
	Zone 2		2	UEPPP		1	289.78			<del>                                     </del>		-	-	<del>                                     </del>	<del>                                     </del>		·
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			586.76										i
LINE	pop Rates		3	UEFFF			300.70						1				
ONE EC	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70			<del>                                     </del>			15.20	1	1	1	ſ
+	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96			<del>                                     </del>			15.20	<del> </del>	<del> </del>		
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94			<del>                                     </del>			15.20	<del> </del>	<del> </del>		
LINE P	ort Rate		3	J_111		JUL-11	401.04						10.20	<b> </b>	<b> </b>		i
O.L.	Exchange Ports - 4-Wire ISDN DS1 Port		1	UEPPP		UEPPP	94.82	443.08	251.60	†			15.20	1	1		(
NONRE	ECURRING CHARGES - CURRENTLY COMBINED		1				502		2000	†			.5.20	1	1		(
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		<b>†</b>							† †				1	1		í
1	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	115.63	76.29	]			15.20	1	1		i
ADDITI	ONAL NRCs																í
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																í
1	Inward/two way tel nos within Std Allowance (except NC)	l	1	UEPPP		PR7TF		0.48		]			15.20	Ì	Ì		1
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)		<u> </u>	UEPPP		PR7TO		11.18	11.18				15.20				ı
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																i
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		22.35	22.35				15.20				1
LOCAL	NUMBER PORTABILITY																
1	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										

ONROND	ED NETWORK ELEMENTS - Louisiana	,		,									Attachment:		Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	DEADE (Decoriories of the Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	RFACE (Provsioning Only)			UEPPP	PR71V	0.00	0.00	0.00							-	
	Voice/Data Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							-	-
New	or Additional "B" Channel			OLFFF	FRIIL	0.00	0.00	0.00								
INCW	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11					15.20				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11					15.20				
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CAL	LTYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage								i i							
	Fixed Each Including First Mile			UEPPP	1LN1A	70.7352	86.69	79.44				15.20				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1			UEPDC		154.17						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		263.43						15.20				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
LINIE	4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate		3	UEPDC	USLDC	491.94						15.20			-	
UNE				UEPDC	UDD1T	68.47	441.34	245.90				15.20				
NON	4-Wire DDITS Digital Trunk Port  RECURRING CHARGES - CURRENTLY COMBINED			UEPDC	ווטטטו	68.47	441.34	245.90				15.20			-	-
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination														-	-
	- Switch-as-is			UEPDC	USAC4		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		120.70	00.00				10.20				
	- Conversion with DS1 Changes			UEPDC	USAWA		125.75	65.08				15.20				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			02. 20	00/11/1		120.10	00.00				10.20				
	- Conversion with Change - Trunk			UEPDC	USAWB		125.75	65.08				15.20				
ADD	ITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIPC	DLAR 8 ZERO SUBSTITUTION			LIEBBO	2222							45.00				
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
A14	B8ZS - Extended Superframe Format nate Mark Inversion	<b> </b>	<u> </u>	UEPDC	CCOEF		0.00	605.00				15.20			1	-
Aitei	AMI -Superframe Format	<del>                                     </del>	<b>-</b>	UEPDC	MCOSF		0.00	0.00	<b> </b>		-				<del></del>	
	AMI - Extended SuperFrame Format	1	<del> </del>	UEPDC	MCOPO		0.00	0.00	+		1				<del> </del>	-
Tolo	phone Number/Trunk Group Establisment Charges	<del>                                     </del>		OLFDO	IVICOPO		0.00	0.00	+						t	
1010	Telephone Number for 2-Way Trunk Group	1		UEPDC	UDTGX	0.00			<del>                                     </del>		<b> </b>	15.20			<b>I</b>	<u> </u>
	Telephone Number for 1-Way Outward Trunk Group	<b> </b>		UEPDC	UDTGY	0.00			+		<b> </b>	15.20			t	
	Telephone Number for 1-Way Inward Trunk Group Without DID	1		UEPDC	UDTGZ	0.00						15.20			1	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.20			1	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00			1			15.20			1	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00	† †			15.20			İ	
Dodi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port						i					

04/12/02 Page 181 of 352

RONDLED	NETWORK ELEMENTS - Louisiana			•	1						1 -		Attachment:		Exhibit: B	<b></b>
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities						11130	Auu	11130	Auu i	CONIEC	JOMAN	JOMAN	JONIAN	JOHAN	JOMAN
	Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Tommatory			02. 50		7 0	00.00	70				10.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
[	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	<u> </u>		UEPDC	1LNOC	0.2652	0.00	0.00	0.00						-	<del>                                     </del>
	Local Number Portability, per DS0 Activated Central Office Termininating Point	l		UEPDC UEPDC	LNPCP CTG	3.15 0.00	0.00	0.00	0.00						<del>                                     </del>	<del>                                     </del>
	DS1 LOOP WITH CHANNELIZATION WITH PORT		-	UEPDC	CIG	0.00										
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations		<del> </del>	+										<del> </del>	<del>                                     </del>
	ystem can have up to 24 combinations of rates depending on		d nun	her of norte used	1											
UNE DS		type ai	lu mun	lber or ports useu												
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
	O Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	97.35	0.00	0.00				15.20				
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	194.70	0.00	0.00				15.20				
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG UEPMG	VUM57 VUM67	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	oliztio			2,725.80		0.00				15.20				<u> </u>
	num System configuration is One (1) DS1, One (1) D4 Channe						Stelli									
	es of this configuration functioning as one are considered Ac															+
	NRC - Conversion (Currently Combined) with or without		111011	System con		Countou.										1
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12				15.20				
	Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	neliza		ination Curre											
	ot Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.54	467.54				15.20				<u> </u>
	8 Zero Substitution															<u> </u>
	Clear Channel Capability Format, superframe - Subsequent	l		l											1	
	Activity Only	<u> </u>		UEPMG	CCOSF	0.00	0.00	605.00				15.20			-	<del>                                     </del>
	Clear Channel Capability Format - Extended Superframe -	l		UEPMG	CCOEF	0.00	0.00	COE 00				45.00			1	
	Subsequent Activity Only te Mark Inversion (AMI)	<del>                                     </del>	-	UEPIVIG	CCUEF	0.00	0.00	605.00				15.20			<del>                                     </del>	<del>                                     </del>
	Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00							<del> </del>	<del>                                     </del>
	Extended Superframe Format	<del>                                     </del>		UEPMG	MCOPO	0.00	0.00	0.00							t	<del>                                     </del>
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	021 1010		0.00	0.00	0.00							<b>I</b>	<b>†</b>
	ge Ports		. 511		1										1	
1	•			İ	İ										1	
	Line Side Combination Channelized PBX Trunk Port - Business	l		UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00		15.20			1	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00		15.20				
													_			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00		15.20				<u> </u>
				UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00		15.20				

04/12/02 Page 182 of 352

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			1		+	_	Nonrec	urring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.6497	25.36	13.40				15.20				
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.6497	78.05	18.40				15.20				
Telep	phone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.20				
-	DID Numbers - groups of 20 - Valid all States  Non-Consecutive DID Numbers - per number	-	-	UEPPX UEPPX	ND4 ND5	0.00	0.00	0.00				15.20 15.20				
<b>—</b>	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00		-		15.20				
	Reserve DID Numbers		1	UEPPX	NDV	0.00	0.00	0.00				15.20				
Local	Number Portability			OLI I X	1101	0.00	0.00	0.00				10.20				
1	Local Number Portability - 1 per port	1		UEPPX	LNPCP	3.15	0.00	0.00	Ì	1						
	URES - Vertical and Optional															
Local	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
	PORT LOOP COMBINATIONS - MARKET RATES		<u> </u>	L												
	et Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
	e scenarios include: hbundled port/loop combinations that are Not Currently Combi		Nah am	a Flavida and Naut	- Canalina											
	nbundled port/loop combinations that are Not Currently Combined					n O MCAC in Do	IICauth'a ragia	n for and use	rowith 4 or m	ara DCO aguista	lant linea					
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd											9)				
The T		iaic, wiic	, O	A (Atlanta), LA (Nev	······································	Rates in this s	ection except f	or nonrecurrir	ng charges for	not currently o	ombined in	Al. Fland	NC. In the it	nterim where I	BellSouth can	not bill
The 1	outh currently is developing the hilling capability to mechanic	ally hill	the rec	urring and non-rec						not carrently c					schoodin oun	
BellS	outh currently is developing the billing capability to mechanical	ally bill n prece	the rec dina in	urring and non-rec	urring warket Rates and res	erves the right	to true-up the l	hilling differer	ice.							
BellS Mark	iouth currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features	n prece	ding in	iurring and non-rec lieu of the Market	Rates and res	erves the right	to true-up the l	billing differer	ice.							
BellS Marke The M	outh currently is developing the billing capability to mechanice et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features	n prece in all st	ding in ates.	lieu of the Market	Rates and res	erves the right	to true-up the I	billing differer	ice.					ns which have		age charge
BellS Marke The M	outh currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section	n prece in all st	ding in ates.	lieu of the Market	Rates and res	erves the right	to true-up the I	billing differer	ice.					ns which have		age charge
BellS Marke The M End ( (USO	outh currently is developing the billing capability to mechanice et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Us	n prece in all st sage ra	ding in ates. tes in th	lieu of the Market he Port section of t	Rates and res	erves the right	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO For N Comb	iouth currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usic: URECU). Iot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego	n prece in all st sage rat ne Nonre	ding in ates. tes in the	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO For N Comb	iouth currently is developing the billing capability to mechanica et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage C: URECU). Iot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	n prece in all st sage rat ne Nonre	ding in ates. tes in the	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO For N Comb	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage.  C: URECU).  Iot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	n prece in all st sage rat ne Nonre	ding in ates. tes in the ecurring cording	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right it shall apply to	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO For N Comb	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage (C: URECU).  Not Currently Combined scenarios where Market Rates apply, thoused section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	n prece in all st sage rat ne Nonre	ding in ates. tes in the curring cording	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right it shall apply to and Additional I	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO For N Comb	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage. URECU). The common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	n prece in all st sage rat ne Nonre	ding in ates. tes in the curring coording	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right it shall apply to and Additional I	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO) For N Comt 2-WIF	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage: URECU). In Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego REVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1  [2-Wire VG Loop/Port Combo - Zone 2  [2-Wire VG Loop/Port Combo - Zone 3	n prece in all st sage rat ne Nonre	ding in ates. tes in the curring cording	lieu of the Market he Port section of t g charges are listed	Rates and res	erves the right it shall apply to and Additional I	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO) For N Comt 2-WIF	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage.  C: URECU).  Iot Currently Combined scenarios where Market Rates apply, the bigger of the section. Additional NRCs may apply also and are catego on the Section of the Section of the Section of the Section Section Section (Section Sect	n prece in all st sage rat ne Nonre	ding in ates.  tes in the curring cording in a tes.	lieu of the Market	Rates and res	erves the right it shall apply to and Additional I  25.77  36.39  62.26	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO) For N Comt 2-WIF	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usac URECU).  10to Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  12-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1	n prece in all st sage rat ne Nonre	ding in ates.  tes in the curring the coording in the coordinate in the	lieu of the Market he Port section of t g charges are listed gly.	Rates and res his rate exhib I in the First a	erves the right it shall apply to and Additional I 25.77 36.39 62.26	to true-up the l	ons of loop/po	nce.   	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Marke The M End ( (USO) For N Comt 2-WIF	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage. URECU). In Currently Combined scenarios where Market Rates apply, tho bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	n prece in all st sage rat ne Nonre	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX UEPRX	Rates and res his rate exhib I in the First a	erves the right it shall apply to and Additional I 25.77 36.39 62.26 111.77 22.39	to true-up the l	ons of loop/po	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Mark The h End ( USO For N Comb	Four Volume Volu	n prece in all st sage rat ne Nonre	ding in ates.  tes in the curring the coording in the coordinate in the	lieu of the Market he Port section of t g charges are listed gly.	Rates and res his rate exhib I in the First a	erves the right it shall apply to and Additional I 25.77 36.39 62.26	to true-up the l	ons of loop/po	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Mark The h End (USO For N Comb	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage: URECU). In Currently Combined scenarios where Market Rates apply, tho bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	n prece in all st sage rat ne Nonre	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX UEPRX	Rates and res his rate exhib I in the First a	erves the right it shall apply to and Additional I 25.77 36.39 62.26 111.77 22.39	to true-up the l	ons of loop/po	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	Combination		a flat rate us	
BellS Mark The h End ( USO For N Comb	iouth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Tran	n prece in all st sage rat ne Nonre	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional I 25.77 36.39 62.26 11.77 22.39 48.26	to true-up the I	oilling differen	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	o Combination	ges are listed	a flat rate us	
BellS Mark The h End ( USO For N Comb	isouth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage.  C: URECU).  dot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res	n prece in all st sage rate ne Nonro rized ac	ecurring coording 1 2 3	lieu of the Market hee Port section of t g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX	Rates and res  In the First a  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional II 25.77 36.39 62.26 111.77 22.39 48.26 114.00	to true-up the I all combination NRC columns f	pilling differences of loop/pc	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	o Combination	ges are listed	a flat rate us	
BellS Mark The h End ( USO For N Comb	touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Diffice and Tandem Switching Usage and Common Transport Usac URECU).  To Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **e Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing	n prece in all st sage rate ne Nonro rized ac	ecurring coording 1 2 3	UEPRX	UEPLX .39 62.26 11.77 22.39 48.26 14.00 14.00 14.00	90.00 90.00	90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92	7.32 7.32	a flat rate us		
BellS Mark The h End ( USO For N Comb	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage. URECU). In Currently Combined scenarios where Market Rates apply, tho the section. Additional NRCs may apply also and are catego Revoice Grade Loop WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  e Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	Rates and res his rate exhib I in the First a UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	erves the right it shall apply to and Additional last 25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00	eo true-up the l all combination NRC columns f	pos of loop/pc or each Port U	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	o Combination	7.32 7.32	a flat rate us	
BellS Mark The h End ( USO For N Comb	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage: URECU). In Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego SE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	Lieu of the Market he Port section of t g charges are listed gly.  UEPRX	UEPLX 77 22.39 48.26 14.00 14.00 14.00	90.00 90.00	90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92	7.32 7.32	a flat rate us		
BellS Mark The h End ( USO For N Comb	iouth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usac URECU).  Iot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **e Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  [RUL]	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	UEPRX	UEPLX .39 62.26 11.77 22.39 48.26 14.00 14.00 14.00	90.00 90.00	90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92	7.32 7.32	a flat rate us		
BellS Mark The h End ( USO For N Comb	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage. URECU).  Tourrently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	LIEU OF THE MARKET  THE PORT SECTION OF THE PO	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS	erves the right it shall apply to and Additional II 25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00	90.00 90.00	90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32	a flat rate us	
BellS Mark The h End ( USO For N Comb	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage: URECU). Iot Currently Combined scenarios where Market Rates apply. Iot Currently Combined scenarios where Market Rates apply. Iot Currently Combined scenarios where Market Rates apply. Iot Currently Combined Scenarios where Market Rates apply. Iot Currently Combined Scenarios where Market Rates apply. Iot Currently Combination Rates [2-Wire VG Loop/Port Combo - Zone 1]  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  **e Voice Grade Line Port (Res)  2-Wire voice unbundled port residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice Unbundled port outgoing only - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RCT)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	Lieu of the Market he Port section of t g charges are listed gly.  UEPRX	UEPLX 77 22.39 48.26 14.00 14.00 14.00	90.00 90.00	90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92	7.32 7.32	a flat rate us		
BellS Mark The h End ( USO For N Comb	iouth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usac Unrently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **E Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUC)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RCT)  2-Wire voice unbundled sers, low usage line port with Caller ID - res	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX	UEPLX	90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32	a flat rate us		
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE	Touth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage. URECU).  To Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego of Receiver of Combined Section. Additional NRCs may apply also and are catego of Receiver of Combination Rates.  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates.  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Derect outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	LIEU OF THE MARKET  THE PORT SECTION OF THE PO	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS	erves the right it shall apply to and Additional II 25.77 36.39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00	90.00 90.00	90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32	a flat rate us	
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage: URECU).  To Currently Combined scenarios where Market Rates apply, tho bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  PortLoop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  AL NUMBER PORTABILITY	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	lieu of the Market he Port section of t g charges are listed gly.  UEPRX	UEPLX	90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32	a flat rate us		
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  2-WIF  LOCA	Touth currently is developing the billing capability to mechanics of Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage. URECU).  To Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego of Receiver of Combined Section. Additional NRCs may apply also and are catego of Receiver of Combination Rates.  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates.  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Derect outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	UEPRX	UEPLX .39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32	a flat rate us		
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  2-WIF  LOCA	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usac Unrently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego Re Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUC)  2-Wire voice unbundled sers, low usage line port with Caller ID - res  (RUC)  1-Wire voice unbundled sers, low usage line port with Caller ID - Res  (AC7)  2-Wire voice Unbundled Port outgiana Area Plus with Caller ID - Res  (AC7)  1-WINBER PORTABILITY  Local Number Portability (1 per port)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	UEPRX	UEPLX .39 62.26 11.77 22.39 48.26 14.00 14.00 14.00 14.00 14.00 14.00 14.00	90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32	a flat rate us		
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE  2-Wir	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section warket Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usace URECU).  Bot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego of Revoice Grade Loop With 2-Wire Line Port (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  Local Number Portability  Local Number Portability (1 per port)	n prece in all st sage rate ne Nonrerized ac	ecurring coording 1 2 3	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	erves the right it shall apply to and Additional II   25.77   36.39   62.26   11.77   22.39   48.26   14.00    14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32	a flat rate us	
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE  2-Wir	isouth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usac: URECU).  Iot Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  TURES  All Features Offered  RECURRING CHARGES - CURRENTLY COMBINED	n prece in all state in all sta	ecurring coording 1 2 3	UEPRX	UEPLX   36.39   62.26   11.77   22.39   48.26   14.00    14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32	a flat rate us		
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE  2-Wir	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section warket Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage. URECU).  To Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port vifth Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (AC7)  2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  TURES  All Features Offered  RECURRING CHARGES - CURRENTLY COMBINED	n prece in all state in all sta	ecurring coording 1 2 3	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAS UEPAG UEPAG UEPAH UEPAP	erves the right it shall apply to and Additional II   25.77   36.39   62.26   11.77   22.39   48.26   14.00    14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32	a flat rate us	
BellS Mark The h End ( (USO For N Comt 2-WIF UNE  UNE  2-Wir	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section Market Rate for unbundled ports includes all available features office and Tandem Switching Usage and Common Transport Usage. URECU).  To Currently Combined scenarios where Market Rates apply, tho bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Loop (SL1) - Zone 3  To Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  TURES  All Features Offered  RECURRING CHARGES - CURRENTLY COMBINED	n prece in all state in all sta	ecurring coording 1 2 3	UEPRX	Rates and res his rate exhib I in the First a UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAG UEPAG UEPAG UEPAH UEPAP LNPCX UEPVF	erves the right it shall apply to and Additional II 25.77 36.39 62.26 11.77 22.39 48.26 14.00	90.00 90.00 90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00 41.50	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32	a flat rate us	
BellS Mark The h End ( USO For N Com 2-WIF UNE  UNE  LOCA FEAT NONF	Touth currently is developing the billing capability to mechanical et Rates, BellSouth shall bill the rates in the Cost-Based section warket Rate for unbundled ports includes all available features Office and Tandem Switching Usage and Common Transport Usage. URECU).  To Currently Combined scenarios where Market Rates apply, the bined section. Additional NRCs may apply also and are catego RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port vifth Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Louisiana extended local dialing parity port with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (RUL)  2-Wire voice unbundled Louisiana Area Plus with Caller ID - res  (AC7)  2-Wire voice unbundled ses, low usage line port with Caller ID (LUM)  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  TURES  All Features Offered  RECURRING CHARGES - CURRENTLY COMBINED	n prece in all state in all sta	ecurring coording 1 2 3	UEPRX	UEPLX .39 62.26 11.77 22.39 48.26 14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00	nce. ort network ele	ments except	or UNE Coi	n Port/Loop	31.92 31.92 31.92 31.92 31.92 31.92	7.32 7.32 7.32 7.32 7.32 7.32 7.32	a flat rate us		

04/12/02 Page 183 of 352

CATEGORY  RATE ELEMENTS    Month   Company   C	NDLED	NETWORK ELEMENTS - Louisiana											Attachment:	2	Exhibit: B	
No.   No.   Pires   Add   Pires   Add   SOMAN   SOMAN   SOMAN			Zone	BCS	usoc		RA	TES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-			Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
Section   Sect						Boo	Nonred	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
Subsequent   Sub						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2   2   2   2   2   2   2   2   2   2	N	IRC - 2-Wire Voice Grade Loop/Line Port Combination -														í
Well-Port Compose Common Com				UEPRX	USAS2		0.00	0.00					31.92	7.32		1
2-Wire VG LoopPro Crotton - Zone 1   1   22-77																i
2-Wine VG LoopProf Cortino - Zone 2   2   56.59	UNE Port	t/Loop Combination Rates														i
2-Wine Voto Grade Long (St.) - Zone 1																í .
UPPEX																<u> </u>
2-Wire Vatar Grafate Loop (SL1) - Zone 1			3			62.26										<u> </u>
2-Wire Vater Griefet Long (SL1) - Zowe 2   2 UFPRX   UFPX   22.39																<u> </u>
2-Wire Vote Grade Loop (SL1) - Zene 3   3   UFPX   UFPX   48.26																ļ
2-Wire Votes Grade Luce Port (Bus)																
2-Wire voice unbunded port without Selet ID - bus   UEPRX UEPRS   14.00   90.00   90.00   90.00   31.92			3	UEPBX	UEPLX	48.26			ļ		1	<u> </u>				1
2-Wire visice unburnded port with Caller + E484 ID - bus   UEPBX UEPBX UEPBX   14:00   90.00   90.00   31:32											1		ļ			
2-Wife votes unbundled port outgoing only - bus   UEPBX   UE									1		1			7.32		1
2-Viver votice Grade in Dr. bus   UEPBX   UEPBX   UEPAX   14.00   90.00   90.00   31.92									1		1			7.32		1
Sparsy port with Caller ID - bus   UEPBX   UEPAX   14.00   90.00   90.00   90.00   31.92				UEPBX	UEPBO	14.00	90.00	90.00	ļ		1	<u> </u>	31.92	7.32		1
2-Wire votor unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)   ULPPAX   ULPP									I		1		Ì			1
Caller ID (BIC)				UEPBX	UEPAX	14.00	90.00	90.00					31.92	7.32		<b>.</b>
LOCAL NUMBER PORTABILITY   LOPEN   L																1
Local Number Portability (1 per port)				UEPBX	UEPAA	14.00	90.00	90.00					31.92	7.32		ļ
NONRECURRING CHARGES - CURRENTLY COMBINED																<u> </u>
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is   UEPBX   USAC2   41.50   41.50   31.92				UEPBX	LNPCX	0.35										ļ
2-Wire Voice Grade Loop / Line Port Combination - Switch with change   UEPBX	NONREC	URRING CHARGES - CURRENTLY COMBINED														1
2-Wire Voice Grade Loop / Line Port Combination - Switch with change   UEPBX																1
Change				UEPBX	USAC2		41.50	41.50					31.92	7.32		1
ADDITIONAL NRCs																1
NRC - 2-Wire Voice Grade Loop Line Port Combination - Switch - Asla   UEPRG   UEPRG   USACZ				UEPBX	USACC		41.50	41.50					31.92	7.32		<b>.</b>
Subsequent																ļ
2-Wire Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																1
UNE PortLoop Combination Rates				UEPBX	USAS2		0.00	0.00					31.92	7.32		<b>.</b>
2-Wire VG Loop/Port Combo - Zone 1																
2-Wire VG Loop/Port Combo - Zone 2   2     36.39																1
2-Wire VG Loop/Part Combo - Zone 3   3																
UNE Loop Rates																1
2-Wire Voice Grade Loop (SL1) - Zone 1			3			62.26										1
2-Wire Voice Grade Loop (SL1) - Zone 2   2   UEPRG   UEPLX   22.39																<b></b>
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPRG   UEPLX   48.26									<b>.</b>		<b>↓</b>		ļ			<del>                                     </del>
2-Wire Voice Grade Line Port Rates (RES - PBX)									<b>.</b>		<b></b>					<del>                                     </del>
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			3	UEPRG	UEPLX	48.26				ļ						<del> </del>
Res			ļ							ļ	<b>_</b>	1				<b>-</b>
LOCAL NUMBER PORTABILITY									I		1					1
Local Number Portability (1 per port)			<u> </u>	UEPRG	UEPRD	14.00	90.00	90.00	-		+		31.92	7.32		<del></del>
NONRECURRING CHARGES - CURRENTLY COMBINED   2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is   UEPRG   USAC2   41.50   41.50   31.92				LIEBBO	LUBOR	0.45										<b></b>
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			ļ	UEPRG	LNPCP	3.15				ļ	<b>_</b>	1				<b>-</b>
2-Wire Voice Grade Loop/ Line Port Combination - Switch with   UEPRG	NUNREC	URKING CHARGES - CURRENTLY COMBINED	ļ							ļ	<b>_</b>	1				<b>-</b>
2-Wire Voice Grade Loop/ Line Port Combination - Switch with   UEPRG									I		1					1
Change			<u> </u>	UEPRG	USAC2		41.50	41.50	-		+		31.92	7.32	1	<del></del>
ADDITIONAL NRCs				LIEBBO	110400		44.50	44.50	1		1		04.65	7.00		í
2 Wire Loop/Line Side Port Combination - Non feature -			<u> </u>	UEPKG	USACC		41.50	41.50	-		+		31.92	7.32	1	<del></del>
Subsequent Activity - Nonrecurring			1		+ -				<del>                                     </del>	1	1	}	1	-	-	<del>                                     </del>
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					i l		0.00	0.00	I		1		24.00	7.32		1
Group   14.64   14.64   14.64   31.92			<del>                                     </del>		+		0.00	0.00	<del></del>	1	+	-	31.92	1.32	-	
2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)   UNE Port/Loop Combination Rates							1161	1164	1		1		24.00	7.32		f
UNE Port/Loop Combination Rates			<del>                                     </del>		+		14.04	14.04	<del>                                     </del>	-	<del>                                     </del>	1	31.92	1.32		<del></del>
2-Wire VG Loop/Port Combo - Zone 1			<del>                                     </del>		+				<del>                                     </del>	-	<del>                                     </del>	1				<del></del>
2-Wire VG Loop/Port Combo - Zone 2 2 36.39			4		+	25 77			-	<b> </b>	+		-	-	-	
					+				<del></del>	1	+	-	<b> </b>	-	-	<del></del>
		-Wire VG Loop/Port Combo - Zone 2 -Wire VG Loop/Port Combo - Zone 3	3		+	36.39 62.26			<del>                                     </del>	-	<del>                                     </del>	1				
			3		+	02.20			<b>-</b>	-	<del> </del>	<b> </b>				

04/12/02 Page 184 of 352

JNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
					1						Cua Cada	Sug Carle				In orc
												Svc Order	Incremental		Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		DAT	ES(\$)								l l
ATEGORI	RATE ELEMENTS	m	Zone	BC3	0300		KAI	E3(⊅)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											-	-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l		Disc Add'l
													1St	Addi	Disc 1st	DISC Add'I
							N1		NI	B'			000	D - ( ( ft)		l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		-	UEPPX	UEPLX	22.39										
			2													
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	48.26										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line City Hale and Line Constitution Constit			LIEDDY	LIEDDO	44.00	00.00	00.00					04.00	7.00		
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					31.92	7.32		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					31.92	7.32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana			OL. I. X	02	1 1.00	00.00	00.00					01.02	7.02		1
	Calling Port			UEPPX	UEPL2	14.00							31.92	7.32		<u> </u>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					31.92	7.32		1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					31.92	7.32	1	1
															1	<del>                                     </del>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00	1				31.92	7.32	Ī	1
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		<del></del>		52. AD	17.00	50.00	55.50	<del>                                     </del>				01.02	7.02		<del>                                     </del>
			l												1	1
	Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional															
	Calling Port			UEPPX	UEPXK	14.00	90.00	90.00					31.92	7.32		
				OLITA	OLI XIX	14.00	30.00	30.00					31.32	1.02		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
				LIEDDY	UEPXM	44.00	00.00	90.00					24.00	7.32		
	Room Calling Port			UEPPX	UEPAM	14.00	90.00	90.00					31.92	1.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local			OLI I X	02.70		00.00	00.00					01.02	7.02		1
						44.00										
	Discount Calling Port			UEPPX	UEPXP	14.00	90.00	90.00					31.92	7.32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					31.92	7.32		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								1
				UEFFX	LINECE	3.13	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					31.92	7.32		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
110.11	LEGGRANIC CHARCES CONNENTED COMBINED															1
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50	L l				31.92	7.32	L	L
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change		l	UEPPX	USACC		41.50	41.50					31.92	7.32	1	1
455				OLI I A	UUAUU		41.50	41.30					31.32	1.32	ļ	<del>                                     </del>
ADDI	TIONAL NRCs			<u> </u>												ļ
														ĺ	ĺ	I
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					31.92	7.32	ĺ	I
_	2 Wire Loop/Line Side Port Combination - Non feature -				30,102		0.00	0.00					302			1
1			l	1	1				1						1	1
	Subsequent Activity- Nonrecurring						0.00	0.00					31.92	7.32		<u> </u>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group		l	1	1		14.64	14.64					31.92	7.32	1	1
0 14"	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	-	<b>—</b>	<del> </del>			17.04	17.04	<del>                                     </del>				31.32	1.32	-	<del>                                     </del>
		I														ļ
UNE	Port/Loop Combination Rates				<u> </u>				<u> </u>							<u> </u>
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			25.77										1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	36.39			<b> </b>							<b>†</b>
_														1	1	<del>                                     </del>
	2-Wire VG Coin Port/Loop Combo – Zone 3		3	]		62.26										1
UNE	Loop Rates							·								1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.77										i e
-									+					-	-	1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	22.39										ļ
L	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26			L I		L	L		<u> </u>	<u> </u>	L
2-Wir	e Voice Grade Line Port Rates (Coin)					İ										
	2-Wire Coin 2-Way without Operator Screening and without		<del></del>		+				<del>                                     </del>							+
1			l												1	1
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14.00	90.00	90.00					31.92	7.32		<u> </u>
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1											1
	2-wire coin 2-way with Operator Screening and Biocking: 011.															

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	;	USOC			<sup>-</sup> ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
							Rec	Nonrec			g Disconnect				Rates(\$)		
ļ								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO		UEPRB	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO		UEPCD	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO		UEPRN	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO		UEPLA	14.00	90.00	90.00					31.92	7.32		
	2-Wire Coin Outward with Operator Screening and Blocking:																
	011, 900/976, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900/976,			UEPCO		UEPRH	14.00	90.00	90.00					31.92	7.32		
LOCAL	1+DDD, 011+, & Local (AL, KY, LA, MS)  NUMBER PORTABILITY			UEPCO		UEPCN	14.00	90.00	90.00					31.92	7.32		
	Local Number Portability (1 per port)			UEPCO		LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO		USAC2		41.50	41.50					31.92	7.32		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO		USACC		41.50	41.50					31.92	7.32		
ADDIT	IONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					31.92	7.32		
	PORT/LOOP COMBINATIONS - MARKET BASED RATES																
	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE P	ort/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				50.93										ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				61.35										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				86.46										
UNE Lo	pop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35						15.20				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	50.46						15.20				
UNE P	ort Rate			LIEBBY					15.00				45.00				
NONE	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	36.00	600.00	45.00				15.20				
NONKE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		<u> </u>														-
	Switch-As-Is Top 8 MSAs only			UEPPX		USAC1		100.00	42.50				15.20				
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50				15.20				
ADDIT	IONAL NRCs		-	HEDDY		LICAC4		45.00	45.00				45.00	-		-	
Tolonh	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk one Number/Trunk Group Establisment Charges		-	UEPPX		USAS1		45.00	45.00		-		15.20	-	-	-	<del> </del>
Гејерп	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.20				
<del>                                     </del>	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.20				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00				15.20				
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.20				
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.20				
LOCAL	NUMBER PORTABILITY			LIEDD: :		LUBOE											
	Local Number Portability (1 per port)	IE 6:-	DC-	UEPPX		LNPCP	3.15	0.00	0.00			1		ļ		ļ	
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT	1							<del> </del>	1		<del>                                     </del>		<del>                                     </del>	
UNE P	ort/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		84.09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	_	UEPPR		96.95										
	UNE Zone 3  ONE ZONE 2  UNE Zone 3		3		UEPPR		127.60										
UNFI	oop Rates		-	OLIID (	OLI FIX	1	121.00				1	1		<del> </del>		<del> </del>	<del></del>
O.1.L L	2-Wire ISDN Digital Grade Loop - UNE Zone 1	<b>-</b>	1	UEPPB U	JEPPR	USL2X	19.09					1	15.20				<del> </del>

04/12/02 Page 186 of 352

UNBUND	LED NETWORK ELEMENTS - Louisiana					•	1							Attachment:		Exhibit: B	<b></b>
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	e E	BCS	usoc		RA <sup>-</sup>	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	31.95						15.20				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60						15.20				
UNE	E Port Rate																
NO	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	65.00	525.00	400.00				15.20				
NON	NRECURRING CHARGES - CURRENTLY COMBINED  2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port					-											-
	Combination - Conversion - Top 8 MSAs only			UEPPB	UEPPR	USACB	0.00	230.00	230.00				15.20				
ΔDΓ	DITIONAL NRCs		1	OLFFB	ULFFR	USACB	0.00	230.00	230.00				15.20				+
	CAL NUMBER PORTABILITY																+
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-C	CHANNEL USER PROFILE ACCESS:				-												
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-C	CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS	SC,MS, 8	k TN)														ļ
	CVS/CSD (DMS/5ESS)	_	<u> </u>	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							ļ	<u> </u>
	CVS (EWSD)			UEPPB UEPPB	UEPPR		0.00	0.00	0.00								
нег	ER TERMINAL PROFILE		1	UEPPB	UEPPR	UTUCF	0.00	0.00	0.00								-
USE	User Terminal Profile (EWSD only)		1	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<del>                                     </del>
VER	RTICAL FEATURES		1	UEPPB	UEPPK	UTUMA	0.00	0.00	0.00								+
V.L.I	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				15.20				-
INT	EROFFICE CHANNEL MILEAGE		1	OLITE	OLITIK	OLI VI	0.00	0.00	0.00				10.20				+
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB	UEPPR	M1GNC	22.613	39.36	26.62				15.20				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00				15.20				1
4-W	VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	IK PORT															
UNE	E Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			935.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			4.044.00										
	Zone 2  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			UEPPP		-	1,044.96										
	Zone 3		3	UEPPP			1,341.94										
LINE	E Loop Rates		3	OLFFF			1,341.34										
UITE	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70						15.20				1
	4-Wire DS1 Digital Loop - UNE Zone 2	+	2	UEPPP		USL4P	194.96						15.20			1	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94						15.20				
UNE	E Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.20				
NON	NRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port												,				
	Combination - Conversion -Switch-As-Is Top 8 MSAs only	_	<u> </u>	UEPPP		USACP	0.00	950.00	950.00				15.20			ļ	<u> </u>
ADE	DITIONAL NRCs	-	-	1		1				ļ .						<b> </b>	<b></b>
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance (except NC)			UEPPP		PR7TF		0.48					15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1	ULPPP		EINLIE		0.48		+			15.20			1	<del>                                     </del>
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18				15.20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -					1		0	0				.0.20			1	
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		22.35	22.35				15.20				
LOC	CAL NUMBER PORTABILITY															1	
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INT	ERFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								<u> </u>
	Inward Data	_	<u> </u>	UEPPP		PR71E	0.00	0.00	0.00							ļ	<u> </u>
INew	w or Additional "B" Channel New or Additional - Voice/Data B Channel		1	UEPPP		PR7BV	0.00	14.11					15.20				1

04/12/02 Page 187 of 352

ONROND	LEU	NETWORK ELEMENTS - Louisiana			1							_		Attachment:		Exhibit: B	l
ATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
-								Nonrec	urrina	Nonrecurring	Disconnect				Rates(\$)	2.00 .0.	2.007.444
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	<del>- 1</del>	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.11	Addi	11130	Addi	CONIEC	15.20	COMPAR	COMPAR	COMPAR	COMPAR
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.11					15.20				
CAL	LL T	YPES															
		Inward			UEPPP	PR7C1	0.00	0.00	0.00								
		Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	ŀ	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inte		ice Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	70.7532	86.69	79.44				15.20				
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.2652										
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE		rt/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC												
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		154.17						15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		263.43						15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		560.41						15.20				
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC												
UNE		op Rates															
		4-Wire DS1 Digital Loop - Statewide			UEPDC	USLDC											
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	85.70						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194.96						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	491.94						15.20				
		4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC											
UNE		rt Rate															
		4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	750.00	1,006.28	479.28	0.00	0.00		15.20				
NON		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		125.75	65.08				15.20				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		125.75	65.08				15.20				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		125.75	65.08				15.20				
ADI		ONAL NRCs															
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4											
	,	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14.06	14.06				15.20				
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06				15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06				15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06				15.20				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06				15.20				
BIP		R 8 ZERO SUBSTITUTION															
		B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00				15.20				
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	605.00				15.20				
Alte	ernat	e Mark Inversion								<u> </u>							
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Tele		one Number/Trunk Group Establisment Charges								<u> </u>							
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.20				
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.20				
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.20				
		DID Numbers, Establish Trunk Group and Provide First Group									<u> </u>						
		of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.20				
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00		-				15.20	-			1

04/12/02 Page 188 of 352

DURONDE	D NETWORK ELEMENTS - Louisiana			1	_	1							Attachment:		Exhibit: B	<b>_</b>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	DID N I N			LIEDDO	NDE	0.00	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	DID Numbers, Non- consecutive DID Numbers, Per Number Reserve Non-Consecutive DID Nos.			UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00				15.20 15.20				
	Reserve DID Numbers		-	UEPDC	NDV	0.00	0.00	0.00				15.20				<del> </del>
Dedic:	ated DS1 (Interoffice Channel Mileage) -			OLFDC	NDV	0.00	0.00	0.00				15.20				<del>                                     </del>
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															+
. 74. 6	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	70.47	86.69	79.44				15.20				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEDDO	41.1100	0.00	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.2652	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			OLFDC	ILINOB	0.2032	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.2652	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations														1
A syst	em can have various rate combinations based on type and nur			used												
UNE D	OS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	85.70	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194.96	0.00	0.00				15.20				
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00				15.20				
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	ıs)		UEPMG	VUM24	07.05	0.00	0.00				15.20				
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM24 VUM48	97.35 194.70	0.00	0.00				15.20			-	
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	389.40	0.00	0.00				15.20			-	-
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00				15.20				+
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00				15.20				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	973.50	0.00	0.00				15.20				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00				15.20				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00				15.20				1
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	1,947.00	0.00	0.00				15.20				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00				15.20				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00				15.20				
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	oles of this configuration functioning as one are considered Ad	d'i afte	r the m	nınımum system co	nfiguration is	counted.									-	<del>                                     </del>
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				15.20				
System	m Additions Where Currently Combined and New (Not Currentl	v Comb	ined \	ULFIVIG	03AC4	0.00	430.00	30.00				13.20				<del>                                     </del>
	8 MSAs and AL, FL, and NC Only	y 0011110	inca ,													<del> </del>
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc														1	1
	Fea Activation -			UEPMG	VUMD4	0.00	900.00	600.00				15.20				
Bipola	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00				15.20			1	
	Clear Channel Capability Format - Extended Superframe -			l											_	
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00				15.20			1	ļ
Altern	ate Mark Inversion (AMI)			LIEDMO	MOCOS	0.00	0.00	2.00							-	<del>                                     </del>
	Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00							<del>                                     </del>	<del>                                     </del>
Evolo	Extended Superframe Format inge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPIVIG	IVICOPO	0.00	0.00	0.00	<del>                                     </del>						<del></del>	<del>                                     </del>
	inge Ports Associated with 4-Wire DST Loop with Channelization	, with	FUIL	<del> </del>	+				<del>                                     </del>						t	$\vdash$
LACIIA				<del>                                     </del>	+				<del>                                     </del>						<del>                                     </del>	+
1	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00				15.20			I	

04/12/02 Page 189 of 352

	JNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
																DISC 1St	DISC AUU I
							Rec	Nonrec			g Disconnect				Rates(\$)		
		Line Side Outward Channelized PBX Trunk Port - Business		1	UEPPX	UEPOX	14.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	<b>SOMAN</b> 15.20	SOMAN	SOMAN	SOMAN	SOMAN
		Line Side Outward Chammerized PBX Trunk Port - Business		1	UEPPA	UEPUX	14.00	0.00	0.00				15.20				
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00				15.20				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	36.00	0.00	0.00				15.20				
	Feature	e Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.6497	40.00	20.00				15.20				
		Feature (Service) Activation for each Trunk Side Port Terminated															
<u> </u>	Talas !	in D4 Bank	-	<u> </u>	UEPPX	1PQWU	0.6497	110.00	30.00		1		15.20				
<u> </u>	i eieph	one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)	1		UEPPX	NDT	0.00	0.00	0.00		-		15.20				
-	1	DID Numbers - groups of 20 - Valid all States	1	+	UEPPX	ND4	0.00	0.00	0.00	1	<b>†</b>		15.20				
<b>-</b>	<b>-</b>	Non-Consecutive DID Numbers - per number	1	1	UEPPX	ND5	0.00	0.00	0.00		<b>†</b>		15.20				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.20				
		Reserve DID Numbers	L	L	UEPPX	NDV	0.00	0.00	0.00				15.20				
		Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		JRES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only				<u> </u>											
LINIBLI		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00				15.20				
UNBUI		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE t Based Rates are applied where BellSouth is required by FCC		· State (	Cammissian rule to	provide Unb	undlad Lacal C	vitabina ar Cu	itah Darta								
		t based Rates are applied where belisouth is required by FCC tures shall apply to the Unbundled Port/Loop Combination - C								l dled Port secti	ion of this Rate	Fyhihit					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
	For Ge	eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the r	AALIPPIN	IIMIE	Dant and I as a share												
			ecumni	g un⊨	Port and Loop char	ges iisted apj	ply to Currently	Combined and	d Not Currentl	y Combined C	ombos. The th	e first and a	additional P	ort nonrecurr	ing charges a	pply to Not C	urrently
	Combi	ned Combos for all states. In GA, KY, LA, MS and TN these no															
	Combi	ned Combos for all states. In GA, KY, LA, MS and TN these no ned Combos in all other states, the nonrecurring charges sha	onrecur	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	Combi	ned Combos for all states. In GA, KY, LA, MS and TN these no ined Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will	onrecur all be the be neg	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	5. Mar UNE-P	ined Combos for all states. In GA, KY, LA, MS and TN these no ined Combos in all other states, the nonrecurring charges sha ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	onrecur all be the be neg	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	5. Mar UNE-P 2-Wire	ined Combos for all states. In GA, KY, LA, MS and TN these noined Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	onrecur all be the be neg	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	5. Mar UNE-P 2-Wire	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	onrecur all be the be neg	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	5. Mar UNE-P 2-Wire	ined Combos for all states. In GA, KY, LA, MS and TN these not need Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combolon-Design	onrecur all be the be neg	ring ch ose ide	arges are commissi	on ordered c curring - Cur	ost based rates rently Combine	and in AL, FL d sections.									
	5. Mar UNE-P 2-Wire	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges sharket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	onrecur all be the be neg	ring ch ose ide	arges are commissi ntified in the Nonre on an Individual Ca	on ordered c curring - Cur	ost based rates rently Combine til further notic	and in AL, FL d sections.									
	5. Mar UNE-P 2-Wire	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Voice Grade Port (Centrex) Port	onrecur all be the be neg	oring ch ose ide otiated	arges are commissintified in the Nonre on an Individual Ca	on ordered c curring - Cur	ost based rates rently Combine til further notic	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	onrecur all be the be neg	orring ch ose ide otiated	arges are commissi ntified in the Nonre on an Individual Ca UEP91	on ordered c curring - Cur	ost based rates rently Combine til further notice	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)	onrecur all be the be neg	oring ch ose ide otiated	arges are commissintified in the Nonre on an Individual Ca	on ordered c curring - Cur	ost based rates rently Combine til further notic	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shatek Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Tr/Loop Combination Rates (Design)	onrecur all be the be neg	oring ch ose ide otiated	arges are commissintified in the Nonre on an Individual Ca  UEP91  UEP91  UEP91	on ordered c curring - Cur	ost based rates rently Combine till further notic 13.13 23.75 49.62	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not need Combos in all other states, the nonrecurring charges shated Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design	onrecur all be the be neg	oring ch ose ide otiated	arges are commissintified in the Nonre on an Individual Ca	on ordered c curring - Cur	ost based rates rently Combine til further notic	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shatek Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	onrecur all be the be neg	oring ch ose ide otiated	arges are commissintified in the Nonre on an Individual Ca  UEP91  UEP91  UEP91	on ordered c curring - Cur	ost based rates rently Combine till further notic 13.13 23.75 49.62	and in AL, FL d sections.									
	Combine 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not need Combos in all other states, the nonrecurring charges shates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port ComboDesign	onrecur all be the be neg	ring choose ideotiated	uEP91 UEP91 UEP91 UEP91 UEP91	on ordered c curring - Cur	ost based rates rently Combine til further notic la 13.13 la 23.75 la 49.62 la 16.29 la 26.71	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	onrecur all be the be neg	ring choose ide otiated	arges are commissintified in the Nonre on an Individual Ca UEP91 UEP91 UEP91 UEP91	on ordered c curring - Cur	ost based rates rently Combine til further notice 13.13 13.23.75 49.62	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	onrecur all be the be neg	ring choose ideotiated	uep91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	on ordered c curring - Cur ase Basis, un	13.13 23.75 49.62 26.71 48.26	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges shaket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	onrecur all be the be neg	ring chose ide otiated	uEP91 UEP91 UEP91 UEP91 UEP91	on ordered c curring - Cur	ost based rates rently Combine til further notic la 13.13 la 23.75 la 49.62 la 16.29 la 26.71	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shateket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire VG Loop/2-VIII - Zone 3	onrecur all be the be neg	ring chose ide otiated	uep91	on ordered c curring - Cur ase Basis, un	13.13 13.13 23.75 49.62 26.71 48.26 11.77 22.39 48.26	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shatek Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire VG Loop/GE Loop (SL 1) - Zone 3  2-Wire VG Grade Loop (SL 1) - Zone 3	onrecur all be the be neg	ring choose ide otiated	uep91	on ordered c curring - Cur ase Basis, un UECS1 UECS1 UECS1 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93	and in AL, FL d sections.									
	Combin 5. Mar UNE-P 2-Wire UNE Po	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges shates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1	onrecur all be the be neg	ring choose ide otiated	uep91 UEP91 UEP91	on ordered c curring - Cur ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	and in AL, FL d sections.									
	Combit 5. Mar UNE-P 2-Wire UNE P UNE P	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges shated Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	onrecur all be the be neg	ring choose ide otiated	uep91	on ordered c curring - Cur ase Basis, un UECS1 UECS1 UECS1 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93	and in AL, FL d sections.									
	Combin 5. Mar UNE-Po UNE-Po UNE PO UNE PO UN	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shateker Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2	onrecur all be the be neg	ring choose ide otiated	uep91 UEP91 UEP91	on ordered c curring - Cur ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	and in AL, FL d sections.									
	Combin 5. Mar UNE-Po UNE-Po UNE PO UNE PO UN	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shatek Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	onrecur all be the be neg	ring choose ide otiated	uep91 Uep91 Uep91 Uep91 Uep91	UECS1 UECS1 UECS2 UECS2 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 11.97 25.35 50.46	and in AL, FL d sections.	, NC and SC ti				ates and are				
	Combin 5. Mar UNE-Po UNE-Po UNE PO UNE PO UN	ined Combos for all states. In GA, KY, LA, MS and TN these not ined Combos in all other states, the nonrecurring charges shated Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	onrecur all be the be neg	ring choose ide otiated	uep91 UEP91 UEP91	on ordered c curring - Cur ase Basis, un UECS1 UECS1 UECS1 UECS2 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 14.93 25.35	and in AL, FL d sections.									
	Combin 5. Mar UNE-Po UNE-Po UNE PO UNE PO UN	ined Combos for all states. In GA, KY, LA, MS and TN these not ned Combos in all other states, the nonrecurring charges shatek Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3	onrecur all be the be neg	ring choose ide otiated	uep91 Uep91 Uep91 Uep91 Uep91	UECS1 UECS1 UECS2 UECS2 UECS2	13.13 13.13 23.75 49.62 16.29 26.71 48.26 11.77 22.39 48.26 11.97 25.35 50.46	and in AL, FL d sections.	, NC and SC ti				ates and are				

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)			1	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															i
	Center)2 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															ſ
	Term - Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93				15.20				1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															i
	- Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08				15.20				<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term -															i
	Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08				15.20				<b></b>
AL, K	Y, LA, MS, & TN Only															<b></b>
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.36	38.85	19.08				15.20				+
	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP91	UEPQB	1.36	38.85	19.08	<del>                                     </del>		-	15.20		-	-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP91	UEPQH	1.36	38.85	19.08	<b> </b>			15.20		1	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP91	UEPQM	1.36	104.41	67.93				15.20				1
				UEP91	UEPQIVI	1.30	104.41	67.93	<b>-</b>			15.20				<del>                                     </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		1	UEP91	UEPQZ	1.36	104.41	67.93	]			15.20				1
	Term			UEP91	UEPQZ	1.30	104.41	67.93				15.20				├──
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08				15.20				i
	2-Wire Voice Grade Port Terminated in 601 Meganink of equivalent			UEP91	UEPQ2	1.36	38.85	19.08	-		-	15.20				<del> </del>
Local	Switching			OLF91	ULFQZ	1.30	30.03	19.00				13.20				<b>+</b>
Local	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8577										t
Local	Number Portability			OLF91	UNLUG	0.0377			t							<del></del>
Local	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										<del></del>
Featur				OLI 31	LIVI CC	0.55			t							<del></del>
1 cutui	All Standard Features Offered, per port			UEP91	UEPVF	0.00										<b>—</b>
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25				1	15.20				<b> </b>
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00	112.20					10.20				
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00				15.20				
Miscel	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.29	115.85	18.20				15.20				
Intero	ffice Channel Mileage - 2-Wire															L
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.60	39.36	26.62				15.20				L
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.13										<u> </u>
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														<b></b>
D4 Ch	annel Bank Feature Activations		<u> </u>		1				<b>.</b>							<b></b>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP91	1PQWS	0.6497			ļ			15.20				⊢——
					1,50,00							4.5.5				1
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497						15.20				<b>├</b>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEDO4	400047	0.0407						45.00				1
	Slot		<u> </u>	UEP91	1PQW7	0.6497			<b> </b>			15.20		1	1	<del></del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	LIEDOA	4001415	0.040=			]			45.00				1
	Different Wire Center		<del>                                     </del>	UEP91	1PQWP	0.6497			<del>                                     </del>		-	15.20		-		<del></del>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP91	1PQWV	0.6497			]			15.20				1
	Feature Activation on D-4 Channel Bank Private Line Loop Stot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		<del> </del>	OFLAI	IF Q VV V	0.0497			+			15.20		1	1	
	Slot			UEP91	1PQWQ	0.6497						15.20				1
<del></del>	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWQ	0.6497			+ +			15.20				<del></del>
Non-P	Recurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>	OE1 31	II QVVA	0.0437			+ +			10.20				<del></del>
11011-10	Conversion - Currently Combined Switch-As-Is with allowed		<b>!</b>		+ +				<del>                                     </del>							<del>                                     </del>
	changes, per port			UEP91	USAC2		0.10	0.10				15.20				1
	Conversion of Existing Centrex Common Block		1	UEP91	USACN	0.00	36.66	16.10	†							
	New Centrex Standard Common Block		İ	UEP91	M1ACS	0.00	680.40		† †			15.20				
	New Centrex Customized Common Block		1	UEP91	M1ACC	0.00	680.40					15.20				ſ
	inew Certifex Custoffized Confinion Block															
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31		j			15.20				

04/12/02 Page 191 of 352

ONRONDE	ED NETWORK ELEMENTS - Louisiana			1							T -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						1	Nonrec	urring	Nonrecurring	ı Disconnect		l l	oss	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
LINE	-P CENTREX - 5ESS (Valid in All States)						rnat	Auu i	11130	Auu i	JONIEC	JONIAN	JOINAIN	JONAN	JOHIAN	JONAN
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)	-			-	+									-	-
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			-	+									-	-
	Non-Design		4	UEP95		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLF 93		13.13										
	Non-Design		2	UEP95		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEF95	_	23.73										
			_	LIEDOE		49.62										
	Non-Design		3	UEP95	-	49.62										
UNE	Port/Loop Combination Rates (Design)				-											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i				40.00										
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	l		l		l									1	
	Design		3	UEP95		51.82										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	50.46										
UNE	Port Rate															
All S	tates															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service											10.00				
	Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent											10.20				
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term -			OL: 50	OLI 10	1.00	00.00	10.00				10.20				1
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08				15.20				
Δ1 Ι	KY, LA, MS, SC, & TN Only			OLI 33	OLI 12	1.50	30.03	13.00				13.20				
<b>∧∟,</b> ſ	2-Wire Voice Grade Port (Centrex )	<del>                                     </del>		UEP95	UEPQA	1.36	38.85	19.08	<del> </del>		1	15.20			t	
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)	<del>                                     </del>		UEP95	UEPQB	1.36	38.85	19.08	<del> </del>		1	15.20			<del> </del>	
-		1		UEP95	UEPQB	1.36	38.85	19.08	1		1	15.20			<del> </del>	<del>                                     </del>
-+	2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		OFL 20	ULFUN	1.30	30.05	19.08			<del> </del>	15.20			<del>                                     </del>	+
	Center)2	l		UEP95	UEPQM	1.36	104.41	67.93				15.20			1	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del>                                     </del>		ULF90	UEFQIVI	1.30	104.41	67.93				15.20			<del>                                     </del>	
		l		LIEDOE	LIEDO7	4.00	404.44	07.00			I	45.00			I	1
	Term	1		UEP95	UEPQZ	1.36	104.41	67.93				15.20			1	
	O Miles Vision Condo Dout townsia and the selection of the selection	1		LIEBOE	LIEDOS	4.00	00.0-	10.00				45.00			I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>		UEP95	UEPQ9	1.36	38.85	19.08			ļ	15.20			<b></b>	
-	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36	38.85	19.08				15.20				
Loca	ll Switching	<b> </b>		LIEBAE								,				
	Centrex Intercom Funtionality, per port	<b> </b>		UEP95	URECS	0.8577					ļ	15.20			<b></b>	
Loca	Number Portability			L												
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feat																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00		-				15.20				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25	-				15.20				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00		-				15.20				
NAR																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.20				
-	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.20				

04/12/02 Page 192 of 352

ONRONDLED	NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u>.</u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00		7.44.	0020	15.20				
	neous Terminations															
2-Wire T	runk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20				15.20				
4-Wire D	Digital (1.544 Megabits)															1
[	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92	4.90			15.20				
1	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.06					15.20				
Interoffic	ce Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.60	39.36	26.62				15.20				1
I	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.013										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nel Bank Feature Activations															
Į.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497						15.20				1
																1
F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1	1	UEP95	1PQW6	0.6497					1	15.20		l	I	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot	l		UEP95	1PQW7	0.6497						15.20			1	
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															1
	Different Wire Center			UEP95	1PQWP	0.6497						15.20				
																1
F	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP95	1PQWQ	0.6497						15.20				
F	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497						15.20				1
Non-Red	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP95	USAC2		0.10	0.10				15.20				
(	Conversion of Existing Centrex Common Block, each			UEP95	USACN		36.66	16.10				15.20				1
1	New Centrex Standard Common Block			UEP95	M1ACS	0.00	680.40					15.20				1
1	New Centrex Customized Common Block			UEP95	M1ACC	0.00	680.40					15.20				
1	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	73.93					15.20				1
	CENTREX - DMS100 (Valid in All States)															
2-Wire V	G Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	rt/Loop Combination Rates (Non-Design)															
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
1	Non-Design		2	UEP9D		23.75										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
1	Non-Design		3	UEP9D		49.62										
UNE Por	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		16.29										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Design		3	UEP9D		51.82										
UNE Loc						-										1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.77										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	22.39										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	48.26										1
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.93										1
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.35										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	50.46										
UNE Por	rt Rate					-										
ALL STA	ATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			İ					İ					İ	İ	1
	Area	l	1	UEP9D	UEPYB	1.36	38.85	19.08			]	15.20		1	1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana						. <u></u>			. <u></u>			Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
						Rec	Nonred			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLI 3D	OLI ID	1.50	30.03	13.00				13.20				
	Area			UEP9D	UEPYE	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local		1	UEP9D	UEPYT	1.36	38.85	19.08	1	1		15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local		1	OLI 3D	OLFII	1.30	30.03	19.00	<del> </del>	<del> </del>	<del>                                     </del>	13.20	1		1	
	Area		1	UEP9D	UEPYU	1.36	38.85	19.08	1	1		15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local				1		22.30		1	1	1					<u> </u>
	Area			UEP9D	UEPYV	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	LIED/III	4.00	00.05	40.00				45.00				
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	UEP9D	UEPYH	1.36	38.85	19.08			-	15.20				-
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI 9D	OLI IVV	1.50	30.03	13.00				13.20				
	Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEF9D	UEFTF	1.30	104.41	67.93	1	1	1	15.20				
	Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3								İ	İ						
	Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			LIEDOD	LIEDV4	4.00	404.44	67.00				45.00				
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.36	104.41	67.93				15.20				ļ
	Basic Local Area		1	UEP9D	UEPY5	1.36	104.41	67.93	1	1		15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			02.00	JE1 10	1.50	10-1-41	07.00	1	1	1	10.20	1		1	
	Basic Local Area		1	UEP9D	UEPY6	1.36	104.41	67.93	1	1		15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3										1					
	Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93			1	15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								1			4				
	Term			UEP9D	UEPYZ	1.36	104.41	67.93	<del>                                     </del>	<del>                                     </del>	1	15.20				<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		1	UEP9D	UEPY9	1.36	38.85	19.08	1	1		15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	OLI 3D	OLFIS	1.30	30.03	19.00	<del> </del>	<del> </del>	<del>                                     </del>	13.20	1		1	
	Local Area			UEP9D	UEPY2	1.36	38.85	19.08	1			15.20				
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08	ļ			15.20				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3		ļ	UEP9D	UEPQC	1.36	38.85	19.08			1	15.20	ļ		ļ	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3		ļ	UEP9D	UEPQD UEPQE	1.36	38.85	19.08 19.08	<del>                                     </del>	<del>                                     </del>		15.20 15.20				
-	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 2-Wire Voice Grade Port (Centrex / EBS-M5112)3		-	UEP9D UEP9D	UEPQE	1.36 1.36	38.85 38.85	19.08	<del> </del>	+	+	15.20				
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5312)3		<del>                                     </del>	UEP9D	UEPQG	1.36	38.85	19.08	<del>                                     </del>	<del>                                     </del>	+	15.20	<del> </del>		<del> </del>	<del></del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5012)3		<b>-</b>	UEP9D	UEPQT	1.36	38.85	19.08	<b> </b>	<b> </b>	<u> </u>	15.20				<del> </del>

RECUDE	D NETWORK ELEMENTS - Louisiana			1									Attachment:		Exhibit: B	
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	<sup>-</sup> ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.36	104.41	67.93				15.20				
							,								1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.36	104.41	67.93				15.20				ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.36	104.41	67.93				15.20			-	
	0 1 D 1 O 1 D 1 O 1 D 1 O 1 O 1 O 1 O 1 O											4= 00				
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.36	104.41	67.93				15.20			<b>!</b>	ļ
	0.14/2-2.1/2/2-2.0-2-1-1-Deat (O. 14-2-1-1/2/2-2014)0 /EDO 145040)0 0			LIEDOD	LIEBOO	4.00	404.44	07.00				45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.36	104.41	67.93				15.20				
	2 Mins Vaiss Crade Bost (Contravidiffer CMC /EBC ME000)2 2			LIEDOD	UEPQ4	1.36	101.11	67.93				45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.30	104.41	67.93				15.20				
	2 Mira Voice Crade Bort (Centray/differ SMC /EBS ME209)2 2			UEP9D	UEPQ5	1.36	104.41	67.93				15 20				
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.30	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.36	104.41	67.93				15.20				
-	2-Wile Voice Grade Fort (Centrex diller SWC /LB3-W5210)2, 3			OLFBD	ULFQU	1.30	104.41	07.93				13.20				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port (Certific Vallier Swc / EBS-W3310/2, 3			OLFBD	ULFQI	1.30	104.41	01.93				13.20				
	Term			UEP9D	UEPQZ	1.36	104.41	67.93				15.20				
	Tom			OLI OD	OLI QL	1.00	104.41	07.00				10.20				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08				15.20				
Local	Switching				<u> </u>											
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur	es															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						15.20				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25					15.20				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						15.20				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.20				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.20				
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20				15.20				
4-Wire	Digital (1.544 Megabits)			LIEDOD	MALIE	22.45	/20 15					/=			-	
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62				15.20				
lmtar - f	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06					15.20			-	
interof	fice Channel Mileage - 2-Wire			LIEDOD	MICEC	20.00	20.00	20.00				45.00			<b>!</b>	ļ
-	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.60	39.36	26.62				15.20			<del>                                     </del>	1
Foot	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.013									<del>                                     </del>	
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	е			+		ł								1	<b>!</b>
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<b>-</b>		UEP9D	1PQWS	0.6497			<b> </b>			15.20			<del></del>	-
-	i earnie Activation on D-4 Chamilet Dank Centrex Loop 2001			OLFBD	IFWVVO	0.0497	+		1			15.20			<del></del>	-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497	l					15.20			1	
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLFBD	IF WVV	0.0497	ł		<del>                                     </del>			15.20			t	
															1	1

HOUNDLE	ED NETWORK ELEMENTS - Louisiana			1					1	1	Cura Circle	Comp Control	Attachment:		Exhibit: B	In an arrant
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497						15.20				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.6497						15.20				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497						15.20				
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI OD	11 00077	0.0407						10.20				
- 1.0	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10				15.20				
1	Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10				15.20			1	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40					15.20				
1	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	680.40					15.20			1	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	73.93					15.20				
UNE-P	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP9E		13.13										
	Non-Design		2	UEP9E		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		49.62										
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP9E		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9E		26.71										
	Design		3	UEP9E		51.82										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	50.46										
	Port Rate															
AL, FL	, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08				15.20				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93				15.20				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1.36	104.41	67.93				15.20			<del>                                     </del>	<del>                                     </del>
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP9E	UEPY9	1.36	38.85	19.08				15.20			1	<del>                                     </del>
41	Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08				15.20				
AL, K	Y, LA, MS, & TN Only	<b> </b>		LIEDOE	LIEDOA	1.00	00.05	10.00				45.00				
_	2-Wire Voice Grade Port (Centrex )	<b> </b>		UEP9E	UEPQA	1.36	38.85	19.08				15.20			<b>!</b>	ļ
_	2-Wire Voice Grade Port (Centrex 800 termination)	<b>!</b>		UEP9E UEP9E	UEPQB UEPQH	1.36 1.36	38.85	19.08 19.08				15.20			<del>                                     </del>	
_	2-Wire Voice Grade Port (Centrex with Caller ID)1	-		UEP9E	UEPQH	1.36	38.85	19.08				15.20			<del>                                     </del>	
1	2-Wire Voice Grade Port (Centrex from diff Serving Wire	I	l	UEP9E	UEPQM	1.36	104.41	67.93			l	15.20				1

04/12/02 Page 196 of 352

CATEGORY	D NETWORK ELEMENTS - Louisiana  RATE ELEMENTS										Svc Order		Attachment:		Exhibit: B Incremental	
$\overline{}$	10.112	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.36	104.41	67.93				15.20				ĺ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08				15.20				ı
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08				15.20				<b></b>
	Switching															<b></b>
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.8577										<b></b>
	Number Portability		<u> </u>	LIEBOE	LNDOO	0.05										<del></del>
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										<del>                                     </del>
Feature	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						15.20				<del> </del>
<del></del>	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25					15.20				<del></del>
-+-	All Centrex Control Features Offered, per port		<del>                                     </del>	UEP9E	UEPVC	0.00	712.23		<del>                                     </del>			15.20				<del></del>
NARS	Same a control of catalog chorou, por port				02.70	0.00			<del>                                     </del>			10.20				<u> </u>
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00								
-	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Miscell	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.29	115.85	18.20				15.20				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	68.47	196.18	92.92				15.20				L
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.06					15.20				<u> </u>
	fice Channel Mileage - 2-Wire															<b></b>
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	22.60	39.36	26.62				15.20				<b></b>
	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP9E	MIGBM	0.013										<b>├</b>
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	е														+
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<u> </u>	UEP9E	1PQWS	0.6497						15.20				<b>——</b>
	realure Activation on 5-4 Channel Bank Centrex Loop Slot			OLFBL	IFQW3	0.0497						15.20				<b>—</b>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497						15.20				i .
-	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OL	11 0000	0.0401						10.20				
	Slot			UEP9E	1PQW7	0.6497						15.20				ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.6497						15.20				1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497						15.20				i .
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.6497						15.20				<b></b>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497						15.20				<b></b>
	ecurring Charges (NRC) Associated with UNE-P Centrex		<u> </u>		+				<b> </b>							<del></del>
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEDOE	110400	l	0.40	0.10				45.00				1
+-	changes, per port  Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E UEP9E	USAC2 USACN	}	0.10 36.66	0.10 16.10	<del>                                     </del>			15.20 15.20				<del>                                     </del>
<del></del>			-			0.00	36.66 680.40	16.10	<del>                                     </del>							<del>                                     </del>
$\longrightarrow$	New Centrex Standard Common Block New Centrex Customized Common Block		<del>                                     </del>	UEP9E UEP9E	M1ACS M1ACC	0.00	680.40 680.40		<del>                                     </del>			15.20 15.20				<del>                                     </del>
<del></del>	NAR Establishment Charge, Per Occasion			UEP9E UEP9E	URECA	0.00	73.93		+			15.20				<del>                                     </del>
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1	OL1 3L	JILOA	0.00	7 3.93		+			13.20				<del>                                     </del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1 1	+			<del>                                     </del>							<u> </u>
	ort/Loop Combination Rates (Non-Design)				1	İ										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		13.13										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		23.75										L
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		3	UEP93		49.62			ļ							<b>├</b>
UNE Po	ort/Loop Combination Rates (Design)								ļ							<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	l	1	UEP93		16.29										1

04/12/02 Page 197 of 352

NBUNDLED NETWORK ELEMENTS - Louis	siana											Attachment:	2	Exhibit: B	
										Svc Order	Svc Order	Incremental	Incremental		Increment
											Submitted				
													Charge -	Charge -	Charge -
	- Int	teri								Elec	Manually		Manual Svc	Manual Svc	Manual Sv
ATEGORY RATE ELEMENT	5	m Zon	e BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	'									T.	•	Electronic-	Electronic-	Electronic-	Electronic
												1st	Add'l	Disc 1st	Disc Add'
												ist	Addi	DISC 1St	DISC Add
					B	Nonre	curring	Nonrecurrin	g Disconnect		•	oss	Rates(\$)		•
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire VG Loop/2-Wire Voice Grade Po	rt (Centrex)Port Combo -														
Design	it (control), oit combo	2	UEP93		26.71										
2-Wire VG Loop/2-Wire Voice Grade Po	rt (Controy) Dort Combo		OLI 33	-	20.71					-					
	rt (Centrex)Port Combo -	_	LIEDOO		54.00										
Design		3	UEP93		51.82										
UNE Loop Rate															
2-Wire Voice Grade Loop (SL 1) - Zone		1	UEP93	UECS1	11.77										
2-Wire Voice Grade Loop (SL 1) - Zone	2	2		UECS1	22.36										
2-Wire Voice Grade Loop (SL 1) - Zone	3	3	UEP93	UECS1	48.26										
2-Wire Voice Grade Loop (SL 2) - Zone		1	UEP93	UECS2	14.93										
2-Wire Voice Grade Loop (SL 2) - Zone		2		UECS2	25.35					1					
2-Wire Voice Grade Loop (SL 2) - Zone 2-Wire Voice Grade Loop (SL 2) - Zone		3		UECS2	50.46			1	+	+		1	1	1	
	J	3	UEF93	UEUSZ	50.46				+	+		<b> </b>	<b> </b>		
UNE Port Rate										<b>_</b>					
AL, KY, LA, MS, & TN only															
2-Wire Voice Grade Port (Centrex ) Basi			UEP93	UEPYA	1.36	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex 800 to															
Area	,	1	UEP93	UEPYB	1.36	38.85	19.08	1		1	15.20	1	1	1	
2-Wire Voice Grade Port (Centrex with 0	Caller ID\1Basic Local		02.00	025	1.00	00.00	10.00			1	10.20				
	June 10) I Dasie Lucai		UEP93	UEPYH	1.36	38.85	19.08	1		1	15.20	1	1	1	
Area			UEP93	UEPTH	1.30	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex from o	diff Serving Wire														
Center)2 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port, Diff Serving W	ire Center - 800 Service														
Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port terminated in c	n Megalink or equivalent		02.00	022	1.00	10	01.00				10.20				
- Basic Local Area	in Megalink or equivalent		UEP93	UEPY9	1.36	38.85	19.08				15.20				
			UEP93	UEPT9	1.30	38.85	19.08				15.20				
2-Wire Voice Grade Port Terminated on	800 Service Term -														
Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.36	38.85	19.08				15.20				
2-Wire Voice Grade Port (Centrex 800 to	ermination)		UEP93	UEPQB	1.36	38.85	19.08			1	15.20				
2-Wire Voice Grade Port (Centrex with C			UEP93	UEPQH	1.36	38.85	19.08			1	15.20				
2-Wire Voice Grade Port (Centrex from o			02.00	02. 4	1.00	00.00	10.00				10.20				
	alli Serving Wile		LIEDOS	LIEDOM	4.00	404.44	67.00				45.00				
Center)2			UEP93	UEPQM	1.36	104.41	67.93				15.20				
2-Wire Voice Grade Port, Diff Serving W	rre Center - 800 Service							1		1		1	1	1	
Term			UEP93	UEPQZ	1.36	104.41	67.93		<u> </u>	<u> </u>	15.20				
								1						l	
2-Wire Voice Grade Port terminated in o	n Megalink or equivalent		UEP93	UEPQ9	1.36	38.85	19.08	1		1	15.20	1	1	1	
2-Wire Voice Grade Port Terminated on			UEP93	UEPQ2	1.36	38.85	19.08		1		15.20				
Local Switching	222 001 1100 101111		32.00	J W2	1.00	00.00	10.00	1	1	1	10.20			1	
Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577			-	+	+		-	-	-	
			UEPSO	UKEUS	0.8577				1	+		1	1	<b> </b>	
Local Number Portability			1						<b>_</b>	<b></b>					
Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Features								L		1				L	
All Standard Features Offered, per port			UEP93	UEPVF	0.00						15.20				
All Centrex Control Features Offered, pe			UEP93	UEPVC	0.00			İ	İ	1	15.20			i	
NARS			32.00	J VJ	0.00			-	+	†	10.20	<del> </del>	<del> </del>	l	
	Sambia atian		UEP93	UARCX	0.00	0.00	0.00	<b> </b>	+	+	15.20	<b> </b>	<b> </b>	<b> </b>	
Unbundled Network Access Register - 0		<b></b>							1	-					
Unbundled Network Access Register - I			UEP93	UAR1X	0.00	0.00	0.00		1	1	15.20				
Unbundled Network Access Register - C	Outdial	L	UEP93	UAROX	0.00	0.00	0.00	<u></u>	<u> </u>	<u> </u>	15.20			<u></u>	
Miscellaneous Terminations															
2-Wire Trunk Side												İ	İ	1	
Trunk Side Terminations, each	+		UEP93	CEND6	8.27	115.85	18.20	<b> </b>	1	1	15.20	1	1	l	
4-Wire Digital (1.544 Megabits)			JL1 33	OLIVDO	0.27	110.00	10.20	1	+	+	13.20	1	1	1	
			LIEDOS	MALIDA	00.4=	400.40	00.00		+	+	45.00	<b> </b>	<b> </b>		
DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92		1	1	15.20				
DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.01					15.20				
Interoffice Channel Mileage - 2-Wire															
Interoffice Channel Facilities Termination	n		UEP93	MIGBC	22.60	39.36	26.62				15.20	İ	İ		
Interoffice Channel mileage, per mile or			UEP93	MIGBM	0.013	55.56	20.02	1	1	1	.0.20	1	1	1	
Feature Activations (DS0) Centrex Loops on			JL1 33	IVIIODIVI	0.013			1	+	+		1	1	1	
	Chamienzed DS1 Service								1	-					
D4 Channel Bank Feature Activations										1					
Feature Activation on D-4 Channel Bank	Centrex Loop Slot		UEP93	1PQWS	0.6497			1	1		15.20	1	1	1	l

04/12/02 Page 198 of 352

D NETWORK ELEMENTS - Louisiana												Attachment:	2	Exhibit: B	
RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Submitted Elec	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
					ı	Nonrec	urring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	l	l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497						15.20				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497						15.20				
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.6497						15.20				
Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497						15.20				
Slot			UEP93	1PQWQ	0.6497						15.20				
			UEP93	1PQWA	0.6497						15.20				
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10				15.20				
Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10				15.20				
New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40	•		•		15.20				
New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40					15.20				
NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93	•		•		15.20				
- Required Port for Centrex Control in 1AESS, 5ESS & EWSD						•	•		•						
2 - Requres Interoffice Channel Mileage						•	•		•						
•	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, SESS & EWSD 2- Requires Interoffice Channel Mileage Requires Specific Customer Premises Equipment	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex INRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block New Centrex Customized Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion Required Port for Centrex Control in 1AESS, 5ESS & EWSD 2- Requires Interoffice Channel Mileage - Requires Interoffic Customer Premises Equipment	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot ecurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port Conversion of Existing Centrex Common Block, each New Centrex Customized Common Block New Centrex Customized Common Block New Centrex Customized Common Block NAR Establishment Charge, Per Occasion - Required Port for Centrex Control in 1AESS, 5ESS & EWSD 2- Requires Specific Customer Premises Equipment	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP93  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  VEP93  VEP93  VEP93  VEP93  VEP93  VEP93  New Centrex Customized Common Block UEP93  NAR Establishment Charge, Per Occasion  Required Port for Centrex Control in 1AESS, 5ESS & EWSD 2- Requires Specific Customer Premises Equipment	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ Feature Activation on D-4 Channel Bank WaTS Loop Slot UEP93  1PQWQ  1PQWQ Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93  1PQWQ UEP93  1PQWQ  1PQW	RATE ELEMENTS  m  Zone BCS  USOC  Rec  Rec  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP93  1PQW7  0.6497  Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93  1PQWP  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWA  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWA  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93  1PQWA  0.6497  Feature Activation on D-5 Channel Bank WATS Loop Slot UEP93  1PQWA  0.6497  IPQWQ  0.6497  IPQ	RATE ELEMENTS  m  Zone BCS USOC RATE  Rec Nonrec First  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1PQW7 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1PQWV 0.6497  Feature Activation on D-4 Channel Bank Warts Loop Slot UEP93 1PQWQ 0.6497  Feature Activation on D-4 Channel Bank Warts Loop Slot UEP93 1PQWQ 0.6497  Feature Activation on D-4 Channel Bank Warts Loop Slot UEP93 1PQWQ 0.6497  UEP93 1PQWA 0.	Nonrecurring	RATE ELEMENTS  m  Lone BCS  USOC  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$)  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$)  RATES(\$  RATES(\$  RATES(\$)  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  RATES(\$  R	RATE ELEMENTS  m  Lone  BGS  USOC  RATES(\$)  Rec  Nonrecurring Nonrecurring Disconnect First Add'l First Add'l First Add'l Feature Activation on D-4 Channel Bank FX Line Side Loop Slot UEP93 IPQW6 0.6497  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP93 IPQW7 0.6497  Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 IPQWP 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 IPQWP 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 IPQWV 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 IPQWV 0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 IPQWQ 0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 IPQWQ 0.6497  WEP93 IPQWA 0.6497  IPQWA 0	RATE ELEMENTS  Interi m  Zone BCS USOC  RATES(\$)  Nonrecurring Nonrecurring Disconnect Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP93 1POW6 0.6497 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1POW7 0.6497 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1POWV 0.6497 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1POWV 0.6497 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1POWV 0.6497 Feature Activation on D-4 Channel Bank MATIS Loop Slot UEP93 1POWV 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activation on D-4 Channel Bank WATIS Loop Slot UEP93 1POWQ 0.6497 Feature Activati	RATE ELEMENTS	RATE ELEMENTS   Interim   Zone   BCS   USOC   RATES(S)   RATES(S)   Submitted   Elec   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR   Submitted   Charge - Manual Ny   Per LSR	RATE ELEMENTS   Interim   Zone   BCS   USOC   RATES(\$)   Submitted   Elect per LSR   Submitted   Charge - Manual Svg Order vs.   Electronic 1st   Add'1   Some   So	Interigue   Activation on D-4 Channel Bank FX Trunk Side Loop Slot   UEP93   1PQWP   0.6497

IIND	IINDI E	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
UNB	UNDLE											Svc Order		Incremental	2 Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												l -		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											<u> </u>				D-1(A)		
	-						Rec	Nonred		Nonrecurring		SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
			-					First	Add'l	First	Add'l	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
ODED	ATIONA	L SUPPORT SYSTEMS	1	1													
OFER		(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator i	it prefers the state	specific elec	tronic service o	rdering charge	es as ordered l	ny the State Co	mmissions T	he electron	ic service or	dering charg	e currently co	ntained in thi	s rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															lv. For
		elements that cannot be ordered electronically at present per															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				on uno outo	gory remedia in	o onargo mar i	rould be bille	. 10 u OLLO 011	oc cicon onio c	rucing out	abilities co.	inc on mic io	tilat cicilicii	Other wise,	are mariaar
	O G G G I I	Manual Service Order Charge, per LSR, Disconnect Only (MS)	I	LOIC	Denocutii.	SOMAN				1.97		1			1	1	
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
		interactive interfaces (Regional)				SOMEC		3.50									
UNBU	INDLED	EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP	1														
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAL2	43.85	37.92	17.55	23.48	5.25		15.75				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92				15.75				
		Engineering Information Document (EI)		<u> </u>	UEANL			13.51	13.51								
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
	2 MIDI	Unbundled COPPER LOOP		-	UEANL	UCUSL		18.19	18.19	-							
-	Z-WIKI	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42		15.75				
	+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>l i</del>	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42		15.75				
	+	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	<del>Li</del>	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42		15.75				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	l i		UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42		15.75				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.20	8.20								
		Engineering Information Document			UEQ			13.51	13.51								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36					15.75				
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97					15.75				
		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42				15.75				
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRI	ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ι.			40.00										
		Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			HEDOD HEDOD	LIEADO	12.03	37.92	17.55	22.40	5.25		15.75				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25		15.75				
		Zone 2		2	UEPSR UEPSB	UEALS,	16.87	37.92	17.55	23.48	5.25		15.75				
	+	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1		OLF SK OLF SB	ULALS,	10.07	31.32	17.55	23.40	3.23		13.73				
		Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25		15.75				
	+	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1		OLI OK OLI OB	OLADO	10.07	51.32	17.55	25.40	5.25		10.75				
		Zone 3		3	UEPSR UEPSB	UEALS,	25.68	37.92	17.55	23.48	5.25		15.75				
	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ť		,		502	00		5.20						
		Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25		15.75				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 4	1	4	UEPSR UEPSB	UEALS,	43.85	37.92	17.55	23.48	5.25		15.75		<u> </u>	<u> </u>	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25		15.75				
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRI	ANALOG VOICE GRADE LOOP															
1		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١	l	l				I							
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_		LIEALO	40.7-	405.00	00.00	50.00	10.0-		45.75				
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		15.75				

04/12/02 Page 200 of 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)			Svc Order Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_			40.75			=====							
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37		15.75				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	l												
	Battery Signaling - Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37		15.75			-	<b> </b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			LIEA	LIEAGO				== ==			,			1	
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		15.75			-	<b> </b>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19	00.00				45.75				
	CLEC to CLEC Conversion Charge without outside dispatch  ANALOG VOICE GRADE LOOP	-	<del>                                     </del>	UEA	UREWO		87.56	36.29	ļ			15.75	<del>                                     </del>	-	<del>                                     </del>	<u> </u>
			1	1154	UEAL4	07.47	400.07	94.59	00.00	44.04		45.75				<b></b>
	4-Wire Analog Voice Grade Loop - Zone 1			UEA		27.47	132.27		60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.26 50.03	132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4		132.27	94.59	60.68	14.64		15.75				
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19	00.00				45.75				
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29				15.75				
	ISDN DIGITAL GRADE LOOP		4	LIDNI	LIALOV	24.04	447.04	70.00	50.00	10.07		45.75				
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN UDN	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				<b></b>
	2-Wire ISDN Digital Grade Loop - Zone 2		2		U1L2X	27.59	117.61	79.92	52.82 52.82	10.37		15.75				<b></b>
	2-Wire ISDN Digital Grade Loop - Zone 3 2-Wire ISDN Digital Grade Loop - Zone 4		3	UDN UDN	U1L2X U1L2X	37.34 59.18	117.61 117.61	79.92 79.92	52.82	10.37 10.37		15.75 15.75				-
	Order Coordination For Specified Conversion Time (per LSR)		4	UDN	OCOSL	39.16	18.19	79.92	52.62	10.37		15.75				+
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07				15.75				+
2 WIDE	Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIN	UKLVVO		31.40	44.07				13.73			-	<del> </del>
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	1		1	UDC	UDC2X	21.01	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			ODC	ODCZX	21.01	117.01	19.92	32.02	10.37		13.73				
	2		2	UDC	UDC2X	27.59	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			ODO	ODOZX	21.00	117.01	13.32	32.02	10.57		13.73				
	2-Wile Offiversal Digital Chairner (ODC) Compatible 200p - Zone		3	UDC	UDC2X	37.34	117.61	79.92	52.82	10.37		15.75				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		-	ODC	ODOZA	37.34	117.01	13.32	32.02	10.57		13.73				<del>                                     </del>
	4		4	UDC	UDC2X	59.18	117.61	79.92	52.82	10.37		15.75				
	CLEC to CLEC Conversion Charge without outside dispatch *		<u> </u>	UDC	UREWO	00.10	91.46	44.07	02.02	10.07		15.75				
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP		0112110											
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93		15.75	Ì		I	
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry															1
	& facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &						-									
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93		15.75	L	<u></u>	<u></u>	
	2 Wire Unbundled ADSL Loop without manual service inquiry &												]			
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93		15.75				
	2 Wire Unbundled ADSL Loop without manual service inquiry &						-							I		
	facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch		1	UAL	UREWO		86.04	40.33				15.75		1		1

04/12/02 Page 201 of 352

ONBONDL	ED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		_						=	= 00						
	& facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop including manual service inquiry		4		UHL2X	10.46	400.00	70.50	50.00	7.00		45.75				
-	& facility reservation - Zone 4  Order Coordination for Specified Conversion Time (per LSR)		4	UHL	OCOSL	10.46	129.98	79.52	50.38	7.93		15.75				+
-	2 Wire Unbundled HDSL Loop without manual service inquiry		-	UHL	UCUSL		18.19									+
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	<del>- '</del> -	UNL	UHLZVV	0.13	104.00	00.74	30.36	7.93		15.75				
	and facility reservation - Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OFILZVV	5.22	104.00	00.74	30.36	7.55		13.73				+
	and facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93		15.75				
	2 Wire Unbundled HDSL Loop without manual service inquiry		_ J	OFIL	UTILZVV	5.01	104.00	00.74	30.36	7.55		13.73				+
	and facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93		15.75				
	Order Coordination for Specified Conversion Time (per LSR)		<del></del>	UHL	OCOSL	10.40	18.19	00.74	30.30	7.55		13.73				+
	CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO		85.98	40.33				15.75				+
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIRI F	OOP	OFFE	OKEWO		05.30	40.55				13.73				+
7 1111	4 Wire Unbundled HDSL Loop including manual service inquiry	i i i i i i i i i i i i i i i i i i i	1													+
	and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68		15.75				
_	4-Wire Unbundled HDSL Loop including manual service inquiry		<u> </u>	OTIL	OFFETA	10.70	100.7 4	100.20	00.72	10.00		10.70				+
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68		15.75				
+	4-Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OFFE	10.40	100.74	100.20	00.72	10.00		10.70				+
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									1
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68		15.75				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		85.98	40.33				15.75				
4-WIF	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop - Zone 4	<u> </u>	4	USL	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				<b></b>
	Order Coordination for Specified Conversion Time (per LSR)	ļ		USL	OCOSL		18.19							ļ		<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch	ļ		USL	UREWO		100.90	42.96				15.75		ļ		<del></del>
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ļ	<u> </u>	LIBI	LIDL 42		400 =-	20.5-				,			ļ	<b>↓</b>
	4 Wire Unbundled Digital 19.2 Kbps	<u> </u>	1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64		15.75				+
	4 Wire Unbundled Digital 19.2 Kbps	<b> </b>	2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64		15.75				+
	4 Wire Unbundled Digital 19.2 Kbps	<b> </b>		UDL	UDL19	40.76	126.53	88.85	60.68	14.64	ļ	15.75		-	1	+
	4 Wire Unbundled Digital 19.2 Kbps	<b> </b>		UDL	UDL19	32.25	126.53	88.85	60.68	14.64		15.75			ļ.	+
<del></del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<del>                                     </del>		UDL UDL	UDL56	27.44 34.55	126.53	88.85	60.68	14.64 14.64		15.75		-	1	+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	├		UDL	UDL56 UDL56	40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64	<b> </b>	15.75 15.75		-	1	+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	<del>                                     </del>		UDL		32.25				14.64				-	<b> </b>	+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4  Order Coordination for Specified Conversion Time (per LSR)	-	4	UDL	UDL56 OCOSL	32.25	126.53 18.19	88.85	60.68	14.04		15.75		-	1	+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	<del>                                     </del>	1	UDL	UDL64	27.44	18.19	88.85	60.68	14.64		15.75			-	+
				IVIJL				00.00								

04/12/02 Page 202 of 352

LINDINDI	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
UNBUNDLE	D NET WORK ELEMENTS - MISSISSIPPI	1	1							I	Svc Order	Cvo Ordor	Incremental			Incremental
											Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ	TES(\$)								
OATEGORI	NATE ELEMENTO	m		500	0000		IVA	ΕΟ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	n Disconnect		l	OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	HDI	UDL64	40.76	126.53	88.85	60.68	14.64	JONEC	15.75	JONAN	JONAN	JOINAIN	JOINAIN
h	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			UDL	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	02.20	18.19	00.00	00.00	14.04		10.70				
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66				15.75				
2-WIR	E Unbundled COPPER LOOP			002	U.V.E.V.O		.01.01	10.00				10.70				
	2-Wire Unbundled Copper Loop/Short including manual service				-											
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93		15.75				
h	2-Wire Unbundled Copper Loop/Short including manual service		·	002	002. 2		.20.0 .	00.07	00.00	7.00		10.70				
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93		15.75				
	2 Wire Unbundled Copper Loop/Short including manual service		_	002	002. 5		.20.01	00.07	00.00	7.00		10.70				
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93		15.75		Ì		
	2 Wire Unbundled Copper Loop/Short including manual service	<b>†</b>	Ť		302. 2		.20.04	33.01	55.00			.0.70		1		
	inquiry & facility reservation - Zone 4	1	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)	1	†	UCL	UCLMC	.2.00	8.20	8.20	55.50				1	1		
	2-Wire Unbundled Copper Loop/Short without manual service	1					3.20	3.20	t	1			1	1		
	inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93		15.75		Ì		
	2-Wire Unbundled Copper Loop/Short without manual service		<u> </u>	002	002. 11		00.21	01.00	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service		_	002	002		00.21	01.00	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Short without manual service			002	002. 11		00.21	01.00	00.00	7.00		10.70				
	inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	29.29	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	43.46	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	64.44	120.34	69.87	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 4		4	UCL	UCL2L	87.60	120.34	69.87	50.38	7.93		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCL2W	29.29	95.21	57.09	50.38	7.93		15.75				
	2-Wire Unbundled Copper Loop/Long - without manual service															
I	inquiry and facility reservation - Zone 2	<u> </u>	2	UCL	UCL2W	43.46	95.21	57.09	50.38	7.93	<u> </u>	15.75	<u> </u>	<u> </u>		
	2-Wire Unbundled Copper Loop/Long - without manual service															
I	inquiry and facility reservation - Zone 3	<u> </u>	3	UCL	UCL2W	64.44	95.21	57.09	50.38	7.93	<u> </u>	15.75	<u> </u>	<u> </u>		
	2-Wire Unbundled Copper Loop/Long - without manual service			_			_									
	inquiry and facility reservation - Zone 4	<u></u>	4	UCL	UCL2W	87.60	95.21	57.09	50.38	7.93		15.75	<u></u>	L		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	<u> </u>		UCL	UREWO		95.21	42.40				15.75				
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry	1								<u> </u>			1			
	and facility reservation - Zone 1	ļ	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68		15.75		ļ		
	4-Wire Copper Loop/Short - including manual service inquiry	1	1						I			1		Ì		
	and facility reservation - Zone 2	<u> </u>	2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - including manual service inquiry	1	١	l <u>.</u> .	1				1							
$\vdash$	and facility reservation - Zone 3	ļ	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75		ļ		
	4-Wire Copper Loop/Short - including manual service inquiry	1	١	l <u>.</u> .					I			l		Ì		
$\vdash$	and facility reservation - Zone 4	ļ	4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)	ļ		UCL	UCLMC		8.20	8.20	<b>.</b>					ļ		
	4-Wire Copper Loop/Short - without manual service inquiry and	1	l .				=							1		
$\vdash$	facility reservation - Zone 1	ļ	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and	1	١.			40								Ì		
$\vdash$	facility reservation - Zone 2	<b>!</b>	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68		15.75				
	4-Wire Copper Loop/Short - without manual service inquiry and	1			1101 414	04.00	440 ===	04	50.70	40.00	1	45				
	facility reservation - Zone 3	l	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68	L	15.75				

04/12/02 Page 203 of 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	54.72	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	97.47	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_			400.00										
L	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.			LICI	LICL 4	400.00	444.00	04.00	50	10.00		45.75	1	1	1	1
<b></b>	inquiry and facility reservation - Zone 4	-	4	UCL	UCL4L	106.06	144.68	94.22	56.72	10.68		15.75				<del></del>
	Order Coordination for Unbundled Copper Loops (per loop)	<b> </b>	1	UCL	UCLMC		8.20	8.20	<del>                                     </del>	-	-		1	1	1	<del>                                     </del>
	4-Wire Unbundled Copper Loop/Long - without manual svc.		4	UCL	UCL4O	54.72	110 50	04 44	56.72	10.68		15.75	1	1	1	1
<b></b>	inquiry and facility reservation - Zone 1	<del>                                     </del>	<del>- '</del> -	UUL	UUL4U	54.72	119.56	81.44	50.72	10.08		15.75		-		<del></del>
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	l	2	UCL	UCL4O	97.47	119.56	81.44	56.72	10.68		15.75	Ì	l	Ì	1
	4-Wire Unbundled Copper Loop/Long - without manual svc.	1	<del>                                     </del>	UUL	UUL4U	91.47	119.00	01.44	30.72	10.08	<b>-</b>	15.75	1	1	1	<del>                                     </del>
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	4-Wire Unbundled Copper Loop/Long - without manual service		3	OCL	OCL4C	100.00	113.30	01.44	30.72	10.00		13.73				
	inquiry and facility reservation - Zone 4		4	UCL	UCL4O	106.06	119.56	81.44	56.72	10.68		15.75				
	Order Coordination for Unbundled Copper Loops (per loop)		7	UCL	UCLMC	100.00	8.20	8.20	30.72	10.00		13.73				
<b></b>	CLEC to CLEC Conversion Charge without outside dispatch			002	COLINO		0.20	0.20			1					<b>-</b>
	(UCL-Des)			UCL	UREWO		95.21	42.40				15.75				
LOOP MODIFIC				002	0.12110		00.21	.20				10.70				
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft Unbundled Loop Modification, Removal of Load Coils - 2 wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULM2L		32.57	32.57				15.75				
	greater than 18k ft			UCL, ULS	ULM2G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OCL, OLS	ULIVIZG		171.45	171.45				13.73				-
	less than or equal to 18K ft			UHL, UCL	ULM4L		32.57	32.57				15.75				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			OTIE, OOL	OLIVIAL		02.07	02.01				10.70				
	pair greater than 18k ft			UCL	ULM4G		171.49	171.49				15.75				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.59	32.59				15.75				
SUB-LOOPS			<u> </u>						ļ				ļ	ļ	ļ	<b>↓</b>
Sub-Lo	oop Distribution	<u> </u>	<u> </u>													<b></b>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	١.			110004		050.00		1			45				1
	Ор	-		UEANL	USBSA		259.69					15.75				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	ı		UEANL	USBSB		22.77					15.75				
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	I		UEANL	USBSC		178.47					15.75				1
	Set-Up	1		UEANL	USBSD		56.39		1			15.75				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71		15.75				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71		15.75				1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -										<u> </u>					
-	Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71	-	15.75				<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								

UNBUNDI	ED NETWORK ELEMENTS - Mississippi			·									Attachment:	2	Exhibit: B	
			1		1						Svo Order	Svc Order	Incremental			Increment
		l	1													Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL7 II IL	CODIT	7.00	70.40	77.70	01.27	0.00		10.70				
			_		1100014	40.00	70.40	44.45	54.07	0.05		45.75				
	Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35		15.75				
	2010 1		<del>-</del>	0271112	005.11	10.70	7 0.10		01127	0.00		10.70				
	Order Consideration for Habrardlad Cub Loops, a contribution of	l	1	LIFANII	LICDMC	]	0.00	0.00				45.75		1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<b>├</b>	UEANL	USBMC	0	8.20	8.20	4=			15.75		ļ	1	1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I	ļ	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71		15.75			ļ	
l					1											
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	l	1	UEANL	USBMC	]	8.20	8.20						1		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.40	59.60	24.55	51.27	9.35		15.75			İ	İ
	The state of the s	<u> </u>	<b>-</b>			10	55.00	200	\$E1	2.00		.0.70			<del>                                     </del>	<del>                                     </del>
	Order Consideration for Habrardlad Cub Loops, a contribution of	l	1	LIFANII	LICDMC	]	0.00	0.00						1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<del>  </del>	UEANL	USBMC		8.20	8.20						<b> </b>	ļ	ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı		UEF	UCS2X	6.06	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71		15.75				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71		15.75				
	2 Wile copper official and cap both but in the control			OLI	OOOZX	0.00	00.10	01.14	40.00	0.71		10.70				
	0-1-0-5-5-6-11-1			luee .	110040		0.00	0.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35		15.75				
	1 Trice copper cribariated cab Ecop Biotribation Ecolo 1		<u> </u>	02.	000 17	1 1.00	7 0.10	0	011.27	0.00		10.70				
	Order Coordination for Unbundled Sub Leans, nor sub lean pair			UEF	USBMC		8.20	8.20								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEF	OSBIVIC		8.20	8.20								
Unbi	Indled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		176.80	5.13				15.75				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged		<u> </u>	OLI	OLIVIAX		170.00	0.10				10.70				
	Tap Removal, per PR unloaded		<b>!</b>	UEF	ULM4T		279.81	6.15				15.75				
Unbu	Indled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair	L <sup>-</sup>	L	UENTW	UENPP	0.3366	30.55					15.75		l		
Netw	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	i	43.84	28.90				15.75			İ	İ
	Network Interface Device (NID) - 1-6 lines		<b>t</b>	UENTW	UND16		65.30	50.36				15.75		<b> </b>	<b>†</b>	<b>†</b>
		<b>-</b>	<del>                                     </del>			-			-					<b> </b>	1	1
	Network Interface Device Cross Connect - 2 W		<b>├</b>	UENTW	UNDC2		5.94	5.94				15.75		ļ	1	1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94				15.75				
SUB-LOOPS		L	<u> </u>		<u> </u>	<u> </u>						<u> </u>		L	<u> </u>	<u> </u>
Sub-	Loop Feeder												-			
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA.	1	i i								İ		
	Distribution Facility set-up	l	1	UDN.UCL.UDL.UDC	USBFW	]	259.69					15.75		1		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		<del>                                     </del>	- / /- /	CODI VV		200.00					15.75			<b>†</b>	<b>†</b>
		l	1	UEA,	LIODEN	]	00	00				45		1		
	set-up		ļ	UDN,UCL,UDL,UDC	USBFX		22.77	22.77				15.75				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.30				15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice		1											l		
	Grade - Zone 1	l	1	UEA	USBFA	7.98	93.23	56.50	54.45	13.51		15.75		1		
İ	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice				i i	1			1 1							
	Grade - Zone 2	l	2	UEA	USBFA	10.39	93,23	56.50	54.45	13.51		15.75		1		
				ULA	OODI A	10.39	33.23	30.30	54.45	10.01		15.75		<b> </b>	<del>                                     </del>	<del>                                     </del>
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,	l	l .	l	l	l l								1		
			3	UEA	USBFA	16.11	93.23	56.50	54.45	13.51		15.75		i	i	1
	Voice Grade - Zone 3		J	ULA	OODIA	10.11	30. <u>2</u> 0		0 11 10			10.70				
	Voice Grade - Zone 3 Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop,		3	OLA	OOD! A	10.11	55.25		0 10			10.70				
			4	UEA	USBFA	28.37	93.23	56.50	54.45	13.51		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonred	curring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	7.98	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	10.39	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice															
	Grade - Zone 3		3	UEA	USBFB	16.11	93.23	56.50	54.45	13.51		15.75				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice				LIODED	00.07	00.00	50.50	54.45	40.54		45.75				İ
	Grade - Zone 4		4	UEA	USBFB	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		18.19									<del></del>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7.98	93.23	56.50	54.45	13.51		15.75				İ
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		+-	OLA	USDI-C	7.98	33.23	06.00	54.45	16.51	-	15.75	<del> </del>	1	t	<del></del>
	Voice Grade - Zone 2		2	UEA	USBFC	10.39	93.23	56.50	54.45	13.51		15.75			1	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		Ť		302. 0		00.20	33.00	3 40	.0.01					1	
	Voice Grade - Zone 3		3	UEA	USBFC	16.11	93.23	56.50	54.45	13.51		15.75	1	1	I	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 4		4	UEA	USBFC	28.37	93.23	56.50	54.45	13.51		15.75				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.69	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFD	26.06	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															İ
	Grade - Zone 3		3	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice							=								İ
	Grade - Zone 4		4	UEA	USBFD	34.77	107.71	70.03	63.68	17.64		15.75				⊢—
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19								-	<b>├</b>
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21.69	107.71	70.03	63.68	17.64		15.75				İ
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		'	OLA	OSBI L	21.09	107.71	70.03	03.00	17.04		13.73				<del></del>
	Grade - Zone 2		2	UEA	USBFE	26.06	107.71	70.03	63.68	17.64		15.75				İ
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLIT	OOD! L	20.00	107.71	70.00	00.00	17.04		10.70				
	Grade - Zone 3		3	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				İ
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start					-	-									
	Loop - Zone 4		4	UEA	USBFE	34.77	107.71	70.03	63.68	17.64		15.75				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.19									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	14.60	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	18.78	106.46	68.78	55.58	13.13		15.75				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	25.47	106.46	68.78	55.58	13.13		15.75	ļ	ļ	ļ	<del></del>
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	41.41	106.46	68.78	55.58	13.13		15.75			-	<b>└</b>
	Order Coordination For Specified Conversion Time, Per LSR		4	UDN	OCOSL	44.00	18.19	00.70	FF F0	40.40	1	45.75	<del>                                     </del>	<del> </del>	1	<del></del>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC UDC	USBFS USBFS	14.60 18.78	106.46 106.46	68.78 68.78	55.58 55.58	13.13 13.13	1	15.75 15.75	<del>                                     </del>	<del> </del>	1	<del></del>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	18.78 25.47	106.46	68.78	55.58 55.58	13.13	-	15.75 15.75	-		<del>                                     </del>	<del></del>
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible) Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		4	UDC	USBFS	25.47 41.41	106.46	68.78	55.58	13.13		15.75	-	-	<del></del>	<del></del>
	Unbundled Sub-Loop Feeder, 2 Wire ODC (IDSL compatible) Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.19	106.46	64.29	63.68	17.64		15.75	1	1	t	<del></del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	100.03	101.97	64.29	63.68	17.64		15.75			<b>-</b>	<b>—</b>
<del>-  </del>	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	183.66	101.97	64.29	63.68	17.64		15.75	1	1	<b>†</b>	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	USL	USBFG	430.04	101.97	64.29	63.68	17.64		15.75	1	İ	1	
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL	-	18.19									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	1		1	UCL	USBFH	5.88	84.27	46.59	53.14	10.70		15.75				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone												]			1
	2		2	UCL	USBFH	5.21	84.27	46.59	53.14	10.70		15.75	ļ	ļ	1	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone												1	1	I	1
	3		3	UCL	USBFH	4.40	84.27	46.59	53.14	10.70		15.75	<b> </b>	ļ	-	<b>├</b>
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4	l	4	UCL	USBFH	3.63	84.27	46.59	53.14	10.70	ļ	15.75				<b>├</b>
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.19									

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	10.96	101.58	63.90	59.71	13.67		15.75				i
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	8.59	101.58	63.90	59.71	13.67		15.75				<b></b>
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	00.00	18.19	04.00	00.00	47.04		45.75				<del>                                     </del>
-	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL UDL	USBFN USBFN	22.89 25.11	101.97 101.97	64.29 64.29	63.68 63.68	17.64 17.64	-	15.75 15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		4	UDL	USBFN	41.05	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	22.89	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	25.11	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3			UDL	USBFO	30.84	101.97	64.29	63.68	17.64		15.75				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 4		4	UDL	USBFO	41.05	101.97	64.29	63.68	17.64		15.75				
	Order Coordination For Specified Time Conversion, per LSR		-	UDL	OCOSL	41.00	18.19	07.20	55.00	17.04		10.70				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -								1							
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	22.89	101.97	64.29	63.68	17.64		15.75				1
	Zone 2 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		2	UDL	USBFP	25.11	101.97	64.29	63.68	17.64		15.75				<del>                                     </del>
	Zone 3 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		3	UDL	USBFP	30.84	101.97	64.29	63.68	17.64		15.75				ļ
	Zone 4 Order Coordination For Specified Conversion Time, per LSR		4	UDL UDL	USBFP	41.05	101.97 18.19	64.29	63.68	17.64		15.75				ļ
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	UCUSL		18.19									<b>——</b>
	l oop Feeder				+											
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	18.88			1							
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	349.41	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	18.88										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376.07	3,380.00	406.45	157.96	89.54		15.75				<b></b>
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	14.33										<b></b>
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	58.63										ł
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	569.22	3,380.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	17.63	5,500.00	-100.43	137.30	03.04		13.73				
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per					150			1							i
	Month			UDL12	USBF6	662.39										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,795.00	3,380.00	406.45	157.96	89.54		15.75				<u> </u>
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	57.83			<del>                                     </del>		-	-				<b>——</b>
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	331.52			[							l
-	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1.545.00	3,565.00	406.45	157.96	89.54		15.75				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	374.04	787.04	406.45	157.96	89.54		15.75				
UNBUNDLED I	OOP CONCENTRATION				1	004	701104	100.10	.550	00.04						i
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	36367	327.30	327.30				15.75				i
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	47.56	136.37	136.37				15.75				
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	397.35	327.30	327.30				15.75				<b></b>
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	80.15	136.37	136.37	47.04	4.05		15.75	<b> </b>	-	-	<del></del>
	Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite			ULC	UCTCO	4.52	63.65	46.34	17.31	4.85		15.75				
	Card) Unbundled Loop Concentration - UDC Loop Interface (Brite			UDN	ULCC1	7.17	10.60	10.54	5.56	5.53		15.75				
	Card) Unbundled Loop Concentration2 Wire Voice-Loop Start or			UDC	ULCCU	7.17	10.60	10.54	5.56	5.53		15.75				
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	1.80	10.60	10.54	5.56	5.53		15.75				<del>                                     </del>
	Loop Interface (SPOTS Card)			UEA	ULCCR	10.66	10.60	10.54	5.56	5.53		15.75				l

04/12/02 Page 207 of 352

UNBUNDLED NETWOR	K ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred			g Disconnect				Rates(\$)		
11-1	O						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	pop Concentration - 4 Wire Voice Loop Interface			UEA	ULCC4	6.36	10.60	10.54	5.56	5.50		15.75				ĺ
(Specials Car	oop Concentration - TEST CIRCUIT Card			ULC	UCTTC	31.07	10.60	10.54	5.56	5.53 5.53		15.75				<b></b>
	pop Concentration - TEST CIRCOTT Card			ULC	UCTIC	31.07	10.60	10.54	5.56	5.55		15.75				<del>                                     </del>
Interface	pop concentration Digital 15.2 https://dia.coop			UDL	ULCC7	9.42	10.60	10.54	5.56	5.53		15.75				ĺ
	oop Concentration - Digital 56 Kbps Data Loop			002	0200.	0.12	10.00	10.01	0.00	0.00		10.70				
Interface	3			UDL	ULCC5	9.42	10.60	10.54	5.56	5.53		15.75				ĺ
Unbundled Lo	pop Concentration - Digital 64 Kbps Data Loop															
Interface				UDL	ULCC6	9.42	10.60	10.54	5.56	5.53		15.75				<b></b>
UNE OTHER, PROVISIONING				LIENTA/	LINIDDY											<del>                                     </del>
	n and Service Order for NID installation	<b> </b>		UENTW UENTW	UNDBX				<del> </del>	<del> </del>	ļ		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>
UN I VV Circuit	ld Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,U	UENCE						1		-		-	<del>                                     </del>
Unbundled C	ontract Name, Provisioning Only - No Rate			ENTW	UNECN								1		1	İ
UNE OTHER, PROVISIONING					5.12011											
									İ	İ						
				UAL,UCL,UDC,UDL,												i
	ontact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									<u> </u>
	ub-Loop Feeder-2 Wire Cross Box Jumper - no															ĺ
rate				UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									<b></b>
	ub-Loop Feeder-4 Wire Cross Box Jumper - no			HEA HOL HOL HDI	LIODED	0.00	0.00									ĺ
rate	S1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									<del>                                     </del>
	S1 Loop - Supername Format Option - no rate S1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									<del>                                     </del>
no rate	2 r 200p - Expanded Supername r officer option			USL	CCOEF	0.00	0.00									ĺ
HIGH CAPACITY UNBUNDLE	ED LOCAL LOOP			002	0002.	0.00	0.00									
High Capacity	Unbundled Local Loop - DS3 - Per Mile per															
month				UE3	1L5ND	11.20										İ
	Unbundled Local Loop - DS3 - Facility															ĺ
Termination p				UE3	UE3PX	326.15	454.13	265.47	123.23	86.19		15.75				<b></b>
	Unbundled Local Loop - STS-1 - Per Mile per			LIDLOV	41 END	44.00										ĺ
month	Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	11.20										<del>                                     </del>
Termination p				UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19		15.75				ĺ
LOOP MAKE-UP	or monut			OBLOX	ODLOT	000.00	404.10	200.47	120.20	00.10		10.70				<b>——</b>
	- Preordering Without Reservation, per working or								Ì	Ì			Ì		Ì	
spare facility	queried (Manual).	L		UMK	UMKLW		24.12	24.12		<u> </u>		<u> </u>				<u>i</u>
	- Preordering With Reservation, per spare facility															
queried (Man				UMK	UMKLP		25.58	25.58								<b></b>
	With or Without Reservation, per working or			UMK	PSUMK		0.6652	0.6652								1
HIGH FREQUENCY SPECTR	queried (Mechanized)			UIVIK	FOUNK		0.6652	0.6652	1	1	}					<del>                                     </del>
SPLITTERS-CENTRA																<del>                                     </del>
	Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00		15.75				
	Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00		15.75				
	Splitter, Per System, 8 Line Capacity	ı			ULSD8	15.55	189.89	0.00	178.41	0.00		15.75				
	DLEC Owned Splitter in CO-CFA activaton-												1		1	
deactivation (				ULS	ULSDG		86.98		49.96	ļ		15.75	ļ		ļ	<b></b>
	IG-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	IRUM		LII CDC	201	10.00	10.00	10.01	4.93		45 75				<u> </u>
	- per Line Activation (BST Owned Splitter) - per Subsequent Activity per Line			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93		15.75	-	-	-	<del>                                     </del>
	nt(BST Owned Splitter)			ULS	ULSDS		16.48	8.24				15.75	1		1	İ
	per Subsequent Activity per Line	1		0-0	52000		10.40	0.24				10.70				<b></b>
	nt(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24				15.75	1		1	i
Line Sharing	per Line Activation (DLEC owned Splitter)	ı			ULSCC	0.61	47.44	19.31	20.67	12.74		15.75				
Line Splitting	- per line activation DLEC owned splitter	R			UREOS	0.61										
	- per line activation BST owned - physical	R		UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93		15.75				
	- per line activation BST owned - virtual	R		UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93		15.75	ļ		ļ	<b></b>
UNBUNDLED DEDICATED T	KANSPURI		l						l	l	1	l	l	l	l	

04/12/02 Page 208 of 352

ONRONDLE	D NETWORK ELEMENTS - Mississippi	,		•									Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	od - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11		15.75				
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90		15.75				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	L CHANNEL - DEDICATED TRANSPORT															
NOTE:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - bel													
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			ULDVX	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	month			ULDVX	ULDR2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1 per month - Zone 3	<u> </u>	3	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74	<u> </u>	15.75				L
	Local Channel - Dedicated - DS1 per month - Zone 4		4	ULDD1	ULDF1	221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS3 - Per Mile per month Local Channel - Dedicated - DS3 - Facility Termination per			ULDD3	1L5NC	9.66				_					<del>-</del>	<del>                                     </del>
	month Local Channel - Dedicated - STS-1- Per Mile per month			ULDD3 ULDS1	ULDF3 1L5NC	413.87 9.66	454.13	265.47	123.23	86.19		15.75				
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
MULTIPLEXE			1		1		12 1110			22.10						İ
	Channelization - DS1 to DS0 Channel System   OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UXTD1	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	month (2.4-64kbs)  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per			UDL	1D1DD	1.22	6.62	4.74				15.75				
	month  Voice Grade COCI - DS1 to DS0 Channel System - per month			UDN UEA	UC1CA 1D1VG	2.62 0.5737	6.62 6.62	4.74 4.74				15.75 15.75				
	TYDICE GLAUE COOL - DO LIO DOU CHAILLE OVSIEIT - DEL MONTO	1	1			0.5/3/	0.02								1	1
<b></b>	DS3 to DS1 Channel System per month			UXTD3	MQ3	170.63	179.17	94.52	34.30	32.82		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						I	Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)		
<del>                                     </del>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.96	6.62	4.74		71441		15.75				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	12.96	6.62	4.74				15.75				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															
DARK FIRED	per month			U1TD1	UC1D1	12.96	6.62	4.74				15.75				
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF	1L5DC	59.95										
	NRC Dark Fiber - Local Channel			UDF	UDFC4	39.93	642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel	<u></u>		UDF	1L5DF	28.27					<u> </u>	<u> </u>		<u> </u>		
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		642.79	138.67	326.97	203.85		15.75				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	59.95	0.40 =0	100.00								
TRANSPORT	NRC Dark Fiber - Local Loop			UDF	UDFL4		642.79	138.67	326.97	203.85	1	15.75				
	nal Features & Functions:	1		1	+				1						1	
	TEN DIGIT SCREENING															
JOHN AGGEGG	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.60	0.44				15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Per 8XX No. Established With			0.15												
	POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54		15.75				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.60	1.30				15.75				
<del> </del>	8XX Access Ten Digit Screening, Multiple InterLATA CXR			OLID	NOI CX		2.00	1.30				13.73				
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74				15.75				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44				15.75				
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		2.60					15.75				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0000040										
I INE INEODM	query   ATION DATA BASE ACCESS (LIDB)			OHD		0.0006216										
LINE INFORM	LIDB Common Transport Per Query			OQT		0.0000197										
	LIDB Validation Per Query			OQU		0.0137053										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.52	34.52	42.33	42.33		15.75				
SIGNALING (	CCS7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53		15.75				
	CCS7 Signaling Usage, Per ISUP Message			UDB	IPP++	0.0000149	35.74	35.74	10.53	16.53		15.75				
<del>                                     </del>	CCS7 Signaling Usage Surrogate, per link per LATA	<del>                                     </del>		UDB	STU56	683.55			1		1	-			1	
	CCS7 Signaling Point Code, per Originating Point Code			022	0.000	000.00										
	Establishment or Change, per STP affected	l		UDB	CCAPO		29.18	29.18	35.78	35.78		15.75				
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30		15.75				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	l														
$\vdash$	Termination	<b> </b>	-	<del> </del>	+	22.52	40.77	27.57	17.26	7.11	1	15.75			ļ.	
$\vdash$	Local Channel - Dedicated - DS1 - Zone 1 Local Channel - Dedicated - DS1 - Zone 2	ļ			-	36.83 35.99	178.50 178.50	154.61 154.61	22.89 22.89	15.74 15.74		15.75 15.75			-	
$\vdash$	Local Channel - Dedicated - DS1 - Zone 2  Local Channel - Dedicated - DS1 - Zone 3	-		<del> </del>	+	35.99 221.63	178.50	154.61	22.89	15.74		15.75			<b>†</b>	
	Local Channel - Dedicated - DS1 - Zone 3	1		<del> </del>	+	221.63	178.50	154.61	22.89	15.74		15.75			1	1

ATE ELEMENTS  MATE ELEMENTS  MATE PLANTS  MATE ALEMENTS  MATE ALEMENTS  MATE ALEMENTS  MATE ALEMENTS  MATE ALEMENTS  MATERIAN	UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
March   Marc				Zone	BCS	USOC		RAT	ΓES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
Prest   Add   Prest   Add   Prest   Add   SOMAN   SO								Nonrec	urring	Nonrecurring	ı Disconnect			oss	Rates(\$)		1
Interestive Transport - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designate - Designation - Designate - Designation - Desi	h						Rec					SOMEC	SOMAN			SOMAN	SOMAN
Activities   Control   C	h	Intereffice Transport Dedicated DS1 Per Mile					0.2010	FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	SOWAN	SOWAN
CALLING NAME (CAME) SERVICES   CALLING ORDER (CAME)   CALLING CAME (CAME) SERVICES   CALLIN	h	Interoffice Transport - Dedicated - DST Fer Mile					0.2010										<del>                                     </del>
CALLING MANE (CRAM) SERVICE   Common		Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CHARLET OR DATE AND THE TO COMPANY PART OR THE TOWN PAR		(5.444) 655,465											15.75				<del>                                     </del>
CAMARTOR NOR Dis Converts. Free Outputy   COV   COVIDITION   23.09   27.20   27.20   17.75	CALLING NAM				001/		0.0040004										<b></b>
ONAME FOR IPO Demons - Service Establishment																	<b></b>
ONAN For Name Dis Chargers - Service Excitationment   OOV   23.00   23.00   21.20   21.20   11.75							0.0010231										<b></b>
CANAR FOLD BO Longs - Service Provisioning With Profit Code   Eastbellment   Code   Facility   Code																	1
Capabilistment   Capa					OQV			23.09	23.09	21.23	21.23		15.75				1
CNAM For Nato B Coverse - Service Provisioning With Point Cody   S44.32 246.56 278.85 198.89 15.75																	i
Content Enablishment					OQV			996.62	737.08	270.49	198.89		15.75				L
LIP Clarge Per query																	1
NP Charge Per query	<u> </u>		<u></u>	<u>L_</u>	OQV	<u>1</u>	<u>                                      </u>	344.32	246.56	276.85	198.89	<u></u>	15.75	<u> </u>	<u> </u>	<u> </u>	<u> </u>
LAP Service Establishment Namual   12.59   11.58   11.50   15.75	LNP Query Se	rvice															
LIP Service Establishment Manual   12.59   11.58   11.56   15.76		LNP Charge Per query			OQV		0.0008477										
OPERATOR CALL PROCESSING								12.59	12.59	11.58	11.58		15.75				
OPERATOR CALL PROCESSING																	
Coper_Call Processing - Oper_Provided, Per Mm - Using BST   1,20   1,24   1,2	OPERATOR C																
Coper_Call Processing - Oper_Provided_Per Min Using   Forigin LDB   1.24		Oper. Call Processing - Oper. Provided, Per Min Using BST					1 20										
Foreign LIDB							1.20										<del> </del>
Oper. Call Processing - Fully Automated, per Call - Using BST   U.DB							4.04										1
LiOB   Oper Call Processing - Fully Automated, per Call - Using   O.20		Foreign LIDB					1.24										<b></b>
Foreign LIBS		LIDB					0.20										
Inward Operator Services - Vertification, Per Mnute   1.15							0.20										
Inward Operator Services - Vertification, Per Mnute   1.15	INWARD OPER	RATOR SERVICES															
Inward Operator Services - Verification and Emergency Interrupt   1.15							1.15										
BRANDING - OPERATOR CALL PROCESSING		Inward Operator Services - Verification and Emergency Interrupt					1 15										
Recording of Custom Branded OA Announcement   CBAOS   7,000.00   17,000.00   15,75	BRANDING - C					1	1.10					1					<b> </b>
Loading of Custom Branded OA Announcement per shelif/NAV   CBAOL   50.00   500.00   15.75	DIVARDING - C					CBAOS		7 000 00	7 000 00				15.75				<del>                                     </del>
Unbranding via OLNS for UNEP CLEC	-											-					<del> </del>
Luading of OA per COK   Regional   1,200.00   1,200.00   1,575	Unbros		-			CBAUL		500.00	300.00				15.75				<del> </del>
DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE ACCESS SERVICE (CAIL)  DIRECTORY ASSISTANCE ACCESS SERVICE (CAIL)  DIRECTORY ASSISTANCE ACCESS SERVICE (CAIL)  DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)  DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)  Per Call Attempt  DIRECTORY TRANSPORT  DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  DIRECTORY ASSISTANCE DATA BASE SERVICE, per month  DISORDAY ASSISTANCE DATA BASE SERVICE, per month  DBSOF 150.00  BRANDING - DIRECTORY ASSISTANCE  Facility Based CLEC  Recording and Provisioning of DA Custom Branded Announcement  Loading of Custom Branded Announcement per DRAM Card/Switch  UNEP CLEC  Recording of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  UNDER CLEC  Recording of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DATA CRADA  Loading of DA Custom Branded Announcement per DRAM Card/Switch DA	Olibiai							4 000 00	4 200 00				45.75				<del> </del>
DIRECTORY ASSISTANCE ACCESS SERVICE Directory Assistance Access Service (als, Charge Per Call Directory Assistance Call. COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC), Per Call Attempt DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC), Per Call Attempt DIRECTORY ASSISTANCE BASE SERVICES DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) D	DIDEOTORY A					+		1,200.00	1,200.00				15.75				+
Directory Assistance Access Service Calls, Charge Per Call   0.275			-			-											<del> </del>
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) Directory Assistance Call Completion Access Service (DACC), Per Call Attempt DIRECTORY TRANSPORT DIRECTORY TRANSPORT DIRECTORY ASSISTANCE SERVICES DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS) Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month Directory Assistance Data Base Service, per month Directory Assistance Data Base Service, per month Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF Directory Assistance Data Base Service, per month DBSOF DIRECTORY ASSISTANCE Facility Based CLEC DIRECTORY ASSISTANCE DIRECTORY AS	DIREC						0.075					ļ					+
Directory Assistance Call Completion Access Service (DACC), Per Call Attempt 0.10  DIRECTORY TRANSPORT 0.10  DIRECTORY ASSISTANCE SERVICES 0.10  Directory Assistance Data Base Service (DADS) 0.04  Directory Assistance Data Base Service Charge Per Listing 0.04  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service, per month 0.05  Directory Assistance Data Base Service (DADS) 0.04  Directory Assistance Data Base Service (DADS) 0.04  Directory Assistance Data Base Service (DADS) 0.04  Directory Assistance Data Base Service (DADS) 0.04  Directory Assistance Data Base Service (DADS) 0.04  DIRECTORY ASSISTANCE 0.04  DIRECTORY ASSISTANCE 0.05  DIRECTORY ASSISTANCE 0.04  D	DIDEA		) A C C \	1		+	0.275					1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
Per Call Attempt	DIREC		JACC)	1		1						-		1	1	1	<del>                                     </del>
DIRECTORY TRANSPORT  DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  Directory Assistance Data Base Service Charge Per Listing  Directory Assistance Data Base Service, per month  Directory Assistance Data Base Service, per month  DIFECTORY ASSISTANCE  Facility Based CLEC  Recording and Provisioning of DA Custom Branded Announcement  Loading of Custom Branded Announcement per DRAM Card/Switch  Recording of DA Custom Branded Announcement  Recording of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement  Recording of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN  Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN  Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN  Loading of DA POR OCN (1 OCN per Order)  ANT  Loading of DA per OCN (1 OCN per Order)						I							l	Ì	Ì	Ì	1
DIRECTORY ASSISTANCE SERVICES  DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  Directory Assistance Data Base Service Charge Per Listing  Directory Assistance Data Base Service, per month  Directory Assistance Data Base Service, per month  DBSOF 150.00  BRANDING - DIRECTORY ASSISTANCE  Facility Based CLEC  Recording and Provisioning of DA Custom Branded Announcement  Loading of Custom Branded Announcement per DRAM Card/Switch  AMT CBADA 6,000.00 6,000.00  UNEP CLEC  Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN  Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN  Unbranding via OLNS for UNEP CLEC  Loading of DA Por CON (1 OCN per Order)  Loading of DA Por CON (1 OCN per Order)				<u> </u>		1	0.10					1					<del>                                     </del>
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)  Directory Assistance Data Base Service Charge Per Listing Directory Assistance Data Base Service, per month DBSOF 150.00  BRANDING - DIRECTORY ASSISTANCE Facility Based CLEC  Recording and Provisioning of DA Custom Branded Announcement Loading of Custom Branded Announcement per DRAM Card/Switch Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement Loading of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per DRAM Card/Switch DA Custom Branded Announcement per DRAM Loading of DA Custom Branded Announcement pe				ļ													<b>├</b>
Directory Assistance Data Base Service Charge Per Listing   Discording Assistance Data Base Service, per month   DBSOF   150.00   Discording Assistance Data Base Service, per month   DBSOF   150.00   DBSOF				ļ		<b></b>							ļ				<b></b>
Directory Assistance Data Base Service, per month   DBSOF   150.00	DIREC			ļ		<b></b>											<b>——</b>
BRANDING - DIRECTORY ASSISTANCE   Facility Based CLEC				<u> </u>		<u> </u>								ļ	ļ	ļ	<b></b>
Facility Based CLEC						DBSOF	150.00					ļ		ļ		ļ	<b></b>
Recording and Provisioning of DA Custom Branded   AMT						1											<b></b>
Announcement	Facility					1						1	ļ				<b></b>
Loading of Custom Branded Announcement per DRAM   AMT   CBADC   1,170.00   1,170.00					AMT	CBADA		6,000.00	6,000.00								
UNEP CLEC		Loading of Custom Branded Announcement per DRAM															
Recording of DA Custom Branded Announcement   3,000.00   3,000.00     Loading of DA Custom Branded Announcement per DRAM   Card/Switch per OCN   1,170.00   1,170.00     Unbranding via OLNS for UNEP CLEC   Loading of DA per OCN (1 OCN per Order)   420.00   420.00					AMT	CBADC		1,170.00	1,170.00								<b></b>
Loading of DA Custom Branded Announcement per DRAM   Card/Switch per OCN   1,170.00   1,170.00     1,170.00	UNEP					1											<b></b>
Card/Switch per OCN								3,000.00	3,000.00								
Unbranding via OLNS for UNEP CLEC								1 170 00	1 170 00								i
Loading of DA per OCN (1 OCN per Order)   420.00   420.00	Unhrai			<b>!</b>		†		1,170.00	1,170.00			1	<del>                                     </del>	<b> </b>	<b> </b>	<b> </b>	<del></del>
	Ulibiai			<del>                                     </del>		1		420.00	420.00			1	1	1	1	1	
	$\vdash$	Loading of DA per Och (1 Och per Order)		1	<del> </del>	+	1	16.00	16.00	1		<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SELECTIVE R	OUTING															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		85.19	85.19	14.19	14.19		15.75				
VIRTUAL COL					CONCIN		00.10	00.10			1	10.10				<del> </del>
111110712 002	Virtual Collocation - Application Cost			AMTFS	EAF		1,212.25		0.51							
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		926.27		22.62							<del></del>
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74	320.21		22.02							
	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	7.33										-
				AIVITES	ESPAN	1.33										
	Virtual Collocation - Cable Support Structure, per entrance					4= 04										
	cable			AMTFS	ESPSX	15.24										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91		15.75				
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - 4-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF USL,ULC,AMTFS,	CNC4F	5.82	25.70	19.97	10.01	8.50		15.75				
	Virtual collocation - DS1 Cross Connects			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	1.14	22.16	16.02	6.60	5.97		15.75				
	Virtual collocation - DS3 Cross Connects			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10		15.75				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0025										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037							-			
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			_		i l			†		1			İ	İ	1
	Cable Support Structure, per cable			AMTFS	VE1CE	1	534.65									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79	t		1			<b>†</b>	<b>†</b>	<b>†</b>
<del> </del>	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94			<b>†</b>			<del> </del>	<b>—</b>	<b>†</b>
<del></del>	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTPX		27.32	17.08			<b>†</b>			<del> </del>	<b>—</b>	<b>†</b>
	Virtual collocation - Security Escont - Premium, per half hour			AMTFS	CTRLX		28.09	10.79	<del>                                     </del>		1			<b> </b>	t	<del>                                     </del>
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi	,											Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45		15.75				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91		15.75				
VIRTUAL COLI					1	0.0000			3.00	3.01		.0.70			1	1
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45		15.75				
AIN SELECTIV	E CARRIER ROUTING			OLI OIX, OLI OD	VETEG	0.0200	12.01	11.07	0.04	0.40		10.70				
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51			15.75				
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71		15.75				
	Query NRC, per query			SRC		0.0030502										
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92		15.75				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14		15.75				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21		15.75				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78		15.75				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0021										
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8393										
AIN - BELLSO	JTH AIN TOOLKIT SERVICE				1	0.0000										
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92		15.75				
	AIN Toolkit Service - Training Session, Per Customer			O7 UVI	BAPVX		4,226.54	4,226.54	40.02	40.02		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per IDN. 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.67	34.67	14.44	14.44		15.75				
	DN, Feature Code AIN Toolkit Service - Query Charge, Per Query				BAPTF	0.0535577	34.67	34.67	14.44	14.44		15.75				
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54		15.75				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.71	8.71	8.71	2.01	2.01		15.75				

CATEGORY  RATE ELEMENTS  Interim Zone  BCS  USOC  RATES(\$)  Svc Order Submittee Elec per LSR  Add'1 First Add'1 First Add'1 SOMEC  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPDS BABPS B	SOMAN  SOMAN  15.75	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Add'l 5 Rates(\$) SOMAN	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY  RATE ELEMENTS  Interim Zone BCS USOC  RATES(\$)  Rec  Nonrecurring Nonrecurring Disconnect First Add'I First Add'I SOMEC  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription CAM BAPDS BAPES	SOMAN  15.75  15.75  converted to	Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Charge - Manual Svo Order vs. Electronic- Add'l 5 Rates(\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY  RATE ELEMENTS  Interim Zone BCS USOC  RATES(\$)  Elec per LSR  Nonrecurring Nonrecurring Disconnect  Rec Nonrecurring Nonrecurring Disconnect  First Add'I First Add'I SOMEC  AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription  CAM BAPDS 8.48 7.87 7.87 5.54 5.54  AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: In all states, EEL network elements shown below also apply to currently combined facilities or NoTE: In all States, EEL network elements shown below also apply to currently combined facilities or NoTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOP WITH DEDICATED DET INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37  Transport Combination - Zone 3  3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	SOMAN 15.75 15.75 converted to	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l 6 Rates(\$) SOMAN	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
RATE ELEMENTS    Martin   Cone   BCS   USOC   RATES(\$)   per LSR	SOMAN   15.75   15.75	Order vs. Electronic- 1st OSS SOMAN	Order vs. Electronic- Add'I  Rates(\$) SOMAN	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
Main Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription CAM BAPDS BAPDS BABPES BABPES BABPES BABPES BABPES BABPES BABPES BABPES BABPES BABPES BAPES BAB	SOMAN   15.75   15.75	Electronic- 1st OSS SOMAN	Electronic- Add'l 5 Rates(\$) SOMAN	Electronic- Disc 1st	Electronic- Disc Add'l
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  CAM  BAPDS  8.48  7.87  7.87  5.54  5.54  5.54  Add'I First Add'I SOMEC  CAM  BAPDS  8.48  7.87  7.87  5.54  5.54  5.54  Subscription  CAM  BAPES  0.09  8.71  8.71  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities of NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	15.75 15.75	1st OSS SOMAN	Add'I S Rates(\$) SOMAN	Disc 1st	Disc Add'l
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  CAM  BAPDS  8.48  7.87  7.87  5.54  5.54  5.54  Add'I First Add'I SOMEC  CAM  BAPDS  8.48  7.87  7.87  5.54  5.54  5.54  Subscription  CAM  BAPES  0.09  8.71  8.71  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities of NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	15.75 15.75	OSS	S Rates(\$)		
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit  Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit  Service Subscription  CAM  BAPDS  8.48  7.87  7.87  7.87  5.54  5.54  5.54  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities or NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  3 UNCVX UEAL2  27.55  105.96  68.28  52.82  10.37	15.75 15.75	SOMAN	SOMAN	SOMAN	SOMAN
AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription  CAM BAPDS  8.48  7.87  7.87  7.87  5.54  5.54  5.54  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities on Note: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  3 UNCVX UEAL2  27.55  105.96  68.28  52.82  10.37	15.75 15.75			SOMAN	SOMAN
Subscription  CAM BAPDS 8.48 7.87 7.87 5.54 5.54  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription  CAM BAPES 0.09 8.71 8.71  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities on NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 3 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop (SL2) in a DS1 Interofficed Transport Combination - Zone 3 3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	15.75	UNEs.(Non-re	ecurring rates		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription  ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities on NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3  3 UNCVX UEAL2  27.55  105.96  68.28  52.82  10.37	15.75	UNEs.(Non-re	ecurring rates		
Service Subscription   CAM BAPES   0.09   8.71   8.71	converted to	UNEs.(Non-r	ecurring rates		
ENHANCED EXTENDED LINK (EELs)  NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities or NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1 1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2 2 UNCVX UEAL2 18.75 105.96 68.28 52.82 10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3 3 UNCVX UEAL2 27.55 105.96 68.28 52.82 10.37	converted to	UNEs.(Non-r	ecurring rates		
NOTE: New EELs available in GA, TN, KY, LA, MS, & SC and density zone 1 of following MSAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL;  NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities on Note: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements. (No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  1 UNCVX UEAL2  13.89  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  2 UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37		UNEs.(Non-re	ecurring rates		
NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.  NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities or NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  I UNCVX UEAL2  13.89  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  2 UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37		UNEs.(Non-re	ecurring rates		1
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities of NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)  2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)  First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1  I UNCVX UEAL2  13.89  105.96  68.28  52.82  10.37  First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2  UNCVX UEAL2  18.75  105.96  68.28  52.82  10.37		UNEs.(Non-re	ecurring rates		<del></del>
NOTE: In GA, TN, KY, LA, MS & SC the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)   2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)		UNEs.(Non-re	ecurring rates		<u> </u>
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)	15.75			do not apply	.)
First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport   1 UNCVX UEAL2 13.89 105.96 68.28 52.82 10.37	15.75				
Combination - Zone 1	15.75		<b>_</b>	-	<del></del>
First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed   2 UNCVX	15.75			1	1
Transport Combination - Zone 2   2 UNCVX   UEAL2   18.75   105.96   68.28   52.82   10.37			<b>+</b>	-	<b>├</b>
First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed   Transport Combination - Zone 3   3 UNCVX UEAL2   27.55   105.96   68.28   52.82   10.37	15 75			1	1
Transport Combination - Zone 3         3         UNCVX         UEAL2         27.55         105.96         68.28         52.82         10.37	15.75	<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>
	15.75	1	1	I	1
	15.75	-	+	-	<del></del>
First 2-vine v6 Loop(act) if a DST interofficed transport	15.75				
Interoffice Transport - Dedicated - DS1 combination - Per Mile	13.73		+	-	<del></del>
per month UNC1X 1L5XX 0.1813					
Interoffice Transport - Dedicated - DS1 combination - Facility	+		1		
	15.75				
DS1 Channelization System Per Month   UNC1X   MQ1   102.85   91.57   62.94   10.87   10.10	15.75		1		
Voice Grade COCI - DS1 To Ds0 Interface - Per Month	10.10		1		
Each Additional 2-Wire VG Loop(SL 2) in the same DS1					
Interoffice Transport Combination - Zone 1	15.75				İ
Each Additional 2-Wire VG Loop(SL2) in the same DS1					
Interoffice Transport Combination - Zone 2   2   UNCVX   UEAL2   18.75   105.96   68.28   52.82   10.37	15.75				
Each Additional 2-Wire VG Loop(SL2) in the same DS1					
Interoffice Transport Combination - Zone 3	15.75				
Each Additional 2-Wire VG Loop(SL2) in the same DS1					
Interoffice Transport Combination - Zone 4   4   UNCVX   UEAL2   45.72   105.96   68.28   52.82   10.37	15.75				
Voice Grade COCI - DS1 to DS0 Channel System combination -					
per month   UNCVX   1D1VG   0.5737   6.62   4.74	15.75				
Nonrecurring Currently Combined Network Elements Switch -As-		1	1	I	1
	15.75	-	1	1	<del>                                     </del>
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)	1	-	1	1	<del>                                     </del>
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64	15.75	1	1	I	1
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	13.73	<del> </del>	†	<del>                                     </del>	<del>                                     </del>
Transport Combination - Zone 2	15.75	1	1	I	1
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	100	İ	1	1	
Transport Combination - Zone 3 3 UNCVX UEAL4 50.03 132.27 94.59 60.68 14.64	15.75			1	1
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice					
Transport Combination - Zone 4   4   UNCVX   UEAL4   50.03   132.27   94.59   60.68   14.64	15.75	<u> </u>	<u> </u>	<u> </u>	1
Interoffice Transport - Dedicated - DS1 combination - Per Mile					1
Per Month         UNC1X         1L5XX         0.1813					<u> </u>
Interoffice Transport - Dedicated - DS1 - Facility Termination Per					1
Month   UNC1X U1TF1 51.72 89.79 82.28 16.86 14.90	15.75		1	1	<b>└</b>
Channel System DS1 to DS0 combination Per		1	1	I	1
Month   UNC1X   MQ1   102.85   91.57   62.94   10.87   10.10	15.75	ļ	<b>_</b>	-	<del></del>
Voice Grade COCI - DS1 to DS0 Channel System combination -	45			1	1
Der month	15.75	<b> </b>	1	<b>!</b>	<del>                                     </del>
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 27.47 132.27 94.59 60.68 14.64	15.75	1	1	I	1
Interiorice Transport Commission - Zone	15.75	1	1	<del> </del>	<del></del>
Interoffice Transport Combination - Zone 2 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64	15.75	1	1	I	1
Additional 4-Wire Analog Voice Grade Loop in same DS1	10.70	<b> </b>	1	<b>I</b>	<b>—</b>
Interoffice Transport Combination - Zone 3	15.75			1	1

04/12/02 Page 214 of 352

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			1	-	T							Attachment:		Exhibit: B	<b> </b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		001150	001441		Rates(\$)	0011411	0011411
	Additional 4-Wire Analog Voice Grade Loop in same DS1				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Voice Grade COCI - DS1 to DS0 Channel System combination -		† ·	0.10171	02,12.	00.00	.02.2.	0 1.00	00.00			10.70				
	per month			UNCVX	1D1VG	0.5737	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
4 WID	Is Charge  E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTER	SEEICE	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75			1	<del> </del>
4-WIR	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	JFFICE	IRANSPORT (EEL)	)											<del> </del>
	Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice									_						
	Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice					40.00										
	Transport Combination - Zone 3 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				ļ
	Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			ONODA	ODESO	32.23	120.55	00.03	00.00	14.04		13.73				
	Per Month			UNC1X	1L5XX	0.1813						15.75				
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				ļ
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIX	IVIQ1	102.85	91.57	62.94	10.87	10.10		15.75			1	<del>                                     </del>
	month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				<del> </del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1		Ť	0.10271	02200	10.10	120.00	00.00	00.00			10.70				
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -															
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				<u> </u>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				5.03	5.05	7.20	7.20		15.75				1
1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1		,											
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				4
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	ONCDA	ODL04	40.76	120.33	00.05	00.00	14.04		13.73				1
	Transport Combination - Zone 4		4	UNCDX	UND64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINGAY	U1TF1	51.72	89.79	82.28	16.86	14.90		45.75				
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UTIFT	51.72	89.79	82.28	10.86	14.90		15.75			-	<del>                                     </del>
	Month		1	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System								12.01							
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		l .	LINODY	LIDLG:			20.5-	20.0-			,				
ļļ	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75			ļ	<del> </del>
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			OHODA	ODLOT	54.55	120.33	00.00	00.08	17.04		15.75				
]	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1	15.75			I	

MOUNDEL	ED NETWORK ELEMENTS - Mississippi			1	1						Core Constru	Core Corel co	Attachment:		Exhibit: B	In anama : 1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	10100	4.00	0.00	4.74				45.75				
	combination - per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	1.22	6.62	4.74				15.75				
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WID	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	POEE	CE TR		UNCCC		5.03	5.65	7.20	7.20		15.75				
7-1111	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	I	<u> </u>	HIGH OICH (EEE)	+											
	Transport - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3	<u></u>	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07	<u> </u>	15.75				L
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAN	UNCCC		5.00	F 00	7.00	7.00		45.75				
4 14/15	Is Charge	l Docti	OF TD	UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE First DS1Loop in DS3 Interoffice Transport Combination - Zone	ROFFI	CE IRA	ANSPORT (EEL)												
	1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			ONOTA	OOLXX	75.00	200.00	130.43	40.10	12.07		10.70				
	2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			0.10.17	00200	120.00	200.00	100.10	10.10	.2.07		10.70				
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone															
	4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	107.85	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u>'</u>	UNCIX	USLAA	79.00	200.90	130.43	40.10	12.07		13.73				
	Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -			CHOTA	OOLO	120.00	200.00	100.40	40.10	12.07		10.70				
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-						_								]	
	Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TF	RANSPORT (EEL)	ļ											
	2-WireVG Loop used with 2-wire VG Interoffice Transport	1	١								1				1	1
	Combination - Zone 1	<b> </b>	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		15.75			<del> </del>	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	l	2	UNCVX	UEAL2	18.75	105.00	68.28	E2 02	10.37		15.75				
	2-WireVG Loop used with 2-wire VG Interoffice Transport	<del>                                     </del>		OINCVA	UEAL2	18.75	105.96	ზ.28	52.82	10.37	-	10.70			-	-
	Combination - Zone 3	1	3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37	1	15.75			1	1
	A.1.2 2-WireVG Loop used with 2-wire VG Interoffice Transport		3	O14OVA	JLALZ	21.33	100.50	00.20	52.02	10.37		13.73			<b> </b>	
	Combination - Zone 4	l	4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37		15.75				
-	Interoffice Transport - Dedicated - 2-wire VG combination - Per				1	2		33.20	02.02	.0.07		700			1	
	Mile Per Month	I	1	UNCVX	1L5XX	0.00088					l				1	l

UNDUNDLE	D NETWORK ELEMENTS - Mississippi			1							Cup Cade	Cup Cada	Attachment:		Exhibit: B	In orom and -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2- Wire Voice Grade			11000	11477.00	00.00	40.77	07.57	47.00	7.44		45.75				
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11		15.75				
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TE		011000		0.00	0.00	7.20	7.20		10.70				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		1													
	Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport															
	Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64		15.75				
	4-WireVG Loop used with 4-wire VG Interoffice Transport		_	LINICVO	LIE AL 4	50.00	400.07	04.50	CO CO	44.64		45.75				
	Combination - Zone 3 4-WireVG Loop used with 4-wire VG Interoffice Transport		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75			-	
	Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per			0.1017	02,12.	00.00	102.27	0 1.00	00.00			10.10				
	Mile Per Month			UNCVX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				
DS3 D	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC High Capacity Unbundled Local Loop - DS3 combination - Per	EIRA	NSPOR	(I (EEL)												
	Mile per month			UNC3X	1L5ND	11.20										
	High Capacity Unbundled Local Loop - DS3 combination -		1	ONOSA	TESIND	11.20										
	Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		F 60	F 00	7.00	7.20		45.75				
eTe4 I	Is Charge DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	EICE TE	ANCD		UNCCC		5.63	5.63	7.20	7.20		15.75				
31311	High Capacity Unbundled Local Loop - STS1 combination - Per	FICE IF	KANSP	OKT (EEL)												
	Mile per month			UNCSX	1L5ND	11.20										
	High Capacity Unbundled Local Loop - STS1 combination -															
	Facility Termination per month			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			LINICOV	U1TFS	644.21	280.37	162.70	62.09	60.20		15 75				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCSX	UTIFS	644.21	280.37	163.70	62.08	60.29		15.75				
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
2-WIRI	ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)	0.100/1	0.1000		0.00	0.00	7.20	7.20		10.70				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	,														
	Transport - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		3	OINCINA	UILZA	31.34	117.01	19.92	52.62	10.37		15.75				
	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75			1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		15.75				
	Channelization - Channel System DS1 to DS0 combination -			I INGAY		400 0-	a. ==					,				
	per month		<u> </u>	UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		1	UNCNX	UC1CA	2.62	6.62	4.74				15.75			1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	OINOINA	JUIUA	2.02	0.02	4.74				13.73				
1	Combination - Zone 1	1	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37	I	15.75			Ì	

UNDUNDLE	D NETWORK ELEMENTS - Mississippi		1	1	1						Core Carden	Core Corel co	Attachment:		Exhibit: B	In anomarii -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		15.75				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		15.75				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.62	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE T	RANSPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		15.75				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	107.63	179.17	94.52	34.30	32.82		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	12.96	6.62	4.74				15.75				<b></b>
	Zone 1 Additional DS1Loop in STS1 Interoffice Transport Combination -		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		15.75				1
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		15.75				1
	Zone 3 Additional DS1Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		15.75				ļ
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		15.75				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	12.96	6.62	4.74				15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		15.75				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	14.14	40.78	27.57	17.26	7.11		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
4-WIRI	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE 1	RANS	PORT (EEL)												<del></del>
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		15.75				1
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2 4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64		15.75				1
	Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64		15.75				1

UNDUNDL	ED NETWORK ELEMENTS - Mississippi				1	1					0	06	Attachment:		Exhibit: B	<del> </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	USOC		RAT	ΓES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport		_													
	Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64		15.75				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.00088										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -						40.00									
	Facility Termination			UNCDX	U1TD6	14.14	40.78	27.57	17.26	7.11		15.75				<del>                                     </del>
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICCO		F CO	F 00	7.00	7.00		45.75				
DDITIONAL	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	NETWORK ELEMENTS				0											
	used as a part of a currently combined facility, the non-recurr															ļ
	n used as ordinarilty combined network elements in Mississippi					ch as is Charg	e does not.									<del>                                     </del>
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each con	nbination)											ļ
	Nonrecurring Currently Combined Network Elements Switch -As-			LINOVA	LINICCO		F CO	F 00	7.00	7.00		45.75				
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20		15.75				4
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	1111000		5.00	F 00	7.00	7.00		45.75				
	Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20		15.75				
	Nonrecurring Currently Combined Network Elements Switch -As-							= 00								
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20		15.75				ļ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20		15.75				ļ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20		15.75				
NOTE	: Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3:													
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	14.91	194.22	33.36	37.79	3.30		15.75				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	15.99	194.66	33.80	38.27	3.78		15.75				
	Local Channel - Dedicated - DS1 per month Zone 1			UNC1X	ULDF1	36.83	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	35.99	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS1- Per Month Zone 4		4	UNC1X	ULDF1	221.63	178.50	154.61	22.89	15.74		15.75				
	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	9.66										
	Local Channel - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	ULDF3	413.87	454.13	265.47	123.23	86.19		15.75				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	9.66										
	Local Channel - Dedicated - STS-1 - Facility Termination per															
	month			UNCSX	ULDFS	408.02	454.13	265.47	123.23	86.19		15.75				
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
	: Although the Port Rate includes all available features in GA, F	Y, LA	& TN, t	ne desired features	s will need to b	e ordered usin	g retail USOCs	3								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33		15.75				1
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33		15.75				1
	Exchange Ports - 2-Wire VG unbundled MS extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33		15.75				ļ
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33		15.75				1
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.75				<u> </u>
FEAT	URES				1										ļ	
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75			ļ	
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															1
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33		15.75				
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33		15.75				<b></b>
											1					
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33		15.75			•	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled MS extended local															
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33		15.75				
	Exhange Ports - 2-Wire VG unbundled incoming only port with			LIEDOD	LIEDD4		0.00	0.00	4.40	4.00		45.75				
	Caller ID - Bus Subsequent Activity			UEPSB UEPSB	UEPB1 USASC	1.41 0.00	2.39	2.29 0.00	1.42	1.33		15.75 15.75				
FEATL				UEFSB	USASC	0.00	0.00	0.00				15.75				
FEAT	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				
EXCH/	ANGE PORT RATES (DID & PBX)			ULFOB	OLF VI	2.30	0.00	0.00				13.73				
LXCIII	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		İ	UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92		15.75	İ	İ	İ	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Ports	1	i –	UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		i	UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92		15.75				
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional			LIEDOD	HEDVD		04.45	44.00	44.00	0.00		45.75				
	Calling Port			UEPSP UEPSP	UEPXR UEPXS	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92		15.75 15.75				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	14.38	0.92		15.75				
FEATU				UEFSF	USASC	0.00	0.00	0.00				15.75				
FLATO	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00				15.75				
EXCH/	ANGE PORT RATES (COIN)			OLI OI OLI OL	OLI VI	2.50	0.00	0.00				13.73				
LXCIII	Exchange Ports - Coin Port				_	1.41	2.39	2.29	1.42	1.33		15.75				
NOTE:	Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to c	ircuit switche						iated with 2-		norts.			
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	v through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	de Request/	New Busines:	s Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)		T													
	ANGE PORT RATES (DID & PBX)		1													
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88		15.75			1.97	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability		<u> </u>	UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		15.75			1.97	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		15.75			1.97	
	All Features Offered			UEPTX UEPSX	UEPVF	2.56	0.00	0.00				15.75			1.97	
	Transmission/usage charges associated with POTS circuit sy													L	l	<u> </u>
NOTE:	Access to B Channel or D Channel Packet capabilities will be	availa	ble only	y through BFR/New					lities will be de	etermined via t	he Bona Fic	de Request/	New Business	s Request Pro	cess.	
$\vdash$	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00	04.05	20.22		45.75			4.07	
LINIDLINIS: 55	Exchange Ports - 4-Wire ISDN DS1 Port		<u> </u>	UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69		15.75	<del> </del>	<b> </b>	1.97	
	LOCAL SWITCHING, PORT USAGE	-	<del>                                     </del>	<b>+</b>	+								-	-	-	
Ena O	ffice Switching (Port Usage) End Office Switching Function, Per MOU	-	<del> </del>	1	+	0.0010269			1				1	1	1	
$\vdash$	End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU	-	<del>                                     </del>	<b>+</b>	+	0.0010269							-	-	-	
	m Switching (Port Usage) (Local or Access Tandem)	-	1	<del> </del>	+	0.000101					-	1				1
Tande		1	1	1							<del>                                     </del>			<b>_</b>	-	
Tande						0 0001722										1
Tande	Tandem Switching Function Per MOU					0.0001723										
	Tandem Switching Function Per MOU Tandem Trunk Port - Shared, Per MOU					0.0001723 0.0001828										
	Tandem Switching Function Per MOU															

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
														Incremental		Incremental	Incremental
												Submitted		•	Charge -	Charge -	Charge -
CATEG	OBV	RATE ELEMENTS	Interi	Zana	BCS	usoc		DA.	TES(\$)			Elec	-	Manual Svc			Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ьсэ	0300		KA	I E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		PORT/LOOP COMBINATIONS - COST BASED RATES ased Rates are applied where BellSouth is required by FCC ar	1/ C4	-4- 6-		l de lles	diad Land Cui		ala Danta								
		ased Rates are applied where Bellsouth is required by FCC ares shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Pate F	yhihit Valinit					
-		fice and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
		orgia, Kentucky, Louisiana, Mississippi, South Carolina and 1														ng charges a	pply to Not
		tly Combined Combos for all states. In GA, KY, LA, MS, SC an								and NC these	nonrecurring	charges are	Market Rat	es and are al	so listed in th	e Market Rate	section.
		rrently Combined Combos in all other states, the nonrecurring	g charg	es sha	l be those identified	in the Nonre	ecurring - Curr	ently Combine	d sections.								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE PO	prt/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
<b>-</b>		2-Wire VG Loop/Port Combo - Zone 1	<b>-</b>	2			17.13					1					
		2-Wire VG Loop/Port Combo - Zone 3	l	3			26.26								İ	İ	
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE Lo	pop Rates							_								
		2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPRX	UEPLX	10.98										
-		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	<b></b>	3	UEPRX UEPRX	UEPLX UEPLX	15.91 25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (Res)		_	OLI IOX	OLILA	43.00										
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice Grade unbundled Mississippi extended local			UEPRX	UEPAT	4.00	40.31	10.01	24.90	6.58		15.75				
		dialing parity port with Caller ID - res  2-Wire voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAI	1.23	40.31	19.84	24.90	6.58		15.75				
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58		15.75				
	FEATU				OEI TOX	OLI 74	1.20	40.01	10.04	24.00	0.00		10.70				
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00				15.75				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	NONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	ADDIT	Subsequent Database Update						0.00	0.00				15.75				
<b>—</b>	ADDLL	ONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<b></b>			-											
		Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					3.00	3.00	2.00				.5.76				
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			17.13										
-	LINE 1	2-Wire VG Loop/Port Combo - Zone 3	1	3			26.26										
	JIVE E	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>-</b>	1	UEPBX	UEPLX	10.98					1					
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68										
-	2-Wire	Voice Grade Line Port (Bus)			LIEDBY	LIEDDI	4.00	40.01	40.01	24.00	0.50		45.75				
<u> </u>		2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX UEPBX	UEPBL UEPBC	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75				
<del></del>		2-Wire voice unbundled port with Callet + £464 ib - bus  2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire voice Grade unbundled Mississippi extended local				1	0			50	5.30						
		dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58		15.75				
	1001	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.23	40.31	19.84	24.90	6.58		15.75				
-		NUMBER PORTABILITY Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35								-	-	
		Local Number Portability (1 per port)	<u> </u>		ULFBA	LINEUX	0.35			l	l	l					

04/12/02 Page 221 of 352

LINIDI	INDI E	D NETWORK ELEMENTS Mississippi												A44b	•	Fubility D	
UND	JNULE	D NETWORK ELEMENTS - Mississippi				1					1	Core Conden	Cur Onden	Attachment:		Exhibit: B	l=====================================
														Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										<u> </u>	<u></u>						
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	<del> </del>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU																
		All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	<u> </u>	Switch-as-is		<u> </u>	UEPBX	USAC2		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Switch with change			UEPBX	USACC		0.0988	0.0988				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
		Subsequent Database Update						0.00	0.00				15.75				
<u></u>	ADDIT	ONAL NRCs	<u> </u>	<u> </u>		+				-					-		
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1	HEDDY	110465				1					1		
		Activity	ļ	<b> </b>	UEPBX	USAS2		0.00	0.00	<b>.</b>			15.75	ļ	<b>.</b>	ļ	
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	ļ	<b> </b>						<b>.</b>				ļ	<b>.</b>	ļ	
	UNE P	ort/Loop Combination Rates	ļ	<u> </u>													
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	1	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17		15.75				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.75				
	FEATU																
		All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00				15.75				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91				15.75				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch with Change			UEPRG	USACC		7.96	1.91				15.75				
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
		Subsequent Database Update						0.00	0.00				15.75				
	ADDIT	ONAL NRCs	ļ	ļ													
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	1						I				Ì	I	Ì	
	1	Subsequent Activity	<u> </u>	<u> </u>	UEPRG	USAS2	0.00	0.00	0.00				15.75				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1		1				1					1		
	0.1005	Group	<u> </u>	<u> </u>				7.36	7.36				15.75				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<u> </u>	<u> </u>													
	UNE P	ort/Loop Combination Rates	<u> </u>	<u> </u>													
	1	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	1			12.22										
<u> </u>	<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2		+	17.13			<b>.</b>	ļ				-		
	1	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			26.26										
		2-Wire VG Loop/Port Combo - Zone 4	<u> </u>	4			44.91										
	UNE L	pop Rates	<u> </u>	<u> </u>	UEDDV												
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	10.98										
<u> </u>	<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEPPX	UEPLX	15.91			<b>.</b>	ļ				-		
<u> </u>	ļ	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEPPX	UEPLX	25.04			<b>.</b>				ļ	<b>.</b>	ļ	
	L	2-Wire Voice Grade Loop (SL 1) - Zone 4	ļ	4	UEPPX	UEPLX	43.68			<b>.</b>				ļ	<b>.</b>	ļ	
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)	ļ	<b> </b>						<b>.</b>					<b>.</b>		
										1			1		1		
	<u> </u>	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17		15.75		ļ		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17		15.75				
<u></u>	<u> </u>	Line Side Unbundled Incoming PBX Trunk Port - Bus	<u> </u>	<u> </u>	UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17		15.75		ļ		
	1	2-Wire Voice Unbundled PBX LD Terminal Ports		1	UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17	L	15.75	]	l .	]	

ONROND	LED	NETWORK ELEMENTS - Mississippi			1								1 -	Attachment:		Exhibit: B	ļ
ATEGOR'	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
-								Name		Nananaan mina	Dianamant						
-							Rec	Nonrec		Nonrecurring		SOMEC	COMAN	SOMAN	Rates(\$)	COMAN	SOMAN
	-	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	First 69.37	Add'I 32.48	First 37.86	Add'l 6.17	SOMEC	<b>SOMAN</b> 15.75	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		1	UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17		15.75				1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	-		UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17		15.75			-	<del></del>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		1	OLITA	OLI AD	1.25	03.51	32.40	37.00	0.17		13.73				
		Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLIT X	OLI AL	1.20	00.01	02.40	07.00	0.17		10.70				
		Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OZ. I X	02.7.2	20	00.01	02.10	01.00	0		10.70				1
		Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OZ. I X	02.7	20	00.01	02.10	07.00	0.11		10.70				
		Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17		15.75				
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy					_										
		Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17		15.75				
	2	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
		Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		15.75				
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17		15.75				
LO		NUMBER PORTABILITY															
	L	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.75				1
FE	ATUR	ES															
	F	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NO	NREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				
	2	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															ĺ
	(	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
	2	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	9	Subsequent Database Update						0.00	0.00				15.75				
AD	DITIO	NAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.36	7.36				15.75				
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UN		t/Loop Combination Rates															
		2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2			17.13										
		2-Wire VG Coin Port/Loop Combo – Zone 3 2-Wire VG Coin Port/Loop Combo – Zone 4	<del>                                     </del>	3	<del>                                     </del>	+	26.26 44.91								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
1161		pp Rates		4			44.91										
UN				1	UEPCO	UEPLX	10.98										<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91										<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04										<u> </u>
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPCO	UEPLX	43.68										
2-V		oice Grade Line Ports (COIN)		_	021 00	OLI DX	40.00										+
		2-Wire Coin 2-Way without Operator Screening and without	1			1									1	1	
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58		15.75				
		2-Wire Coin 2-Way without Operator Screening and without				1	0				2.30				İ	1	
		Blocking; with Dialing Parity (Note 3) (MS)	1	1	UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58	1	15.75		1	I	
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011,				1											
		900/976, 1+DDD (AL, KY, LA, MS)	<u></u>	L	UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58	<u></u>	15.75		<u> </u>	<u> </u>	<u></u>
		2-Wire Coin 2-W with Operator Screening and Blocking: 011,				j											
		900/976, 1+DDD; with Dialing Parity (MS)	1	1	UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58	1	15.75		l	I	
	2	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		AL, LA, MS)	<u> </u>		UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58		15.75		<u> </u>	<u></u>	<u> </u>
	2	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;															
	ν	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58		15.75				<u> </u>
		2-Wire Coin 2-Way with Operator Screening & Blocking:															
1	c	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	l		UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58	l	15.75		1		

OURONDE	ED NETWORK ELEMENTS - Mississippi	1		1							I		Attachment:		Exhibit: B	ļ. —
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					+		Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l.	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and 011 Blocking			LIEDOO	LIEDDI	4.00	40.04	10.01	04.00	0.50		45.75				
	(GA, KY, MS)  2-Wire Coin Outward with Operator Screening and 011		1	UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58		15.75			-	
	Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward with Operator Screening and Blocking:			OLI CO	OLI WID	1.25	+0.51	13.04	24.30	0.30		13.73				
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,					_										
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58		15.75				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)		1	UEPCO	URECU	4.62	0.00	0.00							-	
LOC	UNE Coin Port/Loop Combo Usage (Flat Rate)  AL NUMBER PORTABILITY			UEPCO	URECU	4.62	0.00	0.00							-	-
LOC	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED			021 00	LIVI OX	0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.0988	0.0988				15.75				
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
LIND	Activity UNDLED REMOTE CALL FORWARDING - RES		1	UEPCO	USAS2		0.00	0.00				15.75			-	
	-Recurring		<u> </u>													
	UNDLED REMOTE CALL FORWARDING - Bus				+											
02	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.41	2.39	2.29	1.42	1.33		15.75				
Non-	Recurring															
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)												
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
	D PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>													
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<u> </u>												1	
UNE	Port/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	21.32									<del>                                     </del>	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2		-	26.16										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		1	34.98										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		4		+	53.15										
UNE	Loop Rates		<u> </u>			33.10									1	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	1	UEPPX	UECD1	13.89										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	18.75										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	27.55										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX	UECD1	45.72									ļ	
UNE	Port Rate		<del>                                     </del>	LIEDDY	LIEDDA	7.40	205.00	07.10	444.50	44.05		45.75			4.07	
NON	Exchange Ports - 2-Wire DID Port  RECURRING CHARGES - CURRENTLY COMBINED	1	-	UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25		15.75			1.97	1
NON	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		-		-										<del></del>	
	Switch-as-is		1	UEPPX	USAC1		7.35	1.88				15.75			1.97	
-	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			J 1 /	30/101		7.55	1.00				10.70			1.51	
	with BellSouth Allowable Changes		1	UEPPX	USA1C		7.35	1.88				15.75			1.97	
ADD	ITIONAL NRCs				1											
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.94	26.94				15.75			1.97	

04/12/02 Page 224 of 352

UNB	BUNDLE	D NETWORK ELEMENTS - Mississippi											•		Attachment:		Exhibit: B	<u> </u>
ATE	EGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								Rec	Nonrec		Nonrecurring					Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Teleph	one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00				15.75			1.97	
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00				15.75			1.97	
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00				15.75			1.97	ĺ
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00				15.75			1.97	ĺ
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00				15.75			1.97	
	LOCAL	NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	2-WIRE	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														
		ort/Loop Combination Rates																
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		28.59										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-	OLFFB	ULFFR	•	26.39										
		UNE Zone 2		2	UEPPB	UEPPR	<u> </u>	35.00										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		45.18										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 4		4				67.61										
	UNE L	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26						15.75			1.97	<b></b>
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67						15.75			1.97	
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85						15.75			1.97	<del> </del>
		2-Wire ISDN Digital Grade Loop - UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28						15.75			1.97	<del> </del>
	UNF P	ort Rate		<u> </u>														
	0.1.2.1	Exchange Port - 2-Wire ISDN Line Side Port		<b>†</b>	UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13		15.75			1.97	
	NONR	CURRING CHARGES - CURRENTLY COMBINED						10.00										
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	ADDIT	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17				15.75			1.97	
		ONAL NRCs	-	-														
	LOCAL	NUMBER PORTABILITY		<u> </u>														
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	B-CHA	NNEL USER PROFILE ACCESS:						0.00	0.00									
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD		<u> </u>	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	(TN)	LIEBBB			0.00										
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD	<u> </u>	<u> </u>	UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
	USER	TERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	VERTIO	CAL FEATURES						0.50	0.00									
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00				15.75			1.97	
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and			1													
		facilities termination				UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11		15.75			1.97	
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
		DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT															
	UNE P	ort/Loop Combination Rates																
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			155.43										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		T i			1											1
		Zone 2		2	UEPPP			205.74										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			283.10					]					
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		3													İ	
		Zone 4		4	UEPPP			534.81										<u> </u>
	LINEL	pop Rates		1						-		,						

04/12/02 Page 225 of 352

HOUNDLE	D NETWORK ELEMENTS - Mississippi	ı	1	1	1						Cup Carlo	Cup Cade	Attachment:		Exhibit: B	Inoro
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - UNE Zone 1			UEPPP	USL4P	79.08						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	129.38						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	206.74						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP	USL4P	458.46						15.75			1.97	
UNE P	ort Rate	<u> </u>	<u> </u>			=0.0=	450.00		107.75							
NOND	Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - CURRENTLY COMBINED		1	UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76		15.75			1.97	
NONK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		<u> </u>													
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	119.76	79.01				15.75			1.97	
ADDIT	TONAL NRCs		1	OLFFF	USACE	0.00	119.70	79.01				13.73			1.57	
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.49					15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			02			0.10					10.10			1.07	
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.58	11.58				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -								†							
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		23.15	23.15				15.75			1.97	
LOCAL	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel			LIEDDO	DD=01/											
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61					15.75			1.97	
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.61					15.75			1.97	
CALL	New or Additional Inward Data B Channel  TYPES			UEPPP	PR7BD	0.00	14.61					15.75			1.97	
CALL	Inward		<u> </u>	UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interof	ffice Channel Mileage			CLITT	11000	0.00	0.00	0.00								
	Fixed Each Including First Mile			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90		15.75			1.97	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.20										
4-WIRI	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		131.78						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44						15.75			1.97	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	<u> </u>	4	UEPDC		511.15						15.75			1.97	
UNE L	oop Rates		1	LIEDDO	LICL DC	70.00						45.75			4.07	
	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC UEPDC	USLDC	79.08 129.38						15.75 15.75			1.97 1.97	
	4-Wire DS1 Digital Loop - UNE Zone 2		3	UEPDC	USLDC	206.74						15.75			1.97	
	4-Wire DS1 Digital Loop - UNE Zone 4			UEPDC	USLDC	458.46						15.75			1.97	
UNF P	Port Rate		_	OLI DO	COLDO	400.40						10.70			1.07	
3.1.2.1	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61		15.75			1.97	
NONR	ECURRING CHARGES - CURRENTLY COMBINED				1	50			123.00							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is	<u> </u>	<u></u>	UEPDC	USAC4		130.24	67.41	<u> </u>			15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			1				-							]	
	- Conversion with DS1 Changes			UEPDC	USAWA		130.24	67.41				15.75			1.97	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination					l	,									
	- Conversion with Change - Trunk	ļ	<u> </u>	UEPDC	USAWB		130.24	67.41	ļ			15.75			1.97	
ADDIT	TONAL NRCs	<u> </u>	<u> </u>	-					<b> </b>						<b> </b>	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		1	UEPDC	UDTTA		14.56	14.56			1	15.75			1.97	
	iousequent channel Activation/Chan - Z-yvav Trunk	1		UEPDC	UDITA		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				1											

NRONDLE	D NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56				15.75			1.97	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56				15.75			1.97	
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00				15.75			1.97	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00				15.75			1.97	
Alterna	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format		<u> </u>	UEPDC	MCOPO		0.00	0.00						<b>.</b>	<b>.</b>	<b></b>
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00						15.75			1.97	
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00						15.75		<b>.</b>	1.97	ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.75			1.97	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.75			1.97	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00						15.75			1.97	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				15.75			1.97	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00				15.75			1.97	L
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	l Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90		15.75			1.97	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.20	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
	System can have up to 24 combinations of rates depending on	type a	nd nun	nber of ports used												
UNE D	S1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00				15.75			1.97	
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	95.06	0.00	0.00				15.75			1.97	
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00				15.75			1.97	
	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	380.24	0.00	0.00				15.75			1.97	ļ
	144 DS0 Channel Capacity - 1 per 6 DS1s		<u> </u>	UEPMG	VUM14	570.36	0.00	0.00				15.75		-	1.97	
	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	760.48	0.00	0.00				15.75		-	1.97	<u> </u>
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	950.60	0.00	0.00			1	15.75		1	1.97	1
	288 DS0 Channel Capacity - 1 per 12 DS1s		<u> </u>	UEPMG	VUM28	1,140.72	0.00	0.00				15.75		-	1.97	<u> </u>
	384 DS0 Channel Capacity - 1 per 16 DS1s		<u> </u>	UEPMG	VUM38	1,520.96	0.00	0.00				15.75		<b>.</b>	1.97	ļ
	480 DS0 Channel Capacity - 1 per 20 DS1s		<u> </u>	UEPMG	VUM40	1,901.20	0.00	0.00				15.75		<b>.</b>	1.97	ļ
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00				15.75			1.97	<b></b>
	672 DS0 Channel Capacity - 1 per 28 DS1s		L	UEPMG	VUM67	2,661.68	0.00	0.00				15.75			1.97	
	672 DS0 Channel Capacity - 1 per 28 DS1s ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with mum System configuration is One (1) DS1, One (1) D4 Channe			on with Port - Conv	ersion Charge	Based on a Sys		0.00				15.75			1.97	

IINRII	NDI F	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
ONDO	NDLL	D NETWORK ELEMENTS - MISSISSIPPI		1		1	1					Cua Oudan	Svc Order				lu anamantal
															Incremental		Incremental
													Submitted	_	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Auu	Diac rat	Disc Add I
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		NRC - Conversion (Currently Combined) with or without						11100	Addi	11100	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAN	JOHIAN
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41				15.75			1.97	
	<u> </u>								0.41				15.75			1.97	
		Additions at End User Locations Where 4-Wire DS1 Loop wit	n Cnar	nelizat	ion with Port Comb	ination Curre	ently Exists and										
	New (N	ot Currently Combined) In GA, KY, LA, MS & TN Only															
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
		Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56		15.75			1.97	
	Bipola	8 Zero Substitution															
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00	600.00				15.75			1.97	
		Clear Channel Capability Format - Extended Superframe -															
		Subsequent Activity Only	l	1	UEPMG	CCOEF	0.00	0.00	600.00				15.75	1		1.97	1
-	Alte			-	ULFIVIG	COUEF	0.00	0.00	000.00			1	10.75	-		1.97	-
	Aiterna	te Mark Inversion (AMI)		<b>_</b>	LIEDMO	MODOE	0.00	0.00	0.00	ļ		1	<b> </b>	<b> </b>			ļ
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchar	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port			<u> </u>										
	Exchar	ge Ports							-		-						
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
-		Line Side Odtward Oriannelized 1 BX Trunk 1 Oit - Business			OLITA	OLI OX	1.23	0.00	0.00	0.00	0.00	1	13.73			1.57	
		Live Oil Live I Oil Olever I've I DDV Tee I Deat Ville I DD			LIEDDY	LIEDAY	4.00	0.00	0.00	0.00	0.00		45.75			4.07	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00		15.75			1.97	
	Feature	Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Side Port Terminated															
		in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26		15.75			1.97	
		Feature (Service) Activation for each Trunk Side Port Terminated															
		in D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85		15.75			1.97	
	Telenh	one Number/ Group Establishment Charges for DID Service			OLI I X	4	0.01	7 0.00	10.00	00.00	11.00		10.70			1.07	
-	relepii	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.75			1.97	
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.75			1.97	
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.75			1.97	
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.75			1.97	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.75			1.97	
	Local I	lumber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATI	RES - Vertical and Optional				1	20	2.20	2.30			İ		İ			
		Switching Features Offered with Line Side Ports Only		1		1						1					
-	Local	All Features Available		-	UEPPX	UEPVF	2.56	0.00	0.00			1	15.75			1.97	1
	Morter											<b> </b>	10.75			1.97	ļ
-		Rates shall apply where BellSouth is not required to provide	unpunc	1160 100	al switching of SWI	con ports per	FUC and/or St	ate Commissio	n rules.			1					
		scenarios include:	L	<u> </u>	L	<u></u>						1					
		undled port/loop combinations that are Not Currently Combin										1	ļ				
		undled port/loop combinations that are Currently Combined of											<u> </u>	<u></u>			
		p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda															
	BellSo	uth currently is developing the billing capability to mechanica	lly bill	the rec	urring and non-recu	rring Market	Rates in this se	ection except f	or nonrecurring	ng charges for	not currently	combined in	AL, FL and	NC. In the ir	nterim where	BellSouth car	nnot bill
		Rates, BellSouth shall bill the rates in the Cost-Based section									,						
		rket Rate for unbundled ports includes all available features i				100				1			l				
<b>—</b>		fice and Tandem Switching Usage and Common Transport Us				ie rato ovbib	it chall annly to	all combineti	ne of loon/ne	rt notwork alan	nonte oveent	for LINE Co:	n Port/Lear	Combination	se which have	a flat rate	ago charge
			age rat	es III tr	IE FUIL SECTION OF TH	is rate exhib	it siidii appiy to	an combinatio	ль от тоор/ро	it network elen	ients except	IOI UNE COI	II POINTOOL	Combination	is willen nave	a nat rate us	age charge
		URECU).	- No		b "-: .	in the First		IDC!	B	1000 F 0			- 4h - N		!!	in the NDO	O
		t Currently Combined scenarios where Market Rates apply, the				in the First a	ına Addıtıonal I	NKC columns f	or each Port L	SOC. For Curi	entry Combin	ed scenario	s, the Nonre	ecurring charg	ges are listed	in the NKC -	Currently
		ned section. Additional NRCs may apply also and are categor	ized ac	cording	gly.												
		ONAL NRCs															
UNBUN	DLED F	PORT/LOOP COMBINATIONS - MARKET BASED RATES															
		S1 Loop															
		ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chan	eliztio	n with Port - Conve	sion Charge	Based on a Sv	stem				1	1	1			
-		num System configuration is One (1) DS1, One (1) D4 Channel						0.0.11				<del> </del>	<del> </del>				<del> </del>
$\vdash$												1	<b> </b>	-			-
LINIDI :::		es of this configuration functioning as one are considered Ad		tne m	minum system con	ilguration is	counted.					1	<b> </b>	<b> </b>			1
UNBUN		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>	<u></u>	L.,						1	ļ				<b></b>
		Based Rates are applied where BellSouth is required by FCC												]			
	2. Feat	ures shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the sam	e manner as	tney are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					
		<del>-</del>															

04/12/02 Page 228 of 352

CHECHEL	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	
ļ											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
ĺ		m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
L													131	Auu	Disc 1st	Disc Add I
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
3. End	l Office and Tandem Switching Usage and Common Transport eorgia, Kentucky, Louisiana, Mississippi and Tennessee, the re	Usage r	ates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
	ined Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC ti	nese nonrecurr	ing charges ar	e Market Ra	ites and are	listed in the	Market Rate s	ection. For 0	Surrently
	ined Combos in all other states, the nonrecurring charges sha															
	rket Rates for Unbundled Centrex Port/Loop Combination will		tiated	on an Individual Ca	se Basis, unt	til further notice	e.									
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)															
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		4	UEP91		12.22										
+-+-	Non-Design			UEP91		12.22										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP91		17.13						1				
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OL1 31	1	17.13			<del> </del>					1	1	<del>                                     </del>
1	Non-Design		3	UEP91		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		5	0_1 01	<del> </del>	20.20						<b> </b>				<del>                                     </del>
1	Non-Design		4	UEP91		44.91										
UNF F	Port/Loop Combination Rates (Design)			J J.	1	77.31										<del>                                     </del>
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
1	Design		1	UEP91		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Design		2	UEP91		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
1	Design		3	UEP91		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP91		46.95										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
ullet	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
$\vdash \vdash \vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
+-+-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1 2	UEP91	UECS2	13.89										
+-+-	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91 UEP91	UECS2 UECS2	18.75 27.55										
+-+-	2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										-
UNE P			-	OLF91	ULC32	45.72										
	ates (Except North Carolina and Sout Carolina)				<del> </del>							<b> </b>				<del>                                     </del>
7.11 516	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				t e
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1	20	.5.51		250	5.50						
1	Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				I
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
i	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
igsquare	Center)2 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
i	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
$\longleftarrow$	Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent				L							1				
$\vdash \vdash \vdash$	- Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
1	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDO4	LIEDY'S											
<del></del>	Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75		ļ	ļ	<b>-</b>
AL, K	Y, LA, MS, & TN Only			LIEDO4	LIEDC A	4.00	10.01	10.01	04.00	0.50		45.75		1	1	<del>                                     </del>
$\vdash$	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75		-		+
$\longrightarrow$	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91 UEP91	UEPQB UEPQH	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75		-		+
$\vdash$	2-Wire Voice Grade Port (Centrex With Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLF91	UEFUH	1.23	40.31	19.84	∠4.90	86.0		15.75				<del>                                     </del>
1	Center)2			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				I
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 31	OLI QIVI	1.23	100.33	10.31	34.24	11.70		13.73				<del>                                     </del>
1	Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				I
	····				7 %-	1.20	100.00	70.07	54.24	11.70		10.70				<del>                                     </del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				

04/12/02 Page 229 of 352

NRONDL	ED NETWORK ELEMENTS - Mississippi			1									Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7947										
Loca	al Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feat		_														
	All Standard Features Offered, per port	_		UEP91	UEPVF	2.56	10100					15.75				
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98					15.75				
NAD	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	2.56						15.75				
NAR	Unbundled Network Access Register - Combination	+	1	UEP91	UARCX	0.00	0.00	0.00	<del>                                     </del>						<del> </del>	1
	Unbundled Network Access Register - Indial	+		UEP91	UAR1X	0.00	0.00	0.00	<del>                                     </del>						<del>                                     </del>	<u> </u>
	Unbundled Network Access Register - Outdial	+	1	UEP91	UAROX	0.00	0.00	0.00							<b>-</b>	1
Misc	cellaneous Terminations					0.00	0.00	3.30							1	1
	re Trunk Side	1														İ
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88		15.75				1
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0098										
	ure Activations (DS0) Centrex Loops on Channelized DS1 Serv	ice														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.57										
	Different wire Center			UEP91	IPQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57										
-	Feature Activation on D-4 Channel Bank Tivate Line Loop Stot			OLF91	IFQVVV	0.57			1							
	Slot			UEP91	1PQWQ	0.57										
+	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57										
Non-	-Recurring Charges (NRC) Associated with UNE-P Centrex														1	
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32					15.75				
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91					15.75				
	NAR Establishment Charge, Per Occasion		1	UEP91	URECA	0.00	72.63					15.75				
	-P CENTREX - 5ESS (Valid in All States)															ļ
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)		1												-	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design	' -	1	UEP95		12.22										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	_	<del>  '</del>	OLF 93		12.22			1							
	Non-Design		2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-	Ť		1	10									1	1
	Non-Design		3	UEP95		26.26					1				I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-	Ť												1	İ
	Non-Design		4	UEP95		44.91									1	
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ı <b>-</b>											_			
	Design		1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-		1											1	
	Design		2	UEP95	1	19.98									1	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	- 1	1	1	1				1		i	i			l .	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attachment:	2	Exhibit: B	1
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonre	curring	Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		4	UEP95		46.95										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										<u> </u>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										<u> </u>
	ort Rate		<u> </u>								ļ		ļ	ļ	ļ	<u> </u>
All Stat																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP95	UEPYA	1.23	40.31	19.84		6.58		15.75	ļ	ļ	ļ	ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84		6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
FL & G												15.75				
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56						15.75				
NARS																
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0.00	0.00				15.75				<u> </u>
	aneous Terminations		<u> </u>		1											<u> </u>
2-Wire	Trunk Side		<u> </u>													ļ
	Trunk Side Terminations, each		<u> </u>	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				<u> </u>
4-Wire	Digital (1.544 Megabits)		<u> </u>													<u> </u>
	DS1 Circuit Terminations, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
Interoff	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0098										
Foature	Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														1

	D NETWORK ELEMENTS - Mississippi		1	ı								0	Attachment:		Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tilvate Line Loop Slot			OLI 95	II QVVV	0.57										
	Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP95	1PQWA	0.57									1	
	curring Charges (NRC) Associated with UNE-P Centrex		<u> </u>													
	NRC Conversion Currently Combined Switch-As-Is with allowed		i –		1	İ										
	changes, per port			UEP95	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	Ì	37.97	16.68				15.75				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63					15.75				
UNE-P	CENTREX - DMS100 (Valid in All States)															
2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9D		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP9D		44.91										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		T -													
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		28.78										
	Design		4	UEP9D		46.95										
UNE Lo	pop Rate				1										İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9D	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	27.55										
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9D	UECS2	45.72										
	ort Rate															
ALL ST				L											ļ	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58		15.75				
			1	02.00	5	1.20	70.01	10.04	27.00	0.00		10.70				

UNBUNDLE	D NETWORK ELEMENTS - Mississippi											,	Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	HEDVE	4.00	40.04	10.01	04.00	0.50		45.75				
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58		15.75				
	Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				1											
	Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI 3D	OLI 10	1.20	40.51	13.04	24.50	0.50		15.75				
	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58	<u> </u>	15.75			<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local				1											
$\vdash$	Area		<u> </u>	UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58		15.75			<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLF9D	OLFIII	1.23	40.31	19.04	24.90	0.36		13.73				
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3															
	Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIEDVA 4	4.00	400.05	70.57	54.04	44.70		45.75				
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75			1	
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3				1 1 1				Ţ							
	Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3				l											
	Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			OLI 3D	OLITIK	1.20	100.55	70.57	34.24	11.70		15.75				
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		1	UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		1	OLI 3D	JLF 13	1.23	100.33	10.51	34.24	11.70		13.73				
	Basic Local Area		1	UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
$\vdash$	Basic Local Area		<u> </u>	UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term		1	UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			JE1 3D	OLI IZ	1.23	100.33	10.31	54.24	11.70		13.73			<b> </b>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
<u> </u>	Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
<del>                                     </del>	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9D UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58	-	15.75			-	-
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58	1	15.75			<b>†</b>	<b>†</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58		15.75				
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	<b> </b>	<u> </u>	UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58		15.75			1	
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3		<del>                                     </del>	UEP9D UEP9D	UEPQU UEPQV	1.23 1.23	40.31 40.31	19.84 19.84	24.90 24.90	6.58 6.58		15.75 15.75			<del>                                     </del>	<del>                                     </del>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5216)3  2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQV UEPQ3	1.23	40.31	19.84	24.90	6.58		15.75				<b>+</b>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex vith Caller ID)	1	1	UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58	l	15.75			<b> </b>	<b>-</b>

NRONDLE	D NETWORK ELEMENTS - Mississippi										T -	1 -	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)3			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3		<u> </u>	UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wile Voice Grade Fort (Centrewdiner SWC7EBO-FOET)2, 3			OLI 3D	OLI QO	1.25	100.55	70.57	34.24	11.70		13.73				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70		15.75				
	· ·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70		15.75				
																1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wile Voice Grade Fort (CertifeXullier SWC /EB3-W5200)2, 3			OLF 9D	ULFQJ	1.23	100.33	70.57	34.24	11.70		13.73				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70		15.75				
									¥							
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching			LIEDAD	115500	0 =0.1=										
Lasal	Centrex Intercom Funtionality, per port  Number Portability			UEP9D	URECS	0.7947										
Local	Local Number Portability (1 per port)		<u> </u>	UEP9D	LNPCC	0.35										
Featu				UEP9D	LINFCC	0.35										
i catu	All Standard Features Offered, per port			UEP9D	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56						15.75				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00		•		15.75				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.75				
	Ilaneous Terminations															
2-wire	Trunk Side Trunk Side Terminations, each		-	UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88		15.75			-	-
4-Wire	e Digital (1.544 Megabits)		<b>-</b>	OLFAD	CEINDO	გ.∠5	120.00	18.85	01.//	3.88	1	15.75			1	
	DS1 Circuit Terminations, each		<del>                                     </del>	UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
+	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56	55.25	7 -1.00	2.04		10.70				
Intero	ffice Channel Mileage - 2-Wire					2.00	50									
-	Interoffice Channel Facilities Termination			UEP9D	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										
	Footing Astingtion on D.A.Changel Book EV. 19 College Co.			LIEDOD	4001440	0.5-										
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP9D	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57										1
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<b>-</b>	OLFBD	IF QVVI	0.57									1	
	Different Wire Center			UEP9D	1PQWP	0.57										1
-				02	~	0.01										
			1	UEP9D		0.57									ī	1

NEONDLE	D NETWORK ELEMENTS - Mississippi		1						, ,		0	0	Attachment:		Exhibit: B	t
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															i
	Slot			UEP9D	1PQWQ	0.57										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57										1
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed															i
	changes, per port			UEP9D	USAC2		0.10	0.10				15.75				<b></b>
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68				15.75				<b>L</b>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32					15.75				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63					15.75				<b>L</b>
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)		<u> </u>													<del></del>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															<b></b>
UNE P	ort/Loop Combination Rates (Non-Design)		<u> </u>	ļ					ļ						ļ	<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Non-Design		1	UEP9E		12.22										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_													i
	Non-Design		2	UEP9E		17.13										<b>L</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Non-Design		3	UEP9E		26.26										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Non-Design		4	UEP9E		44.91										<b></b>
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Design		1	UEP9E		15.12										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Design		2	UEP9E		19.98										<b>L</b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															i
	Design		3	UEP9E		28.78										<b></b>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															i
	Design		4	UEP9E		46.95										<b>L</b>
UNE L	oop Rate															<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	15.91										<b>L</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	25.04										<b>L</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9E	UECS1	43.68										<b>L</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	13.89										<b></b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										<b>L</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55										<b> </b>
	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP9E	UECS2	45.72										-
	ort Rate		<b>_</b>		_											<b>├</b>
AL, FL	, KY, LA, MS, & TN only			LIEBOE	LIEDVA	4.00	40.04	10.01	04.00	0.50		45.75				<del> </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				-
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1	LIEDOE	LIEDYD	4.00	40.01	10.01	04.00	0.50		45			Ì	1
	Area		<u> </u>	UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75		1		<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOE	UEDV	4.00	40.01	10.01	04.00	0.50		45				i
	Area		<b>_</b>	UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58	-	15.75		-	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1	LIEDOE	UEPYM	1.23	108.35	70.57	54.24	44.70		15.75			Ì	1
_	Center)2 Basic Local Area		1	UEP9E	UEFYIVI	1.23	108.35	70.57	54.24	11.70		15.75				<del></del>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1	1	LIEDOE	LIEDYZ	4 00	100.05	70.57	5404	44.70		45.75			Ì	1
_	Term - Basic Local Area		1	UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				<del></del>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOE	LIEDVO	4 22	40.24	10.04	24.00	6.50		15.75				i
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		1	UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58		15./5				<del></del>
				UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				i
A1 10	Basic Local Area		1	UEPSE	UEPTZ	1.23	40.31	19.84	∠4.90	0.58		15./5				<del></del>
AL, K	/, LA, MS, & TN Only		<b>_</b>	LIEDOE	LIEDOA	4.00	40.04	10.01	04.00	0.50	-	45.75		-	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex )		<b>_</b>	UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58	-	15.75		-	1	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58	ļ	15.75			ļ	
1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58		15.75				<b></b>

NRONDLI	ED NETWORK ELEMENTS - Mississippi												Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOE	LIEDO7	4.00	400.05	70.57	5404	44.70		45.75				
	Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58		15.75				
-	2-Wire Voice Grade Port Terminated in on Wegalink of equivalent			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Local	Switching			OLI SL	OLI QZ	1.25	40.51	13.04	24.30	0.50		15.75				
Locui	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu				-												
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56						15.75				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98					15.75				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56						15.75				
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				15.75				
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				15.75				
	Ilaneous Terminations															
2-Wir	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88		15.75				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channel Activated Per Channel		<u> </u>	UEP9E	M1HDO	0.00	14.56					15.75				
Interd	ffice Channel Mileage - 2-Wire			LIEBOE	MODO	00.50	40.77	07.57	47.00	7.11		45.75				
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile			UEP9E UEP9E	MIGBC MIGBM	22.52 0.0098	40.77	27.57	17.26	7.11		15.75				
Eostu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			UEF9E	IVIIGDIVI	0.0096										
	nannel Bank Feature Activations	е														
D4 CI	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57						15.75				
	realtire Activation on 5-4 Channel Bank Centrex Loop Siot			OLFBL	IFQW3	0.57						13.73				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57						15.75				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02. 02	4.1.0	0.01										
	Slot			UEP9E	1PQW7	0.57						15.75				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<del>                                     </del>		~	3.31						.00				
	Different Wire Center			UEP9E	1PQWP	0.57						15.75				
					1											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57						15.75				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					Ì			İ							
	Slot			UEP9E	1PQWQ	0.57						15.75				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57				-		15.75				
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed					$\neg$										
	changes, per port			UEP9E	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68				15.75				
	New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block		<u> </u>	UEP9E UEP9E	M1ACC URECA	0.00	666.32 72.63					15.75				
LINE :	NAR Establishment Charge, Per Occasion		-	UEP9E	UKECA	0.00	12.63					15.75				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<b>-</b>	<del>                                     </del>		+											
	Port/Loop Combination Rates (Non-Design)	-			+ +	+										
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+	+										
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>- '</del> -	OLI 33	1	12.22										
	Non-Design		2	UEP93		17.13										
-+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OE1 33	+ +	17.13										
	Non-Design	1	3	UEP93	1	26.26			1							

ONRONDE	ED NETWORK ELEMENTS - Mississippi			•									Attachment:		Exhibit: B	1
		1	1	<u> </u>							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec		Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		DAT	ΓES(\$)								
AILGORI	NATE ELEMENTS	m	Zone	BC3	0300		NA.	i L3(φ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		4	UEP93		44.91										
LINE	Port/Loop Combination Rates (Design)		<del></del>	OLI SO		44.01										
ONL																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	i														
	Design		1	UEP93		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		28.78										
			J	OLI 33		20.70										
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l .								ĺ					
	Design		4	UEP93		46.95										
UNE	Loop Rate	L_ <sup>-</sup>	L	<u> </u>					<u> </u>		L					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	10.98										
- t	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP93	UECS1	15.91			†		i e				1	1
1	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	25.04			1						1	1
		-														
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	27.55										
-	2-Wire Voice Grade Loop (SL21) - Zone 4		4	UEP93	UECS2	45.72										
			-	ULF 93	ULUGZ	45.72										
	Port Rate		ļ													
AL, I	KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			OLI GO	OLI ID	1.20	40.01	10.04	24.00	0.00		10.70				
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70		15.75				
			<u> </u>	OLI 33	OLITZ	1.20	100.55	10.51	54.24	11.70		15.75				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58		15.75				
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58		15.75				
— <del> </del>	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58	1	15.75			t	t
		<b>-</b>	<del>                                     </del>		UEPQH						<b> </b>				-	-
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<u> </u>	<b>├</b>	UEP93	UEFUH	1.23	40.31	19.84	24.90	6.58	<b>.</b>	15.75				<b></b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	l	1	İ					]		1				1	
	Center)2	<u></u>	<u></u>	UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70		15.75				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
l	Term	l	1	UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70	I	15.75			1	
		<b>-</b>	<b>t</b>	t		25	700.00	1 0.01	U		l .	70.70			1	1
1	2 Wire Voice Crade Bort terminated in an Manalist and a later	l	1	LIEDOS	UEPQ9	1.23	40.31	19.84	24.90	6.58	1	15.75			1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	<b>├</b>	UEP93							<b>.</b>					
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58		15.75				
Loca	al Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Loca	al Number Portability		1	1					i i		İ					
+====	Local Number Portability (1 per port)		1	UEP93	LNCCC	0.35					1				t	t
		1	1	021 30	LINOUU	0.33					-	-			-	<del>                                     </del>
Feat		<u> </u>	<b>├</b>								<b>.</b>	4===				<b></b>
	All Standard Features Offered, per port		<u> </u>	UEP93	UEPVF	2.56						15.75				1
J	All Centrex Control Features Offered, per port	<u> </u>	<u>L</u>	UEP93	UEPVC	2.56			<u>                                       </u>		<u> </u>	15.75			<u> </u>	<u> </u>
NAR	S															
	Unbundled Network Access Register - Combination		t	UEP93	UARCX	0.00	0.00	0.00				15.75				1
		<b>-</b>	<del>                                     </del>	UEP93	UAR1X	0.00	0.00	0.00	1			15.75			1	1
<del></del>	Unbundled Network Access Register - Indial	-	1												-	1
	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00				15.75				<del></del>
	cellaneous Terminations	<u> </u>	<u>L</u>	<u> </u>					<u>                                       </u>		<u> </u>				<u> </u>	<u> </u>
2-Wi	re Trunk Side															
	Trunk Side Terminations, each		1	UEP93	CEND6	8.25	120.00	18.85	61.77	3.88	1	15.75			1	1

NBUNDLE	D NETWORK ELEMENTS - Mississippi			1	1								Attachment:		Exhibit: B	
															Incremental	
												Submitted		Charge -	Charge -	Charge
TEOODY	DATE EL EMENTO	Interi		D00							Elec				Manual Svc	
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KAI	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54		15.75				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56					15.75				
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	MIGBC	22.52	40.77	27.57	17.26	7.11		15.75				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0098										
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	:e														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					9.9.										
	Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.10	0.10				15.75				
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32					15.75				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32	-				15.75				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63					15.75				
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD						•	•		•						
	? - Requres Interoffice Channel Mileage						•	•		•						
Note 3	- Requires Specific Customer Premises Equipment						-	•		•						

UNBL	JNDLE	D NETWORK ELEMENTS - North Carolina										•		Attachment:		Exhibit: B	
														Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
CATE	CODV	RATE ELEMENTS	Interi	Zone	BCS	USOC		В.	TES(\$)			Elec		Manual Svc			Manual Svc
CATE	JONI	RATE ELEMENTS	m	Zone	BC3	0300		NA.	I L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
OPER/		L SUPPORT SYSTEMS															
		(1) Electronic Service Order: CLEC should contact its contract															is rate
		is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be bill															
		elements that cannot be ordered electronically at present per				in this cate	gory reflects the	e charge that v	would be billed	to a CLEC or	ice electronic o	ordering cap	pabilities co	me on-line to	r that elemen	t. Otherwise,	the manual
_	oraerir	ng charge, SOMAN, will be applied to a CLECs bill when it sull Electronic OSS Charge, per LSR, submitted via BST's OSS	omits ar	LSK	o BellSouth.	1	1			ı	ı		1	1		ı	1
		interactive interfaces (Regional)				SOMEC		3.50									
UNRU	VDI ED E	EXCHANGE ACCESS LOOP				OOIVILO		3.30									
5.4551		E ANALOG VOICE GRADE LOOP	1	<b>†</b>		1					İ	1			<b>†</b>	1	
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		SW	UEANL	UEAL2	15.88	57.99	42.37		Ì			26.94	12.76	Ì	
	1	Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		78.92	78.92					26.94	12.76	1	
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					26.94	12.76		
		CLEC to CLEC Conversion Charge Without Outside Dispatch													_		
$\perp$		(UVL-SL1)		<u> </u>	UEANL	UREWO		15.76	8.93					26.94	12.76		
<u> </u>	1	Engineering Information Document (EI)	1	ļ	UEANL	11544.0		28.74	28.74		ļ						
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
		Order Coordination for Specified Conversion Time for UVL-SL1				00001		45.04	45.04								
	2 WIDE	(per LSR) E Unbundled COPPER LOOP	-		UEANL	OCOSL		45.34	45.34								
	Z-WINL	2-Wire Unbundled Copper Loop Non-Designed - SW		SW	UEQ	UEQ2X	15.88	57.99	42.37					26.94	26.94		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-		SW	OLQ	OLQZX	13.00	37.33	42.07					20.34	20.34		
		Designed (per loop)			UEQ	USBMC		61.38	61.38					26.94	12.76		
		Engineering Information Document			UEQ			28.74	28.74					26.94	12.76		
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					26.94	12.76		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					26.94	12.76		
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
	<u> </u>	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-															
		Line Splitting			UEPSR UEPSB	UEALS	15.88	57.99	42.37					26.94	12.76		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide-			OLI OK OLI OB	OLALO	13.00	37.33	42.01					20.34	12.70		
		Line Splitting			UEPSR UEPSB	UEABS	15.88	57.99	42.37					26.94	12.76		
	UNE L	pop Rates for Line Splitting															
		2-Wire Voice Grade Loop (SL1) for Line Splitting- Statewide		SW	UEPRX	UEPLX	14.18										
UNBU		EXCHANGE ACCESS LOOP															
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP									ļ				ļ	ļ	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	LIEA												
$\vdash$	1	Ground Start Signaling - Statewide Order Coordination for Specified Conversion Time (per LSR)	1	SW	UEA UEA	UEAL2 OCOSL	19.50	142.97 45.34	106.56		ļ	1		26.94	12.76	<del>                                     </del>	
$\vdash$	1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1	<del>                                     </del>	OLA	UCUSL		45.34		1	1	1			<del> </del>	1	
		Battery Signaling-Statewide		sw	UEA	UEAR2	19.50	142.97	106.56					26.94	12.76		
	1	Order Coordination for Specified Conversion Time (per LSR)	1	3**	UEA	OCOSL	10.00	45.34	100.00		<b>†</b>	1		20.04	12.70		
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33		Ì			26.94	12.76	Ì	
	4-WIRE	ANALOG VOICE GRADE LOOP	1		<u> </u>											İ	
		4-Wire Analog Voice Grade Loop - Statewide		SW	UEA	UEAL4	27.49	288.47	237.45					26.94	12.76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
<u></u>		CLEC to CLEC Conversion Charge without outside dispatch	1	<u> </u>	UEA	UREWO		87.64	36.33					26.94	12.76		
<u> </u>	2-WIRE	ISDN DIGITAL GRADE LOOP	1	<b>-</b>	LIDAL	1141.027	04.00	005.01	051.01	-	1			00.01	10 =0	<b> </b>	
$\vdash$	1	2-Wire ISDN Digital Grade Loop - Statewide	1	SW	UDN	U1L2X	24.98	325.91	251.31		ļ	1		26.94	12.76	<del>                                     </del>	
<u> </u>	1	Order Coordination For Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	1	<b>!</b>	UDN UDN	OCOSL UREWO		45.34 91.55	44.12		-			26.94	12.76	-	
<b>—</b>	2-WIDE	E Universal Digital Channel (UDC) COMPATIBLE LOOP	1	<del>                                     </del>	אושט	OKEWO		81.05	44.12	1	1	1		20.94	12.76	1	
$\vdash$	Z-WIKE	2-Wire Universal Digital Channel (UDC) Compatible Loop -	1	<b>†</b>		<del> </del>					<del> </del>				<del>                                     </del>	<u> </u>	
		Statewide		sw	UDC	UDC2X	24.98	325.91	251.31					26.94	12.76	1	
	1	CLEC to CLEC Conversion Charge without outside dispatch	1		UDC	UREWO		91.55	44.12		1			26.94	12.76		
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ΔTIRI F	LOOP								Ì					

04/12/02 Page 239 of 352

CIABOIADEI	ED NETWORK ELEMENTS - North Carolina			1							0	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			<sup>-</sup> ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry						=0.4.00									
	& facility reservation - Statewide		SW	UAL	UAL2X	14.60	504.90	456.17					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34									
	2 Wire Unbundled ADSL Loop without manual service inquiry															
	and facility reservaton - Statewide		SW	UAL	UAL2W OCOSL	14.60	203.85 45.34	128.42					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		45.34 86.12	40.36					26.94	12.76		
2-14/15	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDI E I	OOB	UAL	UREWU		86.12	40.36					26.94	12.76		
2-9915	2 Wire Unbundled HDSL Loop including manual service inquiry	I	I													
	and facility reservation - Statewide		sw	UHL	UHL2X	11.98	504.90	456.17					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		300	UHL	OCOSL	11.30	45.34	430.17					20.34	12.70		
	2 Wire Unbundled HDSL Loop without manual service inquiry	1			33302		70.04									
	and facility reservation - Statewide	1	sw	UHL	UHL2W	11.98	221.08	145.65					26.94	12.76		
İ	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Statewide		sw	UHL	UHL4X	13.97	531.35	482.62					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Statewide		sw	UHL	UHL4W	13.97	277.99	202.56					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		
4-WIR	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Statewide		SW		USLXX	62.78	714.84	421.47					42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		45.34									
4 14/15	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.99	43.00					26.94	12.76		
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			LIDI	LIDI 40	00.07	489.04	007.51					19.99	10.00	19.99	19.99
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.67	489.04 489.04	337.51						19.99	19.99	19.99
	4 Wire Unbundled Digital Loop 56 Kbps Order Coordination for Specified Conversion Time (per LSR)		SW	UDL UDL	UDL56 OCOSL	32.67	489.04 45.34	337.51					26.94	12.76		
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32.67	489.04	337.51					26.94	12.76		
-	Order Coordination for Specified Conversion Time (per LSR)		SW	UDL	OCOSL OCOSL	32.07	45.34	337.31					20.94	12.70		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70	1				26.94	12.76		
2-WIR	RE Unbundled COPPER LOOP			002	0.1.2.1.0		102.00						20.0 .	.2		
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.40	281.95	162.85					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21.76	281.95	162.85					19.99	19.99	19.99	19.99
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25.01	281.95	162.85					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Short without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.40	250.17	174.74					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service	1	l	l	[]											
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21.76	250.17	174.74					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Short without manual service	l	_	LICI	LICL DVA	05.01	050.47	47471					10.00	10.00	10.00	10.00
	inquiry and facility reservation - Zone 3	<b> </b>	3	UCL	UCLPW	25.01	250.17 61.38	174.74 61.38					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)	-		UCL	UCLIVIC		61.38	61.38								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1	4	UCL	UCL2L	37.79	268.96	149.86					19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	<del>-</del>	UUL	UULZL	31.19	∠68.96	149.86					19.99	19.99	19.99	19.99
1	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	63.16	268.96	149.86					19.99	19.99	19.99	19.99
	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1	<del>-</del>	002	JOLZL	05.10	200.90	143.00	<del>                                     </del>				13.33	10.55	13.33	13.33
	inquiry and facility reservation - Zone 3	1	3	UCL	UCL2L	73.02	268.96	149.86					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC	70.02	61.38	61.38					10.00	10.99	10.00	10.99
İ	2-Wire Unbundled Copper Loop/Long - without manual service			1	2220		550	050								
	inquiry and facility reservation - Zone 1	l	1	UCL	UCL2W	37.79	189.00	113.57					19.99	19.99	19.99	19.99

UNBUNDLE	NETWORK ELEMENTS - North Carolina			ı	, ,							1-	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service		_		1101 0141	00.40	400.00	110.57					40.00	40.00	40.00	40.00
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	63.16	189.00	113.57					19.99	19.99	19.99	19.99
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73.02	189.00	113.57					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	73.02	61.38	61.38					15.55	19.99	19.99	15.55
	CLEC to CLEC Conversion Charge without outside dispatch			OOL	OCLIVIC		01.50	01.50								
	(UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	17.63	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	28.89	330.13	211.02					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - including manual service inquiry		3		1101.46											
	and facility reservation - Zone 3		3	UCL	UCL4S	33.28	330.13	211.02					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop) 4-Wire Copper Loop/Short - without manual service inquiry and	<u> </u>	<u> </u>	UCL	UCLMC		61.38	61.38	-					-	-	
	facility reservation - Zone 1	l	1	UCL	UCL4W	17.63	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and			OCL	OCLAVV	17.05	230.17	177.77					13.33	13.33	15.55	13.33
	facility reservation - Zone 2		2	UCL	UCL4W	28.89	250.17	174.74					19.99	19.99	19.99	19.99
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	33.28	250.17	174.74					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53.68	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	90.07	317.14	198.03					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104.23	317.14	198.03					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	104.23	61.38	61.38			-		19.99	19.99	19.99	19.98
	4-Wire Unbundled Copper Loop/Long - without manual svc.			OOL	COLIVIO		01.00	01.00								
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53.68	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	90.07	237.18	161.75					19.99	19.99	19.99	19.99
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104.23	237.18	161.75					19.99	19.99	19.99	19.99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		07.44	40.44					40.00	40.00	40.00	40.00
LOOP MODIFIC	(UCL-Des)			UCL	UREWO		97.14	42.44					19.99	19.99	19.99	19.99
LOOP WODIFIC	CATION			UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		64.85	64.85					26.94	12.76		
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft			UCL, ULS	ULM2G		339.84	339.84					26.94	12.76		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			l <u>.</u> .	L T	$\neg$				]			1			
	less than or equal to 18K ft		<u> </u>	UHL, UCL	ULM4L		64.85	64.85					26.94	12.76		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	l		UCL	ULM4G	l	339.84	339.84					26.94	12.76		
	pair greater than 18k ft	<u> </u>	<del>                                     </del>	UCL UAL, UHL, UCL,	ULIVI4G		339.84	339.84	<del> </del>	-			26.94	12.76		
			1	UEQ, UEF, ULS,	]	l							1			
			1	UEA, UEANL, UDL,	]	l							1			
	Unbundled Loop Modification Removal of Bridged Tap Removal,		1	UDC, UDN, UDL,	]	l							1			
	per unbundled loop	L	L	USL	ULMBT		64.90	64.90	<u> </u>	<u>                                     </u>	<u></u>	<u> </u>	26.94	12.76	<u> </u>	L
SUB-LOOPS																
Sub-Lo	op Distribution				ļ					ļ			ļ			
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1	LIFANII	LICDO A	l	400.00	400.00					20.01	10.70	15.10	15.12
1	Up		1	UEANL	USBSA		498.09	498.09	l		l	l	26.94	12.76	15.12	15.1

<u>UNBUNDL</u> EI	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual So Order vs.
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45.04	45.04					26.94	12.76	15.12	15.1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		313.01	313.01					26.94	12.76	15.12	15.1:
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	_		UEANL	USBSD		108.06	108.06					26.94	12.76	15.12	15.1:
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1	1	UEANL	USBN2	7.99	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.1
	Zone 2	- 1	2	UEANL	USBN2	12.63	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.43	126.03	54.54	71.13	10.16			26.94	12.76	15.12	15.1:
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9.23	156.52	79.66	78.56	13.53			26.94	12.76	15.12	15.1:
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14.63	156.52	79.66	78.56	13.53			26.94	12.76	15.12	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16.73	156.52	79.66	78.56	13.53			26.94	12.76	15.12	
			3			10.73			76.50	13.33			20.94	12.70	13.12	13.1.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	3.50	45.34 114.05	45.34 37.20	76.58	10.81			26.94	12.76	15.12	15.1
	. ,					0.00										
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	3.75	45.34 127.67	45.34 50.82	78.71	10.69			26.94	12.76	15.12	15.1
		-				3.75			70.71	10.69			20.94	12.70	15.12	15.1.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.34	45.34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- !	1	UEF	UCS2X	7.33	137.10	60.24	76.58	10.81			26.94	12.76	15.12	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS2X UCS2X	10.95 12.36	137.10 137.10	60.24 60.24	76.58 76.58	10.81 10.81			26.94 26.94	12.76 12.76	15.12 15.12	
	2 Wire Copper Unburidled Sub-Loop Distribution - Zone 3	- 1	3			12.30	137.10	60.24	76.38	10.81			26.94	12.76	15.12	15.1.
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ı	1		UCS4X	7.14	162.24	85.38	78.56	13.53			26.94	12.76	15.12	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	ı	2	UEF	UCS4X	11.09	162.24	85.38	78.56	13.53			26.94	12.76	15.12	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.63	162.24	85.38	78.56	13.53			26.94	12.76	15.12	15.1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.34	45.34								
Unbund	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353.95	12.20					26.94	12.76	15.12	15.1:
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		353.95	12.20					26.94	12.76	15.12	
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
	Tap Removal, per PR unloaded  dled Network Terminating Wire (UNTW)			UEF	ULM4T		557.78	14.23					26.94	12.76	15.12	15.1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.44	64.98	64.98					26.94	12.76	15.12	15.1
Networ	k Interface Device (NID)					Ţ.,,										
	Network Interface Device (NID) - 1-2 lines	ı		UENTW	UND12		86.37	56.69					26.94	12.76	15.12	
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		127.93 11.68	98.21 11.68					26.94 26.94	12.76 12.76	15.12 15.12	
	Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W	+			UNDC2 UNDC4		11.68	11.68					26.94	12.76	15.12	
SUB-LOOPS	300000000000000000000000000000000000000				•		50	50					20.07	12.70	.0.12	13.1
Sub-Lo	op Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498.09						19.99	19.99	19.99	19.9
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up	ì	1	UDN,UCL,UDL,UDC	USBFX		45.04	45.04	1		1	ı	19.99	19.99	19.99	19.9

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Sv Order vs.
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		_													
	Grade - Zone 2 Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,		2	UEA	USBFA	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Voice Grade - Zone 3		3	UEA	USBFA	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	21.04	45.34	40.01	140.40	00.01			10.00	10.00	10.00	10.00
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice								İ	1				1	İ	1
	Grade - Zone 1		1	UEA	USBFB	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Order Coordination for Specified Time Conversion, per LSR		3	UEA	OCOSL	∠1.04	45.34	40.01	149.46	59.37	+	-	19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	OCCOL		40.04									+
	Voice Grade - Zone 1		1	UEA	USBFC	11.43	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	18.35	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	21.04	122.52	46.61	149.46	59.37			19.99	19.99	19.99	19.99
-	Order Coordination For Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice			UEA	OCOSL		45.34						<u> </u>			+
	Grade - Zone 1		1	UEA	USBFD	21.91	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<u> </u>	OLA	OODI D	21.31	220.30	144.20					13.55	13.33	13.33	15.55
	Grade - Zone 2		2	UEA	USBFD	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice															
	Grade - Zone 3		3	UEA	USBFD	41.37	226.36	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21.91	226.36	144.28					19.99	19.99	19.99	19.99
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice		1	UEA	USBFE	21.91	220.30	144.28	1	1			19.99	19.99	19.99	19.99
	Grade - Zone 2		2	UEA	USBFE	35.92	226.36	144.28					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															1
	Grade - Zone 3		3	UEA	USBFE	41.37	226.36	144.28					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1			UDN	USBFF	19.63	202.01	105.88					19.99	19.99		
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2 Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		2	UDN UDN	USBFF USBFF	31.61 36.27	202.01 202.01	105.88 105.88		-			19.99 19.99	19.99 19.99	19.99 19.99	
<del>                                     </del>	Order Coordination For Specified Conversion Time, Per LSR		3	UDN	OCOSL	30.27	45.34	100.68	<del>                                     </del>	<del>                                     </del>	1		19.99	19.99	19.99	19.95
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19.63	202.01	105.88	<b>†</b>	<b>†</b>			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	31.61	202.01	105.88					19.99	19.99	19.99	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	36.27	202.01	105.88					19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39.69	393.01	153.37		ļ			42.19	12.76		$\perp =$
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67.36	393.01	153.37					42.19	12.76		<del></del>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3 Order Coordination For Specified Conversion Time, Per LSR		3	USL	USBFG OCOSL	78.12	393.01 45.34	153.37	-	<b>-</b>			42.19	12.76	<del>                                     </del>	+
<del>                                     </del>	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10.66	172.89	90.81	<del>                                     </del>	<del>                                     </del>	+	<del>                                     </del>	19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<del>-                                    </del>		332.11	10.00	172.00	55.51	<b>†</b>	<b>†</b>			10.00	10.00	10.00	10.00
	2		2	UCL	USBFH	16.44	172.89	90.81	<u> </u>	<u> </u>	<u> </u>		19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	18.69	172.89	90.81					19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		1	UCL	OCOSL	44.00	45.34	404 77	-	-	1		40.00	40.00	40.00	19.99
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ USBFJ	14.68 23.74	207.14 207.14	134.77 134.77	<b>_</b>	<del>                                     </del>		1	19.99 19.99	19.99 19.99	19.99 19.99	
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	27.26	207.14	134.77	<del>                                     </del>	<del>                                     </del>	1		19.99	19.99	19.99	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL	21.20	45.34	104.77	<b>†</b>	<b>†</b>			13.35	13.33	13.33	13.33
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.71	215.00	132.92					19.99	19.99	19.99	
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	44.07	215.00	132.92					19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	50.83	215.00	132.92					19.99	19.99	19.99	19.9

UNBUND	DLED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	26.71	215.00	132.92					19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44.07	215.00	132.92					19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -			ODL	OODI O	44.07	213.00	102.02					13.33	13.33	13.33	15.55
		Zone 3		3	UDL	USBFO	50.83	215.00	132.92					19.99	19.99	19.99	19.99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.34									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFP	26.71	215.00	132.92					19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				HODED	44.0-	045.00	400.00	]			1	40.00	40.00	40.00	40.00
		Zone 2		2	UDL	USBFP	44.07	215.00	132.92	<del>                                     </del>		-		19.99	19.99	19.99	19.99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	50.83	215.00	132.92					19.99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL	50.05	45.34	102.92					15.55	13.33	15.55	10.00
SUB-LOOF		The second secon		1	1	1											
		op Feeder													<u> </u>		
		Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16.03										
		Sub Loop Feeder - DS3 - Facility Termination Per Month	ı		UE3	USBF1	350.32	3,383.00	406.81	164.08	93.01			26.94	12.76		
		Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	16.03										
		Sub-Loop Feeder - STS-1 - Facility Termination Per Month	_ !		UDLSX	USBF7	376.06	3,383.00	406.81	164.08	93.01			26.94	12.76		
		Sub Loop Feeder – OC-3 – Per Mile Per Month Sub Loop Feeder - OC-3 - Facility Termination Protection Per			UDLO3	1L5SL	12.16										
		Month	- 1		UDLO3	USBF5	56.60										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	i		UDLO3	USBF2	564.14	3,383.00	406.81	164.08	93.01			26.94	12.76		
		Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	14.97										
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
		Month	I		UDL12	USBF6	639.50										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841.00	3,383.00	406.81	164.08	93.01			26.94	12.76		
		Sub Loop Feeder - OC-48 - Per Mile Per Month	- 1		UDL48	1L5SL	49.10										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	319.92										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	·		UDL48	USBF4	1,603.00	3,569.00	406.81	160.39	90.92			26.94	12.76		
		Sub Loop Feeder - OC-12 Interface On OC-48	i		UDL48	USBF8	360.95	787.73	406.81	160.39	90.92			26.94	12.76		
UNBUNDL		OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398.41	652.26	652.26					19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58.36	271.78	271.78					19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - System A (TR303)		<u> </u>	ULC	UCT3A	439.73	652.25	652.26	ļ				19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - System B (TR303) Unbundled Loop Concentration - DS1 Loop Interface Card			ULC ULC	UCT3B UCTCO	98.34 5.52	271.78 126.85	271.78 92.35	33.65	9.42			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
		Unbundled Loop Concentration - DST Loop Interface Card		<del>                                     </del>	OLO .	00100	3.52	120.03	32.33	33.03	5.42			15.99	19.99	15.99	19.99
		Card)			UDN	ULCC1	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - UDC Loop Interface (Brite				1			50	13.31							
		Card)		<u>L</u>	UDC	ULCCU	8.77	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration2 Wire Voice-Loop Start or													_		
		Ground Start Loop Interface (POTS Card)		<u> </u>	UEA	ULCC2	2.19	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery		1	L.E.A.	111.005	40.00		04.65	10.01	40 = 1			10.00	10.00	10.00	10.00
		Loop Interface (SPOTS Card) Unbundled Loop Concentration - 4 Wire Voice Loop Interface		<b>!</b>	UEA	ULCCR	13.03	21.11	21.00	10.81	10.74	1		19.99	19.99	19.99	19.99
		(Specials Card)		1	UEA	ULCC4	7.77	21.11	21.00	10.81	10.74		1	19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - TEST CIRCUIT Card		<b>1</b>	ULC	UCTTC	37.98	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop				1 - 1			50	13.31				12.30	12.30	13.30	
		Interface			UDL	ULCC7	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop			l				· · · · · · · · · · · · · · · · · · ·								
		Interface		<u> </u>	UDL	ULCC5	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop			LIDI	111.000	44.54	04.44	04.00	40.04	40.74			40.00	40.00	40.00	40.00
LINE OTHE		Interface ROVISIONING ONLY - NO RATE		1	UDL	ULCC6	11.51	21.11	21.00	10.81	10.74			19.99	19.99	19.99	19.99
SINE OTHE		NID - Dispatch and Service Order for NID installation		<del>                                     </del>	UENTW	UNDBX				<del>                                     </del>		-		<del> </del>	1	<del> </del>	
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		<del>                                     </del>	UENTW	UENCE				<b>-</b>		1	1				1

04/12/02 Page 244 of 352

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															1
	Unboundled Contest Name Deviceira Color no esta			UAL,UCL,UDC,UDL,	LINEON	0.00	0.00									
<b></b>	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		<u> </u>	UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			LIEA LICE LICE LIDE	HODED	0.00	0.00									
	rate		<u> </u>	UEA,USL,UCL,UDL	USBFR CCOSF	0.00	0.00									
<del>                                     </del>	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -			USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00								1	I
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP					5.00	3.00									1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	404.98	1,124.48	699.60					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per			020	OLOI X	404.00	1,124.40	000.00					00.40	00.40		
	month			UDLSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	417.70	1,124.48	699.60					53.48	53.48		
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		56.34	56.34								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		58.56	58.56								
	Loop MakeupWith or Without Reservation, per working or															
LUCU EDECU	spare facility queried (Mechanized)			UMK	PSUMK		1.04	1.04								
	IENCY SPECTRUM TTERS-CENTRAL OFFICE BASED		1													
SPLI	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	152.73	424.61	0.00					26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.18	424.61	0.00					26.94	12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity	- 1		ULS	ULSD8	12.73	424.61	0.00					26.94	12.76		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		146.32	31.27					26.94	12.76		
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	Y SPEC	TRUM													
$\vdash$	Line Sharing - per Line Activation (BST Owned Splitter)		<u> </u>	ULS	ULSDC	0.61	56.92	28.59					26.94	12.76		
	Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		25.44	16.29					26.94	12.76		1
	Rearrangement(BST Owned Splitter  Line Sharing - per Subsequent Activity per Line	-	-	ULO	OLODO		35.14	16.29					∠0.94	12.76		+
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		1
	Line Sharing - per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74			26.94	12.76	İ	1
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical	ı		UEPSR UEPSB	UREBP	0.641	56.92	28.59		-			26.94	12.76		
	Line Splitting - per line activation BST owned - virtual	- 1		UEPSR UEPSB	UREBV	0.639	56.92	28.59					26.94	12.76	ļ	ļ
	DEDICATED TRANSPORT	L	<u> </u>	l balani Boo	manth BCC	CTC 4 / · · · ·									ļ	
	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu ROFFICE CHANNEL - DEDICATED TRANSPORT	ın billin	y perio	u - pelow DS3=one	montn, DS3/	313-1=rour mo	าเกร								-	<del>                                     </del>
INTE	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1	<b>-</b>	1	1										1	<del> </del>
	Per Mile per month			U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade					12.00		52.00					22.07	22.01	İ	İ
	Rev Bat Per Mile per month		ļ	U1TVX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month	1		U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															

04/12/02 Page 245 of 352

ONBONDER	ED NETWORK ELEMENTS - North Carolina					I			1		I 0 0 .	06	Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12.98										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.14										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
LOCA	L CHANNEL - DEDICATED TRANSPORT															
NOTE	: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - belo	w DS3=one month		our months										
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2								42.17	12.76		
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1		1	ULDVX	ULDV2	12.51	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2		2	ULDVX	ULDV2	21.23	553.80	89.69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	24.62	553.80	89.69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	13.40	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		2	UNDVX	ULDV4	22.73	562.23	92.67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month -															
	Zone 3		3	UNDVX	ULDV4	26.37	562.23	92.67					40.45			
	Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1 ULDD1	ULDF1 ULDF1	30.12 51.11	534.48 534.48	462.69 462.69					42.17 42.17	12.76 12.76		
	Local Channel - Dedicated - DS1 per month - Zone 3			ULDD1	ULDF1	59.28	534.48	462.69					42.17	12.76		<del></del>
	Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD3	1L5NC	8.66	334.40	402.09					42.17	12.70		-
	Local Channel - Dedicated - DS3 - Facility Termination per			OLDDS	ILSING	0.00										
	month			ULDD3	ULDF3	496.76	562.25	527.88					56.25	56.25		l
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.66										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	484.06	1,071.00	646.12					38.07	38.07		
MULTIPLEXE	RS															
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	2.00	13.09	9.38					24.85	8.16		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.59	13.09	9.38					24.85	8.16		
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.27	13.09	9.38					24.85	8.16		
	DS3 to DS1 Channel System per month			UXTD3	MQ3	233.10	403.97	234.40					24.78	7.42		
	STS1 to DS1 Channel System per month			UXTS1	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16.07	13.09	9.38					24.85	8.16		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	16.07	13.09	9.38					24.85	8.16		<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - North Carolina					-	-	_	-				Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel															İ
DARK FIBER	per month			U1TD1	UC1D1	16.07	13.09	9.38					24.85	8.16		
DAKK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+											<del></del>
	Thereof per month - Local Channel			UDF	1L5DC	53.86										İ
	NRC Dark Fiber - Local Channel			UDF	UDFC4	00.00	1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Interoffice Channel			UDF	1L5DF	27.71										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807.00	562.96					38.07	38.07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF	1L5DL	53.86										
<del>                                     </del>	Thereof per month - Local Loop NRC Dark Fiber - Local Loop		-	UDF	UDFL4	53.86	1,807.00	562.96			-	-	38.07	38.07		<del>                                     </del>
TRANSPORT O				001	0D1 L4		1,007.00	302.30	+				30.07	30.07		<del>                                     </del>
	al Features & Functions:				1				1							
	FEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005		•								
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15												1
	Number Reserved			OHD	N8R1X		7.05	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD			23.82	2.73					26.94	26.04		ĺ
	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With			OHD	+		23.82	2.13					26.94	26.94		<del></del>
	POTS Translations			OHD	N8FTX		23.82	2.73					26.94	26.94		İ
	8XX Access Ten Digit Screening, Customized Area of Service			0.15	110. 171		20.02	20					20.01	20.01		
	Per 8XX Number			OHD	N8FCX		5.63	2.82					26.94	26.94		İ
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77					26.94	26.94		<b>└</b>
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94	26.94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5.63						26.94	26.94		ĺ
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)			OnD	INOFUA		5.63						20.94	20.94		<del></del>
LINE IN OKWI	LIDB Common Transport Per Query			OQT	+	0.0003										<del></del>
	LIDB Validation Per Query			OQU		0.0134										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62.26						26.94	26.94		
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per TCAP Message			UDB	TPP++	0.00009	270.02	278.02					19.99	10.00	19.99	19.99
	CCS7 Signaling Connection, Per link (A link) CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
	link)			UDB	TPP++	18.22	278.02	278.02					19.99	19.99	19.99	19.99
	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.00004		2.0.02	1				.0.00	.0.00	.0.00	.0.00
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code															
ļļ	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99	19.99	19.99
	CCS7 Signaling Point Code, per Destination Point Code			LIDD	00488		0.00	0.00					40.00	40.00	40.00	40.00
CALLING NAM	Establishment or Change, Per Stp Affected  E (CNAM) SERVICE			UDB	CCAPD		8.00	8.00	1		-		19.99	19.99	19.99	19.99
CALLING NAM	CNAM for DB Owners, Per Query		<del>                                     </del>	OQV	+ +	0.01			1		-		t	1	<del> </del>	<del>                                     </del>
	CNAM for Non DB Owners, Per Query			OQV	+ +	0.01			1				<b>†</b>	1	1	<b>†</b>
	CNAM (Non-Databs Owner), NRC, applies when using the				1 1											
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					26.94	26.94		
OPERATOR CA	ALL PROCESSING							·								
	Oper. Call Processing - Oper. Provided, Per Min Using BST				1							1			1	1
<del>                                     </del>	LIDB				+	1.20										<del></del>
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB				1	1.24										
<del>                                     </del>	Oper. Call Processing - Fully Automated, per Call - Using BST				+ +	1.24			+				<b> </b>			<del>                                     </del>
	LIDB					0.20							1			1
	Oper. Call Processing - Fully Automated, per Call - Using				† †	2.20							1	Ì	Ì	
	Foreign LIDB				1	0.20							1			1

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	urring	Nonrecurring	g Disconnect		1	oss	Rates(\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - 0	DPERATOR CALL PROCESSING				00100		=	=					40.00	10.00	10.00	10.00
	Recording of Custom Branded OA Announcement		1		CBAOS CBAOL		7,000.00 500.00	7,000.00 500.00	-	-			19.99 19.99	19.99 19.99	19.99	19.99
Unbra	Loading of Custom Branded OA Announcement per shelf/NAV nding via OLNS for UNEP CLEC		-		CBAUL		500.00	500.00					19.99	19.99		
Olibia	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY A	ASSISTANCE SERVICES		1				1,200.00	1,200.00								
	TORY ASSISTANCE ACCESS SERVICE								1	1				1	1	
1	Directory Assistance Access Service Calls, Charge Per Call					0.275	İ		1	1				Ì	İ	
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (	DACC)											1			
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.062										
	TORY TRANSPORT															
	ASSISTANCE SERVICES															
DIREC	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
	DIRECTORY ASSISTANCE y Based CLEC		1						-	-						
Facilit	Recording and Provisioning of DA Custom Branded		-													
	Announcement Loading of Custom Branded Announcement per DRAM			AMT	CBADA		6,000.00	6,000.00								
UNEP	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEF	Recording of DA Custom Branded Announcement						3,000.00	3,000.00	-	-	-					
	Loading of DA Custom Branded Announcement per DRAM		1				3,000.00	3,000.00								
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC						.,	.,								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		229.65	229.65					40.18	9.45		
VIRTUAL COL			<u> </u>						ļ	ļ						
	Virtual Collocation - Application Cost		1	AMTES	EAF		2,848.30	2,848.30					ļ		ļ	
	Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.		1	AMTFS AMTFS	ESPCX ESPVX	3.20	2,750.00	2,750.00	<del>                                     </del>	<del>                                     </del>	1			<del> </del>	<del>                                     </del>	
	Virtual Collocation - Floor Space, per sq. ft.  Virtual Collocation - Power, per breaker amp		-	AMTES	ESPAX	3.20										
1	Virtual Collocation - Power, per breaker amp  Virtual Collocation - Cable Support Structure, per entrance		1	CIVIII O	LOFAX	3.48	ł		<del> </del>	<del> </del>			1	1	1	1
	cable			AMTFS UEANL,UEA,UDN,U	ESPSX	13.35										
				DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX,												
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCNX UEA,UHL,UCL,UDL, AMTFS, UAL, UDN,	UEAC2	0.09	41.78	39.23	4.75	4.75			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-wire Cross Connects (loop)				UEAC4	0.18	41.91	39.25	4.73	4.73			19.99	19.99	19.99	19.99
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD48, UDF	CNC2F	15.99	67.34	48.55	1	1	1	1	19.99	19.99	19.99	19.99

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			FES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12,	0110.15	20.74										
	Virtual Collocation - 4-Fiber Cross Connects				CNC4F	28.74	82.35	63.56					19.99	19.99	19.99	19.99
	Virtual collocation - DS1 Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1	CNC1X	0.97	71.02	51.08								
	Virtual collocation - DS3 Cross Connects			USL, ULC, AMTFS, U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per linear foot			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable			AMTFS	VE1CC		532.72									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72									
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00								
<b>—</b>	Virtual collocation - Security Escort - Overtime, per half hour				SPTOX		48.00	30.00								
<b>-</b>	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	SPTPX CTRLX		55.00 30.64	35.00 30.64								
	virtual collocation - Maintenance in CO - Basic, per hall hour			AIVITES	CIRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COLI																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25					26.94	12.76		
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.0287	33.96	32.08	36.72	34.84			19.99	19.99		
AIN SELECTIV	E CARRIER ROUTING			-											•	
	Regional Service Establishment			SRC	SRCEC		391,788.00						19.99	19.99	19.99	19.99
	End Office Establishment			SRC	SRCEO		320.53	320.53					19.99	19.99	19.99	19.99
<b> </b>	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06					19.99	19.99	19.99	19.99
AIN DELLOC	Query NRC, per query			SRC		0.000448										
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,				-	-			<del>                                     </del>				-			-
	Initial Setup			A1N	CAMSE		294.77	294.77					26.94	26.94		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			1	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN CMC Assess Consists Deat Constanting Dial/Channel Assess			AANI	CAMPR		00.04	00.04					26.94	20.04		i
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access		1	A1N A1N	CAMDP CAM1P		86.94 86.94	86.94 86.94					26.94	26.94 26.94		<del></del>
	AIN SMS Access Service - Port Conflection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAWIT		00.94	00.54					20.94	20.94		
	ID Code			A1N	CAMAU		200.83	200.83					26.94	26.94		ł
	AIN SMS Access Service - Security Card, Per User ID Code,															i
	Initial or Replacement			A1N	CAMRC		172.05	172.05					26.94	26.94		ł
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0023										
	AIN SMS Access Service - Session, Per Minute					0.0791										<b> </b>
	AIN SMS Access Service - Company Performed Session, Per					2.08										l
AIN - RELISO	Minute JTH AIN TOOLKIT SERVICE	<del>                                     </del>				2.08			-				-	-		
AIN - BELLOO	AIN Toolkit Service - Service Establishment Charge, Per State.				<del>                                     </del>				+							
	Initial Setup			CAM	BAPSC		290.05	290.05				15.69				ł
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363.00	8,363.00				15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															l
	DN, Term. Attempt				BAPTT		72.76	72.76				15.69				L
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															ł
	DN, Off-Hook Delay				BAPTD		72.76	72.76				15.69				<b></b>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72.76	72.76				15.69				ł
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTIVI		12.16	12.16				15.69				
	DN, 10-Digit PODP				BAPTO		149.95	149.95				15.69				ł
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				5,		. 10.00	1 10.00				10.00				
	DN, CDP				BAPTC		149.95	149.95				15.69				ł
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, Feature Code				BAPTF		149.95	149.95				15.69				L
	AIN Toolkit Service - Query Charge, Per Query					0.02										<b></b>
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.005										ł
-	Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.005										<del></del>
	Account, Per 100 Kilobytes					1.45										ł
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.40										f
	Subscription			CAM	BAPMS	15.98	71.80	71.80				15.69				ł
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	0.08	47.20	47.20				15.69				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															ł
<b></b>	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1	-	CAM	BAPDS	15.90	71.80	71.80				15.69		-		<del></del>
	Service Subscription		1	CAM	BAPES	0.003	47.20	47.20				15.69				l
ENHANCED F	(TENDED LINK (EELs)	1	1	OAW	DAFLO	0.003	41.20	41.20				13.09				ſ
	New EELs available in GA, TN, KY, LA, MS, & SC and density	zone 1	of foll	owing MSAs: Orlan	do, FL; Miam	i, FL; Ft. Laude	rdale, FL;									
NOTE:	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-	-High P	oint, N	C. Use all rates belo	w except Sw	tch As Is Charg	ge.									i
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curren	tly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	.)
	In GA, TN, KY, LA, MS & SC the EEL network elements apply				ements.(No S	Switch As Is Ch	arge.)									ļ
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	<b> </b>											<del></del>
	First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide	1	CW	UNCVX	UEAL2	19.50	142.97	106.56					38.07	38.07		1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	SW	OINCVA	UEALZ	19.50	142.97	100.00				1	30.07	30.07		1
	per month		1	UNC1X	1L5XX	0.5753										l
	Interoffice Transport - Dedicated - DS1 combination - Facility	<b>1</b>				3.0.00								Ì		i
	Termination per month	1	1	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		i
	DS1 Channelization System Per Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Each Additional 2-Wire Vg Loop(SI2) In The Same Ds1	1	1													i
	Interoffice Transport Combination Per Month	1	-	UNCVX	UEAL2	19.50	142.97	108.56					38.07	38.07		<del></del>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2									1		1
	interented transport combination - Zurie 3			ONOVA	JLALL				<u> </u>		I	<u> </u>	L	i		

04/12/02 Page 250 of 352

OMBONDLE	D NETWORK ELEMENTS - North Carolina	1									Cup Cade	Cup Cada	Attachment: Incremental		Exhibit: B	In orom and a
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Submitted Elec per LSR	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	N						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINGAY	111000		04.75	04.75	00.00	40.00			00.07	00.07		
4 14/10/	Is Charge  E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FRAFE	ICE TO	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<del></del>
4-WIKE	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport	EKOFF	ICE IR	ANSPORT (EEL)												<del>                                     </del>
	Combination - Statewide		sw	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		-
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		<u> </u>
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		1
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Statewide  Voice Grade COCI - DS1 to DS0 Channel System combination -		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		<del>                                     </del>
	per month			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		L
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIRE	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		SW				409.04	337.31					30.07	30.07		
	Per Month Interoffice Transport - Dedicated - DS1 - combination Facility			UNC1X	1L5XX	0.5753										<u> </u>
	Termination Per Month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		<del>                                     </del>
	Interoffice Transport Combination - Statewide		SW	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-					2.00										
4 WIDE	Is Charge  64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INITEDO	EEICE	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-VVIKE	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice	INTERC	FFICE	TRANSPORT (EEL,	'											<del>                                     </del>
	Transport Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month Channelization - Channel System DS1 to DS0 combination Per			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		<u> </u>
	Month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		1
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			LINODY	LIDLO4	07.07		007.51					00.07	00.00		
	Interoffice Transport Combination - Statewide OCU-DP COCI (data) - DS1 to DS0 Channel System		SW	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		<del>                                     </del>
	combination - per month (2.4-64kbs)  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		<del>                                     </del>
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
4-WIRE	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INT	ROFFI	CE TRA	NSPORT (EEL)				· · · · · ·		· · · · ·						
1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Statewide	1		UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		<u> </u>

ONRONDLE	D NETWORK ELEMENTS - North Carolina			1	1						1_		Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										
	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12.98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233.10	403.97	234.40					38.07	38.07		<b>†</b>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL2	19.50	142.97	106.56					38.07	38.07		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Statewide		SW	UNCVX	UEAL4	27.49	288.47	237.45					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3 D	IGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRA	NSPOR	RT (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11.12										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	404.98	1,071.00	646.12					38.07	38.07		ļ
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12.98										<del>                                     </del>
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TF	ANSP	OKI (EEL)	1										1	<b></b>
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11.12										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	417.70	1,071.00	646.12					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		

04/12/02 Page 252 of 352

<u>UNBUND</u> L	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA <sup>-</sup>	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIF	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	.)													
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport -															
	Statewide Policy		SW	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.5753										-
	Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization - Channel System DS1 to DS0 combination -			ONOTA	01111	71.23	217.17	103.73					30.07	30.07		<del>                                     </del>
	per month			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System														1	
	combination - per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Statewide		SW	UNCNX	U1L2X	24.98	325.91	251.31					38.07	38.07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System															
	combintaion- per month			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-10/15	IS Charge RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEDAE	EICE T		UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	-	
4-441	First DS1 Loop in STS1 Interoffice Transport Combination -	IEKOF	FICE I	KANSPORT (EEL)	-										-	
	Statewide		sw	UNCIX	USLXX	62.78	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile			0.10.00	002,01	02.70		.2					00.01	00.01		
	Per Month			UNCSX	1L5XX	6.14										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	790.37	794.94	679.55					38.07	38.07		
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	233.10	403.90	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Statewide		SW	UNC1X	USLXX	62.78	714.84	421.47					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS		UNCCC		21.73	21.73	32.20	10.90			30.07	36.07		
7	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport			I OKT (LLL)												
	Combination - Statewide		sw	UNCDX	UDL56	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile			UNCDX	1L5XX	0.0282										
i	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	1111000		04.75	21.75	32.28	40.00			38.07	00.07		
4 10/15	Is Charge RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	EEICE 1	ED A NIC	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-771	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	FFICE I	KANS	PORT (EEL)	-										-	<b></b>
i l	Combination - Statewide		sw	UNCDX	UDL64	37.67	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		044	ONODA	ODLOT	01.01	400.04	007.01					00.07	00.07		<del>                                     </del>
	Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
, T	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NETWORK ELEMENTS	<u> </u>	<u> </u>	1	1											
	n used as a part of a currently combined facility, the non-recurr	ng cha	rges d	o not apply, but a S	owitch As is c	narge does app	ny.								<del>                                     </del>	
	(SynchroNet) ecurring Currently Combined Network Elements "Switch As Is"	Charga	(Onc.	annlies to each com	hination)									-	<del></del>	<del> </del>
INONI	Nonrecurring Currently Combined Network Elements Switch As is	Juliange	(One i	applies to each con	ioniauon)						1			1	<del> </del>	<del>                                     </del>
1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-		1				0		520				22.01	22.01	1	
ı l	Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	1	
	Nonrecurring Currently Combined Network Elements Switch -As-															
l [	Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	1	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina							•	•				Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	: Local Channel - Dedicated Transport - minimum billing perior	d - Belo	w DS3:	one month, DS3 an	d above=fou	r months										
	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	Although the Port Rate includes all available features in GA,	KY, LA	& TN, t	he desired features	will need to l	be ordered usir	g retail USOC	s								
2-WIRE	E VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
$\vdash$	with Caller ID (LUM)	<b> </b>	1	UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		1
FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEATU	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2 WIDI	E VOICE GRADE LINE PORT RATES (BUS)		-	UEFSK	UEFVF	3.40	0.00	0.00					20.94	12.76		
Z-WIKE	Exchange Ports - 2-Wire Analog Line Port without Caller ID -		1													
	Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
=	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXCHA	ANGE PORT RATES (DID & PBX)			LIEDOE	LIEDDD	0.40	04.00	04.00					20.04	40.70		
$\longrightarrow$	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		1	UEPSP	UEPPC UEPPO	2.18	21.60	21.60					26.94 26.94	12.76		
$\vdash$	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	<b> </b>	1	UEPSP UEPSP	UEPPO UEPP1	2.18 2.18	21.60 21.60	21.60 21.60					26.94	12.76 12.76		
<del></del>	2-Wire VG Line Side Oribundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	<del>                                     </del>	1	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		1
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Ports	1	1	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port	<b>†</b>	1	UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b>†</b>	UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				UEPXO											
$\vdash$	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPSP UEPSP	UEPXO	2.18 2.18	21.60 21.60	21.60 21.60					26.94 26.94	12.76 12.76		
<del></del>	Subsequent Activity	<del>                                     </del>	1	UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		1
FEATU		<del>                                     </del>	1	0L1 01	30/100	0.00	0.00	0.00					20.94	12.70		1
1	All Available Vertical Features	<b> </b>	1	UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		1
EXCH/	ANGE PORT RATES (COIN)	1				5.70	3.30	3.30					20.04	.20		
	Exchange Ports - Coin Port					2.59	21.60	21.60					26.94	12.76		
NOTE:	Transmission/usage charges associated with POTS circuit s	witched					circuit switch									
NOTE:	: Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	e availal	ble only	y through BFR/New	<u>Busin</u> ess Re	quest Process.	Rates for the	packet capabi	<u>lities wi</u> ll be de	termined via t	<u>he Bo</u> na Fid	le Request/l	New Business	s Request Pro	cess.	<u> </u>

	NDLED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
												Svc Order		Incremental		Incremental
												Submitted		Charge -	Charge -	Charge -
CATEGO	DRY RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ1	TES(\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
OA! LOC	NATE ELEMENTO	m		200	0000		iva	ΣΟ(ψ)		pe	er LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Electronic-	Disc 1st	Disc Add'l
														7.44	Disc 1st	Disc Add I
-						Rec	Nonrec		Nonrecurring Disc		01450	001111		Rates(\$)	0014411	001141
	 EXCHANGE PORT RATES (DID & PBX)	-			+		First	Add'l	First	Add'I SC	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12.36	108.78	84.60					26.94	12.76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability			UEPDD	UEPDD	123.65	143.53	82.68					19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		<u> </u>	UEPTX UEPSX	U1PMA	24.50	117.59	117.59					55.30	55.30		
	All Features Offered NOTE: Transmission/usage charges associated with POTS circuit s	witched	lucano	UEPTX UEPSX	UEPVF	3.40	0.00	0.00	ission by R-Channe	ale associated	with 2	wire ISDN r	norte			
	NOTE: Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
	DLED LOCAL SWITCHING, PORT USAGE	1	1			ļ			<del>                                     </del>							
<b>⊢</b>	End Office Switching (Port Usage)  End Office Switching Function, Per MOU	1	-	1	1	0.0015			<del>                                     </del>							
<del>     </del>	End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU	+		1		0.0015			<del>                                     </del>							
	Fandem Switching (Port Usage) (Local or Access Tandem)	1	t	1		5.00025			<del>                                     </del>	<u> </u>						
	Tandem Switching Function Per MOU					0.0006										
	Tandem Trunk Port - Shared, Per MOU					0.0003										
	Common Transport					0.00004										
	Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU	+	1		+	0.00001 0.00034										
UNBUND	DLED PORT/LOOP COMBINATIONS - COST BASED RATES	+	1		+	0.00034				-						
	Cost Based Rates are applied where BellSouth is required by FCC a	nd/or S	tate Co	mmission rule to pr	rovide Unbur	dled Local Swi	tching or Switch	h Ports.								
	Features shall apply to the Unbundled Port/Loop Combination - Cos															
E	nd Office and Tandem Switching Usage and Common Transport U	Isage rat	tes in t	he Port section of th	nis rate exhib	it shall apply to	all combination	ons of loop/po	ort network elements	s except for U	JNE Coir	n Port/Loop	Combination	ıs.		l N
	or Georgia, Kentucky, Louisiana, MIssissippi, South Carolina and Currently Combined Combos for all states. In GA, KY, LA, MS, SC a															
	For Currently Combined Combos in all other states, the nonrecurrin							and in AL, FL	and No these non	neculling chai	iyes ale	IVIAI NEL NAI	ies allu ale als	o nsteu m tn		
2				ii be those identifie	d in the Noni	recurrina - Curr	ently Combined	d sections.		·						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	T Charg	jes sna	il be those identifie	d in the Noni	recurring - Curre	ently Combined	d sections.								<u> </u>
	JNE Port/Loop Combination Rates	ig charg	jes sna	il be those identifie	d in the Noni	recurring - Curre	ently Combined	d sections.								
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide	ig charg	sw	il be those identified	d in the Noni	16.46	ently Combined	d sections.								
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates	lg charg	sw			16.46	ently Combined	d sections.								
U	JNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Statewide	lg charg		UEPRX	UEPLX		ently Combined	d sections.								
U	JNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)	ig charg	sw			16.46	ently Combined	d sections.					40.18	9.45		
U	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	ig charg	sw	UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC	16.46 14.18 2.28 2.28	90.00	90.00					40.18 40.18	9.45		
U	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res		sw	UEPRX UEPRX	UEPLX	16.46 14.18 2.28	90.00	90.00								
U	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID		sw	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	16.46 14.18 2.28 2.28 2.28	90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18	9.45 9.45		
2	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		sw	UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC	16.46 14.18 2.28 2.28	90.00	90.00					40.18	9.45		
2	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID		sw	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO	16.46 14.18 2.28 2.28 2.28	90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18	9.45 9.45		
2 2	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered OCAL_NUMBER_PORTABILITY Local_Number_Portability (1 per port)		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28	90.00 90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates [2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  [2-Wire voice unbundled port - residence [2-Wire voice unbundled port with Caller ID - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundled port outgoing only - res [2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  [(LUM)  FEATURES [All Features Offered [OCAL NUMBER PORTABILITY [Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  _OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF LNPCX	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00					40.18 40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  _OCAL NUMBER PORTABILITY  _Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00	90.00 90.00 90.00					40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  _OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPVF LNPCX	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00					40.18 40.18 40.18 40.18	9.45 9.45 9.45		
	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP LNPCX USAC2	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered OCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP LNPCX USAC2	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 0.00	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  (LUM)  FEATURES  All Features Offered  OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP LNPCX USAC2	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 0.00 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch - as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent		sw	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered OCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch -as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		sw	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP LNPCX USAC2	16.46 14.18 2.28 2.28 2.28 2.28 3.40	90.00 90.00 90.00 90.00 0.00 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45		
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch - as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent		sw	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					
C	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered		sw	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					
C	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered OCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCS  2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates		SW	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered  OCAL NUMBER PORTABILITY  Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCs  2-Wire Voice Grade Loop /Line Port Combination - Subsequent Activity  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  JNE Port/Loop Combination Rates  2-Wire Voice Grade Loop - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					
L	JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Statewide  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  FEATURES  All Features Offered OCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update  ADDITIONAL NRCS  2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  JNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Statewide  JNE Loop Rates		SW	UEPRX 7 2.77	90.00 90.00 90.00 90.00 0.00					40.18 40.18 40.18 40.18 40.18 40.18 10.27	9.45 9.45 9.45 9.45 9.45					

04/12/02 Page 255 of 352

UNBUNDL	ED NETWORK ELEMENTS - North Carolina		1	1							0	06	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	90.00	90.00					40.18	9.45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.28	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY	1		UEDDV	LLIBOY											
EE A	Local Number Portability (1 per port)  TURES	1		UEPBX	LNPCX	0.35										
FEA	All Features Offered	-	<u> </u>	UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		UEPBA	UEFVF	3.40	0.00	0.00					40.10	9.45		
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-1			00.02		2.11	0.40					70.10	5.⊣5		
	Switch with change	1		UEPBX	USACC	l	2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-1				İ			i i						İ	
	Subsequent Database Update						1.42						10.27			
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent							·								
	Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
LINIE	2-Wire VG Loop/Port Combo - Statewide		SW			16.46										
UNE	Loop Rates  2-Wire Voice Grade Loop (SL 1) - Statewide	-	SW	UEPRG	UEPLX	14.18										
2.1/1	re Voice Grade Line Port Rates (RES - PBX)	-	SW	UEPRG	UEPLX	14.18										
Z-VVI	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -	1														
	Res			UEPRG	UEPRD	2.28	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY			OLI IKO	OLITE	2.20	30.00	30.00					40.10	0.40		
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEA <sup>-</sup>	TURES															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change		<u> </u>	UEPRG	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion Subsequent Database Update	-					1.42						10.27			
ADD	ITIONAL NRCs	1	<b>-</b>				1.42						10.27		1	
אסט	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<del>                                     </del>	<del>                                     </del>			+	ł		<del>                                     </del>							
	Subsequent Activity	1		UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1						2.30								
	Group	1				l	14.64	14.64					40.18	9.45		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16.46										
UNE	Loop Rates	1	<u> </u>	LIEBBY	lues: · ·											
0.1	2-Wire Voice Grade Loop (SL 1) - Statewide	<del> </del>	SW	UEPPX	UEPLX	14.18									-	
Z-WI	re Voice Grade Line Port Rates (BUS - PBX)	1	-													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	2.28	90.00	90.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	2.28	90.00	90.00	1				40.18	9.45	1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus	1		UEPPX	UEPP1	2.28	90.00	90.00	<del> </del>				40.18	9.45	1	
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	1		UEPPX	UEPXA	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	i i		UEPPX	UEPXC	2.28	90.00	90.00	İ				40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														_	
	Capable Port			UEPPX	UEPXE	2.28	90.00	90.00					40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy     Administrative Calling Port     2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXL	2.28	90.00	90.00					40.18	9.45		
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXM	2.28	90.00	90.00					40.18	9.45		
	Discount Room Calling Port			UEPPX	UEPXO	2.28	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	90.00	90.00					40.18	9.45		
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45		
FEATU	RES															
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -						4.40						40.07			
ADDITI	Subsequent Database Update ONAL NRCs				1		1.42						10.27			_
ADDITI	UNAL NRCS 2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group			UEPPX	U3A32	0.00	14.64	14.64					40.18	9.45		
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	PT			+		14.04	14.04					40.10	3.43		
	ort/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Statewide		sw		1	16.80										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NO)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			021 00	OLI IVO	2.02	50.00	50.00					40.10	0.40		<del>                                     </del>
	900/976, 1+DDD (NC, TN)  2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	2.62	90.00	90.00					40.18	9.45		
	(NC)			UEPCO	UEPNB	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.62	90.00	90.00					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	2.62	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.62	90.00	90.00					40.18	9.45		
ADDITI	ONAL UNE COIN PORT/LOOP (RC)  UNE Coin Port/Loop Combo Usage (Flat Rate)		-	UEPCO	URECU	3.70	90.00	90.00	<del>                                     </del>		1		40.18	9.45	<del>                                     </del>	-
LOCAL	. NUMBER PORTABILITY		-	ULFCO	URECU	3.70	90.00	90.00				-	40.18	9.45	1	<del> </del>
LOCAL	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35									<b> </b>	<del>                                     </del>
NONRE	ECURRING CHARGES - CURRENTLY COMBINED				1 21	3.55									1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	DLED REMOTE CALL FORWARDING - RES															
Non-Re	ecurring															

04/12/02 Page 257 of 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	вся	s	USOC			<sup>-</sup> ES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLED REMOTE CALL FORWARDING - Bus																
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB		UEPVJ	2.19	21.60	21.60					26.94	12.76		
Non-R	ecurring																
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)													
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)													
	2-Wire voice unbundled port with Caller + E484 ID - bus		,	UEPFB		UEPBC	2.19	225.00	225.00					40.18	9.45		
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES																
2-WIR	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
	ort/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		sw				31.07										
UNF I	oop Rates		T	i		1	0			† †		1	i	1	1	1	
	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW	i		1	19.50	142.97	106.56	† †		1	i	40.18	9.45	1	
LINF P	Port Rate						10.00	, -12.01	100.00	<del>                                     </del>				70.70	5.45		<b></b>
U.V.E.I	Exchange Ports - 2-Wire DID Port		<b>i</b>	UEPPX		UEPD1	12.36	485.00	75.00	+		1	<b> </b>	40.18	9.45	<b> </b>	<del></del>
NOND	ECURRING CHARGES - CURRENTLY COMBINED		<b>i</b>	0_11 X		52101	12.50	-100.00	70.00	+		1	<b> </b>	70.10	5.45	<b> </b>	<del></del>
NONK	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1				· ·			<del>                                     </del>		<b>-</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Switch-as-is			UEPPX		USAC1		13.26	8.39					40.18	9.45		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	-		UEFFA		USACT		13.20	0.39					40.16	9.45		<del></del>
				UEPPX		USA1C		40.00	8.39					40.71	9.45		
L	with BellSouth Allowable Changes			UEPPX		USATC		13.26	8.39					40.71	9.45		<b></b>
ADDIT	IONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		53.49						40.18	9.45		
Teleph	none Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCAL	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
2-WIR	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	E PORT														
UNE P	ort/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			UEPPB													
	Statewide		sw	UEPPR			44.49										
UNE L	oop Rates					İ											
						t i											
	2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB	UEPPR	USL2X	20.12							19.99	19.99	Ì	1
UNE P	Port Rate		i –	İ						† †		1	İ	1	1	İ	
	Exchange Port - 2-Wire ISDN Line Side Port		i –	UEPPB L	JEPPR	UEPPB	24.37	450.00	375.00	† †			İ	19.99	19.99	İ	
NONR	ECURRING CHARGES - CURRENTLY COMBINED						2	.00.00	3. 3.30	<del>                                     </del>				.5.55	.5.55	1	
110.111	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		1			+	+			+				1	<del> </del>	1	<b></b>
	Combination - Conversion			UEPPB L	JEPPR	USACB	0.00	174.35	174.35	1				19.99	19.99		1
ΔΠΠΙΤ	TONAL NRCs		<b>!</b>	52.15	,_,,,	23/102	0.00	174.00	17-1.00	+		1	<b> </b>	10.00	10.00	<b> </b>	<del></del>
	L NUMBER PORTABILITY		<b>!</b>	<b>†</b>			+			<del>                                     </del>		1	<del>                                     </del>	<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>
LOCAL	Local Number Portability (1 per port)		<b>!</b>	UEPPB I	UEPPR	LNPCX	0.35	0.00	0.00	+		1	<b> </b>	-	-	<b> </b>	<del></del>
B-CUA	NNEL USER PROFILE ACCESS:		1	OLITO I	OLI FR	LIVI OX	0.55	0.00	0.00	<del>                                     </del>		<b>-</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
Б-СПА	CVS/CSD (DMS/5ESS)		1	UEPPB I	UEPPR	U1UCA	0.00	0.00	0.00	+ +		<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
<del>                                     </del>	CVS (EWSD)		1		JEPPR	U1UCB	0.00	0.00	0.00	+ +		<del>                                     </del>	-	-	-	-	<del></del>
$\vdash$	CSD CSD		1	UEPPB L			0.00	0.00	0.00			<del> </del>					<del></del>
B CITA	ICSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC 9	TAIL	UEFFB L	JEPPK	U1UCC	0.00	0.00	0.00	<del>                                     </del>		<del>                                     </del>	-				<del></del>
		u,ivio, 8	( 1 IN)									<del> </del>					<del></del>
USER	TERMINAL PROFILE		<u> </u>	HEDDS :	LIEDES	LIALINAA	2.00	0.00	0.00	+ +							<b>├</b>
h	User Terminal Profile (EWSD only)		1	UEPPB I	UEPPR	UTUMA	0.00	0.00	0.00			ļ					<b></b>
VERTI	CAL FEATURES		ļ	ene-													<b></b>
igwdows	All Vertical Features - One per Channel B User Profile		<u> </u>	UEPPB I	UEPPR	UEPVF	3.40	0.00	0.00	<b>├</b>				19.99	19.99	ļ	
INTER	OFFICE CHANNEL MILEAGE		<u> </u>							<b>├</b>				ļ	ļ	ļ	<b>└</b>
	Interoffice Channel mileage each, including first mile and									1			1				1
	facilities termination			UEPPB U		M1GNC	17.42	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, additional mile		1	UEPPB L	JEPPR	M1GNM	0.0282	0.00	0.00	I T			0.00				1

04/12/02 Page 258 of 352

NDUNDL	LED NETWORK ELEMENTS - North Carolina	T		T	1					1	001	0 0 1	Attachment:		Exhibit: B	
ATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	VIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT														
UNE	E Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -															
	Statewide	<u> </u>	SW	UEPPP		241.72										
UNE	E Loop Rates	1		UEPPP	USL4P											
LIME	4-Wire DS1 Digital Loop - UNE Zone 3 E Port Rate	<u> </u>	3	UEPPP	USL4P											
UNE	Exchange Ports - 4-Wire ISDN DS1 Port	<u> </u>		UEPPP	UEPPP	179.01	1,150.00	1,150.00					19.99	19.99		
NON	NRECURRING CHARGES - CURRENTLY COMBINED			ULFFF	OLFFF	179.01	1,130.00	1,130.00					15.55	15.55		
110.11	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															
	Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	481.51	481.51					19.99	19.99		
ADDI	DITIONAL NRCs	1			30.10.	2.00	.551	.001					.0.00			
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -	1													Ì	
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP	PR7TG		1.17	1.17					19.99	19.99		
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
	Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -															
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	ERFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data	<u> </u>	<u> </u>	UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data	1		UEPPP	PR71E	0.00	0.00	0.00								
New	w or Additional "B" Channel New or Additional - Voice/Data B Channel	1		UEPPP	PR7BV	0.00	20.00						19.99	19.99		
	New or Additional - Voice/Data B Channel	-		UEPPP	PR7BF	0.00	36.92 36.92						19.99	19.99		
-	New or Additional Inward Data B Channel	1	1	UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CALI	LL TYPES	-		OLITI	TIVIDD	0.00	30.32						13.33	15.55		
OAL.	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Inter	eroffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.0783										
	VIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	E Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186.23							19.99	19.99		
UNE	E Loop Rates	ļ	<u> </u>	LIEBBO	1,101,50		=116	100						10		
	4-Wire DS1 Digital Loop - Statewide	<b> </b>	SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99		
UNE	E Port Rate	1	1	UEPDC	UDD1T	123.65							19.99	19.99	<b> </b>	
NON	4-Wire DDITS Digital Trunk Port NRECURRING CHARGES - CURRENTLY COMBINED	1	1	UEPDU	וויטטט	123.65							19.99	19.99	<del>                                     </del>	
NUN	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	+	<del>                                     </del>												-	-
	- Switch-as-is	1	1	UEPDC	USAC4		288.86	133.87					19.99	19.99	1	1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	<del>                                     </del>	021 00	00/104		200.00	133.07					13.33	13.33		
	- Conversion with DS1 Changes			UEPDC	USAWA		288.86	133.37					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			-											1	
	- Conversion with Change - Trunk		1	UEPDC	USAWB		288.86	133.37					19.99	19.99	1	1
ADDI	DITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk	<u> </u>		UEPDC	UDTTA		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1												1	1
	Channel Activation/Chan - 1-Way Outward Trunk	<u> </u>	1	UEPDC	UDTTB		28.81	28.81					19.99	19.99		<u> </u>
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		1	LIEBBO	UDTTC		00.61	00.01					40.00	40.00	Ì	1
			1	UEPDC	TUDITC		28.81	28.81	i		i		19.99	19.99	1	i

NBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81					19.99	19.99		
BIPOLA	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
Alterna	ite Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers	l		UEPDC	NDZ	0.00	0.00	0.00							Ì	1
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										<b>-</b>
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								<b>-</b>
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedicat	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Hoon			0.00	0.00	0.00								<b>—</b>
200.00	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		. <u></u>													<b>—</b>
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
-	Tommatony			02. 50	12.10	7 1.20		100.10	0.00	0.00			10.00	10.00		
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	ILITOR	0.0700	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25			02. 50	12.102	0.00	0.00	0.00								
	miles			UEPDC	1LNOB	0.0783	0.00	0.00								
-	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			02. 50	12.102	0.0700	0.00	0.00								
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Termination			OLI DO	121100	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.0783	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00	0.00	0.00	0.00							
4-WIDE	E DS1 LOOP WITH CHANNELIZATION WITH PORT			ULFDC	CIG	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations														-
	system can have up to 24 combinations of rates depending on			her of ports used												
	S1 Loop	type a	ila man	ibei oi porta uaeu												
ONE DO	4-wire DS1 Loop UNE - Statewide		CW	UEPMG	USLDC	62.71							19.99			
LINE DO	SO Channelization Capacities (D4 Channel Bank Configuration	26)	SW	UEFIVIG	USLDC	02.71							19.99			
	24 DSO Channel Capacity - 1 per DS1	15)		UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s		-	UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		<del> </del>
	96 DSO Channel Capacity -1 per 4 DS1s		-	UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		<del> </del>
	192 DS0 Channel Capacity - 1 per 8 DS1s		-	UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
-						1.230.60	0.00						19.99	19.99		-
-+	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s	<del>                                     </del>	1	UEPMG UEPMG	VUM20 VUM28	1,230.60	0.00	0.00					19.99	19.99		<del></del>
-	384 DS0 Channel Capacity - 1 per 12 DS1s  384 DS0 Channel Capacity - 1 per 16 DS1s	<del>                                     </del>	1	UEPMG	VUM28 VUM38	1,476.72	0.00	0.00					19.99	19.99		<del>                                     </del>
	480 DS0 Channel Capacity - 1 per 16 DS1s	<u> </u>	+	UEPMG	VUM40	2,461,20	0.00	0.00					19.99	19.99		<del>                                     </del>
-+-		<del>                                     </del>	+	UEPMG	VUM57	2,461.20	0.00	0.00			-		19.99	19.99		$\vdash$
	576 DS0 Channel Capacity -1 per 24 DS1s	<u> </u>	+		VUM67	2,953.44 3.445.68	0.00	0.00					19.99	19.99		<del></del>
	672 DS0 Channel Capacity - 1 per 28 DS1s	Char	noli-ti -	UEPMG				0.00					19.99	19.99	1	<del>                                     </del>
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stern								-	<del>                                     </del>
	mum System configuration is One (1) DS1, One (1) D4 Channe												-	-	1	<del>                                     </del>
Multipl	es of this configuration functioning as one are considered Ad	ia'i afte	r the m	inimum system con	riguration is	counted.									-	<del>                                     </del>
	NRC - Conversion (Currently Combined) with or without	l		UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99	Ì	1
															1	1
	BellSouth Allowed Changes  Additions at End User Locations Where 4-Wire DS1 Loop with							10.04					10.00	13.33		

04/12/02 Page 260 of 352

UNBUNDLED	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
0.1.2011222											Svc Order		Incremental			Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔT	ES(\$)								
GATEGORI	NATE ELEMENTO	m	20.10	1 200	0000		TO .	<b>Δ</b> Ο(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		l .	220	Rates(\$)		
		<del>                                     </del>				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc						11130	Auu i	11130	Auui	JONEC	JONAN	JONAN	JONAN	JOHAN	JOINAIN
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99			
	8 Zero Substitution			CEI WO	VOIVID	0.00	140.14	OZO.ZZ	140.02	17.00			10.00			+
Bipolai	Clear Channel Capability Format, superframe - Subsequent															+
	Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
<del> </del>	Clear Channel Capability Format - Extended Superframe -			OLI WO	00001	0.00	0.00	010.00			1					<b>†</b>
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
Δlterna	te Mark Inversion (AMI)			OLI MO	CCOLI	0.00	0.00	013.00								
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								+
	ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	ULFINIG	WICOFO	0.00	0.00	0.00								-
	ige Ports	l with	Tore													+
LACITATI				<del> </del>	+						1				1	<del>                                     </del>
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
$\vdash$	Line Side Outward Channelized PBX Trunk Port - Business	<del>                                     </del>	1	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00	<del>                                     </del>		40.18	9.45	1	<del>                                     </del>
$\vdash$	Line Side Oddwald Chaillelized FDA Trunk Fort - Business	1	1	OLFFA	UEPUA	2.28	0.00	0.00	0.00	0.00	<del>                                     </del>	-	40.18	9.45	-	<del> </del>
	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45	Ì	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	<del>                                     </del>	1	UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00	<del> </del>	-	40.18	9.45		<del>                                     </del>
	e Activations - Unbundled Loop Concentration	<del>                                     </del>	1	OLFFA	DEPUN	13.20	0.00	0.00	0.00	0.00	<del> </del>	-	40.18	9.45		<del>                                     </del>
reature	Feature (Service) Activation for each Line Side Port Terminated	1														
	in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.45	4.12			40.18	9.45		
		1		UEPPX	IPQWW	0.05	25.27	13.34	4.15	4.12			40.18	9.45		<del>                                     </del>
	Feature (Service) Activation for each Trunk Side Port Terminated			LIEDDY	4001411	0.05	77.75	40.00	50.74	44.40			40.40	0.45		
7.11	in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	one Number/ Group Establishment Charges for DID Service			LIEBBY .			2.22									
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	lumber Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional															
	witching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	PORT LOOP COMBINATIONS - MARKET RATES															
	Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
	scenarios include:															
	undled port/loop combinations that are Not Currently Combir															
	undled port/loop combinations that are Currently Combined															
	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderda															
	uth currently is developing the billing capability to mechanica									not currently o	combined in	AL, FL and	I NC. In the in	nterim where	BellSouth car	not bill
	Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market F	Rates and res	erves the right	to true-up the I	oilling differen	ce.							
The Ma	rket Rate for unbundled ports includes all available features i	in all st	ates.													
End Off	fice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	he Port section of the	nis rate exhib	it shall apply to	all combination	ns of loop/po	rt network eler	nents except	for UNE Coi	n Port/Loor	Combination	ns which hav	e a flat rate us	sage charge
	: URECU).	•				,				•						
For Not	t Currently Combined scenarios where Market Rates apply, the	e Nonre	currin	g charges are listed	in the First a	nd Additional I	NRC columns f	or each Port U	SOC. For Cur	rently Combin	ed scenario	s, the Nonre	ecurring char	ges are listed	in the NRC -	Currently
	ned section. Additional NRCs may apply also and are categor									-			•	-		-
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		1	Ĭ			l									
	ort/Loop Combination Rates		i –	İ	İ						1	İ	İ	İ	İ	
	2-Wire VG Loop/Port Combo - Statewide	<b>†</b>	SW	1	1	28.18									1	1
	pop Rates	<b>†</b>		1	1										1	1
	2-Wire Voice Grade Loop (SL1) - Statewide	1	SW	UEPRX	UEPLX	14.18					1				1	
	Voice Grade Line Port (Res)	1	1		J =: _/\	14.10							1	1	1	<b>—</b>
2	2-Wire voice unbundled port - residence	1	1	UEPRX	UEPRL	14.00	90.00	90.00					40.18	9.45	1	<b>—</b>
<del>     </del>	2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	<del>                                     </del>	1	UEPRX	UEPRC	14.00	90.00	90.00			<b>-</b>		40.18	9.45	<del>                                     </del>	<del></del>
<del>     </del>	2-Wire voice unbundled port with Caller 10 - res	<del>                                     </del>	1	UEPRX	UEPRO	14.00	90.00	90.00			<b>-</b>		40.18	9.45	<del>                                     </del>	<del></del>
<del>     </del>	2-Wire voice unbundles res, low usage line port with Caller ID	<del>                                     </del>	1	OLI IXX	JEI NO	14.00	90.00	90.00			<b>-</b>		40.10	9.43	<del>                                     </del>	<del>                                     </del>
	12-11110 YOUGO ULIDUITUICO ICO. IOW USQUE IIITE DOIL WILL CALLEL ID		1	1												
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					40.18	9.45		

04/12/02 Page 261 of 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring D					Rates(\$)		
<u> </u>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	NUMBER PORTABILITY			LIEBBY .	LUBOY											
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATU	All Features Offered		1	UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
$\vdash$	All Features Offered			UEPKA	UEPVF	0.00	0.00	0.00					40.16	9.45		
i l	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLITIX	OOAOZ		41.50	41.50					40.10	3.43		
i l	change			UEPRX	USACC		41.50	41.50					40.18	9.45		
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2		0.00	0.00					40.18	9.45	<u> </u>	
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										
UNE L	oop Rates															
<del></del>	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14.18			ļ							
2-Wire	Voice Grade Line Port (Bus)			LIEBBY		44.00	20.00						10.10			
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
$\vdash \vdash$	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
LOCAL	2-Wire voice unbundled port outgoing only - bus		1	UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
LOCAL	L NUMBER PORTABILITY Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35										
FEATU				UEPBX	LINPUX	0.35										
FLATO	All Features Offered		1	UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED		-	OLI DX	OLI VI	0.00	0.00	0.00					40.10	3.43		
NONK	CONTRINC CHARGES - CONTRINED				+											
i l	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with				-											
	change			UEPBX	USACC		41.50	41.50					40.18	9.45		
ADDIT	IONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										
UNE L	oop Rates		ļ													
0.145	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPRG	UEPLX	14.18										
2-wire	Voice Grade Line Port Rates (RES - PBX)  2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		1		+ +											<b> </b>
1 1	Res			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		
LOCAL	L NUMBER PORTABILITY		1	OLFING	OLFKD	14.00	90.00	90.00	<del>                                     </del>				40.18	9.45	1	1
LOCAL	Local Number Portability (1 per port)		1	UEPRG	LNPCP	3.15	0.00	0.00	<del>                                     </del>							
FEATU		1				5.15	0.00	0.00	<del>                                     </del>				1		1	
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.18	9.45		İ
	ECURRING CHARGES - CURRENTLY COMBINED				1										İ	İ
					1 1											1
<u> </u>	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		<u> </u>	UEPRG	USAC2		41.50	41.50					40.18	9.45	<u> </u>	<u> </u>
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with													_		
	Change		1	UEPRG	USACC		41.50	41.50					40.18	9.45		
ADDIT	IONAL NRCs															
1 I	2 Wire Loop/Line Side Port Combination - Non feature -															
$\longrightarrow$	Subsequent Activity- Nonrecurring		ļ		1		0.00	0.00					40.18	9.45		ļ
1 I	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						44.0.	4461					40.40			1
0.1475	Group		1		1		14.64	14.64	<b> </b>				40.18	9.45	1	1
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) ort/Loop Combination Rates		+		+				<del>                                     </del>				-	-	-	
	UIVEUUD CUIIDIIIAUUII KALES	1	1	l										l		1
UNE P			C14/			20 10			1							
	2-Wire VG Loop/Port Combo - Statewide		SW			28.18										

04/12/02 Page 262 of 352

DUNDL	ED NETWORK ELEMENTS - North Carolina			ı							lac :	06	Attachment:		Exhibit: B	1
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			II.	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
1						_ 1	Nonrec	urrina	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wii	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					40.18	9.45		
_	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		
_	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	-		UEPPX	UEPLD UEPXA	14.00 14.00	90.00 90.00	90.00 90.00					40.18 40.18	9.45 9.45		
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPPX	UEPXB	14.00	90.00	90.00					40.18	9.45		
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			02 X	02.7.5		00.00	00.00					10.10	0.10		
	Capable Port	1	1	UEPPX	UEPXE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port		<u> </u>	UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital												40.40			
_	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18 40.18	9.45		
1.00	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port AL NUMBER PORTABILITY	1		UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCA	Local Number Portability (1 per port)	-		UEPPX	LNPCP	3.15	0.00	0.00								
ΕΕΛΊ	TURES	1		UEPPA	LINECE	3.15	0.00	0.00								
FLA	All Features Offered	1		UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NON	RECURRING CHARGES - CURRENTLY COMBINED			02 X	02. 1.	0.00	0.00	0.00					10.10	0.10		
-																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPPX	USACC		41.50	41.50					40.18	9.45		
ADDI	ITIONAL NRCs															
_	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent	1		UEPPX	USAS2		0.00	0.00					40.18	9.45		
	2 Wire Loop/Line Side Port Combination - Non feature -						0.00	0.00					40.18	0.45		
_	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt	-					0.00	0.00					40.18	9.45		
	Group						14.64	14.64					40.18	9.45		
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT			+		14.04	14.04					40.10	3.43		
	Port/Loop Combination Rates	ì														
	2-Wire VG Coin Port/Loop Combo – Statewide		sw			28.18										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPCO	UEPLX	14.18										
2-Wir	re Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without															
_	Blocking (NC)	1		UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
_	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976. 1+DDD (NC. TN)			UEPCO	UEPRP	14.00	90.00	90.00					40.18	9.45		
-	2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1		UEPCO	UEPRP	14.00	90.00	90.00					40.16	9.45		
	(NC)			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and Blocking:	1		021 00	OLI IND	14.00	50.00	30.00					40.10	0.40		
	900/976, 1+DDD, 011+, and Local (NC, TN)	1		UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking				1			22.30						20		
	(NC)	1	1	UEPCO	UEPNE	14.00	90.00	90.00					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:	1														
	900/976, 1+DDD, 011+, and Local (NC)	<u> </u>	<u></u>	UEPCO	UEPCL	14.00	90.00	90.00					40.18	9.45		
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	1	<u> </u>	UEPCO	LNPCX	0.35										<u> </u>
INON	RECURRING CHARGES - CURRENTLY COMBINED															

UNBU	NDLED	NETWORK ELEMENTS - North Carolina													Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	В	scs	USOC			TES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge - Manual Svo Order vs.
								Rec	Nonre		Nonrecurring					Rates(\$)		
				<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with																
		Change			UEPCO		USACC		41.50	41.50					40.18	9.45		
	ADDITIO	ONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2		0.00	0.00					40.18	9.45		
		ORT/LOOP COMBINATIONS - MARKET BASED RATES		<u> </u>														ļ
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
		ort/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide						71.50										
<b></b>		pop Rates		SW				71.50										<u> </u>
				SW				19.50							40.18	9.45		
<del>                                     </del>	UNE Po	2-Wire Analog Voice Grade Loop - (SL2) - Statewide	<del>                                     </del>	ъw	<del>                                     </del>		1	19.50			1		1		40.18	9.45	1	<del>                                     </del>
$\vdash \vdash \vdash$		Exchange Ports - 2-Wire DID Port	1	1	UEPPX		UEPD1	52.00	485.00	75.00			1	1	40.18	9.45		<del>                                     </del>
<del>     </del>		CURRING CHARGES - CURRENTLY COMBINED		<del>                                     </del>	CLIIX		OLI DI	52.00	+05.00	73.00	<del> </del>				70.10	3.43	<del> </del>	<del>                                     </del>
H		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-	l														<b>†</b>
		Switch-As-Is Top 8 MSAs only	l	1	UEPPX		USAC1		200.00	75.00					40.18	9.45		
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		t						. 5.56	1				.5.70	Ü. 70	1	1
		with BellSouth Allowable Changes Top 8 MSAs only	l		UEPPX		USA1C		200.00	75.00					40.71	9.45	1	
		ONAL NRCs	1							. 5.56	1					Ü. 70	1	1
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		75.00						40.18	9.45		
-		one Number/Trunk Group Establisment Charges													.,,,,,	, , , , , , , , , , , , , , , , , , ,		
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group																
		of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDI	PORT														
!		ort/Loop Combination Rates		<u> </u>	LIEDDD													
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide			UEPPB UEPPR			85.12										
		op Rates		SW	UEPPR			85.12										
	UNE LO	op Rates																
		2-Wire ISDN Digital Grade Loop - Statewide	l	sw	UEPPB	UEPPR	USL2X	20.12							19.99	19.99		
<del>     </del>		ort Rate		344	CLIID	OLITI	JULZA	20.12			<del> </del>				13.33	13.33	<del> </del>	<del>                                     </del>
<del>                                     </del>		Exchange Port - 2-Wire ISDN Line Side Port	1		UEPPB	UEPPR	UEPPB	65.00	450.00	375.00			1		19.99	19.99	<b> </b>	<b>†</b>
		CURRING CHARGES - CURRENTLY COMBINED			<del></del>		i	22.20		2.2.30	Ì				12.30		1	1
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																1
		Combination - Conversion - Top 8 MSAs only	l		UEPPB	UEPPR	USACB	0.00	200.00	200.00					19.99	19.99	1	
	ADDITIO	ONAL NRCs																1
		NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
		NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB		U1UCA	0.00	0.00	0.00								ļ
igsquare		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			ļ					1
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	ļ				ļ		ļ	<b>!</b>
		NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	,MS, 8	TN)	<b> </b>										<b> </b>	ļ	<b> </b>	4
$\vdash$		ERMINAL PROFILE	l	1	HEDDE	HEDDE	114111140	0.00	0.00	0.00	ļ		1		-		-	<del>                                     </del>
$\vdash$		User Terminal Profile (EWSD only)	<b> </b>	<u> </u>	UEPPB	UEPPR	UTUMA	0.00	0.00	0.00	1				<del> </del>	1	<del> </del>	<del> </del>
<b>⊢</b> ⊢ ⊢ ′		All Vertical Features One per Channel B Licer Profile	<del>                                     </del>	-	LIEDDD	UEPPR	LIED\/E	3.40	0.00	0.00	ļ		1		19.99	19.99	<del>                                     </del>	<del>                                     </del>
<del>   </del>		All Vertical Features - One per Channel B User Profile  OFFICE CHANNEL MILEAGE	<b>!</b>	<del>                                     </del>	UEPPB	UEPPK	UEFVF	3.40	0.00	0.00			<del>                                     </del>		19.99	19.99	-	<del>                                     </del>
<u> </u>		Interoffice Channel mileage each, including first mile and	l -		-											-		<del>                                     </del>
1 T			l	1	LIEDDD	UEPPR	M1GNC	17.42	137.48	52.58					19.99	19.99	1	
		facilities termination																
		facilities termination Interoffice Channel mileage each, additional mile					M1GNM	0.0282	0.00	0.00					10.00	10.00		

04/12/02 Page 264 of 352

ONRONDI	LED	NETWORK ELEMENTS - North Carolina			1	1	1							Attachment:		Exhibit: B	<b></b>
ATEGORY	(	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Dee	Nonred	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	E Po	rt/Loop Combination Rates															1
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -															1
		Statewide		sw	UEPPP		962.71										
UNE	E Lo	op Rates															1
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
UNE	E Po	rt Rate															
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00					19.99	19.99		
NON		CURRING CHARGES - CURRENTLY COMBINED															
	1	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															ĺ
	- 1	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					19.99	19.99		
ADD		DNAL NRCs															
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -															
		Subsequent Inward/2-Way Tel Nos - (NC Only)	<u> </u>	<u></u>	UEPPP	PR7TG	<u> </u>	1.17	1.17	<u> </u>				19.99	19.99	<u></u>	
		4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent															
		Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17					19.99	19.99		
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -									<u> </u>						
		Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56.33	56.33					19.99	19.99		
LOC		NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										1
INTE		ACE (Provsioning Only)															
		Voice/Data			UEPPP	PR71V	0.00										
		Digital Data			UEPPP	PR71D	0.00										
		Inward Data			UEPPP	PR71E	0.00										ĺ
New		Additional "B" Channel															
		New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		
		New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		
		New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		
CAL		YPES															
		Inward			UEPPP	PR7C1	0.00										1
		Outward			UEPPP	PR7C0	0.00										1
		Two-way			UEPPP	PR7CC	0.00										1
Inte		ce Channel Mileage															
		Fixed Each Including First Mile			UEPPP	1LN1A	71.3683	217.17	163.75	0.00				19.99	19.99		1
		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.0783										1
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE		rt/Loop Combination Rates															
		4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186.23							19.99	19.99		1
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	ļ	1	UEPDC												<u> </u>
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<u> </u>	2	UEPDC	+									ļ	-	<del>                                     </del>
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	<u> </u>	3	UEPDC	+										-	<b></b>
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	<u> </u>	4	UEPDC	+										-	<del></del>
UNE		op Rates	<u> </u>		LIEDDO	LICE DO	20.71	71101	100.00					10.00	10.00	-	<b></b>
		4-Wire DS1 Digital Loop - Statewide	<u> </u>	SW	UEPDC	USLDC	62.71	714.84	482.62					19.99	19.99	-	<del></del>
		4-Wire DS1 Digital Loop - UNE Zone 1	<u> </u>	1	UEPDC	USLDC										-	<b></b>
		4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC									-	1	<del>                                     </del>
		4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPDC	USLDC									1	<del>                                     </del>	<del>                                     </del>
11515		4-Wire DS1 Digital Loop - UNE Zone 4	<u> </u>	4	UEPDC	USLDC										-	<del></del>
UNE		rt Rate 4-Wire DDITS Digital Trunk Port	1	<b>_</b>	UEPDC	UDD1T	750.00	1,048.23	480.17	0.00	0.00			19.99	19.99	<del>                                     </del>	<del>                                     </del>
NON		CURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	1	OLFDC	ווטטטוו	/50.00	1,048.23	480.17	0.00	0.00			19.99	19.99	<del>                                     </del>	<del>                                     </del>
NON		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<b>-</b>	<del>                                     </del>	-	+				<del>                                     </del>					-	<del></del>	<del>                                     </del>
	ľ	- Switch-As-Is Top 8 MSAs only	l		UEPDC	USAC4		288.86	133.87					19.99	19.99	1	
		- GWILLITAS-15 TUP O IVIDAS UTILY	<b>!</b>	<del>                                     </del>	OLPDO	USAC4		∠88.86	133.87	<del>                                     </del>				19.99	19.99	<del></del>	<del>                                     </del>
	Į.	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l		ĺ	1										1	
		- Conversion with DS1 Changes Top 8 MSAs only	l	1	UEPDC	USAWA		288.86	133.37	]				19.99	19.99	I	
-+	<del> </del>	- Conversion with Do r Changes Top 8 MSAS Only	1	1	OLPDO	USAWA		∠88.86	133.37	1				19.99	19.99	+	+
	Į.	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	l	1	1	1				]					1	I	
		- Conversion with Change - Trunk Top 8 MSAs only	l	1	UEPDC	USAWB		288.86	133.37	]				19.99	19.99	I	
1		DNAL NRCs		1	OLI DO	OSAVID		200.00	100.07					15.55	13.33		<b>↓</b>

04/12/02 Page 265 of 352

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
-	Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel			UEPDC	UDTTB		28.81	28.81	1				19.99	19.99		
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		l
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEFDC	ODITO		20.01	20.01					19.99	19.99		-
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			OLI DO	ODITO		20.01	20.01					13.33	13.33		
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.81	28.81	I				19.99	19.99	1	1
BIPOLA	AR 8 ZERO SUBSTITUTION			- "			20.01	20.01	<u> </u>	1				.5.55	1	
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	615.00	1	1			19.99	19.99	1	
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group				l											
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								<b></b>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5 ND6	0.00	0.00	0.00	1							<b>—</b>
	Reserve Non-Consecutive DID Nos. Reserve DID Numbers			UEPDC UEPDC	NDV	0.00	0.00	0.00	-							<b></b>
Dedica	ted DS1 (Interoffice Channel Mileage) -			OLFDC	INDV	0.00	0.00	0.00								-
	o for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
1 7/1 00	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities				+											
	Termination)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
										0.00						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00	<u> </u>	<u> </u>	<u></u>		<u> </u>	<u> </u>		1
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.0783	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							1
1	Later (Co. Observat Miles on A LECtural and Co. Co.			LIEDDO	41.1100	0.0700	0.00		I				1	1	1	1
<del>    </del>	Interoffice Channel Mileage - Additional rate per mile - 25+ miles Local Number Portability, per DS0 Activated			UEPDC UEPDC	1LNOC LNPCP	0.0783	0.00	0.00	0.00							<b>├</b>
<del> </del>	Local Number Portability, per DS0 Activated  Central Office Termininating Point			UEPDC	CTG	3.15 0.00	0.00	0.00	0.00		1				-	<del></del>
A_WIDE	EDS1 LOOP WITH CHANNELIZATION WITH PORT			OLPDO	CIG	0.00			<del>                                     </del>	-	-		-	-	1	<del></del>
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			1				<del>                                     </del>	1	1		1	1	1	
	em can have various rate combinations based on type and num			used	+											<b>—</b>
	S1 Loop		- 0						<b>†</b>							
1	4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62.71			1	1			19.99	19.99	1	
UNE DS	SO Channelization Capacities (D4 Channel Bank Configuration	ns)							1	İ				1		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00			<u> </u>		19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230.60	0.00	0.00					19.99	19.99		<del></del>
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		<b>├</b>
<del></del>	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00	<b>_</b>	<b> </b>			19.99	19.99	<b> </b>	<b>└</b>
ı	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00	1	l	1	1	19.99	19.99	l	<u></u>

04/12/02 Page 266 of 352

UNRI	INDI FI	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhibit: B	
ONDO	NULL	NETWORK ELEMENTO NOTHI Garonna				1						Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC		RAT	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
				<u> </u>			0.050.44	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		<del></del>
	N B.	672 DS0 Channel Capacity - 1 per 28 DS1s	01	<u> </u>	UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		<del></del>
-		curring Charges (NRC) Associated with 4-Wire DS1 Loop with num System configuration is One (1) DS1, One (1) D4 Channe						stem									<b></b>
		es of this configuration functioning as one are considered Ac															
	wuitipi	NRC - Conversion (Currently Combined) with or without	u i aite	l tile ili	illilliulli systelli coi	linguration is	counted.										
		BellSouth Allowed Changes - Top 8 MSAs Only			UEPMG	USAC4	0.00	330.61	16.64					19.99	19.99		ł '
	System	Additions Where Currently Combined and New (Not Currently	v Comb	oined )	020	00/101	0.00	000.01						10.00	10.00		
		B MSAs and AL, FL, and NC Only	,														
		1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															í
L	<u> </u>	Fea Activation -	<u></u>	<u></u>	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	<u> </u>	<u></u>	19.99	19.99		<u> </u>
	Bipolar	8 Zero Substitution															i
		Clear Channel Capability Format, superframe - Subsequent						_									1
		Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
		Clear Channel Capability Format - Extended Superframe -															1
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								<b></b>
	Alterna	te Mark Inversion (AMI)															
		Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								<b></b>
		Extended Superframe Format	L	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00								<b></b>
		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													<del>                                     </del>
-	Exchan	ge Ports					-										<del></del>
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		i '
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
		Life Side Odtward Charmenzed 1 BX Trumk 1 Stt - Business			OLITA	OLI OX	14.00	0.00	0.00	0.00	0.00			40.10	9.40		
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		i '
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Feature	Activations - Unbundled Loop Concentration								0.00							
		Feature (Service) Activation for each Line Side Port Terminated															i
		in D4 Bank			UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		í
		Feature (Service) Activation for each Trunk Side Port Terminated															ĺ
		in D4 Bank			UEPPX	1PQWU	0.65	110.00	30.00	75.00	15.00			40.18	9.45		<u> </u>
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								<b></b>
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								<b></b>
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								<del>                                     </del>
<b>—</b>		Non-Consecutive DID Numbers - per number Reserve Non-Consecutive DID Numbers		<del>                                     </del>	UEPPX UEPPX	ND5 ND6	0.00	0.00	0.00								
<b>—</b>	-	Reserve Non-Consecutive DID Numbers Reserve DID Numbers	-	<del>                                     </del>	UEPPX	NDV	0.00	0.00	0.00				<b> </b>				
<b>-</b>	l ocal A	lumber Portability	-		OLFFA	INDV	0.00	0.00	0.00	1			-		1		
$\vdash$	Local N	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00				<b> </b>				
	FEATU	RES - Vertical and Optional			OLI I A	LI 41 OI	5.15	0.00	0.00				<b> </b>				(
		witching Features Offered with Line Side Ports Only															1
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		í
UNBU		ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s														<del></del>
		Based Rates are applied where BellSouth is required by FCC		State 0	commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.								i
	2. Featu	ires shall apply to the Unbundled Port/Loop Combination - C	ost Bas	ed Rat	e section in the san	ne manner as	they are applie	d to the Stand	-Alone Unbun	dled Port section	on of this Rate	Exhibit.					ĺ
	3. End	Office and Tandem Switching Usage and Common Transport orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re	Usage	rates in	the Port section of	f this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		ned Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	nese nonrecurr	ing charges a	e Market Ra	ites and are	listed in the	Market Rate s	ection. For 0	Jurrently
L		ned Combos in all other states, the nonrecurring charges sha										1					
<u> </u>		set Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	ase Basis, un	til further notic	9.		ļ							<b></b>
<u> </u>		CENTREX - 5ESS (Valid in All States)		<u> </u>													<b></b>
<u> </u>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>		+	1			ļ					1		<del>                                     </del>
-	UNE PO	ort/Loop Combination Rates (Non-Design)		-			-										<u>'</u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo - Non-Design		sw	UEP95		16.46						1				, '
-	LINE D	non-Design ort/Loop Combination Rates (Design)	-	ъW	OLF 30	+	10.40			1			<b> </b>		1		
	314E 110					1	ı			l		1	L		L		

04/12/02 Page 267 of 352

NADUNDLE	D NETWORK ELEMENTS - North Carolina			ı						_	0	001	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				,	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec			g Disconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		SW	UEP95		21.78										
	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP95	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide		SW	UEP95	UECS2	19.50										
	ort Rate															
All Sta				UEP95	UEPYA	2.28							40.18	0.45		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area					2.28							40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		l	[ ]						1			_		1
	Center)2 Basic Local Area			UEP95	UEPYM	2.28			ļ				40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	2.28			ļ	ļ			40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.28							40.18	9.45		
NC On																
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPUM	2.28							40.18	9.45		
	Term			UEP95	UEPUZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPU2	2.28							40.18	9.45		
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	3.40										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40			<u> </u>	<u> </u>						
NARS				LIEBOE	LIADON	2.25	2.00		<b> </b>	<b></b>					ļ	
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00		<b> </b>			40.18	9.45		
-	Unbundled Network Access Register - Indial			UEP95	UAR1X UAROX	0.00	0.00	0.00		<del>                                     </del>			40.18	9.45	-	<b> </b>
Missell	Unbundled Network Access Register - Outdial laneous Terminations			UEP95	UARUX	0.00	0.00	0.00	<u> </u>	<del> </del>			40.18	9.45		
	Trunk Side	<b>-</b>	-						1	<del>                                     </del>	-					-
Z-wire	Trunk Side Trunk Side Terminations, each	-		UEP95	CEND6	12.36			1	<del>                                     </del>	1				1	<b> </b>
4-Wiro	Digital (1.544 Megabits)			OLF 30	CLINDO	12.30			1	<del>                                     </del>					1	
7-44116	DS1 Circuit Terminations, each			UEP95	M1HD1	186.23			<u> </u>	1	l		40.18	9.45		
-	DS0 Channels Activated, each	<b>-</b>		UEP95	M1HD0	0.00	28.81		1	<del> </del>	<b> </b>		40.18	9.45		<b> </b>
Interof	fice Channel Mileage - 2-Wire					0.00	20.01		1	1	<b> </b>		70.10	5.⊣0		<b> </b>
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.00			<del> </del>	<del> </del>					1	
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282			1	1						
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e				0.0202			1	1						
	annel Bank Feature Activations	-							1	1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65			1	1						
	·															
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.65										
1	Slot			UEP95	1PQW7	0.65										

UNBUNDL	ED NETWORK ELEMENTS - North Carolina	1		1							Ia - :		Attachment:		Exhibit: B	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						D	Nonrec	urring	Nonrecurrin	g Disconnect		Į	oss	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11						40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73						40.18	9.45		
	P CENTREX - DMS100 (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
1	Non-Design		SW	UEP9D		16.46										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo -															
	Design		sw	UEP9D		21.78										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEP9D	UECS1	14.18										
	2-Wire Voice Grade Loop (SL 2) - Statewide			UEP9D	UECS2	19.50										
LINE	Port Rate										1					
	STATES										1					
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.28					1		40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	2.28					1		40.18	9.45		
	Area			UEP9D	UEPYC	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI OD	OLI 10	2.20							40.10	0.40		
	Area			UEP9D	UEPYD	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 3D	OLITE	2.20					-		40.10	3.43		
	Area			UEP9D	UEPYF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI 3D	OLI II	2.20							40.10	3.43		
	Area			UEP9D	UEPYG	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEDOD	UED/T	0.00							40.40	0.45		
	Area			UEP9D	UEPYT	2.28					-		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	HEDVII	2.20							10.10	0.45		
	Area			UEP9D	UEPYU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1	i –		1				İ	1	1				İ	
	Indication))3 Basic Local Area			UEP9D	UEPYW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			LIEDOD	LIEDVI	0.00							40.40	0.45		
-+	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	-	1	UEP9D	UEPYJ	2.28				<b> </b>	1		40.18	9.45		-
	2 Basic Local Area	1	1	UEP9D	UEPYM	2.28							40.18	9.45		
+-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3	1	<b>!</b>	021 00	OLI TIVI	2.20				1	1		70.10	3.43	1	<u> </u>
		1	1	LIEDOD	UEPYO	0.00			I		1		40.18	9.45	1	
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPTU	2.28							40.16	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Name		Namaaaaa	Diagonard						
					-	Rec		curring	Nonrecurring		SOMEC	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3						First	Add'l	First	Add'l	SOWIEC	SUMAN	SOMAN	SOWAN	SUMAN	SUMAN
	Basic Local Area			UEP9D	UEPYQ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLF3D	OLFIQ	2.20							40.16	5.40		
	Basic Local Area			UEP9D	UEPYR	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			02.00	02	2.20							10.10	0.10		
	Basic Local Area			UEP9D	UEPYS	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3															
	Basic Local Area			UEP9D	UEPY4	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area			UEP9D	UEPY5	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		1													
	Basic Local Area		<u> </u>	UEP9D	UEPY6	2.28			ļ				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3		1	UEP9D	UEPY7	2.28							40.18	0.45		1
	Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY/	2.28							40.18	9.45		
	Term		l	UEP9D	UEPYZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	001 00	ULI IZ	2.20							40.10	5.43		
	Basic Local Area			UEP9D	UEPY9	2.28							40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	2.28							40.18	9.45		
NC On	ily															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPUC	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPUD	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPUE	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPUF	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D UEP9D	UEPUG UEPUT	2.28 2.28							40.18 40.18	9.45 9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPUU	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5206)3			UEP9D	UEPUV	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPU3	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp				1											
	Indication)3			UEP9D	UEPUW	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPUM	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPUO	2.28							40.18	9.45		
			1		1								40 :-			1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPUP	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3		<b> </b>	UEP9D	UEPUQ	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3		1	UEP9D	UEPUR	2.28							40.18	9.45		1
	2-vviie voice Glade Fort (Centrevullier SVVC /LB3-IVISTIZ)2, 3			OLIBD	JEFUR	2.20							40.10	9.40	-	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	UEP9D	UEPUS	2.28							40.18	9.45		
	= 1 1.5.00 G. (GG. 1 (GG. 1 O. V. G. 1 O. V. C. P. C. C. C. V. C. C. C. C. C. C. C. C. C. C. C. C. C.				52. 50	2.20							70.10	5.40		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		l	UEP9D	UEPU4	2.28							40.18	9.45		
	, , , , , , , , , , , , , , , , , , , ,														1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	L	<u> </u>	UEP9D	UEPU5	2.28			<u> </u>				40.18	9.45		<u> </u>
		-														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPU6	2.28							40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPU7	2.28							40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1		1								40 :-			1
	Term			UEP9D	UEPUZ	2.28							40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		l	UEP9D	UEPU9	2.28							40.18	9.45		
1	2-vvire voice Grade Port terminated in on iviegalink of equivalent			UEP9D UEP9D	UEPU9 UEPU2	2.28							40.18	9.45		

04/12/02 Page 270 of 352

NDUNDLE	D NETWORK ELEMENTS - North Carolina												Attachment:		Exhibit: B	<u> </u>
												Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order v
1															DISC ISI	DISC AU
						Rec	Nonrect First	ırrıng Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMA
I ocal S	L Switching						FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWIA
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
	lumber Portability			02. 02	0.1.200	0.000										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feature																
1	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		1
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	186.23										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	,												40.18	9.45		
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										1
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
								_								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u>L</u>	UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	curring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed				1								·			
	changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11	, and the second					40.18	9.45		
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11	, and the second					40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73						40.18	9.45		
	Digital (1.544 Megabits)															
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
1	- Requires Specific Customer Premises Equipment		1													1

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
												Svc Order	Svc Order		Incremental	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	currina	Nonrecurring	ı Disconnect		l	OSS	Rates(\$)		<u>.</u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
									7.44		71441						
OPERA	TIONAL	SUPPORT SYSTEMS															
	NOTE:	(1) Electronic Service Order: CLEC should contact its contract	t negot	iator if	it prefers the state :	specific elect	tronic service o	rdering charg	es as ordered l	by the State Co	mmissions. T	he electron	ic service o	dering charg	e currently co	ntained in th	is rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	may ele	ect either the state s	pecific Comr	mission ordered	d rates for the	electronic serv	rice ordering cl	narges, or CLE	C may elect	the regiona	al electronic s	ervice orderi	ng charge.	
	NOTE:	(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate li	sted in this	category. Pleas	se refer to Bell	South's Busin	ess Rules for L	ocal Ordering	(BBR-LO) to	determine	if a product of	an be ordere	d electronical	ly. For
		elements that cannot be ordered electronically at present per t				in this cate	gory reflects th	e charge that	would be billed	d to a CLEC on	ce electronic c	rdering cap	abilities co	me on-line fo	r that elemen	. Otherwise,	the manual
	orderir	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.			_									
		Manual Service Order Charge, per LSR, Disconnect Only (SC)				SOMAN				1.97							
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
L		interactive interfaces (Regional)				SOMEC		3.50		ļ							1
UNBUN		EXCHANGE ACCESS LOOP															<b></b>
<u> </u>	2-WIRE	E ANALOG VOICE GRADE LOOP	<u> </u>		LIFANI	LIEALO	1101	07.00	17.00	00.50	F.C.		45.00				
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b> </b>	1	UEANL	UEAL2	14.94 21.39	37.92	17.62	23.56 23.56	5.32		15.69			1	<del>                                     </del>
<b>—</b>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>	3	UEANL UEANL	UEAL2 UEAL2	21.39	37.92 37.92	17.62 17.62	23.56	5.32 5.32		15.69 15.69				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Loop Testing - Basic 1st Half Hour		3	UEANL	URET1	20.72	34.23	34.23	23.36	5.32		15.69				<b>+</b>
-		Loop Testing - Basic 1st Half Hour			UEANL	URETA		19.90	19.90	1			15.69				
-		CLEC to CLEC Conversion Charge Without Outside Dispatch			OLANE	OKLIA		13.30	13.30	1			13.03				
		(UVL-SL1)			UEANL	UREWO		15.81	8.96				15.69				
		Engineering Information Document (EI)			UEANL	ONLLING		13.47	13.47	İ			10.00				
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42		15.69				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42		15.69				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-															
		Designed (per loop)			UEQ	USBMC		8.17	8.17				15.69				_
-		Engineering Information Document Loop Testing - Basic 1st Half Hour			UEQ UEQ	URET1		13.47 34.23	13.47 34.23	1			15.69 15.69				
-		Loop Testing - Basic 1st Hair Hour			UEQ	URETA		19.90	19.90	-			15.69				
-		CLEC to CLEC Conversion Charge Without Outside Dispatch			ULQ	UNLIA		19.90	19.90				13.09				
		(UCL-ND)			UEQ	UREWO		14.30	7.45				15.69				
UNBUN	DLED	EXCHANGE ACCESS LOOP			024	ONLLING		11.00	7.10				10.00				
		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	l	_													
		Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32		15.69				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-	1	_	HEDOD HEDOD	LIEADO	04.65	07.00	17.00	00.50		1	45.00				
		Zone 2	<b>!</b>	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32		15.69				<del> </del>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	1	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32	1	15.69				
<del></del>		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	<del>                                     </del>	J	OLF ON UEFOD	ULALO	20.72	31.92	17.02	23.36	5.32		15.09			1	1
		Zone 3	1	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32	1	15.69				
UNBUN	DLED	EXCHANGE ACCESS LOOP	1	J		3200	20.72	01.02	17.02	20.00	0.02		10.00				
		ANALOG VOICE GRADE LOOP							Ì	1							<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1	<u> </u>	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61	<u> </u>	15.69			<u> </u>	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2	]	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1		l	l				_		1	]				
		Ground Start Signaling - Zone 3	ļ	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				<b></b>
		Order Coordination for Specified Conversion Time (per LSR)	<u> </u>		UEA	OCOSL	ļ	18.13		<b>_</b>						ļ	<b></b>
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	l		LIFA	LIEADO	10.00	105.00	20.10	50.65	10.01		45.00				
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61	l	15.69			l	<b></b>

04/12/02 Page 272 of 352

UNBUNDLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	i
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61		15.69				i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61		15.69				i .
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				
4-WIRE	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				1
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.90	36.44				15.69				1
	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									ſ
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25				15.69				1
2-WIRE	Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															ſ
	1		1	UDC	UDC2X	25.21	117.58	80.03	53.05	10.61		15.69				l
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															ſ
	2		2	UDC	UDC2X	32.76	117.58	80.03	53.05	10.61		15.69				i
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3		3	UDC	UDC2X	37.70	117.58	80.03	53.05	10.61		15.69				i
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.82	44.25				15.69				1
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP	1												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93		15.69				i
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93		15.69				l
	2 Wire Unbundled ADSL Loop including manual service inquiry															ſ
	& facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93		15.69				1
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									1
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93		15.69				l
	2 Wire Unbundled ADSL Loop without manual service inquiry &															i
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93		15.69				<b></b>
	2 Wire Unbundled ADSL Loop without manual service inquiry &							·								1
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93		15.69	ļ	ļ	ļ	<b></b>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.38	40.48				15.69				<u> </u>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													<b>L</b>
	2 Wire Unbundled HDSL Loop including manual service inquiry															i
	& facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93		15.69				<b></b>
	2 Wire Unbundled HDSL Loop including manual service inquiry		1										Ì	l	Ì	1
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93		15.69				1
	2 Wire Unbundled HDSL Loop including manual service inquiry															i
	& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93		15.69				<b></b>
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13		ļ				ļ	ļ	ļ	<b></b>
	2 Wire Unbundled HDSL Loop without manual service inquiry		l .		[ ]								Ì	l	Ì	1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93		15.69	ļ	ļ	ļ	<b></b>
	2 Wire Unbundled HDSL Loop without manual service inquiry		_				,									1
	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93		15.69				+
	2 Wire Unbundled HDSL Loop without manual service inquiry						,						Ì	l	Ì	1
	and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93		15.69				+
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13	40.10			1	45.00				⊢
	CLEC to CLEC Conversion Charge without outside dispatch	TID: -	065	UHL	UREWO		86.32	40.48	<b></b>		1	15.69	ļ		ļ	<del></del>
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIRLE	LOOP								1					1

04/12/02 Page 273 of 352

UNBUNDE	ED NETWORK ELEMENTS - South Carolina		ı	1							C C1	Cura Curt	Attachment:		Exhibit: B	In anarra :
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry		_		I I											
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38		15.69				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.64	18.13	107.09	33.12	10.36		13.09				
-	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00002		10.10									<del> </del>
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38		15.69				
	4-Wire Unbundled HDSL Loop without manual service inquiry		_		I I											
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38		15.69				<b>_</b>
	Order Coordination for Specified Conversion Time (per LSR)			UHL UHL	OCOSL UREWO		18.13 86.32	40.48				15.69				
4-WID	CLEC to CLEC Conversion Charge without outside dispatch E DS1 DIGITAL LOOP		<del>                                     </del>	UIIL	UKEWU		86.32	40.48			-	15.09			<del> </del>	1
7-1111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73		15.69				<del>                                     </del>
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	229.15	253.03	157.89	44.80	11.73		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13				15.69				
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL UDL	UDL19 UDL19	33.99 34.74	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3 1	UDL	UDL19 UDL56	29.93	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61		15.69 15.69				
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	-	18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13	40.05				45.00				
2 WID	CLEC to CLEC Conversion Charge without outside dispatch  E Unbundled COPPER LOOP			UDL	UREWO		102.34	49.85				15.69				
Z-VVIR	2-Wire Unbundled Copper Loop/Short including manual service				+ +										1	
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short including manual service				1										1	
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93		15.69				
	2 Wire Unbundled Copper Loop/Short including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Short without manual service		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93		15.69				
-	inquiry and facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Short without manual service		-	UCL	UCLPW	12.19	94.07	30.09	50.57	7.93		15.69			-	
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93		15.69				
	2-Wire Unbundled Copper Loop/Short without manual service			002	002. 11	10.7 1	0 1.07	00.00	00.01	7.00		10.00			1	
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc.									·					1	
	inquiry and facility reservation - Zone 1		1	UCL	UCL2L	38.22	119.91	69.62	50.37	7.93		15.69				<b>_</b>
	2-Wire Unbundled Copper Loop/Long - includes manual svc.		2	LICI	LICI 3I	EE 00	110.04	60.00	E0 27	7.00		15.00			1	
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - includes manual svc.			UCL	UCL2L	55.33	119.91	69.62	50.37	7.93		15.69			<b>-</b>	<del>                                     </del>
	inquiry and facility reservation - Zone 3		3	UCL	UCL2L	67.95	119.91	69.62	50.37	7.93		15.69			1	
<del>-  </del>	Order Coordination for Unbundled Copper Loops (per loop)		5	UCL	UCLMC	07.93	8.17	8.17	50.57	1.93		10.09			<b>—</b>	<b>†</b>
İ	2-Wire Unbundled Copper Loop/Long - without manual service				3020		3.17	0.17							1	
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	38.22	94.87	56.89	50.37	7.93	1	15.69			I	

	D NETWORK ELEMENTS - South Carolina		ı	1	<del>, ,</del>						C C1	Core Contr	Attachment:		Exhibit: B	In an a
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service		_		1101014	55.00	04.07	50.00	50.07	7.00		45.00				
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop/Long - without manual service		2	UCL	UCL2W	55.33	94.87	56.89	50.37	7.93		15.69			-	<del> </del>
	inquiry and facility reservation - Zone 3		3	UCL	UCL2W	67.95	94.87	56.89	50.37	7.93		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	07.55	8.17	8.17	30.37	7.55		13.03				
	CLEC to CLEC Conversion Charge without outside dispatch			002	0020		0.11	0							1	
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
4-WIR	E COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38		15.69				<b></b>
	4-Wire Copper Loop/Short - including manual service inquiry		_	LICI	110140	00.00	4444-	20.00	1-	10.00		45.00			1	
<del></del>	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38		15.69			1	<del> </del>
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38	1	15.69				
-+	Order Coordination for Unbundled Copper Loops (per loop)	1	-	UCL	UCL#S	15.54	8.17	8.17	33.12	10.30		13.08			t	<del> </del>
	4-Wire Copper Loop/Short - without manual service inquiry and			OCL	OCLIVIC		0.17	0.17								<del>                                     </del>
	facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38		15.69				
	4-Wire Copper Loop/Short - without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38		15.69				<u> </u>
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								<u> </u>
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	UCL	UCL4L	77.29	144.17	93.88	55.12	10.38		15.69				<u> </u>
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	118.78	144.17	93.88	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		<u> </u>	002	OOLTE	110.70	1-1-1.17	30.00	00.12	10.00		10.00				
	inquiry and facility reservation - Zone 3		3	UCL	UCL4L	144.10	144.17	93.88	55.12	10.38		15.69				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4O	77.29	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL4O	118.78	119.44	81.45	55.12	10.38		15.69				
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	144.10	119.44	81.45	55.12	10.38		15.69				
-+-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCL#C	144.10	8.17	8.17	55.12	10.38		15.69				<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	OCLIVIC		0.17	0.17								+
	(UCL-Des)			UCL	UREWO		94.87	42.57				15.69				
LOOP MODIFI	CATION															
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,								4= 00				
	pair less than or equal to 18k ft			UDN, UDL, USL	ULM2L		32.46	32.46				15.69				<b>_</b>
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		170.89	170.89				15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			UCL, ULS	ULIVIZG		170.89	170.89				15.69				<del>                                     </del>
1	less than or equal to 18K ft			UHL, UCL	ULM4L		32.46	32.46			1	15.69				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			J, 00L			32.40	32.40				.0.00			1	
	pair greater than 18k ft			UCL	ULM4G		170.89	170.89			1	15.69				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS, UEA, UEANL, UDL, UDC, UDN, UDL, USL	ULMBT		32.48	32.48				15.69				
SUB-LOOPS																$oxed{oxed}$
	oop Distribution	1	1													<b></b>
Sub-L	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															

UNBUNDL	ED NETWORK ELEMENTS - South Carolina							<u> </u>					Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.69	22.69				15.69				
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	Ι.														
	Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	-		UEANL	USBSC		177.84	177.84				15.69				
	Set-Up	١.,		UEANL	USBSD		55.58	55.58				15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		OLANL	USBSD		33.36	33.36				13.09				
	Zone 1	l ı	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71		15.69				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	I	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Habrard 1. 1. C. I. I	l		LIFANII	LICOMO		0.4-	0.4-								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANL	USDIN4	14.11	79.21	44.23	45.02	9.09		13.09				
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09		15.69				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	<b>.</b>		UEANL	USBMC USBR4	5.00	8.17 59.38	8.17	40.00	0.00		45.00				
	Sub-Loop 4-vvire intrabuliding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2		UCS2X	9.83	65.94	31.03	45.35	6.71		15.69				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı			UCS2X	10.48	65.94	31.03	45.35	6.71		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	!	1		UCS4X	7.85	79.21	44.29	49.82	9.09		15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS4X	14.17 12.64	79.21 79.21	44.29 44.29	49.82 49.82	9.09		15.69 15.69				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09		15.69				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
Unbu	ndled Sub-Loop Modification	1					0.17	0.11					1	1		
1	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR	<u> </u>		UEF	ULM2X	<u>                                       </u>	176.17	5.11	<u> </u>			15.69	L	<u> </u>		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load	l											]			
	Coil/Equip Removal per 4-W PR	ļ		UEF	ULM4X		176.17	5.11	ļ			15.69	ļ	ļ		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged	l		uee	1 II NAA <del>T</del>		070.00	0.40				45.00				
Heterr	Tap Removal, per PR unloaded	1		UEF	ULM4T		278.82	6.13	<del>                                     </del>		ļ	15.69	<del>                                     </del>	<del>                                     </del>		
Unbu	Indled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.3303	30.20	30.20				15.69				
Netwo	ork Interface Device (NID)	-		OLIVIVV	OLIVI I	0.5505	30.20	30.20				13.09				
1.36.11	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79				15.69	İ	İ		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16	<u>                                       </u>	64.42	49.53				15.69	İ	İ		
	Network Interface Device Cross Connect - 2 W				UNDC2		5.92	5.92				15.69				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92				15.69				
SUB-LOOPS											1					
Sub-L	Loop Feeder			LIEA					<del>                                     </del>		1					
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up	1		UEA, UDN,UCL,UDL,UDC	LISBE\\/		241.42		]			15.69	1	1		
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair	<del>                                     </del>		UEA,	OODI W		241.42		<del>                                     </del>		1	15.69	<del> </del>	<del> </del>		
	set-up	1		UDN,UCL,UDL,UDC	USBFX		22.69	22.69	]			15.69	1	1		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination	1			USBFZ		523.87	11.34				15.69	1	1	1	<del> </del>

ONRONDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
				1				-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)				per LSR		Order vs.	Order vs.	Order vs.
0711200111	10112 ===1112	m			3333			(+)			per LSR	per LSR	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1			-				Nonrec	urrina	Nonrecurring	n Dissennest			000	Rates(\$)		
				-	_	Rec					001150	001111			0014411	001441
	Haland Hala Calabara Francisco Coming Communication (Communication)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice															
	Grade - Zone 1		1	UEA	USBFA	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice															
	Grade - Zone 2		2	UEA	USBFA	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,															
	Voice Grade - Zone 3		3	UEA	USBFA	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFB	11.74	93.28	56.69	54.68	13.74		15.69				
-	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice			OLA	OODI D	11.74	33.20	30.03	34.00	15.74		15.03				
	Grade - Zone 3		3	UEA	USBFB	14.74	93.28	56.69	54.68	13.74		15.69		Ì		1
$\vdash$			3	UEA	OCOSL	14.74	18.13	90.09	34.08	13.74	<del>                                     </del>	10.09		ļ	<del> </del>	<del>                                     </del>
	Order Coordination for Specified Time Conversion, per LSR			UEA	UCUSL		18.13				ļ					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,		١.	l				=0								
	Voice Grade - Zone 1		1	UEA	USBFC	8.93	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															
	Voice Grade - Zone 2		2	UEA	USBFC	11.74	93.28	56.69	54.68	13.74		15.69				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	14.74	93.28	56.69	54.68	13.74		15.69				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.63	107.91	70.36	62.26	17.52		15.69				
-	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice		<del>'</del>	OLA	OODI D	21.00	107.01	70.00	02.20	17.02		10.00				
	Grade - Zone 2		2	UEA	USBFD	27.57	107.91	70.36	62.26	17.52		15.69				
				UEA	USBFD	21.31	107.91	70.36	02.20	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice		3		LIODED	00.04	407.04	70.00	00.00	47.50		45.00				
	Grade - Zone 3		3	UEA	USBFD	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.63	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	27.57	107.91	70.36	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 3		3	UEA	USBFE	26.04	107.91	70.36	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		18.13			_						
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.05	106.47	68.92	55.81	13.37		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	20.92	106.47	68.92	55.81	13.37		15.69				
+	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	23.49	106.47	68.92	55.81	13.37	1	15.69				-
$\vdash$	Order Coordination For Specified Conversion Time, Per LSR		J	UDN	OCOSL	23.48	18.13	00.92	33.01	13.37	<del>                                     </del>	15.09	1	<del> </del>	1	<del>                                     </del>
$\vdash$		-	4			47.05		00.00	FF 04	40.07	<del>                                     </del>	45.00			<del> </del>	-
<del></del>	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.05	106.47	68.92	55.81	13.37	1	15.69	-	<del>                                     </del>	1	1
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	20.92	106.47	68.92	55.81	13.37	ļ	15.69			ļ	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	23.49	106.47	68.92	55.81	13.37	ļ	15.69				1
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	55.85	102.19	64.64	62.26	17.52	1	15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	109.16	102.19	64.64	62.26	17.52		15.69				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	203.35	102.19	64.64	62.26	17.52		15.69				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		18.13									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	5.98	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		1													
	2		2	UCL	USBFH	4.80	83.97	46.42	53.14	10.69		15.69				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		<del>-</del>		12		22.01				1	12.50		1	1	1
	3		3	UCL	USBFH	4.59	83.97	46.42	53.14	10.69		15.69		Ì		1
<del>                                     </del>	Order Coordination For Specified Conversion Time, per LSR		J	UCL	OCOSL	4.08	18.13	40.42	55.14	10.09	1	15.09	1	1	1	1
<del></del>			1	UCL	USBFJ	13.21		63.67	58.03	13.29	1	45.00	-	<del>                                     </del>	1	1
$\vdash$	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1						101.22				1	15.69	1		1	-
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2			UCL	USBFJ	8.28	101.22	63.67	58.03	13.29	ļ	15.69			ļ	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	8.42	101.22	63.67	58.03	13.29	ļ	15.69				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		18.13									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	21.02	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	21.30	102.19	64.64	62.26	17.52		15.69				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	20.17	102.19	64.64	62.26	17.52		15.69				

UNBUN	DLED	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)				Svc Order Submitted Manually per LSR				Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 1		1	UDL	USBFO	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
		Zone 2		2	UDL	USBFO	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -											4= 00				
		Zone 3		3	UDL UDL	USBFO OCOSL	20.17	102.19 18.13	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Time Conversion, per LSR Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -			UDL	OCOSL		10.13		-							
		Zone 1		1	UDL	USBFP	21.02	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		<u> </u>	002	002	202	102.10	0	02.20			10.00				
		Zone 2		2	UDL	USBFP	21.30	102.19	64.64	62.26	17.52		15.69				
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
		Zone 3		3	UDL	USBFP	20.17	102.19	64.64	62.26	17.52		15.69				
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.13									
SUB-LOO				<u> </u>		$\downarrow$											
S		op Feeder		<u> </u>	LIEO	41.501	20.11			<b>.</b>							
		Sub Loop Feeder - DS3 - Per Mile Per Month	-		UE3 UE3	1L5SL USBF1	20.44 348.12	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - DS3 - Facility Termination Per Month Sub Loop Feeder - STS-1 - Per Mile Per Month	-		UDLSX	1L5SL	20.44	3,392.00	407.90	100.03	91.17		15.69				
		Sub Loop Feeder - STS-1 - Facility Termination Per Month	i i		UDLSX	USBF7	369.07	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder – OC-3 – Per Mile Per Month	i i		UDLO3	1L5SL	15.51	0,002.00	101.00	100.00	31.17		10.00				
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
		Month	- 1		UDLO3	USBF5	56.04										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month	ı		UDLO3	USBF2	565.50	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 - Per Mile Per Month	- 1		UDL12	1L5SL	19.08										
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
		Month			UDL12	USBF6	669.82	0.000.00	107.00	400.00	04.47		45.00				
		Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,840.00	3,392.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-48 - Per Mile Per Month Sub Loop Feeder - OC-48 - Facility Termination Protection Per			UDL48	1L5SL	62.60										
		Month			UDL48	USBF9	326.16										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month	i		UDL48	USBF4	1,560.00	3,578.00	407.90	160.83	91.17		15.69				
		Sub Loop Feeder - OC-12 Interface On OC-48	i		UDL48	USBF8	366.86	789.85	407.90		91.17		15.69				
UNBUND		OOP CONCENTRATION															
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	318.73	326.13	326.13				15.69				
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	46.69	135.89	135.89				15.69				
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	351.78	326.13	326.13				15.69				
		Unbundled Loop Concentration - System B (TR303)		<u> </u>	ULC	UCT3B	78.67	135.89	135.89	40.00	4 74	1	15.69	<b> </b>	-	-	
		Unbundled Loop Concentration - DS1 Loop Interface Card Unbundled Loop Concentration - ISDN Loop Interface (Brite		-	ULC	UCTCO	4.42	63.43	46.18	16.83	4.71	-	15.69	1	-	1	
		Card)			UDN	ULCC1	7.02	10.56	10.50	5.41	5.37		15.69	1			
		Unbundled Loop Concentration - UDC Loop Interface (Brite			0011	32001	1.02	10.50	10.50	5.41	5.57		13.09	1		1	
		Card)			UDC	ULCCU	7.02	10.56	10.50	5.41	5.37		15.69	1			
		Unbundled Loop Concentration2 Wire Voice-Loop Start or															
		Ground Start Loop Interface (POTS Card)			UEA	ULCC2	1.75	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery				I											
		Loop Interface (SPOTS Card)		<u> </u>	UEA	ULCCR	10.42	10.56	10.50	5.41	5.37		15.69				
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface			UEA	ULCC4	0.00	40.50	40.50		F 07		45.00	1			
		(Specials Card)			ULC	UCTTC	6.22 30.38	10.56 10.56	10.50 10.50	5.41 5.41	5.37 5.37	1	15.69 15.69	-			
		Unbundled Loop Concentration - TEST CIRCUIT Card Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop		<del>                                     </del>	OLO	00110	ას.აგ	10.00	10.50	5.41	5.37	1	15.09	<del> </del>			
		Interface			UDL	ULCC7	9.21	10.56	10.50	5.41	5.37		15.69	1			
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop				1					5.0.						
		Interface	L_	L	UDL	ULCC5	9.21	10.56	10.50	5.41	5.37	<u> </u>	15.69	<u> </u>	<u></u>	<u></u>	<u> </u>
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop												1			
		Interface			UDL	ULCC6	9.21	10.56	10.50	5.41	5.37		15.69				
	IER, P	ROVISIONING ONLY - NO RATE			UENTW	UNDBX											
UNE OTH		NID - Dispatch and Service Order for NID installation															

													Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<del></del>						<u> </u>	Nonred	curring	Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEF,UEQ,U			11131	Auu	11131	Addi	COME	JOINIAN	COMPAR	COMPAR	COMPAR	COMPAR
ı l	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER,	PROVISIONING ONLY - NO RATE															
ı l																
i l	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			ODIN,OLA,OHL,OLC	UNLCIN	0.00	0.00									
i l	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
i l	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	Ino rate			USL	COUEF	0.00	0.00		<del> </del>						-	1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per								<del> </del>							
i l	month			UE3	1L5ND	12.26										
i	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
ı l	High Capacity Unbundled Local Loop - STS-1 - Per Mile per											4= 00				
	month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	12.26						15.69				
ı l	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
LOOP MAKE-				ODLOX	ODLOT	313.43	402.02	204.55	119.73	03.11		13.03				
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
ı l	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
ı l	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.34	0.34								
HIGH EREOU	ENCY SPECTRUM			UIVIK	FSUIVIK		0.34	0.34								
	TERS-CENTRAL OFFICE BASED															
i	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00		15.69				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00		15.69				
ullet	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	18.02	189.21	0.00	178.38	0.00		15.69				
ı l	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-											4= 00				
END	deactivation (per LSOD) USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC	CDEC.	TDIIM	ULS	ULSDG		86.67		49.95			15.69			-	
END	Line Sharing - per Line Activation (BST owned Splitter)	JPEC	I KUWI	ULS	ULSDC	0.61	18.55	10.62	10.04	4.93		15.69				
	Line Sharing - per Subsequent Activity per Line				32000	0.01	10.00	10.02	10.04	4.55		70.00				
	Rearrangement(BST Owned Splitter)	<u> </u>		ULS	ULSDS	<u> </u>	16.42	8.21	l			15.69				
ı T	Line Sharing - per Subsequent Activity per Line						· · · · ·			· · · · · · · · · · · · · · · · · · ·						
	Rearrangement(DLEC Owned Splitter)	<u> </u>		ULS	ULSCS		16.42	8.21	22.25	10.5		15.69				
	Line Sharing - per Line Activation (DLEC owned Splitter)  Line Splitting - per line activation DLEC owned splitter	<u> </u>		ULS UEPSR UEPSB	ULSCC	0.61 0.61	47.44	19.31	20.67	12.74		15.69				
	Line Splitting - per line activation DLEC owned splitter  Line Splitting - per line activation BST owned - physical	-		UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85		15.69			-	
$\leftarrow$	Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual	H		UEPSR UEPSB	UREBV	0.642	37.09	21.24	20.07	9.85		15.69			<del> </del>	
UNBUNDLED	DEDICATED TRANSPORT	<u> </u>						224	20.07	3.30		70.00				
NOTE	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
i l	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			LIATON	41.5727	0.040=										
	Per Mile per month  Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0167			<del>                                     </del>						<del>                                     </del>	
i l	Facility Termination per month			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91		15.69				
-+-	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			5.14/	J11 VZ	24.50	40.03	21.41	10.77	0.91		13.03			<b>†</b>	1
, I	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
•																
<del>                                     </del>	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Tacility Termination per month   Tacility Termination per month   Tacility Termination per month   Tacility Termination   Tacility Term			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91		15.69				

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		Literation Channel Bullion I Transport A Miles Veller Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	UTIVA	01174	21.29	40.63	21.41	10.77	6.91		15.69				
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				1.20.21										İ	
		Termination per month			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			U1TDX	1L5XX	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility					40.00	40.00		40.00			4= 00				
		Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			0.101	120707	0.0410					1				<b>†</b>	-
		Termination per month			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		15.69				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				1										1	
		month			U1TD3	1L5XX	8.02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59		15.69				
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TS1	1L5XX	8.02										
-		month Interoffice Channel - Dedicated Transport - STS-1 - Facility			01151	ILSXX	8.02									-	
		Termination per month			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59		15.69				
		CHANNEL - DEDICATED TRANSPORT			01101	01110	000.00	210.01	100.12	00.00	00.00		10.00				
		LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing	g perio	d - beld	w DS3=one month	n, DS3/STS-1=f	our months										
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per															
		month			ULDVX	ULDR2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month		1	UNDVX	ULDV4 ULDF1	16.54 42.62	193.97 177.87	33.68 154.06	37.19 22.24	3.68 15.30		15.69				
		Local Channel - Dedicated - DS1 per month - Zone 1 Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1 ULDD1	ULDF1	70.32	177.87	154.06	22.24	15.30		15.69 15.69				
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190.68	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11.93	117.01	104.00	22.27	10.00		10.00				
		Interoffice Channel - Dedicated Transport - DS3 - Facility				1.20.10										İ	
		Termination per month			U1TD3	U1TF3	446.00	452.52	264.53	119.75	83.77		15.69				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11.93										
		Local Channel - Dedicated - STS-1 - Facility Termination per															
MULTIP	N EVED	month			ULDS1	ULDFS	435.10	452.52	264.53	119.75	83.77		15.69				
MULTIP		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OATD1	IVIQ I	107.57	31.24	02.71	10.30	3.01		10.09			<del> </del>	
		month (2.4-64kbs)			UDL	1D1DD	1.19	6.59	4.73				15.69			1	
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month			UDN	UC1CA	2.56	6.59	4.73				15.69				
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.56	6.59	4.73				15.69			1	
		DS3 to DS1 Channel System per month		1	UXTD3	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
		STS1 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) used with Loop per month			UXTS1 USL	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90		15.69 15.69			<del>                                     </del>	1
+		DS3 Interface Unit (DS1 COCI) used with Loop per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			USL	וטוטט	0.04	0.59	4.73				15.69			+	1
		month			ULDD1	UC1D1	8.64	6.59	4.73			1	15.69				
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel											- 77				
		per month			U1TD1	UC1D1	8.64	6.59	4.73				15.69				
DARK F																	
Ţ		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				I						1				_	
		Thereof per month - Local Channel		1	UDF	1L5DC	97.65	040.51	100.1=	047.70	400.41		45.00			1	1
		NRC Dark Fiber - Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		1	UDF	UDFC4		640.51	138.17	317.76	198.11		15.69			<del>                                     </del>	
$\longrightarrow$		Dark Fiber, Four Fiber Strainus, Fer Koute Wille of Fraction	1	1	l					1		l	1				1
		Thereof per month - Interoffice Channel			UDF	1L5DF	36.41			1							

UNBUNDLE!	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CHECHELL		1	1		1						Svc Order	Svc Order		Incremental		Incrementa
ł																
í												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
i											-		Electronic-	Electronic-	Electronic-	Electronic-
i																
i													1st	Add'l	Disc 1st	Disc Add'l
			<b>1</b>				Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates(\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Ded Eiles Esse Eiles Ober de Des Des de Miles es Essedie		<del>                                     </del>		_		FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOINAIN	JOIVIAIN
i l	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	97.65										
<u> </u>	NRC Dark Fiber - Local Loop			UDF	UDFL4		640.51	138.17	317.76	198.11		15.69		]		
TRANSPORT C	OTHER															
Option	al Features & Functions:															
	TEN DIGIT SCREENING															
<u> </u>	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673								<del>                                     </del>		
			1	OHD		0.0000073								<b>├</b>		
ı l	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OUD	None								1		1	
	Number Reserved			OHD	N8R1X		2.59	0.44			ļ	15.69		Ļ		
ı l	8XX Access Ten Digit Screening, Per 8XX No. Established W/O	l	1						]		1	1	1		1	1
ı l	POTS Translations	l	1	OHD			5.95	0.81	4.58	0.54	1	15.69	1		1	1
i i	8XX Access Ten Digit Screening, Per 8XX No. Established With															
ı l	POTS Translations	l	1	OHD	N8FTX		5.95	0.81	4.58	0.54	1	15.69	1		1	1
	8XX Access Ten Digit Screening, Customized Area of Service		<del>                                     </del>	JJ	. 101 170		5.55	0.01	4.50	0.04	1	10.00		<del>                                     </del>		
i l				OUD	NOTOY		0.50	4.00				45.00				
	Per 8XX Number	<u> </u>	<del>                                     </del>	OHD	N8FCX		2.59	1.30			<b>!</b>	15.69	ļ	<b></b>	ļ	ļ
ı l	8XX Access Ten Digit Screening, Multiple InterLATA CXR	l	1									I	1		1	1
	Routing Per CXR Requested Per 8XX No.		<u></u>	OHD	N8FMX		3.03	1.74				15.69	<u> </u>		<u> </u>	<u> </u>
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44				15.69				
	8XX Access Ten Digit Screening, Call Handling and Destination															
i l	Features			OHD	N8FDX		2.59	2.59				15.69				
			1	OHD	NOI DX	0.0006673	2.00	2.00				13.03				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery	-	1													
	8XX Access Ten Digit Screening, w/ POTS No. Delivery		<u> </u>	OHD		0.0006673										
	ATION DATA BASE ACCESS (LIDB)													]		
i l	LIDB Common Transport Per Query			OQT		0.0000246										
i	LIDB Validation Per Query			OQU		0.0138158										
i i	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.40		42.18			15.69				
SIGNALING (C				041,040	5/1		0 10		12.10			10.00		<del>                                     </del>		
O) DIVIZENCE (O	CCS7 Signaling Connection, Per 56 Kbps Facility		1	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
		-	1				33.61	33.01	10.40	10.40						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49								<u> </u>		
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
i	CCS7 Signaling Connection, Per link (B link) (also known as D															
i l	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48		15.69				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37								<del>                                     </del>		
			<u> </u>	ODD	51030	731.37										
ı l	CCS7 Signaling Point Code, per Originating Point Code	l	1	LIDD	CCAPC		20.00	00.00	05.05	05.65		45.00	1		1	1
	Establishment or Change, per STP affected	<b> </b>	<u> </u>	UDB	CCAPO		29.08	29.08	35.65	35.65	<b></b>	15.69		<b></b>		
ı l	CCS7 Signaling Point Code, per Destination Point Code											1	1		1	ĺ
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65		15.69		<u></u>		
E911 SERVICE		$\Box$	Щ													
1	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21		15.69				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167						1	İ		İ	İ
-+-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	<b>-</b>	<del>                                     </del>		+	3.0.01					1	l .				l
ı l	Termination	ĺ				24.30	40.63	27.47	16.77	6.91		15.69	1		1	1
		<b> </b>	1		+						1		1	<b>↓</b>	1	1
	Local Channel - Dedicated - DS1 - Zone 1		<u> </u>			42.62	177.87	154.06	22.24	15.30	<u> </u>	15.69		<b></b>		
	Local Channel - Dedicated - DS1 - Zone 2					70.32	177.87	154.06	22.24	15.30	1	15.69		<b></b>		
<u></u> l	Local Channel - Dedicated - DS1 - Zone 3	<u></u>	<u>L</u>			190.68	177.87	154.06	22.24	15.30	<u> </u>	15.69	<u> </u>		<u> </u>	<u> </u>
i	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415										
<del>-                                    </del>	·															
ı l	Interoffice Transport - Dedicated - DS1 Per Facility Termination	l	1			77.14	89.47	81.99	16.39	14.48		15.69	1		1	1
CALLING NAM	IE (CNAM) SERVICE	l	<del>                                     </del>			77.17	00.47	01.00	10.00	1-110	1	10.00		<del>                                     </del>		
	CNAM For DB Owners - Service Establishment		<del>                                     </del>	OQV			23.00	23.00	21.15	21.15	1	15.69		<del>                                     </del>		
		<b> </b>	1		+						1		1	<b>↓</b>	1	1
, l	CNAM For Non DB Owners - Service Establishment	<b> </b>	<u> </u>	OQV			23.00	23.00	21.15	21.15	<b></b>	15.69		<b></b>		
	CNAM For DB Owners - Service Provisioning With Point Code	ĺ										1	1		1	1
		ı	1	OQV	i		993.09	734.47	269.53	198.18	1	15.69	I	1	I	<u> </u>
	Establishment			OQV												
	Establishment  CNAM For Non DB Owners - Service Provisioning With Point			OQV			000.00									
	CNAM For Non DB Owners - Service Provisioning With Point								275.87	198 18						
				OQV OQV		0.0010433	343.09	245.69	275.87	198.18		15.69				

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA1	TES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OATEOORT	TOTAL ELEMENTO	m		500	0000		TVA.	ΕΟ(ψ)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urrina	Nonrecurring	Disconnect			220	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Se	ervice					İ		7.44.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		00				
	LNP Charge Per query					0.0008837										
	LNP Service Establishment Manual						25.09	25.09	23.07	23.07		15.69				
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18		15.69				
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST															
	LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using															
	Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST															1
	LIDB				ļ	0.20										
	Oper. Call Processing - Fully Automated, per Call - Using	l														1 1
	Foreign LIDB				1	0.20										igspace
INWARD OPE	RATOR SERVICES															
	Inward Operator Services - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt															
	- Per Minute					1.15										
BRANDING - 0	OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.69				
L	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				15.69				
Unbra	nding via OLNS for UNEP CLEC						4 000 00					1= 00				
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.69				
	ASSISTANCE SERVICES															
DIREC	CTORY ASSISTANCE ACCESS SERVICE					0.075										
DIDEC	Directory Assistance Access Service Calls, Charge Per Call CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	1400)				0.275										<b>├</b>
DIKEC	Directory Assistance Call Completion Access Service (DACC),	JACC)														
	Per Call Attempt					0.10										
DIDEC	CTORY TRANSPORT	-			1	0.10										
	ASSISTANCE SERVICES					+										<del> </del>
	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
DIKE	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - I	DIRECTORY ASSISTANCE				DDCC1	100.00										
	y Based CLEC															
i domi	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM						0,000.00	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	Card/Switch			AMT	CBADC		1,170.00	1,170.00								
UNEP	CLEC							·								
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM							·								
	Card/Switch per OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch				USRCR		84.89	84.89	14.14	14.14		15.69				
VIRTUAL COL																
	Virtual Collocation - Application Cost			AMTFS	EAF		1,207.95	1,207.95	0.51	0.51						
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		794.22	794.22	22.54	22.54						
	Virtual Collocation - Floor Space, per sq. ft.	ļ		AMTES	ESPVX	3.95			ļl					ļ		ļ
ullet	Virtual Collocation - Power, per breaker amp			AMTFS	ESPAX	9.19			ļļ							
	Virtual Collocation - Cable Support Structure, per entrance	1							]		1					1 1
I I	cable			AMTFS	ESPSX	18.66					l					

CATEGORY   RATE ELEMENTS   Initial Zoos   BCS   USOC   RATE(6)   Security   Company	INDINDI E	O NETWORK ELEMENTS - South Carolina												Attachment	1	Evhibit. D	
CATEGORY   RATE ELEMENTS   Intel® one   BCS   BSOG   RATES(\$)   Category	UNBUNDLEI	O NETWORK ELEMENTS - South Carolina	1	1		1						Cua Ordar	Cua Ordar	Attachment:		Exhibit: B	Incremental
CATEGORY   RATE ELEMENTS   Data   D																	
CATEGORY   RATE LEMBATS   In   200c   SCS   USCC   RATE(S)																	Charge -
Records	CATECORY	DATE ELEMENTO	Interi	7000	DCC	HEOC		DAT	TEC(¢)								Manual Svc
Name	CATEGORY	RATE ELEMENTS	m	Zone	всэ	0500		KA	E9(\$)			per LSR	per LSR				Order vs.
Part   Part														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										N	B'				D-((A)		
Part   Part							Rec										
OCUAL PURCEY   Country								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sc. Auffres LOD,   DROWN   D																	
Vehical Collocation - 2-wise Cross Connects (long)																	
Virtual Collocation - 2-wire Cross Cerements (soop)																	
Virtual Collocation - 4-wite Cross Connects (100p)					UNCVX, UNCDX,												
Virtual Collocation - 4-wine Cross Comments (Index)		Virtual Collocation - 2-wire Cross Connects (Ioop)			UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45		15.69				
Virtual Collocation - 4-wine Cross Comments (Index)																	
Minute Collocation - 4-were Closs Connects (loop)					UEA,UHL,UCL,UDL,												
Main Substitute					AMTFS, UAL, UDN,												
UPTS   UPTS		Virtual Collocation - 4-wire Cross Connects (loop)			UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74		15.69				
UPCGS UTF46, UTFCC UTF																	
UFFIXE   UFFIXED   UFFIX			1			1				1	Ì	İ	İ		I	Ì	
Virtual Collocation - 2-Fiber Cross Connects										1							
Virtual Collocation - 2-Fiber Cross Connects			1							1		1	1		1		
ARTES UDL12, UDL02, UTR6, UTR2, UTR3, UTR6, UTR2, UTR3, UDL02, UDC, CAC4F		Virtual Collocation - 2-Fiber Cross Connects	1			CNC2F	2 86	20 94	15 23	7 40	5.93	1	15 69		1		
URLOS, UTTAB, UTTO, UTTAB, U		Titodi Schoodilon 2 i iboi Orosa Outilicota	<del>                                     </del>			511021	2.00	20.34	10.20	7.40	5.55		10.09		<del>                                     </del>	<del>                                     </del>	
Virtual Collocation - 4-Fiber Cross Connects			1			1				1	Ì	İ	İ		I	Ì	
Virtual Collocation - 4-Fiber Cross Connects			1							1		1	1		1		
Wrust Collocation - 4-Piber Cross Connects																	
USL, UCAMTS, ULR, DATE, ULR, DA		Virtual Callagation A Films Comm Comments				CNICAE	F 74	05.04	40.00	0.70	0.00		45.00				
URL DUTCH   UNCLY, ULDPI   UNCLY,		Virtual Collocation - 4-Fiber Cross Connects				CNC4F	5.71	25.61	19.90	9.73	8.26		15.69				
UNICH, LIDOT, UNICH   UNICH																	
Virtual collocation - DS1 Cross Connects																	
Virtual collocation - DS1 Cross Connects																	
USLULCAMTFS,U   E3, UTTDS, UNCSX, UNDS, UNTS1, UNTS1, UNTS1, UNTS1, UNCSX, UNDS3, UTS1, UNDS3, UNTS1, UNDS3, UND																	
E. D. UTIDS, LUCRS, L		Virtual collocation - DS1 Cross Connects				CNC1X	1.12	22.08	15.96	6.42	5.80		15.69				
Virtual colicocation - DS3 Cross Connects																	
Virtual collocation - DS3 Cross Connects																	
UTTST, ULDST, UD																	
Virtual Collocation - DS3 Cross Connects   VIRTUAL COLLOCATION					UNCSX, ULDD3,												
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per linear for tool carrier Cross Connects - Copper/Coax   Cable Support Structure, per linear for tool carrier Cross Connects - Copper/Coax   Cable Support Structure, per linear for tool carrier Cross Connects - Fiber Cable   Support Structure, per cable   AMTFS   VE1CD   0.0033   Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   AMTFS   VE1CD   536.56   VIrtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTFS   VE1CE   536.56   VIrtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable   AMTFS   VE1CE   536.56   VIrtual Collocation - Security Escort - Deartine, per half hour   AMTFS   SPTDX   16.96   10.75   VIrtual Collocation - Security Escort - Overtine, per half hour   AMTFS   SPTDX   27.21   11.389   VIrtual Collocation - Maintenance in CO - Basic, per half hour   AMTFS   SPTDX   27.23   17.02   VIrtual Collocation - Maintenance in CO - Eventine, per half hour   AMTFS   SPTDM   36.56   13.89   VIrtual Collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTDM   45.12   17.02   VIrtual Collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTDM   45.12   17.02   VIrtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - Wire Cross Connect, Exchange Por					U1TS1, ULDS1,												
Support Structure, per linear foot		Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93		15.69				
Support Structure, per linear foot		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax					AMTFS	VE1CB	0.0022										
Cable Support Structure, per linear ft																	
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable   Support Structure, per cable   Support Structure, per cable   AMTFS   VE1CC   536.56					AMTES	VE1CD	0.0033										
Support Structure, per cable   AMTES   VE1CC   536.56			†							1		i	i		1	1	
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax   Cable Support Structure, per cable			1		AMTFS	VE1CC		536.56		I					I	Ì	
Cable Support Structure, per cable   AMTFS   VE1CE   536.56			1		0			300.00		<b>†</b>	<b>†</b>	<del> </del>	<del> </del>		<b>†</b>	<b> </b>	
Virtual collocation - Security Escort - Basic, per half hour   AMTFS   SPTOX   10.75			1		AMTES	VF1CF		536 56		1	Ì	l	l		I	Ì	
Virtual collocation - Security Escort - Overtime, per half hour   AMTFS   SPTOX   22.10   13.89			<b>†</b>						10.75	<del> </del>		<b> </b>	<b> </b>		<del> </del>	-	
Virtual collocation - Security Escort - Premium, per half hour   AMTES   SPTPX   27.23   17.02			<del>                                     </del>							<del>                                     </del>	<del> </del>				<del>                                     </del>	<del>                                     </del>	
Virtual collocation - Maintenance in CO - Basic, per half hour   AMTFS   CTRLX   27.99   10.75			<del>                                     </del>						17.09	t	1	1	1	1	t	1	
Virtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTOM   36.56   13.89			<del>                                     </del>							t		1	1		<del> </del>	1	
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   45.12   17.02		virtual conocation - Maintenance III CO - Dasic, per Half flour	<del>                                     </del>		MINIT O	OTNLA		21.99	10.75	<del></del>	-			-	<del></del>	<b> </b>	
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   45.12   17.02		Virtual collecation Maintenance in CO Overtime per helf hour	1		AMTEC	SDTOM		26 56	12 00	1	Ì	l	l		I	Ì	
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		virtual conocation - Maintenance in CO - Overtime, per nair nour	<del>                                     </del>	-	AIVITE'S	Or I UIVI		30.36	13.89	<b>-</b>					<b>-</b>		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		Virtual collegation Maintenance in CO. Promises and helf have	1		AMTEC	CDTD*4		45.40	47.00	1		1	1		1		
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-   UEPSR   VE1R2   0.0317   12.32   11.83   6.04   5.45   15.69	(IDTIIAL COLL		<del>                                     </del>	$\vdash$	AIVITO	SPIPM		45.12	17.02	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	
Wire Analog - Res	VIKTUAL COLL		<b>!</b>			-				1		1	1		1	1	
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			1		LIEDOD	VE4D0	0.004=	40.00	44.00			1	45.00		1		
Wire Line Side PBX Trunk - Bus			<del>                                     </del>		UEPSK	vE1K2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69		<b></b>	ļ	
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   Voice Grade PBX Trunk - Res   UEPSE   VE1R2   0.0317   12.32   11.83   6.04   5.45   15.69			1								_	1			1		
Voice Grade PBX Trunk - Res			<b>!</b>		UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45	ļ	15.69		<b></b>		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   Analog Bus   UEPSB   VE1R2   0.0317   12.32   11.83   6.04   5.45   15.69     Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   ISDN   UEPSX   VE1R2   0.0317   12.32   11.83   6.04   5.45   15.69   Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   UEPSX   VE1R2   0.0317   12.32   11.83   6.04   5.45   15.69   Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   VIrtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire   VE1R2   0.0317   12.32   11.83   6.04   5.45   VE1R2			1							1		1	1		1		
Analog Bus			ļ		UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69				
Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN  UEPSX  VE1R2  0.0317  12.32  11.83  6.04  5.45  15.69  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1									i	i			<u> </u>	
ISDN			<u> </u>		UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45		15.69	<u> </u>	<u> </u>		
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			1		UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45	1	15.69		1		
		ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45	I	15.69	1	1	1	

ONRONDLE	D NETWORK ELEMENTS - South Carolina	_	1	ı	1	ı			,				Attachment:		Exhibit: B	<b> </b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Marie 10 dilection 4 Miles Occasion 5 di accesso Berli 4 Miles						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80		15.69				
VIRTUAL COL				UEPEX	VE IK4	1.12	22.00	15.96	0.42	5.60		15.69			-	<del> </del>
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR, UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45		15.69				
AIN SELECTIV	E CARRIER ROUTING			, , , , , , , , , , , , , , , , , , , ,												
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85		15.69				
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70		15.69				
	Query NRC, per query			SRC		0.0035036										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78		15.69				
	AIN CMC Access Consists Book Constitute Biol/Classics			AANI	CAMDP		7.0-	7.0-		0.41		45.00			1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access			A1N A1N	CAM1P		7.85 7.85	7.85 7.85	9.11 9.11	9.11 9.11		15.69 15.69			-	<del> </del>
	AIN SMS Access Service - Port Connection - ISDN Access AIN SMS Access Service - User Identification Codes - Per User			AIN	CAMIP		7.85	7.85	9.11	9.11		15.69			-	<del>                                     </del>
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.08	35.08	27.12	27.12		15.69				
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74		15.69				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAWING	0.0027	41.30	41.30	111.74	11.74		15.05				
	AIN SMS Access Service - Session, Per Minute					0.7121									1	
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78		15.69				ļ
	AIN Toolkit Service - Training Session, Per Customer AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVX		4,211.54	4,211.54	0.00	0.00		15.69			-	<u> </u>
	DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DALII		7.05	7.00	3.11	3.11		15.05				+
	DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11		15.69				
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per											4= 00				
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		34.54	34.54	14.39	14.39		15.69				
	DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39		15.69				
	AIN Toolkit Service - Query Charge, Per Query					0.0558238										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0069214										<u> </u>
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68				15.69				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52		15.69				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM					5.52	5.52						
ENHANCED E	Service Subscription XTENDED LINK (EELs)		<b>!</b>	CAIVI	BAPES	0.12	8.68	8.68				15.69			<del>                                     </del>	<del> </del>
	New EELs available in GA, TN, KY, LA, MS, & SC and density	/ 70na 1	of foll	owing MSAs: Orlan	do Fl · Mism	i FI: Et Laudo	rdale FI ·		<del>                                     </del>						<del></del>	1
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-														<del> </del>	†
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to currer	ntly combined	facilities co	onverted to	UNEs.(Non-re	curring rates	do not apply	(-)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordi	narily c	ombined network e	lements.(No	Switch As Is Ch	arge.)			,			. ,	3.2.00		Í
2-WIRI	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)	1											1

ONDONDEL	D NETWORK ELEMENTS - South Carolina	1		1	1	I					Cva Cuda	Cup Cade	Attachment:		Exhibit: B	In orom and -!
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport				l											
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			ONOVA	OLALZ	20.10	105.50	00.43	33.03	10.01		15.05				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility				l											
	Termination per month DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81		15.69 15.69				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	10.56	9.81		15.69				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1			ONOVA	IDIVO	0.30	0.00	4.73				13.03				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.56	6.59	4.73				15.69				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR												İ	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		_			40.00	400.00		====			4= 00				
	Transport Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ü	ONOVA	OL/ L	40.00	102.00	04.00	00.00	14.01		10.00				
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per											4= 00				
	Month Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	per month			UNCVX	1D1VG	0.56	6.59	4.73				15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1			0.10171	.5	0.00	0.00	0				10.00				
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1							· · · · · · · · · · · · · · · · · · ·								
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE				0.01	0.01	7.00	1.00		10.00			İ	
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice						İ									
	Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
1	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_	LINODY	LIDI 50		,					,				
	Transport Combination - Zone 2 First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice	ļ	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69			<del>                                     </del>	-
1	Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			0.100/	35200	34.74	120.00	03.12	55.55	14.01	<b> </b>	13.03			<b>†</b>	<del>                                     </del>
	Per Month	l		UNC1X	1L5XX	0.27									1	
	Interoffice Transport - Dedicated - DS1 - combination Facility														1	
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per	l		l											1	
	Month	1	l	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	l	15.69			<u> </u>	

ONBONDLE	D NETWORK ELEMENTS - South Carolina			1	1						1_		Attachment:		Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	UDLS6	33.99	120.00	09.12	59.55	14.01		15.69				
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System -			0.105/	02200	0	120.00	00.12	00.00			10.00				
	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIR	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)											ļ	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								== ==							
	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			ONODA	ODLO4	55.55	120.00	03.12	33.33	14.01		13.03				
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile					_				-						
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			UNCDA	טטוטו	1.19	6.59	4.73				15.69			-	-
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			0.105/	05201	20.00	120.00	00.12	00.00			10.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WIB	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	POEE	CE TR		UNCCC		5.01	5.61	7.00	7.00		15.69			-	-
17.11.11	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice	1	<u> </u>	I												
	Transport - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
	Transport - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIX	ILSXX	0.27									-	-
	Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-	1			J	01.71	00.47	01.00	10.09	1-1-10		10.00			<b>†</b>	<b>†</b>
	Is Charge	l		UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69			1	
4-WIR	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TR	ANSPORT (EEL)												
	First DS1Loop in DS3 Interoffice Transport Combination - Zone			]			<u> </u>	· · · · · · · · · · · · · · · · · · ·								
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69			1	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1		l												
<del>                                     </del>	Eirot DC4L con in DC2 Intereffice Transport Combination 7	1	2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69			1	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
<del>                                     </del>	Interoffice Transport - Dedicated - DS3 combination - Per Mile	<del>                                     </del>	J	OINO IA	USLAA	201.09	200.00	157.09	44.00	11.73		13.09			<del> </del>	
1 1	Per Month	l		UNC3X	1L5XX	6.42					I				I	

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Literatura De Francis De Production De Produ				ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				ĺ
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73	00.00	01.00		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in DS3 Interoffice Transport Combination -		Ė													
	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				ĺ
	DS3 Interface Unit (DS1 COCI) combination per month		_	UNC1X	UC1D1	8.64	6.59	4.73	44.00	11.70		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-						2.20	0								
	Is Charge		<u>L</u>	UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WIRE	VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE T	RANSPORT (EEL)												
	2-WireVG Loop used with 2-wire VG Interoffice Transport		1	l	I	I ⊤			I			I 7				1
	Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61		15.69				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per		3	UNCVA	ULALZ	20.40	103.98	00.43	33.03	10.01		13.09				<b>—</b>
	Mile Per Month			UNCVX	1L5XX	0.0134										ĺ
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															
	combination - Facility Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91		15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-															İ
4 W/IDE	Is Charge VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EDOEE	ICE TO	UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				<del> </del>
4-11/1	4-WireVG Loop used with 4-wire VG Interoffice Transport	EKUFF	ICE II	TANSPORT (EEL)	-				-							<del></del>
	Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61		15.69				ļ
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61		15.69				
	4-WireVG Loop used with 4-wire VG Interoffice Transport			UNCVA	ULAL4	45.09	132.30	54.03	39.33	14.01		13.09				<b>—</b>
	Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire VG combination - Per		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61		15.69				ļ
	Mile Per Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91		15.69				ĺ
	combination - Facility Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	01174	17.03	40.63	21.41	16.77	6.91		15.69				<del></del>
	Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00		15.69				İ
DS3 DI	GITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TRAI	NSPOR	T (EEL)												
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 combination -															
	Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility		1	LINGOV		704.50	070.67	400 10	00.00	F0 =0		45.00				
	Termination per per month  Nonrecurring Currently Combined Network Elements Switch -As-		<b> </b>	UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59		15.69				<del>                                     </del>
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				1
STS1 [	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	FICE TR	RANSP	ORT (EEL)												
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	12.26							_			1
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile						+32.32	204.03	115.75	03.11		13.09				
	per month Interoffice Transport - Dedicated - STS1 combination - Facility		<u> </u>	UNCSX	1L5XX	6.42										<del>                                     </del>
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				1

ONBONDL	ED NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							N.		N.	B'					2.00 .01	2.007.00.
						Rec	Nonrec		Nonrecurring		001450	001111		Rates(\$)	001441	001111
	Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	T /FFI		UNCSA	UNCCC		5.61	5.61	7.00	7.00	-	15.69			-	<del> </del>
2-4411	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	\ (LLL	,													1
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
<b>+</b>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		<u> </u>	CHOID	OTLEX	20.21	117.00	00.00	00.00	10.01		10.00				1
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.27										1
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		15.69				
	Channelization - Channel System DS1 to DS0 combination -															1
	per month		<u> </u>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System									·			·		1	
$oxed{oxed}$	combination - per month	<u> </u>	<u> </u>	UNCNX	UC1CA	2.56	6.59	4.73				15.69				<u> </u>
] [	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		l	l										I	
	Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		15.69				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIN	1141.00/	07.70	447.50	00.00	50.05	10.01		45.00				
	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		15.69				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.56	6.59	4.73				15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCINA	UCTCA	2.30	6.59	4.73				15.69				
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
4-WII	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROE	FICE T		UNCCC		3.01	5.01	7.00	7.00		13.09				
· · · ·	First DS1 Loop in STS1 Interoffice Transport Combination -	Littor	o <u>.</u> .	I												1
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		15.69				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS1 combination - Facility															1
	Termination			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59		15.69				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90		15.69				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	8.64	6.59	4.73				15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -			LINIOAY	1101.207	455.40	050.00	457.00	44.00	44.70		45.00				
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73		15.69				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		3	UNC1X	USLXX	004.00	252.02	457.00	44.00	11.73		45.00				
	Zone 3 DS3 Interface Unit (DS1 COCI) combination per month		3	UNC1X UNC1X	UC1D1	261.89 8.64	253.03 6.59	157.89 4.73	44.80	11.73		15.69 15.69				
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	OCIDI	0.04	6.59	4.73				15.69				1
	Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69			1	
4-WII	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE 1	RANS		3550		0.01	0.01	7.50	7.50	<u> </u>	10.00			<b>I</b>	<del>                                     </del>
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1	1		1										1	<b>†</b>
] [	Combination - Zone 1	1	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61		15.69			I	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1														
] [	Combination - Zone 2	1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		15.69			I	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	1			1		-									
	Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61		15.69			<u></u>	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						_									
	Per Mile		<u> </u>	UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															1
1 1	Facility Termination	1	1	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91	<u> </u>	15.69				<u> </u>

UNB	BUNDLE	D NETWORK ELEMENTS - South Carolina					1					•		Attachment:		Exhibit: B	1
CATE	EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	4-WIRE	E 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROI	FFICE 1	RANS	PORT (EEL)												
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport															
		Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport											4= 00				
		Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61		15.69				
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61		15.69				
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL64	34.74	120.00	09.12	59.55	14.01		15.69			-	
		Per Mile			UNCDX	1L5XX	0.0134										
	1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				.20,50	0.0104								1	1	
		Facility Termination			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
ADDI		NETWORK ELEMENTS															
		used as a part of a currently combined facility, the non-recurr															
		used as ordinarilty combined network elements in South Caro	lina, th	e non-	recurring charges ap	pply and the	Switch As Is Ch	narge does not									
		SynchroNet)															
	Nonred	curring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00		45.00				
		Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		5.01	5.01	7.00	7.00		15.69				
		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	ONCCC		3.01	3.01	7.00	7.00		15.05				
		Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	0.1000		0.01	0.01	7.00	7.00		10.00			1	
		Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00		15.69				
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00		15.69				
	NOTE:	Local Channel - Dedicated Transport - minimum billing period	d - Belo	w DS3													
		Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	15.33	193.53	33.24	36.72	3.21		15.69				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	16.54	193.97	33.68	37.19	3.68		15.69				
		Local Channel - Dedicated - DS1 per month Zone 1		1	UNC1X	ULDF1	42.62	177.87	154.06	22.24	15.30		15.69				
		Local Channel - Dedicated -DS1 Per Month Zone 2 Local Channel - Dedicated - DS1- Per Month Zone 3		2	UNC1X UNC1X	ULDF1 ULDF1	70.32 190.68	177.87 177.87	154.06 154.06	22.24 22.24	15.30 15.30		15.69 15.69			<del>                                     </del>	<del> </del>
-		Local Channel - Dedicated - DS1- Per Month Zone 3  Local Channel - Dedicated - DS3 - Per Mile per month	1	3	UNC3X	1L5NC	190.68	1//.8/	154.06	22.24	15.30		15.09		1	<del> </del>	1
	+	Local Channel - Dedicated - DS3 - Fer Mile per month	<del>                                     </del>		01403/	ILSING	11.93								1	<del> </del>	<del>                                     </del>
	1	month	l		UNC3X	ULDF3	446.00	452.52	264.53	119.75	83.77		15.69			1	
		Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	11.93								Ì	1	
		Local Channel - Dedicated - STS-1 - Facility Termination per															
L	_L	month	<u></u>		UNCSX	ULDFS	435.10	452.52	264.53	119.75	83.77	<u> </u>	15.69			<u> </u>	
UNB		LOCAL EXCHANGE SWITCHING(PORTS)									_						
		nge Ports						•	•		•						
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to I	oe ordered usin	g retail USOCs	· ·								ļ
	2-WIRE	E VOICE GRADE LINE PORT RATES (RES)			LIEBOD	uene:							,				<b>_</b>
<u> </u>		Exchange Ports - 2-Wire Analog Line Port- Res.	ļ		UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33		15.69				<b>_</b>
	1	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	l		UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33		15.69			1	
<b>-</b>	-	Lacriange Forts - 2-vvire Arianog Line Port with Galler ID - Res.			ULFOR	UEFRU	1.05	2.38	2.28	1.42	1.33		15.69		-	<del></del>	<del> </del>
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.	l		UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33		15.69		1	I	
	1	Exchange Ports - 2-Wire VG unbundled SC extended local	1		OLI OK	CLINO	1.00	2.30	2.20	1.42	1.00		10.09			<b>-</b>	<del>                                     </del>
	1	dialing parity Port with Caller ID - Res.	l		UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33		15.69			1	
		Exchange Ports - 2-Wire VG unbundled South Carolina Area				1		00	0				.5.50			1	
	1	Calling port with Caller ID - Res (LW8)	l		UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33		15.69			1	
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33		15.69				
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.69				
. –	FΕΔΤΙ	JRE\$	1	1	<u> </u>	1				L T		<u> </u>			<u> </u>		1

NRONDLE	D NETWORK ELEMENTS - South Carolina			1	1						1 -		Attachment:		Exhibit: B	ļ
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
$\overline{}$							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
-+-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00		,,,,,,	0020	15.69				
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33		15.69				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33		15.69				
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33		15.69				
FEATL	Subsequent Activity	ļ		UEPSB	USASC	0.00	0.00	0.00				15.69			-	
rEAIL	All Available Vertical Features	1		UEPSB	UEPVF	3.04	0.00	0.00				15.69			1	<b> </b>
-+-	All Available Vertical Features  All Available Vertical Features			OLI 0D	UEPVF	3.04	0.00	0.00				15.69				<b> </b>
EXCH/	ANGE PORT RATES (DID & PBX)				02	0.01	0.00	0.00				10.00				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPLD UEPXA	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90		15.69 15.69				
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90		15.69				
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90		15.69				
$-\!\!\!\!+\!\!\!\!-$	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90		15.69				-
	Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90		15.69				
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	10.07	0.00		15.69				
FEATU	URES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00		-		15.69				
EXCH/	ANGE PORT RATES (COIN)															
1	Exchange Ports - Coin Port	<b> </b>			1	1.65	2.38	2.28	1.42	1.33		15.69			ļ.	1
	Switching Features offered with Port  : Transmission/usage charges associated with POTS circuit sv	witchod	Heada	will also apply to a	ircuit switchs	d voice and/a-	circuit ewitch	ad data trans	ission by B-Ch	annele secoi	ated with a	wire ISDN -	orte		<b>†</b>	1
	: Access to B Channel or D Channel Packet capabilities will be													Request Pro	ocess.	1
	LOCAL EXCHANGE SWITCHING(PORTS)			,				, capabi					3030		1	
	ANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77		15.69				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47		15.69				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76		15.69				
	All Features Offered			UEPTX UEPSX	UEPVF	3.04	0.00	0.00		•						
	: Transmission/usage charges associated with POTS circuit sv													L		
NOTE:	: Access to B Channel or D Channel Packet capabilities will be	availal	ole onl	y through BFR/New  UEPTX UEPSX	Business Re IU1UMA			packet capabi 0.00	lities will be de	termined via t	ne Bona Fic	ie Request/l	New Business	Request Pro	ocess.	
_	Exchange Ports - 2-Wire ISDN Port Channel Profiles					0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	1
											Svc Order	Svc Order		Incremental	Incremental	Incrementa
											1	Submitted				1
													Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		В.	TES(\$)			Elec	Manually		Manual Svc	Manual Svc	1
CATEGORI	RATE ELEMENTS	m	Zone	B03	0300		NA.	1 L3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonre	curring	Nonrecurrin	g Disconnect		I	OSS	Rates(\$)	I.	<u> </u>
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI ED	LOCAL SWITCHING. PORT USAGE						11130	Auu	11100	Auui	COME	COMPAR	COMPAN	COMPAN	COMPAR	COMPAN
	ffice Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0010519										
	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tande	m Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
Comm	on Transport															
	Common Transport - Per Mile, Per MOU					0.0000045										
	Common Transport - Facilities Termination Per MOU					0.0004095										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC ar															
	es shall apply to the Unbundled Port/Loop Combination - Cos															
	ffice and Tandem Switching Usage and Common Transport Us															
	eorgia, Kentucky, Louisiana, MIssissippi, South Carolina and T															
	ntly Combined Combos for all states. In GA, KY, LA, MS, SC ar								and NC these	e nonrecurring	charges are	Market Rat	es and are als	so listed in th	e Market Rate	section.
	urrently Combined Combos in all other states, the nonrecurring	g charg	es shal	I be those identified	in the Nonre	ecurring - Curre	ently Combine	d sections.								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
0.180	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
2-Wire	Voice Grade Line Port Rates (Res)			LIEDDY	HEDDI	4.40	27.02	40.70				45.00				
	2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res			UEPRX UEPRX	UEPRL UEPRC	1.13 1.13	37.93 37.93	16.72 16.72	-			15.69 15.69				<b></b>
	2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.13	37.93	16.72				15.69				-
				UEPKX	UEPRU	1.13	37.93	16.72				15.69				-
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled South Carolina Area Calling port with			OLFKA	ULFAU	1.13	31.33	10.72	-		-	13.09				<del> </del>
	Caller ID - res (LW8)			UEPRX	UEPAJ	1.13	37.93	16.72				15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID			CLITOC	OLI 710	1.10	01.00	10.72				10.00				
	(LUM)			UEPRX	UEPAP	1.13	37.93	16.72				15.69				
FEAT				OLITIX	OLI AI	1.13	37.33	10.72				13.03				
I EAT	All Features Offered			UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY			021.101	02	0.0 .	0.00	0.00				10.00				
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED					0.00										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	1		UEPRX	USAC2		0.10	0.10	I			15.69		1		1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10				15.69				
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	l						<u> </u>					-		I	1
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE F	ort/Loop Combination Rates	ļ							ļ	ļ				ļ		<b>I</b>
	2-Wire VG Loop/Port Combo - Zone 1	ļ	1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2		ļ	21.52			<b></b>	ļ						
	2-Wire VG Loop/Port Combo - Zone 3		3		ļ	27.17			<b></b>	ļ				ļ		
UNE L	oop Rates	<b> </b>	<u> </u>	UEDDV	uee v	10 ==				ļ						<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>!</b>	1	UEPBX	UEPLX	13.76			<b>.</b>	-				<b> </b>	ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPBX	UEPLX	20.38			-	ļ						<b>├</b>
0.157	2-Wire Voice Grade Loop (SL1) - Zone 3	<b> </b>	3	UEPBX	UEPLX	26.04				ļ						<b></b>
2-Wire	Voice Grade Line Port (Bus)	<b>!</b>		HEDDY	LIEDD'	4.40	07.00	10 =0	<b>.</b>	-		45.00		<b> </b>	ļ	
	2-Wire voice unbundled port without Caller ID - bus		1	UEPBX	UEPBL	1.13	37.93	16.72	1		1	15.69		l	l	

04/12/02 Page 291 of 352

ONRONDI	LED NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
		+					Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	37.93	16.72				15.69				
	2-Wire voice Grade unbundled South Carolina extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled incoming only port with Caller ID - Bus	_		UEPBX	UPEB1	1.13	37.93	16.72				15.69				
	2-Wire voice unbundled South Carolina Bus Area Calling Port											4= 00				
1.00	with Caller ID (LMB) CAL NUMBER PORTABILITY			UEPBX	UEPAB	1.13	37.93	16.72				15.69				
LOC	Local Number Portability (1 per port)		1	UEPBX	LNPCX	0.35										
EEA	TURES	-	+	UEPBA	LINPUA	0.35					-				-	
FLA	All Features Offered	+		UEPBX	UEPVF	3.04	0.00	0.00				15.69				
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		t		J VI	0.04	0.00	0.00				10.00			1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-	1		1										1	
	Switch-as-is		1	UEPBX	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change			UEPBX	USACC		0.10	0.10				15.69				
ADE	DITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00				15.69				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX	)														
UNE	E Port/Loop Combination Rates					11.00										
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			21.52 27.17										
LINE	E Loop Rates		3			21.11										1
ONL	2-Wire Voice Grade Loop (SL 1) - Zone 1	+	1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04										
2-W	ire Voice Grade Line Port Rates (RES - PBX)															1
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	37.93	16.72				15.69				
LOC	CAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)	_		UEPRG	LNPCP	3.15	0.00	0.00				15.69				
FEA	ATURES			UEPRG	UEPVF	0.04	0.00	0.00				45.00				
NO	All Features Offered	-	1	UEPRG	UEPVF	3.04	0.00	0.00				15.69			-	
NO	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	-	+		-						-				-	
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91				15.69				
-	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	+	1		33.352		7.55	1.51	<b>†</b>		<u> </u>	10.00			<b>I</b>	<b>†</b>
	Conversion - Switch with Change		1	UEPRG	USACC		7.93	1.91				15.69				
ADE	DITIONAL NRCs								1							
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				İ		İ									
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group	+-	<u> </u>				7.34	7.34				15.69			ļ	<u> </u>
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX	)	<del>                                     </del>												1	<b></b>
UNE	E Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	+	1			14.89	-				1				1	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	+	2		+ +	21.52	+								+	<del> </del>
<del>  </del>	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	1	3		+	27.17	ł				-				t	<del>                                     </del>
UNF	E Loop Rates		Ť		1	21.11									1	1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76	İ								1	
1	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPPX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	3		UEPPX	UEPPC	1.13	37.93	16.72				15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	37.93	16.72				15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	1.13	37.93	16.72				15.69				

UNDUNDLE	D NETWORK ELEMENTS - South Carolina	1	1	1	1 1						la - :		Attachment:		Exhibit: B	<del>                                     </del>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates(\$)		N.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02.17	02. AL	0	01.00	2				10.00				
	Administrative Calling Port			UEPPX	UEPXL	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1												]	1
	Discount Room Calling Port			UEPPX	UEPXO	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	37.93	16.72				15.69				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															i
	Calling Port			UEPPX	UEPXT	1.13	37.93	16.72				15.69				<b>I</b>
LOCA	L NUMBER PORTABILITY															<b>I</b>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69				<b></b>
FEAT																<b></b>
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00				15.69				<b></b>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															<b></b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91				15.69				1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	OLITA	OOAOZ	1	7.55	1.01				13.03				<del></del>
	Conversion - Switch with Change			UEPPX	USACC		7.93	1.91				15.69				i
ADDIT	TONAL NRCs			CLITA	00/100		7.50	1.01				10.00				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69				i
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
2.WID	Group  E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POF	DT.			+		7.34	7.34				15.69				-
	Port/Loop Combination Rates	1	1		+	1										<del></del>
ONE I	2-Wire VG Coin Port/Loop Combo – Zone 1		1		+	14.89										<del></del>
	2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	21.52										<del></del>
	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	27.17										
UNE L	oop Rates		Ť			2,										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	37.93	16.72				15.69				
_	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;		-	UEPCO	UEPSH	1.13	37.93	16.72				15.69				
	with Dialing Parity (SC)		<u> </u>	UEPCO	UEPSC	1.13	37.93	16.72				15.69				<del>                                     </del>
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	37.93	16.72				15.69				
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	37.93	16.72	I			15.69				<u> </u>
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	37.93	16.72				15.69				
	2-Wire Coin Outward without Blocking and without Operator															
	Screening (SC) 2-Wire Coin Outward with Operator Screening and 011 Blocking			UEPCO	UEPSG	1.13	37.93	16.72				15.69				
1	(SC)			UEPCO	UEPSF	1.13	37.93	16.72				15.69				<u> </u>

UNBU	NULE	NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	<b></b>
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Coin Outward with Operator Screening and Blocking:															
		011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	37.93	16.72				15.69				
		2-Wire Coin Outward with Operator Screening and Blocking:															
		900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	37.93	16.72				15.69				
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,															
		011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	37.93	16.72				15.69				<del></del>
		2-Wire 2-Way Smartline with 900/976 (all states except LA) 2-Wire Coin Outward Smartline with 900/976 (all states except			UEPCO	UEPCK	1.13	37.93	16.72				15.69			-	<del></del>
		LA)			UEPCO	UEPCR	1.13	37.93	16.72				15.69				
	ADDITI	ONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OIX	1.13	37.93	10.72				15.05				+
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	37.93	16.72				15.69			1	1
		NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRE	CURRING CHARGES - CURRENTLY COMBINED									•						
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
		Switch-as-is		-	UEPCO	USAC2		0.10	0.10				15.69			1	+
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10				15.69				
		ONAL NRCs			UEPCO	USACC		0.10	0.10			-	15.69			-	+
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															+
		Activity			UEPCO	USAS2		0.00	0.00				15.69				
	UNBUN	DLED REMOTE CALL FORWARDING - RES															
		curring															
		DLED REMOTE CALL FORWARDING - Bus															
		Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus			UEPVB	UEPVJ	1.65	2.38	2.28	1.42	1.33		15.69				
		curring															
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE															<u> </u>
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE PORT/LOOP COMBINATIONS - COST BASED RATES	LINE	OKI (	B02)											-	<del></del>
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT									-				-	+
		ort/Loop Combination Rates	IOKI														+
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			23.75									İ	†
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.20										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			35.52										
		oop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16.68										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.13										<u> </u>
	LINE D	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 ort Rate		3	UEPPX	UECD1	28.46									-	+
		Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38			15.69			+
		CURRING CHARGES - CURRENTLY COMBINED			OLFFX	OLFDI	7.00	223.33	07.21	113.00	14.30			13.09			+
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -														1	+
		Switch-as-is			UEPPX	USAC1		7.32	1.87					15.69			
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															1
		with BellSouth Allowable Changes			UEPPX	USA1C		7.32	1.87					15.69			
		ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.84						15.69			
	elepn	one Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00			-		15.69		<del>                                     </del>	<del> </del>
-		DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group			OLPFA	וטויו	0.00	0.00	0.00					15.09		+	+
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00					15.69			1
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00					15.69		1	1
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00					15.69		1	†
		Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00					15.69			
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00					15.69			
	LOCAL	NUMBER PORTABILITY					,										
		Local Number Portability (1 per port)	l		UEPPX	LNPCP	3.15	0.00	0.00			1				ļ	<b></b>
	0 14/15-	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	IE OIL														

ONBON	NDLE	D NETWORK ELEMENTS - South Carolina													Attachment:		Exhibit: B	<b></b>
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
									Nonros		Nonrocurring	Disconnect				Rates(\$)		
							-	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1		11131	Auu	11130	Auu i	JOINEC	JONAN	JONAN	JOMAN	JOHIAN	JONAN
		UNE Zone 1		1	UEPPB	UEPPR		30.86										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	02	02	1	00.00										1
		UNE Zone 2		2	UEPPB	UEPPR		38.60										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		44.23										
ι	JNE Lo	pop Rates																
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90							15.69			
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64							15.69			
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27							15.69			
U		ort Rate																
<u> </u>		Exchange Port - 2-Wire ISDN Line Side Port		<u> </u>	UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37			15.69			ļ
1	NONRE	CURRING CHARGES - CURRENTLY COMBINED																
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEBES	LIEBSS									.= -	1		
L .		Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08					15.69			
		ONAL NRCs																
L	LOCAL	NUMBER PORTABILITY			LIEDDD	HEDDD	LNDOV	0.05	0.00	0.00								
<u> </u>		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
- 1		NNEL USER PROFILE ACCESS:			LIEDDD	HEDDD	1141104	0.00	0.00	0.00								
		CVS/CSD (DMS/5ESS)			UEPPB UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR UEPPR	U1UCB	0.00	0.00	0.00								
-		CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MC O	TAIN	UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	3-СПА	NNEL AREA PLUS USER PROFILE ACCESS: (AL, KT, LA, MS S CVS/CSD (DMS/5ESS)	C,IVIO, 6	(IN)	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
-		CVS (EWSD)		-	UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD (EWSD)			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								<del> </del>
<b>—</b>		FERMINAL PROFILE			UEFFB	UEFFR	UTUCF	0.00	0.00	0.00								<del> </del>
-		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								<del> </del>
		CAL FEATURES			OLFFB	ULFFR	OTOWA	0.00	0.00	0.00	-		-					<del>                                     </del>
		All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	3.04	0.00	0.00			1		15.69			-
_		OFFICE CHANNEL MILEAGE		1	UEFFB	UEFFR	UEPVF	3.04	0.00	0.00			1		15.09			1
		Interoffice Channel mileage each, including first mile and					+				-		-					<del></del>
		facilities termination			LIEDDR	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91			15.69			
		Interoffice Channel mileage each, additional mile		1		UEPPR	M1GNM	0.0167	0.00	0.00	10.77	0.91	1		13.09			1
		EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT		OLFFB	ULFFR	IVITGINIVI	0.0107	0.00	0.00								
		ort/Loop Combination Rates	I				-											<b>†</b>
<del> </del>		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																+
		Zone 1		1	UEPPP			176.82										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
		Zone 2		2	UEPPP			241.38										
		4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	02			211.00										
		Zone 3		3	UEPPP			347.84										
U		pop Rates																
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43							15.69			
		4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89							15.69			
ι		ort Rate																
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83			15.69			
1		CURRING CHARGES - CURRENTLY COMBINED																
		4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
L		Combination - Conversion -Switch-as-is	<u></u>	L	UEPPP		USACP	0.00	119.34	78.73	<u> </u>		<u></u>		15.69	<u> </u>		<u></u>
	ADDITI	ONAL NRCs																
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
		Inward/two way tel nos within Std Allowance (except NC)		L	UEPPP		PR7TF	<u> </u>	0.49	0.49	<u>                                      </u>		<u> </u>		15.69	<u> </u>		<u></u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
		Outward Tel Numbers (All States except NC)	<u></u>	L	UEPPP		PR7TO	<u> </u>	11.54	11.54	<u> </u>		<u></u>		15.69	<u> </u>		<u></u>
		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
1 1		Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.07	23.07	1				15.69	1		

04/12/02 Page 295 of 352

<b>JNBUNDLE</b>	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)			1	Submitted	Incremental Charge -			Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56						15.69			
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	14.56						15.69			
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	14.56						15.69			
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00				İ				
Intero	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48			15.69			
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3415										
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		149.77										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		214.33										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE L	oop Rates					0_00										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43							15.69			
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89							15.69			
UNF P	Port Rate		Ť	02. 50	00250	201.00							10.00			
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20			15.69			
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is			UEPDC	USAC4		129.78	67.17					15.69			
-+-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	00/104		120.10	07.17			1		10.00			
	- Conversion with DS1 Changes			UEPDC	USAWA		129.78	67.17					15.69			
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	OOAWA		123.70	07.17					13.03			
	- Conversion with Change - Trunk			UEPDC	USAWB		129.78	67.17					15.69			
ADDIT	TONAL NRCs			OLI DO	OOAWD		123.70	07.17					13.03			
ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				-											
	Channel Activation/Chan - 1-Way Outward Trunk	1	1	UEPDC	UDTTB		14.51	14.51					15.69	l	Ì	l
-+-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	סבו טט	30110		14.01	14.31			<b>-</b>	1	15.09	1	1	1
	Activation/Chan Inward Trunk w/out DID		1	UEPDC	UDTTC		14.51	14.51					15.69			
$\overline{}$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	-	<del>                                     </del>	021 00	35110		14.51	17.51			<b>-</b>		15.09	<del> </del>	<del>                                     </del>	<del>                                     </del>
	Activation Per Chan - Inward Trunk with DID	1	1	UEPDC	UDTTD		14.51	14.51					15.69	l	Ì	l
$\overline{}$	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	-	<del>                                     </del>	OLI DO	30110		14.01	14.31			<b>-</b>		15.09	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Activation / Chan - 2-Way DID w User Trans	1	1	UEPDC	UDTTE		14.51	14.51					15.69	l	Ì	l
RIDOI	AR 8 ZERO SUBSTITUTION		1	021 00	JUITE		14.01	14.31			<b>-</b>	1	15.69	1	1	1
BIFUL	B8ZS -Superframe Format		1	UEPDC	CCOSF		0.00	605.00			<b>-</b>	1	15.69	1	1	1
-+-	B8ZS - Extended Superframe Format		1	UEPDC	CCOEF		0.00	605.00			<b>-</b>	1	15.69	1	1	1
Altorn	ate Mark Inversion		1	OLFDC	CCUEF		0.00	605.00			-	1	15.69			1
Aiterna	AMI -Superframe Format		-	UEPDC	MCOSF		0.00	0.00	<b> </b>				<b> </b>	-	<b> </b>	<del> </del>
+-	AMI - Extended SuperFrame Format		1	UEPDC	MCOPO		0.00	0.00			<del>                                     </del>	-	-	-	-	-
Toloni	none Number/Trunk Group Establisment Charges		1	021 00	IVICOFO		0.00	0.00			<b>-</b>	1	1	1	1	1
reiepr	Telephone Number for 2-Way Trunk Group		1	UEPDC	UDTGX	0.00					<b>-</b>	1	15.69	1	1	1
	Telephone Number for 1-Way Outward Trunk Group		<del>                                     </del>	UEPDC	UDTGY	0.00					1	1	15.69	1	1	1
+-	Telephone Number for 1-Way Outward Trunk Group  Telephone Number for 1-Way Inward Trunk Group Without DID		<del>                                     </del>	UEPDC	UDTGZ	0.00			<b> </b>				15.69	-	<b> </b>	<del>                                     </del>
+-	DID Numbers, Establish Trunk Group and Provide First Group		1	טבו טט	ODIGE	0.00					<del>                                     </del>	-	15.09	-	-	-
	of 20 DID Numbers	1	1	UEPDC	NDZ	0.00	0.00	0.00					15.69	l	Ì	l
	DID Numbers or each Group of 20 DID Numbers		<del>                                     </del>	UEPDC	ND4	0.00	0.00	0.00	<b> </b>				15.69	-	<b> </b>	-
	DULL NUMBERS OF EACH GROUP OF ZUITILI NUMBERS	ľ	1	UEFDC	IND4	0.00					1		15.69			
				LIEDDC	NIDE	0.00	0.00	0.00	1				45.00			
	DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Nos.			UEPDC UEPDC	ND5 ND6	0.00	0.00	0.00					15.69 15.69			

NRONDFI	ED NETWORK ELEMENTS - South Carolina												Attachment:		Exhibit: B	Į
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
							Nonrec	urrina	Nonrecurring	Disconnect			220	Rates(\$)	L	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Dedic	Lated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	I I oon	with 4-Wire DDITS T	Trunk Port		FIISL	Auu i	Filat	Auu i	SOWIEC	JOWAN	JOWAN	SOWAN	JOWAN	JOWAN
Deale	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	Digital	Loop	With 4-Wife DDITO	I											
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48			15.69			
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3415	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	<u> </u>														
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act															
	System can have up to 24 combinations of rates depending on OS1 Loop	type ar	na nun	ber of ports used												
UNE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00								
_	4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2 4-Wire DS1 Loop - UNE Zone 3	1		UEPMG	USLDC	261.89	0.00	0.00								
LIME			3	UEPMG	USLDC	261.89	0.00	0.00								
UNE	OSO Channelization Capacities (D4 Channel Bank Configuration	ns)		UEPMG	VUM24	82.78	0.00	0.00					45.00			
	24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00					15.69 15.69			
	96 DSO Channel Capacity -1 per 2 DS1s	1		UEPMG	VUM96	331.12	0.00	0.00					15.69			
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	496.68	0.00	0.00					15.69			
_	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00					15.69			
_	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	827.80	0.00	0.00					15.69			
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	993.36	0.00	0.00					15.69		-	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00					15.69			
	480 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00					15.69			
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00					15.69		-	
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00					15.69			
Non-F	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	aeliztio					0.00					15.05			
	imum System configuration is One (1) DS1, One (1) D4 Channe						Steili									
	oles of this configuration functioning as one are considered Ac													<del>                                     </del>	t	<del>                                     </del>
wuiti	NRC - Conversion (Currently Combined) with or without					Juniou.								<del>                                     </del>	t	<del>                                     </del>
	Bell South Allowed Changes	1		UEPMG	USAC4	0.00	150.81	8.38					15.69	1	I	
Syste	m Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	neliza					2.30						İ	1	
	Not Currently Combined) In GA, KY, LA, MS & TN Only		1		1											
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69			15.69			
Bipol	ar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	605.00								
	Clear Channel Capability Format - Extended Superframe -															
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00								
Alterr	ate Mark Inversion (AMI)															
	Superframe Format	<u></u>		UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
Excha	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	ange Ports															
							_									
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00			15.69		<u> </u>	<u> </u>
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00			15.69			
	Line Side Inward Only Channelized PBX Trunk Port without DID	1		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00			15.69	Ì	I	1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port	1		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00			15.69			

04/12/02 Page 297 of 352

UNDUNDLE	D NETWORK ELEMENTS - South Carolina			,		1					•		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)	Name	Diagon		Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
					+	Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
Footur	Activations Unbundled Lean Concentration				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
reature	e Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Side Port Terminated				+											
	in D4 Bank			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17			15.69			
-+-	Feature (Service) Activation for each Trunk Side Port Terminated	1		OLITA	II QVVIVI	0.50	25.45	13.44	4.20	7.17			13.03			
	in D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60			15.69			
Teleph	one Number/ Group Establishment Charges for DID Service			02.17		0.00	10.01	10.10	00.01				10.00			
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Number Portability							<u> </u>								
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	RES - Vertical and Optional															
Local S	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00					15.69			
	PORT LOOP COMBINATIONS - MARKET RATES															
	Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or sw	itch ports per	FCC and/or St	ate Commissio	n rules.								
	scenarios include:	<u> </u>	<u></u>	<u> </u>	<u> </u>											
	oundled port/loop combinations that are Not Currently Combinations								L							
		Or NOt (	Current	ly Combined in Zor	ne 1 of the To	P 8 MSAS IN Be	ellSouth's regio	on for end use	rs with 4 or mo	re DS0 equiva	lent lines.					
The To BellSo Market	nundled port/loop combinations that are Currently Combined ip 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd tht currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features	lale, Mia ally bill n prece	ami); Ga the rec ding in	urring and non-reco	urring Market	Rates in this se	ection except f	or nonrecurrir	ng charges for	ia-Rock Hill); 1 not currently o	ombined in	e). AL, FL and	NC. In the in	terim where	BellSouth car	not bill
The To BellSo Market The Ma End Of (USOC	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanic: Rates, BellSouth shall bill the rates in the Cost-Based section raket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us. URECU).	lale, Mia ally bill n precedin all st sage rat	ami); Ga the rec ding in tates. tes in th	urring and non-rect lieu of the Market F ne Port section of the	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. The testinates in the tates in the	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin	p 8 MSAs in BellSouth's region are: Ft (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us : URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore.	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. The testinates in the tates in the	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	up 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU).  t Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the tates. The testinates in the tates in the	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us- URECU).  It Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categore E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates	lale, Mia ally bill n prece in all st sage rat	ami); Gami); Gami); the recording in the same tes in the coordinates.	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right in the right it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Co	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right if the shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanic: Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Us: URECU). t Currently Combined scenarios where Market Rates apply, the description. Additional NRCs may apply also and are categore VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Co	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this serves the right in this serves the right if the shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSoi Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Rates apply, the Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VolCE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Opp Rates	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reco lieu of the Market F ne Port section of the g charges are listed	urring Market Rates and res I nis rate exhib	Rates in this so erves the right to it shall apply to and Additional I	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage and Tommon Transport Usage Tommon T	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-rect lieu of the Market f ne Port section of the g charges are listed gly.	urring Market Rates and res inis rate exhib I in the First a	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Touried Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Touried Switching Usage and Tandem Transport Usage Touried Touri	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F he Port section of the g charges are listed gly.	urring Market Rates and res Inis rate exhib I in the First a	Rates in this serves the right in the serves the right in the serves of the right in the serves of t	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features ffice and Tandem Switching Usage and Common Transport Us. URECU). t Currently Combined scenarios where Market Rates apply, the ned section. Additional NRCs may apply also and are categor CVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) OVICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  3-OP Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F lee Port section of the g charges are listed gly.	UEPLX UIFILX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU).  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  DOP Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F lee Port section of the g charges are listed gly.	UEPLX UIFILX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except fo to true-up the l	or nonrecurrir billing differen	ng charges for nce. rt network elei	not currently o	combined in	AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd tuth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Tra	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F ne Port section of the g charges are listed gly.	urring Market Rates and res his rate exhib I in the First a UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right in the serves the right in the serves of the right in the serves of t	ection except f to true-up the l all combination	or nonrecurring of the control of th	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-reci lieu of the Market F he Port section of the g charges are listed gly. UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	Rates in this serves the right to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurring of the property of the propert	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	p 8 MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU).  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File of the Market File Port section of the grand gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX t to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurrir billing different ons of loop/po or each Port U	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge	
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Telephone (Common Transport Usage Telephone), the Courrently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore VolCE GRADE LOOP WITH 2-WIRE LINE PORT (RES) cont/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Volce Grade Loop (SL1) - Zone 1  2-Wire Volce Grade Loop (SL1) - Zone 2  2-Wire Volce Grade Loop (SL1) - Zone 2  2-Wire volce unbundled port (Res)  2-Wire volce unbundled port residence  2-Wire volce unbundled port with Caller ID - res  2-Wire volce unbundled port with Caller ID - res	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File of the Market File Port section of the grand gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX t to the right	ection except f to true-up the l all combination NRC columns f	or nonrecurrir billing different ons of loop/po or each Port U	ng charges for nce. rt network elei	not currently o	combined in	n AL, FL and n Port/Loop s, the Nonre	Combination	ns which have	a flat rate us	age charge	
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo	pa MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU).  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Volce GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port se, low usage line port with Caller ID (LUM)	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge
The To BellSon Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport User URECU).  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Loop (Sunder States). So the Voice Grade Line Port (Res). So the Voice Unbundled port residence. So the Voice Unbundled port outgoing only - res. So the Voice Unbundled port outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Unbundled Port Outgoing only - res. So the Voice Portability (LUM). NUMBER PORTABILITY. Local Number Portability (1 per port). RES.	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant charges are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX	90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69	Combination	ns which have	a flat rate us	age charge	
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Technology.  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore. Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES) cort/Loop Combination Rates.  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundles pres, low usage line port with Caller ID (LUM)  NUMBER PORTABILITY  Local Number Portability (1 per port)  RES    All Features Offered  ONAL NRCs   NRC - 2-Wire Voice Grade Loop/Line Port Combination -	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo BellSo Market The Ma End Of (USOC For No Combin 2-Wire UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Use URECU).  It Currently Combined scenarios where Market Rates apply, the section. Additional NRCs may apply also and are categore Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice GRADE LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP WITH 2-WIRE LINE PORT (RES) or Voice Grade LOOP Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port with Caller ID res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port with Caller ID res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbundled port outgoing only - res 3-Wire voice unbund	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market Fine Port section of the grant o	UEPLX UEPRO UEPRO UEPRO	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right ' it shall apply to  27.76 34.38 40.04 13.76 20.38 26.04 14.00 14.00 14.00 14.00 0.35	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE	pa MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport	lale, Mia ally bill n prece in all st sage rat	ami); Gam	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right is the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage Trans	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right to the right	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE UNE Po  LOCAL FEATU	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd uth currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage and Common Transport Usage Transport Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right to the right	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge
The To BellSo Market The Ma End Of (USOC For No Combin 2-WIRE UNE Po  UNE Lo  2-Wire  LOCAL FEATU ADDITI 2-WIRE UNE Po  LOCAL FEATU	ps MSAs in BellSouth's region are: Ft. (Orlando, Ft. Lauderd the currently is developing the billing capability to mechanica Rates, BellSouth shall bill the rates in the Cost-Based section arket Rate for unbundled ports includes all available features fice and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage and Tandem Switching Usage and Common Transport Usage	lale, Mia ally bill n prece in all st sage rat	ami); 6 the rectified in the rectified i	urring and non-recilieu of the Market File Port section of the grapes are listed gly.  UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAP	Rates in this serves the right in this serves the right in the right i	90.00 90.00 90.00	90.00 90.00	ng charges for nce. rt network elei	not currently o	combined in	15.69 15.69	Combination	ns which have	a flat rate us	age charge

04/12/02 Page 298 of 352

UNDUNDLE	ED NETWORK ELEMENTS - South Carolina			1								0	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						5	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00				15.69				
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled South Carolina extended local			UEPBX	UEPBO	14.00	90.00	90.00				15.69				<b></b>
	dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14.00	90.00	90.00				15.69				İ
	2-Wire voice unbundled South Carolina Bus Area Calling Port			OLFBX	ULFAZ	14.00	90.00	90.00				13.09				<del>                                     </del>
	with Caller ID (LMB)			UEPBX	UEPAB	14.00	90.00	90.00				15.69				İ
LOCA	L NUMBER PORTABILITY			OLI DX	OLI AD	14.00	50.00	50.00				10.00				
1-2-37.	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35			i i							
FEAT	URES								i i							
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
ADDIT	FIONAL NRCs									-						
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -									·						1
	Subsequent			UEPBX	USAS2		0.00	0.00				15.69				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates	<u> </u>	<u> </u>													
-	2-Wire VG Loop/Port Combo - Zone 1		1	-	-	27.76										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			34.38 40.04										<del></del>
LINE I	Loop Rates		3			40.04										
ONL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPRG	UEPLX	26.04										
2-Wire	e Voice Grade Line Port Rates (RES - PBX)				1											
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00				15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00				15.69				
	ECURRING CHARGES - CURRENTLY COMBINED															
ADDII	FIONAL NRCs		1													
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0.00	0.00				15.69				İ
+	PBX Subsequent Activity - Nonrecurring  PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	<del>                                     </del>	<del>                                     </del>			0.00	0.00	+			13.08			<del> </del>	<del>                                     </del>
	Group			ĺ			14.64	14.64				15.69				1
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			1								.5.50				
	Port/Loop Combination Rates				1				i i							
	2-Wire VG Loop/Port Combo - Zone 1		1			27.76										
	2-Wire VG Loop/Port Combo - Zone 2		2			34.38										
	2-Wire VG Loop/Port Combo - Zone 3		3			40.04	_	•		•			•	_		
UNE L	oop Rates	<u> </u>														
	2-Wire Voice Grade Loop (SL1) - Zone 1	<u> </u>	1	UEPPX	UEPLX	13.76									ļ	<b>└</b>
	2-Wire Voice Grade Loop (SL1) - Zone 2	<b> </b>	2	UEPPX	UEPLX UEPLX	20.38									<b> </b>	<b>├</b>
2-10/:	2-Wire Voice Grade Loop (SL1) - Zone 3  e Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	3	UEPPX	UEPLX	26.04									-	<del>                                     </del>
Z-WIFE	Voice Grade Little Fort Rates (DUS - FDA)	<del>                                     </del>	1	-	+				-							<del>                                     </del>
1	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00				15.69				1
	Line Side Unbundled Outward PBX Trunk Port - Bus	<b>†</b>	<u> </u>	UEPPX	UEPPO	14.00	90.00	90.00			<b> </b>	15.69			<b> </b>	<b>—</b>
<del>-  </del>	Line Side Unbundled Incoming PBX Trunk Port - Bus	<b>1</b>		UEPPX	UEPP1	14.00	90.00	90.00	<del> </del>			15.69			1	
İ	2-Wire Voice Unbundled PBX LD Terminal Ports	<b>1</b>		UEPPX	UEPLD	14.00	90.00	90.00	†			15.69			Ì	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00	i i			15.69				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				15.69			<u> </u>	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				15.69				

UNBUNDL	ED NETWORK ELEMENTS - South Carolina				. <u></u>	. <u></u>	. <u></u>						Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		1	UEPPX	UEPXE	14.00	90.00	90.00				15.69				<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVI	44.00	00.00	00.00				45.00				
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	1	UEPPX	UEPXL	14.00	90.00	90.00				15.69				<u> </u>
	Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			ULFFA	OLFAIN	14.00	90.00	90.00				13.09				
	Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00				15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				15.69				
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES							· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·						
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				
	RECURRING CHARGES - CURRENTLY COMBINED															
ADD	ITIONAL NRCs															
												4= 00				
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent 2 Wire Loop/Line Side Port Combination - Non feature -	1		UEPPX	USAS2		0.00	0.00				15.69				
	Subsequent Activity- Nonrecurring						0.00	0.00				15.69				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt	<u> </u>	-		-		0.00	0.00				15.69				<del> </del>
	Group						7.34	7.34				15.69				
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PO	RT			+		7.54	7.54				13.03				+
	Port/Loop Combination Rates	ì			+											+
0.12	2-Wire VG Coin Port/Loop Combo – Zone 1		1			27.76										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			34.38										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			40.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										
2-Wi	re Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	LIEDOD	14.00	00.00	00.00				45.00				
	Blocking (SC)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	-	-	UEPCO	UEPSD	14.00	90.00	90.00				15.69				
	900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			OLI CO	OLITICA	14.00	30.00	30.00				13.03				+
	900/976, 1+DDD (SC)			UEPCO	UEPSA	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(SC)	<u> </u>		UEPCO	UEPSH	14.00	90.00	90.00	<u>                                      </u>		<u> </u>	15.69				<u> </u>
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking;					_										
	with Dialing Parity (SC)			UEPCO	UEPSC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14.00	90.00	90.00				15.69				
	2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD,			LIEBOO	LIEBOE	44.00	00.00	00.00				45.00				
	011+ & Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+,	1		UEPCO	UEPCE	14.00	90.00	90.00				15.69				
	& Local; Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward without Blocking and without Operator			ULFCO	OLFCI	14.00	90.00	90.00				13.09				
	Screening (SC)			UEPCO	UEPSG	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1		1	1		55.56	33.30				.0.00				1
	(SC)			UEPCO	UEPSF	14.00	90.00	90.00				15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:	İ							j							
	011, 900/976, 1+DDD (SC)	1		UEPCO	UEPSJ	14.00	90.00	90.00	<u>                                      </u>			15.69			<u> </u>	<u> </u>
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)	<u> </u>		UEPCO	UEPCM	14.00	90.00	90.00	ļ <u>l</u>			15.69				<b></b>
	2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+,			LIEBOO	LIEBCE							4				
	& Local; w/ Enhanced Call OPT 3YW (SC)	1	1	UEPCO	UEPCP	14.00	90.00	90.00				15.69				<b></b>
	AL NUMBER PORTABILITY															

UNE	RUNDLE	D NETWORK ELEMENTS - South Carolina			,									Attachment:		Exhibit: B	<b></b>
CATI	EGORY	RATE ELEMENTS	Interi	Zone	BCS	USO		RA.	ΓES(\$)			Svc Order Submitted Elec	Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svo
<b>О</b> Д	LOOK	IVATE EEEIMENTO	m	Lone	300				. Σο(ψ)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00				15.69				<u> </u>
UNB		PORT/LOOP COMBINATIONS - MARKET BASED RATES	<u> </u>														<u> </u>
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT				70.00										ļ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1 2			73.68										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			80.13 85.46										
	LINEL	poop Rates		3		-	85.46										
	ONE LO	2-Wire Analog Voice Grade Loop - (SL2) - Statewide		sw													<u> </u>
	_	2-Wire Analog Voice Grade Loop - (SL2) - Statewide  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		5W	UEPPX	UECD1	16.68					1					
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	23.13	<del> </del>			<del> </del>				<del> </del>	1	<del>                                     </del>
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	1	3	UEPPX	UECD1	28.46	<del> </del>			<del> </del>				<del> </del>	1	<del>                                     </del>
-	UNE P	ort Rate	<b> </b>	Ť	02/17/	02001	20.40									1	<b>†</b>
	U	Exchange Ports - 2-Wire DID Port		<u> </u>	UEPPX	UEPD1	57.00	600.00	75.00				15.69				1
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED		1		02. 01	57.00	222.00	. 0.00				.0.00				İ
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
		Switch-As-Is Top 8 MSAs only			UEPPX	USAC1		125.00	75.00				15.69				
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
		with BellSouth Allowable Changes Top 8 MSAs only			UEPPX	USA1C		125.00	75.00				15.69				
		ONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.68					15.69				
	Teleph	one Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers, Establish Trunk Group and Provide First Group															
		of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								ļ
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX	ND6 NDV	0.00	0.00	0.00								
	LOCAL	. NUMBER PORTABILITY		1	UEPPA	INDV	0.00	0.00	0.00			1					
	LOCAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			1					
	2-WIRE	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	F POR		LIVI OI	3.13	0.00	0.00			1					
		ort/Loop Combination Rates	1 0.5.	1													+
	0	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -				+											1
		UNE Zone 1		1	UEPPB UEP	PR	76.90										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
		UNE Zone 2		2	UEPPB UEPF	PR	84.64										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1									Ì			1		1
L		UNE Zone 3	<u> </u>	3	UEPPB UEPF	PR	90.27				<u> </u>						<u> </u>
	UNE Lo	pop Rates															
		2-Wire ISDN Digital Grade Loop - Statewide		SW	UEPPB UEPF												<b></b>
		2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPP	R USL2X	21.90										ļ
l						_									1		
	_	2-Wire ISDN Digital Grade Loop - UNE Zone 2	ļ	2	UEPPB UEPF		29.64					ļ				ļ	<b>↓</b>
<u> </u>	110:-	2-Wire ISDN Digital Grade Loop - UNE Zone 3	ļ	3	UEPPB UEPP	R USL2X	35.27					ļ				ļ	<b>↓</b>
	UNE Po	ort Rate	<u> </u>	<u> </u>	HEDDD HEDD	LIEDES	55.00	505.00	400.00				45.00				<b>!</b>
	NONE	Exchange Port - 2-Wire ISDN Line Side Port  CURRING CHARGES - CURRENTLY COMBINED	<b> </b>	<u> </u>	UEPPB UEPPF	R UEPPB	55.00	525.00	400.00		-	1	15.69				<del>                                     </del>
<del>                                     </del>	NONRE	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	<del>                                     </del>	<b>!</b>	-	_	-			1		<del>                                     </del>			-	1	<del> </del>
l		Combination - Conversion - Top 8 MSAs only			UEPPB UEPPI	R USACB	0.00	225.00	225.00				15.69		1		
	ADDITI	ONAL NRCs	<del>                                     </del>	<u> </u>	OLPPB UEPPI	OSACB	0.00	225.00	223.00	-	-		15.09		-	<b> </b>	<del> </del>
		NUMBER PORTABILITY			1		-			1					1	1	+
$\vdash$	LOUAL	Local Number Portability (1 per port)	<del>                                     </del>	<u> </u>	UEPPB UEPP	R LNPCX	0.35	0.00	0.00		<u> </u>	<del>                                     </del>			<del>                                     </del>	1	+
	B-CHA	NNEL USER PROFILE ACCESS:	<del>                                     </del>	1	OLITO OLFF	IX LIVI OX	0.33	0.00	0.00								<b>†</b>
	2 3117	CVS/CSD (DMS/5ESS)		<u> </u>	UEPPB UEPP	R U1UCA	0.00	0.00	0.00		1				1		1
	1	CVS (EWSD)		t -	UEPPB UEPPI		0.00	0.00	0.00		1				<del> </del>		1
	-	CSD				R U1UCC	0.00	0.00	0.00		<b>†</b>	1	1		<del> </del>	1	<b>†</b>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonred			g Disconnect				Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	(TN														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	FERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES						0.00										
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UFP\/F	3.04	0.00	0.00			1					
	OFFICE CHANNEL MILEAGE		1	02	02	OL. 11	0.01	0.00	0.00								
III III	Interoffice Channel mileage each, including first mile and																
] [	facilities termination			LIEDDD	UEPPR	M1GNC	24.30	60.00	40.00	25.00	10.00		15.69	Ì		İ	
<del>                                     </del>	Interoffice Channel mileage each, additional mile		<del>                                     </del>		UEPPR	M1GNM	0.0167	0.00	0.00	25.00	10.00	1	13.09	1	1	1	
4 14/100	interonice Channel mileage each, additional mile EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	CDODE	1	ULFFD	ULPPR	IVITGINIVI	0.0167	0.00	0.00	<del>                                     </del>		<del>                                     </del>	-				
	: DS1 DIGITAL LOOP WITH 4-WIRE ISON DS1 DIGITAL TRUNK ort/Loop Combination Rates	FURI	1			1				<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	
UNE PO																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		١.,	LIEDDE			040.07			I	Ì		l	Ì		l	
$\vdash$	Zone 1		1	UEPPP		1	940.87			1		1					
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
	Zone 2		2	UEPPP			1,005.43										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3		3	UEPPP			1,111.89										
UNE Lo	pop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	90.87						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	155.43						15.69				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	261.89						15.69				
UNE Po	ort Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	850.00	1,150.00	1,150.00				15.69				
	CURRING CHARGES - CURRENTLY COMBINED			02		02	000.00	1,100.00	1,100.00				10.00				
HOME	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP		USACP	0.00	950.00	950.00				15.69				
ADDITI	ONAL NRCs			OLITI		00/10/	0.00	500.00	300.00				10.00				
ADDITI	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -											1					
	Cubassing the control (2 May Tal May (MC Cala)			UEPPP		PR7TG							15.69				
	Subsequent Inward/2-Way Tel Nos - (NC Only)			UEPPP		PR/IG							15.69				
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent			LIEDDD		DD7TD							45.00				
	Activity Outward tel nos. (NC only)			UEPPP		PR7TP							15.69				
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
$\vdash$	Inward/two way tel nos within Std Allowance (except NC)		ļ	UEPPP		PR7TF		0.9822					15.69				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			l		L				I	Ì		l	Ì		l	
$\vdash$	Outward Tel Numbers (All States except NC)		<u> </u>	UEPPP		PR7TO		23.02	23.02	<b>.</b>			15.69	ļ		ļ	
1 1	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -									I				Ì		Ì	
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05			1	15.69				
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	FACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP		PR71E	0.00	0.00	0.00								
New or	Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0.00	40.00									
	New or Additional - Digital Data B Channel		i –	UEPPP		PR7BF	0.00	40.00		1	İ		İ	İ		İ	
	New or Additional Inward Data B Channel		1	UEPPP		PR7BD	0.00	40.00		1	1	1	i	1		1	
CALL 1			1				3.50			1	1	1	i	1		1	
10,,22	Inward		i e	UEPPP		PR7C1	0.00	0.00	0.00	1	1	1	1	1		1	
<del>                                     </del>	Outward		<b>!</b>	UEPPP		PR7C0	0.00	0.00	0.00	<b>†</b>		1	<b> </b>	-		<b> </b>	
<del>                                     </del>	Two-way			UEPPP		PR7CC	0.00	0.00	0.00	t		1	1	1		1	
Interes	ice Channel Mileage		1	JLI FF		. 11700	0.00	0.00	0.00	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	1	<del> </del>	
interof	Fixed Each Including First Mile	-	1	UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48	<del>                                     </del>	15.69				<b></b>
$\vdash$		-	1	UEPPP				89.47	81.99	10.39	14.48	<del>                                     </del>	15.69				<b></b>
4 14/15-	Each Airline-Fractional Additional Mile		<u> </u>	UEPPP		1LN1B	0.3415			1		1	1	1	1	1	
	DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		1			1				<b></b>	ļ	ļ	ļ	ļ			ļ
IUNE Po	ort/Loop Combination Rates		1														

ONBONDLE	ED NETWORK ELEMENTS - South Carolina			1									Attachment:		Exhibit: B	<del>  </del>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA <sup>-</sup>	ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						_	Nonre	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		sw	UEPDC												
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		840.87										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		905.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		1,011.89										+
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		1,011.00										+
LINE	Loop Rates		-	OLI DO												<b>†</b>
ONL I	4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC											<b>†</b>
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87										<del> </del>
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										<del></del>
	4-Wire DS1 Digital Loop - UNE Zone 3		3		USLDC											
			_	UEPDC		261.89										
11117-	4-Wire DS1 Digital Loop - UNE Zone 4	<del>                                     </del>	4	UEPDC	USLDC				1		<del>                                     </del>				1	<del>                                     </del>
UNE	Port Rate		<u> </u>	LIEDDO	LIDDAT	750.00	4.005.07	170.00	040.50	20.61		45.00			1	<b>├</b>
Norre	4-Wire DDITS Digital Trunk Port	<u> </u>	<u> </u>	UEPDC	UDD1T	750.00	1,005.07	478.99	213.53	20.94	ļ	15.69			ļ	<b></b>
NONR	ECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	<u> </u>								ļ				ļ	<del>                                     </del>
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1	1													
	- Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		259.56	134.33				15.69				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		259.56	134.33				15.69				
ADDIT	FIONAL NRCs															1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															1
	Service Activity Per Service Order			UEPDC	USAS4							15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		1	02. 50	051111		20.01	20.01				10.00				<del></del>
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29.01	29.01				15.69				
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel		1	OLI DO	ODITO		23.01	23.01				13.03				+
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEFDC	UDITO		29.01	29.01				15.69				
				LIEDDO	LIDTTD		20.04	20.04				45.00				
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29.01	29.01				15.69				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29.01	29.01				15.69				
BIPOL	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	605.00								1
	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	605.00								ļ
Altern	ate Mark Inversion	<u> </u>														
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			<u> </u>					<u> </u>
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								ļ
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00		-				15.69				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						15.69				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						15.69				
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00				15.69				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00						15.69				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00				15.69				1
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			İ	15.69			Ì	
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00			İ	15.69				<u> </u>
Dedic	ated DS1 (Interoffice Channel Mileage) -	1			1.5.	0.00	0.00	3.00			i	.0.55				
	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port	<del>                                     </del>	<del>                                     </del>	<b>†</b>	+						ł – – –				<del> </del>	<b>†</b>
1,7010	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	<del>                                     </del>	<del>                                     </del>	<b>†</b>	+						ł – – –				<del> </del>	<del>                                     </del>
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48		15.69				
-	TommauUH)	<del>                                     </del>	1	OLFDO	ILINOI	11.14	09.47	01.99	10.39	14.48	1	15.69			1	<del>                                     </del>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	1	1	UEPDC	1LNOA	0.3415	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	<del>                                     </del>	<del>                                     </del>	OLFDO	ILINUM	0.3415	0.00	0.00	-		-				<del> </del>	<del>                                     </del>
	Termination)	1	1	UEPDC	1LNO2	0.00	0.00	0.00			I	1			1	

BUNDLED NETWORK ELEMENTS - South Carolina					1							Attachment:		Exhibit: B	
				1						Svc Order	Svc Order		Incremental		Incrementa
										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
TEOODY DATE ELEMENTO	Interi		D00			B.4.7				Elec	Manually	Manual Svc	Manual Svc		Manual Sv
TEGORY RATE ELEMENTS	m	Zone	BCS	USOC		RAI	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	"											Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
		1			ı	Manraa	ina	Nonrecurring	, Diocennost			000	Rates(\$)		
		1			Rec	Nonrec				COMEC	COMAN			COMAN	COMAN
Interoffice Channel Mileage - Additional rate per mile - 9-25		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
interoffice Channel Mileage - Additional rate per mile - 9-25			UEPDC	1LNOB	0.7598	0.00	0.00								
			UEPDC	TLNOB	0.7598	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			LIEBBO	41.1100	0.00	0.00	0.00								
Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
Later (Care Observat AF)			LIEBBO	41.1100	0.7500	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ mileage - Local Number Portability, per DS0 Activated	es		UEPDC UEPDC	1LNOC LNPCP	0.7598	0.00	0.00								
Central Office Termininating Point		1	UEPDC	CTG	3.15 0.00	0.00	0.00								
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT		1	UEPDC	CIG	0.00										
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature		_													
A system can have various rate combinations based on type and															
	number of	ports	usea												
UNE DS1 Loop  4-Wire DS1 Loop - UNE Zone 1		4	UEPMG	USLDC	90.87	0.00	0.00							<del>                                     </del>	
4-Wire DS1 Loop - UNE Zone 1 4-Wire DS1 Loop - UNE Zone 2	_	2	UEPMG	USLDC	155.43	0.00	0.00	<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>	
4-Wire DS1 Loop - UNE Zone 3	liono'	3	UEPMG	USLDC	261.89	0.00	0.00						-	<del>                                     </del>	
UNE DSO Channelization Capacities (D4 Channel Bank Configura	uons)	-	UEPMG	VUM24	103.47	0.00	0.00				15.69		-	<del>                                     </del>	
24 DSO Channel Capacity - 1 per DS1		1					0.00								
48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206.94	0.00	0.00				15.69				
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413.88	0.00	0.00				15.69				
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620.82	0.00	0.00				15.69				
192 DS0 Channel Capacity -1 per 8 DS1s		1	UEPMG	VUM19	827.76	0.00	0.00				15.69				
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034.70	0.00	0.00				15.69				
288 DS0 Channel Capacity - 1 per 12 DS1s		1	UEPMG	VUM28	1,241.64	0.00	0.00				15.69				
384 DS0 Channel Capacity - 1 per 16 DS1s		1	UEPMG	VUM38	1,655.52	0.00	0.00				15.69				
480 DS0 Channel Capacity - 1 per 20 DS1s		1	UEPMG	VUM40	2,069.40	0.00	0.00				15.69				
576 DS0 Channel Capacity -1 per 24 DS1s		1	UEPMG	VUM57	2,483.28	0.00	0.00				15.69				
672 DS0 Channel Capacity - 1 per 28 DS1s		<u> </u>	UEPMG	VUM67	2,897.16	0.00	0.00				15.69				
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop						stem									
A Minimum System configuration is One (1) DS1, One (1) D4 Cha															
Multiples of this configuration functioning as one are considered	Add'l afte	er the n	ninimum system co	onfiguration is	counted.										
NRC - Conversion (Currently Combined) with or without															
BellSouth Allowed Changes - Top 8 MSAs Only		<u> </u>	UEPMG	USAC4	0.00	150.81	8.38				15.69				
System Additions Where Currently Combined and New (Not Curr	ntly Com	pined )													
In Top 8 MSAs and AL, FL, and NC Only		1													
1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
Fea Activation -	_	-	UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69		15.69				
Bipolar 8 Zero Substitution	_		1										ļ	<b>.</b>	
Clear Channel Capability Format, superframe - Subsequent			LIEDMO	00000										1	
Activity Only	_	-	UEPMG	CCOSF	0.00	0.00	605.00								
Clear Channel Capability Format - Extended Superframe -													l	I	1
Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	605.00							-	
Alternate Mark Inversion (AMI)															
Superframe Format	_		UEPMG	MCOSF	0.00	0.00	0.00						ļ	<b>.</b>	
Extended Superframe Format		<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00						ļ	<b>.</b>	
Exchange Ports Associated with 4-Wire DS1 Loop with Channeliz	ation with	Port													
Exchange Ports	_	-	<b></b>												
														1	İ
Line Side Combination Channelized PBX Trunk Port - Busine	SS	-	UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00		15.69				
Line Side Outward Channelized PBX Trunk Port - Business	_	-	UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00		15.69				
														1	İ
Line Side Inward Only Channelized PBX Trunk Port without D	טו		UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00		15.69			-	
2-Wire Trunk Side Unbundled Channelized DID Trunk Port	_	1	UEPPX	UEPDM	57.00	0.00	0.00	0.00	0.00		15.69				
2-Wire Channelized PBX Area Calling Service Combination P	ort		LIEBBY.										l	I	
(AL Only)	_		UEPPX	UEPA4									ļ	<b>.</b>	
2 Wire Channelized PBX Area Calling Service Outgoing Only													l	I	
Port (AL Only)			UEPPX	UEPA3										ļ	
Feature Activations - Unbundled Loop Concentration	_		1												
Feature (Service) Activation for each Line Side Port Terminate	d													1	İ
in D4 Bank	1	1	UEPPX	1PQWM	0.70	40.00	20.00	6.00	5.00	1	15.69		I		

	INDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
			ļ	<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Trunk Side Port Terminated			LIEDDY	400\4"	0.70	440.00	20.00	25.22	20.00		45.00				
	Tolon	in D4 Bank one Number/ Group Establishment Charges for DID Service	1	<b>}</b>	UEPPX	1PQWU	0.70	110.00	30.00	65.00	20.00		15.69				<b></b>
	i elepn	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				15.69				
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				15.69				
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				15.69				
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				15.69				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				15.69				
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				15.69				
	Local I	Number Portability			-												
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00							<u> </u>	
		RES - Vertical and Optional															
	Local S	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00				15.69				
UNBU		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		<u> </u>		L	l										
		Based Rates are applied where BellSouth is required by FCC								<u></u>							
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section of	this rate exh	nibit shall apply	to all combina	ations of loop/	port network e	ements excep	t for UNE C	oin Port/Lo	op Combinati	ions.	mmlerta Nat C	
		orgia, Kentucky, Louisiana, MIssissippi and Tennessee, the roned Combos for all states. In GA, KY, LA, MS and TN these no															
									, NC and SC ti	iese nonrecurr	ing charges ar	e warket Ka	tes and are	listed in the i	warket Rate S	ection. For t	Currently
		ned Combos in all other states, the nonrecurring charges sha								1				1	1	1	1
		ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)	be nego	otiated	on an individual Ca	se Basis, un	til furtner notic	е.									
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	LINE D	ort/I oon Combination Pates (Non-Design)															
	UNE P	ort/Loop Combination Rates (Non-Design)															
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•	1	UEP95		14 89										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design	•	1	UEP95		14.89										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1 2	UEP95 UEP95		14.89										
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-	-	<u> </u>													
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		<u> </u>													
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design     2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design		3	UEP95 UEP95 UEP95		21.52 27.17 17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 1-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 1-Vire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2	UEP95 UEP95		21.52 27.17										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		2 3 1 2	UEP95 UEP95 UEP95 UEP95		21.52 27.17 17.81 24.26										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		3	UEP95 UEP95 UEP95		21.52 27.17 17.81										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		2 3	UEP95 UEP95 UEP95 UEP95 UEP95		21.52 27.17 17.81 24.26 29.59										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	21.52 27.17 17.81 24.26 29.59										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2		2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	21.52 27.17 17.81 24.26 29.59 13.76 20.38										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- nort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 2		2 3 1 2 3 1 2 3	UEP95												
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3	UEP95												
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- port/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1		2 3 1 2 3 1 2 3 1 2	UEP95												
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2		2 3 1 2 3 1 2 3	UEP95												
	UNE PO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13										
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13	40.30	19.90	24.98	6.65		15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46	40.30	19.90	24.98	6.65		15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate tes 2-Wire Voice Grade Port (Centrex) Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP95												
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 70rt Rate 12-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98	6.65		15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- nort/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 70rt Rate 12-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30	19.90	24.98 24.98	6.65		15.69 15.69				
	UNE LO	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service		2 3 1 2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB UEPYH	21.52 27.17 17.81 24.26 29.59 13.76 20.38 26.04 16.68 23.13 28.46 1.13 1.13	40.30 40.30 108.36	19.90 19.90 70.71	24.98 24.98 54.47	6.65 6.65 11.94		15.69 15.69				

04/12/02 Page 305 of 352

UNBUND	)LE[	NETWORK ELEMENTS - South Carolina			,									Attachment:		Exhibit: B	
					1							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGOR	ŀΥ	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA1	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect		l l	OSS	Rates(\$)	l.	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ΔΙ	ΚV	LA, MS, SC, & TN Only						11130	Auu i	11130	Auu i	JOHILO	JONIAN	JOHAN	JONIAN	JOHAN	JONAN
AL		2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				1
					UEP95	UEPQB				24.98							
		2-Wire Voice Grade Port (Centrex 800 termination)					1.13	40.30	19.90		6.65		15.69				
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65		15.69				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
		Term			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65	1	15.69		İ		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				
Lo		witching		1			<u> </u>					l					
1-0		Centrex Intercom Funtionality, per port		1	UEP95	URECS	0.7996					1			1	Ì	1
1 ^		umber Portability		<b>I</b>		550	3.7 000								<b> </b>	<del> </del>	1
1_0		Local Number Portability (1 per port)		1	UEP95	LNPCC	0.35					l			1	1	1
F-	ature			1	OFL 20	LINFOU	0.35					1			<del> </del>	1	<del>                                     </del>
re			-	1	LIEDOE	UEPVF	3.04					-	45.00			<del> </del>	<del>                                     </del>
		All Standard Features Offered, per port		<u> </u>	UEP95			100.10				ļ	15.69			1	1
		All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42					15.69				<u> </u>
		All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04						15.69				
NA	ARS																
		Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				15.69				
		Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				15.69				
		Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				15.69				
Mi	scella	aneous Terminations															
2-V	Nire 7	Frunk Side															
		Trunk Side Terminations, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
4-1		Digital (1.544 Megabits)											10.00				
		DS1 Circuit Terminations, each		1	UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
		DS0 Channels Activated, each		1	UEP95	M1HDO	0.00	14.51	00.00	12.10	2.47		15.69				
les 4					ULF 93	IVITIDO	0.00	14.51					13.09				
Int		ce Channel Mileage - 2-Wire			LIEDOE	MODO	04.00	40.00	07.47	40.77	0.04		45.00				
		Interoffice Channel Facilities Termination			UEP95	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
		Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0167										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56						15.69				
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56					1	15.69		İ		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop		1								l					
		Slot			UEP95	1PQW7	0.56					1	15.69		İ		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1								1			1	Ì	1
		Different Wire Center			UEP95	1PQWP	0.56					1	15.69		İ		
		Sind of the Contol		<b>I</b>	021 00	11 02 771	0.50						15.05		<b> </b>	<del> </del>	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56					1	15.69		İ		
		Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop		1	05,99	IFUVVV	0.00						15.69		<b>!</b>	<del> </del>	<del>                                     </del>
					LIEDOS	40000	0 =0					l	45.60		1		
		Slot		1	UEP95	1PQWQ	0.56						15.69				<b>.</b>
		Feature Activation on D-4 Channel Bank WATS Loop Slot		ļ	UEP95	1PQWA	0.56						15.69				
No		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			1							l			1		
		changes, per port			UEP95	USAC2		37.93	16.72				15.69				
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70					15.69				
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70					15.69				
		NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89					15.69				
UN		CENTREX - DMS100 (Valid in All States)		1		1	2.20					1			1	Ì	1
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo		1	<del> </del>	+						1			<del> </del>	1	<b>I</b>
		rt/Loop Combination Rates (Non-Design)		<b>I</b>	<b>†</b>	+ +									<b> </b>	<del> </del>	1
UN		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	<del> </del>	+									1	<b>†</b>	1
				1	LIEDOD		14.00					]			1		
		Non-Design		1	UEP9D		14.89					ļ				1	<b>.</b>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															

CATEGORY  2 N UNE Port 2 D 2 D UNE Loo 2 D 2 D 2 D 2 D 2 D 2 D 2 D 2 D 3 D 3 D 4 D 4 D 5 D 6 D 6 D 6 D 7 D 7 D 7 D 7 D 7 D 7 D 7 D 7 D 7 D 7	RATE ELEMENTS  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 17/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	Interi m	<b>Zone</b> 3 1 2	BCS  UEP9D  UEP9D	USOC	Rec -	RA Nonred First	Curring Add'I	Nonrecurring		Submitted Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
2 N UNE Port 2 D D D D D D D D D D D D D D D D D D	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 17/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Dep Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP9D	usoc		Nonred	curring			Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I Rates(\$)	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic-
2 N UNE Port 2 D D D D D D D D D D D D D D D D D D	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 17/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Dep Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP9D	USOC		Nonred	curring			Elec per LSR	Manually	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l Rates(\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic-
2 N UNE Port 2 D D D D D D D D D D D D D D D D D D	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 17/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Dep Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP9D	USOC		Nonred	curring			per LSR	-	Order vs. Electronic- 1st	Order vs. Electronic- Add'I  Rates(\$)	Order vs. Electronic- Disc 1st	Order vs. Electronic-
N   UNE Port	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design	m	1								•	per Lore	Electronic- 1st	Electronic- Add'l Rates(\$)	Electronic- Disc 1st	Electronic-
UNE Port 2 2 2 2 2 UNE Port 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1										1st OSS	Add'I Rates(\$)	Disc 1st	
UNE Port 2 2 2 2 2 UNE Port 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1										oss	Rates(\$)		DISC Add I
UNE Port 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1													
UNE Port 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1				First	Add'l								
UNE Port 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Non-Design  **T/Loop Combination Rates (Design)** Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1			27 17		,	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port 2 2 2 2 2 4 4 5 6 6 7 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8	tr/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design  Design  Design  Design  Design  Design  2-Wire Voice Grade Loop (SL 1) - Zone 1		1			27 17										í
2   D	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		1 2	UEP9D		21.11										
D   2     D	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design Design Design Design Design Design Design Design Design Design Design Design		1 2	UEP9D												
2   D	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design 2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP9D												í
D   2   D	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design Dp Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		2			17.81										<b></b>
2 UNE Loo 2 2 2 2 2 2 2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- besign op Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		2													í
UNE Loo 2 2 2 2 2 2 2 2 2	Design De Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D		24.26										<b></b>
2 2 2 2 2 2 2 2 2	pp Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1		3	LIEDOD		20.50										í
2 2 2 2 2 2	2-Wire Voice Grade Loop (SL 1) - Zone 1		3	UEP9D	+	29.59										
2 2 2 2		-	1	UEP9D	UECS1	13.76										
2 2			2	UEP9D	UECS1	20.38										
2:	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	26.04										
2	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9D	UECS2	16.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	23.13										í
2	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.46										í
UNE Port					-											ī
ALL STA																í
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65		15.69				
2	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															i
	Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65		15.69				
2	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															í
	Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65		15.69				<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															í
	Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65		15.69				<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			LIEDOD	LIEDVE	4.40	40.00	40.00	04.00	0.05		45.00				í
	Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65		15.69				<b></b>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65		15.69				ł
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLFBD	OLFII	1.13	40.30	19.90	24.90	0.03		13.09				
	Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65		15.69				í
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLI OD	OLI TO	1.10	40.00	10.00	24.00	0.00		10.00				
	Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65		15.69				ł
2	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															ī
Δ	Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65		15.69				í
2	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															1
A	Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65		15.69				ı
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															, <u></u>
	Area		<u> </u>	UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65		15.69				<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local		1				40					4= 6-				í
	Area		<u> </u>	UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		1	UEP9D	UEPYW	4 40	40.20	10.00	24.00	6.65		15.69				1
	ndication))3 Basic Local Area 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	-	<del>                                     </del>	OFLAD	DEFTW	1.13	40.30	19.90	24.98	6.05		15.09				
	Basic Local Area			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65		15.69				ł
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	021 30	JLI 1J	1.13	40.30	19.90	24.30	0.05		13.08				
	2 Basic Local Area		1	UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94		15.69				í
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3		<b>†</b>			5	.00.00		071	54		.0.00				í
	Basic Local Area			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94		15.69				ł
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3	1														1
В	Basic Local Area		<u>L</u>	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94		15.69				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area		<u> </u>	UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94		15.69				<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															1
	Basic Local Area		<u> </u>	UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94		15.69				<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3		1	LIEBOD	LIEDY'S											1
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3		<u> </u>	UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94		15.69				1

NRONDLE	D NETWORK ELEMENTS - South Carolina			ı							_		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
1						,									DISC 1St	DISC Add 1
					+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3				+		FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SOWAN	SOWAN	SOWAN
	Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3								• • • • • • • • • • • • • • • • • • • •						İ	
	Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3															
	Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLF9D	OLFIZ	1.13	100.30	70.71	34.47	11.54		13.09			1	
	Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65		15.69				
AL, K	Y, LA, MS, SC, & TN Only					<u> </u>		· · · · ·								
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D UEP9D	UEPQB UEPQC	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)3  2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65		15.69			1	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65		15.69			İ	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D UEP9D	UEPQ3 UEPQH	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65		15.69 15.69				
-	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.05		15.69				
	Indication)3			UEP9D	UEPQW	1.13	40.30	19.90	24.98	6.65		15.69				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65		15.69			İ	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94		15.69				
	2 Mins Vains Crade Bart (Contravidiffer SMC /FRC ME000)2 2			LIEDOD	LIEDOD	4.40	400.00	70.74	54.47	44.04		45.00				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D UEP9D	UEPQP UEPQQ	1.13 1.13	108.36 108.36	70.71 70.71	54.47 54.47	11.94 11.94		15.69 15.69				
	2-Wile Voice Glade Fort (Certifex differ SWC /EB3-3209)2, 3			OLF9D	ULFQQ	1.13	100.30	70.71	34.47	11.54		13.09			1	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94		15.69				
	,,,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94		15.69				
	2-vviie voice Grade Fort (Gentrex/Uniter SVVC/EDS-IVIS/208)2, 3			OLFSD	OLFUS	1.13	100.30	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94		15.69				
				·												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				I											
	Term			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94		15.69				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65		15.69				
-	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPQ9 UEPQ2	1.13	40.30	19.90	24.98	6.65		15.69				<b>+</b>
Local	Switching				J 32	1.15	40.00	10.00	24.50	0.00		70.03				
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996						15.69				
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu				LIEDOD	LIEDVE	2.24						45.00				
$\overline{}$	All Standard Features Offered, per port  All Select Features Offered, per port			UEP9D UEP9D	UEPVF UEPVS	3.04 0.00	406.42					15.69 15.69			1	<del>                                     </del>
	All Centrex Control Features Offered, per port		-	UEP9D	UEPVS	3.04	400.42		<del> </del>			15.69			<del>                                     </del>	<del>                                     </del>

BUNDLE	D NETWORK ELEMENTS - South Carolina	· ·		·				·		·			Attachment:	2	Exhibit: B	
EGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-		Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonreci	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
												15.69				
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				15.69				
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				15.69				
	aneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77		15.69				
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47		15.69				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51					15.69				
	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	24.30	40.63	27.47	16.77	6.91		15.69				
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0167										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56						15.69				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	11 00110	0.00						10.00				
	Slot			UEP9D	1PQW7	0.56						15.69				
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI OD	11 Q117	0.00						10.00				<b>†</b>
	Different Wire Center			UEP9D	1PQWP	0.56						15.69				
	Different Trib Conter			02. 02		0.00						10.00				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56						15.69				
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.56						15.69				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56						15.69				
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		37.93	16.72				15.69				
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70					15.69				
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70					15.69				
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89					15.69	<u> </u>			
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD												<u> </u>			
	- Requres Interoffice Channel Mileage												<u> </u>			
NI - 1 - 0	- Requires Specific Customer Premises Equipment				1				-						1	1

UNR	INDI F	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATE		RATE ELEMENTS	Interi m	Zone	BCS	USOC		RA	TES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge -		Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
0050	1710114	L SUPPORT SYSTEMS															
OPER		(1) Electronic Service Order: CLEC should contact its contract	t nego	iator if	it prefers the state	specific elec	tronic service	ordering charge	es as ordered	by the State Co	mmissions. T	he electron	ic service o	rdering charg	e currently co	ntained in th	is rate
		t is the BellSouth regional electronic service ordering charge.															
		(2) Any element that can be ordered electronically will be billed															ly. For
		elements that cannot be ordered electronically at present per t				e in this cate	gory reflects th	ne charge that	would be bille	d to a CLEC on	ce electronic	ordering cap	pabilities co	me on-line fo	r that elemen	t. Otherwise,	the manual
	orderi	ng charge, SOMAN, will be applied to a CLECs bill when it sub	mits ar	LSR t	o BellSouth.												
		Electronic OSS Charge, per LSR, submitted via BST's OSS															
LIMBLE	UDI ED	interactive interfaces (Regional)  EXCHANGE ACCESS LOOP				SOMEC		3.50									<del> </del>
UNBU		E ANALOG VOICE GRADE LOOP				+	1	+		+		1	1		<del> </del>	<del> </del>	1
	- ****	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.19	31.99	20.02	10.65	1.41	1	t	20.35	10.54	13.32	13.32
	L	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
	+	Engineering Information Document (EI)			UEANL	UKEWU		28.80	28.80					20.35	10.54	13.32	13.32
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		36.52	36.52								
		Order Coordination for Specified Conversion Time for UVL-SL1			-												
		(per LSR)			UEANL	OCOSL		34.29	34.29								
	2-WIR	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	- !	2	UEQ UEQ	UEQ2X UEQ2X	17.23 22.53	31.99 31.99	20.02 20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	1	Order Coordination 2 Wire Unbundled Copper Loop - Non-	-	3	UEQ	UEQZX	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Designed (per loop)			UEQ	USBMC		36.52	36.52					20.35	10.54	13.32	13.32
		Engineering Information Document			UEQ			28.80	28.80					20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35		13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
IINDII	NDI ED	(UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBU		E ANALOG VOICE GRADE LOOP				+											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	ļ	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41	<u> </u>	ļ	20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	1	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEFSK UEFSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
UNBU		EXCHANGE ACCESS LOOP E ANALOG VOICE GRADE LOOP															
	Z-WIK	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					1	†	1	†	1	<del>                                     </del>	<b>+</b>				-
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					12.50	1 2130	15.20		1				1.5.5		
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				I											
	ļ	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64	<u> </u>	ļ	20.35	10.54	13.32	13.32
	+	Order Coordination for Specified Conversion Time (per LSR)  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	OCOSL	1	34.29		-					<del>                                     </del>	<del>                                     </del>	
		Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	1	Dation, Digitaling Lorio i			J	O L / 11 12	10.00	70.00	75.20	20.70	17.04	1	1	20.00	10.04	10.02	10.02

04/12/02 Page 310 of 352

UNBUNDLEI	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	'ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_				== 00									40.00
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch			UEA UEA	OCOSL UREWO		34.29 75.06	36.41					20.35	10.54	13.32	13.32
	ANALOG VOICE GRADE LOOP			UEA	UKEWO		75.06	36.41					20.33	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29	44.00					00.05	40.54	40.00	40.00
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	Universal Digital Channel (UDC) COMPATIBLE LOOP  2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone						<b> </b>									
	2-vvire Universal Digital Chairner (ODC) Compatible Loop - Zone		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone		<del>- '</del> -	ODC	UDUZA	22.22	142.70	00.00	70.33	39.10			20.33	10.54	13.32	13.32
	2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone			ODO	ODOZX	20.02	142.70	00.00	70.00	00.10			20.00	10.04	10.02	10.02
	3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge without outside dispatch		_	UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP.	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													40.00
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry &		<u> </u>	UAL	OCOSL		34.29									-
	facility reservaton - Zone 1		1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	∪, <u>⊩</u>	UNLEVV	13.02	31.55	20.02	10.05	1.41			20.33	10.34	13.32	13.32
	facility reservaton - Zone 2	- 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ť		1									12.2.	1	
	facility reservaton - Zone 3	- 1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 4		4	UAL	UAL2W								<u> </u>	<u> </u>		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	I		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP		4		ļ									
	2 Wire Unbundled HDSL Loop including manual service inquiry				11111 034	10.00	070.0:	00460	74.51	00 / 1			00.0-	10.51	10.00	10.00
$\longrightarrow$	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14	-		20.35	10.54	13.32	13.32
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
$\overline{}$	2 Wire Unbundled HDSL Loop including manual service inquiry		<del>                                     </del>	O. IL	UI ILEA	14.10	210.01	204.03	14.54	35.14	-		20.35	10.34	13.32	13.32
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		34.29								1	
	2 Wire Unbundled HDSL Loop without manual service inquiry															
1 1	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry		1											I		
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		<u>l</u>	3	UHL UHL	UHL2W UHL2W	14.15 18.50	31.99 31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32

ONRONDLE	D NETWORK ELEMENTS - Tennessee	1	1	1							·		Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry		_		UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UHL UHL	OCOSL	23.80	34.29	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UCUSL		34.29									1
	and facility reservation - Zone 1	١,	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry		<del>- '-</del>	OFIL	OTTL4VV	13.33	31.99	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	and facility reservation - Zone 2	1	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>		0.12	0	.0.20	01.00	20.02	10.00				20.00	10.01	10.02	10.02
	and facility reservation - Zone 3	l ı	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRI	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL UDL	UDL56 UDL56	40.61 53.11	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	53.11	34.29	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	00	34.29		00.70				20.00	10.01	10.02	10.02
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WIRI	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service				1		i i		i i					İ	İ	
	inquiry & facility reservation - Zone 1  2-Wire Unbundled Copper Loop/Short including manual service	ı	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	inquiry & facility reservation - Zone 2	I	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop/Short including manual service	Ι.	3	UCL	UCLPB	20.52	24.00	20.02	40.05	4 44			20.25	40.54	42.22	40.00
	inquiry & facility reservation - Zone 3	ı	3	UCL	UCLPB	22.53	31.99 36.52	20.02 36.52	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Short without manual service		<u> </u>	UCL	UCLIVIC		30.52	30.52								
	inquiry and facility reservation - Zone 1	l ,	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Short without manual service		<del>- '</del> -	UCL	UCLFVV	13.19	31.99	20.02	10.03	1.41			20.33	10.34	13.32	13.32
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
1	2-Wire Unbundled Copper Loop/Short without manual service	l .	┢▔		302	20	000	20.02					20.00	.5.04	.5.02	.0.02
	inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41	1		20.35	10.54	13.32	13.32
İ	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
ĺ	2-Wire Unbundled Copper Loop/Long - includes manual srvc.															
	inquiry and facility reservation - Zone 1	ı	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 2		2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
. 1	2-Wire Unbundled Copper Loop/Long - includes manual svc.									·						
	inquiry and facility reservation - Zone 3	ı	3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	1	]	UCL	UCLMC		36.52	36.52								

UNBUNDLEI	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - without manual service							71441		71441	0020					00
	inquiry and facility reservation - Zone 1	- 1	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 2	ı	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE	COPPER LOOP			UCL	UREWU		31.99	20.02					20.35	10.54	13.32	13.32
7-WIKE	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3	I	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and	- 1		UCL	UCL4VV	24.70	122.76	65.57	76.33	39.16			20.33	10.54	13.32	13.32
	facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop/Short - without manual service inquiry and		<u> </u>	002	002	02.20	.22.70	00.07	7 0.00	00.10			20.00		10.02	10.02
	facility reservation - Zone 3	- 1	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1	I	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_				400 =0									40.00
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	42.17	36.52	36.52	76.33	39.16			20.33	10.54	13.32	13.32
	4-Wire Unbundled Copper Loop/Long - without manual svc.			COL	COLIVIO		00.02	00.02								
	inquiry and facility reservation - Statewide	- 1	sw	UCL	UCL4O											
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFIC	CATION			1141 1111 1101												
				UAL, UHL, UCL, UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,								1			I	
	pair less than or equal to 18k ft	- 1		UDN, UDL, USL	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils - 2 wire		1	- ,,			22.10	22.10							15.02	. 5.02
	greater than 18k ft		L	UCL, ULS	ULM2G		710.71	23.77				<u> </u>	20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft	I	<u> </u>	UHL, UCL	ULM4L		65.40	65.40			ļ		20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire											1				
	pair greater than 18k ft			UCL UAL, UHL, UCL,	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32
				UEQ, UEF, ULS,												
				UEA, UEANL, UDL,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,								1			I	
	per unbundled loop		<u>L</u>	USL	ULMBT		65.44	65.44			<u></u>	<u> </u>	20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-Lo	op Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIEANII	11000.		F									
	Up	ı	<u> </u>	UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
+	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Op Sub-Loop - Per Building Equipment Room - CLEC Feeder		<del>                                     </del>	OLAINL	OODOD		42.08	42.08			1		20.35	10.54	13.32	13.32
ı	Facility Set-Up			UEANL	USBSC		313.01	313.01			1	l	20.35	10.54	13.32	13.32

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			'ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	O L Lord Book Not to the Control of						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	<u>'</u>		OLANL	03030		108.00	100.00					20.33	10.34	13.32	13.32
	Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	LIFANI	LICDNIA	7.00	4.47.00	75.44	00.00	40.00			20.25	40.54	40.00	40.00
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -								99.00							
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Oak Lane and Alexander			LIEANI	USBMC		24.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBR2	1.35	34.29 94.56	34.29 29.35					20.35	10.54	13.32	13.32
	Oub-Loop 2-wire intrabuliding Network Gable (INC)	<u> </u>		OLANE	OODINZ	1.55	34.30	29.55					20.33	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	0.10			LIFANII	1100140		04.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	USBMC UCS2X	5.16	34.29 110.71	34.29 37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	H		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>l i</del>		UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wile Supply Cribatialed Sub-Ecop Electionation 25/16 5	· ·		OLI	OOOZX	0.01	110.71	07.00	54.41	10.00			20.00	10.04	10.02	10.02
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	0.10			uee	1100140		04.00	04.00								
Unb	Order Coordination for Unbundled Sub-Loops, per sub-loop pair undled Sub-Loop Modification			UEF	USBMC		34.29	34.29								
Unb	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			-												
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged															
<b></b>	Tap Removal, per PR unloaded			UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.32
Unb	undled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair	<del></del>	<u> </u>	UENTW	UENPP	0.4555	2.48	2.48				-	20.35	10.54	13.32	13.32
Note	vork Interface Device (NID)	-	1	OLIVIVV	UEINFF	0.4555	2.48	2.48				-	20.35	10.54	13.32	13.32
IAGIN	Network Interface Device (NID) - 1-2 lines	<u> </u>	l	UENTW	UND12		89.69	54.56	0.6391	0.6391		1	20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines	<b>1</b>		UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.11	11.11					20.35	10.54	13.32	13.32
SUB-LOOPS													ļ			
Sub-	LIGHT Fooder DCC Set up per Corea Baulgostica CLEC		<u> </u>	LIEA									1			
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		1	UEA, UDN,UCL,UDL,UDC	LISBE\M		517.25						20.35	10.54	13.32	13.32
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair		<del>                                     </del>	UEA,	CODI W		317.23						20.33	10.34	13.32	13.32
	set-up		1	UDN,UCL,UDL,UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.32
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531.04	11.34					20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice					· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·						
	Grade- Statewide	ļ	SW	UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time, per LSR	ļ	<u> </u>	UEA	OCOSL		34.29						1			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFB	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Specified Time Conversion, per LSR		SW	UEA	OCOSL	12.05	34.29	60.05	10.35	38.16			20.35	10.54	13.32	13.32
ı			1	1··			07.20				L		1		1	<b>+</b>
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,															

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						B	Nonrecurring		Nonrecurring	Disconnect		l	oss	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice															
	Grade - Zone 1		1	UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	USBI D	20.11	137.31	01.93	110.04	30.13			20.33	10.54	13.32	13.32
	Grade - Zone 3		3	UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	28.11	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
<del>                                     </del>	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice			OLA	USBFE	20.11	137.31	01.93	110.04	30.13			20.35	10.54	13.32	13.32
	Grade - Zone 3		3	UEA	USBFE	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29									1
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2			UDN	USBFF	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
-	Order Coordination For Specified Conversion Time, Per LSR Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDN UDC	OCOSL USBFS	16.11	34.29 142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1			USL	USBFG	39.74	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2			USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR		1	USL UCL	OCOSL USBFH	9.52	34.59 114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1 Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone		- 1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone															
	3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		<u> </u>	UCL	OCOSL		34.29									ļ
-	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1			UCL UCL	USBFJ	14.37 18.76	123.41 123.41	48.03 48.03	110.44 110.44	22.53 22.53			19.99 19.99	19.99 19.99	19.99 19.99	19.99 19.99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3			UCL	USBFJ	24.53	123.41	48.03	110.44	22.53			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR		3	UCL	OCOSL	24.55	34.29	46.03	110.44	22.33			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	40.00
<b>+</b>	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -		1	UDL	USBFU	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															10.00
	Zone 3		3	UDL	USBFO	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34.29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	LICEED	20.00	440.00	40.00	400.00	40.04			40.00	40.00	40.00	40.00
	Zone 1 Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
<del>                                     </del>	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -				332.1	54.00	110.00	70.02	100.02	10.91			10.59	10.00	10.00	10.00
	Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
SUB-LOOPS	son Fooder				1								-			<del> </del>
Sub-L	Sub Loop Feeder - DS3 - Per Mile Per Month	-	-	UE3	1L5SL	14.11	<del>                                     </del>				}	-			-	<del>                                     </del>
	Sub Loop Feeder - DS3 - Facility Termination Per Month	<u> </u>		UE3	USBF1	333.26	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – STS-1 – Per Mile Per Month	i		UDLSX	1L5SL	14.11										<b>†</b>
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	- 1		UDLSX	USBF7	359.02	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	1

UNBUNDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder – OC-3 – Per Mile Per Month	-		UDLO3	1L5SL	10.71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	ı		UDLO3	USBF5	56.64										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	- 1		UDLO3	USBF2	546.31	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month	ı		UDL12	1L5SL	13.18			-							
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	639.98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	<u> </u>		UDL12	USBF3	1,697.00	3,390.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month	i i		UDL48	1L5SL	43.22	0,000.00	407.00	100.17	001.01			20.00	10.04	10.02	
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per								İ							
	Month	I	L	UDL48	USBF9	320.36	<u>                                      </u>		<u>                                      </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Sub Loop Feeder - OC-48 - Facility Termination Per Month	ı		UDL48	USBF4	1,457.00	3,576.00	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder - OC-12 Interface On OC-48	Ī		UDL48	USBF8	361.44	789.41	407.68	165.17	501.31			20.35	10.54	13.32	
UNBUNDLED L	OOP CONCENTRATION												ļ	ļ	ļ	
$\vdash$	Loop Channelization System		<b>!</b>		ULCCS	307.07	307.34	74.37	4.18		<u> </u>		20.35	10.54	13.32	13.32
-	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1.20	9.57 613.60	9.52	8.66	8.60			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System A (TR008) Unbundled Loop Concentration - System B (TR008)			ULC ULC	UCT8A UCT8B	500.18 54.82	255.67	613.60 255.67					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Unbundled Loop Concentration - System A (TR303)				UCT3A	539.00	613.60	613.60					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92.37	255.67	255.67					20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6.23	74.39	53.07	30.23	8.46			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite					00										
	Card)			UDN	ULCC1	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	8.46	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration2 Wire Voice-Loop Start or															
	Ground Start Loop Interface (POTS Card) Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery			UEA	ULCC2	2.32	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Loop Interface (SPOTS Card)			UEA	ULCCR	12.45	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface			OLA	OLCOR	12.40	0.03	0.00	3.71	9.00			20.55	10.54	10.02	10.02
	(Specials Card)			UEA	ULCC4	7.53	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35.77	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop															
	Interface			UDL	ULCC7	11.03	8.69	8.65	9.71	9.65			20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop															
	Interface		<u> </u>	UDL	ULCC5	11.03	8.69	8.65	9.71	9.65	ļ		20.35	10.54	13.32	13.32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop		1	LIDI		44.00	0.00	0.65		0.65			20.5-	105:	10.00	10.00
<del>                                     </del>	Interface		<b>!</b>	UDL	ULCC6	11.03	8.69	8.65	9.71 9.71	9.65	<del>                                     </del>		20.35	10.54	13.32	13.32
UNE OTHER P	ROVISIONING ONLY - NO RATE		<del>                                     </del>						5.71				<del> </del>	<del> </del>	<del> </del>	
CAL STREET, F	NID - Dispatch and Service Order for NID installation		<b>†</b>	UENTW	UNDBX							1	<b>†</b>	<b>†</b>	<b>†</b>	
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<u> </u>	UENTW	UENCE											
	, ,			UEANL,UEF,UEQ,U												
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN											
UNE OTHER, P	ROVISIONING ONLY - NO RATE												1	ļ	1	
			1						1							
	Unbundled Contact Name Provisioning Only, no		1	UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00		1					I		
<del>                                     </del>	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no		<del>                                     </del>	ODIN,UEA,UHL,ULC	UNEUN	0.00	0.00		<del>                                     </del>		<b> </b>		<del></del>	<del>                                     </del>	<del></del>	
	rate			UEA.UDN.UCL.UDC	USBE○	0.00	0.00						1	1	1	
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		<del>                                     </del>	52. ,0D14,00L,0D0	55D1 Q	0.00	3.00		†				1	1	1	
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00						1	1	1	
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -									-						
	no rate		<u> </u>	USL	CCOEF	0.00	0.00				ļ		1	L	1	
HIGH CAPACIT	Y UNBUNDLED LOCAL LOOP		<u> </u>						ļ		ļ					
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIEO	41 END	0.40							1	1	1	
	month		1	UE3	1L5ND	9.19	]				L		L	L	L	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - DS3 - Facility		1				FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.01
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9.19	000.01									
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	UDLS1			001.50	0.1.5.00				20.04		40.04	40.04
Note (1	Termination per month ): Rates provided in TN for both electronic and manual Loop	Makau	n oro ir			389.35	595.37	304.50	215.82	151.15	anto from t	ha Tannasa	36.84	36.84	19.01	19.01
LOOP MAKE-U		wakeu	p are ir	iterim and subject to	retro-active	true-up adjus	ments penaing	a permanent	rate ruling on t	nese rate eien	nents from t	ne renness	ee Regulatory	Authority.		
LOOF MARE-0	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per spare facility	R		UMK	UMKLW		0.76	0.76								
	queried (Manual).	R		UMK	UMKLP		0.76	0.76								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)	R		UMK	PSUMK		0.76	0.76								
	NCY SPECTRUM		-													
SPLITT	ERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity	<u> </u>	1	ULS	ULSDA	100.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing Opintor, per System 24 Eme Sapasity  Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODD	20.00	100.00	0.00	0.00	0.00			20.00	10.04	10.02	10.02
	deactivation (per LSOD)			ULS	ULSDG		163.06		92.71				20.35	10.54	13.32	13.32
END US	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY	SPEC	TRUM.	AKA LINE SHARING												
	Line Sharing - per Line Activation (BST owned Splitter)			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line															
	Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	42.22
<b></b>	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCS	0.61	47.44	19.31	0.00	0.00	-		20.35	10.54	13.32	13.32 13.32
	Line Splitting - per line activation (DLEC owned splitter)	l i		UEPSR UEPSB	UREOS	0.61	47.44	19.51	0.00	0.00			20.33	10.34	13.32	13.32
	Line Splitting - per line activation BST owned - physical	l i		UEPSR UEPSB	UREBP	0.97	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Splitting - per line activation BST owned - virtual	ı		UEPSR UEPSB	UREBV	0.91	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	DEDICATED TRANSPORT															
NOTE:	INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimu	m billin	ıg perio	od - below DS3=one	month, DS3/	STS-1=four mo	onths									
INTERC	DFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTTVX	120/01	0.0004										
	Facility Termination per month			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination per month			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination per month			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	8.66	8.66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	OTIDA	פעווט	17.98	55.39	17.37	21.96	3.51	<del>                                     </del>		20.35	21.09	9.80	10.54
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.54
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.34	1.2.70			50	1			0	2.30	

UNBUND	LED	NETWORK ELEMENTS - Tennessee			1	1	,							Attachment:		Exhibit: B	
CATEGOR	Y	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	LIATEO	848.99	005.00	470.50	400.04	405.04			36.84	00.04	40.04	40.04
		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			30.84	36.84	19.01	19.01
		month			U1TS1	1L5XX	2.34										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	ŀ	Termination per month			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.01
		CHANNEL - DEDICATED TRANSPORT															
NO		OCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	d - belo	ow DS3=one month,	DS3/STS-1=	four months										
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1			LIL DVAV	LII D) //2	47.40	400.00	04.40	54.04	4.00						
		Local Channel - Dedicated - 2-Wire Voice Grade per month -		1	ULDVX	ULDV2	17.18	199.33	24.16	54.81	4.80						
		Zone 2		2	ULDVX	ULDV2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade per month -				_											
		Zone 3		3	UNDVX	ULDV2	29.34	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per			5. 0.		_										40 -
		month Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per			ULDVX	ULDR2								20.35	21.09	9.80	10.54
		month - Zone 1		1	ULDVX	ULDR2	17.18	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per		<u>'</u>	OLDVX	OLDIVE	17.10	199.55	24.10	34.01	4.00						
		Month - Zone 2		2	ULDVX	ULDR2	22.44	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per															
		Month - Zone 3		3	ULDVX	ULDR2	29.34	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	18.18	201.53	24.83	55.50	5.51						
-		Local Channel - Dedicated - 4-Wire Voice Grade per month -		-	UNDVX	ULDV4	18.18	201.53	24.83	55.52	5.51						
		Zone 2		2	UNDVX	ULDV4	23.74	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - 4-Wire Voice Grade per month -								00.00	0.0.						
		Zone 3		3	UNDVX	ULDV4	31.05	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - DS1 per month - Zone 1			ULDD1	ULDF1	36.24	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS1 per month - Zone 2			ULDD1 ULDD1	ULDF1 ULDF1	47.33 61.89	277.35	233.26	33.18	22.30						
-		Local Channel - Dedicated - DS1 per month - Zone 3 Local Channel - Dedicated - DS3 - Per Mile per month		3	ULDD1	1L5NC	7.15	277.35	233.26	33.18	22.30						
		Local Channel - Dedicated - DS3 - Fer Mile per month			OLDD3	TESING	7.15										
		month			ULDD3	ULDF3	611.30	595.37	304.50	215.82	151.15			36.84	36.84	19.01	19.01
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.15										
		Local Channel - Dedicated - STS-1 - Facility Termination per															
MULTIPLE:		month			ULDS1	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
WULTIPLE.		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80.77	141.67	77.11	14.51	13.46			20.35	9.80	11.49	1.18
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			OXIDI	IVIQ I	00.77	141.07	77.11	14.01	10.40			20.00	5.00	11.40	1.10
		month (2.4-64kbs)			UDL	1D1DD	1.82	6.07	4.66			<u> </u>	<u> </u>	20.35	9.80	11.49	1.18
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month		<u> </u>	UDN	UC1CA	3.10	6.07	4.66					20.35	9.80	11.49	1.18
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA UXTD3	1D1VG MQ3	0.91 222.98	6.07 308.03	4.66 108.47	44.47	42.62	-	-	20.35 20.35	9.80 9.80	11.49 11.49	1.18 1.18
		DS3 to DS1 Channel System per month STS1 to DS1 Channel System per month		-	UXTS1	MQ3	222.98	308.03	108.47	44.47	42.62			20.35	21.09	9.80	9.80
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	17.58	6.07	4.66	77.47	72.02			20.35	9.80	11.49	1.18
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1		6.07	4.66					20.35	9.80	11.49	1.18
		DS3 Interface Unit (DS1 COCI) used with Interoffice Channel		1	LIATEM	LIC4D4	1	0.0-	4.00					00.0=	0.00	44.40	
DARK FIBE		per month		<del>                                     </del>	U1TD1	UC1D1	<del>                                     </del>	6.07	4.66	<del>                                     </del>		<del>                                     </del>		20.35	9.80	11.49	1.18
PANK FIDE		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				<u> </u>	<del> </del>			+							
		Thereof per month - Local Channel		1	UDF	1L5DC	58.83										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
. [		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE	41.505							I				
		Thereof per month - Interoffice Channel		<u> </u>	UDF UDF	1L5DF UDF14	28.74	1 101 00	152.40	E90.00	357.17			20.25	24.00	0.00	10.54
	ļ.	NRC Dark Fiber - Interoffice Channel		<u> </u>	וטטר	UDF 14	l	1,121.00	153.19	580.26	357.17	1	1	20.35	21.09	9.80	10.54

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	58.83										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,121.00	153.19	580.26	357.17			20.35	21.09	9.80	10.54
TRANSPORT																
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD	-	0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	NODAY		5.04	0.70					20.25	20.25	40.00	40.00
-	Number Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			OHD			44.47	4.40	7.04	0.7602			20.25	20.35	13.28	13.28
<del></del>	POTS Translations 8XX Access Ten Digit Screening, Per 8XX No. Established With		1	טחט	+		11.47	1.46	7.34	0.7602			20.35	∠0.35	13.28	13.28
	POTS Translations		1	OHD	N8FTX		11.47	1.46	7.34	0.7602		1	20.35	20.35	13.28	13.28
<del>                                     </del>	8XX Access Ten Digit Screening, Customized Area of Service			מווט	1401 17		11.47	1.40	7.34	0.7302			20.33	20.33	13.20	15.20
]	Per 8XX Number		1	OHD	N8FCX		4.47	2.24	I			1	20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR		<del>                                     </del>				17	2.27	<b>†</b>				20.00	20.00	.3.20	. 5.20
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000354										
	LIDB Validation Per Query			OQU		0.0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.03						20.35	20.35	13.28	13.28
SIGNALING (C																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916									10.00	10.00
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB	IFF++	0.0000373		130.04					20.33	20.33	13.32	13.32
	CCS7 Signaling Usage, Fel ISUP Message  CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment			ODD	01030	332.30										
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	IE (CNAM) SERVICE															
	CNAM for DB Owners, Per Query			OQV		0.0010541										
	CNAM for Non DB Owners, Per Query			OQV		0.0010541										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)		<u></u>	OQV	CDDCH		595.00	595.00					20.35	20.35	13.28	13.28
OPERATOR C	ALL PROCESSING															
	Oper. Call Processing - Oper. Provided, Per Min Using BST		1						1			1		I		
$\vdash \vdash \vdash$	LIDB		<u> </u>			1.08	ļ		<b>_</b>				-	-	-	ļ
]	Oper. Call Processing - Oper. Provided, Per Min Using		1			4.40			I			1	I	I	I	1
<del>                                     </del>	Foreign LIDB  Oper. Call Processing - Fully Automated, per Call - Using BST		<del>                                     </del>		+	1.13			<del>                                     </del>				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>
	LIDB		1			0.1010353			1			1		I		
<del>                                     </del>	Oper. Call Processing - Fully Automated, per Call - Using		<del>                                     </del>		+	0.1010353	1		<del> </del>	1	1	-	<del> </del>	<del> </del>	<del> </del>	
	Foreign LIDB		1			0.122818			I			1	I	I	I	1
INWARD OPF	RATOR SERVICES				+	0.122010							<b>-</b>	<b>-</b>	<b>-</b>	
J	Inward Operator Services - Verification, Per Minute		<del>                                     </del>			1.03			<b>†</b>				1	1	1	
	Inward Operator Services - Verification and Emergency Interrupt		<u> </u>													
	- Per Minute		1			1.03			I			1	I	I	I	1
BRANDING - 0	PERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement				CBAOS		1,555.00	1,553.00	7.03	7.03			19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		240.71	240.71					19.99	19.99		
Unbra	nding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)		ļ				1,200.00	1,200.00	ļ				1	1	1	
	SSISTANCE SERVICES		<u> </u>						ļ				ļ	ļ	ļ	<b></b>
DIREC	TORY ASSISTANCE ACCESS SERVICE		1		-	0.0000===					ļ					
	Directory Assistance Access Service Calls, Charge Per Call				1	0.2286787			1	]	1	l	1			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DIREC	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (	DACC)														
	Directory Assistance Call Completion Access Service (DACC),															
	Per Call Attempt					0.0364771										
NUMBI	R SERVICES INTERCEPT ACCESS SERVICE															
	Number Services Intercept Per Query					0.017793										
DIREC	TORY TRANSPORT (DT)															
	DT-Local Channel DS1					40.99	277.35	233.26	33.18	22.30						
	DT-DS1 Level Interoffice per mile					0.3562										
	DT-DS1 Level Interoffice per facility termination					77.86	112.40	76.27	19.55	14.99						
	SWA Common Transport per Directory Assistance Access															
	Service Per Call	ļ				0.000271			ļ						ļ	
1	SWA Common Transport per Directory Assistance Access	l		1		0.000015-										I
	Service Per Call Per Mile	<u> </u>		ļ		0.0000165	ļ		<b> </b>				<b> </b>		ļ	-
	Access Tandem Switching Per Directory Assistance Access															
	Service Per Call	l		<del>                                     </del>		0.0001875	<del>                                     </del>		<del>                                     </del>							1
	DT- Directory Assistance Interconnection Per Directory					0.00										
	Assistance Service Call DT-Installation NRC, Per Trunk or Signaling Connection					0.00	204.62	4.43	136.09	4.43						
	DT Local Channel DS1-Incremental Cost-Manual Svc Order vs		-				204.02	4.43	130.09	4.43						
	Electronic						45.68	1.76	21.75	1.76						
	DT Interoffice DS1-Incremental Cost-Manual Svc Order vs						45.00	1.70	21.75	1.70	1					
	Electronic						20.35	21.09	9.80	10.54						
DIRECTORY A	SSISTANCE SERVICES						20.33	21.09	9.00	10.34	1					
	TORY ASSISTANCE DATA BASE SERVICE (DADS)															
DIREC	Directory Assistance Data Base Service Charge Per Listing					0.0485										
	Directory Assistance Data Base Service, per month				DBSOF	104.13										
BRANDING - D	IRECTORY ASSISTANCE				2200.											
	Based CLEC															
	Recording and Provisioning of DA Custom Branded															
	Announcement			AMT	CBADA		1,555.00	1,553.00	7.03	7.03						
	Loading of Custom Branded Announcement per DRAM						,	,								
	Card/Switch			AMT	CBADC		240.71	240.71								
UNEP	CLEC															
	Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
	Loading of DA Custom Branded Announcement per DRAM															
	Card/Switch per OCN						240.71	240.71								
Unbrar	iding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE RO						ļ			ļ							
	Selective Routing Per Unique Line Class Code Per Request Per	l		1		I										I
	Switch				USRCR		179.60	179.60					20.35	20.35		
VIRTUAL COL		ļ		AMTEO	EAE		0.000.00	0.000.00	<b> </b>						ļ	
	Virtual Collocation - Application Cost	<u> </u>		AMTES	EAF	-	2,633.00	2,633.00	<b> </b>				ļ		ļ	-
	Virtual Collocation - Cable Installation Cost, per cable	<b> </b>		AMTES	ESPCX	0.01	1,749.00	1,749.00					1		ļ.	<b>!</b>
	Virtual Collocation - Floor Space, per sq. ft. Virtual Collocation - Power, per breaker amp	-		AMTFS AMTFS	ESPVX ESPAX	3.91 6.79			<del>                                     </del>							<del>                                     </del>
	Virtual Collocation - Power, per breaker amp Virtual Collocation - Cable Support Structure, per entrance	<b>!</b>	-	AIVIIFO	LOPAX	6.79			<del>                                     </del>					-	1	<del>                                     </del>
1	cable	l		AMTFS	ESPSX	17.87										I
	Virtual Collocation - 2-wire Cross Connects (Icop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, AMTFS, UDL, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
	Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, AMTFS, UAL, UDN, UNCVX, UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				AMTFS,UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F										1.56	
	Virtual Collocation - 4-Fiber Cross Connects			USL,ULC,AMTFS, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL,	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - DS1 Cross Connects			UNLD1	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	The distriction of the districti			USL,ULC,AMTFS,U E3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1,			OZ.	0		66			2.0.	2.01	0.0.	
	Virtual collocation - DS3 Cross Connects			UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		555.03									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			ANTEO	VE40E		555.00									
	Cable Support Structure, per cable  Virtual collocation - Security Escort - Basic, per half hour			AMTFS AMTFS	VE1CE SPTBX		555.03 33.15	20.44	1							
	Virtual collocation - Security Escort - Basic, per half hour  Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		41.50	25.61								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTPX		49.86	30.79								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64	30.64								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77	35.77								
VIRTUAL COL	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90	40.90								
VIRTUAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire Arialog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SELECTI	VE CARRIER ROUTING			CDC.	CDCCC	-	400 000 00		-				20.05			
<del>                                     </del>	Regional Service Establishment End Office Establishment			SRC SRC	SRCEC SRCEO		190,638.00 317.55	317.55	3.19	3.19	1		20.35 20.35	20.35	13.28	13.28
<del>                                     </del>	Line/Port NRC, per end user	1		SRC	SRCLP	1	317.33	317.33	3.19	3.19	1		20.33	20.33	13.20	13.20

UNBUNDLE	D NETWORK ELEMENTS - Tennessee										-		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			TES(\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Query NRC, per query			SRC		0.0206047	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
AIN - RELISO	UTH AIN SMS ACCESS SERVICE			SKC	1	0.0206047										
AIN - BEELSO	AIN SMS Access Service - Service Establishment, Per State,				+											
	Initial Setup			A1N	CAMSE		135.56	135.56					20.35	20.35	13.28	13.28
	I mai octop			,	0,02		100.00	100.00					20.00	20.00	10.20	10.20
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		41.75	41.75					20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		96.63	96.63					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,			l	1											
	Initial or Replacement			A1N	CAMRC		113.67	113.67					20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)	<del>                                     </del>	<b>!</b>		+	0.0024 0.0820123									<del>                                     </del>	
	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per	<del>                                     </del>	<b>!</b>		+	0.0820123										-
	Minute	1	1		1	2.27									1	
AIN - BELLSO	UTH AIN TOOLKIT SERVICE	<del>                                     </del>	<del>                                     </del>		+	2.21									<del> </del>	
AII BEEEGO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPIC		85.24	85.24					20.35	20.35	13.28	13.28
	DN. Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query				DAFII	0.0211882	05.24	03.24					20.33	20.33	13.20	13.20
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit				+	0.0211002										
	Subscription, Per Node, Per Query					0.0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service				L											
,	Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1	1	CAM	BAPDS	47.05	22.50	22.52					20.25	00.05	13.28	40.00
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	<del>                                     </del>	<b>!</b>	CAIVI	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
	Service Subscription	1	1	CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
ENHANCED EX	STENDED LINK (EELs)	1	<del>                                     </del>	OAW	DAF EO	0.0311435	ან.∠ა	30.23					20.35	20.35	13.28	13.28
	New EELs available in GA, TN, KY, LA, MS, & SC and density	/ zone 1	of foll	owing MSAs: Orlan	do. FL: Miam	i, FL: Ft. I auda	erdale. FI ·									1
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-														1	
	In all states, EEL network elements shown below also apply t							As Is Charge a	pplies to curre	ntly combined	facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	·.)
NOTE:	In GA, TN, KY, LA, MS & SC the EEL network elements apply	to ordi	narily c	ombined network e												<u> </u>
2-WIRE	VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)				•					•	_		
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport															
	Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
1	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed	1	_		l					40						40
	Transport Combination - Zone 2	<b> </b>	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
1	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	1	3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	THADSOUL COMORATION - ZONE 3	1	3	UNCVX	UEALZ	∠8.28	108.76	ან.47	12.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile						1									

ONDUNDLE	D NETWORK ELEMENTS - Tennessee	ı ———			1 1						Cup Cada	Sup Cada	Attachment:		Exhibit: B	Inoro
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	DS1 Channelization System Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.91	5.70	4.42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		١.,	UNCVX	UEAL2	16.56	108.76	35.47	72.94	40.00			20.35	21.09	9.80	10.5
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Each Additional 2-Wire VG Loop(SL2) in the same DS1			ONCVA	ULALZ	21.03	100.70	33.47	72.54	10.00			20.33	21.09	9.60	10.5
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination -		Ŭ	ONOVA	OLITE	20.20	100.70	00.47	72.04	10.00			20.00	21.00	3.00	10.0-
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIRI	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT (EEL)												
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per				=.		.=									
	Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination Per			LINGAV	MQ1	80.77	405.70	14.48	3.04	2.74						
	Month  Voice Grade COCI - DS1 to DS0 Channel System combination -			UNC1X	IVIQT	80.77	105.76	14.48	3.04	2.74						
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	IDIVO	0.51	5.70	7.72								
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OL71L-I	24.70	100.70	00.47	72.04	10.00			20.00	21.00	0.00	10.0
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Voice Grade COCI - DS1 to DS0 Channel System combination -															
	per month			UNCVX	1D1VG	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.5
4-WIRI	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL	)											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		_	LINODY	LIDI 50	10.01	400.70	05.47	70.04	40.00			00.05	04.00	0.00	40.5
	Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
-+	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDLS6	55.11	106.76	33.47	72.94	10.00			20.33	21.09	9.60	10.54
	Per Month			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 - combination Facility			ONOTA	TEO/OX	0.0002										
	Termination Per Month	l		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.5
	Channelization - Channel System DS1 to DS0 combination Per	l			1				. 5.07	33.00			20.00	200	3.00	.0.0
	Month	1		UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
$\neg$	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			-				0								
	month (2.4-64kbs)	l		UNCDX	1D1DD	0.91	5.70	4.42								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1				1									İ	İ	
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
	Interoffice Transport Combination - Zone 2	l	2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.5

UNRUI	NDI FE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	T
ONDO	IDELL	THE TWORK ELEMENTO TERMESSEE	1			1						Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc		
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System -		_					-								
		combination per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	1-WIRE	64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)					****						0.00	
	1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			(===)												
	ŀ	Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice					•		-								
	ŀ	Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice														0.00	
		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ŭ	0.1027	0220.	00.11	100.10	00		10.00			20.00	200	0.00	10.01
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 combination - Facility			0.10.171	120701	0.0002										
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		Channelization - Channel System DS1 to DS0 combination Per			0.10.17	0	11.00		110.12	70.07	00.00		1	20.00	200	0.00	10.01
		Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System			0.10.17		00.77	100.10		0.01			1	20.00	200	0.00	10.01
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONODA	10100	0.01	0.70	7.72				1				+
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		Ė	O. TOBA	02201	01110	100.10	00.11	72.01	10.00		1	20.00	200	0.00	10.01
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1			ONODA	ODLOT	40.01	100.70	00.47	72.04	10.00		1	20.00	21.00	0.00	10.04
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
		OCU-DP COCI (data) - DS1 to DS0 Channel System			O. TOBA	02201	00.11	100.10	00.11	72.01	10.00		1	20.00	200	0.00	10.01
		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-			O. TOBA	.5.55	0.01	0.10	2				1				+
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	1-WIRF	DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	ROFFI	CF TRA		0.1000		02.10	24.02	0.12	0.12			20.00	21.00	5.50	10.04
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		1	(	1							1				+
		Transport - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		·	0.10174	002,01	01.10	220.10		70.01	200			20.00	200	0.00	10.01
	ŀ	Transport - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice		_	ONOTA	OOLYON	70.40	220.40	101.74	70.01	24.00			20.00	21.00	5.50	10.04
		Transport - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		_			-										
		Per Month	1		UNC1X	1L5XX	0.3562			I	I			I	I	l	
		Interoffice Transport - Dedicated - DS1 combination - Facility	1				0.0002			t	t	1		t	t	<del> </del>	<del>                                     </del>
		Termination Per Month	l		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
		Nonrecurring Currently Combined Network Elements Switch -As-	1			<del>†</del>	50			. 5.57	55.50	1		20.00	255	3.50	10.04
		Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
<del>                                     </del>		DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFFI	CE TRA		1		5_20	202		52					2.00	13.01
		First DS1Loop in DS3 Interoffice Transport Combination - Zone	I		- \/	1		İ		İ	1			İ	İ	İ	†
		1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone															
		2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone				1				1	1			1	1	1	1
1 1		3	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
		Interoffice Transport - Dedicated - DS3 combination - Per Mile															
		Per Month	l		UNC3X	1L5XX	2.34			1	1			1	1		
		Interoffice Transport - Dedicated - DS3 - Facility Termination per															1
		month	1		UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						1
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
		Additional DS1Loop in DS3 Interoffice Transport Combination -				1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			İ	1			İ	İ	İ	†
		Zone 1	l	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88		1	20.35	21.09	9.80	10.54

ATTEORY NATE ELEMENTS	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
ARTE ELEMENTS   State   Box												Svc Order	Svc Order				Incremental
CATEGORY   RATE BLEMMYS   More   BCS   USDC   William   Part St.												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CALLEGE   Part   CALLEGE   Part   CALLEGE   Part   CALLEGE   Part   CALLEGE   CALLEG			Interi									Elec	Manually	<b>Manual Svc</b>	Manual Svc	<b>Manual Svc</b>	Manual Svo
Becompany	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Part			""											Electronic-	Electronic-	Electronic-	Electronic-
March   Marc														1st	Add'l	Disc 1st	Disc Add'l
March   Marc	ļ							Ta			D'				D-1(A)		
Additional DSE Interestive Transport Contribution							Rec					001150	001111			0014411	001441
Targe 2   UNICY   UN		Additional DC1L can in DC2 Intereffice Transport Combination		1		-		FIRST	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Additional Distriction in Rest Interaction Francisco Commissions and Mark 2015 Configurations of the Configuration				2	LINC1V	LIEL VV	75.40	229 40	161 74	70.97	24 00			20.25	21.00	0.90	10.54
Zone   Street   Str			1		UNCIX	USLAA	73.40	220.40	101.74	19.01	24.00	1	1	20.33	21.09	9.00	10.54
DEST Interface Display (1987 COCID contribution per month   DRCXV   DCCC   17.58   5.70   4.42   9.10   9.12   9.12   9.12   9.10   9				3	LINC1Y	LISL YY	08 50	228 40	161 74	70.87	2/ 88			20.35	21.00	9.80	10.54
Networking Controlled Network Selements Districts   No.	-			3						73.07	24.00	1		20.55	21.03	3.00	10.54
In Charge   Description   De					ONOTA	00101	17.00	0.10	7.72								
Design   Commission   Commiss					UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
2-WWW Course with 2-wer VS intendifies Transport   1 UNCVX	2-WIR		TEROFF	ICE TR						****	***						
2-WineYol Coop used with 2-wine VG Interoffice Transport   2   UNCVX   UEAL2   21:65   10:8.76   85:47   77:94   10:66   20:35   21:09   9:80   1					,												
Combination - Zenor 2		Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Combination - Zone 1		2-WireVG Loop used with 2-wire VG Interoffice Transport															
Combination - Zono 3		Combination - Zone 2	<u> </u>	2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Interortice Transport - Dedicated - 2-wire Victor Combination - Per   UNCVX		2-WireVG Loop used with 2-wire VG Interoffice Transport															
Mile Per Month    UNCVX   USXX   0,0174				3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
Interdiffice Transport - Dedicated - 2 - Wire Victor Grade   ORCY   UTIV2   21.79   79.83   44.08   69.32   31.00   20.55   21.08   9.80   1						1											
Combination - Facility Termination per month   UNCVX   UTTV2   21.79   79.83   44.68   69.32   31.00   20.55   21.09   9.80   1					UNCVX	1L5XX	0.0174										
Nonrecuring Currently Combined Network Elements Switch -As-   UNCVX   URAL4   24.70   108.78   24.62   9.12   9.12   20.38   21.09   9.80   1																	
Scharge					UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
##WIRE VOICE GRADE ENTENDED LOOP 4 WIRE VOICE GRADE ENTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE OF STANDED LOOP 4 WIRE VOICE GRADE INTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE GRADE WITH A PURE VOICE GRADE INTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE GRADE WITH A PURE VOICE GRADE INTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE GRADE WITH A PURE VOICE GRADE INTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE GRADE WITH A PURE VOICE GRADE INTENDED FICE TRANSPORT (EEL)  ##WIRE VOICE GRADE WITH A PURE VOICE GRADE INTENDED FI			1														
H-Wiley/CLopy used withwire VS Interoffice Transport			<u> </u>			UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
Combination - Zone 1	4-WIR		IEROFF	ICE IR	ANSPORT (EEL)												
4-Wire/VG Loop used with 4-wire VG Interdifice Transport   2 LINCVX   UEAL4   32.26   108.76   35.47   72.94   10.86   20.35   21.09   9.80   1					LINIONO	115014	04.70	400.70	25.47	70.04	40.00			20.25	24.00	0.00	40.54
Combination - Zone 2				1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86	ļ		20.35	21.09	9.80	10.54
A-WireVS Loop used with 4-wire VG interioffice Transport   3 UNCVX   UEALA   42.18   108.76   35.47   72.94   10.86   20.35   21.09   9.80   1				2	LINCV	LIEAL 4	22.26	100.76	25 47	72.04	10.96			20.25	24.00	0.90	10.54
Combination - Zone 3			1	2	UNCVA	UEAL4	32.20	100.76	33.47	12.94	10.00	1	1	20.33	21.09	9.60	10.54
Interoffice Transport - Dedicated - 4-wire Vice Combination - Per   UNCVX				3	LINCVY	LIEAL A	/2 18	108 76	35.47	72 94	10.86			20.35	21.00	9.80	10.54
Mile Per Month				3	ONOVA	OLALT	42.10	100.70	33.47	72.54	10.00			20.55	21.03	3.00	10.54
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month combination - Facility Combination - F					UNCVX	1L5XX	0.0174										
Combination - Facility Termination per month   UNCVX   U1TV4   27.30   79.83   44.08   69.32   31.00   20.35   21.09   9.80   1																	
Scharge					UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
DS3 DiGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)   High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month   UNC3X																	
High Capacity Unbundled Local Loop - DS3 combination - Per   UNC3X		Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
Mile per month	DS3 D		CE TRA	NSPOR	T (EEL)												
High Capacity Unbundled Local Loop - DS3 combination - Facility   Early Interoffice Transport - Dedicated - DS3 - Per Mile per month   UNC3X   UE3PX   373.47   240.23   180.87   106.78   45.24   20.35   21.09   9.80   1			1														
Facility Termination per month	$\vdash$		ļ		UNC3X	1L5ND	9.19	ļ		ļ	ļ			ļ	ļ	ļ	ļ
Interoffice Transport - Dedicated - DS3 - Per Mile per month   UNC3X   1.5XX   2.34   Interoffice Transport - Dedicated - DS3 combination - Facility   Termination per per month   UNC3X   U1TF3   854.97   482.01   153.81   64.43   35.43   20.35   21.09   9.80   11   153.8					LINIONY	LIEGE		2.2.2									
Interoffice Transport - Dedicated - DS3 combination - Facility   Termination per per month   UNC3X   U1TF3   854.97   482.01   153.81   64.43   35.43   20.35   21.09   9.80   1	$\vdash$		1	<b></b>				240.23	180.87	106.78	45.24	<u> </u>		20.35	21.09	9.80	10.54
Termination per per month	<del></del>		<del>                                     </del>	1	UNUSA	ILDXX	2.34			<del>                                     </del>	<b> </b>	1	-	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
Nonrecurring Currently Combined Network Elements Switch -As-   UNC3X			1		LINICSY	LIATES	054.07	400.04	452.04	64.40	25 40			20.25	24.00	0.00	10.54
STST DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE COmbination   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)   STS1 DIGITAL EXTENDED LO	<del>                                     </del>				014037	0111.9	004.97	402.01	103.61	04.43	33.43	1		20.35	21.09	9.60	10.54
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)  High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month UNCSX UDLS1 394.56 240.23 180.87 106.78 45.24 20.35 21.09 9.80 1 Interoffice Transport - Dedicated - STS1 combination - Per Mile per month UNCSX 1L5XX 2.34  Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Standard - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Transport - Dedicated - STS1 combination - Facility UNCSX UUTFS 849.30 482.01 153.81 64.43 35.43 20.35 21.09 9.80 1 Interoffice Tra					UNC3X	UNCCC		52 73	24 62	9 12	9 12			20.35	21 09	9.80	10.54
High Capacity Unbundled Local Loop - STS1 combination - Per   Mile per month   UNCSX   UDLS1   394.56   240.23   180.87   106.78   45.24   20.35   21.09   9.80   10   10   10   10   10   10   10	STS1		FICE TE	RANSPO		311000		32.73	24.02	9.12	5.12	1		20.00	21.09	3.30	10.34
Mile per month					···· ( <b></b> /	1				<b>†</b>				1	1	1	1
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month   UNCSX   UDLS1   394.56   240.23   180.87   106.78   45.24   20.35   21.09   9.80   11   11   12   12   13   13   14   14   14   14   14   14			1		UNCSX	1L5ND	9.19			I				I		I	I
Facility Termination per month															1		
Der month   UNCSX   1L5XX   2.34	1 1	Facility Termination per month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24			20.35	21.09	9.80	10.54
Interoffice Transport - Dedicated - STS1 combination - Facility   UNCSX		Interoffice Transport - Dedicated - STS1 combination - Per Mile															
Termination per month			<u></u>		UNCSX	1L5XX	2.34										
Nonrecurring Currently Combined Network Elements Switch -As-   UNCSX UNCCC   52.73   24.62   9.12   9.12   20.35   21.09   9.80   11	_		1							_	]			_		_	_
Is Charge					UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	10.54
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)			1							_	_						
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 22.22 108.76 35.47 72.94 10.86 20.35 21.09 9.80 10   1 UNCNX U1L2X 22.22 108.76   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80 10   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09 9.80   20.35 21.09   20.35			<u> </u>	Ļ	UNCSX	UNCCC		52.73	24.62	9.12	9.12	ļ		20.35	21.09	9.80	10.54
Transport - Zone 1	2-WIR		Kr (EEL	)		+				<b>.</b>				1	1	1	1
First 2-Wire ISDN Loop in a DS1 Interoffice Combination				4	LINICNIV	1141.07	20.00	400.70	25.47	70.04	40.00			20.05	04.00	0.00	40.54
	<del>                                     </del>		<b>!</b>	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86	1	-	20.35	21.09	9.80	10.54
	1	Transport - Zone 2	1	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	T
CINDONDE	Terrorit Elemento Terricosco										Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.54
	Channelization - Channel System DS1 to DS0 combination -															
	per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System			LINIONIX	110404	0.04	5.70	4.40					00.05	04.00	0.00	40.54
	combination - per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINIONIV	LIALOV	20.00	400.70	25.47	70.04	40.00			20.25	24.00	0.00	40.54
<b></b>	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Combination - Zone 2	1	2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
$\vdash$	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1		OINOINA	UILZA	29.02	100.76	35.47	12.94	10.00	1	1	20.33	21.09	9.00	10.54
	Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System		3	ONONA	UTLZX	37.93	100.70	33.47	72.54	10.00			20.55	21.03	3.00	10.54
	combintaion- per month			UNCNX	UC1CA	3.24	5.70	4.42					20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10101	00.07	0.2.	00						20.00	21.00	0.00	10.01
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	TEROF	FICE TI													
	First DS1 Loop in STS1 Interoffice Transport Combination -			` '												
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	2.34										
	Interoffice Transport - Dedicated - STS1 combination - Facility															
	Termination			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			20.35	21.09	9.80	
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	21.09	9.80	
	DS3 Interface Unit (DS1 COCI) combination per month  Additional DS1Loop in STS1 Interoffice Transport Combination -			UNC1X	UC1D1	17.58	5.70	4.42	-				20.35	21.09	9.80	10.54
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
-	Additional DS1Loop in STS1 Interoffice Transport Combination -		-	UNCIX	USLAA	31.13	220.40	101.74	19.01	24.00			20.33	21.09	9.00	10.54
	Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	Additional DS1Loop in STS1 Interoffice Transport Combination -	1		5.101/	30000	73.40	220.70	101.74	13.01	24.00		1	20.33	21.09	3.30	10.54
	Zone 3	1	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
	DS3 Interface Unit (DS1 COCI) combination per month	l		UNC1X	UC1D1	17.58	5.70	4.42					20.35	21.09	9.80	
	Nonrecurring Currently Combined Network Elements Switch -As-								1	İ			1	1	1	1
	Is Charge	1		UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERO	FFICE T	RANSI													
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
	Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport							-					]			
	Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport															
$oxed{oxed}$	Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
$\vdash$	Per Mile	<u> </u>		UNCDX	1L5XX	0.0174			-							<del></del>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	l		LINCDY	LIATOS	04.40	70.00	44.00	00.00	24.00			20.05	04.00	0.00	40.54
<del>                                     </del>	Facility Termination	1		UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
4-10/10	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FEICE T	BVNC		514000		32.13	24.02	9.12	9.12			20.35	21.09	9.00	10.34
4-4411	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport	I	INOT	UNI (LLL)	+ -				<del>                                     </del>				<del> </del>	<del> </del>	<del>                                     </del>	+
	Combination - Zone 1	l	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport			-		20			1	12.30					2.30	1
1 1	Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	1	İ	20.35	21.09	9.80	10.54

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ΓES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	_					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport						First	Auu i	First	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	TESAX	0.0174										
	Facility Termination			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
ADDITIONAL	. NETWORK ELEMENTS			ONODA	ONOCC		32.73	24.02	3.12	5.12			20.33	21.03	3.00	10.54
	n used as a part of a currently combined facility, the non-recurr															
	n used as ordinarilty combined network elements in Tennessee,	the no	n-recu	rring charges apply	and the Swit	ch As Is Charg	e does not.									
	e (SynchroNet)	Charga	(One (	nnlice to each comb	ninotion)											
Nonr	ecurring Currently Combined Network Elements "Switch As Is"  Nonrecurring Currently Combined Network Elements Switch -As-	onarge	(One a	pplies to each comi	Jillauon)		<del>                                     </del>									
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	1111000		50.70	04.00	0.40	0.40			00.05	04.00	0.00	40.54
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIONY	1111000		50.70	04.00	0.40	0.40			00.05	04.00	0.00	40.54
	Is Charge - DS3  Nonrecurring Currently Combined Network Elements Switch -As-			UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09	9.80	10.54
NOT	E: Local Channel - Dedicated Transport - minimum billing period	- Belo				r months										
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 1			UNCVX	ULDV2	17.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 2		2	UNCVX	ULDV2	22.44	108.76	35.47	72.94	10.86			20.35	21.09		
	Local Channel - Dedicated - 2-Wire Voice Grade Zone 3		3	UNCXV	ULDV2	29.34	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 1		1	UNCVX	ULDV4	18.18	108.76	35.47	72.94	10.86			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 2		2	UNCVX	ULDV4 ULDV4	23.74 31.05	108.76	35.47	72.94	10.86			20.35 20.35	21.09	9.80	10.54
	Local Channel - Dedicated - 4-Wire Voice Grade Zone 3		1	UNCXV UNC1X	ULDV4 ULDF1	31.05	108.76 228.40	35.47 161.74	72.94 79.87	10.86 24.88			20.35	21.09 21.09	9.80 9.80	10.54 10.54
	Local Channel - Dedicated - DS1 per month Zone 1 Local Channel - Dedicated -DS1 Per Month Zone 2		2	UNC1X	ULDF1	47.33	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
-	Local Channel - Dedicated - DS1 - Per Month Zone 3		3	UNC1X	ULDF1	61.89	228.40	161.74	79.87	24.88			20.35	21.09	9.80	10.54
-	Local Channel - Dedicated - DS3 - Per Mile per month			UNC3X	1L5NC	7.15	220.40	101.74	13.01	24.00			20.55	21.03	3.00	10.54
	Local Channel - Dedicated - DS3 - Facility Termination per			0.100/1	120110	1110										
	month			UNC3X	ULDF3	611.30	595.37	304.50	215.82	151.15			20.35	21.09	9.80	10.54
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	7.15										
	Local Channel - Dedicated - STS-1 - Facility Termination per			UNCSX	ULDFS	599.59	588.07	297.20	215.82	151.15			20.35	21.09	9.80	10.54
UNBUNDLED	D LOCAL EXCHANGE SWITCHING(PORTS)			ONOOX	OLDI O	333.33	300.07	237.20	210.02	101.10			20.55	21.03	9.00	10.54
	ange Ports															
NOT	E: Although the Port Rate includes all available features in GA, I	Υ, LA δ	& TN, t	he desired features	will need to b	oe ordered usi	ng retail USOCs	3								
2-WII	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exertaings Forter E Ville / Intaining Enter Fort With Galler 18 Process			02. 0.0	02.710		0.00	0.10	0.00	2.02			20.00	10.01	10.02	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus			ULFOR	UEPAQ	1.89	9.93	9.19	3.00	2.92			20.35	10.54	13.32	1.40
	with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling													40	40	
	port with Caller ID - Res (F2R)  Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
1	port with Caller ID - Res (TACSR)	l	1	UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

DIADOIADE	D NETWORK ELEMENTS - Tennessee		1	l	- T					1	Core Constru	C C	Attachment:		Exhibit: B	In anoma a : 1 :
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring			•		Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	3.00	2.92			20.35	10.54	13.32	1.40
FEATU				OLI OIX	OOAOC	0.00	0.00	0.00					20.55	10.54	10.02	1.40
TEAT	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
2-WIR	VOICE GRADE LINE PORT RATES (BUS)			OLI OIX	OLI VI	0.00	0.00	0.00					20.00	10.04	10.02	1
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB UEPSB	UEPAE USASC	1.89	9.93 0.00	9.19	3.66	2.92			20.35 20.35	10.54 10.54	13.32 13.32	1.4 1.4
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
FLAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.4
EXCH	NGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00					20.55	10.54	10.02	1.7
LXCIII	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee															
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy     Administrative Calling Port TN Calling Port     Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4
B.1.7	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.4

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
0.1.20												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect		l	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
	B.1.7	Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
-	FEATU	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	FEATU	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00	-				20.35	10.54	13.32	1.40
	EXCHA	NGE PORT RATES (COIN)			OLI OI OLI OL	OLI VI	0.00	0.00	0.00					20.55	10.54	10.02	1.40
		Exchange Ports - Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transm	nission by B-Cl	nannels associ	ated with 2-	wire ISDN p	orts.			
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New I	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/	New Business	s Request Pro	cess.	
UNBU		OCAL EXCHANGE SWITCHING(PORTS)															
	EXCHA	NGE PORT RATES (DID & PBX)			HEDEV	LIEDDO	0.07	47.75	47.04	0.01	0.47			20.05	40.54	40.00	4.40
-	1	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40
		capability			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			19.99	19.99	19.99	19.99
-		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			41.43	42.17	9.80	9.80
	NOTE:	Transmission/usage charges associated with POTS circuit st	vitched	usage								ated with 2-	wire ISDN r		12.11	0.00	0.00
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			40.69	42.17	9.07	10.54
UNBU		OCAL SWITCHING, PORT USAGE															
	End Of	fice Switching (Port Usage) End Office Switching Function, Per MOU					0.0008041										
	Tander	n Switching (Port Usage) (Local or Access Tandem)					0.0006041			-							
	ranaci	Tandem Switching Function Per MOU					0.0009778										
	Commo	on Transport								İ							
		Common Transport - Per Mile, Per MOU					0.0000064										
		Common Transport - Facilities Termination Per MOU					0.0003871										
UNBU		PORT/LOOP COMBINATIONS - COST BASED RATES	L.,	L		L	<u> </u>										
-		ased Rates are applied where BellSouth is required by FCC are								    Dowtti	of this Data E	-l- !l- !4					
	Feature Fnd Of	es shall apply to the Unbundled Port/Loop Combination - Cos	t Basec	e in th	ection in the same r	nanner as tn is rate evhib	iey are applied it shall apply to	to the Stand-A	one Unbunale	ed Port Section	nents except f	or LINE Coi	n Port/Loor	Combination	l ne		
	For Ge	fice and Tandem Switching Usage and Common Transport Us orgia, Kentucky, Louisiana, MIssissippi, South Carolina and T	Tenness	see, the	recurring UNE Port	and Loop c	harges listed a	pply to Current	ly Combined a	and Not Curren	tly Combined	Combos. T	he first and	additional Po	ort nonrecurri	ng charges a	oply to Not
		tly Combined Combos for all states. In GA, KY, LA, MS, SC ar															
		rrently Combined Combos in all other states, the nonrecurring	g charg	es shal	I be those identified	in the Nonr	ecurring - Curr	ently Combine	d sections.								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
<b>—</b>	<u> </u>	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			18.01 23.02			<b>_</b>					-		
<b>—</b>	UNFI	pop Rates		3			23.02			<del>                                     </del>							
	3.1L L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48			<u> </u>							
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port Rates (Res)															
<u> </u>	ļ	2-Wire voice unbundled port - residence		<u> </u>	UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
<u> </u>	<b> </b>	2-Wire voice unbundled port with Caller ID - res		-	UEPRX	UEPRC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
<b>—</b>	<u> </u>	2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Tennessee extended local			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
1		dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		1	30.89	7.03		
		2-Wire voice unbundled Tennessee Area Plus with Caller ID -			OLI TOX	OLI 71Q	1.70	22.14	10.20	0.40	0.01			00.00	7.00		
		res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			30.89	7.03		[
		2-Wire voice unbundled Tennessee Area Calling port with Caller															
		ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
1		2-Wire voice unbundled Tennessee Area Calling port with Caller			l	L	_			_			]		1		
<u> </u>	<b> </b>	ID - res (TACER)		<u> </u>	UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
<b>-</b>	1	2-Wire voice unbundled Tennessee Area Calling port with Caller		<b>-</b>	OLFIVA	OLFAIN	1.70	22.14	15.25	0.45	3.91		-	30.69	1.03		
		ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		[
		, , ,			1	•						1	ı				

04/12/02 Page 329 of 352

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			FES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID			UEFRA	UEPAU	1.70	22.14	15.25	6.45	3.91			30.09	7.03		
	(LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEDDV												
	Switch-as-is	<b> </b>	<u> </u>	UEPRX	USAC2		1.03	0.29	ļ				30.89	7.03	<b>!</b>	<del> </del>
1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	l		UEPRX	USACC		1.03	0.29					30.89	7.03	I	
	Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<del>                                     </del>	-	UEPKA	USACC		1.03	0.29			-		30.89	7.03	<del>                                     </del>	<u> </u>
	Subsequent Database Update						0.76						7.97			
ADDITI	Subsequent Database Opdate	1			1		0.76		1				7.97	1	<del> </del>	<b></b>
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent				+											
	Activity			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITAX	00/102	0.00	0.00	0.00					30.03	7.03		
	ort/Loop Combination Rates				+											<del>                                     </del>
OIL I	2-Wire VG Loop/Port Combo - Zone 1		1		+	14.18										•
	2-Wire VG Loop/Port Combo - Zone 2		2		1	18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										1
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - bus			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	l		l	[ ]		]						1	1	I	
	Port Standard Option (TACC2)	ļ		UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91			30.89	7.03	ļ	ļ
1	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and	l		luene.											I	
	Memphis Local Calling Port (B2F)	<u> </u>	<u> </u>	UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91			30.89	7.03	-	1
LOCAL	NUMBER PORTABILITY	1	1	HEDDY	LNDCV	0.05							-	-	1	<del> </del>
FEATU	Local Number Portability (1 per port)	1	1	UEPBX	LNPCX	0.35							-	-	1	<del> </del>
	All Features Offered	-	-	UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03	<del>                                     </del>	<del>                                     </del>
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	ULFDA	UEFVF	0.00	0.00	0.00					30.89	7.03	-	<del> </del>
NONRE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			1		1		1				1	1	<del> </del>	<b></b>
	Switch-as-is	l		UEPBX	USAC2		1.03	0.29					30.89	7.03	1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	<del>                                     </del>	OLI DA	00A02		1.03	0.29	<del> </del>				50.09	7.03	<del>                                     </del>	<del>                                     </del>
	Switch with change	l		UEPBX	USACC		1.03	0.29					30.89	7.03	I	
<b>+</b>	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			- 57.100		00	3.20					55.05		<u> </u>	<b>†</b>
	Subsequent Database Update	l					0.76						7.97	1	I	
ADDITI	IONAL NRCs				1 1		50						1		1	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1		1		i		İ				İ	İ	İ	
	Activity	l		UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03	I	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)				1											
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
			2			18.01										
	2-Wire VG Loop/Port Combo - Zone 2				1 .	10.01										

CIADOIADE	ED NETWORK ELEMENTS - Tennessee	1	1	1	1						0	00	Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wii	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -					. =0										
1.00	Res AL NUMBER PORTABILITY			UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
LUCA	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00					30.89	7.03		
EEAT	TURES			UEPRG	LINECE	3.13	0.00	0.00					30.69	7.03		
FLAI	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFRG	OLFVI	0.00	0.00	0.00					30.09	7.03		
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				-											
	Conversion - Switch-As-Is			UEPRG	USAC2		1.03	0.29			1		30.89	7.03		1
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			00.02		1.00	0.23			<b> </b>		55.53	7.55		<b> </b>
	Conversion - Switch with Change			UEPRG	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				331.133											
	Subsequent Database Update						0.76						7.97			
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						14.64	14.64					30.89	7.03		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
UNE	Loop Rates			ļ <u>.</u>												
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
0.147	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
2-1/11	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
-	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70		15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee	<b>-</b>	<del>                                     </del>	0211 A	02.120	1.70	22.14	10.20	0.40	5.31	<b> </b>		30.09	7.03		<b> </b>
	Calling Port			UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03		1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee		t		1				5.10	2.01			22.00			
	Calling Port			UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03		1
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		<u>L</u>	UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					-										
	Administrative Calling Port			UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				Ι Τ						1					]
			1	UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Room Calling Port		-								l	1	i	i	l	l
	Room Calling Port 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Room Calling Port  2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Room Calling Port 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX												
	Room Calling Port  2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Room Calling Port 2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX												

UNBUNDI	LED NETWORK ELEMENTS - Tennessee			•							_	_	Attachment:		Exhibit: B	
CATEGORY	rate elements	Interi m	Zone	BCS	USOC		RAT	FES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
100	CAL NUMBER PORTABILITY			OLIT X	OLI AV	1.70	22.14	10.20	0.40	0.01			00.00	7.00		
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					30.89	7.03		
FEA	ATURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update	1	<u> </u>	ļ	1		0.76						7.97			
ADE	DITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1												I	
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt													= 00		
11815	Group						14.64	14.64					30.89	7.03		
UNE	E Port/Loop Combination Rates					44.40										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18 18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 2 2-Wire VG Coin Port/Loop Combo – Zone 3	-	3			23.02										
LINE	E Loop Rates	-	3			23.02										
ONL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32										
2-W	/ire Voice Grade Line Ports (COIN)		Ŭ	021 00	OLI LX	21.02										
	2-Wire Coin 2-Way without Operator Screening and without															
	Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking															
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88							30.89	7.03		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		1	UEPCO	UEPCR	1.88							20.00	7.03	I	
ADE	DITIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	1.88							30.89	7.03		
ADL	UNE Coin Port/Loop Combo Usage (Flat Rate)	1		UEPCO	URECU	3.45	0.00	0.00					30.89	7.03		
-	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35	0.00	0.00					50.05	7.03	<del>                                     </del>	†
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<b>!</b>	02.1 00	LITION	0.33									<b>I</b>	1
	Switch-as-is		1	UEPCO	USAC2		1.03	0.29					30.89	7.03	I	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	.t													İ	1
	Switch with change			UEPCO	USACC		1.03	0.29					30.89	7.03	1	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		<u></u>	UEPCO	USAS2	0.00	0.00	0.00					30.89	7.03	<u> </u>	
UNE	BUNDLED REMOTE CALL FORWARDING - RES															
	n-Recurring															
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding, InterState/Intra LATA-Bus	1		UEPVB	UEPVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non	n-Recurring	1	L	L	4										ļ	ļ
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	⊢ I INF I	PORT (	KES)	1				1		ı	1			l	1
	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR				+ +											

ONRONE	ULED	NETWORK ELEMENTS - Tennessee	,												Attachment:		Exhibit: B	<b>↓</b>
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Charge - Manual Svo Order vs.
															1st	Add'l	Disc 1st	Disc Add'l
									Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP		UEPXS	1.79	106.40	63.08	42.67	18.54			30.89	7.03		
UNBUNDL	LED PO	ORT/LOOP COMBINATIONS - COST BASED RATES																
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															1
UN	NE Por	rt/Loop Combination Rates																
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				18.38										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				19.87										
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				24.78										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	11.09										
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	16.00										
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		
NC		CURRING CHARGES - CURRENTLY COMBINED	ļ		ļ												ļ	
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	l		UEPPX		USAC1		0.70	5.75					30.89	7.03		
		Switch-as-is	<del>                                     </del>	-	UEPPX		USACT		8.76	5./5			-		30.89	7.03	1	+
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes	l		UEPPX		USA1C		8.76	5.75					30.89	7.03		
T-		with BellSouth Allowable Changes ine Number/Trunk Group Establisment Charges	1		UEPPA		USAIC		8.76	5./5	1				30.89	7.03		+
16		DID Trunk Termination (One Per Port)		-	UEPPX		NDT	0.00	0.00	0.00								+
-		Additional DID Numbers for each Group of 20 DID Numbers		-	UEPPX		ND4	0.00	0.00	0.00			1					+
		DID Numbers, Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00								+
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								+
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								+
LC		NUMBER PORTABILITY			OL: 17			0.00	0.00	0.00								+
		Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								<del></del>
2-1		ISDN DIGITAL GRADÉ LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														1
UN	NE Por	rt/Loop Combination Rates																
	2	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 1		1	UEPPB	UEPPR		32.27										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 2		2	UEPPB	UEPPR		34.78										
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
		UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
		2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
		2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25	444.75	440.07	40.00	40.00			40.00	40.00		
NC		Exchange Port - 2-Wire ISDN Line Side Port CURRING CHARGES - CURRENTLY COMBINED			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NC		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			1													
		Combination - Conversion			LIEDDD	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
۸۲		DNAL NRCs		-	UEFFB	UEPPR	USACB	0.00	117.23	117.23			1		19.99	19.99		+
AL		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy -					<del>                                     </del>											+
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
1.0		NUMBER PORTABILITY			OLITE	OLITIK	CONOD		212.00						10.00	10.00		+
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								+
B-0		NEL USER PROFILE ACCESS:			OL. I D	<u> </u>	2.1. 0/1	0.00	0.00	0.00								1
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								+
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								1
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								1
B-0	CHAN	NEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, 8	TN)					i i									
	(	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
US		ERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VE		AL FEATURES			ļ													<b>↓</b>
1	1	All Vertical Features - One per Channel B User Profile Interoffice Channel mileage each, including first mile and			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								1
											1		i			i		

ONRONDE	ED NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MACNIM	0.173	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-W/I	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	POPT		UEFFB UEFFR	IVITGINIVI	0.173	0.00	0.00								
	Port/Loop Combination Rates	FORT					+									
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		173.44										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98.59							10.00	10.00		
Nov	Exchange Ports - 4-Wire ISDN DS1 Port		<u> </u>	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43			19.99	19.99	-	
NON	RECURRING CHARGES - CURRENTLY COMBINED		1	<del>                                     </del>	+	ļ	<del>                                     </del>		<del>                                     </del>		-			<del>                                     </del>	<del>                                     </del>	-
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		1	UEPPP	USACP	0.00	328.53	328.53					19.99	19.99	I	
ADDI	TIONAL NRCs	-	1	ULFFF	USACP	0.00	3∠8.53	328.53	+				19.99	19.99	<del> </del>	
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1								1					1
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	110711		0.04						10.00	10.00		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLITT	110710		22.00	22.00					10.00	10.00		
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Additional - Voice/Data B Channel		<u> </u>	UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel		<u> </u>	UEPPP UEPPP	PR7BF PR7BD	0.00	29.11						19.99	19.99		
CALL	New or Additional Inward Data B Channel - TYPES		-	UEPPP	PR/BD	0.00	29.39						19.99	19.99		
CALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00		0.00								
	Two-way			UEPPP	PR7CC	0.00		0.00								
Interd	office Channel Mileage			02	00	0.00	0.00	0.00								
	Fixed Each Including First Mile			UEPPP	1LN1A	76.1825	145.98	109.85	19.55				19.99	19.99	1	
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.3525	1							1	1	
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93.28							19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110.95		•		•			19.99	19.99		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134.14	ļ						19.99	19.99		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53	ļ									
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75.40	ļ									
	4-Wire DNTS Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59	040.00	057.07	04.41	40.40			40.00	40.00	1	
Norm	4-Wire DDITS Digital Trunk Port RECURRING CHARGES - CURRENTLY COMBINED		1	UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99	<del>                                     </del>	
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<b>-</b>	<del>                                     </del>	-	+		<del>                                     </del>		<del> </del>					-	<del></del>	-
	- Switch-as-is		1	UEPDC	USAC4		312.91	312.91					19.99	19.99	I	
<b></b>	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		-	OLFDC	USAC4		312.91	312.91	+ -				19.99	19.99	+	-
	- Conversion with DS1 Changes			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	<del></del>		021 00	30,000		312.31	312.31	<del> </del>				13.33	13.35	t	-
	- Conversion with Change - Trunk			UEPDC	USAWB		312.91	312.91					19.99	19.99	1	
ADDI	TIONAL NRCs				30,	1	312.01	312.31					10.00	10.59	1	
1.55	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent														1	
l	Service Activity Per Service Order	l	1	UEPDC	USAS4	Ì	94.88	94.88						Ì	I	

UNBUNDLED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -															
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
	R 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00					19.99	19.99		
	B8ZS - Extended Superframe Format		<u> </u>	UEPDC	CCOEF		0.00	590.00					19.99	19.99		
	te Mark Inversion			LIEDDO	140005		0.00	0.00								
	AMI -Superframe Format AMI - Extended SuperFrame Format			UEPDC UEPDC	MCOSF MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges			UEPDC	IVICOPO		0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00		0.00					10.00	10.00		
	Reserve DID Numbers			UEPDC	NDV	0.00		0.00								
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop													
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			OLI DO	TENTON	0.0020	0.00	0.00								
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25				1	0.00										
	miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
-	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
							İ		İ							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		L	UEPDC	1LNOC	0.3525	0.00	0.00	<u>                                      </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15		0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00		<u> </u>								
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti				1		1		ļļ						ļ	ļ
	stem can have up to 24 combinations of rates depending on	type ar	nd num	ber of ports used	1		1		ļl						ļ	
UNE DS			<u> </u>	LIEDMO	1101.50											
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73		0.00					ļ	ļ	<b> </b>	ļ
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40		0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00							-	
	O Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	15)	1	UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99	-	
	48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s		<del>                                     </del>	UEPMG	VUM24 VUM48	263.74		0.00	<del>                                     </del>				19.99	19.99	-	-
	96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	527.48		0.00	<del>                                     </del>				19.99	19.99	1	
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42		0.00	<del>                                     </del>				19.99	19.99	1	
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76		0.00					19.99	19.99	<del> </del>	<b> </b>
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318.70		0.00					19.99	19.99	<del> </del>	<b> </b>
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582.44		0.00					19.99	19.99	<b> </b>	
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109.92		0.00					19.99	19.99	1	
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637.40		0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00	j				19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s		1	UEPMG	VUM67	3,692.36	0.00	0.00	i - 1				19.99	19.99	İ	
				n with Port - Conve				2.50								

04/12/02 Page 335 of 352

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
											Svc Order	Svc Order				Incremental
												Submitted		Charge -	Charge -	Charge -
		١									Elec	Manually		Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-		Electronic-	Electronic-
														Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A Mi	nimum System configuration is One (1) DS1, One (1) D4 Channe	l Bank.	and U	n To 24 DSO Ports w	ith Feature	Activations.			1							
	iples of this configuration functioning as one are considered Ad															
	NRC - Conversion (Currently Combined) with or without				1											
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Syst	em Additions at End User Locations Where 4-Wire DS1 Loop wi	th Char	nelizat	ion with Port Comb	ination Curr	ently Exists an	d									
New	(Not Currently Combined) In GA, KY, LA, MS & TN Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															
	Fea Activation - New GA, LA, KY, MS, &TN Only			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bipc	olar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent															
	Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								
	Clear Channel Capability Format - Extended Superframe -	1		<u> </u>	1								]	<u> </u>	_	
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								
Alter	rnate Mark Inversion (AMI)				1	<u> </u>										
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
$\vdash$	Extended Superframe Format	<u> </u>		UEPMG	MCOPO	0.00	0.00	0.00			<u> </u>				ļ	
	nange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Exch	nange Ports	<u> </u>		ļ	1	ļ					<u> </u>				ļ	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00		0.00			30.89	7.03		
	Line Side Outward Channelized PBX Trunk Port - Business	<u> </u>		UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			30.89	7.03		
	Line Side Inward Only Channelized PBX Trunk Port without DID	<u> </u>		UEPPX	UEP1X	1.79	0.00	0.00		0.00			30.89	7.03		
H	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
Feat	ure Activations - Unbundled Loop Concentration				-											
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	22.04	40.04	3.82	3.80			30.89	7.03		
$\vdash$	Feature (Service) Activation for each Trunk Side Port Terminated	1		UEPFA	IPQVVIVI	0.00	23.94	12.64	3.02	3.00			30.69	7.03		
	in D4 Bank			UEPPX	1PQWU	0.66	73.67	17.37	54.09	10.57			30.89	7.03		
Tolo	phone Number/ Group Establishment Charges for DID Service			OLITA	11 Q 110	0.00	75.07	17.57	34.03	10.57			30.03	7.03		
100	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
<del> </del>	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00		0.00				1				
<del> </del>	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00		0.00				1				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00		0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES - Vertical and Optional															
	al Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								
	D PORT LOOP COMBINATIONS - MARKET RATES															
	ket Rates shall apply where BellSouth is not required to provide	unbun	dled lo	cal switching or swi	tch ports pe	r FCC and/or S	tate Commissio	n rules.								
	se scenarios include:															
	nbundled port/loop combinations that are Not Currently Combin															
	nbundled port/loop combinations that are Currently Combined															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderd												<u> </u>	ــــــــــــــــــــــــــــــــــــــ	<u> </u>	1
	South currently is developing the billing capability to mechanica									not currently	combined in	AL, FL and	NC. In the in	nterim where	BellSouth car	nnot bill
	set Rates, BellSouth shall bill the rates in the Cost-Based section			lieu of the Market R	ates and res	erves the right	to true-up the	billing differer	nce.	1	1		T	T		
	Market Rate for unbundled ports includes all available features			<u> </u>		<u> </u>					<u> </u>	L	L	L		L
	Office and Tandem Switching Usage and Common Transport Us	sage rat	es in ti	he Port section of th	is rate exhib	it shall apply t	o all combination	ons of loop/po	ort network elen	nents except	for UNE Coi	n Port/Loop	Combination	ns which have	e a flat rate us	sage charge
	DC: URECU).						NDO!	,	11000 = 0							
	Not Currently Combined scenarios where Market Rates apply, th				in the First a	and Additional	NKC columns f	or each Port l	USOC. For Curi	rently Combin	ed scenario	s, the Nonr	ecurring char	ges are listed	in the NRC -	Currently
	bined section. Additional NRCs may apply also and are categor	rized ac	cordin	gly.					, ,		1		1			1
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ	1			ļ	1				1					ļ
1		1	1	1	1	1					<b> </b>				<b></b>	
UNE	Port/Loop Combination Rates		-	1		00 10										
UNE	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
UNE	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 1															

04/12/02 Page 336 of 352

JNBUNDLE	D NETWORK ELEMENTS - Tennessee			ı							1		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
				UEDDV			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX UEPRX	UEPLX UEPLX	16.31 21.32										
2-Wiro	Voice Grade Line Port (Res)		3	UEPRA	UEPLX	21.32										
2-99116	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port vith Caller ID - res			UEPRX	UEPRC	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local			02.100	020	1 1.00	00.00	00.00					00.00	7.00		
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (F2R)			UEPRX	UEPAK	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACER)			UEPRX	UEPAL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (TACSR)			UEPRX	UEPAM	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (1MF2X)			UEPRX	UEPAN	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (2MR)			UEPRX	UEPAO	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	14.00	90.00	90.00					30.89	7.03		
LOCA	NUMBER PORTABILITY			LIEDDY	LNDOV	0.05										
FEATU	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35			-							
FEAT	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NOND	ECURRING CHARGES - CURRENTLY COMBINED			UEPRX	UEPVF	0.00	0.00	0.00			1		30.89	7.03		
NONK	CORRING CHARGES - CORRENTET COMBINED										1					
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			OLI TOX	00/102		41.00	41.00					00.00	7.00		
	change			UEPRX	USACC		41.50	41.50					30.89	7.03		
ADDIT	IONAL NRCs			02.100	007.00		11.00	11.00					00.00	7.00		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIR	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			-												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
UNE L	pop Rates									-						
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31	ļļ				ļ					
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32										
2-Wire	Voice Grade Line Port (Bus)			LIEDDY	LIEDDI	1100	20.00	00.00			ļ		20.00	7.00	ļ	
_	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00	<del>                                     </del>		1		30.89	7.03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00	-				30.89	7.03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling	-		OLFBA	ULFAV	14.00	90.00	90.00	<b>-</b>		<b> </b>		30.69	1.03	1	<b> </b>
	Port Economy Option (TACC1)			UEPBX	UEPAC	14.00	90.00	90.00					30.89	7.03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLI DA	JLI AU	14.00	30.00	30.00					30.09	7.03		
	Port Standard Option (TACC2)			UEPBX	UEPAD	14.00	90.00	90.00					30.89	7.03		
-	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and				020	14.00	33.50	55.50					55.59	7.00	1	
	Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14.00	90.00	90.00					30.89	7.03		1
LOCA	NUMBER PORTABILITY				1 -	50	22.20	22.30	1				22.20	50		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35	1		1							
FEATU							j									
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONR	CURRING CHARGES - CURRENTLY COMBINED															ĺ

NOUNDLI	ED NETWORK ELEMENTS - Tennessee	1		1							0	06	Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50					30.89	7.03		
ADDI	TIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2	0.00	0.00	0.00					30.89	7.03		
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLFBA	USASZ	0.00	0.00	0.00					30.09	7.03		
	Port/Loop Combination Rates		1		+		1									
ONE.	2-Wire VG Loop/Port Combo - Zone 1	1	1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3	<b>†</b>	3	1		35.32	1		İ							
UNE I	Loop Rates	<b>†</b>	Ť	1			1		İ							
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRG	UEPLX	12.48			İ						İ	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21.32										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	14.00	90.00	90.00					30.89	7.03		
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	TURES															
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with															
	Change			UEPRG	USACC		41.50	41.50					30.89	7.03		
ADDI	TIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature -															
	Subsequent Activity- Nonrecurring						0.00	0.00					30.89	7.03		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					30.89	7.03		
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			35.32										
UNE	Loop Rates	ļ	L	L												
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPPX	UEPLX	12.48	ļ		ļļ							
	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPPX	UEPLX	16.31										ļ
0 147	2-Wire Voice Grade Loop (SL1) - Zone 3	<b>!</b>	3	UEPPX	UEPLX	21.32									1	
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)	<b>!</b>	<u> </u>	<b>!</b>											1	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Outward PBX Trunk Port - Bus	ļ	ļ	UEPPX	UEPPO	14.00	90.00	90.00					30.89	7.03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus	<b>!</b>	<u> </u>	UEPPX	UEPP1	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled PBX LD Terminal Ports	<b>!</b>	<u> </u>	UEPPX	UEPLD	14.00	90.00	90.00	1				30.89	7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	14.00	90.00	90.00					30.89	7.03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			LIEDDY	UEPTO	14.00	00.00	00.00					20.00	7.00		
	Calling Port  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port	<del>                                     </del>	<del>                                     </del>	UEPPX	UEPXA	14.00 14.00	90.00 90.00	90.00					30.89 30.89	7.03 7.03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	<del>                                     </del>	<del>                                     </del>	UEPPX	UEPXA	14.00	90.00	90.00					30.89	7.03		
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports  2-Wire Voice Unbundled PBX LD DDD Terminals Port	<del>                                     </del>	<del>                                     </del>	UEPPX	UEPXB	14.00		90.00					30.89	7.03		-
-+	2-Wire Voice Unbundled PBX LD DDD Terminals Port  2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	1		UEPPX	UEPXC	14.00	90.00 90.00	90.00	+				30.89	7.03	1	<b> </b>
-+	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del>                                     </del>		OLFFA	ULFAD	14.00	90.00	90.00	+				30.69	1.03	1	<del>                                     </del>
	Capable Port	1	1	UEPPX	UEPXE	14.00	90.00	90.00					30.89	7.03	l	I

ONRONDLED	NETWORK ELEMENTS - Tennessee			ı						1	I		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy dministrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					30.89	7.03		
R	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					30.89	7.03		
А	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXN	14.00	90.00	90.00					30.89	7.03		
	i-wire voice undunded 1-way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	14.00	90.00	90.00					30.89	7.03		
	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					30.89	7.03		
	!-Wire Voice Unbundled PBX Collierville and Memphis Calling			02.17	02.70	1 1.00	00.00	00.00					00.00	7.00		
P	Port -Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			UEPPX	UEPXU	14.00	90.00	90.00					30.89	7.03		
	Callling Port			UEPPX	UEPXV	14.00	90.00	90.00					30.89	7.03		
	NUMBER PORTABILITY			:	32.7.0	00	55.00	22.00					33.00			
	ocal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATUR																
	Il Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
NONREC	URRING CHARGES - CURRENTLY COMBINED															
2	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					30.89	7.03		
2	-Wire Voice Grade Loop/ Line Port Combination - Switch with															
C	Change			UEPPX	USACC		41.50	41.50					30.89	7.03		
	-Wire Voice Grade Loop/ Line Port Combination - Subsequent Wire Loop/Line Side Port Combination - Non feature -			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03		
S	Subsequent Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt						0.00	0.00					30.89	7.03		
	Group						14.64	14.64					30.89	7.03		
2-WIRE \	OICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT.														
UNE Por	t/Loop Combination Rates															
	!-Wire VG Coin Port/Loop Combo – Zone 1		1			26.48										
2	P-Wire VG Coin Port/Loop Combo – Zone 2		2			30.31										
	-Wire VG Coin Port/Loop Combo – Zone 3		3			35.32										
UNE Loo																
	-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	P-Wire Voice Grade Loop (SL1) - Zone 2 P-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	2	UEPCO UEPCO	UEPLX	16.31 21.32									-	
	oice Grade Line Port Rates (Coin)	<del>                                     </del>	3	OLFOO	UEPLA	21.32										-
	l-Wire Coin 2-Way without Operator Screening and without	1			+						1				1	
В	I-write Coin 2-way without Operator Screening and without Blocking (TN)Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPTB	14.00	90.00	90.00					30.89	7.03		
9	t-wire Coin 2-way with Operator Screening and Blocking: 011, 00/976, 1+DDD (NC, TN)Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRP	14.00	90.00	90.00					30.89	7.03		
(	t-wire Coin 2-way with Operator Screening and 011 Blocking TN) Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPTA	14.00	90.00	90.00					30.89	7.03		
9	00/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14.00	90.00	90.00					30.89	7.03		
(	t-Wire Coin Outward with Operator Screening and 011 Blocking TN)			UEPCO	UEPTC	14.00	90.00	90.00					30.89	7.03		
9	2-Wire Coin Outward with Operator Screening and Blocking: 100/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14.00	90.00	90.00					30.89	7.03		
	NUMBER PORTABILITY															
	ocal Number Portability (1 per port)	ļ		UEPCO	LNPCX	0.35										
NONREC	CURRING CHARGES - CURRENTLY COMBINED	<b> </b>			1										-	
	-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					30.89	7.03		
	t-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50					30.89	7.03		
ADDITIO	NAL NRCs	L													L	

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													Attachment:		Exhibit: B	
-									-			Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone		BCS	usoc		DAT	ES(\$)								
CATEGORI	RATE ELEMENTS	m	Zone	_	503	USUC		KAI	E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														130	Addi	Diac 1at	DISC Add I
						1	_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	•	-
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1		11130	Auu i	11130	Auu i	JOHLE	JOINAIN	JOHAN	JONAN	JOINAIN	JOINAIN
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO		USAS2	0.00	0.00	0.00					30.89	7.03		<u> </u>
	D PORT/LOOP COMBINATIONS - MARKET BASED RATES																
2-WI	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNF	Port/Loop Combination Rates					1											1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	1		1	49.60										1
			2	<b>†</b>		1				-		1					+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2						51.09										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				56.00										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	9.60										1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	11.09	<del>                                     </del>		<b>+</b>		1	1		1	1	1
		-		UEPPX				<del>                                     </del>		<b></b>		<del>                                     </del>	<b> </b>		<b> </b>	}	+
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3			UECD1	16.00	200				<b>!</b>				ļ	<del> </del>
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	40.00	600.00	45.00	8.45	3.91	ļ		30.89	7.03		
NON	RECURRING CHARGES - CURRENTLY COMBINED														l		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																1
	Switch-As-Is Top 8 MSAs only	1	1	UEPPX		USAC1		100.00	42.50			1		30.89	7.03		
		-	-	OLI.LV		JUNUI		100.00	42.30	<b></b>		<del>                                     </del>	<b> </b>	30.09	1.03	}	+
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1			1		400	40								
	with BellSouth Allowable Changes Top 8 MSAs only			UEPPX		USA1C		100.00	42.50					30.89	7.03		
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								1
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								1
				UEPPX		ND5	0.00	0.00	0.00	-		1					+
	DID Numbers, Non- consecutive DID Numbers , Per Number																4
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								1
2 14/1	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE CIDE	DODI			LIVI OI	0.10	0.00	0.00								+
		NE SIDE	PUK	<u> </u>													4
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITO	OLITIK	1	34.70					-					+
			_														
	UNE Zone 3		3	UEPPB	UEPPR		44.32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	18.71								1		
		-	3	UEPPB	UEPPR	USL2X	28.25	+		<b></b>		<del>                                     </del>			<b> </b>	}	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3					505.0			=	1				1	4
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	80.00	525.00	400.00	75.00	70.00	1		30.89	7.03	]	1
NON	RECURRING CHARGES - CURRENTLY COMBINED	<u></u>	<u></u>			<u> </u>		L				<u> </u>	<u> </u>			<u> </u>	<u> </u>
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion - Top 8 MSAs only		1	UEPPB	UEPPR	USACB	0.00	225.00	225.00					30.89	7.03		
ADD	ITIONAL NRCs		<del>                                     </del>	1	3=	- 57.00	0.00	220.00				<del>                                     </del>		55.00		<b>†</b>	+
ADD				1		<del>                                     </del>		<del>                                     </del>				<del>                                     </del>				-	
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1	1			1									1		
	Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						30.89	7.03		<u> </u>
LOC	AL NUMBER PORTABILITY														l		
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
R-CL	IANNEL USER PROFILE ACCESS:		1	<u> </u>			2.30		2.30	<b>+</b>		1	1		1	1	1
D-01	CVS/CSD (DMS/5ESS)	-	-	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	<b></b>		<del>                                     </del>			<b> </b>	}	+
		-	<b>!</b>	_								1				1	+
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<b>_</b>
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CF	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)														
	ICVS/CSD (DMS/5ESS)	, -,-		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00			1				1	1
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00			1			l	1	+
		-	<del>                                     </del>									1			<del>                                     </del>	1	+
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							ļ	<del> </del>
USE	R TERMINAL PROFILE																<u> </u>
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
				<del>1                                    </del>		1						t			1	1	+
VFR	TICAL FEATURES																

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
															DISC 1SI	DISC Add I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Litter (Co. Observatorillo con a la literatura de la lite						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage each, including first mile and			HEDDD HEDDD		47.04	50.00	47.07								
	facilities termination			UEPPB UEPPR UEPPB UEPPR	M1GNC	17.91	53.99	17.37								
4 10/15	Interoffice Channel mileage each, additional mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	( DODT	-	UEPPB UEPPR	M1GNM	0.173	0.00	0.00								
	Port/Loop Combination Rates	TOKI														
UNE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1														<del>                                     </del>
	Zone 1		1	UEPPP		982.73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<del>- '</del> -	OLITI		302.73										
	Zone 2		2	UEPPP		1,000.40										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	OLITI	+	1,000.40										1
	Zone 3		3	UEPPP		1.023.59										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57.73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75.40										+
	4-Wire DS1 Digital Loop - UNE Zone 3	<del>                                     </del>	3	UEPPP	USL4P	98.59									<b> </b>	<del>                                     </del>
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	925.00	950.00	950.00	130.00	100.00			30.89	7.03		1
NONE	RECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	1	02111	JE111	323.00	330.00	330.00	130.00	100.00			30.03	7.03	<b> </b>	<del>                                     </del>
- Itolii	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port															<del> </del>
	Combination - Conversion -Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00					30.89	7.03		
ADDI	TIONAL NRCs			OLITI	OOAOI	0.00	323.00	323.00					30.03	7.03		
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-															-
	Inward/two way tel nos within Std Allowance (except NC)			UEPPP	PR7TF		0.94									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	1 107 11		0.54									<u> </u>
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			OLFFF	FK/10		22.30	22.30							-	<del> </del>
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44.71	44.70								
1.004	AL NUMBER PORTABILITY			OLFFF	FRIZI		44.71	44.70								
LOCA	Local Number Portability (1 per port)		1	UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)		1	OLFFF	LINECIN	1.75										1
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								-
	Inward Data		1	UEPPP	PR71E	0.00	0.00	0.00								
Now o	or Additional "B" Channel			OLITI	I IX/ IL	0.00	0.00	0.00								<b>†</b>
New	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39									
-	New or Additional - Voice/Bata B Channel		1	UEPPP	PR7BF	0.00	29.11									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39									<b>†</b>
CALL	. TYPES	<del> </del>	1	OLI I I	1 17700	0.00	20.00								<b>-</b>	<b>†</b>
UALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								+
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								<b>†</b>
	Two-way	<del>                                     </del>	1	UEPPP	PR7CC	0.00	0.00	0.00							<b> </b>	<del>                                     </del>
Interd	office Channel Mileage	<del>                                     </del>	1			0.00	0.00	0.00							<b> </b>	<del> </del>
interc	Fixed Each Including First Mile	<del>                                     </del>	1	UEPPP	1LN1A	76.1825	145.98	109.85	19.55						<b> </b>	<del>                                     </del>
1	Each Airline-Fractional Additional Mile	1	<del>                                     </del>	UEPPP	1LN1B	0.3525	140.00	100.00	10.00					<del> </del>	t	1
4-WIR	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<b>†</b>	<b>-</b>	Jan 11	.21112	0.0020					<b> </b>			-	<del> </del>	<del>                                     </del>
	Port/Loop Combination Rates	<del>                                     </del>	1	<b>-</b>	+										<b> </b>	<del>                                     </del>
- 10	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide	1	SW	UEPDC	1									<del> </del>	t	1
<del>                                      </del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	1 1	UEPDC	1	93.28								<del> </del>	t	1
<del>                                      </del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	2	UEPDC	1	110.95								<del> </del>	t	1
<del>                                      </del>	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC	1	134.14								<del> </del>	t	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	<b>†</b>	4	UEPDC							i			1	1	1
UNF I	Loop Rates	<b>†</b>	t i											1	1	1
J.42 .	4-Wire DS1 Digital Loop - Statewide	<b>†</b>	SW	UEPDC	USLDC									1	1	1
1	4-Wire DS1 Digital Loop - UNE Zone 1	<b>†</b>	1	UEPDC	USLDC	57.53			1					1	t	
<del>                                      </del>	4-Wire DS1 Digital Loop - UNE Zone 2	1	2	UEPDC	USLDC	75.40								<del> </del>	t	t
<del>                                      </del>	4-Wire DS1 Digital Loop - UNE Zone 3	1	3	UEPDC	USLDC	98.59								<del> </del>	t	1
1	4-Wire DS1 Digital Loop - UNE Zone 4	1	4	UEPDC	USLDC	33.55								<del> </del>	t	t
LINE I	Port Rate	1	<del></del>		30230									<del> </del>	t	t
10.46	4-Wire DDITS Digital Trunk Port	1		UEPDC	UDD1T	750.00	982.57	450.10	196.09	19.23	<b>-</b>		30.89	7.03	<b>—</b>	<b>†</b>
	RECURRING CHARGES - CURRENTLY COMBINED			02.00	20011	, 55.00	JUL.01	700.10	100.00	10.20			00.00	7.00	-	

ONRONDFI	ED NETWORK ELEMENTS - Tennessee	,											Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	'ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-As-Is Top 8 MSAs only			UEPDC	USAC4		312.91	312.91					30.89	7.03		
	- Switch-As-is Top o WoAs only			OLI DO	00/104		312.31	312.31					30.03	7.03		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes Top 8 MSAs only			UEPDC	USAWA		312.91	312.91					30.89	7.03		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
4000	- Conversion with Change - Trunk Top 8 MSAs only			UEPDC	USAWB		312.91	312.91					30.89	7.03		
ADDI	TIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			LIEDDO	LICACA		04.00	04.00								
	Service Activity Per Service Order  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4		94.88	94.88								
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					30.89	7.03		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					30.89	7.03		
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	590.00								
A14	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	590.00								
Aiterr	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges			02. 50			0.00	0.00								
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	cated DS1 (Interoffice Channel Mileage) -															
FX/F0	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	RE DS1 LOOP WITH CHANNELIZATION WITH PORT	L														
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti			L			ļ									
IA eve	tem can have various rate combinations based on type and nu	mber of	ports	used	1 1									1	<b> </b>	
	DS1 Loop 4-Wire DS1 Loop - UNE Zone 1		4	UEPMG	USLDC	57.73	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachment:		Exhibit: B	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							[N		N	B'				D-1(A)		
					1	Rec	Nonrecurring		Nonrecurring		201150	001441		Rates(\$)	001111	0011411
	4-Wire DS1 Loop - UNE Zone 3		2	UEPMG	USLDC	98.59	First 0.00	Add'l 0.00	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	ISO Channelization Capacities (D4 Channel Bank Configuration	26)	3	UEFIVIG	USLDC	90.59	0.00	0.00								<b>-</b>
ONE D	24 DSO Channel Capacities (D4 Channel Bank Configuration	15)		UEPMG	VUM24	131.87	0.00	0.00					30.89	7.03		<del> </del>
	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	263.74	0.00	0.00					30.89	7.03		<b></b>
	96 DSO Channel Capacity -1 per 2 DS1s			UEPMG	VUM96	527.48	0.00	0.00					30.89	7.03		<del> </del>
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					30.89	7.03		<del> </del>
	192 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					30.89	7.03		<del>                                     </del>
	240 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM20	1,318.70	0.00	0.00					30.89	7.03		<b></b>
	288 DS0 Channel Capacity - 1 per 10 DS1s		1	UEPMG	VUM28	1,582.44	0.00	0.00					30.89	7.03		<b></b>
			-													+
	384 DS0 Channel Capacity - 1 per 16 DS1s		1	UEPMG UEPMG	VUM38 VUM40	2,109.92 2,637.40	0.00	0.00					30.89 30.89	7.03 7.03		⊢——
	480 DS0 Channel Capacity - 1 per 20 DS1s		1	UEPMG												⊢——
	576 DS0 Channel Capacity -1 per 24 DS1s		<u> </u>	UEPMG	VUM57 VUM67	3,164.88	0.00	0.00					30.89	7.03 7.03	1	<del>                                     </del>
N B	672 DS0 Channel Capacity - 1 per 28 DS1s	01				3,692.36	0.00	0.00					30.89	7.03		<b></b>
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with						stem									<b></b>
	mum System configuration is One (1) DS1, One (1) D4 Channe															<b></b>
Multip	les of this configuration functioning as one are considered Ad	id'i afte	r the m	inimum system cor	ntiguration is	counted.										<b></b>
	NRC - Conversion (Currently Combined) with or without															i
	BellSouth Allowed Changes - Top 8 MSAs Only	L	Ļ	UEPMG	USAC4	0.00	303.61	15.74					30.89	7.03		<b></b>
	n Additions Where Currently Combined and New (Not Current)	y Comb	ined)													1
In Top	8 MSAs and AL, FL, and NC Only															1
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc															i
	Fea Activation -			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			30.89	7.03		1
Bipola	r 8 Zero Substitution															1
	Clear Channel Capability Format, superframe - Subsequent															i
	Activity Only			UEPMG	CCOSF	0.00	0.00	590.00								1
	Clear Channel Capability Format - Extended Superframe -															i
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	590.00								1
Altern	ate Mark Inversion (AMI)															1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								1
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													L
Excha	nge Ports															i .
																ſ
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		i
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
1	Line Side Inward Only Channelized PBX Trunk Port without DID	1	1	UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			30.89	7.03	Ì	1
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	40.00	0.00	0.00	0.00	0.00			30.89	7.03		
Featur	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated						ĺ									
	in D4 Bank		1	UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00						1
	Feature (Service) Activation for each Trunk Side Port Terminated						ĺ									
	in D4 Bank			UEPPX	1PQWU	0.66	110.00	30.00	75.00	15.00						i
Teleph	none Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
İ	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00			İ				İ	
FEATI	JRES - Vertical and Optional			1	1	27.10	2.00	2.00			İ				İ	
	Switching Features Offered with Line Side Ports Only		1	1	1						i				1	
	All Features Available		1	UEPPX	UEPVF	0.00	0.00	0.00			i				1	
UNBUNDI FD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	5			<del> </del>	5.50	5.55	0.00						1	1	
	t Based Rates are applied where BellSouth is required by FCC		State 6	Commission rule to	provide Unb	undled Local S	witching or Sw	itch Ports			<del> </del>				<b> </b>	
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit					
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions	<del> </del>	
J. Lilu	and random officining obage and common transport	Jouge	. uwo II		. and rate ext	appry	un combilla	or 100p/	Por notwork 6	c.nonto excep	. 101 011	OIULU	CP Combinat		ı	

HINDHINDI	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
UNBUNDLI	D NETWORK ELEMENTS - Tellilessee	1	ı		1	1				_	Svc Order	Svc Order	Incremental			Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	USOC		D 4 -	TES(\$)			Elec	Manually		Manual Svc		Manual Svo
CATEGORT	RATE ELEWIENTS	m	Zone	ВСЗ	0300		KA	I E3(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-				Nanana		Managarinia	Disconnect			000	Rates(\$)		
						Rec	Nonrecurring									
F 0				1am and I aan ahan	naa liatad am	alas da Casamandia	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	eorgia, Kentucky, Louisiana, MIssissippi and Tennessee, the re															
	pined Combos for all states. In GA, KY, LA, MS and TN these no							, NC and SC th	nese nonrecuri	ring charges a	re Market Ra	ates and are	listed in the	Market Rate s	ection. For 0	Currently
	pined Combos in all other states, the nonrecurring charges sha															
5. Ma	arket Rates for Unbundled Centrex Port/Loop Combination will	be nego	otiated	on an Individual Ca	ise Basis, un	til further notic	e.									
UNE-I	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	1)														
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP91		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Non-Design	1	2	UEP91	I	18.01			1	Ì		l	Ì	Ì	l	
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<del></del>	J_1 J1	<del>†</del>	10.01			t	<b> </b>	1	<del>                                     </del>	<b> </b>	<b> </b>	<del>                                     </del>	1
	Non-Design	1	3	UEP91	I	23.02			1	Ì	1	İ	Ì	Ì	l	
likie i		<del>                                     </del>	_ 3	OLF31	<del> </del>	23.02			<del>                                     </del>		<del>                                     </del>	-				-
ONE	Port/Loop Combination Rates (Design)	<del>                                     </del>	<del>                                     </del>		<b> </b>				<b>-</b>		-					-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	١,	LIEDO4	1	40.00			1	Ì	1	İ	Ì	Ì	l	
	Design	<del>                                     </del>	1	UEP91	+	18.26			<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Design		2	UEP91		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP91		29.98										
UNE I	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
UNE I				OLI 01	OLOGE	20.20										
	ates (Except North Carolina and Sout Carolina)		<del>                                     </del>		+											
7.11 0.1	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<del>                                     </del>	UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1	OLF91	OLFIA	1.70	22.14	13.23	0.40	3.91		30.09	7.03			1
				LIEDOA	LIEDVD	4.70	20.44	45.05	0.45	2.04		20.00	7.00			
	Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1	1		1	Ì			1	Ì	1	İ	Ì	Ì	l	
	Center)2 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				1				1							
	Term - Basic Local Area		<u></u>	UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<u> </u>	<u> </u>	
1	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area	1	1	UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	Ì	l	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area	1	1	UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	Ì	l	
AL. K	Y, LA, MS, & TN Only	1	1		İ	İ			1	1	1	1	1	İ	İ	1
1,	2-Wire Voice Grade Port (Centrex )	<b>†</b>	1	UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
<del>-  </del>	2-Wire Voice Grade Port (Centrex 800 termination)	1	<del>                                     </del>	UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91	t	30.89	7.03	<b>†</b>	<del> </del>	1
	2-Wire Voice Grade Fort (Centrex with Caller ID)1	1	1	UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03			
<del></del>	2-Wire Voice Grade Port (Centrex with Caller ID)1	1	<del>                                     </del>	OL: 01	OLI GII	1.70	22.14	10.20	0.40	5.91	<del> </del>	50.09	7.03	<del> </del>	<del> </del>	1
	Center)2	1		UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<del>                                     </del>	├	OLF31	OLF WIVI	1.70	22.14	15.25	0.45	3.91	<del>                                     </del>	30.69	1.03			-
		1	1	LIEDO4	LIEDOZ	4 =	20.41	45.05		0.01	1	00.00	7.00	Ì	İ	
	Term	<b>!</b>	<u> </u>	UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03		1	-
		1	1						_		1			Ì	İ	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	<u> </u>	<u> </u>	UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03			1
	2-Wire Voice Grade Port Terminated on 800 Service Term	<u> </u>		UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Featu																

04/12/02 Page 344 of 352

UNBUNDLE	D NETWORK ELEMENTS - Tennessee		_		· <u> </u>	· <u> </u>	· <u> </u>	· <u> </u>	· <u></u>				Attachment:	2	Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00		0.00				30.89	7.03			
	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial			UEP91 UEP91	UAR1X UAROX	0.00		0.00				30.89 30.89	7.03 7.03			<u> </u>
Miscol	Ianeous Terminations			UEP91	UARUX	0.00	0.00	0.00			-	30.89	7.03			
	Trunk Side		-		1		+									
2 11110	Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
Interof	fice Channel Mileage - 2-Wire			02. 0.	02.0.0	00		10.20	0.10	0.01		00.00	7.00			
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03		Ì	<b>†</b>
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDO4	4 DOWD	0.00										
	Different Wire Center			UEP91	1PQWP	0.66	1									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot		-	OLF91	IFQVVV	0.00	+									<del>                                     </del>
	Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66	1									<del>                                     </del>
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 0.		0.00										
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00						30.89	7.03			
	New Centrex Customized Common Block			UEP91	M1ACC	0.00						30.89	7.03			
	Secondary Block, per Block			UEP91	M2CC1	0.00						30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)		<b> </b>		<del>                                     </del>		<del>                                     </del>				-		<del>                                     </del>		<del>                                     </del>	<del> </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		4	UEP95		14.18										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del></del>	OLF 30	1	14.18	+ +				1	1	1		1	-
	Non-Design		2	UEP95		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		É	00		10.01	† †						1		1	
1	Non-Design		3	UEP95		23.02							1		1	
UNE P	ort/Loop Combination Rates (Design)				1		†								İ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95	<u> </u>	18.26	l									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -												1		1	
	Design		2	UEP95		23.33										ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		١.										1		1	
	Design		3	UEP95		29.98	<b> </b>									<b>↓</b>
UNE L	oop Rate		L_	LIEDOS	LIECC4	40.40	<del>                                     </del>		ļ				<del> </del>		<del> </del>	<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1 UECS1	12.48 16.31	<del>                                     </del>									<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<b>-</b>	3	UEP95 UEP95	UECS1	21.32	<del>                                     </del>						-		-	₩
	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	-	1	UEP95	UECS1	16.56	+		1				1		1	<del>                                     </del>
+	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP95	UECS2	21.63			<del> </del>				1		1	<del></del>
<del>-  </del>	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<b>-</b>		UEP95	UECS2	28.28							<del> </del>		<del> </del>	<del></del>
LINE P	ort Rate			021 00	32002	20.20	† †				<u> </u>		<b> </b>		<b> </b>	<del>                                     </del>
All Sta			l		1		† †				<u> </u>		<b> </b>		<b> </b>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<b>—</b>	UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		<b>-</b>	<del></del>

ONRONDFI	ED NETWORK ELEMENTS - Tennessee										1 -		Attachment:		Exhibit: B	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrecurring		Nonrecurring	Disconnect			220	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70		15.25	8.45	3.91	COMILO	30.89	7.03	COMPAR	COMPAR	COMPAR
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	- Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only					· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·								
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14		8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95 UEP95	UEPQ9 UEPQ2	1.70	22.14	15.25 15.25	8.45 8.45	3.91		30.89	7.03			
EI 9	GA Only			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Switching															1
Local	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability			OLI 93	OILLOO	0.0301										
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
	ellaneous Terminations															
2-Wir	e Trunk Side			LIEDOE	CENDO	0.70	47.75	47.04	9,21	8.47		20.00	7.00			
4 Win	Trunk Side Terminations, each e Digital (1.544 Megabits)			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
4-1411	DS1 Circuit Terminations, each	1		UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03	1		-
	DS0 Channels Activated, each			UEP95	M1HD0	0.00	108.67	30.13				30.89	7.03	<del> </del>	+	
Interd	office Channel Mileage - 2-Wire			OLI 93	WITIDO	0.00	100.07					30.03	7.03			
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWV	0.66									<u> </u>	<del>                                     </del>
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.66 0.66										
1	Recurring Charges (NRC) Associated with UNE-P Centrex			OFL 20	IF WWA	0.00									ļ	<b></b>

UNBUNDL	ED NETWORK ELEMENTS - Tennessee										Ι -		Attachment:		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge - Manual Sv Order vs.
							Nonrecurring		Nonrecurring	n Disconnect			OSS	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed							7.00.		7.44	0020	00			00	
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			+
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			1
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			1
UNE	-P CENTREX - DMS100 (Valid in All States)															1
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	Port/Loop Combination Rates (Non-Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		3	UEP9D		23.02										
UNE	Port/Loop Combination Rates (Design)															1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															+
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															+
	Design		3	UEP9D		29.98										
UNF	Loop Rate		Ŭ	02. 02		20.00										1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										†
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										†
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										†
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63										+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28										+
UNE	Port Rate			OLI OD	02002	20.20										+
	STATES															+
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			+
	2-Wire Voice Grade Port (Centrex / Basic Escal / tical 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			OLI OD	OLI ID	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			OLI 3D	OLI 10	1.70	22.14	10.20	0.43	3.31		30.03	7.03			+
	Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLI OD	OLI ID	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			02. 02	022			10.20	0.10	0.01		00.00	7.00			+
	Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	OLI II	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			OLI OD	OLI TO	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+-	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	<del>                                     </del>	<del>                                     </del>	02100	OL: 11	1.70	22.14	10.20	0.43	5.31	1	30.03	7.03		<u> </u>	+
	Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+-	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	<del>                                     </del>	<del>                                     </del>	021 00	02.10	1.70	22.14	10.20	0.43	5.31	1	30.03	7.03		1	+
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+-	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLI OD	OLI IV	1.70	22.14	10.20	0.40	0.01		00.00	7.00			+
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+-	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	<del>                                     </del>	<del>                                     </del>	02100	JL: 13	1.70	22.14	10.20	0.43	5.31	1	30.03	7.03		<u> </u>	+
	Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+-	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	<del>                                     </del>	<del>                                     </del>	021 00	OL: 111	1.70	22.14	10.20	0.43	5.31	1	30.03	7.03		1	+
	Indication))3 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1	<del>                                     </del>	OLI SD	JLFIV	1.70	22.14	13.23	0.45	3.91		30.09	1.03		1	+
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	1	JE1 3D	JLI 13	1.70	22.14	10.20	0.43	3.91	1	30.09	7.03		1	+

					1								Attachment:		Exhibit: B	<del>                                       </del>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	TES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						rico	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	LIEDVO	1.70	22.44	45.05	0.45	2.04		20.00	7.00			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															1
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3					. ==							=			
$\longrightarrow$	Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>↓</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			OLI 9D	OLI 10	1.70	22.14	13.23	0.40	3.31		30.03	7.03			<del>                                     </del>
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3								İ							
	Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			LIEDOD	LIEDVC	4.70	22.44	45.05	0.45	2.04		20.00	7.00			
-+	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service								<u> </u>							
	Term			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
$\longrightarrow$	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AI.K	Y, LA, MS, SC, & TN Only			OLI 3D	OLI 12	1.70	22.14	13.23	0.40	3.31		30.03	7.03			<del>                                     </del>
AL, IX	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>↓</b>
+-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>_</b>
+-	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D UEP9D	UEPQU UEPQV	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			<u> </u>
+-	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
<del></del>	2-Wire Voice Grade Port (Centrex vith Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			†
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			02.05	02. 4			10.20	0.10	0.01		00.00	7.00			
	Indication)3			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								[							
	2 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D UEP9D	UEPQM	1.70 1.70	22.14 22.14	15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			<b>↓</b>
-+	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
				-												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1																
$\longrightarrow$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<del>                                     </del>
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
+	2 5 Tolog Glade I of (Gentlewaller Gwo/Ebo-W0000)2, 3			021 00	OL: 47	1.70	22.14	10.20	0.43	5.31		30.03	1.03			<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	·															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
$\longrightarrow$	2 Wile voice Grade Fort (Gentlewaller GWG/EBG Mo210)2, G															

ABOINDLED	NETWORK ELEMENTS - Tennessee		1	1					,		I		Attachment:		Exhibit: B	t
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Ferm			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
Local Sv				UEP9D	URECS	0.6381										<del>                                     </del>
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										<del>                                     </del>
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										+
Features	7 \ \ \ \ \ \ /			OLF 9D	LINFOC	0.33										<b>+</b>
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	+		1			30.89	7.03			<del></del>
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78		1			30.89	7.03			<del></del>
	All Centrex Control Features Offered, per port	<del>                                     </del>	<b>!</b>	UEP9D	UEPVC	0.00	+33.10		<del>                                     </del>			30.89	7.03		1	
NARS	all centrex control realtines offered, per port			OLI 3D	OLI VO	0.00	+		1			30.03	7.00			<del></del>
	Jnbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			<b></b>
	Jnbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Jnbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
	neous Terminations			02. 02	07111071	0.00	0.00	0.00				00.00	7.00			
	runk Side															
	Frunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
	Pigital (1.544 Megabits)											00.00				
	OS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	OSO Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
Interoffic	ce Channel Mileage - 2-Wire															
111	nteroffice Channel Facilities Termination			UEP9D	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	nteroffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0174										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Chan	nel Bank Feature Activations															
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.66										
S	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
-	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										i
F	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9D	1PQWQ	0.66										<b></b>
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										<b></b>
	curring Charges (NRC) Associated with UNE-P Centrex															+
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP9D	110400		4.00	0.00				00.00	7.00			i
	changes, per port			UEP9D	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03 7.03			+
	New Centrex Standard Common Block New Centrex Customized Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			+
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	68.57					30.89	7.03			<del> </del>
	ENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	URECA		00.37		-			30.69	7.03			<del>                                     </del>
	G Loop/2-Wire Voice Grade Port (Centrex) Combo	1														<del> </del>
	rt/Loop Combination Rates (Non-Design)															<b>+</b>
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		14.18										
2	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		18.01										
2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design (2011)	ļ	3	UEP9E		23.02										<del></del>
	rt/Loop Combination Rates (Design)	<u> </u>	<u> </u>				<b> </b>								<b> </b>	<del>                                     </del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1									1					1
	Design		1	UEP9E		18.26										

Jnbundlei	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	l
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	res(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Increment Charge Manual S Order vs Electroni Disc Add
															D130 131	DISC Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		29.98										
UNE Lo	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
UNE Po	ort Rate										1	l				
	KY, LA, MS, & TN only		<u> </u>		1 1						İ	1			1	
/ \=, · =,	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex ) Education Basic Local		1			0		.0.20	5.46	3.01	1	55.55	7.00		<del> </del>	
	Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		<del>                                     </del>	OLI OL	OLI ID	1.70	22.14	15.25	0.40	3.91	1	30.09	1.03	1	1	
	Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
				UEP9E	UEPTH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL KY	, LA, MS, & TN Only															
,,	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<del>                                     </del>	UEP9E	UEPQH	1.70		15.25	8.45	3.91	1	30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) 1  2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEF9E	UEFQH	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
				LIEDOE	UEPQM	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Center)2			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	<u> </u>	30.89	7.03			
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature			1	-	1 1	2.30			İ				İ	İ	İ	
	All Standard Features Offered, per port		1	UEP9E	UEPVF	0.00	1					30.89	7.03	1	1	
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00					1	30.89	7.03	<b> </b>	<del> </del>	
+	All Centrex Control Features Offered, per port		<del>                                     </del>	UEP9E	UEPVC	0.00					<del> </del>	30.89	7.03		<del> </del>	
NARS	y ar Sommon Common readures Onered, per port		<del>                                     </del>	OLI OL	OLI VO	0.00	<del> </del>				1	30.09	1.03	1	1	
IVANO	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP9E	UARCX	0.00	0.00	0.00			1	30.89	7.03	1	1	
			├	UEP9E UEP9E	UARCX UAR1X	0.00					1	30.89	7.03			
_	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		1	UEP9E UEP9E	UARTX			0.00	ļ		<del> </del>				<del>                                     </del>	
N#* **			1	UEF9E	UARUX	0.00	0.00	0.00			1	30.89	7.03	-	<del>                                     </del>	
	aneous Terminations		<u> </u>		1						1					
2-Wire	Trunk Side			LIEBAE	0515						ļ					
	Trunk Side Terminations, each		<u> </u>	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55		38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174					İ					
	Activations (DS0) Centrex Loops on Channelized DS1 Service	i .	1			0.0.14	1					<b></b>	!			

LINBLIND	I ED	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhibit: B	
CINDOIND		NETWORK ELLIMENTO - Termessee	1			1						Svc Order	Svc Order	Incremental			Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATEGORY	Υ	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (17)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrecurring			g Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 (		nel Bank Feature Activations															
	- 1	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
	١,	Tantium Anti-intina an D. 4 Channal Bank EV line Cida I and Clat			UEP9E	1PQW6	0.66										
$\vdash$		Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	IPQVV6	0.00										
		Slot			UEP9E	1PQW7	0.66										
<del></del>	,	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLFBL	IFQW/	0.00										
		Different Wire Center			UEP9E	1PQWP	0.66										
		Silicion Tillo Como			02. 02		0.00										
	F	Feature Activation on D-4 Channel Bank Private Line Loop Slot	1		UEP9E	1PQWV	0.66							1	1	1	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	1														1
		Slot	<u></u>		UEP9E	1PQWQ	0.66			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Nor		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed	1		l	I				]				1	1	1	
$\vdash \vdash$		changes, per port	ļ		UEP9E	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03			
		ENTREX - DCO - Valid in AL, KY, LA, MS, & TN) G Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
		rt/Loop Combination Rates (Non-Design)				+											
ONE		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP93		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 00												
		Non-Design		2	UEP93		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Non-Design		3	UEP93		23.02										
UNF	E Por	rt/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
$oxed{oxed}$		Design		1	UEP93		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP93		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
		Design Parts		3	UEP93	+	29.98										
UNI		pp Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEP93	UECS1	12.48	<b></b>									
$\vdash \vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	2	UEP93 UEP93	UECS1	12.48	<b></b>		-	-			-	-	-	-
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	<del>                                     </del>	3	UEP93	UECS1	21.32			1	1			1	1	1	
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 1	<b> </b>	1	UEP93	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2	<u> </u>	2	UEP93	UECS2	21.63			1	1			1	1	1	
		2-Wire Voice Grade Loop (SL 2) - Zone 3	<b>1</b>	3	UEP93	UECS2	28.28			Ì	Ì			İ	İ	İ	
UNI		rt Rate								İ	İ					İ	l
AL,		LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					-							]	]	]	
	-	Area	<u> </u>		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			LIEDOO	LIED. "			.=								
$\vdash \vdash$		Area	<u> </u>		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b> </b>	<b> </b>	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDVA	4.70	20.44	45.05	0.45	2.01		20.00	7.00			
$\vdash \vdash$		Center)2 Basic Local Area	├		UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	-	-	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Ferm - Basic Local Area	1		UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
$\vdash \vdash$		rerm - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	<del>                                     </del>		OLF 33	ULFIZ	1.70	22.14	15.25	0.45	3.91		30.09	1.03	1	1	-
		2-vvire voice Grade Fort terminated in on Megalink of equivalent.  Basic Local Area	1		UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
$\vdash \vdash$	- 1-	2-Wire Voice Grade Port Terminated on 800 Service Term -	<del>                                     </del>		OLI 33	OLI 13	1.70	22.14	10.20	0.40	3.91		30.09	7.03	<del> </del>	<del> </del>	
		Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
$\vdash$		2-Wire Voice Grade Port (Centrex )	1		UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03	1	1	
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03	İ	İ	İ

CHECHDE	ED NETWORK ELEMENTS - Tennessee			1	1							00	Attachment:		Exhibit: B	<u> </u>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	OME With On the Book and the Live of Manager to the state of			LIEDOO	LIEDOS	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93 UEP93	UEPQ9 UEPQ2	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03			-
Local	Switching			UEF93	UEFQZ	1.70	22.14	15.25	0.40	3.91		30.69	7.03			<del> </del>
Local	Centrex Intercom Funtionality, per port		1	UEP93	URECS	0.6381	+									+
Local	Number Portability		1	UEF93	UKECS	0.0361	+									<del></del>
Local	Local Number Portability (1 per port)		1	UEP93	LNCCC	0.35	+									<del></del>
Featu				ULF 93	LINCCC	0.33	-									<del></del>
reatu	All Standard Features Offered, per port		1	UEP93	UEPVF	0.00	+									1
	All Centrex Control Features Offered, per port		1	UEP93	UEPVC	0.00	<del>                                     </del>									
NARS			1	ULF 93	OLF VC	0.00	<del>                                     </del>									+
IVAING	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			+
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			+
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			+
Misce	ellaneous Terminations			021 00	O/WOX	0.00	0.00	0.00				00.00	7.00			+
	e Trunk Side						<b>-</b>									<del></del>
	Trunk Side Terminations, each		1	UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-Wir	e Digital (1.544 Megabits)			02. 00	02.120	0.10		10.20	0.10	0.01		00.00	7.00			<del></del>
	DS1 Circuit Terminations, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03			t
	DS0 Channels Activated, Per Channel		1	UEP93	M1HDO	0.00	108.67					30.89	7.03			
Interd	office Channel Mileage - 2-Wire											00.00				
	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	nannel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										1
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot			UEP93	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop	l		LIEBOO	400140											
	Slot	<u> </u>	1	UEP93 UEP93	1PQWQ 1PQWA	0.66 0.66	<del>                                     </del>									<del>                                     </del>
Non F	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex	<del>                                     </del>	<del>                                     </del>	OEFSS	IFQWA	0.06	<del>                                     </del>							-	1	<del>                                     </del>
NOII-F	NRC Conversion Currently Combined Switch-As-Is with allowed															<del> </del>
	changes, per port	l		UEP93	USAC2		1.03	0.29				30.89	7.03			
+	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60	0.29				30.89	7.03	<del>                                     </del>	1	<b>†</b>
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			<del>                                     </del>
	NAR Establishment Charge, Per Occasion	1	<del>                                     </del>	UEP93	URECA	0.00	68.57		<del>                                     </del>			30.89	7.03	<del>                                     </del>	1	<del></del>
Note	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	1	1		0.1.20/1		00.07					30.00	7.00		<u> </u>	<del>                                     </del>
	2 - Regures Interoffice Channel Mileage	1			+											<u> </u>
	3 - Requires Specific Customer Premises Equipment		1	1	1		<del>                                     </del>				i			1		<del>                                     </del>
	:: Rates displaying an "R" in Interim column are interim and su	h:aa44a	roto ti	uo-un ac cat farth	in Conoral Tor		tions				1			1	+	

# ATTACHMENT 3 NETWORK INTERCONNECTION

### TABLE OF CONTENTS

1.	GENERAL	3
	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	
	NETWORK INTERCONNECTION	
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	6
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION	J14
6.	LOCAL DIALING PARITY	16
7.	INTERCONNECTION COMPENSATION	17
8.	FRAME RELAY SERVICE INTERCONNECTION	22
9.	OPERATIONAL SUPPORT SYSTEMS (OSS)	25
Ra	ites	Exhibit A
Ba	sic Architecture	Exhibit B
Or	ne Way Architecture	Exhibit C
Tv	vo Way Architecture	Exhibit D
Su	nergroup Architecture	Exhibit E

#### NETWORK INTERCONNECTION

#### 1. GENERAL

- 1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:
- 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)
- 2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:
- 2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").
- 2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.
- 2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.
- 2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Momentum Business Solutions, Inc..
- 2.1.9 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.

- 2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.
- 2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.
- 2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.
- 2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.
- 2.1.14 **Transit Traffic** is traffic originating on Momentum Business Solutions, Inc.'s network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Momentum Business Solutions, Inc.'s network.

#### 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where Momentum Business Solutions, Inc. owns and provides its switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic and ISP-bound Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic and ISP-bound Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic and ISP-bound Traffic to the other Party for Call Transport and Termination by the terminating Party.

When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 Local Channel Facilities. As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

#### 3.4 Fiber Meet

3.4.1 If Momentum Business Solutions, Inc. elects to interconnect with BellSouth pursuant to a Fiber Meet, Momentum Business Solutions, Inc. and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties

shall work jointly to determine the specific transmission system. However, Momentum Business Solutions, Inc.'s SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Momentum Business Solutions, Inc. Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.
- 3.4.4 Upon verbal request by Momentum Business Solutions, Inc., BellSouth shall allow Momentum Business Solutions, Inc. access to the fusion splice point for the Fiber Meet point for maintenance purposes on Momentum Business Solutions, Inc.'s side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Momentum Business Solutions, Inc. shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by Momentum Business Solutions, Inc.. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

#### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and Momentum Business Solutions, Inc. shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.
- 4.2 Momentum Business Solutions, Inc. shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Momentum Business Solutions, Inc.'s originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent Momentum Business Solutions, Inc. desires to deliver Local Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Momentum Business Solutions, Inc. has established interconnection trunk groups, Momentum

Business Solutions, Inc. shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

- 4.2.1 Notwithstanding the forgoing, Momentum Business Solutions, Inc. shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Momentum Business Solutions, Inc. has homed (i.e. assigned) its NPA/NXXs. Momentum Business Solutions, Inc. shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Momentum Business Solutions, Inc. shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Momentum Business Solutions, Inc.'s NXX access tandem homing arrangement as specified by Momentum Business Solutions, Inc. in the LERG.
- Any Momentum Business Solutions, Inc. interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Momentum Business Solutions, Inc. from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Momentum Business Solutions, Inc. to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.
- 4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Momentum Business Solutions, Inc. are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities. Momentum Business Solutions, Inc. shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where Momentum Business Solutions, Inc. is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).

Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and Momentum Business Solutions, Inc.'s equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

## 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic. Momentum Business Solutions, Inc. shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

#### 4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, Momentum Business Solutions, Inc.'s originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Momentum Business Solutions, Inc. and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Momentum Business Solutions, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Momentum Business Solutions, Inc. desires to exchange traffic. This trunk group also carries Momentum Business Solutions, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to

third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Momentum Business Solutions, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

#### 4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Momentum Business Solutions, Inc.-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for Momentum Business Solutions, Inc. end-users. A twoway trunk group provides Intratandem Access for Momentum Business Solutions, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Momentum Business Solutions, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Momentum Business Solutions, Inc. desires to exchange traffic. This trunk group also carries Momentum Business Solutions, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Momentum Business Solutions, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

#### 4.10.1.3 **Two-Way Trunk Group Architecture**

Upon agreement of the Parties as set forth in Section 0 above, the two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between Momentum Business Solutions, Inc. and BellSouth. In addition, a separate two-way transit trunk group must be established for Momentum Business Solutions, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Momentum Business Solutions, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Momentum Business Solutions, Inc. desires to exchange traffic. This trunk group also carries Momentum Business Solutions, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate

single one-way trunk group terminating to Momentum Business Solutions, Inc.. However, where Momentum Business Solutions, Inc. is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

#### 4.10.1.4 **Supergroup Architecture**

Upon agreement of the Parties as set forth in Section 0 above, the Parties may establish a supergroup architecture. In the supergroup architecture, the Parties' Local Traffic and Momentum Business Solutions, Inc.'s Transit Traffic are exchanged on a single two-way trunk group between Momentum Business Solutions, Inc. and BellSouth to provide Intratandem Access to Momentum Business Solutions, Inc.. This trunk group carries Transit Traffic between Momentum Business Solutions, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Momentum Business Solutions, Inc. desires to exchange traffic. This trunk group also carries Momentum Business Solutions, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Momentum Business Solutions, Inc.. However, where Momentum Business Solutions, Inc. is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

#### 4.10.1.5 Multiple Tandem Access Interconnection

4.10.1.5.1 Where Momentum Business Solutions, Inc. does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Momentum Business Solutions, Inc. may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Momentum Business Solutions, Inc. must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Momentum Business Solutions, Inc.'s originated Local Traffic for LATA wide transport and termination. Momentum Business Solutions, Inc. must also establish an interconnection trunk group(s) at all BellSouth access tandems where Momentum Business Solutions, Inc. NXXs are homed as described in Section 4.2.1 above. If Momentum Business Solutions, Inc. does not have

NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Momentum Business Solutions, Inc. can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Momentum Business Solutions, Inc.'s Local Traffic to end-users served through those BellSouth access tandems where Momentum Business Solutions, Inc. does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

- 4.10.1.5.2 Momentum Business Solutions, Inc. may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Momentum Business Solutions, Inc. will be delivered to and from IXCs based on Momentum Business Solutions, Inc.'s NXX access tandem homing arrangement as specified by Momentum Business Solutions, Inc. in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent Momentum Business Solutions, Inc. does not purchase MTA in a LATA served by multiple access tandems, Momentum Business Solutions, Inc. must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Momentum Business Solutions, Inc. routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Momentum Business Solutions, Inc. shall pay BellSouth the associated MTA charges.

#### 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows Momentum Business Solutions, Inc. to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Momentum Business Solutions, Inc.-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Momentum Business Solutions, Inc. must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Momentum Business Solutions, Inc. may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Momentum Business

Solutions, Inc. may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Momentum Business Solutions, Inc. does not choose to establish an interconnection trunk group(s). It is Momentum Business Solutions, Inc.'s responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Momentum Business Solutions, Inc.'s codes. Likewise, Momentum Business Solutions, Inc. shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Momentum Business Solutions, Inc. must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Momentum Business Solutions, Inc. has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Momentum Business Solutions, Inc. has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.
- 4.10.3 **Direct End Office-to-End Office Interconnection**
- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic and ISP-bound Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Momentum Business Solutions, Inc. and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Momentum Business Solutions, Inc.'s switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end

office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

#### 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Momentum Business Solutions, Inc. to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If Momentum Business Solutions, Inc. chooses BellSouth to perform the Service Switching Point ("SSP") Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Momentum Business Solutions, Inc. originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 Momentum Business Solutions, Inc. may choose to perform its own Toll Free database queries from its switch. In such cases, Momentum Business Solutions, Inc. will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Momentum Business Solutions, Inc. will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Momentum Business Solutions, Inc. will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Momentum Business Solutions, Inc. shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free call, Momentum Business Solutions, Inc. will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Momentum Business Solutions, Inc.'s network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which Momentum Business Solutions, Inc. performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

#### 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Momentum Business Solutions, Inc. chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Momentum Business Solutions, Inc. switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Ouality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification ("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and Momentum Business Solutions, Inc. will send and receive 10 digits for Local Traffic. Additionally, BellSouth and

Momentum Business Solutions, Inc. will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

#### 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, Momentum Business Solutions, Inc. shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Momentum Business Solutions, Inc.'s forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Momentum Business Solutions, Inc.-to-BellSouth one-way trunks ("Momentum Business Solutions, Inc. one-way trunks"), BellSouth-to-Momentum Business Solutions, Inc. one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Momentum Business Solutions, Inc. location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, Momentum Business Solutions, Inc. shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Momentum Business Solutions, Inc. shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection

trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 5.8 **Trunk Utilization**

- 5.8.1 BellSouth and Momentum Business Solutions, Inc. shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.
- 5.8.1.1 BellSouth's Local Interconnection Switching Center (LISC) will notify Momentum Business Solutions, Inc. of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Momentum Business Solutions, Inc. interface. Momentum Business Solutions, Inc. will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Momentum Business Solutions, Inc. expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with Momentum Business Solutions, Inc. to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Momentum Business Solutions, Inc.. The due date of these orders will be four weeks after Momentum Business Solutions, Inc. was first notified in writing of the underutilization of the trunk groups.
- 5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

BellSouth and Momentum Business Solutions, Inc. shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable

dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic
- 7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction..
- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Momentum Business Solutions, Inc. agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Momentum Business Solutions, Inc. that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Momentum Business Solutions, Inc. further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Momentum Business Solutions, Inc. that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.

- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 If Momentum Business Solutions, Inc. assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Momentum Business Solutions, Inc. end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Momentum Business Solutions, Inc. customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Momentum Business Solutions, Inc. agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Momentum Business Solutions, Inc. at BellSouth's switched access tariff rates.
- 7.2 If Momentum Business Solutions, Inc. does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Momentum Business Solutions, Inc. NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Momentum Business Solutions, Inc. can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

#### 7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the

year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

- 7.3.3 Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Momentum Business Solutions, Inc.. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.
- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- 7.3.5 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Momentum Business Solutions, Inc. shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the

completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

#### 7.4 Compensation for 8XX Traffic

- 7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Momentum Business Solutions, Inc. will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Momentum Business Solutions, Inc. requires interconnection from Momentum Business Solutions, Inc. to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Momentum Business Solutions, Inc. shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Momentum Business Solutions, Inc. desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 Mutual Provision of Switched Access Service

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

- 7.5.2 If the BellSouth end user chooses Momentum Business Solutions, Inc. as their presubscribed interexchange carrier, or if the BellSouth end user uses Momentum Business Solutions, Inc. as an interexchange carrier on a 101XXXX basis, BellSouth will charge Momentum Business Solutions, Inc. the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- When Momentum Business Solutions, Inc.'s end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by <u >customer name> as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When <customer name>'s end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to <customer name>, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.
- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.

- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 Momentum Business Solutions, Inc. agrees not to deliver switched access traffic to BellSouth for termination except over Momentum Business Solutions, Inc. ordered switched access trunks and facilities.

#### 7.6 **Transit Traffic**

- BellSouth shall provide tandem switching and transport services for Momentum Business Solutions, Inc.'s Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Momentum Business Solutions, Inc. and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Momentum Business Solutions, Inc. and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.
- 7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Momentum Business Solutions, Inc. is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Momentum Business Solutions, Inc.. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic,Momentum Business Solutions, Inc. shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Momentum Business Solutions, Inc.'s frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Momentum Business Solutions, Inc. is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Momentum Business Solutions, Inc. and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Momentum Business Solutions, Inc. have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.
- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Momentum Business Solutions, Inc. may determine its PLCU in aggregate, by

dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Momentum Business Solutions, Inc. that it has found that this method does not adequately represent the PLCU.

- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Momentum Business Solutions, Inc. will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Momentum Business Solutions, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Momentum Business Solutions, Inc.'s PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Momentum Business Solutions, Inc. will pay, the total non-recurring and recurring charges for the NNI port. Momentum Business Solutions, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Momentum Business Solutions, Inc.'s PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- 8.8 For the PVC segment between the Momentum Business Solutions, Inc. and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If Momentum Business Solutions, Inc. orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Momentum Business Solutions, Inc. Frame Relay switch, BellSouth will invoice, and Momentum Business Solutions, Inc. will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Momentum Business Solutions, Inc. Frame Relay switches. If the VC is a Local VC, Momentum Business Solutions, Inc. will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for

that segment. If the VC is not local, no compensation will be paid to Momentum Business Solutions, Inc. for the PVC segment.


- 8.9.2 If BellSouth orders a Local VC connection between a Momentum Business Solutions, Inc. subscriber's PVC segment and a PVC segment from the Momentum Business Solutions, Inc. Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Momentum Business Solutions, Inc. will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Momentum Business Solutions, Inc. Frame Relay switches. If the VC is a Local VC, Momentum Business Solutions, Inc. will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Momentum Business Solutions, Inc. for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If Momentum Business Solutions, Inc. requests a change, BellSouth will invoice and Momentum Business Solutions, Inc. will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, Momentum Business Solutions, Inc. will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.10 Momentum Business Solutions, Inc. will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

#### 9. OPERATIONAL SUPPORT SYSTEMS (OSS)

9.1 The terms, conditions and rates for OSS are as set forth in FCC Tariff for Access Service Records.


## **Basic Architecture**

Exhibit B



# **One-Way Architecture**

**Exhibit C** 



# **Two-Way Architecture**

**Exhibit D** 





Exhibit E

# **Supergroup Architecture**



LOCAL IN	TERCONNECTION - Alabama												Attachment:	3	Exhibit: A	<u> </u>
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep fo	r that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING		1													
	Tandem Switching Function Per MOU			OHD		0.0005692bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005692bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or intercon	nection charges										
	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++	i i	333.69	56.91	i i		İ					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00					İ			İ		İ
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00					İ			İ		İ
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	in the	End O				J rate elements									
	MON TRANSPORT (Shared)		T			, p										
	Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003685bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)		1													
	ROFFICE CHANNEL - DEDICATED TRANSPORT		1													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1													
	Per Mile per month			OHL. OHM	1L5NF	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTIE, OTIM	TEOTH	0.0101										
	Facility Termination per month			OHL. OHM	1L5NF	24.15	54.82		13.79							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIE, OTIVI	120141	24.10	04.02		10.75							
	per month			OHL, OHM	1L5NK	0.0101										
h	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.12, 0.1111	1201111	0.0101										
	Termination per month			OHL, OHM	1L5NK	17.28	54.82		13.79							
h	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.12, 0.1111	1201111	11.20	002		10.10							
	per month			OHL, OHM	1L5NK	0.0101										
h	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIE, OTIM	TEOTITE	0.0101										
	Termination per month			OHL, OHM	1L5NK	17.28	54.82		13.79							
h	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0.12, 0.1111	1201111	11.20	002		10.10							
	month			OH1, OH1MS	1L5NL	0.2067										
h	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTIMO	TEOTYE	0.2007										
	Termination per month			OH1, OH1MS	1L5NL	68.75	163.61		28.88							
h	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0, 00	120.12	00.70	100.01		20.00							
	month			OH3, OH3MS	1L5NM	4.67										
h	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10, 0.100	12011111											
	Termination per month			OH3, OH3MS	1L5NM	804.02	325.51		116.91							
LOC	AL CHANNEL - DEDICATED TRANSPORT			Orio, Orioivio	TEO! VIVI	004.02	020.01		110.01							
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL. OHM	TEFV2	15.96	386.19	66.33	73.28	6.39						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	17.06	387.06	67.20	74.22	7.33						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	41.52	354.94	307.43	44.38	30.52				<del> </del>	<b>†</b>	<del> </del>
						71.02	304.04	307.40	44.50	00.02				<del> </del>	<b>†</b>	<del> </del>
]	Local Channel - Dedicated - DS3 Facility Termination per month		1	ОНЗ	TEFHJ	476.04	903.03	527.87	238.97	167.16				l	I	l
LOC	AL INTERCONNECTION MID-SPAN MEET	<b>†</b>	1		1.2	1.0.04	555.00	3207	200.07	10	1			<del> </del>		<del> </del>
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.	<del> </del>									<b>†</b>	
1.01	Local Channel - Dedicated - DS1 per month	1.00 =0	Ju. 911	OH1MS	TEFHG	0.00	0.00								<u> </u>	
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00							<del> </del>	<b>†</b>	<del> </del>
MIII	TIPLEXERS	<b>†</b>	1	55WIO		3.00	0.00		<del>                                     </del>		1			<del> </del>		<del> </del>
1.102	Channelization - DS1 to DS0 Channel System	<del>                                     </del>	<b>-</b>	OH1, OH1MS	SATN1	122.50	182.08	125.14	21.07	19.58	<del> </del>					
		<b>-</b>	1	- ,				187.94		63.65	1			-	1	
	IDS3 to DS1 Channel System per month					/01.37	,35h /8 I									
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATNS	201.37 15.39	356.28 13.15	9.43	66.51	63.65					1	

04/12/02 Page 1 of 9

LOCAL INT	ERCONNECTION - Florida				· <u> </u>	·			· <u></u>				Attachment:	3	Exhibit: A	_
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
	DEM SWITCHING		1	ļ												
	Tandem Switching Function Per MOU			OHD		0.0006019bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006019bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	/or intercon	nection charges										
TRUN	IK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		336.43	57.38								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Thi	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	3								
COMI	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	25.32	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	18.44	31.78		7.03							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	88.44	98.47		19.05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	<u></u>		OH3, OH3MS	1L5NM	1,071.00	219.28		70.56							
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	21.94	265.84	46.97	37.63	4.00						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	22.81	266.54	47.67	44.22	5.33						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.28	216.65	183.54	24.30	16.95						
								<u> </u>								
	Local Channel - Dedicated - DS3 Facility Termination per month	<u></u>		OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84						
	AL INTERCONNECTION MID-SPAN MEET									-						
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch													
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00			-						
MULT	TIPLEXERS						Ì									
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
1 1	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07						
				OH1, OH1MS	SATCO	13.76	10.07	7.08			1			i —	1	1
	DS3 Interface Unit (DS1 COCI) per month s: If no rate is identified in the contract, the rates, terms, and co															

04/12/02 Page 2 of 9

LOCAL INT	ERCONNECTION - Georgia				·		·	·					Attachment:	3	Exhibit: A	
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	_	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)								
OAT LOOK!	NATE ELEMENTO	m	20.10	500	0000		104	ι ΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1			I	Nonrec	curring	Nonrecurrin	g Disconnect	1		220	Rates(\$)		
<b>—</b>						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b>—</b>							FIISL	Auu i	FIISL	Auu i	SOMEC	SOWAN	JOWAN	SOWAN	SOWAN	JOWAN
LOCAL INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)		1						1	1	1					
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een fo	r that element nursu	ant to the ter	me and conditi	one in Attachr	nent 3								
	EM SWITCHING	II allu k	l eep io	that element pursu	ant to the ter	ins and conditi	Olis III Attacili	ilent J.								
TAND	Tandem Switching Function Per MOU		1	OHD		0.0011009bk					1					
<b>—</b>	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD		0.0011003DK										
	only)			OHD		0.0011009bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.00110090K			-	-					-	-
* Thio	charge is applicable only to transit traffic and is applied in ad-	dition to	l a annli		lar intercent											
	K CHARGE	dition to	аррп	Cable Switching and	l/or interconi	lection charges	•				ļ					<u> </u>
IRUN		-	-	OUD	TDD		200.00	50.04								ļ
$\vdash$	Installation Trunk Side Service - per DS0	<b></b>	-	OHD OHD	TPP++ TDE0P	0.00	333.28	56.84	1	1	<del> </del>			<del>                                     </del>	1	<del> </del>
	Dedicated End Office Trunk Port Service-per DS0**					0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	s rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
COMM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.000008bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004152bk										
LOCAL INTER	RCONNECTION (DEDICATED TRANSPORT)															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			, ,												
	Facility Termination per month			OHL. OHM	1L5NF	17.07	36.08									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		<b>†</b>	0.12, 0.111	120.11	11.01	00.00									
	per month			OHL, OHM	1L5NK	0.0222										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility		<del>                                     </del>	OTTE, OTTIVI	TEOTAIC	0.0222					<u> </u>					
	Termination per month			OHL, OHM	1L5NK	16.45	36.08									
<b>—</b>	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	OTIL, OTIVI	TESIVIN	10.43	30.00				1					-
	per month			OHL, OHM	1L5NK	0.0222										
		<u> </u>	<u> </u>	OHL, OHW	ILDINK	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			0111 01114	41.55.07	40.45	00.00									
	Termination per month		<u> </u>	OHL, OHM	1L5NK	16.45	36.08									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	78.47	111.75				Į					1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	2.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	788.00	330.77									
LOCA	L CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.91	382.95	62.40								
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99	368.44	64.05								
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	38.36	356.15	312.89								
						1 1					1					
1 1	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	515.91	639.50	426.31	1	1						
LOCA	L INTERCONNECTION MID-SPAN MEET				1				1	1	1	i		1	1	1
	: If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.				1	1	1			1		
1.512	Local Channel - Dedicated - DS1 per month	1 2 2 20	J U.	OH1MS	TEFHG	0.00	0.00		<del>                                     </del>	<del>                                     </del>	1	1		<b>†</b>	t	<b>†</b>
	Local Channel - Dedicated - DS3 per month	<b>†</b>		OH3MS	TEFHJ	0.00	0.00		<b>—</b>	<b>—</b>	1			<del> </del>		<b>†</b>
MILLE	IPLEXERS	<del>                                     </del>	<b>-</b>	OT TOTAL	12110	0.00	0.00		<b>†</b>	<b>†</b>	<del> </del>					<del>                                     </del>
INIOLI	Channelization - DS1 to DS0 Channel System	<del> </del>	1	OH1, OH1MS	SATN1	126.22	198.22	123.59	<del>                                     </del>	<del>                                     </del>	1	<del> </del>		<del> </del>	<del>                                     </del>	1
<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	- ,					<del>                                     </del>	<del>                                     </del>	1				-	<del>                                     </del>
<del>                                     </del>	DS3 to DS1 Channel System per month	<del>                                     </del>	-	OH3, OH3MS	SATNS	182.04	280.66	195.33	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>		<del>                                     </del>	1	<u> </u>
<del></del>	DS3 Interface Unit (DS1 COCI) per month	L	<u> </u>	OH1, OH1MS	SATCO	11.02	12.02	8.66	<u> </u>	-	1			ļ		<b>.</b>
INOTAS	: If no rate is identified in the contract, the rates, terms, and co	ondition	is for t	ne specific service o	or tunction w	III be as set fort	n in applicable	e BellSouth ta	ritt.							<u> </u>

04/12/02 Page 3 of 9

LOCAL IN	ΓERCONNECTION - Kentucky												Attachment:	3	Exhibit: A	<u> </u>
	•										Svc Order	Svc Order				Incremental
		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)								1							
	E: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	r that element pursu	ant to the ter	ms and conditi	ons in Attachr	nent 3.								
	DEM SWITCHING								1							
	Tandem Switching Function Per MOU			OHD		0.0006772bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0006772bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015			1							
* This	s charge is applicable only to transit traffic and is applied in ad-	dition to	o appli	cable switching and	/or intercon	nection charges										
TRU	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP++		334.09	57.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00			İ							
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	5								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0007466bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	29.11	47.34		22.77							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility								1							
	Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	20.97	47.35		22.77							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month	1		OH1, OH1MS	1L5NL	96.04	105.52		23.09		1					1
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per								1							
	month	1		OH3, OH3MS	1L5NM	4.97					1					1
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month	1		OH3, OH3MS	1L5NM	1,175.15	335.40		89.57		1					1
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86	266.48	47.65	47.54	5.73						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07						
	·															
	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42						
	AL INTERCONNECTION MID-SPAN MEET															
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed set	rvice Lo	cal Ch		ble.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		İ							
MUL	TIPLEXERS					İ			İ							
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59						
																T T
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.80	10.07	7.08								

04/12/02 Page 4 of 9

LOCAL INT	FERCONNECTION - Louisiana												Attachment:	3	Exhibit: A	
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)								
OAT LOOK!	TOTAL ELEMENTO	m		500	0000		104	. ΕΘ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	curring	Nonrecurrin	g Disconnect	1		220	Rates(\$)		
-					1	Rec	First	Add'I	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1				FIRST	Add I	FIRST	Addi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
LOCAL INTE	DONNECTION (CALL TRANSPORT AND TERMINATION)		1													
	RCONNECTION (CALL TRANSPORT AND TERMINATION)	0 11		414 -1												
	E: "bk" beside a rate indicates that the Parties have agreed to bi DEM SWITCHING	iii and k	eep to	r that element pursu	ant to the tel	ms and conditi	ons in Attachr	nent 3.								
IANL				O. I.B.												
	Tandem Switching Function Per MOU		<u> </u>	OHD		0.0005507bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			o												
	only)			OHD		0.0005507bk										
	Tandem Intermediary Charge, per MOU*		<u> </u>	OHD		0.0015										
	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	l/or interconi	nection charges	•									
TRUN	NK CHARGE	ļ	ļ		<u> </u>	ļ!				ļ						
	Installation Trunk Side Service - per DS0	<u> </u>	<u> </u>	OHD	TPP++		334.94	56.98		ļ	ļ					ļ
	Dedicated End Office Trunk Port Service-per DS0**	ļ		OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	S								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000032bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL. OHM	1L5NF	22.60	26.62									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	0.12, 0.111	120.41	22.00	20.02									
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0.12, 0.111	1201111	0.010										-
	Termination per month			OHL, OHM	1L5NK	15.61	26.62									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIE, OTIM	ILOIVIX	10.01	20.02									
	per month			OHL, OHM	1L5NK	0.013										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OFIL, OF IIVI	ILJINK	0.013										
	Termination per month			OHL, OHM	1L5NK	15.61	26.62									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		<del>                                     </del>	OFIL, OF IIVI	ILJINK	13.01	20.02				1					
	·			OLIA OLIAMO	1L5NL	0.0050										
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	ILDINL	0.2652					ļ					
				OLIA OLIAMO	41.5811	70.47	70.44									
$\vdash$	Termination per month	<b>!</b>	1	OH1, OH1MS	1L5NL	70.47	79.44		1	1	1			1	1	-
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			0110 0110140	41.55.04	0.04										
	month			OH3, OH3MS	1L5NM	6.04										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	850.45	158.05									
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.32	187.51	32.21								
	Local Channel - Dedicated - 4-Wire Voice Grade per month	<u> </u>	<u> </u>	OHL, OHM	TEFV4	19.41	187.94	32.63								1
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
		1	1													1
	Local Channel - Dedicated - DS3 Facility Termination per month	1	]	OH3	TEFHJ	469.44	438.46	256.30								
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch													
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48	172.99	91.25								
	DSS to DST Channel System per month															
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.78	6.39	4.58								

04/12/02 Page 5 of 9

LOCAL IN	FERCONNECTION - Mississippi												Attachment:	3	Exhibit: A	1
											Svc Order	Svc Order			Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- 111											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'I		
													ist	Addi	Disc 1st	Disc Add'l
							Nonre	curring	Nonrecurring	Disconnect		l	220	Rates(\$)	L	
-					-	Rec	First	Add'I	First	Add'l	COMEC	SOMAN	SOMAN		SOMAN	SOMAN
							FIIST	Addi	FIRST	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	RCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTI	E: "bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	r that element pursu	ant to the ter	rms and conditi	ions in Attachi	ment 3.								
TANI	DEM SWITCHING										1					1
	Tandem Switching Function Per MOU			OHD		0.0005379bk										1
	Multiple Tandem Switching, per MOU (applies to intial tandem			OLIB		0.000007 0DK					+					+
				OUD		0.00050701.1										
	only)			OHD		0.0005379bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	or interconi	nection charges	3.									
TRUI	NK CHARGE															
1	Installation Trunk Side Service - per DS0	1	1	OHD	TPP++		334.11	56.98			İ					T .
	Dedicated End Office Trunk Port Service-per DS0**	<b>†</b>	<b>-</b>	OHD	TDE0P	0.00	307.11	55.50			<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	+
		<del>                                     </del>	-		TDE0P						+			<b>+</b>	<del> </del>	+
	Dedicated End Office Trunk Port Service-per DS1**	<u> </u>		0H1 OH1MS		0.00		ļ			<b></b>			ļ	ļ	<b></b>
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00					1					1
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** Th	is rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOI	J rate element	s								
	MON TRANSPORT (Shared)			<b>"</b>		J, 1										
	Common Transport - Per Mile, Per MOU			OHD		0.0000026bk										+
-	Common Transport - Facilities Termination Per MOU			OHD	-	0.0004541bk					-					+
				UND		0.000454 TDK										
	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			, ,												1
	Facility Termination per month			OHL, OHM	1L5NF	22.52	27.57		7.11							
				Onl, Onivi	ILDINE	22.32	21.31		7.11					ļ		-
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	27.57		7.11							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0098										
				Onl, Onivi	ILDINK	0.0096								ļ		-
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHL, OHM	1L5NK	15.68	27.57		7.11							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility							1	i i							1
l l	Termination per month		1	OH1, OH1MS	1L5NL	57.33	82.28		14.90		1					1
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	5, OITINO	014_	07.00	02.20		14.50		+			1	<b>†</b>	+
			1	OH3, OH3MS	11 ENIM	4.70					1					1
	month	ļ		UH3, UH3IVIS	1L5NM	4.76										<del></del>
1	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month		<u> </u>	OH3, OH3MS	1L5NM	641.90	163.70	L	60.29		1			1	<u> </u>	1
LOC	AL CHANNEL - DEDICATED TRANSPORT															1
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	1	OHL, OHM	TEFV2	14.91	194.22	33.36	37.79	3.30	İ					1
<del>                                     </del>	Local Channel - Dedicated - 4-Wire Voice Grade per month	1	<b>†</b>	OHL, OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						+
	Local Channel - Dedicated - 4-Wire Voice Chade per month		1	OH1	TEFHG	36.83	178.50	154.61	22.89	15.74				1	<b>†</b>	+
	Local Griannel - Dedicated - Do i per month	1		OH	IEFNG	30.83	170.50	104.61	22.89	15.74	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	+
	L			L	L	1			l l		1					1
	Local Channel - Dedicated - DS3 Facility Termination per month	1		OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19						<u> </u>
	AL INTERCONNECTION MID-SPAN MEET							<u></u>				L				
NOT	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	ble.					-			-			
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							1	1	1
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				1					
MI II	TIPLEXERS	t	<del>                                     </del>	S. 101110		0.00	0.00	-			†	<del> </del>		1	1	+
IWIUL		1	<b>!</b>	OLIA OLIAMO	CATNIA	400.05	04.57	60.04	40.07	40.40	1			1	1	+
	Channelization - DS1 to DS0 Channel System	<u> </u>		OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10				ļ		<b>↓</b>
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82						<u> </u>
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.96	6.62	4.74								
	s: If no rate is identified in the contract, the rates, terms, and co	on dition						o Boll South to	-166		1					1

04/12/02 Page 6 of 9

LOCAL INTE	RCONNECTION - North Carolina												Attachment:	3	Exhibit: A	
											Svc Order	Svc Order			Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA	TES(\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
0		m			0000			. = 0(4)			per LSR	perLSK	Order vs.			
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					+		Nonre	ourring	Nonrecurring	n Disconnoct	+	l .	066	Rates(\$)		<u> </u>
+					+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
<b>-</b>					+		FIISL	Add I	FIISL	Add I	SOWIEC	SUMAN	SUMAN	SUMAN	SOWAN	SUMAN
LOCAL INTER	I CONNECTION (CALL TRANSPORT AND TERMINATION)		1													
		II and I		. 414 -1			anain Assab									
	"bk" beside a rate indicates that the Parties have agreed to bi	iii and k	eep roi	r that element pursu	ant to the ter	ms and conditi	ons in Attachi	nent 3.								
I ANDE			-	OUD		0.004011										
	Tandem Switching Function Per MOU		-	OHD		0.0012bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			ou n												
	only)			OHD		0.0012bk										
L	Tandem Intermediary Charge, per MOU*	L	<u>.</u>	OHD		0.0015										
	charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	or interconi	nection charges	i.									
TRUN	CHARGE															
	Installation Trunk Side Service - per DS0	<u> </u>	<u> </u>	OHD	TPP++		333.54	56.88			1					ļ
	Dedicated End Office Trunk Port Service-per DS0**	ļ		OHD	TDE0P	0.00					1					ļ
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** This	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MO	U rate element	S								
COMM	ON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.00001bk										ĺ
	Common Transport - Facilities Termination Per MOU			OHD		0.00034bk										
LOCAL INTER	CONNECTION (DEDICATED TRANSPORT)															
	OFFICE CHANNEL - DEDICATED TRANSPORT															1
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															1
	Per Mile per month			OHL, OHM	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHL, OHM	1L5NF	18.00	52.58									
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHL, OHM	1L5NK	0.0282										
<b>†</b>	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			01.12, 01.1111		0.0202					+					<b>†</b>
	Termination per month			OHL, OHM	1L5NK	17.40	52.58									
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OTIE, OTIM	TEGITIC	17.40	02.00									-
	per month			OHL, OHM	1L5NK	0.0282										
+	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OF IL, OF IIVI	ILJINK	0.0202					+					<del>                                     </del>
	Termination per month			OHL, OHM	1L5NK	17.40	52.58									
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		<u> </u>	Onl, Onivi	ILDINK	17.40	32.36									
	month			OH1, OH1MS	1L5NL	0.5753										
			<u> </u>	OHT, OHTIMS	ILDINL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month	1	1	OH1, OH1MS	1L5NL	71.29	163.75				1					
<b></b>		1	1	OITI, UTINIS	TLOINL	71.29	103.75		<del>                                     </del>	-	+			<del>                                     </del>	1	<del>                                     </del>
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	1	OUS OUSER	11 5 11 4	40.00					1					
$\vdash$	month	<b>!</b>	1	OH3, OH3MS	1L5NM	12.98			1	1	+				1	<del>                                     </del>
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.10140		=00.00										
	Termination per month		<u> </u>	OH3, OH3MS	1L5NM	720.38	579.55									
LOCAL	CHANNEL - DEDICATED TRANSPORT			0.00	TEE: 10	11.00	=== 0.00									
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	14.82	553.80	89.69								
ļļ	Local Channel - Dedicated - 4-Wire Voice Grade per month	<u> </u>	<u> </u>	OHL, OHM	TEFV4	15.87	562.23	92.67							ļ	<b></b>
	Local Channel - Dedicated - DS1 per month	<b>!</b>	1	OH1	TEFHG	35.68	534.48	462.69								<b></b>
		1	1		L						1					
	Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>	<u> </u>	OH3	TEFHJ	498.87	562.25	527.88			1					ļ
	INTERCONNECTION MID-SPAN MEET	L		I	1						1					<b></b>
NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch								1					1
	Local Channel - Dedicated - DS1 per month	ļ		OH1MS	TEFHG	0.00	0.00				1					ļ
	Local Channel - Dedicated - DS3 per month	ļ		OH3MS	TEFHJ	0.00	0.00				1					1
MULTI	PLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40								
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38								
	If no rate is identified in the contract, the rates, terms, and co	ondition	s for t	he specific service o	r function w	ill he as set for	th in annlicahl	e RellSouth ta	riff							

04/12/02 Page 7 of 9

LOCAL INT	FERCONNECTION - South Carolina												Attachment:	3	Exhibit: A	<u> </u>
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		1	1	İ							Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111	10112 ======	m						. = = ( )			perLSK	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1						1	Nonrec	rurring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							THOU	Auu i	11130	Auu i	JOHILO	JONAN	JOHAN	JONIAN	JOHIAN	JOHAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)				1											
	: "bk" beside a rate indicates that the Parties have agreed to bi	II and k	oon fo	that alament nursu	ant to the to	me and conditi	one in Attachr	nont 2	+						<del></del>	<del></del>
	E. DR Deside a rate indicates that the Farties have agreed to bi	III allu k	eep ioi	liiat eleilleilt pursu	T T T T T T T T T T T T T T T T T T T	ilis aliu collulti	Olis III Attacili	iletit 3.	+						<del></del>	<del></del>
IANL	Tandem Switching Function Per MOU			OHD	1	0.000736bk			+						<del></del>	<del></del>
			1	OHD		0.000736DK									<del></del>	
	Multiple Tandem Switching, per MOU (applies to intial tandem			OUD		0.00070061										
	only) Tandem Intermediary Charge, per MOU*		-	OHD OHD	1	0.000736bk 0.0015									<b></b>	
4 TL 1		4.4.														<u> </u>
	s charge is applicable only to transit traffic and is applied in ad	aition to	э арри	cable switching and	/or interconi	nection charges										
TRUN	NK CHARGE	<b>!</b>	ļ	OUD	TDD	ļ								ļ	<b>├</b>	<b>├</b>
	Installation Trunk Side Service - per DS0	<u> </u>	<u> </u>	OHD	TPP++		335.14	57.16	ļ		ļ				<b></b>	<b>└</b>
	Dedicated End Office Trunk Port Service-per DS0**	<u> </u>	<u> </u>	OHD	TDE0P	0.00			ļ		ļ				<b></b> '	<b>↓</b>
	Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	is rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	S								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			OHL, OHM	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -														1	
	Facility Termination per month			OHL. OHM	1L5NF	24.30	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile				1										†	
	per month			OHL, OHM	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O. 12, O. 1111	1201111	0.0107			1						<del></del>	
	Termination per month			OHL, OHM	1L5NK	16.76	40.63		16.77							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OFIE, OF IIVI	ILOIVIX	10.70	40.03		10.77							
	per month			OHL, OHM	1L5NK	0.0167										
<b></b>	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			Onl, Onivi	ILSINK	0.0167			+						<del></del>	<del></del>
				OHL, OHM	1L5NK	16.76	40.63		16.77							
	Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-	OHL, OHM	ILDINK	16.76	40.63		16.77						<b></b>	
	· ·			0114 0114140	41.5511	0.0445										
L	month		<u> </u>	OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility								40.00							
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47		16.39							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	880.65	279.37		60.33							
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	15.33	193.53	33.24	36.72	3.21						<u> </u>
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54	193.97	33.68	37.19	3.68						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30						
																1
	Local Channel - Dedicated - DS3 Facility Termination per month	<u> </u>	<u></u>	OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77	<u> </u>		<u> </u>	<u> </u>	<u>                                      </u>	1
	AL INTERCONNECTION MID-SPAN MEET															
NOTE	: If Access service ride Mid-Span Meet, one-half the tariffed set	rvice Lo	cal Ch		able.											
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00		İ							
MUL	TIPLEXERS								ĺ							
	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81	İ	i		İ	1	
		<del>                                     </del>	1	OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90	1			1		
	DS3 to DS1 Channel System per month			OI IS, OI ISIVIS												
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73	00.00	01.00					<del>                                     </del>	

04/12/02 Page 8 of 9

LOCAL IN	TERCONNECTION - Tennessee		_		· <u> </u>								Attachment:	3	Exhibit: A	<u> </u>
											Svc Order	Svc Order				Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									11101							
LOCAL INT	ERCONNECTION (CALL TRANSPORT AND TERMINATION)															
	E: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	eep fo	r that element pursu	ant to the te	ms and conditi	ons in Attachn	nent 3.								
	IDEM SWITCHING		1													
	Tandem Switching Function Per MOU			OHD		0.0009778bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem								1							
	only)			OHD		0.0009778bk										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* Th	is charge is applicable only to transit traffic and is applied in ac	dition to	o appli	cable switching and	l/or intercon	nection charges	i.									
	INK CHARGE															
	Installation Trunk Side Service - per DS0	1	1	OHD	TPP++		334.29	57.01	i i		İ					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
	Dedicated End Office Trunk Port Service-per DS1**	1		0H1 OH1MS	TDE1P	0.00			† †							1
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										İ
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
** TI	his rate element is recovered on a per MOU basis and is include	d in the	End O				J rate elements	;								
	MMON TRANSPORT (Shared)		1			g, p										
	Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
LOCAL INTE	ERCONNECTION (DEDICATED TRANSPORT)															
	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-														
	Per Mile per month			OHL. OHM	1L5NF	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade	-		OTIE, OTIM	TEOTH	0.0174										
	Facility Termination per month			OHL. OHM	1L5NF	18.58	17.37		3.51							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIE, OTIVI	120141	10.00	17.07		0.01							
	per month			OHL, OHM	1L5NK	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIE, OTIM	TEOTAIX	0.0174										
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
<b>—</b>	Interoffice Channel - Dedicated Transport - 64 kbps - per mile		1	0.12, 0.111	1201111		11.01		0.01							
	per month			OHL, OHM	1L5NK	0.0174										
<b>—</b>	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	OTIE, OTIM	TEOTITE	0.0174			1							
	Termination per month			OHL, OHM	1L5NK	17.98	17.37		3.51							
<b>—</b>	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1	0.12, 0.111	1201111		11.01		0.01							
	month			OH1, OH1MS	1L5NL	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTINIO	TESINE	0.5502										
	Termination per month			OH1, OH1MS	1L5NL	77.86	76.27		14.99							
<b>—</b>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	0111, 01111110	120.12	11.00	7 0.27		100							
	month			OH3, OH3MS	1L5NM	2.34										
<b>—</b>	Interoffice Channel - Dedicated Transport - DS3 - Facility		1	0.10, 0.10110	12011111	2.01			1							
	Termination per month			OH3, OH3MS	1L5NM	848.99	176.56		105.91							
LOC	CAL CHANNEL - DEDICATED TRANSPORT			0110, 01101110	120.411	0.0.00	17 0.00		100.01							
	Local Channel - Dedicated - 2-Wire Voice Grade per month		1	OHL, OHM	TEFV2	19.43	199.33	24.16	54.81	4.80						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
	Local Channel - Dedicated - Wile Voice Crade per Hishiti	1		OH1	TEFHG	40.99	277.35	233.26	33.18	22.30				1		<del> </del>
	201 por month	1				40.00	277.00	200.20	55.15	22.50				1		<del> </del>
	Local Channel - Dedicated - DS3 Facility Termination per month	ıl.		ОНЗ	TEFHJ	611.30	595.37	304.50	215.82	151.15						l
LOC	CAL INTERCONNECTION MID-SPAN MEET	1	1		1.2	500	555.07	3300	2.0.02		1			1	1	<del> </del>
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice L	cal Ch	annel rate is applica	ble.				<del> </del>							
	Local Channel - Dedicated - DS1 per month		<u> </u>	OH1MS	TEFHG	0.00	0.00		<del> </del>							
	Local Channel - Dedicated - DS3 per month	1		OH3MS	TEFHJ	0.00	0.00		† †					1		<del> </del>
MIII	_TIPLEXERS	†	1	CSIVIO		5.00	0.00		<del>                                     </del>		1			1	1	<del> </del>
1,100	Channelization - DS1 to DS0 Channel System	+	+	OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62	<del> </del>				<del> </del>	
		+	+	- /	SATNS	222.98	308.03	108.47	6.34	4.23	1				<b>†</b>	
	IDS3 to DS1 Channel System per month															
	DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month			OH3, OH3MS OH1, OH1MS	SATCO	17.58	6.07	4.66	0.34	4.23						

04/12/02 Page 9 of 9

### **Attachment 4**

**Physical Collocation** 

#### **BELLSOUTH**

#### PHYSICAL COLLOCATION

#### 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Momentum Business Solutions, Inc. is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- 1.2 Right to Occupy. BellSouth shall offer to Momentum Business Solutions, Inc. collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow Momentum Business Solutions, Inc. to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Momentum Business Solutions, Inc. and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Momentum Business Solutions, Inc. may contemplate a request for space sufficient to accommodate Momentum Business Solutions, Inc.'s growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Momentum Business Solutions, Inc. may contemplate a request for space sufficient to accommodate Momentum Business Solutions, Inc.'s growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate <customer\_ name>'s requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Momentum Business Solutions, Inc.'s cost or materially delay Momentum Business Solutions, Inc.'s occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service the Momentum Business Solutions, Inc. wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude

unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate collocation space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Momentum Business Solutions, Inc. will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.
- 1.5 <u>Use of Space</u>. Momentum Business Solutions, Inc. shall use the Collocation Space for the purposes of installing, maintaining and operating Momentum Business Solutions, Inc.'s equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Momentum Business Solutions, Inc. agrees to pay the rates and charges identified in Exhibit C attached hereto.
- 1.7 <u>Due Dates</u>. If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Momentum Business Solutions, Inc., BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Momentum Business Solutions, Inc. for a Space Availability Report must be written and must include the Premises street address, located in the Local

Exchange Routing Guide and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Momentum Business Solutions, Inc. and inform Momentum Business Solutions, Inc. of the time frame under which it can respond.

#### 3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow Momentum Business Solutions, Inc. to collocate Momentum Business Solutions, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Momentum Business Solutions, Inc. to have direct access to Momentum Business Solutions, Inc.'s equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where Momentum Business Solutions, Inc.'s equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Momentum Business Solutions, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged.</u> At Momentum Business Solutions, Inc.'s expense, Momentum Business Solutions, Inc. may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Momentum Business Solutions, Inc. and Momentum Business Solutions, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. Momentum Business Solutions, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Momentum Business Solutions, Inc. and provide, at Momentum Business Solutions, Inc.'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Momentum Business Solutions, Inc. to obtain the zoning, permits and/or other licenses. Momentum Business Solutions, Inc.'s

Certified Supplier shall bill Momentum Business Solutions, Inc. directly for all work performed for Momentum Business Solutions, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Momentum Business Solutions, Inc.'s Certified Supplier. Momentum Business Solutions, Inc. must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Momentum Business Solutions, Inc.'s locked enclosure prior to notifying Momentum Business Solutions, Inc.. Upon request, BellSouth shall construct the enclosure for Momentum Business Solutions, Inc..

- 3.2.1 BellSouth may elect to review Momentum Business Solutions, Inc.'s plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Momentum Business Solutions, Inc. indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Momentum Business Solutions, Inc. has indicated their desire to construct their own enclosure. If Momentum Business Solutions, Inc.'s Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. . BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Momentum Business Solutions, Inc.'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Momentum Business Solutions, Inc. to remove or correct within seven (7) calendar days at Momentum Business Solutions, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.
- 3.3 Shared (Subleased) Caged Collocation. Momentum Business Solutions, Inc. may allow other telecommunications carriers to share Momentum Business Solutions, Inc.'s caged collocation arrangement pursuant to terms and conditions agreed to by Momentum Business Solutions, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Momentum Business Solutions, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Momentum Business Solutions, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Momentum Business Solutions, Inc..

- 3.3.1 Momentum Business Solutions, Inc., as the Host shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Momentum Business Solutions, Inc. with a proration of the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Momentum Business Solutions, Inc. shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Momentum Business Solutions, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Momentum Business Solutions, Inc.'s Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Momentum Business Solutions, Inc. and in conformance with BellSouth's design and construction specifications. Further, Momentum Business Solutions, Inc. shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Momentum Business Solutions, Inc. elect such option, Momentum Business Solutions, Inc. must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Momentum Business Solutions, Inc. and Momentum Business Solutions, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. Momentum Business Solutions, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Momentum Business Solutions, Inc.'s Certified Supplier shall bill Momentum Business Solutions, Inc. directly for all work performed

for Momentum Business Solutions, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Momentum Business Solutions, Inc.'s Certified Supplier. Momentum Business Solutions, Inc. must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Momentum Business Solutions, Inc.'s locked enclosure prior to notifying Momentum Business Solutions, Inc..

- 3.4.2 Momentum Business Solutions, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Momentum Business Solutions, Inc.'s plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth will have the right to inspect the Adjacent Arrangement during and after construction to make sure it is constructed according to the submitted plans and specifications. BellSouth shall require Momentum Business Solutions, Inc. to remove or correct within seven (7) calendar days at Momentum Business Solutions, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.
- 3.4.3 Momentum Business Solutions, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Momentum Business Solutions, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC. Momentum Business Solutions, Inc.'s Certified Supplier shall be responsible, at Momentum Business Solutions, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Momentum Business Solutions, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language. At no point in time shall Momentum Business Solutions, Inc. use the Collocation Space for the sole or primary purpose of cross-connecting to other CLECs.
- 3.5.1 The CCXC, shall be provisioned through facilities owned by Momentum Business Solutions, Inc.. Such connections to other carriers may be made using either optical Version 4Q01: 12/01/01

or electrical facilities. Momentum Business Solutions, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. Momentum Business Solutions, Inc. may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. Momentum Business Solutions, Inc. is responsible for ensuring the integrity of the signal.

3.5.2 Momentum Business Solutions, Inc. shall be responsible for obtaining authorization from the other CLEC(s) involved. Momentum Business Solutions, Inc. must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. Momentum Business Solutions, Inc.-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, Momentum Business Solutions, Inc. may have the option of constructing its own dedicated support structure.

### 4. <u>Occupancy</u>

- 4.1 Occupancy. BellSouth will notify Momentum Business Solutions, Inc. in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Momentum Business Solutions, Inc. will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Momentum Business Solutions, Inc. that the collocation space is ready for occupancy. In the event that Momentum Business Solutions, Inc. fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Momentum Business Solutions, Inc. and billing will commence on the sixteenth day after BellSouth releases the collocation space. Momentum Business Solutions, Inc. must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Momentum Business Solutions, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Momentum Business Solutions, Inc. may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Momentum Business Solutions, Inc.'s right to occupy the Collocation Space in the event Momentum Business Solutions, Inc. fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, Momentum Business Solutions, Inc. at its expense shall remove its equipment and other property from the Collocation Space.

  Momentum Business Solutions, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Momentum Business Solutions, Inc.'s Guests, unless Momentum Business

Solutions, Inc.'s Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Momentum Business Solutions, Inc. shall continue payment of monthly fees to BellSouth until such date as Momentum Business Solutions, Inc., and if applicable Momentum Business Solutions, Inc.'s Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth... Should Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest at Momentum Business Solutions, Inc.'s expense and with no liability for damage or injury to Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Momentum Business Solutions, Inc.'s right to occupy Collocation Space, Momentum Business Solutions, Inc. shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Momentum Business Solutions, Inc. except for ordinary wear and tear, unless otherwise agreed to by the Parties. Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. Momentum Business Solutions, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

#### 5. Use of Collocation Space

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support CLEC network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's

- property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Momentum Business Solutions, Inc.'s failure to comply with this section.
- 5.1.3 Momentum Business Solutions, Inc. shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Momentum Business Solutions, Inc. submits an application for terminations that exceed the total capacity of the collocated equipment, Momentum Business Solutions, Inc. will be informed of the discrepancy and will be required to submit a revision to the application.
- 5.2 Momentum Business Solutions, Inc. shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- Momentum Business Solutions, Inc. shall place a plaque or other identification affixed to Momentum Business Solutions, Inc.'s equipment necessary to identify Momentum Business Solutions, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Momentum Business Solutions, Inc. may elect to place
  Momentum Business Solutions, Inc.-owned or Momentum Business Solutions, Inc.leased fiber entrance facilities into the Collocation Space. BellSouth will designate the
  point of interconnection in close proximity to the Premises building housing the
  Collocation Space, such as an entrance manhole or a cable vault, which are physically
  accessible by both Parties. Momentum Business Solutions, Inc. will provide and place
  fiber cable at the point of entrance of sufficient length to be pulled through conduit and
  into the splice location. Momentum Business Solutions, Inc. will provide and install a
  sufficient length of fire retardant riser cable, to which the entrance cable will be spliced
  by BellSouth, which will extend from the splice location to Momentum Business
  Solutions, Inc.'s equipment in the Collocation Space. In the event Momentum

Business Solutions, Inc. utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Momentum Business Solutions, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Momentum Business Solutions, Inc. is responsible for maintenance of the entrance facilities. At Momentum Business Solutions, Inc.'s option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Momentum Business Solutions, Inc. with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Momentum Business Solutions, Inc.'s arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- Shared Use. Momentum Business Solutions, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Momentum Business Solutions, Inc.'s collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Momentum Business Solutions, Inc. must arrange with BellSouth for BellSouth to splice the Momentum Business Solutions, Inc. provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit C will apply. If Momentum Business Solutions, Inc. Momentum Business Solutions, Inc. desires to allow another CLEC to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the parties.
- 5.5 <u>Demarcation Point.</u> BellSouth will designate the point(s) of demarcation between Momentum Business Solutions, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Momentum Business Solutions, Inc. shall be responsible for providing, and a supplier certified by BellSouth ("Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Momentum Business Solutions, Inc. or its agent must perform all

required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Momentum Business Solutions, Inc.'s option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. Momentum Business Solutions, Inc. must make arrangements with a Certified Supplier for such placement.

- 5.5.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Momentum Business Solutions, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Momentum Business Solutions, Inc. provided Point of Termination Bay (POT Bay) in a common area within the Premises. Momentum Business Solutions, Inc. shall be responsible for providing, and a supplier certified by BellSouth ("Momentum Business Solutions, Inc.'s Certified Supplier") shall be responsible for installing and properly labeling, the POT Bay as well as the necessary cabling between Momentum Business Solutions, Inc.'s collocation space and the demarcation point. Momentum Business Solutions, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Momentum Business Solutions, Inc. desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- Momentum Business Solutions, Inc.'s Equipment and Facilities. Momentum Business Solutions, Inc., or if required by this Attachment, Momentum Business Solutions, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Momentum Business Solutions, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Momentum Business Solutions, Inc. and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Collocation Space</u>. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Momentum Business Solutions, Inc. at least 48 hours before access to the Collocation Space is required. Momentum Business Solutions, Inc. may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties

agree that Momentum Business Solutions, Inc. will not bear any of the expense associated with this work.

- 5.8 Access. Pursuant to Section 11, Momentum Business Solutions, Inc. shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Momentum Business Solutions, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Momentum Business Solutions, Inc. and returned to BellSouth Access Management within 15 calendar days of Momentum Business Solutions, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Momentum Business Solutions, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Momentum Business Solutions, Inc. employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Momentum Business Solutions, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.8.1 BellSouth will permit one accompanied site visit to Momentum Business Solutions, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Momentum Business Solutions, Inc.. Momentum Business Solutions, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Momentum Business Solutions, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Momentum Business Solutions, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Momentum Business Solutions, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Momentum Business Solutions, Inc. to access the Collocation Space accompanied by a security escort at Momentum Business Solutions, Inc.'s expense. Momentum Business Solutions, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.9 <u>Lost or Stolen Access Keys</u>. Momentum Business Solutions, Inc. shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Momentum Business Solutions, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, Momentum Business Solutions, Inc. shall not use any product or service provided Version 4Q01: 12/01/01

under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Momentum Business Solutions, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to Momentum Business Solutions, Inc., which notice shall direct Momentum Business Solutions, Inc. to cure the violation within forty-eight (48) hours of Momentum Business Solutions, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Momentum Business Solutions, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Momentum Business Solutions, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to Momentum Business Solutions, Inc. prior to taking such action and shall have no liability to Momentum Business Solutions, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Momentum Business Solutions, Inc. fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Momentum Business Solutions, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Momentum Business Solutions, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for

deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.11 Personalty and its Removal. Facilities and equipment placed by Momentum Business Solutions, Inc. in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Momentum Business Solutions, Inc. at any time. Any damage caused to the Collocation Space by Momentum Business Solutions, Inc.'s employees, agents or representatives during the removal of such property shall be promptly repaired by Momentum Business Solutions, Inc. at its expense.
- Alterations. In no case shall Momentum Business Solutions, Inc. or any person acting on behalf of Momentum Business Solutions, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Momentum Business Solutions, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee.
- 5.13 <u>Janitorial Service</u>. Momentum Business Solutions, Inc. shall be responsible for the general upkeep of the Collocation Space. Momentum Business Solutions, Inc. shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

#### 6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Momentum Business Solutions, Inc. that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest(s) initial equipment placement, Momentum Business Solutions, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply.

- 6.3 <u>Subsequent Application.</u> In the event Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Momentum Business Solutions, Inc. shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Momentum Business Solutions, Inc. in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Subsequent Application Fee. The application fee paid by Momentum Business Solutions, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.
- 6.4 <u>Space Preferences</u>. If Momentum Business Solutions, Inc. has previously requested and received a Space Availability Report for the Premises, Momentum Business Solutions, Inc. may submit up to three (3) space preferences on their application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can not accommodate the Momentum Business Solutions, Inc.'s preference(s), Momentum Business Solutions, Inc. may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Momentum Business Solutions, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Momentum Business Solutions, Inc., or differently configured, Momentum Business Solutions, Inc. must resubmit its Application to reflect the actual space available.

- BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Momentum Business Solutions, Inc. or differently configured, Momentum Business Solutions, Inc. must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Momentum Business Solutions, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Momentum Business Solutions, Inc. or differently configured, Momentum Business Solutions, Inc. must resubmit its Application to reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Momentum Business Solutions, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Momentum Business Solutions, Inc. that BellSouth has no available space in the requested Premises, BellSouth will allow Momentum Business Solutions, Inc., upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Momentum Business Solutions, Inc. to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- 6.8 <u>Waiting List.</u> On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate.

BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, Momentum Business Solutions, Inc. must submit an updated, complete, and correct Application to BellSouth within 30 calendar days of such notification. If Momentum Business Solutions, Inc. has originally requested caged collocation space and cageless collocation space becomes available, Momentum Business Solutions, Inc. may refuse such space and notify BellSouth in writing within that time that Momentum Business Solutions, Inc. wants to maintain its place on the waiting list without accepting such space. Momentum Business Solutions, Inc. may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Momentum Business Solutions, Inc. does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Momentum Business Solutions, Inc. from the waiting list. Upon request, BellSouth will advise Momentum Business Solutions, Inc. as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.
- 6.10 Application Response.
- 6.10.1 In Alabama, Kentucky and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will

include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

- 6.10.2 In South Carolina and Mississippi, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications one (1) to five (5); within thirty-six (36) calendar days for Bona Fide Applications six (6) to ten (10); within forty-two (42) calendar days for Bona Fide Applications eleven (11) to fifteen (15). Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of fifteen (15) must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.
- 6.10.3 In Tennessee, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Momentum Business Solutions, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Momentum Business Solutions, Inc. submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.10.5 In Georgia, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days for one (1)

to ten (10) Applications; thirty-five (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Application it is increased by five (5) calendar days for every five (5) Applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

#### 6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Momentum Business Solutions, Inc. or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Momentum Business Solutions, Inc. an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. Major changes such as requesting additional space or adding equipment may require Momentum Business Solutions, Inc. to submit the Application with an Application Fee.

#### 6.12 Bona Fide Firm Order.

- 6.12.1 In Alabama, Kentucky, North Carolina, and Tennessee, Momentum Business Solutions, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Momentum Business Solutions, Inc. has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Momentum Business Solutions, Inc.'s Bona Fide Application.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Momentum Business Solutions, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Momentum Business Solutions, Inc.'s Bona Fide Application or the Application will expire.

6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Momentum Business Solutions, Inc.'s Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

### 7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals</u>
- 7.1.1 In Alabama (Caged Only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Momentum Business Solutions, Inc. submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Momentum Business Solutions, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Momentum Business Solutions, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Momentum Business Solutions, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.
- 7.1.1.1 To be considered a timely and accurate forecast, Momentum Business Solutions, Inc. must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.
- 7.1.2 In Alabama (Cageless), BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of

sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Momentum Business Solutions, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a Bona Fide Firm Order for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not

limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than ninety (90) calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.8 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions as follows: (i) for caged collocation arrangements, within a maximum of 90 calendar days from receipt of an Bona Fide Firm Order, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within 30 calendar days from receipt of a Bona Fide Firm Order when there is conditioned space and Momentum Business Solutions, Inc. installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed 90 calendar days from the receipt of a Bona Fide Firm Order, or as agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Momentum Business Solutions, Inc. or seek a waiver from this interval from the

Commission. For the purpose of defining conditioned space as referenced in the TRA order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.

- Joint Planning. Joint planning between BellSouth and Momentum Business Solutions, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Momentum Business Solutions, Inc. during joint planning.
- 7.3 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Momentum Business Solutions, Inc. will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Momentum Business Solutions, Inc. that the collocation space is ready for occupancy. In the event that Momentum Business Solutions, Inc. fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Momentum Business Solutions, Inc.. BellSouth will correct any deviations to Momentum Business Solutions, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- The Solutions of BellSouth Certified Supplier. Momentum Business Solutions, Inc. shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Momentum Business Solutions, Inc. and Momentum Business Solutions, Inc. 's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Momentum Business Solutions, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Momentum Business Solutions, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Momentum Business Solutions, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete,

and notifying BellSouth's equipment engineers and Momentum Business Solutions, Inc. upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Momentum Business Solutions, Inc. directly for all work performed for Momentum Business Solutions, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Momentum Business Solutions, Inc. or any supplier proposed by Momentum Business Solutions, Inc. All work performed by or for Momentum Business Solutions, Inc. shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Momentum Business Solutions, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Momentum Business Solutions, Inc.'s Collocation Space. Upon request, BellSouth will provide Momentum Business Solutions, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Momentum Business Solutions, Inc.. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.
- 7.7 Virtual to Physical Collocation Relocation. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and physical collocation space has subsequently become available, Momentum Business Solutions, Inc. may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Momentum Business Solutions, Inc., such information will be provided to Momentum Business Solutions, Inc. in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Momentum Business Solutions, Inc. within 180 calendar days of BellSouth's written denial of Momentum Business Solutions, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Momentum Business Solutions, Inc. was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Momentum Business Solutions, Inc. may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Momentum Business Solutions, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8 <u>Virtual to Physical Conversion (In Place)</u>. Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the

conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.

- 7.8.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative billing and engineering records updates.
- 7.8.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.
- Cancellation. If, at anytime prior to space acceptance, Momentum Business Solutions, Inc. cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Momentum Business Solutions, Inc. cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Momentum Business Solutions, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.10 <u>Licenses.</u> Momentum Business Solutions, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

#### 8. Rates and Charges

- 8.1 BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by Momentum Business Solutions, Inc.'s current billing cycle and is non-refundable.
- 8.1.1 In Tennessee the applicable Application Fee is the Planning Fee for both Applications and Subsequent Applications placed by Momentum Business Solutions, Inc..

#### 8.2 Space Preparation

- 8.2.1 Recurring Charges. The recurring charges for space preparation begin on the date Momentum Business Solutions, Inc. executes the written document accepting the collocation space pursuant to section 4 or on the date Momentum Business Solutions, Inc. first occupies collocation space, whichever is first. If Momentum Business Solutions, Inc. fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Momentum Business Solutions, Inc. for recurring charges as of the sixteenth day after BellSouth releases the collocation space.
- Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Momentum Business Solutions, Inc. shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Momentum Business Solutions, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Momentum Business Solutions, Inc. as prescribed in this Section 8.
- 8.2.3 Space Preparation Fee (Florida). Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Momentum Business Solutions, Inc. shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Momentum Business Solutions, Inc. opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Momentum Business Solutions, Inc. as prescribed in this Section 8.
- 8.2.4 Space Preparation Fee (Georgia). In Georgia, the Space Preparation Fee is a one time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of \$100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7016 U. In the event Momentum Business Solutions, Inc. opts for non enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Momentum Business Solutions, Inc. as prescribed in Section 8 and will be billed based upon Momentum Business Solutions, Inc.'s first billing cycle after Firm Order.

- 8.2.5 Space Preparation Fee (North Carolina). In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Momentum Business Solutions, Inc. on the Bona Fide Application. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Momentum Business Solutions, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Momentum Business Solutions, Inc. as described in this Section 8.
- 8.3 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed.
- 8.4 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Momentum Business Solutions, Inc. shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Momentum Business Solutions, Inc. shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x maintenance aisle depth)x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Momentum Business Solutions, Inc.'s collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Momentum Business Solutions, Inc. shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.4.1 The recurring charges for floor space begin on the date Momentum Business Solutions, Inc. executes the written document accepting the collocation space pursuant to section 4 or on the date Momentum Business Solutions, Inc. first occupies collocation space, whichever is first. If Momentum Business Solutions, Inc. fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Momentum Business Solutions, Inc. for recurring charges as of the sixteenth day after BellSouth releases the collocation space.
- 8.5 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for Momentum Business Solutions, Inc.'s Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Momentum Business Solutions, Inc.'s option within the Premises.

- 8.5.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Momentum Business Solutions, Inc.'s equipment or space enclosure. Recurring power charges begin on the Space Ready Date, or on the date Momentum Business Solutions, Inc. first occupies the Collocation Space, whichever is sooner. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Momentum Business Solutions, Inc.'s BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Momentum Business Solutions, Inc.'s BellSouth Certified power Supplier. Momentum Business Solutions, Inc. is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Momentum Business Solutions, Inc.'s equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Momentum Business Solutions, Inc. must provide BellSouth a copy of the engineering power specification prior to the day on which Momentum Business Solutions, Inc.'s equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Momentum Business Solutions, Inc.'s arrangement area. Momentum Business Solutions, Inc. shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Momentum Business Solutions, Inc.'s arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Momentum Business Solutions, Inc. shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.
- 8.5.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Momentum Business Solutions, Inc. has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Momentum Business Solutions, Inc.'s dedicated power plant results in construction of a new power plant room, upon termination of Momentum Business Solutions, Inc.'s right to occupy collocation space at such site, Momentum Business Solutions, Inc. shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.
- 8.5.3 If Momentum Business Solutions, Inc. elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Momentum Business Solutions, Inc.'s DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Momentum Business Solutions, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices

and power cables for Adjacent Collocation. Momentum Business Solutions, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Momentum Business Solutions, Inc.'s option, Momentum Business Solutions, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.5.4 In Tennessee, Recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Momentum Business Solutions, Inc.'s equipment or space enclosure.

  Momentum Business Solutions, Inc. shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Momentum Business Solutions, Inc.'s arrangement and terminations of cable within the collocation space.
- 8.5.5 In Tennessee, Non recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Momentum Business Solutions, Inc.'s arrangement area.
- 8.5.6 In Louisiana, Momentum Business Solutions, Inc. has the option to purchase power directly from an electric utility company. Under such an option, Momentum Business Solutions, Inc. is responsible for contracting with the electric utility company for their own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a certified vendor hired by Momentum Business Solutions, Inc. Momentum Business Solutions, Inc. must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by Momentum Business Solutions, Inc. in provisioning said power will be billed on an ICB basis.
- 8.6 Security Escort. A security escort will be required whenever Momentum Business Solutions, Inc. or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Momentum Business Solutions, Inc. shall pay for such half-hour charges in the event Momentum Business Solutions, Inc. fails to show up.

Page 31

- 8.7 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.
- 8.8 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due thirty (30) calendar days after receipt of the bill (payment due date). Momentum Business Solutions, Inc. will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date.

#### 9. Insurance

- 9.1 Momentum Business Solutions, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Momentum Business Solutions, Inc. shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Momentum Business Solutions, Inc.'s real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Momentum Business Solutions, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Momentum Business Solutions, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

Page 32

- 9.4 All policies purchased by Momentum Business Solutions, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Momentum Business Solutions, Inc.'s property has been removed from BellSouth's Premises, whichever period is longer. If Momentum Business Solutions, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Momentum Business Solutions, Inc..
- 9.5 Momentum Business Solutions, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Momentum Business Solutions, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Momentum Business Solutions, Inc.'s insurance company. Momentum Business Solutions, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Momentum Business Solutions, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Momentum Business Solutions, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), Momentum Business Solutions, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Momentum Business Solutions, Inc. shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Momentum Business Solutions, Inc. in the event that self-insurance status is not granted to Momentum Business Solutions, Inc.. If BellSouth approves Momentum Business Solutions. Inc. for self-insurance. Momentum Business Solutions, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Momentum Business Solutions, Inc.'s corporate officers. The ability to self-insure shall continue so long as the Momentum Business Solutions, Inc. meets all of the requirements of this Section. If the Momentum Business Solutions, Inc. subsequently no longer satisfies this Section, Momentum Business Solutions, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Momentum Business Solutions, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

#### 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Momentum Business Solutions, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. <u>Inspections</u>

BellSouth may conduct an inspection of Momentum Business Solutions, Inc.'s equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Momentum Business Solutions, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if Momentum Business Solutions, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Momentum Business Solutions, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

#### 12. Security and Safety Requirements

12.1 Unless otherwise specified, Momentum Business Solutions, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Momentum Business Solutions, Inc. employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Momentum Business Solutions, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an

investigation of the applicable counties is acceptable. Momentum Business Solutions, Inc. shall not be required to perform this investigation if an affiliated company of Momentum Business Solutions, Inc. has performed an investigation of the Momentum Business Solutions, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Momentum Business Solutions, Inc. has performed a pre-employment statewide investigation of criminal history records of the Momentum Business Solutions, Inc. employee for the states/counties where the Momentum Business Solutions, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

- Momentum Business Solutions, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Momentum Business Solutions, Inc. shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo, and the Momentum Business Solutions, Inc.'s name. BellSouth reserves the right to remove from its premises any employee of Momentum Business Solutions, Inc. not possessing identification issued by Momentum Business Solutions, Inc. or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Momentum Business Solutions, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Momentum Business Solutions, Inc. shall be solely responsible for ensuring that any Guest of Momentum Business Solutions, Inc. is in compliance with all subsections of this Section 12.
- Momentum Business Solutions, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Momentum Business Solutions, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Momentum Business Solutions, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Momentum Business Solutions, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Momentum Business Solutions, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Momentum Business Solutions, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- Momentum Business Solutions, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Momentum Business Solutions, Inc. employee or agent hired by Momentum Business Solutions, Inc. within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this agreement, Momentum Business Solutions, Inc. shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Momentum Business Solutions, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, Momentum Business Solutions, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Momentum Business Solutions, Inc.employees requiring access to a BellSouth Premises pursuant to this Attachment, Momentum Business Solutions, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Momentum Business Solutions, Inc. shall promptly remove from BellSouth's Premises any employee of Momentum Business Solutions, Inc. BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Momentum Business Solutions, Inc. is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.
- Notification to BellSouth. BellSouth reserves the right to interview Momentum Business Solutions, Inc.'s employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Momentum Business Solutions, Inc.'s Security contact of such interview. Momentum Business Solutions, Inc. and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Momentum Business Solutions, Inc.'s employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Momentum Business Solutions, Inc. for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Momentum Business Solutions, Inc.'s employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill

Momentum Business Solutions, Inc. for BellSouth property which is stolen or damaged where an investigation determines the culpability of Momentum Business Solutions, Inc.'s employees, agents, or contractors and where Momentum Business Solutions, Inc. agrees, in good faith, with the results of such investigation. Momentum Business Solutions, Inc. shall notify BellSouth in writing immediately in the event that Momentum Business Solutions, Inc. discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Momentum Business Solutions, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

#### 13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Momentum Business Solutions, Inc.'s permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Momentum Business Solutions, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Momentum Business Solutions, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of

BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Momentum Business Solutions, Inc. may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Supplier. If Momentum Business Solutions, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by Momentum Business Solutions, Inc.. Where allowed and where practical, Momentum Business Solutions, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Momentum Business Solutions, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Momentum Business Solutions, Inc.'s permitted use, until such Collocation Space is fully repaired and restored and Momentum Business Solutions, Inc.'s equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Momentum Business Solutions, Inc. has placed an Adjacent Arrangement pursuant to Section 3, Momentum Business Solutions, Inc. shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Momentum Business Solutions, Inc. shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

# 15. <u>Nonexclusivity</u>

Momentum Business Solutions, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Momentum Business Solutions, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Momentum Business Solutions, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Momentum Business Solutions, Inc. should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Momentum Business Solutions, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Momentum Business Solutions, Inc. will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Momentum Business Solutions, Inc. when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Momentum Business Solutions, Inc. space with proper notification. BellSouth reserves the right to stop any Momentum Business Solutions, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, Version 4Q01: 12/01/01

stored or abandoned at the BellSouth Premises by Momentum Business Solutions, Inc. are owned by Momentum Business Solutions, Inc. Momentum Business Solutions, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Momentum Business Solutions, Inc. or different hazardous materials used by Momentum Business Solutions, Inc. at BellSouth Facility. Momentum Business Solutions, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Momentum Business Solutions, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Momentum Business Solutions, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Momentum Business Solutions, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Momentum Business Solutions, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Momentum Business Solutions, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Momentum Business Solutions, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Momentum Business Solutions, Inc. further agrees to cooperate with BellSouth to ensure that Momentum Business Solutions, Inc.'s employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps

which apply to the specific Environmental function being performed by Momentum Business Solutions, Inc., its employees, agents and/or subcontractors.

# 2.2 The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)  Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance  Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of contractor	Std T&C 450  Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.)  Std T&C 660  Std T&C 450 Fact Sheet Series 17000  Std T&C 660-3  Approved Environmental Vendor List (Contact E/S Management)

	1	1 age 41			
Maintenance/operations work which may produce a waste	Compliance with all application local, state, & federal laws and regulations	Std T&C 450			
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)			
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager - Procurement  Fact Sheet Series 17000			
	All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)			
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996			
	Pollution liability insurance	Std T&C 660-3			
	EVET approval of contractor	Approved Environmental Vendor List (Contact E/S Management)			
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3			

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

<u>E/S</u> – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

#### THREE MONTH CLEC FORECAST

CLEC NAME DATE	
----------------	--

STATE	Central Office/City	CAG ED Sq. Ft.	CAGELESS # Bays		FRAME TERMINATI ONS	CLEC Provided BDFB Amps Load	BDFB	Heat Dissipation BTU/Hour	Proposed Applicatio n Date	NOTES
			Standard Bays*	Non- Standar d Bays**						

<sup>\*</sup>Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7'0".

<u>Notes</u>: Forecast information will be used for no other purpose than collocation planning.

Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

<sup>\*\*</sup> Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Page 1

**Remote Site Physical Collocation** 

#### BELLSOUTH

#### REMOTE SITE PHYSICAL COLLOCATION

#### 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Momentum Business Solutions, Inc. is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location.
- Right to occupy. BellSouth shall offer to Momentum Business Solutions, Inc. Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to Momentum Business Solutions, Inc. a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by Momentum Business Solutions, Inc. and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for collocation at BellSouth remote locations other than those specified above.
- 1.2.1 In all states other than Florida, the number of racks/bays specified by Momentum Business Solutions, Inc. may contemplate a request for space sufficient to accommodate Momentum Business Solutions, Inc.'s growth within a two year period.
- 1.2.2 In the state of Florida, the number of racks/bays specified by Momentum Business Solutions, Inc. may contemplate a request for space sufficient to accommodate Momentum Business Solutions, Inc.'s growth within an eighteen (18) month period.
- 1.2.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Momentum Business Solutions, Inc. that BellSouth's agreement with a third party does not grant BellSouth the ability

to provide access and use rights to others, upon Momentum Business Solutions, Inc.'s request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Momentum Business Solutions, Inc.. Momentum Business Solutions, Inc. agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Momentum Business Solutions, Inc.. In cases where a third party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Momentum Business Solutions, Inc. as above, Momentum Business Solutions, Inc. shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Momentum Business Solutions, Inc. in obtaining such permission.

- 1.4 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Momentum Business Solutions, Inc. will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.
- 1.5 <u>Use of Space.</u> Momentum Business Solutions, Inc. shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Momentum Business Solutions, Inc.'s equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or as authorized in writing by BellSouth.
- 1.6 <u>Rates and charges</u>. Momentum Business Solutions, Inc. agrees to pay the rates and charges identified in Exhibit D attached hereto.
- 1.7 <u>Due Dates</u>. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

#### 2. Space Availability Report

2.1 <u>Reporting</u>. Upon request from Momentum Business Solutions, Inc., BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements.

- 2.1.1 The request from Momentum Business Solutions, Inc. for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Momentum Business Solutions, Inc. is unable to obtain the CLLI code, from for example a site visit to the remote site, Momentum Business Solutions, Inc. may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Momentum Business Solutions, Inc. should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Momentum Business Solutions, Inc. should complete all the requested information and submit the Request with the applicable fee to BellSouth.
- BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Momentum Business Solutions, Inc. and inform Momentum Business Solutions, Inc. of the time frame under which it can respond. In Mississippi, the above intervals shall be in business days.

#### 3. <u>Collocation Options</u>

- 3.1 <u>Compliance</u>. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.
- 3.2 <u>Cageless.</u> BellSouth shall allow Momentum Business Solutions, Inc. to collocate Momentum Business Solutions, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Momentum Business Solutions, Inc. to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. For equipment requiring special technical considerations, Momentum Business Solutions, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to **Section 6**, following. Subject to space availability and technical feasibility, at Momentum Business Solutions, Inc.'s option, Momentum Business Solutions, Inc. may enclose its equipment.

- 3.3 Shared (Subleased) Collocation. Momentum Business Solutions, Inc. may allow other telecommunications carriers to share Momentum Business Solutions, Inc.'s Remote Collocation Space pursuant to terms and conditions agreed to by Momentum Business Solutions, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Momentum Business Solutions, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Momentum Business Solutions, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Momentum Business Solutions, Inc..
- 3.3.1 Momentum Business Solutions, Inc. shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Momentum Business Solutions, Inc. with a proration of the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Momentum Business Solutions, Inc. shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit D. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.
- 3.3.2 Momentum Business Solutions, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Momentum Business Solutions, Inc.'s Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or

Page 6

procured by Momentum Business Solutions, Inc. and in conformance with BellSouth's design and construction specifications. Further, Momentum Business Solutions, Inc. shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.

- 3.4.1 Should Momentum Business Solutions, Inc. elect such an option, Momentum Business Solutions, Inc. must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Momentum Business Solutions, Inc. and Momentum Business Solutions, Inc.'s BellSouth Certified Contractor must comply with local building code requirements. Momentum Business Solutions, Inc.'s BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Momentum Business Solutions, Inc.'s BellSouth Certified Contractor shall bill Momentum Business Solutions, Inc. directly for all work performed for Momentum Business Solutions, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Momentum Business Solutions, Inc. must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Momentum Business Solutions, Inc.'s locked enclosure prior to notifying Momentum Business Solutions, Inc..
- 3.4.2 BellSouth maintains the right to review Momentum Business Solutions, Inc.'s plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Momentum Business Solutions, Inc., at Momentum Business Solutions, Inc.'s sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.
- 3.4.3 Momentum Business Solutions, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Momentum Business Solutions, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same

nondiscriminatory requirements as applicable to any other physical collocation arrangement. Momentum Business Solutions, Inc.'s BellSouth Certified Contractor shall be responsible, at Momentum Business Solutions, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.

3.4.4 BellSouth shall allow Shared (Subleased) Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

# 4 <u>Occupancy</u>

- 4.1 Occupancy. BellSouth will notify Momentum Business Solutions, Inc. in writing that the Remote Collocation Space is ready for occupancy. Momentum Business Solutions, Inc. must notify BellSouth in writing that collocation equipment installation is complete. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Momentum Business Solutions, Inc. may terminate occupancy in a particular Remote Site Location by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy.
- 4.2.1 Upon termination of occupancy, Momentum Business Solutions, Inc. at its expense shall remove its equipment and other property from the Remote Collocation Space. Momentum Business Solutions, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Momentum Business Solutions, Inc.'s Guests, unless Momentum Business Solutions, Inc.'s Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date; provided, however, that Momentum Business Solutions, Inc. shall continue payment of monthly fees to BellSouth until such date as Momentum Business Solutions, Inc., and if applicable Momentum Business Solutions, Inc.'s Guest, has fully vacated the Remote Collocation Space. Should Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest at Momentum Business Solutions, Inc.'s expense and with no liability for damage or injury to Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Momentum Business Solutions, Inc. shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Momentum Business Solutions,

Inc. except for ordinary wear and tear unless otherwise agreed to by the Parties. Momentum Business Solutions, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

## 5 Use of Remote Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.
- 5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Momentum Business Solutions, Inc.'s failure to comply with these requirements.
- 5.1.2 Momentum Business Solutions, Inc. shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.1.3 Momentum Business Solutions, Inc. shall place a plaque or other identification affixed to Momentum Business Solutions, Inc.'s equipment to identify Momentum Business Solutions, Inc.'s equipment, including a list of emergency contacts with telephone numbers.
- All Momentum Business Solutions, Inc. equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- 5.2 <u>Entrance Facilities</u>. Momentum Business Solutions, Inc. may elect to place Momentum Business Solutions, Inc.-owned or Momentum Business Solutions, Inc.-leased entrance facilities into the Remote Collocation Space from Momentum Business Solutions, Inc.'s point of presence. BellSouth will designate the point of

interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Momentum Business Solutions, Inc. will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Momentum Business Solutions, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable. Momentum Business Solutions, Inc. is responsible for maintenance of the entrance facilities.

- 5.2.1 <u>Shared Use</u>. Momentum Business Solutions, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Momentum Business Solutions, Inc.'s collocation arrangement within the same BellSouth Remote Site Location.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between Momentum Business Solutions, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Momentum Business Solutions, Inc. or its agent must perform all required maintenance to Momentum Business Solutions, Inc. equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following.
- Momentum Business Solutions, Inc.'s Equipment and Facilities. Momentum Business Solutions, Inc., or if required by this Attachment, Momentum Business Solutions, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Momentum Business Solutions, Inc..
- 5.5 <u>BellSouth's Access to Remote Collocation Space</u>. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- 5.6 Access. Pursuant to Section 12, Momentum Business Solutions, Inc. shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Momentum Business Solutions, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Momentum Business Solutions, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of Momentum Business Solutions, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Momentum Business Solutions, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Momentum Business Solutions, Inc. employees, contractors, Guests, or

Page 10

agents after termination of the employment relationship, contractual obligation with Momentum Business Solutions, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.

- 5.6.1 Momentum Business Solutions, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Momentum Business Solutions, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Momentum Business Solutions, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Momentum Business Solutions, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit Momentum Business Solutions, Inc. to access the Collocation Space accompanied by a security escort at Momentum Business Solutions, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.
- 5.7 <u>Lost or Stolen Access Keys.</u> Momentum Business Solutions, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Momentum Business Solutions, Inc. shall pay for all reasonable costs associated with the re-keying.
- 5.8 <u>Interference or Impairment</u>. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location; shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Momentum Business Solutions, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to Momentum Business Solutions, Inc., which notice shall direct Momentum Business Solutions, Inc. to cure the violation within forty-eight (48) hours of Momentum Business Solutions, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.8.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Momentum Business Solutions, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial

threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Momentum Business Solutions, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to Momentum Business Solutions, Inc. prior to taking such action and shall have no liability to Momentum Business Solutions, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.8.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Momentum Business Solutions, Inc. fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Momentum Business Solutions, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Momentum Business Solutions, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.9 <u>Presence of Facilities</u>. Facilities and equipment placed by Momentum Business Solutions, Inc. in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Momentum Business Solutions, Inc. at any time. Any damage caused to the Remote Collocation Space by Momentum Business Solutions, Inc.'s employees, agents or representatives shall be promptly repaired by Momentum Business Solutions, Inc. at its expense.
- Alterations. In no case shall Momentum Business Solutions, Inc. or any person acting on behalf of Momentum Business Solutions, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Momentum Business Solutions, Inc.. Any material rearrangement, modification, improvement, addition, or other alteration shall require an Application Fee.

5.11 <u>Upkeep of Remote Collocation Space</u>. Momentum Business Solutions, Inc. shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Momentum Business Solutions, Inc. shall be responsible for removing any Momentum Business Solutions, Inc. debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

#### 6. **Space Notification**

- Should any state or federal regulatory agency impose procedures or intervals applicable to Momentum Business Solutions, Inc. and BellSouth that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Application for Space. Momentum Business Solutions, Inc. shall submit a Remote Site Collocation Application when Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest(s), as defined in **Section 3**, desires to request or modify the use of the Remote Collocation Space.
- 6.3 <u>Initial Application</u>. For Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest(s) equipment placement, Momentum Business Solutions, Inc. shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. Prior to submitting the application, CLLI information can be obtained in the manner set forth in Section 2. An Application Fee will apply.
- 6.4 <u>Subsequent Application</u> In the event Momentum Business Solutions, Inc. or Momentum Business Solutions, Inc.'s Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Momentum Business Solutions, Inc. shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Momentum Business Solutions, Inc. in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.4.1 <u>Subsequent Application Fee.</u> The application fee paid by Momentum Business Solutions, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where

the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

- Availability of Space. Upon submission of an Application, BellSouth will permit Momentum Business Solutions, Inc. to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Momentum Business Solutions, Inc. of the amount that is available.
- Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days (In Mississippi, ten (10) business days) as to whether space is available or not available within a BellSouth Remote Site Location. With the exception of Georgia, this interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Momentum Business Solutions, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Momentum Business Solutions, Inc., Momentum Business Solutions, Inc. must resubmit its Application to reflect the actual space available.
- BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Momentum Business Solutions, Inc., Momentum Business Solutions, Inc. must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.
- 6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications,

it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Momentum Business Solutions, Inc. of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Momentum Business Solutions, Inc., Momentum Business Solutions, Inc. must resubmit its Application to reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.

- Denial of Application. If BellSouth notifies Momentum Business Solutions, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Momentum Business Solutions, Inc. that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Momentum Business Solutions, Inc., upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. With the exception of Georgia, this interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application. In Mississippi the above intervals shall be in business days.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Momentum Business Solutions, Inc. to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications

carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

- When space becomes available, Momentum Business Solutions, Inc. must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification. Momentum Business Solutions, Inc. may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Momentum Business Solutions, Inc. does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Momentum Business Solutions, Inc. from the waiting list. Upon request, BellSouth will advise Momentum Business Solutions, Inc. as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 <u>Application Response.</u>
- Application Response. In Alabama, Kentucky, North Carolina, and Tennessee, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.2.1 When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but

no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

- 6.10.3 In Florida, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Momentum Business Solutions, Inc. to place a Firm Order. When Momentum Business Solutions, Inc. submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.
- 6.10.4 In Georgia, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.
- 6.10.5 In Louisiana, BellSouth will respond with a full Application Response within thirty (30) calendar days for one (1) to ten (10) Applications; thirty (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Applications, it is increased by five (5) calendar days for every five Applications received within five (5) business days. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

#### 6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Momentum Business Solutions, Inc. or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Momentum Business Solutions, Inc. an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited

assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. Major changes such as requesting additional space or adding equipment may require Momentum Business Solutions, Inc. to submit the Application with an Application Fee.

# 6.12 Bona Fide Firm Order.

- 6.12.1 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, Momentum Business Solutions, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Momentum Business Solutions, Inc. has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Momentum Business Solutions, Inc.'s Bona Fide Application.
- 6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Momentum Business Solutions, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Momentum Business Solutions, Inc. has completed the Application/Inquiry process described in this **Section 6**, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Momentum Business Solutions, Inc.'s Bona Fide Application or the Application will expire.
- 6.12.3 In Mississippi, Momentum Business Solutions, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Momentum Business Solutions, Inc. has completed the Application/Inquiry process described in Section 6, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) business days after BellSouth's Application Response to Momentum Business Solutions, Inc.'s Bona Fide Application or the Application will expire.
- 6.12.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Momentum Business Solutions, Inc.'s Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth

Page 18

response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

6.13 BellSouth will permit one accompanied site visit to Momentum Business Solutions, Inc.'s designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Momentum Business Solutions, Inc..

# 7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Alabama (Caged Only), Kentucky, North Carolina and Tennessee, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Momentum Business Solutions, Inc. submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Momentum Business Solutions, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Momentum Business Solutions, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Momentum Business Solutions, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.
- 7.1.1.1 To be considered a timely and accurate forecast, Momentum Business Solutions, Inc. must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit C attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of bays, number of DS0, DS1, DS3 terminations, equipment power requirements (power drain) and planned application date.

- 7.1.2 In Alabama, BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Momentum Business Solutions, Inc. cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.
- 7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar

days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 120 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Momentum Business Solutions, Inc. with the estimated completion date in its Response.

- 7.3 <u>Permits.</u> Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk Through. Momentum Business Solutions, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Momentum Business Solutions, Inc. that the collocation space is ready for occupancy. BellSouth will correct any deviations to Momentum Business Solutions, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.
- 7.5 Use of BellSouth Certified Supplier. Momentum Business Solutions, Inc. shall select a supplier that has been approved by BellSouth to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications ("Certified Supplier"). BellSouth shall provide Momentum Business Solutions, Inc. with a list of Certified Suppliers upon request. The Certified Supplier(s) shall be responsible for installing Momentum Business Solutions, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Momentum Business Solutions, Inc. upon successful completion of installation. The Certified Supplier shall bill Momentum Business Solutions, Inc. directly for all work performed for Momentum Business Solutions, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Supplier. BellSouth shall consider certifying Momentum Business Solutions, Inc. or any supplier proposed by Momentum Business Solutions, Inc.. All work performed by or for Momentum Business Solutions, Inc. shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Momentum Business Solutions, Inc. shall be responsible for placement, monitoring and removal of alarms used to service Momentum Business Solutions, Inc.'s Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.7 <u>Virtual Remote Site Collocation Relocation</u>. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit D of this agreement. Momentum Business Solutions, Inc. may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Momentum Business Solutions,

Inc. may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Momentum Business Solutions, Inc., such information will be provided to Momentum Business Solutions, Inc. in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Momentum Business Solutions, Inc. within 180 calendar days of BellSouth's written denial of Momentum Business Solutions, Inc.'s request for physical collocation, and (ii) Momentum Business Solutions, Inc. was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then Momentum Business Solutions, Inc. may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Momentum Business Solutions, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

- 7.8 <u>Cancellation</u>. If, at anytime prior to space acceptance, Momentum Business Solutions, Inc. cancels its order for the Remote Collocation Space(s), Momentum Business Solutions, Inc. will reimburse BellSouth for the applicable non recurring rate for any and all work processes for which work has begun.
- 7.9 <u>Licenses</u>. Momentum Business Solutions, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.10 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

# 8. Rates and Charges

8.1 <u>Application Fee.</u> BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available. Payment of the Application Fee will be due as dictated by Momentum Business Solutions, Inc.'s current billing cycle and is non-refundable.

- 8.2 Recurring Charges. Recurring charges begin on the date that Momentum Business Solutions, Inc. executes the written document accepting the Remote Collocation Space pursuant to Section 7, or on the date Momentum Business Solutions, Inc. first occupies the Remote Collocation Space, whichever is sooner. If Momentum Business Solutions, Inc. fails to schedule and complete a walkthrough pursuant to Section 7 within fifteen (15) days after BellSouth releases the space for occupancy, then BellSouth shall begin billing Momentum Business Solutions, Inc. for recurring charges as of the sixteenth (16) day after BellSouth releases the Remote Collocation Space. Other charges shall be billed upon request for the services. All charges shall be due as dictated by Momentum Business Solutions, Inc.'s current billing cycle.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Momentum Business Solutions, Inc.'s equipment. Momentum Business Solutions, Inc. shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible
- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Momentum Business Solutions, Inc.'s Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Momentum Business Solutions, Inc.'s option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Momentum Business Solutions, Inc.'s equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.
- 8.4.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Momentum Business Solutions, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Momentum Business Solutions, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Momentum Business Solutions, Inc.'s option, Momentum Business Solutions, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever Momentum Business Solutions, Inc. or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements The parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.

- 8.6 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "trueup" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Momentum Business Solutions, Inc. shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price. BellSouth shall pay the difference to Momentum Business Solutions, Inc.. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.
- 8.7 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Momentum Business Solutions, Inc.'s current billing cycle. Momentum Business Solutions, Inc. will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date..

# 9. <u>Insurance</u>

- 9.1 <u>Maintain Insurance</u>. Momentum Business Solutions, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 <u>Coverage</u>. Momentum Business Solutions, Inc. shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred

Page 25

thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.

- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Momentum Business Solutions, Inc.'s real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Momentum Business Solutions, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 <u>Limits</u>. The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Momentum Business Solutions, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Momentum Business Solutions, Inc. shall be deemed to be primary. All policies purchased by Momentum Business Solutions, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all Momentum Business Solutions, Inc."'s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Momentum Business Solutions, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Momentum Business Solutions, Inc..
- 9.5 <u>Submit certificates of insurance</u>. Momentum Business Solutions, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Momentum Business Solutions, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Momentum Business Solutions, Inc. '''s insurance company. Momentum Business Solutions, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 675 W. Peachtree Street Rm. 17H53 Atlanta, Georgia 30375

- 9.6 Conformance to recommendations made by BellSouth's fire insurance company.

  Momentum Business Solutions, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Momentum Business Solutions, Inc.'s net worth exceeds five hundred million dollars (\$500,000,000), Momentum Business Solutions, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and Section 9.2.3. Momentum Business Solutions, Inc. shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Momentum Business Solutions, Inc. in the event that self-insurance status is not granted to Momentum Business Solutions, Inc.. If BellSouth approves Momentum Business Solutions, Inc. for selfinsurance, Momentum Business Solutions, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Momentum Business Solutions, Inc.'s corporate officers. The ability to self-insure shall continue so long as Momentum Business Solutions, Inc. meets all of the requirements of this Section. If Momentum Business Solutions, Inc. subsequently no longer satisfies this Section, Momentum Business Solutions, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.3.
- 9.8 Net worth requirements. The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Momentum Business Solutions, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 <u>Failure to comply</u>. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

# 10. Mechanics Liens

Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Momentum Business Solutions, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may

be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. <u>Inspections</u>

11.1 BellSouth may conduct inspection. BellSouth may conduct an inspection of Momentum Business Solutions, Inc.'s equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Momentum Business Solutions, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if Momentum Business Solutions, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Momentum Business Solutions, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. Security and Safety Requirements

- 12.1 Momentum Business Solutions, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Momentum Business Solutions, Inc. employee being considered for work on the BellSouth Premises, for the states/counties where the Momentum Business Solutions, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Momentum Business Solutions, Inc. shall not be required to perform this investigation if an affiliated company of Momentum Business Solutions, Inc. has performed an investigation of the Momentum Business Solutions, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Momentum Business Solutions, Inc. has performed a pre-employment statewide investigation of criminal history records of the Momentum Business Solutions, Inc. employee for the states/counties where the Momentum Business Solutions, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- Momentum Business Solutions, Inc. shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Momentum Business Solutions, Inc. name. BellSouth reserves the right to remove from its premises any employee of Momentum Business Solutions, Inc. not possessing identification issued by Momentum Business Solutions, Inc. or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Momentum Business Solutions, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Momentum Business Solutions, Inc. shall be solely responsible for ensuring that any Guest of

Momentum Business Solutions, Inc. is in compliance with all subsections of this Section 12.

- Momentum Business Solutions, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Momentum Business Solutions, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Momentum Business Solutions, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Momentum Business Solutions, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Momentum Business Solutions, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Momentum Business Solutions, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Momentum Business Solutions, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- Momentum Business Solutions, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Momentum Business Solutions, Inc. employee requiring access to a BellSouth Premises pursuant to this Attachment, Momentum Business Solutions, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Momentum Business Solutions, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, Momentum Business Solutions, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.6 At BellSouth's request, Momentum Business Solutions, Inc. shall promptly remove from BellSouth's Premises any employee of Momentum Business Solutions, Inc. BellSouth does not wish to grant access to its premises 1) pursuant to any

investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Momentum Business Solutions, Inc. is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Notification to BellSouth. BellSouth reserves the right to interview Momentum Business Solutions, Inc.'s employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Momentum Business Solutions, Inc.'s Security contact of such interview. Momentum Business Solutions, Inc. and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Momentum Business Solutions, Inc.'s employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Momentum Business Solutions, Inc. for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Momentum Business Solutions, Inc.'s employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Momentum Business Solutions, Inc. for BellSouth property which is stolen or damaged where an investigation determines the culpability of Momentum Business Solutions, Inc.'s employees, agents, or contractors and where Momentum Business Solutions, Inc. agrees, in good faith, with the results of such investigation. Momentum Business Solutions, Inc. shall notify BellSouth in writing immediately in the event that the Momentum Business Solutions, Inc. discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Momentum Business Solutions, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs. In no event shall Momentum Business Solutions, Inc., its agents, vendors or employees access BellSouth or any other CLEC's end user telephone lines.

Page 30

12.10 <u>Accountability</u>. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

# 13. Destruction of Remote Collocation Space

13.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Momentum Business Solutions, Inc.'s permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Momentum Business Solutions, Inc."'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Momentum Business Solutions, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Momentum Business Solutions, Inc. may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Momentum Business Solutions, Inc."'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by Momentum Business Solutions, Inc.. Where allowed and where practical, Momentum Business Solutions, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Momentum Business Solutions, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Momentum Business Solutions, Inc."'s permitted use, until such Remote Collocation Space is fully repaired and restored and Momentum Business Solutions, Inc."'s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where Momentum Business Solutions, Inc. has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, Momentum Business Solutions, Inc. shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

#### 14. Eminent Domain

14.1 Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Momentum Business Solutions, Inc. shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

# 15. <u>Nonexclusivity</u>

Attachment is not exclusive. Momentum Business Solutions, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Momentum Business Solutions, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Momentum Business Solutions, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Momentum Business Solutions, Inc. should contact 1-800-743-6737 for BellSouth MSDS sheets.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Momentum Business Solutions, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Momentum Business Solutions, Inc. will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Momentum Business Solutions, Inc. when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Momentum Business Solutions, Inc. space with proper notification. BellSouth reserves the right to stop any Momentum Business Solutions, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Momentum Business Solutions, Inc. are owned by Momentum Business Solutions, Inc. Momentum Business Solutions, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Momentum Business Solutions, Inc. or different hazardous materials used by Momentum Business Solutions, Inc. at BellSouth Facility. Momentum Business Solutions, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.
- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Momentum Business Solutions, Inc. to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and Momentum Business Solutions, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Momentum Business Solutions, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Momentum Business Solutions, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and Momentum Business Solutions, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

#### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Momentum Business Solutions, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Momentum Business Solutions, Inc. further agrees to cooperate with BellSouth to ensure that Momentum Business Solutions, Inc.'s employees, agents, and/or subcontractors are

knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Momentum Business Solutions, Inc., its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Premises)     </li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Performance of services in accordance with BST's environmental M&Ps	<ul> <li>Std T&amp;C 450-B</li> <li>(Contact E/S for copy of appropriate E/S M&amp;Ps.)</li> </ul>
	Insurance	• Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)

Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all application local, state, & federal laws and regulations  Protection of BST employees and equipment	<ul> <li>Std T&amp;C 450</li> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	P&SM Manager -     Procurement
	All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> <li>Std T&amp;C 660-3</li> </ul>
	EVET approval of contractor	Approved Environmental     Vendor List (Contact E/S     Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

#### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

# 4. ACRONYMS

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std. T&C - Standard Terms & Conditions

# **Interval Matrix**

State	Туре	Space Availability/Bona Fide Firm Order	Application Response/Price Quote		truction and visioning
				Ordinary	Extraordinary
Alabama <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	60 Cal	90 Cal
Florida	Cageless	15 Calendar Days	15 Calendar Days*	90 Cal	NA
Georgia	Cageless	10 Calendar Days	30 Calendar Days	60 Cal	90 Cal
Kentucky <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
Louisiana	Cageless	10 Calendar Days*	30 Calendar Days*	90 Cal	120 Cal
Mississippi	Cageless	10 Business Days	30 Business Days*	120 Cal	180Cal
North Carolina <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
South Carolina	Cageless	10 Calendar Days	30 Calendar Days*	90 Cal	NA Cal
Tennessee <sup>1</sup>	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus

<sup>\*</sup> Extended intervals shall apply when multiple applications are submitted.

Note 1: The intervals were set by the FCC's Order in Docket No. 98-147 released February 20, 2001.

The construction and provisioning intervals, as listed for these states, will apply if a forecast is submitted three (3) months prior to the application date. Extended intervals shall apply if the forecast is not received three (3) months in advance.

# THREE-MONTH CLEC FORECAST

CLEC NAME	DATE
-----------	------

STATE	Central Office/City	CAGED Sq. Ft.	CAGELES	S # Bays	FRAME TERMINATIONS	CLEC Provided BDFBAmps Load	BST Provided BDFBAmps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	Proposed Application Date	NOTES
			Standard Bays*	Non- Standard Bays**							

\*Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".

\*\* Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Notes: Forecast information will be used for no other purpose than collocation planning.

Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office

requested.

CATEGORY RATE ELEMENTS Intering Zone BCS USOC RATES(\$)  Svc Order Submitted Elec Manually per LSR Priceroic 1st	COLLOCAT	ION - Alabama												Attachment:	4	Exhibit: D	
PHYSICAL COLLOCATION				Zone	BCS	USOC		RAT	ΓES(\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
### PHYSICAL COLLOCATION   First   Addrt   First   Addrt   SOMEC   SOMAN   SOMAN   ### PHYSICAL COLLOCATION   First   Addrt   First   Addrt   First   Addrt   Some   SOMAN   ### Physical Collocation - Application Fee - Install   CLO   PETRI   South   Some							t I	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)	l	l
Physical Collocation - Popilication Fee - Initial   OLO   PETBA   3,760.00   3,760.00							Recurring					SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Physical Collocation - Popilization Fee - Philad																	
Physical Collocation Fage Subsequent	PHYSICAL CO																
Physical Collocation Reduced Rate - Application Fee - Subsequent   CLO   PETBL   742.15																	
Subsequent   CLO					CLO	PETCA		3,134.00	3,134.00					-			
Physical Collocation - Space Preparation - Fem Order					CLO	PF1BI		742 15									
Physical Colocation - Space Preparation - C.O. Modification per square ft.					020			7 12.10									
Square ft.   Capdess   1			1		CLO	PE1SJ		1,211.00	1,211.00								
Physical Collocation - Space Proparation - Common Systems   CLO   PE1SL   3.01																	
Modification per aquare ft Cageless   1			l I		CLO	PE1SK	2.24			1							
Physical Collocation - Space Preparation - Common Systems			1		CLO	PF1SI	3 01							1			
Modification per Cage				1	010	LIOL	3.01			<del>                                     </del>		-					
Physical Collocation - Cable Installation			- 1		CLO	PE1SM	102.16							1			
Physical Collocation - Cable Support Structure		Physical Collocation - Cable Installation						1,751.00	1,751.00								
Physical Collocation - Power Reduction, Application Fee																	
Physical Collocation - Power Reduction, Application Fee																	
Physical Collocation - 120V, Single Phase Standby Power Rate		Physical Collection - Power -48V DC Power, per Fused Amp	<u> </u>				7.14	200 51						-			
Physical Collocation - 240V, Single Phase Standby Power Rate   I   CLO   PE1FD   11.26	+	Physical Collocation - Power Reduction, Application Fee	<u> </u>		CLO	PEIPK		399.51		+				1			
Physical Collocation - 120V, Three Phase Standby Power Rate   I		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.63										
Physical Collocation - 277V, Three Phase Standby Power Rate   CLO   PE1FG   38.99		Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.26										
UEANL,UEA, UDN, UDCX, UDL, UNCX, UNDN, UDN, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UPL, UNCX, UNDN, UEA, UNDX, U		Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.89										
DC, UAL, UHL, UCL, UEQ, UDL, UNCVX   PE1P2   0.031   33.68   31.79		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.99										
UDN, UEA, UHL, UNCVX, UNCDX, UNCDX, UCDX, UCL   PE1P4   0.062   33.63   31.67		Physical Collocation - 2-Wire Cross-Connects			DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.031	33.68	31.79								
Physical Collocation - 4-Wire Cross-Connects					UDN, UEA, UHL,												
CLO,UEANL,UEQ,W   DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, UNC1X, ULDD1, USLEL, UNLD1, USLEL, UNLD1, USLEL, UNLD1, UDL PE1P1		Physical Collocation - 4-Wire Cross-Connects				DE1D/	0.062	33 63	31.67								
CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, Physical Collocation - DS3 Cross-Connects  UNLD3, UDL PE1P3  16.27  51.99  38.59					CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, ULDD3, U1TS1,ULDS1, U1TS1,ULDS1, UNLD3, UDL PE1P3 16.27 51.99 38.59		Physical Collocation - DS1 Cross-Connects				PE1P1	1.28	52.93	39.87								
					UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
'		Physical Collocation - DS3 Cross-Connects		<u> </u>		PE1P3	16.27	51.99	38.59								
ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 3.23 52.00 38.60		Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.23	52.00	38.60								
CLO, ULDO3, ULD12, ULD48, U1703, U1712, U1748, U1703, U1712, U1748, UDL03, U1748, UDL03, UDL12, UDF PE1F4 5.73 64.54 51.14   Physical Collocation - 4-Fiber Cross-Connect UDL12, UDF PE1BW 178.65   CLO P					ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF			64.54	51.14								

ARTECHNY  RATE ELEMENTS  RATE DEMONTS  RATE	COLLOCAT	ION - Alabama												Attachment:		Exhibit: D	
Product Critication Number (March Water) (March 1975)   Profit Conduct State (Name System S	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc		RA <sup>-</sup>	ΓES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
Product Critication Number (March Water) (March 1975)   Profit Conduct State (Name System S	1					+		Nonrec	urring	Nonrecurring	n Disconnect		l	220	Pates(\$)	1	
Principal Collections - Virginity Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.   PECO   Virtic Case - Add 50 26 1.7   Col.							Recurring					COMEC	COMAN			COMAN	COMAN
Physical Coloration - Security Notes System - New Access   Coloration   Coloratio		Dhysical Callegation - Wolded Wire Code - Add'l 50 Ca. Et			CLO	DE1CW/	17.50	FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
Section of Control Office   Security Access System - New Access   Section - Section - New Access   cess   Section - New Access   Section - Section					CLO	PETCW	17.32					1					1
Pippetal Collectation - Security Access System-Access Access - Access Access - Acc					CLO	DE1AY	5/11/										
Card Amendace, pac Card   Card   PE-144   D.0807   46.20   45.70   4.77   4.7	-			1	CLO	I LIAX	34.14					1					
Priject Circinote Secure y Access (Symmen Ammentations   Co.   PETAA   15.00   15.00					CLO	PF1A1	0.0607	46 20	46 20	8 72	8 72						
Change, estiting Access Cald, per Card   Change, College   Change, Change, College   Change, Change, College   Change, Chang					CLO	1 2 17(1	0.0007	70.20	40.20	0.72	0.72						1
Provided Collections - Security Access - Series (Control of Students)   Collection - Security Access - Marketing Access - Mar					CLO	PE1AA		15.40	15.40								
Physical Collocation - Security Access - Fine Report per river   CLO																	
Physical Coloration - Security Access - Key, Replace Led of Selection - Space Mailability Report per premises   1		Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
Stolen Key, per Key		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.19	26.19								
Physical Collocation - Space Availability Report per premises   1		Physical Collocation - Security Access - Key, Replace Lost or															
DCAMLUFLUCU   DCAMLUFLUCU																	
DC UNLUHLUCU   DC UND   DC UNLUHLUCU   DC UND		Physical Collocation - Space Availability Report per premises	ı			PE1SR		2,150.00	2,150.00								
POT Bay Arrangements prior to 6/1/89 - 2-Wer Cross-Connect, per cross-connect   DUCKN. UNCX. VILLOW.																	
POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,   DNCDV, UNICOX   PETPE   D.08																	
Dent cross-connect																	
UEAN, UEAL DNI   DC, UAL, UHL, UCL																	
DC.UAL,UH_UCL_UL   per cross-connect   DC.UAL,UH_UCL_UL   EQ.C.D. USLX   UNCXX, UNCDX   DPEIPF   0.17		per cross-connect					0.08										
POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,   E.O.C.O. U.S.   U.S. V.X. UNDDX   PE 1PF   D.17																	
Decross-connect						1											
DERAIL_URAUDNU   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_W   CQ.CLO_WBSIL_																	
DC.U.A.L.VHL.U.C.L.U E.C.C.D.WBSTI.W DSTS. USE, U1TD1, UXTD1. UNCX, ULDD1, USEE, UNDD1, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, ULDD1, USEE, UNCX, UNCX, ULDD1, USEE, UNCX, UNCX, ULDD3, UTTD1, UNCX, UNCX, UNCX, ULDD3, UTTD1, UNCX, UNCX, ULDD3, UNCX, ULDD3, UNCX, ULDD3, UNCX, ULDD3, UNCX, ULDD4, UNCX, ULDD4, ULDD2, ULDD4		per cross-connect					0.17										
EC.CLO,WDSHLW   DSSR, USL, UTITOL, UNDIX   UTITOL, UNDIX   U																	
DSIS, USL, UTIDI, UNTIDI, UNIDIX, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, ULDDI, USLEL, USLO, USS, ULDS, ULTSI, UNIDIX, USLO, UNIDIX, UNID																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect    DEANLUEAUDNU   DC.UAL,UHL,UCL,U   EQ.(C.) UB3, UITD3, UNTD3, UNDD3, UNDS1, UNDS3, UN																	
POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,   DLDD1, USLEL, UNILD1   PE1PG   0.69																	
Der cross-connect		DOT B A															
UEANL_UEA_UDN_U						DE4DC	0.00										
DC,UAL,UHL,UCL,U EQ,CU,UE3, U1TD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNTD3, UNDD3,	-	per cross-connect					0.69					1				-	<del> </del>
EQ.CLO.UE3, U1TD3, UXTD3, UXTS1, UNG3X, ULDS1, UND3, UTS1, UNG3X, ULDS3, UND3, UTS1, UND3, UDL, UDLSX, ULDS1, UND3, UDL, UDLSX UND3, USAM, UND3, UDL, UDLSX PE1PH 4.74																	
U1TD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTS1, UNC3X, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULD12, ULD48, U1TD3, ULT12, ULD48, U1TD3, ULT12, ULD48, ULD12, ULD49, ULD12, ULD12, ULD49, ULD12,						'											
UXTS1, UNC3X, UNCSX, ULDG3, UTS1, ULDS1, ULDS1, ULDS1, ULDS2, ULDS3, ULDS1, ULDS2, ULDS3, ULDS3, ULDS3, ULDS4, ULDS3, ULDS4, ULDS4, ULDS5, U																	
UNCSX, LIDDS, UN																	
POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, UNLD3, UDL, UDLSX, UD																	
POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect UNLD3, UDL, DC, UAL, UHL, UCL, U EQ, CLD, ULDO3, ULD12, ULD48, UT173, UT148, UDL03, UDL12, ULD49, UDCAV, ULD4, UDCAV, UDCA																	
DLSX   PETPH   4.74		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect															
UEANL_UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULD12, ULD48, UTO3, UT12, ULD48, UTO3, UT12, ULD48, UTO3, UT12, ULD48, UTO3, UT12, ULD48, ULD5, UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULD4,ULD4,ULD4,ULD4,ULD4,ULD4,ULD4,ULD4,						PF1PH	4 74										
DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF PE1B2 32.02  UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULD03, ULD12, UDB0, UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULD03, ULD12, ULD48, U1T03, UT12, U1T48, UDLO3, UDL12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD12, UDB0, UD13, UD12, UD14, UD14, UD17, UD6, UD17, UD6, UD17, UD7, UD18, UD17, UD7, UD18, UD19		por cross comment															1
EQ.CLO, ULDO3, ULD03, ULD12, ULD48, ULT03, UT112, U1T49, UDL03, UD12, UDF PE1B2 32.02   UEANL_UEA_UDN,U DC,UAL_UH_UCL,U EQ.CLO, ULD03, ULD12, ULD6   ULD48, UT1703, UT172, ULD48, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD03, ULD12, ULD48, UT1703, UT172, UT174, UDL03, ULD12, ULD48, UT1703, UT172, UT174, UDL03, UD12, ULD48, UD12, ULD6   UD144, UD15, UD16, UD16, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD176, UD1776, UD1776, UD1776, UD1776, UD1776, UD17776, UD17776, UD177777, UD177777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17777, UD17			l	1											1	I	
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect   ULD12, ULD48, U1T03, U1T14, UDL03, UDL12, UDF per cross-connect   UEANL, UEA, UDN, UDC, UAL, UHL, UCL, UEQ, CLO, ULD03, ULD14, ULD48, U1T03, U1T12, U1T48, UDL03, ULD48, U1T03, U1T12, U1T48, UDL03, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF per cross-connect   UDL12, UDC3, UDL12, UDC3, UDL12, UDC3, UD																	
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect    D1T03, U1T12, U1T48, UDLO3, UDF   PE182   32.02																	
POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect   U1T48, UDLO3, UDL12, UDF PE1B2   32.02																	
UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF   Pe1B4   40.48		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,															
UEANL,UEA,UDN,U   DC,UAL,UHL,UCL,U   EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF   Pe1B4   40.48		per cross-connect			UDL12, UDF	PE1B2	32.02										
EQ,CLO, ULDO3, ULD12, ULD48, ULD12, ULD48, U1T03, U1T12, U1T048, U1T03, U1T12, U1T048, UDL03, UDL12, UDF PE1B4 40.48																	
DUD12, ULD48, U1T03, U1T12, U1T048, U1T03, U1T12, U1T148, UDL03, per cross-connect   U1T03, U1T12, U1T48, UDL03, UDL12, UDF   PE1B4   40.48					DC,UAL,UHL,UCL,U	1											
POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect pe			l			1										1	
POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect   U1T48, UDLO3, UDL12, UDF   PE1B4   40.48			l	1		1									l	I	
Decision   Decision			l			1										1	
Physical Collocation - Request Resend of CFA Information, per CLU   CLO PE1C9   77.56   CLO PE1C9   77.56   Collocation Cable Records - per request   CLO PE1CR   1,518.57   265.99   Collocation Cable Records - VG/DS0 Cable, per cable record   CLO PE1CD   653.83   378.24   Collocation Cable Records - VG/DS0 Cable, per each 100 pair   CLO PE1CO   9.62   9.62   11.79   11.79   11.79   CLO PE1CO   9.62   9.62   11.79   11.79   CLO PE1CO   9.62   9.62   11.79   11.79   CLO PE1CO   9.62   9.62   11.79   11.79   CLO PE1CO   9.62   9.62   11.79   11.79   CLO PE1CO   9.62   9.			l	1											1	I	
CLLI         CLO         PE1C9         77.56         Collocation Cable Records - per request         CLO         PE1CR         1,518.57         265.99           Collocation Cable Records - VG/DS0 Cable, per cable record         CLO         PE1CD         653.83         378.24         378.24           Collocation Cable Records - VG/DS0 Cable, per each 100 pair         CLO         PE1CO         9.62         9.62         11.79         11.79					UDL12, UDF	PE1B4	40.48										ļ
Collocation Cable Records - per request   CLO   PETCR   1,518.57   265.99     Collocation Cable Records - VG/DS0 Cable, per cable record   CLO   PETCD   653.83   378.24     Collocation Cable Records - VG/DS0 Cable, per each 100 pair   CLO   PETCO   9.62   9.62   11.79   11.79																1	
Collocation Cable Records - VG/DS0 Cable, per cable record		<del></del>	ļ												ļ	ļ	<b></b>
Collocation Cable Records - VG/DS0 Cable, per each 100 pair   CLO   PE1CO   9.62   9.62   11.79   11.79	<b> </b>		ļ									ļ					<b>.</b>
	<b> </b>	Collocation Cable Records - VG/DS0 Cable, per cable record	<b> </b>	<del>                                     </del>	CLO	PE1CD		653.83		378.24		}		1	<b> </b>	<b>!</b>	<del>                                     </del>
		Collegation Cable Records VC/DS0 Cable per anal 400 ====	l		CLO	DE1CO		0.60	0.60	44.70	11 70					1	
	<del>                                     </del>	Collocation Cable Records - VG/DS0 Cable, per each 100 pair Collocation Cable Records - DS1, per T1TIE	<del>                                     </del>		CLO	PE1C0		9.62 4.50	4.50	5.52	5.52					<del>                                     </del>	<del> </del>

COLLOCATI	ON - Alabama									<u> </u>			Attachment:	4	Exhibit: D	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)				Submitted	Incremental Charge -			Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.75	15.75		19.32		00				
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		168.97	168.97	154.25	154.25						<b></b>
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.85	21.45		10 1120						<b></b>
	Triyologi Generation Geografy 20001. Basis, por right from		1	020,020110			00.00	21110								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.09	27.71								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.33	33.96								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured  V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1BE	37.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			,		0.00										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects - Application					0.0010	=0.4.00									
AD LACENT OF	Fee, per application			CLO	PE1DT		584.22									
ADJACENT CO				01.040	DEATA	0.0540										
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542										<b></b>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44	010=		10.00							<b></b>
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0598	24.95	23.97	12.80	11.67						<b></b>
				UEA,UHL,UDL,UCL,	l											
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	13.18	11.96						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	12.94	11.82						
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	CLOAC	PE1P3	14.12	41.93	30.69	14.72	12.05						
	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>	<u> </u>	CLOAC	PE1F2	2.39	41.93	30.69		12.06				1		<b>├</b>
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90		16.30						
<b>  </b>	Adjacent Collocation - Application Fee	<u> </u>	<u> </u>	CLOAC	PE1JB		1,555.00		0.99					1		<b>├</b>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.79										1
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp		<u> </u>	CLOAC	PE1FG	37.37					<u> </u>					1
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee		<u> </u>	CLORS	PE1RA		608.17	608.17	323.44	323.44	<u> </u>					1
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested		<u> </u>	CLORS	PE1RE		74.22	74.22								<b></b>
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	ļ		CLORS	PE1RR	ļļ	233.38		ļ				ļ		ļ	1
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															1
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										1

COLLO	CATI	ON - Alabama												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS   Interior   Zone   BCS   USOC   RATES(\$)   per LSR   per LSR   Ordinate   Control															Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
N	IOTE: I	f Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	opropriate rate	s.								

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ΓES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Recurring	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
							11130	Auu i	11130	Addi	JONILO	JONAN	JOWAN	JOWAN	JOHIAN	JOINAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00		1.01							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236.00									
	Physical Collocation Reduced Rate - Application Fee - Subsequent			CLO	PE1BL		742.00									
-	Physical Collocation - Space Preparation - Firm Order			CLO	FLIDL		742.00									
	Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems			CI O	DE4C'	0.00										
<del></del>	Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems		<del>                                     </del>	CLO	PE1SL	2.96										<del> </del>
	Modification per Cage			CLO	PE1SM	92.55										
-+	Physical Collocation - Cable Installation per Cable			CLO	PE1BD	02.00	1,750.00		45.16							+
-	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86	.,		.,,,,,							
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.56										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.14										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.70										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.57										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.0276	8.22	7.22	5.74	4.58						
				UDN, UEA, UHL, UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.32	27.77	15.52	5.93	4.77						
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01						<b>↓</b>
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
<del></del>	1 Hysical Collocation - 2-1 IDEL CIUSS-COIIIIECL			CLO, ULDO3,	I LIIIZ	ა.ა4	41.94	30.32	19.81	11.16	1					+
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						

COLLOCAT	ION - Florida												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	_								Elec		Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		I
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.58										
	Physical Collocation - Security System Per Central Office Per			0.0	55444											
-	Assignable Sq. Ft.  Physical Collocation - Security Access System - New Access			CLO	PE1AY	0.0105										
	Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative			OLO	1 = 17(1	0.0077	00.00									
	Change, existing Access Card, per Card			CLO	PE1AA		15.65									
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		26.30									
	Stolen Key, per Key			CLO	PE1AL		26.30									
<u> </u>	Physical Collocation - Space Availability Report per premises			CLO	PE1SR	1	2,159.00									
	Physical Collocation - Request Resend of CFA Information, per		1	-			,									
	CLLI	<u> </u>		CLO	PE1C9		77.54									
	Collocation Cable Records - per request			CLO	PE1CR		1,525.00		267.08							
	Collocation Cable Records - VG/DS0 Cable, per cable record	1	<b>!</b>	CLO	PE1CD		656.50		379.78							
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	1		CLO	PE1C0		4.52	4.52	5.54	5.54						
<b>+</b>	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	1	15.82	15.82	19.40	19.40						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89						
	·					İ										
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89									
	Physical Collocation - Security Escort - Overtime, Per Quarter			01.0	DE400		40.04									
-	Hour Physical Collocation - Security Escort - Premium, Per Quarter			CLO	PE10Q	+	13.64									
	Hour			CLO	PE1PQ		16.40									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT	1	33.99	21.54								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.27	27.82								
	District College's Court Found Day of the College			01 0 01 0 00	DE 4 DT		54.55	04.40								
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1PT PE1BV	33.00	54.55	34.10								
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit	<del>                                     </del>	<b>†</b>	OLO	I. LIDE	23.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit						İ									
	Reconfigured	<u> </u>	ļ	CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700	1		CLO	PE1B7	500.00										
	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B7	592.00										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax		1	,	1	0.001										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects - Application							· · · · · · · · · · · · · · · · · · ·								
AD IA OFNE O	Fee, per application		<u> </u>	CLO	PE1DT	ļ	584.11									
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.		<b>!</b>	CLOAC	PE1JA	0.1635										
<del>                                     </del>	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		<del>                                     </del>	CLOAC	PE1JA PE1JC	0.1635 5.11										
	Adjacent Collocation - 2-Wire Cross-Connects	<u> </u>	1	CLOAC	PE1P2	0.0213	24.68	23.69	11.77	23.79						
		İ		UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80						

COLLOCAT	ION - Florida												Attachment:	-	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
1							Nonroo		Nonrecurring	Disconnect			000	Rates(\$)		
					-	Recurring	Nonrec First	urring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - DS1 Cross-Connects		-	USL.CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91	SOWIEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Adjacent Collocation - DS1 Cross-Connects  Adjacent Collocation - DS3 Cross-Connects		-	CLOAC	PE1P1	16.56	44.24	30.52	12.07	11.15						
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect		1	CLOAC	PE1F3	2.81	41.94	30.52	13.91	11.15						
			1	CLOAC	PE1F2 PE1F4	5.36		30.52		15.54						
	Adjacent Collocation - 4-Fiber Cross-Connect		1			5.36	51.30	39.87	18.29	15.54						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1.01							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			0.010	DE 45D											
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			0.010	DE 45D											
	per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance															
	Cable			CLOAC	PE1PM	18.96										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
		1			1											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary	for rem	note site collocation	. the Parties v	will negotiate a	opropriate rate	S								

COLL	OCAT	ION - Georgia												Attachment:	1	Exhibit: D	
COLL	CCAI	lott - Georgia	1									Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -		
																Charge -	Charge -
CATE	ODV	RATE ELEMENTS	Interi	Zone	BCS	USOC		DAT	'ES(\$)			Elec	Manually		Manual Svc		Manual Svc
CATE	OKT	RATE ELEMENTS	m	Zone	BUS	0500		KAI	E9(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	g Disconnect				Rates(\$)		
							Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSIC	CAL CO	LLOCATION															
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
		Physical Collocation Reduced Rate - Application Fee -															
		Subsequent			CLO	PE1BL		740.83									
		Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
		Physical Collocation - Space Preparation - Firm Order		+	020			100.00	100.00								
		Processing			CLO	PE1SJ		1,187.00									
<b>I</b>	<del>                                     </del>	Physical Collocation - Space Preparation - C.O. Modification per	<del></del>	1	0_0	100	<del>                                     </del>	1,707.00			1	1	1	1	t	1	
1	1	square ft.			CLO	PE1SK	2.02					l	l		I		
$\vdash$	<del>                                     </del>		<del>                                     </del>	1	OLO	FEION	2.02					-	-	-	<del>                                     </del>	<del>                                     </del>	
1	1	Physical Collocation - Space Preparation - Common Systems	١,		01.0	DE4CI	0.00					l	l		I		
<u> </u>		Modification per square ft Cageless		-	CLO	PE1SL	2.80							1	1	1	
		Physical Collocation - Space Preparation - Common Systems															
		Modification per Cage	l I		CLO	PE1SM	95.23										
		Physical Collocation - Cable Installation			CLO	PE1BD		2,750.00	2,750.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50										
		Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
		Physical Collocation - Power -48V DC Power, per Fused Amp	1		CLO	PE1PL	8.06										
		Physical Collocation - Power Reduction, Application Fee	-		CLO	PE1PR		398.80									
		Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.52										
		,															
		Physical Collocation - 240V, Single Phase Standby Power Rate	1		CLO	PE1FD	11.05										
		1 Hydical Collocation 240V, Gingle Fridde Standby Fewer Rate			CLO	12112	11.00										
		Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.58										
-		1 Hysical Collocation - 120V, Three I hase Standby I owel Rate		+	OLO		10.50									-	
		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	38.27										
	1	Priysical Collocation - 277V, Trifee Priase Standby Power Rate	_ '		CLO	PEIFG	30.21										
					LIEANI LIEA LIDALLI												
					UEANL,UEA,UDN,U												
					DC,UAL,UHL,UCL,U												
		L			EQ, UDL, UNCVX,												
		Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.30	12.60	12.60								
					CLO, UAL, UDL,												
					UDN, UEA, UHL,												
					UNCVX, UNCDX,												
		Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.50	12.60	12.60								
					CLO,UEANL,UEQ,W												
					DS1L,WDS1S, USL,												
					U1TD1, UXTD1,												
					UNC1X, ULDD1,												
1	1		I		USLEL, UNLD1,							İ	İ		I		
1		Physical Collocation - DS1 Cross-Connects	l		UDL	PE1P1	8.00	155.00	27.00								
<b>†</b>	<del>                                     </del>	7 7	1	1	CLO, UE3,U1TD3,		5.50	.00.00	250			<del> </del>	<del> </del>	t	<b>†</b>	t	
					UXTD3, UXTS1,												
					UNC3X, UNCSX,							1	1		1		
1	1		I		ULDD3,							İ	İ		I		
1	1		I		U1TS1,ULDS1,							İ	İ		I		
1	1	Dhysical Callegation DC2 Cross Connects	I		UNLD3, UDL	PE1P3	72.00	155.00	27.00			İ	İ		I		
<b>—</b>	<del>                                     </del>	Physical Collocation - DS3 Cross-Connects	1	+		FE1P3	72.00	155.00	27.00	ļ		<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	1	
1	1		I		CLO, ULDO3,							l	l		I		
1			l		ULD12, ULD48,												
	1		I		U1TO3, U1T12,							l	l		I		
	1		I		U1T48, UDLO3,							l	l		I		
		Physical Collocation - 2-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F2	2.86	52.14	38.72								

COLLOCAT	ION - Georgia												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Order vs.	Charge -
						Recurring	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001111	001111
				CLO, ULDO3, ULD12, ULD48,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TO3, U1T12, U1T48, UDLO3,	PE1F4	5.00	04.74	54.04								
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			UDL12, UDF CLO	PE1F4 PE1BW	5.08 161.27	64.74	51.31								
<del></del>	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	<u> </u>		CLO	PE1CW	15.82			1							
	Physical Collocation - Security System Per Central Office Per		1	OLO	I L IOW	10.02										
	Assignable Sq. Ft.			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation - Security Access System - New Access				PE1A4	0.0007										
	Card Deactivation, per Card Physical Collocation-Security Access System-Administrative			CLO			8.72	8.72								
	Change, existing Access Card, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.40	15.40								
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or			CLO	PE1AK		26.16	26.16								
	Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX		8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		38.79										

CATEGORY   RATE ELEMENTS   Inter														Attachment:		Exhibit: D	
CATEGORY   RATE ELEMENTS   Interf m   Zone   BCS   USOC   RATES(\$)   Electronic per LSR   per	ATEGORY	RATE ELEMENTS										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY   RATE ELEMENTS   Decide   Color	ATEGORY	RATE ELEMENTS													Charge -	Charge -	Charge -
CATEGORY   RATE ELEMENTS   Decide   Color	ATEGORY	RATE ELEMENTS	Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
				Zone	BCS	USOC		RAT	TES(\$)			1			Order vs.	Order vs.	Order vs.
Securing   Nonecurring   Non			m						• •			per Lore	per Lore		Electronic-	Electronic-	Electronic-
DEALLUEALUNI   DECUMA UNIT   DECUMENTING   DISCONNECT   SOMAN   SOMAN   DECUMA UNIT															Add'l	Disc 1st	
UEANL_UEALIDN.U   DC.U.XUEL_UC.U   EQ.C.D. ULDOS.   EFIET   Add'1   First   Add'1   SOMEC   SOMAN   SOMAN   DC.U.XUEL_UC.U.U   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. ULDOS.   EQ.C.D. EQ.C.D.   EQ.C.D. EQ.C.D.   EQ.C.D. EQ.C.D.   EQ.														1St Add1		DISC 1St	Disc Add'l
DEANLUELDHUD   D.C. LIAL UH-LUCLU   D.C. LIAL UH-								Nonrec	urring	Nonrecurring	curring Disconnect	1	<u> </u>	oss	Rates(\$)	U	.1
DEANLUEALONLU   DCUAL, UHL, UCL, ULDOS, UL							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DC.UAL_UHL,UCLU,   EQ.CLO, ULDO3,   ULD12, ULD48, ULD12, ULD48,   ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD48, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD12, ULD1				l	UEANL.UEA.UDN.U												
EO,CLO, ULDO3, ULDO4, ULDo4,																	i
ULD12_ULD48_																	i
POT Bay Arrangements prior to 81/99 - 4-Fiber Cross-Connect, per cross-connect per																	1
POT Bay Arrangements prior to 61/99 - 4-Fiber Cross-Connect, per cross-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or cons-connect or c																	i
Der cross-connect		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect															i
Physical Collocation - Request Resend of CFA Information, per CLU   CLU   PETC9   77.42   CLU   PETC9   77.42   CLU   PETC8   CLO   PETC8   1,706.00   CLO   PETC8   CLO   PETC8   CLO   PETC8   CLO   PETC8   CLO   PETC8   CLO   PETC9   P						DE1D1	52.21										1
Collocation Cable Records - Per request					ODL12, ODI	FL ID4	32.31										<b>—</b>
Collocation Cable Records - VG/DSO Cable, per cable record   CLO   PE1CD   922.38					CLO	DE1C0		77.42									1
Collocation Cable Records - VG/DSO Cable, per cable record						PE I CP											<del> </del>
Collocation Cable Records - VG/DS0 Cable, per each 100 pair   CLO																	<del> </del>
Collocation Cable Records - DSI, per 1711E		Conocation Cable Records - vG/DS0 Cable, per cable record		"	CLO	FEIUD	+	922.38		-							<del>                                     </del>
Collocation Cable Records - DSI, per 1711E		Collegation Coble Records VC/DC0 Coble per 400		I .	CLO	DE100		10.00	10.00								1
Collocation Cable Records - DS3, per T3TIE							<del>                                     </del>					1			-		
Collocation Cable Records - Fiber Cable, per 98 fiber records   CLO   PETOB   278.61   278.61   Physical Collocation - Security Escort - Basic, per Half Hour   CLO,CLORS   PETOT   41.00   25.00   Physical Collocation - Security Escort - Overtime, per Half Hour   CLO,CLORS   PETOT   48.00   30.00   Physical Collocation - Security Escort - Premium, per Half Hour   CLO,CLORS   PETOT   48.00   30.00   Physical Collocation - Security Escort - Premium, per Half Hour   CLO,CLORS   PETOT   48.00   30.00   Physical Collocation - Security Escort - Premium, per Half Hour   CLO,CLORS   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   30.00   PETOT   48.00   PETOT   48.00   Sc.00   PETOT   48.00   Sc.00   PETOT   48.00   PETOT   48.00   Sc.00   PETOT   48.00   Sc.00   PETOT   48.00   PETOT   48.00   PETOT   48.00   PETOT   48.00   Sc.00   PETOT   48.00			-								-	-			-		<del>                                     </del>
Physical Collocation - Security Escort - Basic, per Half Hour   CLO,CLORS   PE1BT   41.00   25.00												ļ					+
Physical Collocation - Security Escort - Overtime, per Half Hour   CLO,CLORS   PE1DT   48.00   30.00												ļ					+
Physical Collocation - Security Escort - Premium, per Half Hour   CLO.CLORS   PE1PT   55.00   35.00		Physical Collocation - Security Escort - Basic, per Haif Hour		<u> </u>	CLO,CLORS	PEIBI		41.00	25.00								<b></b>
Physical Collocation - Security Escort - Premium, per Half Hour   CLO.CLORS   PE1PT   55.00   35.00				l l	0.00.000	DE 4 O E		40.00									1
Vi to P Conversion, Per Customer Request-DS0		Physical Collocation - Security Escort - Overtime, per Haif Hour		<u> </u>	CLO,CLORS	PETOI		48.00	30.00								<b></b>
Vi to P Conversion, Per Customer Request-DS0				l l	0.00.000												1
Vito P Conversion, Per Customer Request-DS0								55.00	35.00								
Vi to P Conversion, Per Customer Request-DS1																	
V to P Conversion, Per Customer request-DS3 V to P Conversion, Per Customer Request per VG Circuit Reconfigured CLO PE1BR 23.00  V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured CLO PE1BP 23.00  V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured CLO PE1BP 23.00  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured CLO PE1BB 33.00  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured CLO PE1BB 33.00  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured CLO PE1BB 37.00  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. CLO,UDF PE1BS 0.001  Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application ADJACENT COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. CLOAC PE1UZ 5.44 Adjacent Collocation - Electrical Facility Charge per Linear Ft. CLOAC PE1UZ 5.98 24.95 23.97 11.80 10.67																	
V to P Conversion, Per Customer Request per VG Circuit Reconfigured   CLO PE1BR 23.00   CLO PE1BR 23.00   CLO PE1BP 23.00   CLO PE1DP 25																	
Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  CLO PE1BS  33.00  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UDF PE1ES  CLO,UE3, USL PE1DS  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA  Adjacent Collocation - Space Charge per Linear Ft. CLOAC PE1DC  Support Structure, Per cable, Der Linear Ft. CLOAC PE1DC  Support Structure, Per cable, Der Linear Ft. CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18  CLOAC PE1DC  Sa3.18				(	CLO	PE1B3	52.00										
V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  CLO, UF PE1BS  CLO, UF PE1DS																	1
Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  CLO, UE3, USL Physical Collocation - Co-Carrier Cross Connects - Application Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.  CLO, UE3, USL PE1DS  O.001  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JC S83.18  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JC S3.40  CLOAC PE1JC S.44  Adjacent Collocation - Securical Facility Charge per Linear Ft. CLOAC PE1DC S.58 S.79 S.79 S.79 S.79 S.79 S.79 S.79 S.79				(	CLO	PE1BR	23.00										
V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  CLO  PE1BS  33.00  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  CLO  PE1BF  592.00  Pilbr  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  CLO,UDF  Pe1ES  0.001  CLO,UDF  PE1ES  0.001  CLO,UDF  PE1ES  0.0015  CLO,UE3, USL  PE1DS  0.0015  Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Space Charge per Linear Ft.  CLOAC  PE1JA  0.2542  Adjacent Collocation - 2-Wire Cross-Connects  CLOAC  PE1P2  0.598  24.95  23.97  11.80  10.67																	1
Reconfigured  V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  CLO PE1BS  33.00  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. CLO, UDF PE1ES  0.001  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UE3, USL PE1DS  0.0015  Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application CCO PE1DT  583.18  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA 0.2542 Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1DC 5.44 Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67				(	CLO	PE1BP	23.00										
V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured  CLO PE1BE 37.00  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  CLO PE1BT 592.00  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. CLO, UBF Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UBS, USL PE1DS 0.001  PE1DT 583.18  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA 0.2542 Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1DC 5.44  Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1PZ 0.598 24.95 23.97 11.80 10.67																	1
Reconfigured  V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per linear ft.  CLO, UE3, USL PE1DS  O.001  Pe1BS  O.001  PE1BS  O.001  PE1BS  O.001  PE1BS  O.001  PE1BS  O.001  PE1DS  O.001  PE1DS  O.0015  PE1DS  O.0015  PE1DT  S83.18  ADJACENT COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects  CLOAC PE1DC  S.444  Adjacent Collocation - 2-Wire Cross-Connects  CLOAC PE1P2  O.598  24.95  23.97  11.80  10.67				(	CLO	PE1BS	33.00										
V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof  Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  CLO,UDF PE1ES  0.001  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.  CLO, UE3, USL PE1DS  0.0015  CLO PE1DT  583.18  Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Space Charge per Linear Ft. CLOAC PE1JA  Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2  0.598  24.95  23.97  11.80  10.67																	1
prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft. Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UE3, USL PE1DS O.0015  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UE3, USL PE1DS O.0015  Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application CLO PE1DT S83.18  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA O.2542 Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1PZ O.598 24.95 23.97 11.80 10.67				(	CLO	PE1BE	37.00										
Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.  CLO, UE3, USL PE1DS  0.001  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.  CLO, UE3, USL PE1DS  0.001  PE1DS  0.0015  CLO PE1DT  583.18  ADJACENT COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1DC  5.44  Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67																	1
Support Structure, per cable, per linear ft.  CLO,UDF PE1ES 0.001  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft. CLO, UE3, USL PE1DS 0.0015  Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application CLO PE1DT 583.18  Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1D2 583.18  CLOAC PE1JA 0.2542  Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67				(	CLO	PE1B7	592.00										
Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.  CLO, UE3, USL PE1DS 0.0015  Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application  CLO PE1DT 583.18  Adjacent Collocation - Space Charge per Sq. Ft. CLOAC PE1JA 0.2542 Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1JC 5.44  Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67																	1
Cable Support Structure, per cable, per lin. ft.					CLO,UDF	PE1ES	0.001										1
Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application  ADJACENT COLLOCATION  Adjacent Collocation - Space Charge per Sq. Ft. Adjacent Collocation - Electrical Facility Charge per Linear Ft. Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1JA 0.2542 Adjacent Collocation - Electrical Facility Charge per Linear Ft. CLOAC PE1JC 5.44 Adjacent Collocation - 2-Wire Cross-Connects CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67																	1
Fee, per application				(	CLO, UE3, USL	PE1DS	0.0015										
Adjacent Collocation - Space Charge per Sq. Ft.   CLOAC   PE1JA   0.2542     Adjacent Collocation - Electrical Facility Charge per Linear Ft.   CLOAC   PE1JC   5.44     Adjacent Collocation - 2-Wire Cross-Connects   CLOAC   PE1P2   0.598   24.95   23.97   11.80   10.67																	1
Adjacent Collocation - Space Charge per Sq. Ft.   CLOAC   PE1JA   0.2542					CLO	PE1DT		583.18									
Adjacent Collocation - Electrical Facility Charge per Linear Ft.  CLOAC PE1JC 5.44  Adjacent Collocation - 2-Wire Cross-Connects  CLOAC PE1P2 0.598 24.95 23.97 11.80 10.67	DJACENT																
Adjacent Collocation - 2-Wire Cross-Connects   CLOAC   PE1P2   0.598   24.95   23.97   11.80   10.67														-			
				(	CLOAC	PE1JC	5.44										
		Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.598	24.95	23.97	11.80	10.67						
UEA,UHL,UDL,UCL,																	1
Adjacent Collocation - 4-Wire Cross-Connects   CLOAC   PE1P4   0.1196   25.14   24.11   12.15   10.93															<u> </u>		1
Adjacent Collocation - DS1 Cross-Connects   USL,CLOAC   PE1P1   1.04   44.19   32.13   11.93   10.81														-			
Adjacent Collocation - DS3 Cross-Connects   CLOAC   PE1P3   14.12   41.93   30.69   13.71   11.04														-			
Adjacent Collocation - 2-Fiber Cross-Connect   CLOAC   PE1F2   2.39   41.93   30.69   13.71   11.05																	
Adjacent Collocation - 4-Fiber Cross-Connect   CLOAC   PE1F4   4.57   51.14   39.90   17.96   15.29							4.57		39.90	17.96	15.29						
Adjacent Collocation - Application Fee CLOAC PE1JB 1,555.00					CLOAC	PE1JB		1,555.00									<u> </u>
Adjacent Collocation - 120V, Single Phase Standby Power Rate																	1
per AC Breaker Amp CLOAC PE1FB 5.39			<u></u>		CLOAC	PE1FB	5.39			<u> </u>	<u></u>				<u></u>		<u> </u>
Adjacent Collocation - 240V, Single Phase Standby Power Rate																	1
per AC Breaker Amp         CLOAC         PE1FD         10.79				(	CLOAC	PE1FD	10.79										
Adjacent Collocation - 120V, Three Phase Standby Power Rate				T							<u> </u>				I	-	ı ——
per AC Breaker Amp CLOAC PE1FE 16.18		per AC Breaker Amp			CLOAC	PE1FE	16.18			<u> </u>	<u></u>	<u> </u>			<u> </u>		<u> </u>

COLLOC	ATION - Georgia												Attachment:	4	Exhibit: D	
					usoc						Submitted	Submitted		Charge -	Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS			RAT	ES(\$)			Elec per LSR		Manual Svc Order vs. Electronic-	Order vs.	Order vs.	Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
						Recurring	Nonrec		Nonrecurring Disconnect					Rates(\$)		
						recouring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL	PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL	COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		•						
NO	TE: If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCAT	ON - Kentucky												Attachment:	4	Exhibit: D	
GGEEGG/	- Homasky	1									Svc Order	Svc Order	Incremental			Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrec	rrina	Nonroourrin	g Disconnect			000	Rates(\$)		
		<u> </u>				Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Add I	SOWIEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
PHYSICAL CO	I LOCATION															<del>                                     </del>
1111010712 00	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35	1.01	1.01				1		
	Physical Collocation Reduced Rate - Application Fee -						·	·								
	Subsequent			CLO	PE1BL		742.12									<u> </u>
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,206.07	1,206.07								
	Physical Collocation - Space Preparation - C.O. Modification per															
$\vdash$	square ft.	ļ		CLO	PE1SK	2.32								-	-	<b>↓</b>
	Physical Collocation - Space Preparation - Common Systems	1		01.0	DE4CI	2.22			I	I				I	I	
<del>                                     </del>	Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems	1		CLO	PE1SL	3.26			<del>                                     </del>	<del>                                     </del>	1	1	-	<del>                                     </del>	<del>                                     </del>	<del> </del>
	Modification per Cage	1		CLO	PE1SM	110.57			I	I				I	I	
<del>                                     </del>	Physical Collocation - Cable Installation			CLO	PE1BD	110.57	1,729.11		45.16	1	1					<del>                                     </del>
-	Physical Collocation - Floor Space per Sq. Ft.	1		CLO	PE1PJ	7.99	1,723.11		43.10							<del>                                     </del>
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	-		CLO	PE1PR		399.50									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
				0.0	55.55	40.00										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										<b> </b>
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
<del> </del>	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PEIFG	37.00			-	-				-	-	<del>                                     </del>
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0333	24.68	23.68	12.14	10.95						
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0665	24.88	23.82	12.77	11.46						
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL, U1TD1, UXTD1,												
				UNC1X, ULDD1,												
		1		USLEL, UNLD1,					1	I						
	Physical Collocation - DS1 Cross-Connects	1		UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
	,			CLO, UE3,U1TD3,										1		
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
				U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	ļ		UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83	ļ			ļ	ļ	<b></b>
		1		CLO, ULDO3,					1	1				1	1	
		1		ULD12, ULD48, U1TO3, U1T12,					I	I				I	I	
		1		U1T48, UDLO3,					1	I						
	Physical Collocation - 2-Fiber Cross-Connect	1		UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84				1	1	
	ys.sa. Sonotanon 2 i iss. stood connot	1		CLO, ULDO3,		5.75	71.00	55.51	13.70	11.54	1			<b>†</b>	<b>†</b>	†
		1		ULD12, ULD48,					1	1				1	1	
		1		U1TO3, U1T12,					I	I				I	I	
		1		U1T48, UDLO3,					1	I						
	Physical Collocation - 4-Fiber Cross-Connect	ļ		UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49						<u> </u>
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97			l	<u> </u>				l	1	

COLLOCAT	ION - Kentucky												Attachment:	4	Exhibit: D	
OOLLOOAI	Tentucky										Svc Order	Svc Order				Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic- Disc Add'l
													1st	Add'l	Disc 1st	
															D130 13t	
						Recurring	Nonred			g Disconnect				Rates(\$)		
						_	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System - Security System	ı İ														
	per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access			0.0												
	Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative			CLO	PE1AA		15.64	15.64								
	Change, existing Access Card, per Card  Physical Collocation - Security Access System - Replace Lost or			CLO	PETAA		15.04	15.64								
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
<del>                                     </del>	Physical Collocation - Security Access - Initial Key, per Key	1		CLO	PE1AK PE1AK	<b>-</b>	26.29	26.29		1	-		1	<del> </del>	1	1
<del>                                     </del>	Physical Collocation - Security Access - Initial Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or	1	<del>                                     </del>	OLO	LIAN	<del>                                     </del>	20.29	20.29		<del> </del>			<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
	Stolen Key, per Key	1		CLO	PE1AL		26.29	26.29					1	I	1	1
	Physical Collocation - Space Availability Report per premises	1		CLO	PE1SR		2,158.67	2,158.67		1			1	1	1	1
	, , , , , , , , , , , , , , , , , , , ,			UEANL,UEA,UDN,U			,	,								
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.113										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.23										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
	DOT Day Assessments agins to C/4/00 DC4 Cores Cores to			UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			ULDD1, USLEL, UNLD1	PE1PG	1.60										
-	per cross-connect			UEANL,UEA,UDN,U	FEIFG	1.60										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,												
	per cross-connect			UDLSX	PE1PH	14.23										
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U									1	I	1	1
		1		EQ,CLO, ULDO3,									1	I	1	1
		1		ULD12, ULD48,									1	I	1	1
	DOT D	1		U1TO3, U1T12,									1	I	1	1
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,										1		
$\vdash$	per cross-connect	<u> </u>	<u> </u>	UDL12, UDF	PE1B2	48.57								-		
				UEANL,UEA,UDN,U										1		
		1		DC,UAL,UHL,UCL,U EQ,CLO, ULDO3,									1	I	1	1
		1		ULD12, ULD48,									1	I	1	1
		1		U1TO3, U1T12,									1	I	1	1
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,										1		
	per cross-connect	1		UDL12, UDF	PE1B4	65.50							1	I	1	1
	Physical Collocation - Request Resend of CFA Information, per	1		,	1	55.56				1			1	1	1	1
	CLLI			CLO	PE1C9		77.55							1		
	Collocation Cable Records - per request	L		CLO	PE1CR		1,524.45	980.01	267.02	<u> </u>			İ		İ	İ
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		656.37	656.37	379.70							
													1		1	1
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						
	Collocation Cable Records - DS1, per T1TIE		<u> </u>	CLO	PE1C1	I	4.52	4.52	5.54	5.54			Ì	l .	Ì	Ì

COLLOCA	TION - Kentucky												Attachment:		Exhibit: D	
											Svc Order Submitted	Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
		1									Elec		Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		RΔ1	TES(\$)								
CATEGORI	KATE ELEMENTO	m	Zone	B00	0000		IVA.	ΕΟ(Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														L		
						Recurring	Nonrec		Nonrecurring					Rates(\$)		
						recouring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
				,												
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
	Thysical Collection County Eccolt Charme, por Hair Hour			020,020.0			11.20	27.01								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.54	34.09								
				CLO,CLORS	PE1BV	33.00	54.54	34.09								
	V to P Conversion, Per Customer Request-Voice Grade															
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00					1					
	V to P Conversion, Per Customer Request per VG Circuit	1	1								i			<u> </u>		_
	Reconfigured	l	1	CLO	PE1BR	23.00					I			Ì	I	1
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit				1	20.00			†		1			1	1	1
	Reconfigured			CLO	PE1BS	33.00										
				CLO	FLIDS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			01.0	DE 4 DE	07.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			,												
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application			OLO, OLO, OOL	TEIDO	0.0010										
	Fee, per application			CLO	PE1DT		584.20									
AD IACENT C	OLLOCATION		-	GLO	FLIDI		304.20									
ADJACENT C				CLOAC	PE1JA	0.0470										
	Adjacent Collocation - Space Charge per Sq. Ft.					0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0258	24.68	23.68	12.14	10.95						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.37	44.23	31.98	12.81	11.57						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49						
	Adjacent Collocation - 4-1 iber Gross-Connect  Adjacent Collocation - Application Fee	<del>                                     </del>	<del>                                     </del>	CLOAC	PE1JB	0.02	3,165.50	33.07	1.01	10.43	1			<del> </del>	1	1
	Adjacent Collocation - Application ree  Adjacent Collocation - 120V, Single Phase Standby Power Rate	l	1	OLONO	1 2 100	1	5, 105.50		1.01		1			1	1	1
	per AC Breaker Amp	l	1	CLOAC	PE1FB	5.44			]		I			1	1	
		<b> </b>	-	CLOAC	PEILR	5.44			1		1			1	1	1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	l									1					
	per AC Breaker Amp			CLOAC	PE1FD	10.88					1					
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	1	1								i			<u> </u>		
<u> </u>	per AC Breaker Amp	<u> </u>	<u></u>	CLOAC	PE1FE	16.32			<u> </u>		<u> </u>		<u></u>	<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	l	1	CLOAC	PE1FG	37.68			1		I			1	1	
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE				1	21.00										
1	Physical Collocation in the Remote Site - Application Fee	1	1	CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack	<del>                                     </del>	<del>                                     </del>	CLORS	PE1RB	219.67	317.70		300.03		1			<del> </del>	1	1
	Cabinot Opace in the Nemote Oile per Day/ Nack	<b>!</b>	-	OLONO	LIND	213.07			<del>                                     </del>		<b> </b>	<b> </b>		<b> </b>	-	-
	Discourse Collegation in the Demos City County Assets	l	1	CL ODC	DEADS		00.00				I			Ì	I	I
I	Physical Collocation in the Remote Site - Security Access - Key	<u> </u>		CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability	l	1						1		I			1	1	
	Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI												-			
	Code Request, per CLLI Code Requested	l	1	CLORS	PE1RE		75.40		1		I			1	1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42		į i							
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT				1											
TO STATE OF	The state of the s	<del>                                     </del>	<del>                                     </del>		+	1			<del>                                     </del>		<del> </del>			<del> </del>	1	<del>                                     </del>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	I	1	CLORS	PE1RS	6.27			]		1			1	1	1

COLLO	CATI	ON - Kentucky												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$)				per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
NO	OTE: I	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	ppropriate rate	s.								

COLLOCAT	TION - Louisiana												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Charge -
-+						Recurring	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,837.24									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,533.41									
	Physical Collocation Reduced Rate - Application Fee - Subsequent			CLO	PE1BL		741.97									
-+	Physical Collocation - Space Preparation - Firm Order			CLO	LIDE		741.57									
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation - Common Systems			0.0	DE 40:		$\exists$									
$\!\!\!\!+\!\!\!\!-$	Modification per square ft Cageless		<u> </u>	CLO	PE1SL	2.70			ļ							
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation			CLO	PE1BD	91.00	841.54	841.54								
-+	Physical Collocation - Cable Installation  Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.30	041.54	041.54								
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.31										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.32										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		398.88									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.45										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.92										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.37										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.80										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.0318	11.94	11.46								
				UDN, UEA, UHL,												
	Dhusias Callagation A Wiss Copes Copesate			UNCVX, UNCDX,	PE1P4	0.0636	40.04	44.50								
	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,			12.04	11.53								
	Physical Collocation - DS1 Cross-Connects			UDL CLO LIES LIATES	PE1P1	1.04	21.39	15.47								ļ
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	13.21	20.28	14.76								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.62	20.28	14.76								
-+-	1 Tryotoai Odilodation - 2-i ibbi Oluss-Odililod			CLO, ULDO3,	1 - 11 - 2	2.02	20.20	14.70	1	1	1					
	Physical Collocation - 4-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	4.65	24.81	19.29								
		•	1	CLO	PE1BW	184.50	27.01	10.23	1	ı	1	1				1

COLLOCAT	ION - Louisiana												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	FES(\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Recurring	Nonrec		Nonrecurring					Rates(\$)		1
	Discharge Males Mars Company At III FO Co. Fr			01.0	DETON		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft. Physical Collocation - Security System Per Central Office Per			CLO	PE1CW	18.10										
	Assignable Sq. Ft.			CLO	PE1AY	0.0224										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0579	27.50									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.74	7.74								
	Stolen Card, per Card			CLO	PE1AR		22.64	22.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01	13.01								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key		<u> </u>	CLO	PE1AL		13.01	13.01								
	Physical Collocation - Space Availability Report per premises			CLO UEANL,UEA,UDN,U	PE1SR		1,044.07	1,044.07								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.079										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.158										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.12										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	9.95										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	33.96										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	45.80										
	Physical Collocation - Request Resend of CFA Information, per		<del>                                     </del>	ODLIZ, ODF	r E 1D4	45.80					-					
	CLLI		<u></u>	CLO	PE1C9	<u> </u>	77.43									
	Collocation Cable Records - per request			CLO	PE1CR	10.97										
	Collocation Cable Records - VG/DS0 Cable, per cable record		<u> </u>	CLO	PE1CD	5.29					-					
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO	0.08			1							
1	Collocation Cable Records - DS1, per T1TIE		<u> </u>	CLO	PE1C1	0.04			1	1			1		1	

COLLOCAT	ION - Louisiana												Attachment:		Exhibit: D	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	res(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Recurring	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3	0.13										
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB	1.37										
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.44	10.42								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		21.41	13.45								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		26.38	16.49								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										<del>                                     </del>
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.  Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			CLO,UDF	PE1ES	0.001										<u> </u>
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		583.30									
ADJACENT C	OLLOCATION			020	. 2.5.		000.00									
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0245	11.94	11.46								
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.01	20.28	14.76								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,543.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.45										
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	1	CLOAC	PEIFB	5.45										<b>—</b>
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		<u> </u>	CLOAC	PE1FD	10.92										<del>                                     </del>
	per AC Breaker Amp			CLOAC	PE1FE	16.37										<u> </u>
1	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										1
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE				1 0	37.30									1	<b></b>
T	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80	298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01	13.01								
	Physical Collocation in the Remote Site - Security Access - Rey Report per Premises Requested			CLORS	PE1SR		112.52	112.52								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested	<u> </u>	<u> </u>	CLORS	PE1RE		36.47	36.47								1
PHYSICAL CO	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO DLLOCATION IN THE REMOTE SITE - ADJACENT		<u> </u>	CLORS	PE1RR		233.21									<del>                                     </del>
OIOAL CC	DECORTOR IN THE REMOTE ONE - ADDAOLIST	<del>                                     </del>		<del> </del>	+										<u> </u>	<del>                                     </del>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										<u> </u>

COLLOC	CATI	ON - Louisiana												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$)				per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
NC	TE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties w	vill negotiate a	propriate rate	S.								

COLLOCATI	ON - Mississippi												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ΓES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									· ·		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
l		1				1	Nonrec		Nonrecurring	n Diagonnoot			000	Rates(\$)		
-		1				Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Addi	SOMEC	JOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
PHYSICAL CO	LLOCATION													1		
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,890.38		0.051							
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,575.69		0.51							
	Physical Collocation Reduced Rate - Application Fee -															
	Subsequent			CLO	PE1BL		740.76									
	Physical Collocation - Space Preparation - Firm Order															
	Processing	l I		CLO	PE1SJ		604.19									
	Physical Collocation - Space Preparation - C.O. Modification per	l .		CI O	DE4CY	0.00								1	1	
<b> </b>	square ft. Physical Collocation - Space Preparation - Common Systems	<del>                                     </del>	<del>                                     </del>	CLO	PE1SK	2.30			<del>                                     </del>					<del></del>	<del></del>	<del> </del>
	Modification per square ft Cageless	1 .		CLO	PE1SL	2.52										
	Physical Collocation - Space Preparation - Common Systems	<del>  '</del> -	<del>                                     </del>	010	LIOL	2.52			<del> </del>		-	-		t	t	<del> </del>
	Modification per Cage	1 1		CLO	PE1SM	85.67										
	Physical Collocation - Cable Installation	<del> </del>		CLO	PE1BD	55.57	926.27	926.27	22.62					1	1	
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	5.74										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	17.42										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.33										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		398.76									
-	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.29										<b>_</b>
	Dhusias Callessias 240V Circle Dhasa Ctardhu Danna Data	١.		CLO	PE1FD	40.50										
-	Physical Collocation - 240V, Single Phase Standby Power Rate	<u> </u>	<u> </u>	CLO	PETFU	10.58						-				<b></b>
	Physical Collocation - 120V, Three Phase Standby Power Rate	1 .		CLO	PE1FE	15.87										
	1 mysical Collocation - 120V, Timee I mase Standby I owel Rate	<del>- '-</del>		CLO		13.07										<del>                                     </del>
	Physical Collocation - 277V, Three Phase Standby Power Rate	1		CLO	PE1FG	36.65										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.0288	12.37	11.87	6.04	5.45						<u> </u>
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
	Physical Collocation - 4-Wire Cross-Connects			UNCVX, UNCDX, UCL	PE1P4	0.0576	12.47	11.94	6.59	5.91						
	Physical Collocation - 4-wife Cross-Connects			CLO,UEANL,UEQ,W	FE IF4	0.0576	12.47	11.94	6.59	5.91				1	1	<del>                                     </del>
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.14	22.16	16.02	6.60	5.97						<u> </u>
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.49	21.01	15.29	7.61	6.10						
	i nysicai conceation - 200 oross-connects	<b>-</b>		CLO, ULDO3,	1 - 11 0	14.45	21.01	13.29	7.01	0.10				<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		1		ULD12, ULD48,												
		1		U1TO3, U1T12,												
		1		U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	<u> </u>		UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10						<u> </u>
				CLO, ULDO3,				· · · · · · · · · · · · · · · · · · ·								
		1		ULD12, ULD48,												
		1		U1TO3, U1T12,												
	Physical Callegation 4 Fiber Cross Connect	1		U1T48, UDLO3,	DE4E4	E 40	25 70	10.07	10.04	0.50				1	1	
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<del>                                     </del>		UDL12, UDF CLO	PE1F4 PE1BW	5.10 183.20	25.70	19.97	10.01	8.50		-		<del>                                     </del>	<del>                                     </del>	<del> </del>
	r nysicai conocation - weided wife cage - riist 100 Sq. Ft.	1	<u> </u>	OLO	FLIDW	103.20			1	l	1	1	l	L	1	

COLLOCAT	TION - Mississippi												Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RA	TES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1		+		Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)	1	I .
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	17.97	1 1130	Audi	11100	даат	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	Physical Collocation - Security Access System - Security System															
	per Central Office	1		CLO	PE1AX	75.23										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card	- 1		CLO	PE1A1	0.0576	27.95	27.95								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	ı		CLO	PE1AA		7.84	7.84								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.91	22.91								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17	13.17								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.17	13.17								
	Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		1,081.40	1,081.40								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.0867										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX		0.1734										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1		1.22										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX		10.91										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	37.26										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		50.24										
	Physical Collocation - Request Resend of CFA Information, per			0.0	DE 46-										_	
	CLLI		<u> </u>	CLO	PE1C9		77.41							ļ	1	
	Collocation Cable Records - per request			CLO	PE1CR		763.69		133.77						ļ	
	Collocation Cable Records - VG/DS0 Cable, per cable record		1	CLO	PE1CD	1	328.81		190.22					1	1	
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.84	4.84	5.93	5.93				1	I	
	CONCLAUDI CADIE RECOIDS - VG/D50 CADIE, DEFEACH 100 DAIF	1	1	CLO	PE1C0		2.27	2.27	2.78	2.78					1	1

COLLOCA	ΓΙΟΝ - Mississippi												Attachment:		Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RΔ	TES(\$)								
CATEGORI	NATE ELEMENTS	m	Zone	500	0000		I.A.	ι ΕΟ(Ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
														l		
						Recurring	Nonrec		Nonrecurring					Rates(\$)		
						recouring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.92	7.92	9.72	9.72						
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84.98	84.98	77.58	77.58						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		17.02	10.79								
	The state of the s			,												
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.17	13.94								
	i flysical collocation - decurity Escort - overtime, per flair flour			CLO,CLORO	I LIOI		22.11	10.54								
	Dhusiaal Callacation Convity Forest Browning and Helf Haus			CLO,CLORS	PE1PT		27.32	47.00								
	Physical Collocation - Security Escort - Premium, per Half Hour						21.32	17.08								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit		1		1									1	1	1
	Reconfigured			CLO	PE1BP	23.00								]		
	V to P Conversion, Per Customer Request per DS1 Circuit		<del>                                     </del>	OLO	I'L IDP	23.00								<b> </b>	1	1
				01.0	DE4B0	00.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			020,02.		0.001										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
			1	CLO, UES, USL	PEIDS	0.0013										ļ
	Physical Collocation - Co-Carrier Cross Connects - Application			0.0			=00.40									
	Fee, per application			CLO	PE1DT		583.13									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0223	12.37	11.87	6.04	5.45						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0446	12.47	11.94	6.59	5.91						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.05	22.16	16.02	6.60	5.97						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.27	21.01	15.29	7.61	6.10						
						2.42										
	Adjacent Collocation - 2-Fiber Cross-Connect		1	CLOAC	PE1F2		21.01	15.29	7.61	6.10				-	<del> </del>	<b>+</b>
	Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50				<b> </b>	ļ	ļ
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,585.83		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			1												
	per AC Breaker Amp			CLOAC	PE1FB	5.29										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate				1									l		
	per AC Breaker Amp			CLOAC	PE1FD	10.58										
<u> </u>	Adjacent Collocation - 120V, Three Phase Standby Power Rate				1									ĺ	1	1
	per AC Breaker Amp			CLOAC	PE1FE	15.87										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate				1	.0.07										1
	per AC Breaker Amp			CLOAC	PE1FG	36.65								]		
DUVELCAL			1	OLUAU	PEIFG	30.05								-	<del> </del>	<b> </b>
FITTSICAL CO	OLLOCATION IN THE REMOTE SITE		<u> </u>	CLODG	DE4B4		000.40		400.00					1	1	ļ.
	Physical Collocation in the Remote Site - Application Fee		ļ	CLORS	PE1RA	212	309.48		168.63							ļ
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05										
				İ	1									]		
	Physical Collocation in the Remote Site - Security Access - Key	<u></u>	<u></u>	CLORS	PE1RD		13.17	13.17	<u> </u>					<u></u>		
	Physical Collocation in the Remote Site - Space Availability							•								
	Report per Premises Requested			CLORS	PE1SR		116.54	116.54						]		
	Physical Collocation in the Remote Site - Remote Site CLLI		1		1	1								1	1	1
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77	37.77								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		1	CLORS	PE1RR		233.14	31.11	1					1	1	1
DUVEICAL OF		-	1	OLUKO	PEIKK		233.14								<del> </del>	<del>                                     </del>
PHISICAL CO	OLLOCATION IN THE REMOTE SITE - ADJACENT		1		<b>_</b>											
	1	1	1	CLORS	PE1RS	6.27			1		1			1	1	1

COLLOC	ATION - Mississippi												Attachment:	4	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES(\$)				per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
NO	E: If Security Escort and/or Add'I Engineering Fees become nece	ssary f	or rem	ote site collocation,	the Parties w	vill negotiate ap	opropriate rate	S.								

COLLOCAT	ION - North Carolina												Attachment:	4	Exhibit: D	
		Interi									Svc Order Submitted Elec	Submitted	Incremental Charge - Manual Svc	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurrin	g Disconnect			OSS	Rates(\$)		<u> </u>
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO		<u> </u>		01.0	PE1BA		3,850.00	3,850.00								igwdots
<b></b>	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent	I		CLO CLO	PE1CA		3,850.00	3,119.00								
<b> </b>	Physical Collocation Reduced Rate - Application Fee -			OLO	ILIOA		3,113.00	3,113.00								$\vdash$
	Subsequent			CLO	PE1BL		741.44									1 '
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	- 1		CLO	PE1SK	1.57										
	Physical Collocation - Space Preparation - Common Systems	l .		0.0	DE 401											1
	Modification per square ft Cageless  Physical Collocation - Space Preparation - Common Systems	<del></del>		CLO	PE1SL	3.26				<del>                                     </del>	-			-		$\vdash$
	Modification per Cage	1 .		CLO	PE1SM	110.79				1				1		1 '
<del>                                     </del>	Space Preparation Fees - Power Per Nominal -48V Dc Amp	<del>l i</del>		CLO	PEIFH	5.76			<b> </b>	<del>                                     </del>	-			<b> </b>		$\vdash \vdash \vdash$
	Physical Collocation - Cable Installation	i i		CLO	PE1BD	50	2,305.00	2,305.00	1	1						
	Physical Collocation - Floor Space per Sq. Ft.	I		CLO	PE1PJ	3.45	·	· · · · · ·								
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp	l l		CLO	PE1PL	8.50										Ļ'
ļ	Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		399.13									
	Physical Collocation - 120V, Single Phase Standby Power Rate	ı		CLO	PE1FB	5.50										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.01										
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.51										
	Physical Collocation - 277V, Three Phase Standby Power Rate	ı		CLO	PE1FG	38.12										
	Division Collegation - O. Wise Course Course to			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX,	DE4D0	0.32	41.78	20.22								
	Physical Collocation - 2-Wire Cross-Connects	- '		UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.32	41.78	39.23								$\vdash \vdash \vdash$
				UDN, UEA, UHL, UNCVX, UNCDX,	DE4D4	0.04	44.04	00.05								
<b></b>	Physical Collocation - 4-Wire Cross-Connects			UCL CLO,UEANL,UEQ,W	PE1P4	0.64	41.91	39.25								
				DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	2.34	71.02	51.08								<b></b> !
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	42.84	69.84	49.43								
		1		CLO, ULDO3,												
				ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	1		UDL12, UDF	PE1F2	2.94	51.97	38.59								L
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDD	5-1-1		24.50									
	Physical Collocation - 4-Fiber Cross-Connect	I		UDL12, UDF	PE1F4	5.62 102.76	64.53	51.15	-	-	<u> </u>					<del>                                     </del>
<del>                                     </del>	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.  Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	++		CLO CLO	PE1BW PE1CW	102.76				-				-	-	$\vdash$
	i nysicai concoation - welded wife dage - Add 100 34. Ft.	1		020	1044	10.44			1	I	I	1		1	1	<u>i</u>

COLLOCAT	TION - North Carolina												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Recurring	Nonrec		Nonrecurring					Rates(\$)		
	Physical Collocation - Security Access System - Security System					-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per Central Office	- 1		CLO	PE1AX	41.03										
	Physical Collocation - Security Access System - New Access Card Activation, per Card	ı		CLO	PE1A1	0.062	55.30	55.30								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	ı		CLO	PE1AA		15.51	15.51								
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.34	45.34								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.18	26.18								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.18	26.18								
	Physical Collocation - Space Availability Report per premises		-	CLO UEANL,UEA,UDN,U	PE1SR		2,140.00	2,140.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.10										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX	PE1PF	0.19										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	0.79										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX,	PE1PH	4.85										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B2	45.30										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	61.09										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.48									
<del>-  </del>	Collocation Cable Records - per request		1	CLO	PE1C9	+	1,707.00									
	Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		923.08									
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair Collocation Cable Records - DS1, per T1TIE			CLO	PE1CO PE1C1		18.02	18.02								
				CLO			8.43	8.43	•	•	•					

COLLOCAT	ION - North Carolina												Attachment:		Exhibit: D	<u> </u>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			ES(\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Recurring	Nonrec			g Disconnect				Rates(\$)		
						Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		278.82	278.82								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		42.92	25.56								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		54.51	32.44								
	District College (Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.			CLO,CLORS	PE1PT		00.40	39.32								
	Physical Collocation - Security Escort - Premium, per Half Hour V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1BV	33.00	66.10	39.32								-
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1B0	33.00				-						<b></b>
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1									-						<b></b>
				CLO CLO	PE1B1	52.00				-						<b></b>
	V to P Conversion, Per Customer request-DS3		-	CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0027										
	Physical Collocation - Co-Carrier Cross Connects - Application					0.00=	500.00									
ADJACENT C	Fee, per application		-	CLO	PE1DT		583.66									
ADJACENT C				CLOAC	DEATA	0.470										-
	Adjacent Collocation - Space Charge per Sq. Ft.				PE1JA	0.179 5.96										-
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC		44.70	00.00								-
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.32	41.78	39.23								-
	A Francis Callered and A Maria Construction			UEA,UHL,UDL,UCL,	PE1P4	0.04	44.04	00.05								
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC USL,CLOAC	PE1P4 PE1P1	0.64 2.34	41.91	39.25 51.08								
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P1	42.84	71.02 69.84	49.43		-						<b></b>
	Adjacent Collocation - 2-Fiber Cross-Connect		-	CLOAC	PE1F2	2.94	51.97	38.59								
+	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15		-						-
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	5.62	3,153.00	31.13								
	Adjacent Collocation - Application ree  Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	FLIJB		3,133.00									
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.50										
	per AC Breaker Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12										<u> </u>
PHYSICAL CO	LLOCATION IN THE REMOTE SITE				<u> </u>	ļ			ļ	<b>.</b>					ļ	<u> </u>
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34	865.34	ļ	<b>.</b>					ļ	<u> </u>
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02			ļ	<b>.</b>					ļ	<u> </u>
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06	26.06								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		230.60	230.60								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74	74.74								
1	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94			1					1	
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT						202.07									
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										

COLLO	CATI	ON - North Carolina												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
N	IOTE: I	If Security Escort and/or Add'I Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	opropriate rate	s.								

ACTEONY  8.ATE RLEMENTS    More   Bods   Bod	COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: D	
Microsoft	CATEGORY			Zone	BCS	USOC			.,			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo
PRISEAL COLL COLLEGION - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Coll.   PETA   Collegion - Application Fig History   Coll.   PETA   Collegion - Application - Collegion Figures   Coll.   PETA   Coll.   PETA   Collegion Fig Collegion Figures   Coll.   PETA   Coll.   PETA   Collegion Fig Collegion Figures   Coll.   PETA   Coll.   PETA   Collegion Fig Collegion Figures   Coll.   PETA   Collegion Fig C							Recurring					SOMEC	SOMAN			SOMAN	SOMAN
Physical Collection - Application Fee - Install   CLID   PEEBA   1,888.07   1,891.00   1,891.00   1,991.00								Filst	Auu i	Filst	Addi	SOMEC	JOWIAN	JOWAN	JOWAN	SOWAN	JOWAN
Priyect Collocation - Application Fee - Street Performance Fee - Stre	PHYSICAL CO	LLOCATION															
Private Collection Reduced Rate - Application Flore																	
Subsequent   CLO   PETBL   74.08					CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						
Project Collocation - Space Preparation - File Older					CLO	DE1RI		7/3 66									
Processing					CLO	FLIDL		743.00									
Sequent   Cold   PETEX   Cold   Col					CLO	PE1SJ		602.05	602.05								
Physical Collocation - Common Systems   CLO   PETSM   110.16																	
Meditacition per squares 1 - Coppless   CLO   PETSL   2.24					CLO	PE1SK	2.75										
Physical Collocation - State Preparation - Comments Systems   CLC   PE15M   110.16   794.22   22.54					01.0	DE 401	0.04										
Modification per Cage   CLO   PE18M   110.16   794.22   794.22   22.54   22.54	<b></b>				CLO	PE1SL	3.24										
Physical Collocation - Cable Installation					CLO	PE1SM	110.16										
Physical Collocation - Place Space PS, FE.   CLO   PETP4   3.55							110.10	794.22	794.22	22.54	22.54						
Physical Collocation - Peer - 48/0 FD Power, per Fused Arpo   Physical Collocation - 120 Peer Regulation, Application Fee   1 CLO   PEEPR   400.33							3.95										
Physical Collocation - Power Reduction, Against Prese Rate   CLO   PETPB   5.67																	
Physical Collocation - 120V, Single Phase Standby Power Rate							9.19										
Physical Collocation - 240V, Single Phase Standby Power Rate		Physical Collocation - Power Reduction, Application Fee	I		CLO	PE1PR		400.33									
Physical Collocation - 120V, Three Phase Standby Power Rate		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
Physical Collocation - 277V, Three Phase Standby Power Rate		Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
UEANL, UEA, UDAN		Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
DC, UAL, UH-L, UCL, UNCYX, UNDAX, UNCXX PEIP2		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
UDN, UEA, UFIL, UNCX, UNCSD, PE1P4		Physical Collocation - 2-Wire Cross-Connects			DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.0341	12.32	11.83	6.04	5.45						
Physical Collocation - 4-Wire Cross-Connects					UDN, UEA, UHL,												
DSTL,WDS18, USL, U1TD1, UXTD1, U1DD1, USLE, UNLD1, UNC1X, ULDD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD1, USLE, UNLD3, UTS1, UNC3X, UNC3X, ULD3, ULD3, ULD3, ULD3, ULD3, ULD04, USLE, ULD04, UTS1, UTS1, ULD04, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, ULS1, UTS1, U		Physical Collocation - 4-Wire Cross-Connects				PE1P4	0.0682	12.42	11.90	6.40	5.74						
CLO, UE3,U1TD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, UXTD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD4, ULDD4, ULDD4, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD3, ULDD4, ULDD3, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD3, ULDD4, ULDD4, ULDD3, ULDD4, ULDD4, ULDD3, ULDD4,					DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
UXTD3, UXTS1, UNCSX, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL PE1P3	ļ	Physical Collocation - DS1 Cross-Connects				PE1P1	1.12	22.08	15.96	6.42	5.80						ļ
CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDL03, UDL12, UDF PE1F2 2.82 20.94 15.23 7.40 5.93  Physical Collocation - 2-Fiber Cross-Connect UDL12, UDF PE1F2 2.82 20.94 15.23 7.40 5.93  CLO, ULD03, ULD12, ULD48, U1T03, U1T12, U1T03, U1T12, U1T03, U1T12, U1T03, U1T03, U1T03, U1T03, U1T03, U1T04, UDL03, UDL12, UDF PE1F4 5.01 25.61 19.90 9.73 8.26					UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
DLD12, ULD48, U1TO3, U1T12, U1T48, U1TO3, U1T03, U1T04, UDD12, UDF PE1F2 2.82 20.94 15.23 7.40 5.93		Physical Collocation - DS3 Cross-Connects	]			PE1P3	14.21	20.94	15.23	7.39	5.93						<u> </u>
CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, U1T48, UDLO3, UDL12, UDF PE1F4 5.01 25.61 19.90 9.73 8.26		Physical Collocation - 2-Fiher Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1E2	2.82	20.04	15 22	7.40	5.02						
ULD12, ULD48,	<del>                                     </del>	1 Hysical Collocation - 2-1 IDEL C1055-COILLECT	<del>                                     </del>			ILITZ	2.02	20.94	15.25	7.40	5.95			-			<del>                                     </del>
		Physical Collocation - 4-Fiher Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PE1E4	5.01	25.64	10.00	0.72	ac 2						
	H + + + + + + + + + + + + + + + + + + +	Physical Collocation - 4-Fiber Closs-Conflect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	1			PE1BW	219.19	23.01	19.90	5.13	0.20	1					-

COLLOCAT	ION - South Carolina												Attachment:	4	Exhibit: D	
COLLOCAL	South Carolina		l							T	Svc Order	Svc Order				Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)				per LSR		Order vs.	Order vs.	Order vs.
		m		200	0000			. = 5(4)			per LSR	per LSR	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										
	Physical Collocation - Security Access System - Security System															
	per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		7.81	7.81								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	<u> </u>		CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077.57	1,077.57								
				UEANL,UEA,UDN,U										1		
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.085										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.1701										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
	DOT Box Assessments ories to C/4/00 DC4 Coope Cooper			UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL, UNLD1	PE1PG	1.20										
	per cross-connect			UEANL,UEA,UDN,U	PETPG	1.20										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,												
	per cross-connect			UDLSX	PE1PH	10.71										
	por cross comment			UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect	1		UDL12, UDF	PE1B2	36.55							1	I	1	
				UEANL,UEA,UDN,U												
		1		DC,UAL,UHL,UCL,U									1	I	1	
		1	1	EQ,CLO, ULDO3,									Ì	I	Ì	
		1	1	ULD12, ULD48,									Ì	I	Ì	
		1		U1TO3, U1T12,									1	I	1	
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	1		U1T48, UDLO3,									1	I	1	
	per cross-connect	<u> </u>		UDL12, UDF	PE1B4	49.29										
	Physical Collocation - Request Resend of CFA Information, per	1		0.0	DE 46-								1	I	1	
<b></b>	CLLI	ļ		CLO	PE1C9	ļ	77.71									
$\vdash$	Collocation Cable Records - per request	<u> </u>		CLO	PE1CR		760.98		133.29				<b> </b>	-	<b> </b>	
$\vdash$	Collocation Cable Records - VG/DS0 Cable, per cable record	<b>!</b>	<u> </u>	CLO	PE1CD		327.65		189.54					-		
	Callegation Cable Decords NG/DOC Callegation 100	1		01.0	DE400		4.00	4.00	5.00	5.61				1		
$\vdash$	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	<b>!</b>	<u> </u>	CLO CLO	PE1CO		4.82	4.82 2.26	5.91	5.91				-		
	Collocation Cable Records - DS1, per T1TIE	1	<u> </u>	CLO	PE1C1		2.26	2.26	2.77	2.77	1	1	L	l	L	

COLLOCAL	TION - South Carolina												Attachment:		Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc		DAT	TES(\$)								
CATEGORI	RATE ELEMENTS	m	Zone	BC3	0300		KA	I ⊑3(⊅)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													130	Auu	Diac 1at	Disc Add I
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE		-	CLO	PE1C3		7.90	7.90	9.68	9.68	COMILO	COMPAN	COMPAR	COMPAN	COMPAR	COMPAN
			1													
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								
	V to P Conversion, Per Customer Request-Voice Grade		-	CLO	PE1BV	33.00	27.20	11.02								
			1													
	V to P Conversion, Per Customer Request-DS0		<u> </u>	CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit				1									l		
	Reconfigured			CLO	PE1BR	23.00										
1	V to P Conversion, Per Customer Request per DS0 Circuit		1		1									1	1	1
	Reconfigured			CLO	PE1BP	23.00								]		1
			<b>I</b>	OLO	I'L IDP	23.00								<b> </b>	1	-
	V to P Conversion, Per Customer Request per DS1 Circuit			0.0										]		
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700															
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable		1	CLO	I LIDI	332.00										
				OLO LIDE	DE4E0	0.004										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		584.42									
ADJACENT C	OLLOCATION															
7.207.02.11. 0	Adjacent Collocation - Space Charge per Sq. Ft.		1	CLOAC	PE1JA	0.0939										
			1													
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40	40.00	44.00	0.04							
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.0264	12.32	11.83	6.04	5.45						
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0527	12.42	11.90	6.40	5.74						
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						
+	Adjacent Collocation - 2-1 iber Cross-Connect	<b>-</b>	1	CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26				<del>                                     </del>	1	1
		-				4.53		19.90		0.20					1	-
	Adjacent Collocation - Application Fee		1	CLOAC	PE1JB		1,580.20		0.51					<b> </b>	ļ	<b></b>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			1												
	per AC Breaker Amp			CLOAC	PE1FB	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.36								]		
	Adjacent Collocation - 120V, Three Phase Standby Power Rate				1				i i						1	1
	per AC Breaker Amp			CLOAC	PE1FE	17.03										
			<b>I</b>	OLONO	1 1	17.03								<b> </b>	1	-
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	1							]					1		
	per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE	<u></u>	Ш_	L	<u> </u>				<u> </u>					<u> </u>	<u></u>	
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60			-			
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	<u> </u>	1	1		1											
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13						]		
1	Physical Collocation in the Remote Site - Security Access - Rey			OLONO	LIND		15.15	10.10							<b>†</b>	
				CLODG	DE405		440.40	110.10						]		
	Report per Premises Requested		<b>!</b>	CLORS	PE1SR		116.13	116.13								
1	Physical Collocation in the Remote Site - Remote Site CLLI			İ	1									]		1
	Code Request, per CLLI Code Requested	<u></u>	Ш_	CLORS	PE1RE		37.64	37.64	<u> </u>					<u> </u>	<u></u>	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50						-			
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
			1	CLORS	PE1RS	6.27			1						1	1

COLLO	CATI	ON - South Carolina												Attachment:	4	Exhibit: D	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62		·						
N	IOTE: I	f Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	opropriate rate	s.								

COLLOCAT	TION - Tennessee												Attachment:	4	Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -			Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		l	OSS	Rates(\$)	l	1
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL C	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00								
	Physical Collocation - Application Fee - Subsequent Physical Collocation Reduced Rate - Application Fee -			CLO	PE1CA		3,140.00	3,140.00					-			
	Subsequent			CLO	PE1BL		743.25									
	Physical Collocation - Space Preparation - Firm Order			020			7 10.20									
	Processing	1		CLO	PE1SJ		1,204.00	1,204.00								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.	<u> </u>		CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation - Common Systems Modification per square ft Cageless			CLO	PE1SL	2.95							1			
	Physical Collocation - Space Preparation - Common Systems		<del>                                     </del>	OLO	ILIOL	2.95	<del>                                     </del>				<del>                                     </del>		<del> </del>			
	Modification per Cage	- 1		CLO	PE1SM	100.14							1			
	Physical Collocation - Cable Installation			CLO	PE1BD		1,757.00	1,757.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	6.75										
	Physical Collocation - Cable Support Structure	<u>.                                    </u>		CLO	PE1PM	19.80										
	Physical Collocation - Power -48V DC Power, per Fused Amp Physical Collocation - Power Reduction, Application Fee			CLO CLO	PE1PL PE1PR	8.87	400.10									
	Physical Collocation - Power Reduction, Application Fee	-		CLO	PETPR		400.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate	1		CLO	PE1FB	5.60										
	Physical Collocation - 240V, Single Phase Standby Power Rate	ı		CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	ı		CLO	PE1FE	16.82										
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.84										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.033	33.82	31.92								
				UDN, UEA, UHL,												
	Physical Collocation - 4-Wire Cross-Connects			UNCVX, UNCDX, UCL	PE1P4	0.066	33.94	31.95								
				CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.51	53.27	40.16								
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	ļ	<u> </u>	UNLD3, UDL	PE1P3	19.26	52.37	38.89					1	ļ		ļ
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1 50
	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	<u> </u>	1	CLO	PE1F4 PE1BW	28.11	50.53	38.78	16.97	14.35	1		2.69	2.69	1.56	1.56

COLLOCAT	ION - Tennessee												Attachment:	4	Exhibit: D	
JOLLOGAI	Tomicosco								1		Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17)			per Lor	per LOK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		ı
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.44										
	Physical Collocation - Security Access System - Security System															
	per Central Office			CLO	PE1AX	55.99										
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Card			CLO	PE1AA		15.61	15.61								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key	1	1	CLO	PE1AL	I	26.24	26.24	I				I		I	
	Physical Collocation - Space Availability Report per premises	ı		CLO	PE1SR		2,027.00	2,154.00								
l l				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
	per cross-connect			UNCNX	PE1PE	0.40										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
				U1TS1, ULDS1,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,												
	per cross-connect			UDLSX	PE1PH	8.00										
				UEANL,UEA,UDN,U												
		1	1	DC,UAL,UHL,UCL,U		I			I				I		I	
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,												
	Per Cross-Connect			UDL12, UDF	PE1B2	38.79										
				UEANL,UEA,UDN,U									1		1	
		1	1	DC,UAL,UHL,UCL,U		I			I				I		I	
		1	1	EQ,CLO, ULDO3,		I			I				I		I	
				ULD12, ULD48,		1			1			1	1	1		
				U1TO3, U1T12,		1			1				1		1	
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,	1	1	U1T48, UDLO3,		I			I				I		I	
	per cross-connect	<u> </u>	1	UDL12, UDF	PE1B4	52.31								ļ		
	Physical Collocation - Request Resend of CFA Information, per	1			DE 46-	I			I				I		I	
	CLLI	ļ	ļ	CLO	PE1C9	<b>.</b>	77.67		<b>.</b>				<b>.</b>	<b></b>	<b>.</b>	
	Collocation Cable Records - per request	ļ	1	CLO	PE1CR	<b>.</b>	1,711.00		<b>.</b>				<b>.</b>	<b></b>	<b>.</b>	
$\vdash$	Collocation Cable Records - VG/DS0 Cable, per cable record	ļ		CLO	PE1CD		925.06							ļ		
				0.0	DE 46 -	1			1				1		1	
	Collocation Cable Records - VG/DS0 Cable, per each 100 pair	<u> </u>	1	CLO	PE1CO		18.05	18.05						ļ		
	Collocation Cable Records - DS1, per T1TIE	İ	1	CLO	PE1C1	<u> </u>	8.45	8.45	<u> </u>		<u> </u>			1		

COLLOCAT	ION - Tennessee											,	Attachment:		Exhibit: D	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	'ES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Recurring	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)	•	•
						Recuiring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.57	29.57								
	Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49								
<u> </u>	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								
	V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORG	PE1BV	33.00	34.42	34.02								
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured  V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Caged Collocation-App Cost(initial & sub)-Planning,			CLO	PEIAC	16.16	2,903.66	2,903.66								
	per request						2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location Physical Caged Collocation-Space Prep-Power Delivery, per 40			CLO	PE1BB	4.32										
	amp Feed Physical Caged Collocation-Space Prep-Power Delivery, per 100			CLO	PE1SN		142.40									
	amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged collocation-Cable Installation-Entrance Fiber			020	1 2 100	00.10				1						
	Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94	,,,,,,,									
	Physical Caged Collocation-Cable Support Structure-Cable															
	Racking, per entrance cable Plhysical Caged Collocation-Power-Power Consumption, per			CLO	PE1CS	21.47				-	1					
	amp DC plant  Physical Caged Collocation-Power-Power Consumption, per amp			CLO	PE1PN	3.55										
	AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt.			CLO	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			CLO	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to															
	DCS, per ckt.  Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			CLO	PE13S PE13X	53.96 9.32	298.03 298.03				1					

COLLOCAT	ION - Tennessee			1		1							Attachment:		Exhibit: D	<b></b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		RAT	ES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Recurring	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-Security Access-Access Cards, per															
	5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										ļ
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0019										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		585.09									
ADJACENT C																
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00		0.9475							ĺ
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															ĺ
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															1
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										1
																1
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI			-		İ								İ	İ	
	Code Request, per CLLI Code Requested	l		CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	İ	234.15							İ	İ	
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT	1	1	· · · · ·		1								1	1	
		l	<del>                                     </del>		1	<b>†</b>	<del>                                     </del>		<del>                                     </del>					<del> </del>	<del> </del>	<b>†</b>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
	Tremote one rajacon concocnon no romon, per breaker amp	l	<del>                                     </del>	020110		0.21	<del>                                     </del>		<del>                                     </del>					<del> </del>	<del> </del>	<b>†</b>
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l		CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Prear Estate, per square root	<b>-</b>	+	CLORS	PE1RU	3.134	755.62	755.62	<del>                                     </del>					<del> </del>	<del> </del>	<del>                                     </del>
. 1	remote one rajacent conocation-application ree		1	ote site collocation,		1										<del></del>

# ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
2.	NUMBER PORTABILITY PERMANENT SOLUTION	3
3.	SERVICE PROVIDER NUMBER PORTABILITY	4
4.	SPNP IMPLEMENTATION	5
5.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	7
Ra	otesE	xhibit A

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where Momentum Business Solutions, Inc. is utilizing its own switch, Momentum Business Solutions, Inc. shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Momentum Business Solutions, Inc. will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to Momentum Business Solutions, Inc., BellSouth will provide Momentum Business Solutions, Inc. with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Momentum Business Solutions, Inc. acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Momentum Business Solutions, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Momentum Business Solutions, Inc. return unused intermediate numbers to BellSouth. Momentum Business Solutions, Inc. shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Momentum Business Solutions, Inc. to designate up to 100 intermediate telephone numbers per rate center for Momentum Business Solutions, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Momentum Business Solutions, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

#### 2. NUMBER PORTABILITY PERMANENT SOLUTION

2.1 The Parties will offer local number portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (SPNP) will be available only in those end offices where no carrier has requested implementation of permanent local number

portability (PNP). Once PNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within ninety (90) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP.

- 2.2 <u>End User Line Charge</u>. Where Momentum Business Solutions, Inc. subscribes to BellSouth's local switching, BellSouth shall bill and Momentum Business Solutions, Inc. shall pay the end user line charge associated with implementing PNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.
- 2.3 To limit service outage, BellSouth and Momentum Business Solutions, Inc. will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Momentum Business Solutions, Inc..
- 2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Momentum Business Solutions, Inc. will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.

#### 3. SERVICE PROVIDER NUMBER PORTABILITY

Where PNP has not been implemented in an end office, the Parties shall provide SPNP. SPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth local calling area of his existing number. Except as otherwise expressly provided herein, SPNP is available only where the local exchange carrier is currently providing basic local exchange service to the end user. SPNP for a

particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

- 3.2 <u>Methods of Providing SPNP</u>. SPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (SPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.
- 3.3 <u>Signaling Requirements</u>. SS7 Signaling is required for the provision of SPNP services.
- 3.4 Rates
- 3.4.1 Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 4. SPNP IMPLEMENTATION

- 4.1 SPNP-RCF is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned sevenor ten-digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by Momentum Business Solutions, Inc. or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.
- 4.2 SPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. SPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services

tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

- 4.3 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. Momentum Business Solutions, Inc. may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.
- 4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operatorassisted non-sent paid calls to the ported telephone number, BellSouth or Momentum Business Solutions, Inc. shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable. Either Party may request that the other Party block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on the processing system. Momentum Business Solutions, Inc. usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.
- 4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party

shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing or interfering with any equipment, facility or service of any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

- 4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.
- 4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for SPNP calls.
- Where SPNP-RCF is utilized for SPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

### 5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - Alaba	ıma											Attachment:	5	Exhibit: A	
												Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		+					Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY															
	RCF, per number ported (Business Line)				TNPBL	2.13	0.65		0.07		3.50		19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line)				TNPRL	2.13	0.65		0.07		3.50		19.99	19.99	19.99	19.99
	RCF, add'l capacity for simultaneous call forwarding, per additional path					0.32										
	RCF, per service order, per location (Business)				TNPBD		1.44	1.44	1.44	1.44	3.50		19.99	19.99	19.99	19.99
	RCF, per service order, per location (Residence)				TNPRD		1.44	1.44	1.44	1.44	3.50		19.99	19.99	19.99	19.99
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		1.18		1.18		3.50		19.99	19.99	19.99	19.99
	DID per number ported (Business)				TNPDB		1.18		1.18		3.50		19.99	19.99	19.99	19.99
	DID per service order, per location (Residence)				TNPRD		1.44	1.44	1.44	1.44	3.50		19.99	19.99	19.99	19.99
	DID per service order, per location (Business)				TNPBD		1.44	1.44	1.44	1.44	3.50		19.99	19.99	19.99	19.99
	DID, per trunk termination, Initial				TNPT2	11.84	173.73	51.00	50.43	25.00	3.50		19.99	19.99	19.99	19.99
Note:	If no rate is identified in the contract, the rate for the specifi	c service	or func	tion will be as set	forth in applic	cable BellSouth	tariff or as neg	otiated by the	Parties upon r	equest by eith	ner Party.					
	Any element that can be ordered electronically will be billed to be ordered electronically at present per the BBR-LO, the list															

04/12/02 Page 1 of 9

INTEDIM SE	RVICE PROVIDER NUMBER PORTABILITY - Florida												Attachment:	_	Exhibit: A	
INTERIM SE	TOTAL PROVIDER NUMBER FOR TABILITY - FIORIGA	2			1											t
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC	RATES(\$)					per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													100	Addi	D130 131	DISC Add I
	Recurring Nonrecurring Disconnect												oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90			1.83	
	RCF, per number ported (Residence Line)				TNPRL	2.05	0.4145	0.4145	0.0415	0.0415	3.50	11.90			1.83	
	RCF, Per Additional Path					0.7179										
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.6923	0.6923	0.6923	0.6923	3.50	11.90			1.83	
	DID per number ported (Business)				TNPDB		0.6923	0.6923	0.6923	0.6923	3.50	11.90			1.83	
	DID, per trunk termination, Initial				TNPT2	54.95	161.29	80.58	32.73	32.73	3.50	11.90			1.83	
SERVICE PRO	VIDER NUMBER PORTABILITY (RIPH)		i i													
	RIPH, Functionality, Per Rearrangement		i i				20.08	20.08			3.50	11.90			1.83	
	RIPH, Per Number Ported					1.83	0.2165	0.2165	0.0216	0.0216	3.50	11.90			1.83	
	RIPH, Functionality, Per Central Ofc		i i				90.47	90.47	2.54	2.54	3.50	11.90			1.83	
NOTE:	Any element that can be ordered electronically will be billed	accordi	ng to th	e SOMEC rate listed	d. Please refe	er to BellSouth	's Business Ru	les for Local C	Ordering (BBR-	LO) to determ	ine if a prod	uct can be	ordered elect	ronically. Fo	r those eleme	nts that
canno	t be ordered electronically at present per the BBR-LO, the list	ed SOM	EC rate	reflects the charge	that would b	e billed to a CL	EC once electr	onic ordering	capabilities co	me on-line for	that eleme	nt. Otherwi	se, the manua	al ordering ch	arge, SOMAN	i, will be

04/12/02 Page 2 of 9

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - Geor	nia											Attachment:	5	Exhibit: A	
IIVI LIXIWI OL	INVICET ROVIDER NOMBER TORTABLETT - GEOT	gia	1 1		1	1					Cur Ouden				Incremental	In avantal
												Submitted		Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	<b>.</b>	B00	11000						Elec					Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		KAI	ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	2.03	0.51				3.50		18.94	18.94		
	RCF, per number ported (Residence Line)				TNPRL	2.03	0.51				3.50		18.94	18.94		
	RCF, add'l capacity for simultaneous call forwarding, per															
	additional path					0.2836										1 1
	RCF, per service order, per location (Business)				TNPBD		2.10	2.10			3.50		18.94	18.94		
	RCF, per service order, per location (Residence)				TNPRD		2.10	2.10			3.50		18.94	18.94		
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.93				3.50		18.94	18.94		
	DID per number ported (Business)				TNPDB		0.93				3.50		18.94	18.94		
	DID per service order, per location (Residence)				TNPRD		2.10	2.10			3.50		18.94	18.94		
	DID per service order, per location (Business)				TNPBD		2.10	2.10			3.50		18.94	18.94		
	DID, per trunk termination, Initial				TNPT2	10.73	135.47	40.00		•	3.50		18.94	18.94		
	If no rate is identified in the contract, the rate for the specifi															
	Any element that can be ordered electronically will be billed															
canno	t be ordered electronically at present per the BBR-LO, the lis	sted SOM	EC rate	reflects the charge	that would b	e billed to a CL	EC once electi	onic ordering	capabilities co	me on-line fo	that eleme	nt. Otherwi	se, the manu	al ordering ch	arge, SOMAN	i, will be

04/12/02 Page 3 of 9

INTERI	VI SEI	RVICE PROVIDER NUMBER PORTABILITY - Kentuc	ky											Attachment:	5	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
CATEGORY		RATE ELEMENTS										Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi		BCS	usoc						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
			m	Zone			RATE		TES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Recurring	Nonred	urring	Nonrecurring	Disconnect		ı	oss	Rates(\$)		.1
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
											•						
N	OTE:	BellSouth and CLEC will each bear their own costs of provid															

04/12/02 Page 4 of 9

INTERIM CE	DVICE DROVIDED NUMBER DORTARII ITV. I avia												A 44 1 4	-	F. 1. 11. 12. A	
INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - Louis	iana				1					T -	T -	Attachment:		Exhibit: A	
														Incremental	Incremental	Incremental
					]						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi				RATES(\$)					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m								-	Electronic-	Electronic-	Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	2.91	0.25	0.25			3.50	15.20				
	RCF, per number ported (Residence Line)				TNPRL	2.91	0.25	0.25			3.50	15.20				
	RCF, Per Additional Path					1.24										
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.42	0.42			3.50	15.20				
	DID per number ported (Business)				TNPDB		0.42	0.42			3.50	15.20				
	DID, per trunk termination, Initial				TNPT2	68.47	185.13	68.79			3.50	15.20				
SERVICE PRO	VIDER NUMBER PORTABILITY (RIPH)															
	RIPH, Functionality, Per Rearrangement						19.24	19.24			3.50	15.20				
	RIPH, Per Number Ported					1.62	0.19	0.19			3.50	15.20				
	RIPH, Functionality, Per Central Ofc						79.67	79.67			3.50	15.20				
Note:	If no rate is identified in the contract, the rate for the specific	service	or func	tion will be as set fo	orth in applic	able BellSouth	tariff or as neg	otiated by the	Parties upon	request by eitl	ner Party.					
NOTE:	Any element that can be ordered electronically will be billed	accordi	ng to th	e SOMEC rate listed	d. Please refe	er to BellSouth'	s Business Ru	les for Local (	Ordering (BBR-	LO) to determ	ine if a prod	luct can be	ordered electi	onically. For	those eleme	nts that
canno	t be ordered electronically at present per the BBR-LO, the list	ted SOM	EC rate	reflects the charge	that would b	e billed to a CL	EC once electr	onic ordering	capabilities co	me on-line for	that eleme	nt. Otherwi	se, the manua	al ordering ch	arge, SOMAN	I, will be

04/12/02 Page 5 of 9

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - Missis	sippi											Attachment:	5	Exhibit: A	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc		RAT	ES(\$)				Submitted	Incremental Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERV	ICE PROVIDER NUMBER PORTABILITY - RCF															i
	RCF, per number ported (Business Line)				TNPBL	3.08	0.2596	0.2596	0.0282	0.0282	3.50	15.75				1
	RCF, per number ported (Residence Line)				TNPRL	3.08	0.2596	0.2596	0.0282	0.0282	3.50	15.75				1
	RCF, Per Additional Path					1.17										1
INTERIM SERV	ICE PROVIDER NUMBER PORTABILITY - DID															1
	DID per number ported (Residence)				TNPDR		0.4335	0.4335	0.4701	0.4701	3.50	15.75				i
	DID per number ported (Business)				TNPDB		0.4335	0.4335	0.4701	0.4701	3.50	15.75				i
	DID, per trunk termination, Initial				TNPT2	58.41	191.75	71.25	28.94	28.94	3.50	15.75				1
SERVICE PROV	IDER NUMBER PORTABILITY (RIPH)															1
	RIPH, Functionality, Per Rearrangement						19.93	19.93			3.50	15.75				1
	RIPH, Per Number Ported					1.96	0.1972	0.1972	0.0214	0.0214	3.50	15.75				1
	RIPH, Functionality, Per Central Ofc						85.52	85.52	2.51	2.51	3.50	15.75				1
NOTE:	Any element that can be ordered electronically will be billed a	accordir	ng to th	e SOMEC rate listed	<ol> <li>Please ref</li> </ol>	er to BellSouth	s Business Ru	les for Local C	Ordering (BBR-I	<ul><li>O) to determi</li></ul>	ne if a prod	luct can be	ordered elect	ronically. Fo	r those eleme	nts that
cannot	be ordered electronically at present per the BBR-LO, the liste	d SOMI	EC rate	reflects the charge	that would b	e billed to a CL	EC once electr	onic ordering	capabilities co	me on-line for	that eleme	nt. Otherwi	se, the manua	al ordering ch	arge, SOMAN	, will be

04/12/02 Page 6 of 9

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - North	Caroli	na										Attachment:	5	Exhibit: A	
														Incremental		
												Submitted		Charge -	Charge -	Charge -
		Interi	l_							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonrec	urring	Nonrecurring	Disconnect		l	oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - RCF															
	RCF, per number ported (Business Line)				TNPBL	1.66	0.71		0.50		3.50		19.99	19.99	19.99	19.99
	RCF, per number ported (Residence Line)				TNPRL	1.66	0.71		0.50		3.50		19.99	19.99	19.99	19.99
	RCF, add'l capacity for simultaneous call forwarding, per additional path					0.32										
	RCF, per service order, per location (Business)				TNPBD		2.73	2.73			3.50		19.99	19.99	19.99	19.99
	RCF, per service order, per location (Residence)				TNPRD		2.73	2.73			3.50		19.99	19.99	19.99	19.99
INTERIM SER	VICE PROVIDER NUMBER PORTABILITY - DID								1							
	DID per number ported (Residence)				TNPDR		2.25				3.50		19.99	19.99	19.99	19.99
	DID per number ported (Business)				TNPDB		2.25				3.50		19.99	19.99	19.99	19.99
	DID per service order, per location (Residence)				TNPRD		2.73	2.73			3.50		19.99	19.99	19.99	19.99
	DID per service order, per location (Business)				TNPBD		2.73	2.73	1		3.50		19.99	19.99	19.99	19.99
	DID, per trunk termination, Initial				TNPT2	11.43	217.88	74.00			3.50		19.99	19.99	19.99	19.99
Note:	If no rate is identified in the contract, the rate for the specifi	c service	or func	tion will be as set	forth in applic	cable BellSouth	tariff or as neg	otiated by the	Parties upon r	equest by eit	her Party.					
	Any element that can be ordered electronically will be billed to be ordered electronically at present per the BBR-LO, the list															

04/12/02 Page 7 of 9

INTERIM SE	RVICE PROVIDER NUMBER PORTABILITY - South	Caroli	na										Attachment:	5	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		1									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RAT	ES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+/			per LSK	per LSK			Electronic-	Electronic-
													Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
						Daarrenin e	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTEDIM SERV	/ICE PROVIDER NUMBER PORTABILITY - RCF															
INTERIM SERV					TNPBL	2.68	0.26	0.26	0.03	0.03	3.50	15.69				
	RCF, per number ported (Business Line) RCF, per number ported (Residence Line)				TNPRL	2.68	0.26	0.26	0.03	0.03	3.50	15.69				<b>├</b>
	RCF, per humber ported (Residence Line)				INFKL	1.04	0.20	0.26	0.03	0.03	3.50	15.69				<b>├</b>
						1.04										
	RCF, add'l capacity for simultaneous call forwarding, per					0.0054										
	additional path				TNPBD	0.3854	4.07	1.07	44.70	44.70	0.50	45.00				
	RCF, per service order, per location (Business)				TNPRD		1.37	1.37	44.70	44.70	3.50	15.69				
	RCF, per service order, per location (Residence)				INPRD		1.37	1.37	44.70	44.70	3.50	15.69				
INTERIM SERV	/ICE PROVIDER NUMBER PORTABILITY - DID															
	DID per number ported (Residence)				TNPDR		0.43	0.43	0.47	0.47	3.50	15.69				
	DID per number ported (Business)				TNPDB		0.43	0.43	0.47	0.47	3.50	15.69				
	DID per service order, per location (Residence)				TNPRD		1.37	1.37	44.70	44.70	3.50	15.69				
	DID per service order, per location (Business)				TNPBD		1.37	1.37	44.70	44.70	3.50	15.69				
	DID, per trunk termination, Initial				TNPT2	73.62	191.07	191.07	28.84	28.84	3.50	15.69				
	DID, per trunk termination, Subsequent					73.62	71.00	71.00	28.84	28.84	3.50	15.69				
SERVICE PRO	VIDER NUMBER PORTABILITY (RIPH)															
	RIPH, Functionality, Per Central Ofc						82.23	82.23	2.50	2.50	3.50	15.69				
	RIPH, Functionality, Per Rearrangement						19.86	19.86			3.50	15.69				
	RIPH, Per Number Ported					2.02	0.20	0.20	0.02	0.02	3.50	15.69				
	f no rate is identified in the contract, the rate for the specific															
	Any element that can be ordered electronically will be billed															
cannot	be ordered electronically at present per the BBR-LO, the list	ed SOM	EC rate	reflects the charge	that would b	e billed to a CLI	EC once electr	onic ordering	capabilities co	me on-line fo	that eleme	nt. Otherwi	se, the manua	al ordering ch	narge, SOMAN	l, will be

04/12/02 Page 8 of 9

INTE	RIM SE	RVICE PROVIDER NUMBER PORTABILITY - Tenne	ssee											Attachment:	5	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC		RAT	'ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	_	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						D	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER		ICE PROVIDER NUMBER PORTABILITY - RCF															
		RCF, per number ported (Business Line)				TNPBL	1.50										
		RCF, per number ported (Residence Line)				TNPRL	1.25										
		RCF, add'l capacity for simultaneous call forwarding, per															
		additional path					0.50										
		RCF, per service order, per location (Business)				TNPBD		25.00	25.00			3.50		19.99	19.99	19.99	19.99
		RCF, per service order, per location (Residence)				TNPRD		25.00	25.00		•	3.50		19.99	19.99	19.99	19.99
		f no rate is identified in the contract, the rate for the specific															
		Any element that can be ordered electronically will be billed		•						• •	,				•		
	cannot	be ordered electronically at present per the BBR-LO, the lis-	ed SOM	EC rate	reflects the charge t	hat would b	e billed to a Cl	LEC once electi	onic ordering	capabilities co	me on-line fo	r that eleme	nt. Otherwi	se, the manua	al ordering ch	arge, SOMAN	l, will be

04/12/02 Page 9 of 9

## **Attachment 6**

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

## TABLE OF CONTENTS

	QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE  D REPAIR	
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

#### PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

## 1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Momentum Business Solutions, Inc. that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of where the physical work is being performed.
- 1.2.2 To the extent Momentum Business Solutions, Inc. requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians to work outside regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Momentum Business Solutions, Inc., BellSouth will not assess Momentum Business Solutions, Inc. additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Momentum Business Solutions, Inc. access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is

the sole responsibility of Momentum Business Solutions, Inc. to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Momentum Business Solutions, Inc.'s access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. In addition, Momentum Business Solutions, Inc. shall provide to BellSouth access to customer record information including electronic access where available. If electronic access is not available, Momentum Business Solutions, Inc. shall provide paper copies of customer record information within the same intervals that BellSouth provides paper copies to Momentum Business Solutions, Inc.. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Momentum Business Solutions, Inc. will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit Momentum Business Solutions, Inc.'s access to customer record information. If a BellSouth audit of Momentum Business Solutions, Inc.'s access to customer record information reveals that Momentum Business Solutions, Inc. is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Momentum Business Solutions, Inc. may take corrective action, including but not limited to suspending or terminating Momentum Business Solutions, Inc.'s electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.2 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements.

  Momentum Business Solutions, Inc. may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.3 <u>Maintenance and Repair</u>. Momentum Business Solutions, Inc. may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting.

For exchange services, BellSouth will offer Momentum Business Solutions, Inc. non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Momentum Business Solutions, Inc. an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Momentum Business Solutions, Inc. agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Momentum Business Solutions, Inc., is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

#### 3. MISCELLANEOUS

- 3.1 <u>Pending Orders</u>. Orders placed in the hold or pending status by Momentum Business Solutions, Inc. will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Momentum Business Solutions, Inc. shall be required to submit a new service order. Incorrect or invalid orders returned to Momentum Business Solutions, Inc. for correction or clarification will be held for ten (10) days. If Momentum Business Solutions, Inc. does not return a corrected order within ten (10) days, BellSouth will cancel the order.
- 3.2 <u>Single Point of Contact</u>. Momentum Business Solutions, Inc. will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Momentum Business Solutions, Inc. to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user.

Momentum Business Solutions, Inc. and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to an order from another carrier, BellSouth may disconnect any network element being used by Momentum Business Solutions, Inc. to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Momentum Business Solutions, Inc. that such an order has been processed, but will not be required to notify Momentum Business Solutions, Inc. in advance of such processing.

- 3.3 <u>Use of Facilities</u>. When a customer of Momentum Business Solutions, Inc. elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Momentum Business Solutions, Inc. by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Momentum Business Solutions, Inc. that such an order has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If Momentum Business Solutions, Inc. cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5, as applicable.
- 3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Momentum Business Solutions, Inc., Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as

outlined in BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

## **Attachment 7**

**Billing** 

### TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	6
3.	RAO HOSTING	7
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	13
Ra	tes	Exhibit A

#### **BILLING**

#### 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) provided to Momentum under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from Momentum, Momentum shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will render bills each month for resold lines on established bill days for each of Momentum's accounts. If either Party requests multiple billing media or additional copies of the bills, the Billing Party will provide these at a reasonable cost.
- 1.1.5 BellSouth will bill Momentum in advance for all resold services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Momentum, and Momentum will be responsible for and remit to BellSouth, all charges applicable to resold services including but no limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.
- 1.1.6 BellSouth will not perform billing and collection services for Momentum as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- 1.2 <u>Establishing Accounts</u>. After receiving certification as a local exchange carrier from the appropriate regulatory agency, Momentum will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other

Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.

- 1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of Momentum. Momentum shall make payment to BellSouth for all services billed. Payments made by Momentum to BellSouth as payment on account will be credited to Momentum's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between Momentum and Momentum's customer.
- 1.3 Payment Due. Payment for services provided will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to Momentum will not include those taxes or fees from which Momentum is exempt. Momentum will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Momentum.
- Late Payment. If any portion of a payment is received by either Party after the payment due date, or if any portion of the payment is received by the receiving Party in funds that are not immediately available, then a late payment charge shall be due to the receiving Party. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, either Party may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

- 1.7 <u>Discontinuing Service to Momentum</u>. The procedures for discontinuing service to Momentum are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Momentum of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Momentum that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by Momentum to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Momentum if payment is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Momentum's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Momentum without further notice.
- 1.7.5 Upon discontinuance of service on Momentum's account, service to Momentum's end users will be denied. BellSouth will reestablish service for Momentum upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Momentum is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after Momentum has been denied and no arrangements to reestablish service have been made consistent with this subsection, Momentum's service will be disconnected.
- Deposit Policy. When purchasing services from BellSouth, Momentum will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release Momentum from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has

increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in Momentum's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing.

- 1.8.1 When BellSouth requests a deposit, BellSouth is willing to provide Momentum a written explanation as to why a deposit has been requested. BellSouth shall apply all credit standards to Momentum on a non-discriminatory basis. The Parties will work together to determine the amount of a reasonable deposit. If the Parties are unable to agree, either party may petition the Commission for resolution of the dispute. In the event that the dispute is not resolved within sixty days, and Momentum fails to remit to BellSouth any deposit requested pursuant to this Section, service to Momentum may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Momentum's account(s).
- 1.9 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Momentum, shall be forwarded to the individual and/or address provided by Momentum in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Momentum as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Momentum to BellSouth's billing organization, a final notice of disconnection of services purchased by Momentum under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 2. BILLING DISPUTES

2.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event either Party disputes any portion of an invoice, they shall notify the other in writing within ninety (90) days of the date of the invoice. Each Party agrees that such dispute period is reasonable and hereby waives its

right to dispute any amount if they fail to notify the other within such period. A dispute as to any portion of an invoice does not relieve the other Party from timely payment of the undisputed portion. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the sixty (60) day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

Momentum shall report all its billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth.

- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.1 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

#### 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Momentum by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Momentum shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Momentum on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Momentum must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Momentum must request that BellSouth establish a unique hosted RAO code for Momentum. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from Momentum that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Momentum shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Momentum.
- 3.7 All data received from Momentum that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Momentum that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Momentum and will forward them to Momentum on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Momentum will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission. Where a dedicated line is required, Momentum will be responsible for ordering the circuit and coordinating

the installation with BellSouth. Momentum is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on a individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Momentum. Additionally, all message toll charges associated with the use of the dial circuit by Momentum will be the responsibility of Momentum. Associated equipment on the BellSouth end, including a modem, will be negotiated on a individual case basis between the Parties. All equipment, including modems and software, that is required on the Momentum end for the purpose of data transmission will be the responsibility of Momentum.

- 3.11 All messages and related data exchanged between BellSouth and Momentum will be formatted in accordance with industry standards for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 Momentum will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Momentum to send data to BellSouth more than sixty (60) days past the message date(s), Momentum will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Momentum, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Momentum, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Momentum of the error. Momentum will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on

- subsequent packs, Momentum will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Momentum with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Momentum as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Momentum and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Momentum and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Momentum, is covered by CATS. Also covered is traffic that either is originated by or billed by Momentum, involves a company other than Momentum, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once Momentum is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Momentum. BellSouth will distribute copies of these reports to Momentum on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Momentum. BellSouth will distribute copies of these reports to Momentum on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Momentum from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Momentum. BellSouth will remit the revenue billed by Momentum to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Momentum. These two amounts will be

netted together by BellSouth and the resulting charge or credit issued to Momentum via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

- 3.18.7 BellSouth will collect the revenue earned by Momentum within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Momentum. BellSouth will remit the revenue billed by Momentum within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Momentum via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Momentum agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

#### 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Momentum, BellSouth will provide the Optional Daily Usage File (ODUF) service to Momentum pursuant to the terms and conditions set forth in this section.
- 4.2 Momentum shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Momentum customer.
- 4.4 Charges for the ODUF will appear on Momentums' monthly bills. The charges are as set forth in Exhibit A to this Attachment.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of Momentum will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.
- 4.7.1 ODUF Messages to be Transmitted

4.7.1.1 The following messages recorded by BellSouth will be transmitted to Momentum: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 **Information Service Provider Messages** 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Momentum. 4.7.1.4 In the event that Momentum detects a duplicate on ODUF they receive from BellSouth, Momentum will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics** 4.7.2.1 ODUF will be distributed to Momentum via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO that is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Momentum will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Momentum will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Momentum by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 Momentum will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Momentum's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Momentum for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from Momentum, BellSouth shall send ODUF test files to Momentum. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Momentum set up a production (live) file. The live test may consist of Momentum's employees making test calls for the types of services Momentum requests on ODUF. These test calls are logged by Momentum, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from Momentum, BellSouth will provide the Access Daily Usage File (ADUF) service to Momentum pursuant to the terms and conditions set forth in this section.
- 5.2 Momentum shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Momentum has purchased from BellSouth
- 5.4 Charges for ADUF will appear on Momentum's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Momentum will be the responsibility of Momentum. If, however, Momentum should encounter significant volumes of errored messages that prevent processing by Momentum within its systems, BellSouth will work with Momentum to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Momentum:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Momentum.
- In the event that Momentum detects a duplicate on ADUF they receive from BellSouth, Momentum will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Momentum via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

- Data circuits (private line or dial-up) will be required between BellSouth and Momentum for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Momentum which BellSouth RAO is sending the message. BellSouth and Momentum will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Momentum and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 Momentum will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Momentum will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Momentum by BellSouth.
- 5.6.7 ADUF Control Data
- Momentum will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Momentum's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Momentum for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from Momentum, BellSouth shall send a test file of generic data to Momentum via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUI	F/CMDS - Alabama												Attachment:	7	Exhibit: A	
020171201											Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Diac rat	Disc Add I
						Rec	Nonre		Nonrecurring	Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0002										
	ODUF: Message Processing, per message				N/A	0.0033										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	55.19										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00004										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
		1														
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 1 of 9

ODUF/ADUI	F/CMDS - Florida												Attachment:	7	Exhibit: A	
020171201	1020										Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lor	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonre		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
<b>————</b>	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 2 of 9

ODUF/ADUF	F/CMDS - Georgia												Attachment:	7	Exhibit: A	
											Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1			<u> </u>							
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUE DA TENNING (CONNECT DIDECT)				A1/A	0.0000404										
OPTIO	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)				N1/A	0.0004075										
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 3 of 9

ODUI	/ADUF	/CMDS - Kentucky												Attachment:	7	Exhibit: A	
													Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA.	TES(\$)			Elec per LSR			Manual Svc Order vs.		Manual Svc Order vs.
0,112		10112 ===	m		200				. ==(\v)			perLSK	per LSR	Order vs. Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/	ADUF/C																
		S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.001857										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.0000136										
		ODUF: Message Processing, per message				N/A	0.002506										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

04/12/02 Page 4 of 9

ODUF/ADU	F/CMDS - Louisiana												Attachment:	7	Exhibit: A	
020.77.20.	7020 204.044.14										Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (17)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														Add'l		
													1st	Addi	Disc 1st	Disc Add'l
						D	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/0	CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007983										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012681										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000117										
	ODUF: Message Processing, per message				N/A	0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010568										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message	l	<u> </u>	<u> </u>	N/A	0.001			<u> </u>		Ļ					1
Notes	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 5 of 9

ODUF/ADUF	F/CMDS - Mississippi												Attachment:	7	Exhibit: A	
											Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>*</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
								_								
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.008087										
	l															
L	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000063										
	ODUF: Message Processing, per message				N/A	0.004707										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010669										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 6 of 9

ODUF/ADU	F/CMDS - North Carolina												Attachment:	7	Exhibit: A	
020171201	- Tombo Horri Garonna	1									Svc Order					Incremental
												Submitted		Charge -	Charge -	Charge -
		l									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC		RA <sup>-</sup>	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						В	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/0	CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0003										
	ODUF: Message Processing, per message				N/A	0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0004										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
		1														
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 7 of 9

DDUF/ADUF	F/CMDS - South Carolina												Attachment:	7	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RA	TES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																ĺ
DDUF/ADUF/C	MDS															ĺ
ACCES	SS DAILY USAGE FILE (ADUF)															ĺ
	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)				14//	0.00010000										-
02	CMDS: Message Processing, per message				N/A	0.004									1	<del>                                     </del>
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										

04/12/02 Page 8 of 9

ODUF/ADUF	C/CMDS - Tennessee												Attachment:	7	Exhibit: A	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
											per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconne	Disconnect		l	OSS Rates(\$)			
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS																
ACCESS DAILY USAGE FILE (ADUF)																
	ADUF: Message Processing, per message				N/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upon	request by ei	ther Party.					

04/12/02 Page 9 of 9

## **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

## **ATTACHMENT 9**

## PERFORMANCE MEASUREMENTS

## PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

## **Attachment 10**

# **BellSouth Disaster Recovery Plan**

CON	TENT	<u>S</u>		PAGE
1.0				
1.0	Purpo			2
2.0	_	e Point of		2
3.0	Identi	fying the	Problem	2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The E	Emergenc	y Control Center (ECC)	4
5.0	Reco	very Proc	edures	5
	5.1	CLEC (	Outage	5
	5.2	BellSou	uth Outage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	6
	5.3	Combir	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id		on Procedures	7
7.0	Acro			8

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

#### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Begin restoring service to CLECs and other customers.

#### **5.2.2** Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

#### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service for Hospitals, Police and other emergency agencies;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)
- g) Begin restoring service to CLECs and other customers.

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service for Hospitals, Police and other emergency agencies; and
- e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

#### **5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)**

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

#### 7.0 ACRONYMS

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

CLEC - Competitive Local Exchange Carrier

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

#### **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

#### **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# **Attachment 11**

**Bona Fide Request and New Business Requests Process** 

## BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

- 1.0 The Parties agree that Momentum Business Solutions, Inc. is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Momentum Business Solutions, Inc. also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.
- Bona Fide Requests ("BFR") are to be used when Momentum Business Solutions, Inc. makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Momentum Business Solutions, Inc. makes a request of BellSouth to provide a new or custom capability or function to meet Momentum Business Solutions, Inc.'s business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Momentum Business Solutions, Inc. and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- A BFR shall be submitted in writing by Momentum Business Solutions, Inc. and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Momentum Business Solutions, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Momentum Business Solutions, Inc.'s Account Executive.
- 4.0 Within thirty (30) business days of its receipt of a BFR or NBR from Momentum Business Solutions, Inc., BellSouth shall respond to Momentum Business Solutions, Inc. by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is otherwise not required to be provided under the Act.

- 5.0 Momentum Business Solutions, Inc. may cancel a BFR or NBR at any time. If Momentum Business Solutions, Inc. cancels the request more than three (3) business days after submitting it, Momentum Business Solutions, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Momentum Business Solutions, Inc. does not cancel a BFR or NBR, Momentum Business Solutions, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.
- BellSouth shall propose a firm price quote and a detailed implementation plan within twenty-five (25) business days of Momentum Business Solutions, Inc.'s acceptance of the preliminary analysis.
- 7.0 If Momentum Business Solutions, Inc. accepts the preliminary analysis, BellSouth shall proceed with Momentum Business Solutions, Inc.'s BFR/NBR, and Momentum Business Solutions, Inc. agrees to pay the non-refundable amount identified in the preliminary analysis for the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR/NBR. These costs will be referred to as "development" costs. The development costs identified in the preliminary analysis are fixed. If Momentum Business Solutions, Inc. cancels a BFR/NBR after BellSouth has received Momentum Business Solutions, Inc.'s acceptance of the preliminary analysis, Momentum Business Solutions, Inc. agrees to pay BellSouth the reasonable, demonstrable, and actual costs, if any, directly related to complying with Momentum Business Solutions, Inc.'s BFR/NBR up to the date of cancellation, to the extent such costs were not included in the non-refundable amount set forth above.
- 8.0 IfMomentum Business Solutions, Inc. believes that BellSouth's firm price quote is not consistent with the requirements of the Act, Momentum Business Solutions, Inc. may seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.
- 9.0 Unless Momentum Business Solutions, Inc. agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.
- 10.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.

Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.

#### AMENDMENT TO THE AGREEMENT BETWEEN

# MOMENTUM BUSINESS SOLUTIONS, INC. AND

# BELLSOUTH TELECOMMUNICATIONS, INC. DATED JUNE 12, 2002

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc. ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002, ("Agreement").

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete in their entirety the rates for Attachments 1, 2, 3, 4, and 7 for the state of Alabama and replace with the rates as set forth in Exhibit 1 attached hereto and incorporated herein by this reference.
- 2. The Parties agree to delete the language in Sections 5.6.2.1, 5.6.2.2, and 5.6.2.3 of Attachment 2 and replaced with the following:
  - 5.6.2.1 Except as set forth in section 5.6.3 below, in Alabama, Georgia, Kentucky, Louisiana, Mississippi, South Carolina and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit B.
  - 5.6.2.2 In Florida and North Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
  - 5.6.2.3 In Florida and North Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit B.
- 3. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.

4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.	BellSouth Telecommunications, Inc.
By: Signature on file	By: Signature on file
Name: Alan L. Creighton	Name: Patrick C. Finlen
Title: President & CEO	Title: Managing Director
Date:	Date: July 25, 2002

## RESALE DISCOUNTS AND RATES

			•			•		
		ALABAMA						
APPLICAB	LE DISCOU	INTS						
RESIDENCI	Е	16.3%						
BUSINESS		16.3%						
CSAs*								
* Unless noted is	n this row, the d	liscount for Busin	ness will be the applicat	ole discount rate for	· CSAs.			
OPERATIO	NAL SUPPO	ORT SYSTE	MS (OSS) RATES	5				
<u>ELEMENT</u>	<u>USOC</u>							
Electronic LSR	SOMEC	\$3.50						
Manual LSR	SOMAN	\$19.99						·

UNR	INDI F	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	it· B
OND	DINDLL		1			ı	ı					Cya Ordar	Cua Order			Incremental	
														Incremental			
												Submitted		Charge -	Charge -	Charge -	Charge -
CATE	CORV	DATE ELEMENTO	Interi	Zono	BCS	USOC			DATEC(\$)			Elec		Manual Svc	Manual Svc		Manual Svc
CATE	GORT	RATE ELEMENTS	m	Zone	ВСЗ	0300			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-							ļ	Nonre		Namaaaaa	g Disconnect			000	Rates(\$)		
-	+						Rec				·	001150	001111			001441	SOMAN
					<u> </u>	<u> </u>		First	Add'l	First	Add'l	•		SOMAN		SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				eographically	y Deaveraged Ul	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
	http://v	vww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER	ATIONAL	L SUPPORT SYSTEMS															
	NOTE:	(1) Electronic Service Order: CLEC should contact its contract	ct nego	tiator if	it prefers the state s	specific elec	tronic service o	rdering charge	es as ordered l	by the State Co	mmissions. T	he electron	ic service or	dering charg	e currently co	ntained in thi	s rate
	exhibit	is the BellSouth regional electronic service ordering charge.	CLEC	mav ele	ect either the state s	pecific Com	mission ordered	rates for the	electronic serv	rice orderina c	harges, or CLE	C may elec	t the region	al electronic s	service orderi	ng charge.	
		(2) Any element that can be ordered electronically will be bill															lv. For
		elements that cannot be ordered electronically at present per															
		ng charge, SOMAN, will be applied to a CLECs bill when it sub				in tins cate	gory reflects the	charge that	would be billed	I to a CLLC of	ice electronic (	Jideiling cap	Jabilities CO	ine on-ine io	i tilat elelileli	Otherwise,	ine manuai
	Ordeni	Electronic OSS Charge, per LSR, submitted via BST's OSS	Jiiiita ai	LOIC	o Bellooutil.	ı	1					1					
		interactive interfaces (Regional)	1			SOMEC		3.50		1	I				I		
-	+	Manual Service Order Charge, per LSR, Disconnect Only (AL)	1	1		SOMAN	<del>                                     </del>	3.30	1	1.97	<del>                                     </del>	}	<del>                                     </del>		<del>                                     </del>	<del> </del>	
LINE	EDVICE	DATE ADVANCEMENT CHARGE	1	1		SOIVIAIN	+ +		-	1.97	<del></del>	<b> </b>	<del>                                     </del>		<del></del>		
ONE S		The Expedite charge will be maintained commensurate with	Dalle	ithia E	C No 1 Toriff Carti	n Foo or ::	iooblo			<del>                                     </del>	<del>                                     </del>	1	1		<del>                                     </del>		
-	NOTE:		Belloot	ith S FC	C No.1 Tariff, Section	on 5 as appli	icable.										
1	1	UNE Expedite Charge per Circuit or Line Assignable USOC, per	I			00400		000.00		1	1				I		
		Day			ALL UNE	SDASP		200.00									
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30		15.66				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30		15.66				
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16					15.66				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85					15.66				
		CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)			UEANL	UREWO		15.78	8.94				15.66				
		Engineering Information Document (EI)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15									
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		18.09									
	2-WIRE	Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	l i	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15		15.66				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	l i	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15		15.66				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-	· ·		024	OL QL/(	10.07	0	10.10	21.20	0		10.00				
		Designed (per loop)			UEQ	USBMC		8.15									
		Engineering Information Document			UEQ	CODIVIO	1	13.44					15.66				
<b>-</b>	1	Loop Testing - Basic 1st Half Hour	1		UEQ	URET1	†	34.16		<b>—</b>	<b>—</b>	1	15.66		<b>—</b>		
<b>-</b>	1	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA	†	19.85		<b>—</b>	<b>—</b>	1	15.66		<b>—</b>		
<b>-</b>	+	CLEC to CLEC Conversion Charge Without Outside Dispatch	<b>!</b>	<b>I</b>		S.(E1/(	<del>                                     </del>	10.00		<b>†</b>	t	<del> </del>	10.00		<del> </del>		
1	1	(UCL-ND)	I		UEQ	UREWO		14.27	7.43	1	1		15.66		I		
LINE	NDI ED I	EXCHANGE ACCESS LOOP	<del>                                     </del>	1	o_Q	SIVEAAO	1	14.27	1.43	t	t	1	13.00		t		
ONDU		E ANALOG VOICE GRADE LOOP	1	1		ł	1		1	<del> </del>	<del> </del>	1	<b>-</b>		<del> </del>		
	Z-VVIRE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	1		ł	1		1	<del> </del>	<del> </del>	1	<b>-</b>		<del> </del>		
1	1	Zone 1	I	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30		15.66		I		
<b>—</b>	1		<del>                                     </del>	1	OLFOR UEPOB	UEALS	12.58	37.81	17.56	23.49	5.30	1	10.00		<del>                                     </del>		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			UEPSR UEPSB	LIEADO	10.50	07.01	47.50	00.10	F 00		45.00		1		
		Zone 1		1	DEPSK DEPSB	UEABS	12.58	37.81	17.56	23.49	5.30		15.66				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
<u> </u>	-	Zone 2	<u> </u>	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30		15.66		-		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_											1		
<u> </u>	1	Zone 2	ļ	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30		15.66		<b></b>		
1	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	I			L				1	1				I		
<u> </u>	<u> </u>	Zone 3	<u> </u>	3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30		15.66		ļ		
1		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1							1	I				I		
		Zone 3	<u> </u>	3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30		15.66				
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or													1		
L		Ground Start Signaling - Zone 1	<u>L</u>	_1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44	<u> </u>	15.66		<u> </u>	<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or						-						_			
	1	Ground Start Signaling - Zone 2	l	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66		I		

UNBUNDL	LED NETWORK ELEMENTS - Alabama													nent: 2		bit: B
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44		15.66				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		1											
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44		15.66				<b></b>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				UEAR2	00.44	00.00	55.00	47.04	7.44		45.00				
$\longrightarrow \longleftarrow$	Battery Signaling - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	36.14	88.00 18.09	55.00	47.24	7.44		15.66				+
+				UEA UEA	UREWO		18.09 87.72	36.36				15.66				+
4 10/	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWU		87.72	30.30				15.00				+
4-1/1	/IRE ANALOG VOICE GRADE LOOP  4-Wire Analog Voice Grade Loop - Zone 1	<del>                                     </del>	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50	<del>                                     </del>	15.66				+
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	<del>                                     </del>		UEA	UEAL4	25.34 38.58	131.97	94.51	59.14	14.50	<del>                                     </del>	15.66				+
+	4-Wire Analog Voice Grade Loop - Zone 2  4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	60.02	131.97	94.51	59.14	14.50	}	15.66			1	+
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL OCOSL	60.02	18.09	94.51	39.14	14.50		13.00				+
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36				15.66				+
2-W	/IRE ISDN DIGITAL GRADE LOOP			ULA	UKLVVO		01.12	30.30				13.00				+
2-111	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				
<del></del>	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				+
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				+
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	40.00	18.09	15.11	32.00	10.54		13.00				+
-	CLEC to CLEC Conversion Charge without outside dispatch		1	UDN	UREWO		91.63	44.16				15.66				+
2-W	/IRE Universal Digital Channel (UDC) COMPATIBLE LOOP			ODIT	ORETTO		01.00	77.10				10.00				+
<del>-  - '''</del>	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone				+											+
	1		1	UDC	UDC2X	21.88	117.24	79.77	52.88	10.54		15.66				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone	<u> </u>	<u> </u>	000	02027	21.00			02.00	10.01		10.00				
	2	1	2	UDC	UDC2X	32.85	117.24	79.77	52.88	10.54		15.66				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone															
	3	1	3	UDC	UDC2X	48.55	117.24	79.77	52.88	10.54		15.66				
	CLEC to CLEC Conversion Charge without outside dispatch			UDC	UREWO		91.63	44.16				15.66				1
2-W	/IRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_													
	facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44		15.66				
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UAL	UREWO		86.20	40.40				15.66				<b></b>
2-WI	/IRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry		١.,	l		0.74	440.00	00.00	47.04	7.44		45.00				
	& facility reservation - Zone 1	<del>                                     </del>	1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44	1	15.66				+
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44		15.66				1
	2 Wire Unbundled HDSL Loop including manual service inquiry	<del>                                     </del>	-	UIIL	υπι∠λ	10.17	110.00	00.00	41.24	7.44	<del>                                     </del>	10.00				+
	& facility reservation - Zone 3	1	3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44		15.66				
-+	Order Coordination for Specified Conversion Time (per LSR)	1	J	UHL	OCOSL	11.44	18.09	00.00	41.24	7.44	1	13.00				+
-+	2 Wire Unbundled HDSL Loop without manual service inquiry	1	<del>                                     </del>	OI IL	OCOSL		10.09		1		1	-			1	+
1	and facility reservation - Zone 1	1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44		15.66				1
				I O I IL				31.00	41.24	1.44	1	10.00	1	1	1	
	2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>													

UNBUNDI	ED NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhil	bit: B
0.1.2011.21											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-					-	1	Nonrec	urring	Nonrecurring	n Disconnect	-		088	Rates(\$)		<b></b>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2 Wire Unbundled HDSL Loop without manual service inquiry						FIISL	Auu i	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44		15.66				1
-	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UHL	OCOSL		18.09	01.00				10.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-W	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73		15.66				
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73		15.66				
1 1	4-Wire Unbundled HDSL Loop including manual service inquiry	1														1
$\vdash$	and facility reservation - Zone 3	<b>!</b>	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73		15.66		1	1	
$\vdash$	Order Coordination for Specified Conversion Time (per LSR)  4-Wire Unbundled HDSL Loop without manual service inquiry	l		UHL	OCOSL		18.09		<del>                                     </del>							<del>                                     </del>
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73		15.66				1
<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry	l		OI IL	OI IL4VV	13.95	54.00	57.00	31.70	9.13		13.00		-	-	<del>                                     </del>
	and facility reservation - Zone 2	1	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73		15.66				1
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	CITETVV	10.00	04.00	07.00	01.70	0.70		10.00				
	and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73		15.66				1
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40				15.66				
4-W	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09									
L	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05				15.66				<b></b>
4-W	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	LIDI	LIDI 40	20.00	400.07	00.00	50.44	44.50		45.00				
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19 UDL19	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50		15.66 15.66				
	4 Wire Unbundled Digital 19.2 Kbps		3		UDL19	37.88	126.27	88.80	59.14	14.50	1	15.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				<b>——</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2		UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09									<b></b>
L	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75				15.66				<b></b>
2-W	RE Unbundled COPPER LOOP	<b>!</b>			1				1					1	1	<del>                                     </del>
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44		15.66				1
<del>                                     </del>	2-Wire Unbundled Copper Loop/Short including manual service	1		UCL	UCLFD	11.01	112.40	65.30	41.24	1.44		10.00				<del>                                     </del>
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44		15.66				1
	2 Wire Unbundled Copper Loop/Short including manual service	1			002.0	12.75	112.70	00.00	77.27	714	<u> </u>	10.00				<u> </u>
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44		15.66				1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								ſ
	2-Wire Unbundled Copper Loop/Short without manual service															ſ
	inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Short without manual service	1														1
$\vdash$	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44		15.66				<b></b>
	2-Wire Unbundled Copper Loop/Short without manual service	1 .	_		1101 5		a	=								1
$\vdash$	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44		15.66				<del>                                     </del>
$\vdash$	Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop/Long - includes manual srvc.	1		UCL	UCLMC		8.15	8.15	-					-	-	<del>                                     </del>
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL2L	31.42	112.46	65.30	47.24	7.44		15.66				1
$\vdash$	2-Wire Unbundled Copper Loop/Long - includes manual svc.	1			JULEL	51.72	112.70	00.30	71.24	7.44	<u> </u>	10.00				
1 1	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2L	55.01	112.46	65.30	47.24	7.44		15.66				1
	1 , , , , , , , , , , , , , , , , , , ,												1	ı	ı	

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.00	112.46	65.30	47.04	7.44		45.00				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLZL	80.00	8.15	8.15	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service			UCL	OCLIVIC		0.13	0.13								
	inquiry and facility reservation - Zone 1	l i	1	UCL	UCL2W	31.42	91.46	54.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service			002	COLLIN	011.12	01110	0 1.00				10.00				
	inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	55.01	91.46	54.30	47.24	7.44		15.66				
	2-Wire Unbundled Copper Loop/Long - without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	80.00	91.46	54.30	47.24	7.44		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		07.00	10.10				45.00				
4-10/1	(UCL-Des) RE COPPER LOOP			UCL	UREWO		97.23	42.48				15.66				
4-1/1	4-Wire Copper Loop/Short - including manual service inquiry		<b>!</b>						+		1					
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - including manual service inquiry		<u> </u>	002	002.0	17.00	100.21	00.00	00	0.70		10.00				
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - including manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Copper Loop/Short - without manual service inquiry and	Ι.		UCL	UCL4W	47.00	444.04	07.05	54.70	9.73		45.00				
	facility reservation - Zone 1 4-Wire Copper Loop/Short - without manual service inquiry and		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73		15.66				
	facility reservation - Zone 2	١,	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73		15.66				
	4-Wire Copper Loop/Short - without manual service inquiry and	<u> </u>		002	COLTIV	20.70	114.21	07.00	01.70	0.70		10.00				1
	facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	4-Wire Unbundled Copper Loop/Long - includes manual svc.															
	inquiry and facility reservation - Zone 1		1	UCL	UCL4L	49.35	135.21	88.05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - includes manual svc.		_													
	inquiry and facility reservation - Zone 2		2	UCL	UCL4L	92.45	135.21	88.05	51.70	9.73		15.66				ļ
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	127.39	135.21	88.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	127.39	8.15	8.15		9.73		13.00				
	4-Wire Unbundled Copper Loop/Long - without manual svc.			002	COLINIC		0.10	0.10								1
	inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	49.35	114.21	67.05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 2	I	2	UCL	UCL4O	92.45	114.21	67.05	51.70	9.73		15.66				
	4-Wire Unbundled Copper Loop/Long - without manual svc.															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCL4O	127.39	114.21	67.05	51.70	9.73		15.66				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC UREWO		8.15 97.23	8.15 42.48				15.66				ļ
LOOP MODI	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48				15.66				
LOOP WOOD	T			UAL. UHL. UCL.												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UDL, UDC,												
	pair less than or equal to 18k ft	- 1		UDN, UDL, USL	ULM2L		0.00	0.00				15.66				
	Unbundled Loop Modification, Removal of Load Coils - 2 wire															
	greater than 18k ft	I		UCL, ULS, UEQ	ULM2G		170.51	170.51				15.66				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft Unbundled Loop Modification Removal of Load Coils - 4 Wire		<u> </u>	UHL, UCL	ULM4L		0.00	0.00	1		ļ	15.66		<del>                                     </del>		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	١,		UCL	ULM4G		170.51	170.51				15.66		1		
	paii greater triair rok it		<b>!</b>	UAL, UHL, UCL,	ULIVI4G		170.01	170.51	+		-	15.00	1	-	-	<del>                                     </del>
				UEQ, UEF, ULS,												
				UEA, UEANL, UDL,								1		1		
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UDC, UDN, UDL,												
	per unbundled loop		<u>L</u>	USL	ULMBT		32.41	32.41	<u> </u>		<u> </u>	15.66	<u></u>	<u> </u>	<u></u>	
SUB-LOOPS																

IINRII	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evk:I	oit: B
UNDU	NULE	DINETWORK ELEMENTS - Alabama			1							Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
																2.00 .00	Dioc / ida i
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Lo	pop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		244.42					15.66				
		Up			UEAINL	USBSA		244.42					13.00				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		22.64					15.66				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder			OL7 WIL	CODOD		22.04					10.00				
		Facility Set-Up	1		UEANL	USBSC		177.45					15.66				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel						-									
		Set-Up	- 1		UEANL	USBSD		55.15					15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70		15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			l												
		Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70		15.66				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIFANII	LICONIC	40.00	05.00	20.00	45.65	0 ==		45.00	1	1		
<u> </u>		Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70	-	15.66	<del>                                     </del>	<del>                                     </del>		
1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.15	8.15	1				1	1		
-		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USDIVIC		0.10	0.10	-		-					
		Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07		15.66				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	02/11/2	005.11	0.10	70.00		10.7 1	0.07		10.00				
		Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07		15.66				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70		15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC USBR4	F 10	8.15 59.25	8.15	49.71	9.07		45.00				
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	- 1	<u> </u>	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	-	15.66				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70		15.66				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70		15.66				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70		15.66				
		•															
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07		15.66				
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07		15.66	ļ	ļ		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07		15.66	ļ	ļ		
		Order Coordination for Unbundled Cub Lassa asset Lassa as		1	UEF	USBMC		0.45	0.45	1				1	1		
-	Unbur	Order Coordination for Unbundled Sub-Loops, per sub-loop pair dled Sub-Loop Modification		<u> </u>	UEF	OSRIVIC		8.15	8.15	<b>-</b>							
<u> </u>	Jiibuh	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		-	1	+				<del>                                     </del>				-	-		
		Coil/Equip Removal per 2-W PR		1	UEF	ULM2X		175.78	5.10	1			15.66	1	1		
-		Unbundled Sub-loop Modification - 4-W Copper Dist Load			1	3/\		170.70	3.10	<b>I</b>		<u> </u>	10.00	<b> </b>	<b> </b>		
		Coil/Equip Removal per 4-W PR		1	UEF	ULM4X		175.78	5.10	1			15.66	1	1		
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged												1	1		
	<u> </u>	Tap Removal, per PR unloaded			UEF	ULM4T		278.20	6.11	<u> </u>		<u> </u>	15.66	<u> </u>	<u> </u>	<u> </u>	
	Unbun	dled Network Terminating Wire (UNTW)							•		•						
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01		ļ			15.66	ļ	ļ		
	Networ	k Interface Device (NID)		<u> </u>	lucium.	1,015.46		40					4 =				
		Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		43.23	28.38	-			15.66				
-	1	Network Interface Device (NID) - 1-6 lines		-	UENTW UENTW	UND16 UNDC2		63.97 5.87	49.11	<del>                                     </del>		1	15.66 15.66	<del>                                     </del>	<del>                                     </del>		
<b></b>		Network Interface Device Cross Connect - 2 W  Network Interface Device Cross Connect - 4W		1	UENTW	UNDC2 UNDC4		5.87	5.87 5.87	+			15.66				
SUB-LO	OOPS	I VOLWOTA IITIGITAGE DEVICE CIUSS COITIEGE - 4VV			OLIVIV	UNDU		5.07	5.67	<del>                                     </del>			13.00	<del> </del>	<b> </b>		
33B-E		pop Feeder			1	1				<b>†</b>		1		1	1		
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC			UEA,	1				1				1	1		
		Distribution Facility set-up			UDN,UCL,UDL,UDC	USBFW		244.42		1			15.66				
				•			l l			•				•	•		

<u>UNBUND</u> LE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair			UEA,												
	set-up			UDN,UCL,UDL,UDC			22.64	22.64				15.66				
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519.95	11.32				15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	8.03	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice		'	UEA	USBFA	6.03	93.00	36.46	54.51	13.67	1	15.00				
	Grade - Zone 2		2	UEA	USBFA	12.00	93.00	56.48	54.51	13.67		15.66				
-	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start,			OLA	OOD! A	12.00	30.00	00.40	04.01	10.07		10.00				
	Voice Grade - Zone 3		3	UEA	USBFA	20.39	93.00	56.48	54.51	13.67		15.66				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFB	8.03	93.00	56.48	54.51	13.67		15.66				
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice	l			HODED	40.00	00.00	FO :-		40.00		45.00				1
	Grade - Zone 2		2	UEA	USBFB	12.00	93.00	56.48	54.51	13.67		15.66				
1	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	l	3	UEA	USBFB	20.39	93.00	56.48	54.51	13.67		15.66				
<del></del>	Order Coordination for Specified Time Conversion, per LSR	<del>                                     </del>	J	UEA	OCOSL	20.39	18.09	30.48	34.51	13.67	1	10.00	-		-	1
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,			OLA	OCCOL		10.03									
	Voice Grade - Zone 1		1	UEA	USBFC	8.03	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery,					0.00										
	Voice Grade - Zone 2		2	UEA	USBFC	12.00	93.00	56.48	54.51	13.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse															
	Battery, Voice Grade - Zone 3		3	UEA	USBFC	20.39	93.00	56.48	54.51	13.67		15.66				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		18.09									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice							=				4= 00				
	Grade - Zone 1		1	UEA	USBFD	19.21	107.56	70.09	62.05	17.40	1	15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	23.47	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice			OLA	OODI D	20.41	107.50	70.03	02.03	17.40		13.00				
	Grade - Zone 3		3	UEA	USBFD	39.63	107.56	70.09	62.05	17.40		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL	55.55	18.09									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 1		1	UEA	USBFE	19.21	107.56	70.09	62.05	17.40		15.66				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice															
	Grade - Zone 2		2	UEA	USBFE	23.47	107.56	70.09	62.05	17.40		15.66				
1	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	1	3	UEA	USBFE	39.63	107.56	70.09	62.05	17.40		15.66		1		
+	Order Coordination For Specified Conversion Time, Per LSR	-	3	UEA	OCOSL	39.03	107.56	70.09	6∠.05	17.40	<b> </b>	10.00	1	1	-	-
<del></del>	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	1	UDN	USBFF	14.87	106.16	68.69	55.64	13.29	<b> </b>	15.66				-
1	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	1		UDN	USBFF	21.69	106.16	68.69	55.64	13.29		15.66		1		t
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3			UDN	USBFF	32.51	106.16	68.69		13.29		15.66				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		18.09									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	14.87	106.16	68.69	55.64	13.29		15.66			_	
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21.69	106.16	68.69	55.64	13.29		15.66		ļ		
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	<u> </u>	3	UDC	USBFS	32.51	106.16	68.69	55.64	13.29	<u> </u>	15.66	ļ	ļ		<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	ļ		USL	USBFG	55.09	101.85	64.38 64.38	62.05 62.05	17.40		15.66				-
+	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2 Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	-	3	USL USL	USBFG USBFG	124.69 294.62	101.85 101.85	64.38		17.40 17.40	<b> </b>	15.66 15.66	1	1	-	-
+	Order Coordination For Specified Conversion Time, Per LSR	<del>                                     </del>	- 3	USL	OCOSL	234.02	18.09	04.30	02.05	17.40	<u> </u>	15.00		<del> </del>		<del>                                     </del>
1	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	1	UCL	USBFH	5.75	83.78	46.32	53.02	10.67		15.66				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone							2	11.132	12.51		1	1			1
	2	L	2	UCL	USBFH	4.93	83.78	46.32	53.02	10.67	<u> </u>	15.66				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone													1		
	3	ļ	3	UCL	USBFH	3.96	83.78	46.32	53.02	10.67	ļ	15.66		ļ		
	Order Coordination For Specified Conversion Time, per LSR	ļ		UCL	OCOSL	40.71	18.09	00 =0	F7.00	40.00		45.00				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	<del>                                     </del>	1	UCL	USBFJ USBFJ	12.71 9.69	100.99 100.99	63.53 63.53	57.90 57.90	13.26 13.26	<del>                                     </del>	15.66 15.66		-		<del>                                     </del>
+	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2 Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	-		UCL UCL	USBFJ	14.37	100.99	63.53	57.90	13.26	<b> </b>	15.66	1	1	-	-
	Order Coordination For Specified Conversion Time, per LSR	-	5	UCL	OCOSL	17.57	18.09	00.00	57.90	13.20		15.00		<del> </del>		1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL	USBFN	19.20	101.85	64.38	62.05	17.40 17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop			UDL UDL	USBFN USBFN	21.64 23.75	101.85 101.85	64.38 64.38	62.05 62.05	17.40		15.66 15.66				
_	Sub-Loop Feeder - Per 4-Wire 19.2 Rbps Digital Grade Loop -		3	UDL	USBFIN	23.75	101.65	04.30	62.05	17.40		13.00				
	Zone 1		1	UDL	USBFO	19.20	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFO	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop -															
	Zone 3		3	UDL	USBFO	23.75	101.85	64.38	62.05	17.40		15.66				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		18.09									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 1	<u> </u>	1	UDL	USBFP	19.20	101.85	64.38	62.05	17.40	ļ	15.66				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -															
	Zone 2		2	UDL	USBFP	21.64	101.85	64.38	62.05	17.40		15.66				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop -		_	LIDI	LIODES							/= a-				
	Zone 3	<b>!</b>	3	UDL	USBFP	23.75	101.85 18.09	64.38	62.05	17.40	ļ	15.66	1		1	1
SUB-LOOPS	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		18.09									
	Loop Feeder				-											
Sub-i	Sub Loop Feeder - DS3 - Per Mile Per Month	<u> </u>		UE3	1L5SL	13.55										
	Sub Loop Feeder - DS3 - Fer Mile Fer Month  Sub Loop Feeder - DS3 - Facility Termination Per Month	<del>l i</del>		UE3	USBF1	332.40	3,384.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – STS-1 – Per Mile Per Month	i i		UDLSX	1L5SL	13.55	0,004.00	407.00	100.47	00.07		10.00				
	Sub Loop Feeder - STS-1 - Facility Termination Per Month	i i		UDLSX	USBF7	357.36	3,384.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder – OC-3 – Per Mile Per Month	-		UDLO3	1L5SL	10.28	-,									
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per															
	Month	- 1		UDLO3	USBF5	54.89										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month	- 1		UDLO3	USBF2	538.69	3,384.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-12 - Per Mile Per Month	1		UDL12	1L5SL	12.66										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per															
	Month	ı		UDL12	USBF6	620.18										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month	I		UDL12	USBF3	1,729.00	3,384.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-48 - Per Mile Per Month	l I		UDL48	1L5SL	41.51										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per			1151.40	LIODEO	040.00										
	Month			UDL48 UDL48	USBF9 USBF4	310.30 1.495.00	3.570.00	407.00	160.47	90.97		15.66				
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4 USBF8	1,495.00 350.09	788.09	407.00	160.47	90.97		15.66				
LINBLINDI ED	Sub Loop Feeder - OC-12 Interface On OC-48  D LOOP CONCENTRATION	<del>- '</del> -	1	UDL48	USBF8	350.09	788.09	407.00	160.47	90.97	<b> </b>	10.00				
CHBUNDLED	Unbundled Loop Concentration - System A (TR008)	1	<b>-</b>	ULC	UCT8A	364.17	325.41	325.41	+		1	15.66	1			
	Unbundled Loop Concentration - System A (TR008)	<del>                                     </del>		ULC	UCT8B	43.70	135.59	135.59	1		<b>†</b>	15.66			<del>                                     </del>	<del> </del>
	Unbundled Loop Concentration - System A (TR303)	1		ULC	UCT3A	395.12	325.41	325.41				.0.00			1	
	Unbundled Loop Concentration - System B (TR303)	1		ULC	UCT3B	73.64	135.59	135.59				15.66				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	4.16	63.29	46.07	16.79	4.70		15.66			1	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite														1	
	Card)	<u> </u>		UDN	ULCC1	6.60	10.54	10.48	5.39	5.36	<u> </u>	15.66	<u> </u>		<u> </u>	
	Unbundled Loop Concentration - UDC Loop Interface (Brite															
	Card)			UDC	ULCCU	6.60	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration2 Wire Voice-Loop Start or	1			1 7	$\exists$									<u> </u>	
	Ground Start Loop Interface (POTS Card)	ļ		UEA	ULCC2	1.65	10.54	10.48	5.39	5.36	ļ	15.66			ļ	1
I	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery	1	1	l											1	
	Loop Interface (SPOTS Card)	ļ	<u> </u>	UEA	ULCCR	9.81	10.54	10.48	5.39	5.36		15.66				1
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)	1		UEA	ULCC4	5.85	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - TEST CIRCUIT Card	1	<u> </u>	ULC	UCTTC	28.60	10.54	10.48	5.39	5.36	1	15.66				-
<del>                                     </del>	Unbundled Loop Concentration - TEST CIRCUIT Card  Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop	1	1	ULC	JULITU	20.00	10.54	10.48	5.39	5.36	<b> </b>	10.00				
	Interface	1		UDL	ULCC7	8.67	10.54	10.48	5.39	5.36		15.66				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop	1	<u> </u>		02007	0.07	10.54	10.40	3.39	5.50	1	10.00			<b> </b>	1
	Interface	1	1	UDL	ULCC5	8.67	10.54	10.48	5.39	5.36		15.66			1	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop	1											l		İ	
	Interface	1	1	UDL	ULCC6	8.67	10.54	10.48	5.39	5.36	1	15.66	l			1

UNB	JNDLE	D NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhil	oit: B
												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						<b>.</b>	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE C	THER, P	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									
UNF C	THER. P	PROVISIONING ONLY - NO RATE			LIVIVV	ONLON	0.00	0.00									
	1																
					UAL,UCL,UDC,UDL,												
		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no				LIODEO	0.00	0.00									
-	+	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	1	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option -															
		no rate			USL	CCOEF	0.00	0.00									
HIGH	CAPACIT	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.5115	0.00										
		month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	8.38										
		Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58		15.66				
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per			OLS	OLSI X	300.30	431.32	203.34	113.43	03.30		13.00				
		month			UDLSX	1L5ND	8.38										
		High Capacity Unbundled Local Loop - STS-1 - Facility															
		Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58		15.66				
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWINE	1	20.00	20.00								
		queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	PSUMK		0.59	0.59								
HIGH		NCY SPECTRUM															
-		HARING TERS-CENTRAL OFFICE BASED															
	SPLIII	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00		15.66				
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00		15.66				
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00		15.66				
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	ENS ···	deactivation (per LSOD)	V 05=0		ULS	ULSDG		86.47	0.00	49.84	0.00		15.66				
-	END U	SER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENC Line Sharing - per Line Activation (BST Owned splitter)	Y SPEC	IKUM	ULS	ULSDC	0.61	18.51	10.60	10.01	4.92	-	15.66				
	1	Line Sharing - per Line Activation (BST Owned splitter) Line Sharing - per Subsequent Activity per Line	1	-	ULO	ULSDC	0.61	18.51	10.60	10.01	4.92		15.66				
		Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19				15.66				
	1	Line Sharing - per Subsequent Activity per Line			-				2.70								
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19				15.66				
		Line Sharing - per Line Activation (DLEC owned Splitter)	I		ULS	ULSCC	0.61	47.44	19.31	20.02	9.83		15.66				
	LINE S	PLITTING										<u> </u>					
-	END 0	SER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter	1	<del>                                     </del>	UEPSR UEPSB	UREOS	0.61					-					
	1	Line Splitting - per line activation BLEC owned splitter  Line Splitting - per line activation BST owned - physical	H	1	UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83		15.66				
	1	Line Splitting - per line activation BST owned - virtual	i		UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83		15.66				
		TE SITE HIGH FREQUENCY SPECTRUM															
	SPLITT	ERS-REMOTE SITE															
	<del>                                     </del>	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	38.18	221.09	0.00	254.79	0.00	<u> </u>	15.66				
1	1	Remote Site Line Share Cable Pair Activation CLEC Owned at RS and Deactivation			ULS	ULSTG		74.38	0.00	46.77	0.00		15.66				
-	END U	SER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUI	MAKA	REMOT				14.30	0.00	40.77	0.00		13.00				
	, 0,				= = 0	*							1				

HNRIII	NDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	it. D
ONBUI	NULE	O INET WORK ELEMIENTS - AIADAMA	1									Svc Order	Svc Order	Incremental		Incremental	
			l									Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						==(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l		
														1st	Addi	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Remote Site Line Share Line Activationfor End User Served at															
		RS, BST Splitter	- 1		ULS	ULSRC	0.61	37.01	21.19	20.02	9.83		15.66				
		RS Line Share Line Activation for End User served at RS, CLEC															
		Splitter	I		ULS	ULSTC	0.61	37.01	21.19	20.02	9.83		15.66				
		DEDICATED TRANSPORT	L	L													
		INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimul DEFICE CHANNEL - DEDICATED TRANSPORT	m billin	g perio	d - below DS3=one	month, DS3/	STS-1=four mo	nths									
	INTERC																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	ILSAA	0.00636										
		Facility Termination	1		U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade	1		OTT VA	01172	21.13	70.34	21.41	10.74	0.90		10.00				
		Rev Bat Per Mile per month	1		U1TVX	1L5XX	0.008838						1				
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	1				2.200000										
		Facility Termination	1		U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month	1		U1TVX	1L5XX	0.008838						1				
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5307	0.000000										
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	01106	15.12	40.54	27.41	10.74	6.90	-	15.00				
		month			U1TD1	1L5XX	0.18										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	120/01	0.10										
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per							*****								
		month			U1TD3	1L5XX	4.09										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			U1TD3	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	•	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month			U1TS1	1L5XX	4.09										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility	l														-
		Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				
		CHANNEL - DEDICATED TRANSPORT	<u> </u>	<u> </u>		DOMOTO : :											
<b> </b>	NO [E:	LOCAL CHANNEL DEDICATED TRANSPORT - minimum billin	g perio	a - belo				400.40	20.47	20.01	0.00	1	45.00				
<b></b>		Local Channel - Dedicated - 2-Wire Voice Grade  Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat	<del>                                     </del>		ULDVX ULDVX	ULDV2 ULDR2	13.97 13.97	193.10 193.10	33.17 33.17	36.64 36.64	3.20 3.20	-	15.66 15.66		-		
<b>-</b>		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Local Channel - Dedicated - 4-Wire Voice Grade	<del>                                     </del>		UNDVX	ULDK2 ULDV4	13.97	193.10	33.17	36.64 27.11	3.20		15.66				
		Local Channel - Dedicated - 4-Wife Voice Grade  Local Channel - Dedicated - DS1 - Zone 1	<del>                                     </del>	1	ULDD1	ULDF1	35.76	177.47	153.72	22.19	15.26		15.66		-		
		Local Channel - Dedicated - DS1 - Zone 1			ULDD1	ULDF1	49.98	177.47	153.72	22.19	15.26		15.66				
		Local Channel - Dedicated - DS1 - Zone 3			ULDD1	ULDF1	107.63	177.47	153.72	22.19	15.26		15.66				
		Local Channel - Dedicated - DS3 - Per Mile per month	1	Ť	ULDD3	1L5NC	6.92		.002		.0.20		.0.00				
		Local Channel - Dedicated - DS3 - Facility Termination			ULDD3	ULDF3	416.54	451.52	463.94	119.49	83.58		15.66				
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92										
		Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1	ULDFS	408.49	451.52	463.94	119.49	83.58		15.66				
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	l														
		Thereof per month - Local Channel			UDF	1L5DC	60.32										
		NRC Dark Fiber - Local Channel	ļ		UDF	UDFC4		639.09	137.87	317.06	197.66		15.66				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE	41.505							1				
<b>-</b>		Thereof per month - Interoffice Channel	<u> </u>		UDF	1L5DF	22.34	020.00	407.07	247.00	407.00		45.00		ļ		
<u> </u>		NRC Dark Fiber - Interoffice Channel	l	I	UDF	UDF14		639.09	137.87	317.06	197.66	<u> </u>	15.66		l		

LINDUNDI	ED NETWORK ELEMENTS Alabama												A 11 1 -		F. 4.11	
UNBUNDL	ED NETWORK ELEMENTS - Alabama					1					Cora Cardan	Cora Carden		ment: 2		oit: B
												1	Incremental			
												Submitted		Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	NATE ELEMENTS	m	20116	Воо	0000			KATEO(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		ı
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF	1L5DL	60.32										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		639.09	137.87	317.06	197.66		15.66				
8XX ACCES	S TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX															
	Number Reserved			OHD	N8R1X		2.58	0.44				15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.94	0.81	4.57	0.54		15.66				
	8XX Access Ten Digit Screening, Per 8XX No. Established With	1		OLID	NOFTY									1		
<b>—</b>	POTS Translations	<b> </b>	ļ	OHD	N8FTX		5.94	0.81	4.57	0.54	}	15.66		<del> </del>		1
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number	1		OHD	N8FCX		2.58	1.29				15.66		1		
<b> </b>	8XX Access Ten Digit Screening, Multiple InterLATA CXR	<del>                                     </del>	<del>                                     </del>	טו וט	INOFUA		∠.58	1.29	<u> </u>		<del>                                     </del>	10.00		-		
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.02	1.73				15.66				
<del>                                     </del>	8XX Access Ten Digit Screening, Change Charge Per Request	<del>                                     </del>	<b>+</b>	OHD OHD	N8FAX		3.02	0.44	1		1	15.66		1		1
<del>                                     </del>	8XX Access Ten Digit Screening, Change Charge Fer Request 8XX Access Ten Digit Screening, Call Handling and Destination	<del>                                     </del>	<del>                                     </del>	U. 10	INOI AV		3.02	0.44	<del>                                     </del>		<del>                                     </del>	13.00		<del> </del>		
	Features			OHD	N8FDX		2.58					15.66				
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery			OHD	1101 271	0.000565	2.00					10.00				
	8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE INFOR	MATION DATA BASE ACCESS (LIDB)			****		0.00000										
	LIDB Common Transport Per Query			OQT		0.00002										
	LIDB Validation Per Query			OQU		0.012002										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		34.32		42.08			15.66				
SIGNALING																
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
	CCS7 Signaling Usage, Per Call Setup Message			LIDD		0.0000142 0.0000569										
<b>-</b>	CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per link (A link)		1	UDB UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Connection, Per link (A link)  CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	IPP++	15.46	33.33	33.33	10.44	10.44		15.00				
	link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44		15.66				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142	00.00	00.00		10.11		10.00				
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57		15.66				
E911 SERVI	CE															
	Local Channel - Dedicated - 2-wr Voice Grade					13.97	193.10	33.17	36.64	3.20		15.66				
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.008838										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	1								_		l		1		
$\vdash$	Termination	<u> </u>	<b></b>		_	21.13	40.54	27.41	16.74	6.90	<u> </u>	15.66		<b> </b>		ļ
<b>—</b>	Local Channel - Dedicated - DS1 - Zone 1	<b> </b>	ļ		+	35.76	177.47	153.72	22.19	15.26	}	15.66		<del> </del>		1
<b> </b>	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3	<del>                                     </del>	<b> </b>		+	49.98 107.63	177.47 177.47	153.72 153.72	22.19 22.19	15.26 15.26	<b> </b>	15.66 15.66				-
<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Zone 3	1			+	0.18	1//.4/	100.72	22.19	15.26	1	15.00		1		1
	interesting transport - Dedicated - DOT FEI WIIIE	<del>                                     </del>	<del>                                     </del>		+	0.10			<del>                                     </del>		<del>                                     </del>			<del> </del>		
	Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				60.16	89.27	81.81	16.35	14.44		15.66		1		
CALLING NA	AME (CNAM) SERVICE					22.10		201								
	CNAM For DB Owners - Service Establishment			OQV			22.95		21.11							
	CNAM For Non DB Owners - Service Establishment			OQV			22.95		21.11							
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			990.88	732.84	268.93	197.74						
	CNAM For Non DB Owners - Service Provisioning With Point													]		
	Code Establishment	ļ		OQV			342.33	245.14	275.25	197.74				ļ		
$\vdash$	CNAM for DB Owners, Per Query	<u> </u>	1	OQV		0.000902										
LNDC	CNAM for Non DB Owners, Per Query	<del>                                     </del>		OQV		0.000902					1	1		<del>                                     </del>		
LNP Query S	LNP Charge Per guery	<u> </u>			+	0.000757			<u> </u>		1	-				
H +	LNP Service Establishment Manual	<del>                                     </del>	1		+	0.000757	12.52		11.51		}	15.66		1		1
	E. 1. Sorrioo Establishment Wallaal				1		12.02		11.31		1	10.00		1		L

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74		15.66				<b></b>
OPERATOR CA	ALL PROCESSING															1
	Oper. Call Processing - Oper. Provided, Per Min Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPER	ATOR SERVICES		1 -		† †	0.20			t	1			1	1	1	
	Inward Operator Services - Verification, Per Minute				† †	1.15			t				1		1	
	Inward Operator Services - Verification, 1 et will telle Inward Operator Services - Verification and Emergency Interrupt		1 1		1	1.10			<b>I</b>		1		<b> </b>		<b> </b>	
	- Per Minute				1	1.15			1				1		1	İ
BRANDING - O	PERATOR CALL PROCESSING				† †	0			t	1			1		1	
	based CLEC				† †				1	1			1		1	
1	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV							-								
	per OCN				CBAOL		500.00	500.00				15.66				i
UNEP (																
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00				15.66				
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				15.66				
	ding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				15.66				
	SSISTANCE SERVICES															
DIRECT	TORY ASSISTANCE ACCESS SERVICE															<b>I</b>
	Directory Assistance Access Service Calls, Charge Per Call					0.275										<b>.</b>
DIRECT	TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D	ACC)														<b>L</b>
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	R SERVICES INTERCEPT ACCESS SERVICE															1
	SSISTANCE SERVICES															<b>.</b>
DIRECT	TORY ASSISTANCE DATA BASE SERVICE (DADS)															<b></b>
	Directory Assistance Data Base Service Charge Per Listing					0.04										<b></b>
	Directory Assistance Data Base Service, per month				DBSOF	150.00										<b> </b>
	IRECTORY ASSISTANCE															+
Facility	Based CLEC Recording and Provisioning of DA Custom Branded		1		<del>                                     </del>				<b>_</b>		1		-		-	<del>                                     </del>
	Announcement			AMT	CBADA		6,000.00	6,000.00				15.66				<u> </u>
I III I I	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00				15.66				
UNEP (	Recording of DA Custom Branded Announcement		1		+ +		3.000.00	3.000.00	<del>                                     </del>	<b> </b>	1	15.66	<del>                                     </del>	-	<del>                                     </del>	<del></del>
$\vdash$	Loading of DA Custom Branded Announcement per DRAM		1		+ +		3,000.00	3,000.00	+			10.00				<del>                                     </del>
	Card/Switch per OCN						1,170.00	1,170.00				15.66				
Unbran	ding via OLNS for UNEP CLEC				<del>                                     </del>				ļ	ļ			ļ		ļ	<b></b>
<b>  </b>	Loading of DA per OCN (1 OCN per Order)		1		$\vdash$		420.00	420.00	-	<b> </b>		15.66	<b> </b>	ļ	<b> </b>	+
SELECTIVE RO	Loading of DA per Switch per OCN		1		+ +		16.00	16.00	<del>                                     </del>			15.66	<b> </b>		<b> </b>	<del></del>
SELECTIVE RO	Selective Routing Per Unique Line Class Code Per Request Per				USRCR		94.70	94.70	4444	14.44		15.00				
VIRTUAL COLI	Switch		1		USKUK		84.70	84.70	14.11	14.11	1	15.66	<del>                                     </del>	-	<del>                                     </del>	<del></del>
VIRTUAL COLI	Virtual Collocation - Application Cost		1	AMTFS	EAF		1,205.26	1,205.26	0.51	0.51	<del>                                     </del>	15.66	-		-	<del>                                     </del>
	Virtual Collocation - Application Cost Virtual Collocation - Cable Installation Cost, per cable		1	AMTFS	ESPCX		859.71	859.71	22.49	22.49	1	15.66	1	1	1	<del></del>
	Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22	0.03.11	059.71	22.49	22.49	<del>                                     </del>	13.00	<del> </del>		<del> </del>	<del></del>
	Virtual Collocation - Power, per fused amp		1 1	AMTFS	ESPAX	7.83			<b>I</b>		1		<b> </b>		<b> </b>	
<del>-  </del>	Virtual Collocation - Cable Support Structure, per entrance		1 1		20.75	7.00			<b>I</b>		1		<b> </b>		<b> </b>	<del></del>
	cable			AMTFS	ESPSX	14.97										<u>j</u>

CATEGORY RATE ELEMENTS - Alabama											Attacili	nent: 2	Exhil	
		1							Svc Order	Svc Order	Incremental	Incremental	Incremental	
	1								Submitted	Submitted		Charge -	Charge -	Charge -
									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
	m Zo	ne BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m								p =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
											1st	Add'l	Disc 1st	Disc Add'l
				1	Nonros		Nonrecurring	Dissennest			220	Rates(\$)		
				Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		UEANL,UEA,UDN,U			riist	Auu i	Filat	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		DC,UAL,UHL,UCL,U												
		EQ, AMTFS, UDL,												
		UNCVX, UNCDX,												
Virtual Collocation - 2-wire Cross Connects (loop)		UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44		15.66				
		UEA,UHL,UCL,UDL,												
Martin College Control Control Control (Incon)		AMTFS, UAL, UDN,	115404	0.05	40.00	44.07	0.00	5.70		45.00				
Virtual Collocation - 4-wire Cross Connects (loop)		UNCVX, UNCDX AMTFS,UDL12,	UEAC4	0.05	12.39	11.87	6.39	5.73	-	15.66				
		UDLO3, U1T48,												
		U1T12, U1T03,												
		ULDO3, ULD12,												
Virtual Collocation - 2-Fiber Cross Connects		ULD48, UDF	CNC2F	2.84	20.89	15.20	7.38	5.92		15.66				
		AMTFS,UDL12,												
		UDLO3, U1T48,												
		U1T12, U1T03,												
		ULDO3, ULD12,												
Virtual Collocation - 4-Fiber Cross Connects		ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25		15.66				
		USL,ULC,AMTFS, ULR, UXTD1,												
		UNC1X, ULDD1,												
		U1TD1, USLEL,												
Virtual collocation - DS1 Cross Connects		UNLD1	CNC1X	1.11	22.03	15.93	6.40	5.79		15.66				
		USL,ULC,AMTFS,U												
		E3, U1TD3, UXTS1,												
		UXTD3, UNC3X,												
		UNCSX, ULDD3,												
		U1TS1, ULDS1,	ON IDAY			4= 00								
Virtual collocation - DS3 Cross Connects Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92		15.66				
Support Structure, per linear foot		AMTFS	VE1CB	0.0026										
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		AWITTO	VETOB	0.0020										
Cable Support Structure, per linear ft		AMTFS	VE1CD	0.0038										
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable														
Support Structure,per cable		AMTFS	VE1CC		535.37					15.66				
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	T									1				
Cable Support Structure, per cable		AMTFS	VE1CE		535.37		005.55			15.66				
Virtual Collocation Cable Records - per request		AMTFS	VE1BA		1,518.57	1,518.57	265.99	265.99		15.66				
Virtual Collocation Cable Records - VG/DS0 Cable, per cable record		AMTFS	VE1BB		653.83	653.83	378.24	378.24		15.66				
Virtual Collocaiton Cable Records - VG/DS0 Cable, per each		AWIIIO	V _ 100		000.00	055.05	310.24	310.24		13.00				
100 pair		AMTFS	VE1BC		9.62	9.62	11.79	11.79		15.66				
Virtual Collocation Cable Records - DS1, per T1TIE		AMTFS	VE1BD	İ	4.50	4.50	5.52	5.52		15.66				
Virtual Collocation Cable Records - DS3, per T3TIE		AMTFS	VE1BE		15.75	15.75	19.32	19.32		15.66				
Virtual Collocation Cable Records - Fiber Cable, per 99 fiber													_	
records		AMTFS	VE1BF		168.97	168.97	154.25	154.25		15.66				
Virtual collocation - Security Escort - Basic, per half hour		AMTES	SPTBX		16.93	10.73				15.66				
Virtual collocation - Security Escort - Overtime, per half hour		AMTES	SPTOX		22.05	13.86				15.66				
Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour		AMTFS AMTFS	SPTPX		27.17 27.93	16.98 10.73			-	15.66 15.66				
virtual conocation - maintenance in CO - basic, per nall hour		PIVITES	OTINEX	+	21.93	10.73			-	13.00				
Virtual collocation - Maintenance in CO - Overtime, per half hour		AMTFS	SPTOM		36.47	13.86				15.66				
										12.20				
Virtual collocation - Maintenance in CO - Premium per half hour		AMTFS	SPTPM		45.02	16.98				15.66				
VIRTUAL COLLOCATION														
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-					40									
Wire Analog - Res		UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred First		Nonrecurring	Disconnect Add'l	COMEC	SOMAN		Rates(\$)	COMAN	COMAN
-	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-						First	Add'l	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															1
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				<u> </u>
	ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44		15.66				
VIRTUAL COL				OLI LX	VETIC	0.03	12.55	11.07	0.59	3.44		15.00				
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line			LIEDOD LIEDOD	VE41.0	0.00	40.00	44.00	0.00	5.44		45.00				
PHYSICAL CO	Splitting			UEPSR, UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44		15.66				1
THIOIDAL OC	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
AIN SELECTIV	Splitting /E CARRIER ROUTING		ļ	UEPSR, UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44		15.66				-
AIN OLLLOTT	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70			15.66				+
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70		15.66				
	Query NRC, per query			SRC		0.002749										
AIN - BELLSC	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69		15.66				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09		15.66				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09		15.66				+
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMAU		35.00	35.00	27.06	27.06		15.66				
	Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71		15.66				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69		15.66				
	AIN Toolkit Service - Training Session, Per Customer			CAIVI	BAPVX		4,202.17	4,202.17	40.09	40.03		15.66				<del>                                     </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,	,								
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		7.83	7.83	9.09	9.09		15.66				
	DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				ВАРТО		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<b> </b>		BAPTC		34.47	34.47	14.36	14.36		15.66				<del>                                     </del>
	DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36		15.66				
	AIN Toolkit Service - Query Charge, Per Query					0.05										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access		1													<b>†</b>
	Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		-		+	0.05										<del>                                     </del>
	Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50		15.66				

CATEGORY	D NETWORK ELEMENTS - Alabama  RATE ELEMENTS				1								Attachi	nent: 2	Exhil	bit: B
CATEGORY	RATE FLEMENTS											_				
CATEGORY	RATE ELEMENTS												Incremental			
CATEGORY	RATE ELEMENTS											Submitted		Charge -	Charge -	Charge -
CATEGORY		Interi	7	BCS	USOC			RATES(\$)			Elec		Manual Svc	Manual Svc		Manual Svc
	KATE ELEMENTO	m	Zone	всэ	USUC			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						I	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.87	8.66	8.66				15.66				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service															
	Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50		15.66				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit															
	Service Subscription			CAM	BAPES	0.10	8.66	8.66				15.66				
	KTENDED LINK (EELs)															
	New EELs available in GA, TN, KY, LA, MS, & SC and density															
	Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-															
	In all states, EEL network elements shown below also apply to							As Is Charge a	oplies to curre	ntly combined	facilities co	nverted to	UNEs.(Non-re	curring rates	do not apply	.)
	In GA, TN, KY, LA, MS & SC the EEL network elements apply to				ements.(No S	witch As Is Ch	arge.)							1		+
2-WIRE	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	EKUFF	CE IR	ANSPUKI (EEL)												<del></del>
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		4	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				1
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVA	UEALZ	14.30	00.00	55.00	41.24	7.44		15.00				<del></del>
	Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	1	15.66				1
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed			UNCVA	ULALZ	22.03	88.00	33.00	47.24	7.44		13.00				
	Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-	0110177	OLALE	00.14	00.00	00.00	47.24	7.44		10.00				
	per month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 combination - Facility			0.10.71	120701	0.10						10.00				
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	DS1 Channelization System Per Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44		15.66				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															İ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				
	Voice Grade COCI - DS1 to DS0 Channel System combination -			1110101	1041/0	0.50	0.50	4.70				45.00				İ
	per month			UNCVX	1D1VG	0.56	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
$\vdash$	is criarge			UNCIX	UNCCC		5.59	5.59	0.90	0.90		15.66				<del></del>
4-WID!	I E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INT	FROFF	CF TP	ANSPORT (FFI \								15.66		1		
1-1VIKE	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice	LAGIT	OL IN	AITO OILI (LLL)								10.00				<b>—</b>
1 1	Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1	15.66				1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice			-						50						
] ]	Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50		15.66				1
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				<u> </u>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			-									-			1
igwdow	Per Month			UNC1X	1L5XX	0.18						15.66				<b>└</b>
I I -	Interoffice Transport - Dedicated - DS1 - Facility Termination Per										1					1
$\vdash \vdash \vdash$	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				<b>├</b>
1 1	Channelization - Channel System DS1 to DS0 combination Per			LINGAY		407.10	04.04	00	40 = 1	0 =0	1	45.00				1
$\vdash \vdash \vdash$	Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66		1		<del>                                     </del>
	Voice Grade COCI - DS1 to DS0 Channel System combination -			UNCVX	1D1VG	0.56	6.58	4.72			1	15.66				1
$\vdash$	per month Additional 4-Wire Analog Voice Grade Loop in same DS1	-		ONCVA	טווטו	0.56	86.0	4.72			<b> </b>	10.00		1		<del>                                     </del>
	Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1	15.66				1
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1		-	OINOVA	OLAL4	25.54	131.97	34.31	35.14	14.50		13.00				<del>                                     </del>
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	1	15.66				1
$\vdash$	Additional 4-Wire Analog Voice Grade Loop in same DS1		_			00.00	101.01	0-1.01	00.14	14.50	<b> </b>	10.00				<b>—</b>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50	1	15.66				1
	Voice Grade COCI - DS1 to DS0 Channel System combination -			-						50				l		
1 1	per month			UNCVX	1D1VG	0.56	6.58	4.72			1	15.66				1

INBRINDF	.ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs.
		m									per LSK	per Lon	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		201150	001111		Rates(\$)	0011411	001111
<del></del>	Nonrecurring Currently Combined Network Elements Switch -As-	}					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
												15.66				
4-WI	RE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (EEL)								15.66				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1			UNCDX	LIDI FC	20,00	400.07	00.00	50.44	44.50		45.00				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 - combination Facility			OING IA	ILOAA	0.18						10.00				
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination Per															
	Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
<del></del>	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1			UNCDX	טטוטו	1.19	0.36	4.72				13.00				
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1															
ullet	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
1 1	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
<del></del>	OCU-DP COCI (data) - DS1 to DS0 Channel System -		3	UNCDX	ODLSO	37.00	120.21	88.80	39.14	14.50		13.00				
1 1	combination per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-															
$\vdash \!$	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
4-W	I RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT (FFL)								15.66 15.66				
7 111	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	I		THAIRDI OILI (EEE)								10.00				
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice								=0.44			4= 00				
	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		_						551.1.							
	Per Month			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			LINICAV	U1TF1	60.16	89.27	81.81	40.05	14.44		45.00				
	Channelization - Channel System DS1 to DS0 combination Per			UNC1X	UIIFI	60.16	89.27	81.87	16.35	14.44		15.66				
	Month			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System															
$\vdash$	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1		_	CITODA	JDL04	20.09	120.21	00.00	55.14	14.30		10.00				
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1				l											
$\vdash \vdash$	Interoffice Transport Combination - Zone 3	<b> </b>	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-			5.10DA	.0.00	1.19	0.00	7.12				10.00				
	Is Charge	<u></u>		UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
												15.66				
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTE	EROFFI	CE TRA	ANSPORT (EEL)								15.66				
1 1	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	١	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1	15.66		1		1

	D NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Fxhib	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						• • •			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Add I	DISC 1St	DISC Add I
							Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															
1	Transport - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				ł
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice															1
1	Transport - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				ł
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		-													
1	Per Month			UNC1X	1L5XX	0.18						15.66				ł
	Interoffice Transport - Dedicated - DS1 combination - Facility			OHO IX	120701	0.10						10.00				
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				ł
$\vdash$	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	01111	00.10	00.27	01.01	10.00	14.44		10.00				
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				ł
$\vdash$	io Oridigo			011017	0.1000		5.59	5.55	0.50	0.90	<b> </b>	15.66		-		
1-WID	E DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTE	ROFF	CE TR	NSPORT (FEL)	<del>†</del>				<del>                                     </del>			15.66		<del>                                     </del>		
4-44 IKI	First DS1Loop in DS3 Interoffice Transport Combination - Zone	I	JE IKA	THE CALL	1						1	10.00		1		
1 1	1 Has Do Loop in Doo interonice Transport Combination - Zone	1	4	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66		Ì		1
$\vdash$	First DC1L con in DC2 Intereffice Transport Combination 7	<u> </u>	<del>  '</del>	UNUIA	USLAA	02.55	232.47	107.54	44.70	11./1		10.00				
1 1	First DS1Loop in DS3 Interoffice Transport Combination - Zone	1	2	UNC1X	USLXX	45440	252.47	157.54	44.70	44 74		45.00		Ì		1
$\vdash$	Eirat DC11 con in DC2 Intereffice Transport Combination 7	<u> </u>		UNCIX	USLAA	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone		3	LINICAV	LICL VV	244.52	050.47	457.54	44.70	44.74		45.00				ł
$\vdash$	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				<b></b>
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															ł
$\vdash$	Per Month			UNC3X	1L5XX	4.09						15.66				<b></b>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															ł
	month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				<b></b>
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72				15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															ł
	Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in DS3 Interoffice Transport Combination -															ł
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				Ļ
1	Additional DS1Loop in DS3 Interoffice Transport Combination -															ł
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				<u> </u>
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72				15.66				<u> </u>
1	Nonrecurring Currently Combined Network Elements Switch -As-															ł
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				<u> </u>
												15.66				1
2-WIR	E VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)								15.66				<u> </u>
	2-WireVG Loop used with 2-wire VG Interoffice Transport	l														1
	Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44		15.66		L		<u> </u>
	2-WireVG Loop used with 2-wire VG Interoffice Transport															ı
<u> </u>	Combination - Zone 2	L	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	<u>                                      </u>	15.66		<u> </u>		1
	2-WireVG Loop used with 2-wire VG Interoffice Transport															
	Combination - Zone 3	<u> </u>	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44		15.66				<u> </u>
	Interoffice Transport - Dedicated - 2-wire VG combination - Per															
1	Mile Per Month	l		UNCVX	1L5XX	0.008838					l	15.66		Ì		1
	Interoffice Transport - Dedicated - 2- Wire Voice Grade															i
1	combination - Facility Termination per month	l		UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90	l	15.66		Ì		1
	Nonrecurring Currently Combined Network Elements Switch -As-															í
1	Is Charge	l		UNCVX	UNCCC		5.59	5.59	6.98	6.98	l	15.66		Ì		ł
					1						İ	15.66				1
4-WIR	E VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INT	EROFF	ICE TR	ANSPORT (EEL)								15.66				1
	4-WireVG Loop used with 4-wire VG Interoffice Transport															1
1 1	Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		15.66		Ì		1
	4-WireVG Loop used with 4-wire VG Interoffice Transport									, ,						1
1	Combination - Zone 2	l	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50	l	15.66		Ì		ł
	4-WireVG Loop used with 4-wire VG Interoffice Transport	1	t	-	1	22.20				30				1		i
	Combination - Zone 3	l	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		15.66				1
	Interoffice Transport - Dedicated - 4-wire VG combination - Per	1	Ť		1	55.52		001	334	50		.0.00		1		<del></del>
1 1	Mile Per Month	1		UNCVX	1L5XX	0.008838						15.66		Ì		1
$\vdash$	Interoffice Transport - Dedicated - 4- Wire Voice Grade	l				0.000000					<del> </del>	.0.50		<b> </b>		
	combination - Facility Termination per month	l		UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90	l	15.66		Ì		1

UNRUNDI	LED NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Fyhil	oit: B
SIADOIADI	LLD INC. INC. INC. LELINILIN 13 - Alabama										Svc Order	Svc Order	Incremental		Incremental	
		1	1								Submitted	Submitted		Charge -	Charge -	Charge -
		lustani									Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b> </b>	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			-			1	Nonrec	curring	Nonrecurring	Disconnect			220	Rates(\$)		
-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOM AN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-						11131	Auu	11130	Auu	COME	COMPAN	COMPAR	COMPAR	COMPAR	COMPAR
	Is Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
												15.66				
DS3	B DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	CE TRA	NSPOR	T (EEL)								15.66				
	High Capacity Unbundled Local Loop - DS3 combination - Per			LINIONY	41.5115	0.00						45.00				ı İ
	Mile per month High Capacity Unbundled Local Loop - DS3 combination -		<del>                                     </del>	UNC3X	1L5ND	8.89						15.66				
	Facility Termination per month			UNC3X	UE3PX	327.71	451.52	263.94	119.49	83.58		15.66				
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	401.02	200.04	110.40	00.00		15.66				
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-	1									1	1				
	Is Charge	ļ	1	UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
СТС	 31 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROF	LICE TO	DANCE	ODT (EEL)								15.66				
1515	High Capacity Unbundled Local Loop - STS1 combination - Per	FICE II	KANSP	JKI (EEL)								15.66				
	Mile per month			UNCSX	1L5ND	8.89						15.66				
	High Capacity Unbundled Local Loop - STS1 combination -				1 - 0 - 1 -											
	Facility Termination per month			UNCSX	UDLS1	339.21	451.52	263.94	119.49	83.58		15.66				ı J
	Interoffice Transport - Dedicated - STS1 combination - Per Mile															
	per month			UNCSX	1L5XX	4.09						15.66				ļļ
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46		15.66				, ,
-	Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCOX	UTIFS	701.37	2/0./3	102.70	60.20	36.46		13.00				
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				, ,
	io orialigo			0.1007	0.1000		0.00	0.00	0.00	0.00		15.66				
2-W	IRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPOR	RT (EEL	_)									15.66				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
<b></b>	Transport - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54		15.66				ļļ
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				, ,
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCINA	UILZA	32.03	117.24	19.11	52.00	10.54		13.00				
	Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		15.66				, ,
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18						15.66				
	Interoffice Transport - Dedicated - DS1 combintion - Facility															
$\vdash$	Termination per month	ļ	<u> </u>	UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		15.66				
	Channelization - Channel System DS1 to DS0 combination -			LINICAY	MO4	407.40	04.04	60.57	40.54	0.70		45.00				, ,
$\vdash$	per month  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	-	+	UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79		15.66				
	combination - per month			UNCNX	UC1CA	2.56	6.58	4.72				15.66				, J
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<u> </u>		30.0/(	2.00	0.00	7.12				10.00				
	Combination - Zone 1	L	_1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54	<u> </u>	15.66				<u>,                                    </u>
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
$\vdash$	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54		15.66				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	LINIONIV	U1L2X	48.55	447.04	70.77	50.00	40.54		45.00				
$\vdash$	Combination - Zone 3  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System	1	3	UNCNX	UILZX	48.55	117.24	79.77	52.88	10.54	-	15.66				
	combintaion- per month			UNCNX	UC1CA	2.56	6.58	4.72				15.66				
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1		23.0	2.50	2.00	2				.0.50				
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
						_						15.66				
4-W	IRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 IN	ITEROF	FICE T	RANSPORT (EEL)								15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				1
$\vdash$	First DS1 Loop in STS1 Interoffice Transport Combination -	1	+ -	OINC IV	USLAA	8∠.55	252.47	157.54	44.70	11.71	-	10.00				
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71		15.66				
	First DS1 Loop in STS1 Interoffice Transport Combination -															
	Zone 3	<u>L</u>	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	<u> </u>	15.66				<u>.                                    </u>
		-														

UNBUND	DLED NETWORK ELEMENTS - Alabama												Attachr	nent· 2	Fyhi	bit: B
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge -
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS1 combination - Per Mile						FIISL	Auu i	FIISt	Add I	SOWIEC	SOWIAN	SOWAN	SOWAN	SOWAN	SOWIAN
	Per Month			UNCSX	1L5XX	4.09						15.66				
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	701.37	278.75	162.76	60,20	58.46		15.66				
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83		15.66				1
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13.47	6.58	4.72				15.66				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71		15.66				
	Additional DS1Loop in STS1 Interoffice Transport Combination -		2	LINIOAN	1101.207	454.40	050.47	457.54	44.70	11.71		15.66				
	Zone 2 Additional DS1Loop in STS1 Interoffice Transport Combination -		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11./1		15.66				
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71		15.66				ļ
	DS3 Interface Unit (DS1 COCI) combination per month  Nonrecurring Currently Combined Network Elements Switch -As-	<b>-</b>	1	UNC1X	UC1D1	13.47	6.58	4.72				15.66				<del>                                     </del>
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				<u> </u>
4-14	 	EEICE 1	DANG	DODT (EEL)								15.66 15.66				
4-44	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport	I I	KANSI									13.00				+
	Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50		15.66				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50		15.66				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.008838						15.66				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	·											15.66				
4-W	VIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROP	FFICE 1	RANSI	PORT (EEL)								15.66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50		15.66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50		15.66				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50		15.66				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.008838		22.30		30		15.66				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- is Charge			UNCDX	UNCCC	10.12	5.59	5.59	6.98	6.98		15.66				
ADDITION/	AL NETWORK ELEMENTS		1	ONODA	UNCCC		5.59	5.59	0.90	0.90		13.00				<del>                                     </del>
	nen used as a part of a currently combined facility, the non-recurr															
	nen used as ordinarily combined network elements in Tennessee, de (SynchroNet)	the nor	n-recuri	ring charges apply	and the Switc	h As Is Charge	does not.									<del>                                     </del>
	nrecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each con	nbination)											†
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98		15.66				
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98		15.66				
-+	Nonrecurring Currently Combined Network Elements Switch -As-															
' l	Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98		15.66				

ONRONDE	LED NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonreci		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade			UNCXV	ULDV2	13.97	193.10	33.17	36.64	3.20		15.66				
	Local Channel - Dedicated - 4-Wire Voice Grade			UNCXV	ULDV4	14.93	193.53	33.60	37.11	3.67		15.66				
	Local Channel - Dedicated - DS1 per month Zone 1		2	UNC1X	ULDF1 ULDF1	35.76 49.98	177.47 177.47	153.72 153.72	22.19 22.19	15.26		15.66 15.66				
	Local Channel - Dedicated -DS1 Per Month Zone 2  Local Channel - Dedicated - DS1- Per Month Zone 3		3	UNC1X UNC1X	ULDF1	107.63	177.47	153.72	22.19	15.26 15.26		15.66				
	Local Channel - Dedicated - DS3 - Per Mile per month		3	UNC3X	1L5NC	6.92	177.47	155.72	22.19	15.26		15.00				
	Local Channel - Dedicated - DS3 - Facility Termination			UNC3X	ULDF3	416.54	451.52	263.94	119.49	83.58		15.66				
	Local Channel - Dedicated - STS-1- Per Mile per month			UNCSX	1L5NC	5.81	401.02	200.04	110.40	00.00		10.00				
	Local Channel - Dedicated - STS-1 - Facility Termination			UNCSX	ULDFS	872.27	483.06	204.36	60.20	58.46		15.66				
Optio	onal Features & Functions:															
	TIPLEXERS		<u> </u>			İ										
	Channelization - DS1 to DS0 Channel System		1	UXTD1	MQ1	101.06	91.04	62.57	10.54	9.79		15.66				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1													
	month (2.4-64kbs)		<u>L</u>	UDL	1D1DD	1.12	6.58	4.72			<u> </u>	15.66				<u></u>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					Ī										
	month			UDN	UC1CA	2.41	6.58	4.72				15.66				
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.53	6.58	4.72				15.66				
	DS3 to DS1 Channel System per month			UXTD3	MQ3	166.13	176.14	93.97	33.26	31.83		15.66				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	166.13	176.14	93.97	33.26	31.83		15.66				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	12.70	6.58	4.72				15.66				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72				15.66				
	DS3 Interface Unit (DS1 COCI) used with Interoffice Channel			OLDD1	OCIDI	12.70	0.56	4.72				13.00				
	per month			U1TD1	UC1D1	12.70	6.58	4.72				15.66				
												15.66				
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	nange Ports			<u> </u>												
	E: Although the Port Rate includes all available features in GA, I	KY, LA	& IN, t	he desired feature	s will need to b	e ordered usin	g retail USOCs									
2-771	IRE VOICE GRADE LINE PORT RATES (RES)  Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-wire Arialog Line Port- Res.			UEFSR	UEPKL	1.30	2.30	2.21	1.42	1.33		13.00				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-Wire VG unbundled AL extended local															
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33		15.66				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33		15.66				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00				15.66				
												45.00				
FEA	TURES		-	LIEDOD	LIED) /E	4.00	0.00					15.66				
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
	All Available Vertical Features IRE VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	1.98	0.00	0.00								
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -								1 //2	1 22						
	All Available Vertical Features IRE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSR UEPSB	UEPVF	1.98	2.38	2.27	1.42	1.33		15.66				
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with			UEPSB	UEPBL	1.38	2.38	2.27				15.66				
	All Available Vertical Features IRE VOICE GRADE LINE PORT RATES (BUS) Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus								1.42	1.33						
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB UEPSB	UEPBC UEPBC	1.38	2.38	2.27	1.42	1.33		15.66 15.66				
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBL	1.38	2.38	2.27				15.66				
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB UEPSB	UEPBC UEPBC	1.38	2.38	2.27	1.42	1.33		15.66 15.66				
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local			UEPSB UEPSB	UEPBC UEPBO	1.38 1.38 1.38	2.38 2.38 2.38	2.27 2.27 2.27	1.42	1.33		15.66 15.66				
	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			UEPSB UEPSB	UEPBC UEPBO	1.38 1.38 1.38	2.38 2.38 2.38	2.27 2.27 2.27	1.42	1.33		15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Subsequent Activity			UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW	1.38 1.38 1.38	2.38 2.38 2.38 2.38	2.27 2.27 2.27 2.27	1.42 1.42 1.42	1.33 1.33 1.33		15.66 15.66 15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  TURES			UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW UEPB1 USASC	1.38 1.38 1.38 1.38 1.38	2.38 2.38 2.38 2.38 2.38	2.27 2.27 2.27 2.27 2.27 2.27 0.00	1.42 1.42 1.42 1.42	1.33 1.33 1.33		15.66 15.66 15.66 15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus Subsequent Activity  TURES  All Available Vertical Features			UEPSB UEPSB UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW UEPB1	1.38 1.38 1.38 1.38	2.38 2.38 2.38 2.38	2.27 2.27 2.27 2.27 2.27	1.42 1.42 1.42 1.42	1.33 1.33 1.33		15.66 15.66 15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Subsequent Activity  TURES  All Available Vertical Features  HANGE PORT RATES (DID & PBX)			UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW UEPB1 USASC	1.38 1.38 1.38 1.38 1.38 0.00	2.38 2.38 2.38 2.38 2.38 0.00	2.27 2.27 2.27 2.27 2.27 2.000 0.00	1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.66 15.66 15.66 15.66 15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Subsequent Activity  TURES  All Available Vertical Features  HANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW UEPB1 USASC UEPVF UEPRD	1.38 1.38 1.38 1.38 1.38 0.00	2.38 2.38 2.38 2.38 2.38 0.00 0.00	2.27 2.27 2.27 2.27 2.27 0.00 0.00 14.85	1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.66 15.66 15.66 15.66 15.66 15.66				
2-WI	All Available Vertical Features  IRE VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus  Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.  Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  Subsequent Activity  TURES  All Available Vertical Features  HANGE PORT RATES (DID & PBX)			UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB	UEPBC UEPBO UEPAW UEPB1 USASC	1.38 1.38 1.38 1.38 1.38 0.00	2.38 2.38 2.38 2.38 2.38 0.00	2.27 2.27 2.27 2.27 2.27 2.000 0.00	1.42 1.42 1.42 1.42	1.33 1.33 1.33 1.33		15.66 15.66 15.66 15.66 15.66 15.66				

CATEGORY RATE ELEMENTS  Interi m  Zone BCS USOC RATES(\$)  Svc Order Submitted Elec Manually per LSR Per LSR Processing Pr	HINBLINDL	ED NETWORK ELEMENTS - Alabama												Attachr	ment: 2	Evhi	bit: B
ATTEMPT   Section   Sect	CIADOIADE	LD INLIMORY ELEMENTS - AIGNOUNG	1	1	I	T	1					Cup Ord	Sun Ord				Incremental
CATEGORY   RATE ELEMENTS   Defended   Part   Sec.   Sec.   USOC   Part   Sec.   Part																	
## ATT ELEMENTS ## 2006 ## 2006 ## 200																Charge -	Charge -
March   Marc		_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
Service   Serv	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Second Column   Second Colum												· ·		Electronic-	Electronic-	Electronic-	Electronic-
Comment   Comm																Disc 1st	Disc Add'l
Print   Add   SOME														101	Addi	D130 131	Disc Add I
2-Wire AVX Luc Sels Lithounded Tocomon PXX Tunix - Bys							B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
2-Vivin VPS Limits Set Unblunded Incorrang PEX Trank - Data   UPPS   UPPD   1-38   31.27   14.68   13.94   0.90   15.68							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2. Wine Andoo Long Distance Termen Pix Tork. Bus   UPPS  UPPA  1.38   31.27   14.65   13.94   0.00   15.66		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			LIFPSP	UFPP1	1.38										
2-Wive Voco Uncondided 2-Way PEX Malagema Calling Port   UPPS   UPPS   UPPS   1.38   31.27   1.485   33.94   0.90   15.68																	
2-Wine Value Unbounded PRIX D Terminal Ports   UFPSP   UFPX   U																	<del>                                     </del>
2-WW Vice Unknowled 2-Wy PBX Lot Grammat Prof.   UPPSP   UPPN   L188   13.87   14.68   13.94   0.00   15.66																	-
2-Wine Vacio Unburded PDX Toll Tornial Intel® Pots   UEPSP   UEPVB   1.38   31.27   14.86   13.94   0.90   15.66																	<del> </del>
2-Wine Visco Enhanced PIX.L D Corneros Section 1975   UEPSP   UEPSC   1.38   31.27   14.65   13.94   0.00   15.66																	<u> </u>
Every Note Unbunded PRX. D Terminal Switchboard PDX   UEPSP   UEPSP   UEPSP   1.38   31.27   14.85   13.94   0.90   15.66																	
2-Wire Vace Unbundled PRIX.DT emmal Switchcoard ED   UEPSP   UEPXL   1.38   31.27   14.85   13.94   0.00   15.66																	ļ
Capable Port   1.38   31.27   14.85   13.94   0.00   15.66					UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90		15.66				
2-Wire Vote Unbundled 2-Way PSK Hotel-Hospital Economy		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
Administrative Calling Port		Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90		15.66				
Administrative Calling Port		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						•									
EVALUATION   Continue   Continu					UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90		15.66				
Room Calling Port				i –		İ			,,,			1	1	1			
24/Wer Volke Unburddet 1-Way Outgoing PBX Hotelshopstal   UEPSP   UEPXD   1.38   31.27   14.85   13.94   0.00   15.66   15.6					UEPSP	UEPXM	1 38	31 27	14 85	13 94	0.90		15.66				
Discount Room Calling Port   UEPSP   UEPXS   1.38   13.27   14.65   13.94   0.00   15.66     2-Wire Voice Unbrudded 1-Way Outgoing PBX Messured Port   UIPPSP   UEPXS   1.38   31.27   14.65   13.94   0.30   15.66     5-Wissequent Activity   UEPSP   UEPXS   1.38   13.27   14.65   13.94   0.30   15.66     5-Wissequent Activity   UEPSP   UEPXS   1.38   0.00   0.00   0.00   0.00   0.00   15.66     5-Wissequent Activity   UEPSP   UEPXS   0.00	<del>                                     </del>			t		J=. /(W)	1.00	01.27	14.00	10.04	0.30	1	10.00	t			+
2.Viiir Voice Unbundled 1-Vivy Outgoing PBX Measured Port   UEPSP   UEPXP   UEPXP   USASC   0.00					LIEDOD	LIEDVO	4 20	24.27	4405	12.04	0.00	1	15.60	1			
Subsequent Activity	$\vdash$		-	1								<del>                                     </del>		<del>                                     </del>			<del>                                     </del>
FEATURES										13.94	0.90						
All Available Vertical Features					UEPSP	USASC	0.00	0.00	0.00				15.66				
EXCHANGE PORT RATES (CON)	FEAT																
Exchange Ports - Coin Port					UEPSP UEPSE	UEPVF	1.98	0.00	0.00				15.66				
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.  NOTE: Access to B Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request UNBUNDLED LOCAL Exchange Ports -2-Wire IDD Port  Exchange Ports -2-Wire IDD Droft  Exchange Ports -2-Wire IDD Droft  Exchange Ports -2-Wire IDD Droft  Exchange Ports -2-Wire IDD Port  Exchange Ports -2-Wire ISDN Port (See Notes below.)  UEPTX UEPSX UIPMA 9-79 72-77 62-99 47/79 10.74 15.66  Exchange Ports -2-Wire ISDN Port (See Notes below.)  UEPTX UEPSX UIPMA 9-79 72-77 62-99 47/79 10.74 15.66  Exchange Ports -2-Wire ISDN Port (See Notes below.)  UEPTX UEPSX UIPMA 9-79 72-77 62-99 47/79 10.74 15.66 15.66  Exchange Ports -2-Wire ISDN Port (See Notes below.)  UEPTX UEPSX UIPMA 9-79 72-77 62-99 47/79 10.74 15.66	EXCH																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet Capabilities will be determined via the Bona Fide RequestNew Business Request Process Request Process. Rates for the packet Request Process Request Process Request Process Request Process Request Process Request Process Request Process Request Process		Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33		15.66				
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide RequestNew Business Request Process. Rates for the packet capabilities will be validated with 2-wire ISON ports.    WEPTX UEPTX UEPTX UEPTY UEPTY UEPTX UEPTY UE	NOTE	: Transmission/usage charges associated with POTS circuit sv	witched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transm	nission by B-Ch	nannels associ	iated with 2	wire ISDN	ports.			
UBBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)	NOTE	: Access to B Channel or D Channel Packet capabilities will be	availal	ble onl	y through BFR/New	<b>Business Re</b>	quest Process.	Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fid	de Request/	New Business	Request Pro	cess.	
EXCHANGE PORT RATES																	
Exchange Ports - 2-Wire ISD Port   UEPD   UEPDD   UEPDD   UEPDD   0.09   202.02   95.68   72.59   2.46   15.66   UEPTX UEPSX   UEPVF   1.98   0.00																	1
Exchange Ports - DOTTS Port - 4-Wire DSI Port with DID   UEPDD					LIEPEX	UFPP2	8.05	119.31	18 74	59 90	3.76		15.66				1.97
Capability				1	02.12.7	022	0.00	110.01	10.11	00.00	0.70		10.00				1.07
Exchange Ports - 2-Wire ISDN Port (See Notes below.)					LIEDUU	LIEBUU	60.09	202.02	95.69	72 50	2.46		15.66				1.97
All Features Offered	-																1.97
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.   NOTE: Access to B Channel Profiles   UEPTR UEPSR   UIUMA   0.00   0.										47.79	10.74		15.00				1.97
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request			l														ļ
Exchange Ports - 2-Wire ISDN Port - Channel Profiles   UEPTX UEPSX   U1UMA   0.00															l		ļ
Exhange Ports - 4-Wire ISDN DSI Port	NOTE		availal	ble only						lities will be de	termined via t	he Bona Fid	de Request/	New Business	Request Pro	cess.	ļ
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY   UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE   UDbundled Remote Call Forwarding Service, Area Calling, Res   UEPVR   UERAC   1.38   2.38   2.27   1.42   1.33   15.66																	
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE   UEPVR UERAC   1.38   2.38   2.27   1.42   1.33   15.66					UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06		15.66				1.97
Unbundled Remote Call Forwarding Service, Area Calling, Res   UEPVR   UERAC   1.38   2.38   2.27   1.42   1.33   15.66	UNBU	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	′														
Unbundled Remote Call Forwarding Service, Local Calling - Res   UEPVR   UERLC   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, InterLATA - Res   UEPVR   UERTE   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Res   UEPVR   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is   UEPVR   USAC2   0.10   0.10   UEPVR   UERVR   UERVR   UERVR   USAC2   Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)   UEPVR   USACC   Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERAC   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service Expanded and   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   UERVJ   UERVJ   1.38   2.38   2.27   1.42	UNBL	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
Unbundled Remote Call Forwarding Service, Local Calling - Res   UEPVR   UERLC   1.38   2.38   2.27   1.42   1.33   15.66					UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33		15.66				
Unbundled Remote Call Forwarding Service, InterLATA - Res   UEPVR   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is   UEPVR   USAC2   0.10   0.10     Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)   UEPVR   USACC   0.10   0.10     Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service Expanded and   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service Expanded and   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33		, <u>, , , , , , , , , , , , , , , , , , </u>				i e											
Unbundled Remote Call Forwarding Service, InterLATA - Res   UEPVR   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is   UEPVR   USAC2   0.10   0.10     Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)   UEPVR   USACC   0.10   0.10     Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERC   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service Expanded and   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Call Forwarding Service Expanded and   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66     Unbundled Remote Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.38	2.38	2 27	1.42	1.33		15.66	1			
Unbundled Remote Call Forwarding Service, IntraLATA - Res   UEPVR   UERTR   1.38   2.38   2.27   1.42   1.33   15.66				1								1		1			1
Non-Recurring	<del>                                     </del>			1								t		<b>†</b>			<b>†</b>
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	Non-			<del>                                     </del>	O-1 VIV	JERTIN	1.50	2.30	2.21	1.72	1.33	1	15.00	1			<del>                                     </del>
Switch-as-is	INOI1-I			<u> </u>		<b> </b>	-					<del>                                     </del>	-	-			<del>                                     </del>
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)					LIED/D	LICACO		0.40	0.40			1	45.00	1			
Allowed change (PIC and LPIC)	<del></del>			<u> </u>	UEPVK	USAC2		0.10	0.10			-	15.66	-			<del>                                     </del>
UNBUNDLED REMOTE CALL FORWARDING - Bus												1		1			
Unbundled Remote Call Forwarding Service, Area Calling - Bus   UEPVB   UERAC   1.38   2.38   2.27   1.42   1.33   15.66					UEPVR	USACC		0.10	0.10	ļ		1	15.66	ļ			ļ
Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERLC   1.38   2.38   2.27   1.42   1.33   15.66	UNBU	JNDLED REMOTE CALL FORWARDING - Bus				ļ							ļ				1
Unbundled Remote Call Forwarding Service, Local Calling - Bus   UEPVB   UERLC   1.38   2.38   2.27   1.42   1.33   15.66					<u> </u>			·					i				
Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service Expanded and   Exception Local Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB		Unbundled Remote Call Forwarding Service, Area Calling - Bus	L	L	UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33		15.66	<u> </u>	<u> </u>		
Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service Expanded and   Exception Local Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   UEPVB																	
Unbundled Remote Call Forwarding Service, InterLATA - Bus   UEPVB   UERTE   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service Expanded and   Exception Local Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEP		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33		15.66				
Unbundled Remote Call Forwarding Service, IntraLATA - Bus   UEPVB   UERTR   1.38   2.38   2.27   1.42   1.33   15.66   Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UERVJ   1.38   2.38   2.27   1.42   1.33   15.66   UEPVB   UEPVB   UERVJ   1.38   UEPVB   UERVJ   1.38   UEPVB   UERVJ   1.38   UEPVB   UERVJ   1.38   UEPVB   UERVJ   1.38   UEPVB   UERVJ   UERV												1					
Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling UEPVB UERVJ 1.38 2.38 2.27 1.42 1.33 15.66	<del>                                     </del>			1								t		<b>†</b>			<b>†</b>
Exception Local Calling         UEPVB         UERVJ         1.38         2.38         2.27         1.42         1.33         15.66	<del>                                     </del>			<b>!</b>		3=	1.50	2.00	2.21	1.72	1.00	1	10.00	t			<del>                                     </del>
					LIEDV/D	HEBV/I	1 20	2 20	2 27	1 40	1 22		15.66	1			
INON-RECURING	Non !			<del>                                     </del>	OLF VD	OLIVU	1.38	2.38	2.21	1.42	1.33	1	13.00	<del>                                     </del>	-		+
	Non-I			1		<del>                                     </del>	<del>                                     </del>			ļ		1	<del>                                     </del>	<del>                                     </del>			<del> </del>
Unbundled Remote Call Forwarding Service - Conversion -  Switch-as-is  UEPVB USAC2 0.10 0.10 15.66					LIEDVO												

	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental		Incremental	
											1	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	po. zo.	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.00
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service - Conversion with											4= 00				
LINDUNDI EE	allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE			UEPVB	USACC		0.10	0.10				15.66				
	Office Switching (Port Usage)															
Liiu	End Office Switching Function, Per MOU	1				0.0007025					1					
	End Office Trunk Port - Shared, Per MOU					0.0007623										
Tand	lem Switching (Port Usage) (Local or Access Tandem)					0.0001000										
	Tandem Switching Function Per MOU					0.000095										
	Tandem Trunk Port - Shared, Per MOU					0.0002015										
Comr	mon Transport															
	Common Transport - Per Mile, Per MOU					0.0000023										
	Common Transport - Facilities Termination Per MOU					0.0003224										
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost	Based Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to p	rovide Unbun	dled Local Swit	ching or Swite	ch Ports.								
Featu	ures shall apply to the Unbundled Port/Loop Combination - Cos	st Based	Rates	section in the same	manner as th	ey are applied t	to the Stand-A	lone Unbundle	d Port section	of this Rate E	xhibit.					
End (	Office and Tandem Switching Usage and Common Transport U Alabama, Georgia, Kentucky, Louisiana, MIssissippi, South Car	sage rat	es in tl	ne Port section of the	his rate exhib	it shall apply to	all combination	ons of loop/po	rt network elen	nents except	for UNE Coi	n Port/Loop	Combinatio	ns.		
	y to Not Currently Combined Combos for all states. In AL, GA, H									and NC these i	nonrecurring	g charges a	re Market Rat	es and are als	so listed in the	e Market Rat
	on. For Currently Combined Combos in all other states, the no	onrecur	ing ch	arges shall be thos	e identified in	the Nonrecurri	ng - Currently	Combined sec	ctions.							
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2	ļ	2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE	Loop Rates			LIEDDY	HEBLY	44.55										
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	11.55										
+-	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX UEPRX	UEPLX	20.04 33.65										
2-Mir	re Voice Grade Line Port Rates (Res)	-	3	UEPRA	UEPLX	33.00										
2-7411	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63	-	15.66				-
	2-Wire voice unbundled port vith Caller ID - res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundled port with Carlet 15 - res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice Grade unbundled Alabama extended local dialing			OLI TOX	CLITO	1.10	40.10	10.00	24.01	0.00		10.00				
	parity port with Caller ID - res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire voice unbundles res, low usage line port with Caller ID			02.100	02.7		10.10	10.00	2	0.00		10.00				
	(LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63		15.66				
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00				15.66				
LOC#	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
								0.40				45.00				
	Switch-as-is			UEPRX	USAC2		0.10	0.10				15.66				
ADDI"	Switch-as-is ITIONAL NRCs			UEPRX	USAC2		0.10	0.10				15.00				
ADDI	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX UEPRX	USAC2 USAS2	0.00	0.10	0.10				15.66				
2-WIR	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					0.00										
2-WIR	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates															
2-WIR	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
2-WIR	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		2			12.70 21.19										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS) Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3					12.70										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates		3	UEPRX	USAS2	12.70 21.19 34.80										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	USAS2	12.70 21.19 34.80 11.55										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		3 1 2	UEPRX UEPBX UEPBX	USAS2  UEPLX  UEPLX	12.70 21.19 34.80 11.55 20.04										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3 1 2	UEPRX	USAS2	12.70 21.19 34.80 11.55										
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  re Voice Grade Line Port (Bus)		3 1 2	UEPRX UEPBX UEPBX UEPBX	USAS2  UEPLX  UEPLX  UEPLX  UEPLX	12.70 21.19 34.80 11.55 20.04 33.65	0.00	0.00	24.04	600		15.66				
2-WIR UNE I	TIONAL NRCS  2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity  RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)  Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3 1 2	UEPRX UEPBX UEPBX	USAS2  UEPLX  UEPLX	12.70 21.19 34.80 11.55 20.04			24.91	6.63						

LINDIII	IDI EI	O NETWORK ELEMENTS - Alabama												Attach	ment: 2	Evhil	oit: B
UNBUI	NDLE	O NETWORK ELEWENTS - Alabama		1		1 1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		
CATEGO	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								Manual Svc
OA!LO		KATE EEEMENTO	m	20.10	500	0000			παι Εσ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	U U	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice Grade unbundled Alabama extended local dialing															
		parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.15	40.19	19.83	24.91	6.63		15.66				
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
<b>└</b>	FEATU																
		All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00				15.66				
$\vdash \vdash \vdash$	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											
					LIEDDY	USAC2		0.40	0.40				45.00				
$\vdash$	ADDIT	Switch-as-is ONAL NRCs	<del>                                     </del>	<u> </u>	UEPBX	USAC2		0.10	0.10	-			15.66		-		-
<del> '</del>		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<del>                                     </del>	l -		+									1		1
		Activity			UEPBX	USAS2		0.00	0.00				15.66				
$\vdash$	2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<b> </b>	1	02. DA	50/102		0.00	0.00				10.00				
		ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1		† 1	12.70										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
	JNE Lo	op Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.65										
	2-Wire	Voice Grade Line Port Rates (RES - PBX)															
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20		15.66				
<b>└</b>	LOCAL	NUMBER PORTABILITY				1											
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00				15.66				
<b>├</b> ──	FEATU	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00				15.66				
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRG	UEPVF	1.98	0.00	0.00				15.00				
	NONKE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+											
		Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90				15.66				
-	ADDITI	ONAL NRCs			OLI IKO	00/102		7.01	1.00				10.00				
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				15.66				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
		Group						7.32	7.32				15.66				
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	JNE Po	ort/Loop Combination Rates							-								
		2-Wire VG Loop/Port Combo - Zone 1		1	-		12.70										
$\sqcup$		2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
$\sqcup$		2-Wire VG Loop/Port Combo - Zone 3	ļ	3		<u> </u>	34.80										
<b>⊢</b> —- '	UNE LO	op Rates	ļ	<b>.</b>	HEDDY	LIEDLY	44.55										
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1	<b> </b>	1	UEPPX	UEPLX	11.55								1		1
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>		UEPPX UEPPX	UEPLX UEPLX	20.04 33.65								-		-
$\vdash$	2-Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>	3	ULFFA	UEPLA	33.00			-			-		1		1
+	AAIIG	Voice Grade Line Fort Nates (DUS - FDA)	<del>                                     </del>	1		+ +				-			-		1		1
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20		15.66				
$\vdash$		Line Side Unbundled Outward PBX Trunk Port - Bus	<b>†</b>	1	UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20		15.66				1
		Line Side Unbundled Incoming PBX Trunk Port - Bus		i –	UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 2-Way Combination PBX Alabama		1				55.55			2.20				İ		İ
		Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20		15.66		l		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20		15.66				

UNBU	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Svo Order vs. Electronic-
1								Nonred	curring	Nonrecurring	Disconnect				Rates(\$)	Disc 1st	Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
		Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			CELLX	OLI XL	1.10	00.00	02.41	07.40	0.20		10.00				
		Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		15.66				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20		15.66				
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.66				
	FEATU																
		All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00				15.66				
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	USAC2		7.04	4.00				45.00				l
	A DDITI	Conversion - Switch-As-Is ONAL NRCs		<u> </u>	UEPPX	USAC2		7.91	1.90			-	15.66				
	ADDIII	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						-					<del></del>
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.66				
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt			-												
		Group	<u> </u>					7.32	7.32				15.66				
		VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	UNE PO	ort/Loop Combination Rates  2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.70										
		2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	21.19					-					<del></del>
		2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										-
	UNE La	pop Rates					04.00										
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	33.65										
	2-Wire	Voice Grade Line Ports (COIN)															
		2-Wire Coin 2-Way without Operator Screening and without															
		Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63		15.66				
		900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
		(AL, LA, MS)			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin 2-Way with Operator Screening & Blocking:	1											1			1
		900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)	<u> </u>		UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin Outward with Operator Screening and Blocking:	1	1	02.1 00	JEI IVIV	1.13	40.15	19.03	24.51	0.03		13.00				<del>                                     </del>
		011, 900/976, 1+DDD (AL, KY, LA, MS)	1		UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63		15.66	1	1		1
		2-Wire Coin Outward Operator Screening & Blocking: 900/976,					_							1	1		
		1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Coin Outward Smartline with 900/976 (all states except			LIEDOO	LIEDOS		40.40	10.00	0461	2.55		45.00				1
	ADDIT	LA) ONAL UNE COIN PORT/LOOP (RC)	1	-	UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63	1	15.66	<del>                                     </del>	<del>                                     </del>		1
ŀ	AUUIII	UNE Coin Port/Loop (RC) UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	1.56	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
	LOCAL	NUMBER PORTABILITY	<del>                                     </del>	<del>                                     </del>	OLFOO	UNLOU	06.1	40.19	19.63	24.91	0.03	-	13.00	<del> </del>	<del> </del>		<del></del>
		Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35			†		1		1	1		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	1				2.20			Ì				İ	Ì		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
		Switch-as-is			UEPCO	USAC2		0.10	0.10				15.66				
	ADDITI	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1										4.5.5	1	1		1
		Activity	<u> </u>	<u> </u>	UEPCO	USAS2		0.00	0.00		]	1	15.66	]	]		<u> </u>

UNRI	INDI F	D NETWORK ELEMENTS - Alabama													Δttach	ment: 2	Fyhil	oit: B
3.150													Svc Order	Svc Order	Incremental		Incremental	Incremental
													Submitted	Submitted		Charge -	Charge -	Charge -
													Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m		_								per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															1st	Add'l	Disc 1st	Disc Add'l
								_	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
								Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID																
		(LUM)			UEPFR		UEPAP	2.07	225.00	175.00				15.66				ł
UNBU	DLED F	ORT/LOOP COMBINATIONS - COST BASED RATES																
	2-WIRE	VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															1
	UNE Po	ort/Loop Combination Rates																í
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				22.40										ĺ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.88										ĺ
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				44.17										
	UNE Lo	pop Rates																1
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.38										ł
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	22.85	, in the second second									
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	36.14										
		ort Rate																
		Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	8.02	207.31	73.74	107.14	11.20		15.66				<u> </u>
	NONRE	CURRING CHARGES - CURRENTLY COMBINED	<u> </u>						Ť									
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																í
		Switch-as-is			UEPPX		USAC1		7.31	1.87								<u></u>
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																ł
		with BellSouth Allowable Changes			UEPPX		USA1C		7.31	1.87								<u></u>
		ONAL NRCs																
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.78	26.78								<b></b>
		one Number/Trunk Group Establisment Charges																
		DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								<b></b>
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								<b></b>
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00	0.00	0.00								<b></b>
		Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								<b></b>
		Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								<b></b>
	LOCAL	NUMBER PORTABILITY			LIEDDY		LNDOD	0.45	0.00	0.00								<b></b>
-	0.14/105	Local Number Portability (1 per port)	NE OID	DODI	UEPPX		LNPCP	3.15	0.00	0.00								<del></del>
		ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	POR														
	UNE PO	ort/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-														
		UNE Zone 1		1	UEPPB	UEPPR		27.20										í
-		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<u> </u>	UEPPB	UEFFR		27.28										
		UNE Zone 2		2	UEPPB	UEPPR		37.86										ł
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLFFB	ULFFR		37.00										
		UNE Zone 3		3	UEPPB	UEPPR		53.84										í
	UNFI	pop Rates			OLITE	OLITIK		33.04										
-	3.1L L	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	19.03										ſ
<b>—</b>	<del>                                     </del>	5311 Biginal Grade Ecop   OTE 20110 1	<del>                                     </del>	<u> </u>	J = . 1 D	J 1 11	3322/	10.00										ſ
1		2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB	UEPPR	USL2X	29.62							Ì	Ì		1
		2-Wire ISDN Digital Grade Loop - UNE Zone 3	<b>†</b>	3	UEPPB	UEPPR	USL2X	45.60							1	1		ĺ
	UNE Po			Ť	<u> </u>		1								İ	1		í
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28		15.66	İ	1		í
		CURRING CHARGES - CURRENTLY COMBINED	1				1					<u> </u>			İ	İ		í
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																1
		Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	38.51	27.02				15.66	Ì	Ì		1
		ONAL NRCs																1
	LOCAL	NUMBER PORTABILITY																ı .
		Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								ı .
	B-CHA	NNEL USER PROFILE ACCESS:																
		CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	TN)														<b>i</b>
	<b>.</b>	CVS/CSD (DMS/5ESS)	<b></b>		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00					ļ			<b></b>
<u> </u>	<u> </u>	CVS (EWSD)	<u> </u>		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								<b></b>
	<u> </u>	CSD	<u> </u>		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								<b></b>
	USER 1	TERMINAL PROFILE	<u> </u>				]				]	]	1	l	]	]		

HINBUNDU	ED NETWORK ELEMENTS - Alabama													Attach	ment: 2	Evk:	oit: B
SINDUNDE	LD RETROIN ELLINERTO - Alabama											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
		lustani										Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m										per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonrec		Nonrecurring					Rates(\$)		
		1						First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
VEDI	User Terminal Profile (EWSD only)	1		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERI	All Vertical Features - One per Channel B User Profile	1		UEPPB	UEPPR	UEPVF	1.98	0.00	0.00			1					
INTE	ROFFICE CHANNEL MILEAGE			UEPPB	UEPPK	UEFVF	1.90	0.00	0.00				-		-		
1141-21	Interoffice Channel mileage each, including first mile and	1															
	facilities termination			UEPPB	UEPPR	M1GNC	21.14	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00				0.00				
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI	K PORT															
UNE	Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP			166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE													1			
$\vdash$	Zone 2	1	2	UEPPP			238.50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_	LIEDDO			000.0-								1		
LINE	Zone 3 Loop Rates	1	3	UEPPP		<del>                                     </del>	398.85			1		1	-	<del>                                     </del>	<del>                                     </del>		-
UNE	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPPP		USL4P	82.55								+		
	4-Wire DS1 Digital Loop - UNE Zone 2	+		UEPPP		USL4P	154.18										
	4-Wire DS1 Digital Loop - UNE Zone 3			UEPPP		USL4P	314.52										
UNE	Port Rate		_ <u> </u>	02		002	011.02										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77		15.66				
NONF	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is			UEPPP		USACP	0.00	119.07	78.56				15.66				
ADDI	TIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD		DDTTE		0.40									
	Inward/two way tel nos within Std Allowance (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TF		0.49									
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.51									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -	+		ULFFF		FR/10		11.51									
	Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		23.02									
LOC/	AL NUMBER PORTABILITY			02				20.02									
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTER	RFACE (Provsioning Only)																
	Voice/Data			UEPPP		PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP		PR71D	0.00	0.00	0.00								
<u> </u>	Inward Data	ļ		UEPPP		PR71E	0.00	0.00	0.00					ļ	1		
New o	or Additional "B" Channel	<del> </del>	<u> </u>	HEDDD		PR7BV	0.00	44.50		1		1		<b> </b>	1	-	
+-+-	New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel	1		UEPPP		PR7BF	0.00	14.53 14.53		<del>                                     </del>		1	-	-	<del>                                     </del>		
<del>                                     </del>	New or Additional Inward Data B Channel	1		UEPPP		PR7BD	0.00	14.53		1		1		1	t	1	1
CALL	TYPES	1		02111		1 11/100	0.00	14.55							<b>-</b>		
J	Inward	1		UEPPP		PR7C1	0.00	0.00	0.00					1	1		
	Outward			UEPPP		PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Interc	office Channel Mileage																
	Fixed Each Including First Mile			UEPPP		1LN1A	60.32	89.27	81.81	16.35	14.44		15.66				
	Each Airline-Fractional Additional Mile	ļ		UEPPP		1LN1B	0.16								1		
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del>                                     </del>				<b>_</b>				ļ		<u> </u>		<b> </b>	-	ļ	ļ
UNE	Port/Loop Combination Rates	1	1	LIEDDC		<del>                                     </del>	140.04			1				<b> </b>	<del>                                     </del>		
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1 4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<del>                                     </del>	2	UEPDC UEPDC		1	142.64 214.26			-		1		<del> </del>	<del></del>	1	-
$\vdash$	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	1	3	UEPDC		1	374.61			+		1	1	1	<del> </del>	1	1
UNF	Loop Rates	+	-	OLI DO		+	574.01					<b> </b>		<del> </del>	<del>                                     </del>		
1	4-Wire DS1 Digital Loop - UNE Zone 1	1	1	UEPDC		USLDC	82.55			1				1	1		
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC		USLDC	154.18										
	4-Wire DS1 Digital Loop - UNE Zone 3	İ	3	UEPDC		USLDC	314.52	İ				Ì		1			
UNE	Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC		UDD1T	60.09	454.49	253.23	117.29	14.17		15.66				

UNB	UNDLE	D NETWORK ELEMENTS - Alabama			_									Attach	ment: 2	Exhi	bit: B
	GORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -			
			m									por zent	po. 20.1	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonrec			Disconnect				Rates(\$)		
	NOND	FOURDING OUADOES, OURDENITY YOUNDINED						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NONKI	ECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		<u> </u>		-											
		- Switch-as-is			UEPDC	USAC4		129.49	67.02				15.66				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		129.49	67.02				15.66				
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		129.49	67.02				15.66				
	ADDIT	IONAL NRCs		<u> </u>	UEPDC	USAWB		129.49	67.02				15.66				-
	ADDIT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				1				1							
		Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	UDTTA		14.48	14.48				15.66				
		Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.48	14.48				15.66				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.48	14.48				15.66				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.48	14.48				15.66				
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	BIPOL	Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION			UEPDC	UDTTE		14.48	14.48				15.66				
	Dii OL	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00								1
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00								
	Alterna	ate Mark Inversion															
		AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	Teleph	none Number/Trunk Group Establisment Charges			LIEDDO	LIDTOY	0.00										
		Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group			UEPDC UEPDC	UDTGX UDTGY	0.00										
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00			1							
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00									<b>†</b>
		DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00										
		Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	Dedica	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	runk Port											
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44		15.66				
	1 -	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.16	0.00	0.00								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	+	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	+	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC	1LNOB	0.16	0.00	0.00								<del>                                     </del>
	1	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.16	0.00	0.00								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
_	1	Central Office Termininating Point			UEPDC	CTG	0.00					ļ					
		E DS1 LOOP WITH CHANNELIZATION WITH PORT		}													
		n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti System can have up to 24 combinations of rates depending on			har of narta us-	1				<del>                                     </del>		1		<del>                                     </del>	<del>                                     </del>		
		S1 Loop	type ar	iu num	per or ports used					<del> </del>				1	1		
	5.4L D	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00								
	1	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00	1				İ	İ		<u> </u>
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
	UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ıs)					_									
	1	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	101.40	0.00	0.00								
	1	48 DSO Channel Capacity - 1 per 2 DS1s		1	UEPMG	VUM48	202.80	0.00	0.00			1					
	<del> </del>	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00	-		<u> </u>		<b> </b>	<b> </b>		<b>↓</b>
		144 DS0 Channel Capacity - 1 per 6 DS1s		<u> </u>	UEPMG	VUM14	608.40	0.00	0.00	1			1	1	1		<b></b>

ONBONDLE	D NETWORK ELEMENTS - Alabama			1	1	1					-			ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	192 DS0 Channel Capacity -1 per 8 DS1s			LIEDMO	\ // IN 44.0	044.00	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity -1 per 8 DS1s			UEPMG UEPMG	VUM19 VUM20	811.20 1.014.00	0.00	0.00								+
	288 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00						-	-	+
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00			1					+
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00								+
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00								<b>†</b>
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,839,20	0.00	0.00								1
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									1
	imum System configuration is One (1) DS1, One (1) D4 Channe															1
Multip	les of this configuration functioning as one are considered Ac	d'I afte	r the m	ninimum system cor	figuration is	counted.										1
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36				15.66				
Syster	n Additions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat													1
	Not Currently Combined) in all states, except in Density Zone 1				1											1
,	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															1
	and Assoc Fea Activation			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65		15.66				
Bipola	r 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe -					0.00									1	1
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
Altern	ate Mark Inversion (AMI)					0.00										1
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								1
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								1
Excha	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
Excha	nge Ports															
	Line Cide Combination Channelined DDV Tauri Dest. Dusings			UEPPX	UEPCX	4.45	0.00	0.00	0.00	0.00		45.00				
	Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.15 1.15	0.00	0.00	0.00	0.00		15.66 15.66				+
	Line Side Odtward Charmenzed FBX Trunk Fort - Business			OLFFX	OLFOX	1.13	0.00	0.00	0.00	0.00	1	13.00				+
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00		15.66				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00	1	15.66				+
	2-Wire Channelized PBX Area Calling Service Combination Port			OLITA	OLI DIVI	0.00	0.00	0.00	0.00	0.00	1	13.00				+
	(AL Only)			UEPPX	UEPA4	1.15	0.00	0.00				15.66				
	2 Wire Channelized PBX Area Calling Service Outgoing Only														1	1
	Port (AL Only)			UEPPX	UEPA3	1.15	0.00	0.00				15.66				
Featur	re Activations - Unbundled Loop Concentration															1
	Feature (Service) Activation for each Line Side Port Terminated															
	in D4 Bank			UEPPX	1PQWM	0.56	54.55					15.66				
	Feature (Service) Activation for each Trunk Side Port Terminated															
	in D4 Bank			UEPPX	1PQWU	0.56	77.03					15.66				1
Teleph	none Number/ Group Establishment Charges for DID Service				ļ <u> </u>											1
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Numbers - per number			UEPPX UEPPX	ND5	0.00	0.00	0.00								-
	Reserve Non-Consecutive DID Numbers Reserve DID Numbers		-	UEPPX	ND6 NDV	0.00	0.00	0.00								+
Local	Number Portability			ULFFA	INDV	0.00	0.00	0.00						+	+	+
Local	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00						<del> </del>	<del> </del>	+
FFATI	JRES - Vertical and Optional			OLI I A	LIVI OI	5.15	0.00	0.00			<b> </b>			<del>                                     </del>	<del>                                     </del>	+
	Switching Features Offered with Line Side Ports Only				+									<b>-</b>	<b>-</b>	<del>                                     </del>
Local	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00			1			<b>I</b>	<b>I</b>	<del>                                     </del>
UNE L	oop Rates				1		0.00	3.00						1	1	<del>                                     </del>
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s		1										1	1	1
	t Based Rates are applied where BellSouth is required by FCC		State (	Commission rule to	provide Unbi	undled Local S	witching or Sw	itch Ports.						1	İ	1
	tures shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					1
	Office and Tandem Switching Usage and Common Transport											oin Port/Lo	on Combinat	ions		1

UNBUND	LFF	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Fyhil	bit: B
ON BOND	Ī	THE THORIT CEEDING THE PROPERTY OF THE PROPERT										Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	Y	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC 1St	DISC Add I
							B	Nonre	curring	Nonrecurring	g Disconnect		•	oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4. F	or A	labama, Georgia, Kentucky, Louisiana, MIssissippi, South C	arolina,	and Te	nnessee, the recurr	ing UNE Por	t and Loop cha	rges listed ap	ply to Currentl	y Combined ar	nd Not Current	ly Combine	Combos.	The the first	and additiona	l Port nonrec	urring
cha	arges	apply to Not Currently Combined Combos for all states. In A	AL, GA,	KY, LA	, MS, SC, and TN th	ese nonrecu	rring charges a	re commissio	n ordered cost	based rates ar	nd in FL and N	C these nor	recurring c	harges are Ma	arket Rates ar	nd are listed in	n the Market
Rate	e se	ction. For Currently Combined Combos in all other states, t	he noni	recurrin	g charges shall be	those identif	ied in the Nonr	ecurrina - Curi	rently Combine	ed sections.			·	·			
		et Rates for Unbundled Centrex Port/Loop Combination will							Ι ΄								
		ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
		G Loop/2-Wire Voice Grade Port (Centrex) Combo															
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design	1	2	UEP91	1	21.19		Ì	1	1		İ	Ì	Ì		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		-	1			İ	İ	1			İ	İ	İ	İ
		Non-Design	1	3	UEP91	I	34.80			I	I			Ì	Ì	I	
UNE		rt/Loop Combination Rates (Design)															
J.11.		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1		†	1		1	t	t	1		1	1	<b>†</b>	1
		Design		1	UEP91		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.		10.00										
		Design		2	UEP91		24.00										
h		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 0.	+	21.00										
		Design		3	UEP91		37.29										
LINE		op Rate		3	OLI 31	-	31.23										
0.41		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55										
<b>—</b>		2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP91	UECS1	20.04										
<b>—</b>		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
<b>—</b>		2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP91	UECS2	14.38										
		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85			-	-					-	
-		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14			-	-					-	
LIME	E Po		1	3	UEF91	UEU32	30.14										
		es (Except North Carolina and Sout Carolina)	1														
All s			1		UEP91	UEPYA	1.15	40.19	19.83	24.04	0.00		45.00				
		2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		UEP91	UEPTA	1.15	40.19	19.83	24.91	6.63		15.66				
					UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
		Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEF91	UEFTB	1.15	40.19	19.03	24.91	0.03		13.00				
					UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
		Area	-		UEP91	UEPTH	1.15	40.19	19.83	24.91	6.63		15.00				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOA	LIEDVAA	4.45	00.00	57.07	40.00	0.77		45.00				
		Center)2 Basic Local Area	<b> </b>	1	UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77	1	15.66	1	1	<del>                                     </del>	1
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDO4	LIEDV7		00.00		40.00			45.00				
		Term - Basic Local Area	ļ	<u> </u>	UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77	1	15.66				
	ŀ	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4	LIEDY'S										1	
		Basic Local Area	ļ	<u> </u>	UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63	1	15.66				
		2-Wire Voice Grade Port Terminated on 800 Service Term -							40								
		Basic Local Area	ļ	ļ	UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				<b></b>
AL,		LA, MS, & TN Only	ļ	<u> </u>	LIEDO.	LIEBS :	ļ			<u> </u>	<b>_</b>			ļ	ļ	<b>.</b>	ļ
<b></b>		2-Wire Voice Grade Port (Centrex )	<b></b>	ļ	UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66	ļ	ļ	<b>.</b>	
		2-Wire Voice Grade Port (Centrex 800 termination)	ļ	<u> </u>	UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66	ļ	ļ	<b>.</b>	ļ
		2-Wire Voice Grade Port (Centrex with Caller ID)1	ļ	ļ	UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			1	]			I	I			Ì	Ì	I	
		Center)2			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66			1	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	1			1	]			I	I			Ì	Ì	I	
		Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66			1	
			1			I	]			I	I			Ì	Ì	I	
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<u> </u>	UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66	ļ	ļ		
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Loc		witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Loc		umber Portability															
$\Box$		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fea	ature																
		All Standard Features Offered, per port	1	1	UEP91	UEPVF	1.98										

UNRI	INDI F	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhib	nit: B
CIVID	,,,ULE	NETWORK ELLINERTO - Alabama	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSR	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
			1													Disc 1st	
			1											1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									
		All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98										
	NARS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00								
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00								
-	Minari	Unbundled Network Access Register - Outdial aneous Terminations	<b>!</b>		UEP91	UAROX	0.00	0.00	0.00	1		}		<b> </b>	<b>!</b>	ļ	
-		aneous Terminations Trunk Side															
		Trunk Side Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	1	15.66				
		fice Channel Mileage - 2-Wire			UEF91	CENAO	6.05	119.51	10.74	59.90	3.76		13.00				
-	meron	Interoffice Channel Facilities Termination - Voice Grade	1		UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	1	15.66		1		
-	1	Interoffice Channel mileage, per mile or fraction of mile	1		UEP91	M1GBC M1GBM	0.008838	40.54	21.41	10.74	0.90		13.00	<del> </del>	<del>                                     </del>		
<b>—</b>	Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	:e		021 31	IVITODIVI	0.000030							<del> </del>	<del>                                     </del>		
-		innel Bank Feature Activations	ĩ			1									<b>-</b>		
	J. 5110	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP91	1PQWS	0.56								1		
		- I STATE OF	<b>†</b>			~	5.00								1		
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1		UEP91	1PQW6	0.56							1	I		
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<b>†</b>			1	2.20							İ	1		
		Slot	1		UEP91	1PQW7	0.56							1	I		
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	<u> </u>	Different Wire Center	<u>L</u>		UEP91	1PQWP	0.56			<u>                                       </u>		<u></u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	
<u></u>		Feature Activation on D-4 Channel Bank Private Line Loop Slot	<u></u>		UEP91	1PQWV	0.56							<u> </u>	<u></u>	<u> </u>	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	1	Slot	<u> </u>		UEP91	1PQWQ	0.56					<u> </u>			1		
<u> </u>	L	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP91	1PQWA	0.56							ļ	1		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ			ļ											
		Conversion - Currently Combined Switch-As-Is with allowed			LIEDO4	LICACO		0.40	0.40				45.00		1		
<u> </u>	1	changes, per port	ļ		UEP91	USAC2		0.10	0.10				15.66		1		
<u> </u>	1	Conversion of Existing Centrex Common Block	1		UEP91 UEP91	USACN M1ACS	0.00	37.75	16.58	1		1	15.66	<del>                                     </del>	<del>                                     </del>		
-	1	New Centrex Standard Common Block	<del>                                     </del>		UEP91 UEP91	M1ACS M1ACC	0.00	667.21 667.21		1		<del>                                     </del>	15.66 15.66	-	<del></del>		
-	1	New Centrex Customized Common Block Secondary Block, per Block	<del>                                     </del>		UEP91 UEP91	M2CC1	0.00	78.02		1		<del>                                     </del>	15.66	-	<del></del>		
-	1	NAR Establishment Charge, Per Occasion	1		UEP91	URECA	0.00	78.02		1		}	15.66	1	+		
<b>-</b>	IINE-P	CENTREX - 5ESS (Valid in All States)	1		OLF31	UNLUA	0.00	12.13		1		}	13.00	1	+		
<b>—</b>		VG Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>			+				1		<del>                                     </del>		<del> </del>	t		
		ort/Loop Combination Rates (Non-Design)	1			1				1		1		<b> </b>	<b>I</b>		
<b> </b>	3.1.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			1									<b>-</b>		
		Non-Design		1	UEP95		12.70								1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1			1								İ	İ		
		Non-Design	1	2	UEP95		21.19								1		
	1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										Ì		1			
		Non-Design	1	3	UEP95		34.80								1		
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Design		1	UEP95		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -							·		·				1		
<u> </u>	1	Design	<u> </u>	2	UEP95		24.00					<u> </u>			1		
1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		l									1	I		
<u> </u>		Design	ļ	3	UEP95	ļ	37.29					ļ					
<u> </u>		pop Rate	ļ	_	LIEBOE	LIEGG!	=-								-		
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP95	UECS1	11.55								-		
	<u> </u>	2-Wire Voice Grade Loop (SL 1) - Zone 2	<b>!</b>	2	UEP95	UECS1	20.04								-		
<b>-</b>		2-Wire Voice Grade Loop (SL 1) - Zone 3	l	1	UEP95	UECS1	33.65			1				<b> </b>	<del>                                     </del>		
<b>—</b>	1	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP95	UECS2 UECS2	14.38 22.85			-		<b> </b>			<b>-</b>		
-	1	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP95 UEP95	UECS2	36.14								+		
-	LINE D	prince voice Grade Loop (SL 2) - Zone 3	<del> </del>	3	OFL 99	UEUSZ	30.14			1				-	-	-	
	All Stat		1			1				1		1	1	1	<del> </del>		
<u> </u>	All Ola		1	<u> </u>		1				1		·	1	1	1	l	

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic-	
							N		T N	D'			1st	Add'l	Disc 1st	Disc Add'l
$\longrightarrow$						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63	SOMEC	15.66	SUMAN	SOWAN	SOWAN	SOWAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire								40.00							
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			021 00	021 12	1.10	50.56	07.27	40.00	0.77		10.00				
	- Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -							-								
	Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	Y, LA, MS, SC, & TN Only 2-Wire Voice Grade Port (Centrex )		<b> </b>	UEP95	UEPQA	1.15 1.15	40.19	19.83	24.91	6.63		15.66				
-+	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
-+	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated in on Niegalink of equivalent			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local	Switching			02. 00	02. Q2	0		10.00	2	0.00		10.00				
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	All Standard Features Offered, per port			UEP95	UEPVF	1.98										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52									
-	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98	400.02									
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00								
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00								
Misss	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00								
	Trunk Side					+										
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66			_	
	DS0 Channels Activated, each		<b> </b>	UEP95	M1HDO	0.00	14.46				ļ	15.66				
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		<b> </b>	UEP95	MIGBC	21.13	40.54	27.41	16.74	6.90	-	15.66				
-+	Interoffice Channel mileage, per mile or fraction of mile			UEP95 UEP95	MIGBM	0.008838	40.54	21.41	10.74	6.90		13.00				
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e:		00		3.300000					<b>†</b>					
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56		•		_						
	Enter Artistics of B.A.Ohanni Brat EVII a City in City			LIEDOE	400000	0.50										
-	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.56					<del>                                     </del>					
	Slot			UEP95	1PQW7	0.56										
-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			SE1 00	11 04 77 7	0.50					<b>†</b>					
	Different Wire Center	L		UEP95	1PQWP	0.56			<u> </u>		<u></u>	<u> </u>	<u> </u>			
								-								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		<u> </u>	UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	l									1		ĺ	ĺ		
				LIEDOE	100140	0.50										
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.56 0.56										

UNBUNDI	ED NETWORK ELEMENTS - Alabama												Attachi	nent: 2	Exhib	nit: B
ONBONDE	LD NETWORK ELEMENTS - Alabama										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						==(+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10				15.66				1
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73					15.66				
UNE	P CENTREX - DMS100 (Valid in All States)															
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo				1				İ							
	Non-Design	1	1	UEP9D		12.70						1				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			*												
	Non-Design	1	2	UEP9D		21.19						1				i
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		-												
	Non-Design		3	UEP9D		34.80										
UNE	Port/Loop Combination Rates (Design)		_			000										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														
	Design		1	UEP9D		15.53										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		24.00										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 05		200										
	Design		3	UEP9D		37.29										,
UNF	Loop Rate		_	02. 05	+	07.20										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP9D	UECS2	36.14										
UNE	Port Rate		_	02. 05	02002	00.11										
	STATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02. 05	02. 17.		10.10	10.00	2	0.00		10.00				
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				ı
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	<del>                                     </del>			52. 15	1.10	70.10	10.00	2-7.01	0.00		10.00				
	Area	1		UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		CL. 0D	JE1 10	1.10	70.10	10.00	24.01	0.00	<b>-</b>	10.00				
	Area	1		UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	<del>                                     </del>			52. 15	1.10	70.10	10.00	2-7.01	0.00		10.00				
	Area	1		UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local	<del>                                     </del>		J_1 JD	JE1 1E	1.13	40.13	13.03	24.31	0.03		10.00				
	Area	1		UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63		15.66				i
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	1		OL: 3D	OLI II	1.13	70.13	13.03	24.51	0.03		10.00				
	Area	1		UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63		15.66				
<del>                                     </del>	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	<del>                                     </del>	1	521 5D	JE: 10	1.13	70.13	13.03	24.31	0.03		10.00				
	Area	1		UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local	<del>                                     </del>		J_1 JD	JE1 11	1.13	40.13	13.03	24.31	0.03		10.00				
	Area	1		UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local	<del>                                     </del>			52. 10	1.10	70.10	10.00	2-7.01	0.00		10.00				
	Area	1		UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local	<del>                                     </del>		J_1 JD	JE1 1 V	1.13	40.13	13.03	24.31	0.03		10.00				
	Area	1		UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63		15.66				i
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local	<del>                                     </del>		521 5D	JE: 10	1.13	70.13	13.03	24.31	0.03		10.00				
	Area	1		UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				1
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	<del> </del>		CL. 0D	SEI III	1.10	70.10	10.00	2-7.01	0.00		10.00				
	Indication))3 Basic Local Area	1		UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63		15.66				i
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3	1		02. 00	CEI IVV	1.10	40.18	10.00	24.01	0.00		10.00				
	Basic Local Area	1		UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63		15.66				
	240.0 2004.7.00		I .	SE. 5D	1021 10	1.10	70.10	10.00	24.01	0.00	1	10.00	1	1		

HINBLINDLE	ED NETWORK ELEMENTS - Alabama												Attach	nent: 2	Evhil	bit: B
ONBONDE	I NETWORK ELEMENTS - Alabama	1	1								Svc Order	Sve Order	Incremental	Incremental		
												Submitted			Charge -	Charge -
														Charge -		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)			Elec	-	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	500	0000			I(A) LO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonred	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3															
	Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3															
	Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3															
<del> </del>	Basic Local Area	1		UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77		15.66		1		<b>├</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			LIEDOD	LIEDYO	4 45	00.00	F7 07	40.00	0.77		45.00				
<del></del>	Basic Local Area  2 Wire Voice Grade Port (Controy/differ SWC /ERS M5008)2.3	1		UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77		15.66		-		<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77		15.66				
-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	1		OLF3D	OLF 14	1.13	90.30	31.21	40.00	0.77		13.00				<del>                                     </del>
	Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77		15.66				
<b></b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			OLI 3D	OLI 13	1.15	30.30	31.21	40.00	0.77		13.00				+
	Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77		15.66				
<b></b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			OLI OD	OLI 10	1.10	30.00	01.21	40.00	0.77		10.00				<del> </del>
	Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service							<del></del>								
	Term			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
ļ	2-Wire Voice Grade Port (Centrex / EBS-PSET)3			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63		15.66				ļ
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)3			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63		15.66				
-	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	1.15 1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3  2-Wire Voice Grade Port (Centrex / EBS-M5312)3	-		UEP9D UEP9D	UEPQF UEPQG	1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63		15.66 15.66				-
-	2-Wire Voice Grade Port (Centrex / EBS-M5008)3	1		UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex / EBS-W5006)3  2-Wire Voice Grade Port (Centrex / EBS-W5208)3	1		UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5206)3	1		UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5316)3	1		UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63		15.66				<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1							1	1				İ		
	Indication)3			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77		15.66				
				l												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77		15.66				<u> </u>
<b>———</b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77		15.66				<b></b>
	O Miss Vision Condo Dark (Control 1977 - ONIO 1500 MET 1970 O			LIEDOD	LIEBOD		00.00	F7.0-	40.00			45.00				
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3	1		UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77		15.66		-		<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77		15.66				
$\vdash$	2-14116 ADICE GLAGE FOLL (CELLIENGILLE) SAAC (EDS-1419317)2, 3	1		OLFBD	ULFUS	1.15	90.38	31.21	40.00	0.77		13.00		1		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77		15.66				
	2 This read stude for (controvalled off of EDO-100000)2, 5	1		02.00	JL1 47	1.10	55.56	Q1.Z1	40.00	0.11		10.00				<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77		15.66				
	5.000 i on (55.000 and 57.000 ino200)2, 0					0	22.00	JZ/	.5.00	5.77		.0.50				
1 1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3		1	UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77		15.66				

UNB	<u>UNDLE</u>	D NETWORK ELEMENTS - Alabama													ment: 2		bit: B
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
		2-Wire Voice Grade Port Terminated in on Negarink of equivalent			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
	Local S	Switching			02. 02	02. Q2		10.10	.0.00	2	0.00		10.00				
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
	Local I	Number Portability															
		Local Number Portability (1 per port)			UEP9D	LNPCC	0.35		•		•						
	Feature							•									
		All Standard Features Offered, per port			UEP9D	UEPVF	1.98							ļ	ļ		
	1	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52				ļ					
	NADO	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98					ļ		-	<b> </b>		<b>↓</b>
	NARS	Hohundlad Naturali Access Basistes Combination	1	1	UEP9D	UARCX	0.00	0.00	0.00	1		<u> </u>	1	1	<del>                                     </del>		
	_	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		1	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00			1					
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00			1	-	-			
	Miscol	laneous Terminations			OLF 9D	UAROX	0.00	0.00	0.00			1					
		Trunk Side		1		+											
	2 11110	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
	4-Wire	Digital (1.544 Megabits)			02. 02	02.150	0.00			00.00	00		10.00				
		DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.46					15.66				
	Interof	fice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination			UEP9D	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.008838										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1													
	D4 Cha	annel Bank Feature Activations			LIEDOD	400000	0.50										
	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP9D	1PQWS	0.56						-				-
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLF 9D	IFQVV	0.30					1					1
		Slot			UEP9D	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
		Different wife Center		-	UEP9D	IFQVF	0.56										<b>+</b>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	1	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					5.50							1	İ		<b>†</b>
		Slot			UEP9D	1PQWQ	0.56					<u></u>		<u> </u>			<u> </u>
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
	1	changes, per port			UEP9D	USAC2		0.10	0.10			ļ	15.66				<b></b>
	+	Conversion of existing Centrex Common Block, each		_	UEP9D	USACN	0.00	37.75	16.58	1			15.66	1			<del>                                     </del>
	+	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP9D UEP9D	M1ACS M1ACC	0.00	667.21 667.21				<del>                                     </del>	15.66 15.66	<del>                                     </del>	<del>                                     </del>		<del> </del>
	1	NAR Establishment Charge, Per Occasion	1	1	UEP9D	URECA	0.00	72.73		1		1	15.66	<del> </del>	1		+
	UNF-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			52. 55	SILEON	0.00	12.10					10.00	<b>-</b>			<del>                                     </del>
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1								1	1		1
		ort/Loop Combination Rates (Non-Design)	1												1		
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		12.70										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19			<u> </u>							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP9E		34.80										
_	UNE P	ort/Loop Combination Rates (Design)															

UNBUNDLI	ED NETWORK ELEMENTS - Alabama													nent: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred First		Nonrecurring		201150	0011411		Rates(\$)	0011411	0011411
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						FIrst	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Design		1	UEP9E		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 9L	+	15.55										1
	Design		2	UEP9E		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 02		200										1
	Design		3	UEP9E		37.29										
UNE I	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
	Port Rate															<u> </u>
AL, F	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<u> </u>	UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63	ļ	15.66				<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local						40.40					4= 00				
	Area		<u> </u>	UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						40.40					4= 00				
	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVAA	4.45	00.00	F7.07	40.00	0.77		45.00				
	Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
				UEP9E	UEPYZ	1 15	00.30	57.27	48.66	8.77		15.66				
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEF9E	UEPTZ	1.15	90.38	37.27	40.00	0.77		13.66				
	- Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term -		1	OLF 9L	OLFIS	1.13	40.19	19.03	24.31	0.03	1	13.00				
	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
AI.K	Y, LA, MS, & TN Only			OLI OL	OLI IZ	1.10	40.10	10.00	24.01	0.00		10.00				1
,,	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66	<u> </u>			<u> </u>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				1
Local	Switching		<u> </u>	LIEBAE	lune::						ļ					<b>↓</b>
	Centrex Intercom Funtionality, per port		<u> </u>	UEP9E	URECS	0.5488			ļ		ļ		ļ			4
Local	Number Portability		<u> </u>	LIEDOE	LNDCC	0.05			ļ		ļ		ļ			<b></b>
Factor	Local Number Portability (1 per port)		<del>                                     </del>	UEP9E	LNPCC	0.35			1		ļ		1			<del> </del>
Featu	All Standard Features Offered, per port		1	UEP9E	UEPVF	1.98										<del> </del>
-+-	All Select Features Offered, per port		-	UEP9E UEP9E	UEPVF	0.00	405.52									+
+	All Centrex Control Features Offered, per port			UEP9E	UEPVS	1.98	405.52				1		-			<del>                                     </del>
NARS				OLI OL	OL: VC	1.50			1		<del>                                     </del>		1			<del>                                     </del>
THAT	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	1			<b> </b>				<b>†</b>
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00								1
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00								
Misce	Illaneous Terminations															1
	e Trunk Side															1
	Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76		15.66				
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.46				ļ	15.66				<u> </u>
Interd	ffice Channel Mileage - 2-Wire			L												<b></b>
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				<u></u>

UNBLIND	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhib	nit: B
SHEGHEL	LD III. WORK ELLINERTO - Alabama										Svc Order	Svc Order	Incremental		Incremental	
1											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1	Nonrec	urring	Nonrecurring	Disconnect			066	Rates(\$)		
<del>                                     </del>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.008838	11130	Add I	11131	Addi	JOHILO	JOHAN	JOWAN	JONAN	JOWAN	JONIAN
Featı	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 02		0.000000										
	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56										
<del></del>	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLF9L	IFQW/	0.50										
	Different Wire Center	l		UEP9E	1PQWP	0.56										
				-												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
$\vdash$	Slot	<u> </u>		UEP9E	1PQWQ	0.56								ļ		
No :-	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex	ļ		UEP9E	1PQWA	0.56										
Non-I	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10				15.66				
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58				15.66				
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21					15.66				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21					15.66				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73					15.66				
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)				-											
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	02. 00		12.10										
	Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP93		34.80										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP93		15.53										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF 93	1	13.33										
	Design		2	UEP93		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		37.29										
UNE	Loop Rate															
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP93	UECS1	11.55										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEP93	UECS1	20.04								-		
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP93 UEP93	UECS1 UECS2	33.65 14.38								-		
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	36.14										
	Port Rate															
AL, K	Y, LA, MS, & TN only							·								
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOS	LIEDVE		40.40	10.00	24.21	0.00		45.00				
$\vdash$	Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<del>                                     </del>		UEP93	UEPYB	1.15	40.19	19.83	24.91	6.63	-	15.66				
	Area	1		UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63		15.66		1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		02. 00	021 111	1.10	70.10	10.00	2-7.51	0.00		10.00				
	Center)2 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service						İ									
igsquare	Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1												1		
$\Box$	- Basic Local Area	l		UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63	1	15.66		l		

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachr	nent: 2	Exhil	oit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)		P.		Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec First		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
_	2-Wire Voice Grade Port Terminated on 800 Service Term -				-		FIRST	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Basic Local Area			UEP93	UEPY2	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77		15.66				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63		15.66				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63		15.66				
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488		•							_	
	lumber Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature				LIEBAA	1155) (5						ļ					
	All Standard Features Offered, per port			UEP93	UEPVF	1.98					<u> </u>					
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS	Haland Hall Martin and Assess Basiliana Constitution			LIEBOO	LIADOV	0.00	0.00	0.00								
_	Unbundled Network Access Register - Combination			UEP93 UEP93	UARCX UAR1X	0.00	0.00	0.00			1					
	Unbundled Network Access Register - Indial			UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00			<del>                                     </del>					
Miscoll	Unbundled Network Access Register - Outdial aneous Terminations	<b>-</b>		OLFSO	UARUX	0.00	0.00	0.00	<b></b>		1					
	Trunk Side				+						1					
Z-VVIIE	Trunk Side Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76	1	15.66				
4-Wir≏	Digital (1.544 Megabits)			OL1 30	CLINDO	0.03	113.31	10.74	55.50	5.70		10.00				
	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46		15.66				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.46	00.00	. 2.00	2. 10		15.66				
Interof	fice Channel Mileage - 2-Wire					2.20			İ							
	Interoffice Channel Facilities Termination			UEP93	MIGBC	21.13	40.54	27.41	16.74	6.90		15.66				
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.008838										
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56		•								
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.56			ļļ		ļ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWV	0.56										
	Slot			UEP93	1PQWQ	0.56										
M	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56					ļ					
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<b>-</b>		1				1		ļ					
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93	USAC2		0.40	0.10	l l			15 60				
	changes, per port			UEP93 UEP93	USAC2 USACN		0.10 37.75	0.10 16.58			1	15.66				
	Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block	-	1	UEP93 UEP93	M1ACS	0.00	667.21	86.01	+		<b> </b>	15.66 15.66				
	New Centrex Standard Common Block			UEP93	M1ACC	0.00	667.21		+		<del>                                     </del>	15.66				
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73		+		<del>                                     </del>	15.66				
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			02.00	JILO/	0.00	12.13		1			10.00				
	- Requires Interoffice Channel Mileage								1							
	- Requires Specific Customer Premises Equipment								i		İ					
	Rates displaying an "R" in Interim column are interim and sub	iect to	rato tru	e-un as set forth in	Conoral Torm	e and Condition	ne				1					

LOCAL	INTE	RCONNECTION - Alabama													ment: 3		bit: A
			Interi										Svc Order Submitted Manually	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Rec	Nonre		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCALIN	NTEDC	ONNECTION (CALL TRANSPORT AND TERMINATION)															
		bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een for	that element nursu	ant to the te	rms and conditi	ons in Attachi	ment 3.			1				1	+
		A SWITCHING		 	linux oromoni purou	1											1
	-	Tandem Switching Function Per MOU			OHD		0.000498bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.000498										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										
		harge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	or interconi	nection charges										
Т		CHARGE		<u> </u>	0115												<b>↓</b>
		Installation Trunk Side Service - per DS0		<u> </u>	OHD	TPP++	0.00	333.69	56.91						-	-	
		Dedicated End Office Trunk Port Service-per DS0**			OHD 0H1 OH1MS	TDE0P TDE1P	0.00					-			1	1	+
		Dedicated End Office Trunk Port Service-per DS1** Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00					1				-	<del></del>
		Dedicated Tandem Trunk Port Service-per DS0  Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										+
**		ate element is recovered on a per MOU basis and is included	l in the	End O				I rate element	•			1					+
		N TRANSPORT (Shared)	i iii tiie	Liiu Oi	lice Switching and	Tandem Swi	T T T T T T T T T T T T T T T T T T T	J rate element	<u> </u>			+					-
		Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										+
		Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										+
LOCAL IN		ONNECTION (DEDICATED TRANSPORT)				1						1				1	1
		FFICE CHANNEL - DEDICATED TRANSPORT															1
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	21.13	40.54		16.74							
	F	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0.008838										
	]	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	15.12	40.54		16.74							
	F	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.008838										
	l-	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	15.12	40.54		16.74							
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1, OH1MS	1L5NL	0.18										
	ŀ	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	60.16	89.27		16.35							
	r	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4.09										
	]-	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3, OH3MS	1L5NM	703.52	278.75		60.20							
IL		CHANNEL - DEDICATED TRANSPORT  Local Channel - Dedicated - 2-Wire Voice Grade per month		-	OHL, OHM	TEFV2	13.97	193.10	33.17	36.64	3.20	1			<del>                                     </del>	<del>                                     </del>	+
		Local Channel - Dedicated - 2-Wire Voice Grade per month	-	<b> </b>	OHL, OHM	TEFV4	13.97	193.10	33.17	36.64	3.20				+	<del> </del>	+
		Local Channel - Dedicated - 4-Wife Voice Grade per month		1	OH1	TEFHG	35.76	177.47	153.72	22.19	15.26				<b>†</b>	t	<del>                                     </del>
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58						
1		INTERCONNECTION MID-SPAN MEET			0110	TEITIO	410.54	451.52	203.94	115.49	03.36				<del> </del>	<del> </del>	+
		Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch	annel rate is applica	ble.	<b>†</b>					<del>                                     </del>			<b>-</b>	<b>-</b>	+
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							1	1	<del>                                     </del>
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				1			1	1	1
M		LEXERS					1										1
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72			1					

COLLOCAT	ION - Alabama												Attachi	ment: 4	Exhi	bit: D
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec							Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879.48	1,879.48	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566.60	1,566.60	0.51	0.51						
	Physical Collocation - Cageless - Application Fee - Initial			CLO	PE1CH		1,205.26	1,205.26	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		600.71	600.71								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation - Common Systems	1	1			1.50			† †		1	1		<b>†</b>	<b>†</b>	<b>†</b>
	Modification per square ft Cageless	l		CLO	PE1SL	2.62						1		Ì	I	Ì
	Physical Collocation - Space Preparation - Common Systems	1	1	020	1 2 102	2.02			+					1	1	1
	Modification per Cage	l		CLO	PE1SM	88.86									1	
	Physical Collocation - Cable Installation			CLO	PE1BD	00.00	859.71	859.71	22.49	22.49						
				CLO	PE1BD PE1PJ	0.00	859.71	859.71	22.49	22.49						
	Physical Collocation - Floor Space per Sq. Ft.					3.22										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	17.11										
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	14.97										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.51									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14.74										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation - 2-Wire Cross-Connects				PE IPZ	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.11	22.03	15.93	6.40	5.79						
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connects	<u> </u>	<u></u>	UNLD3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92		<u> </u>				
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE 450	0.04	00.00	45.00	7.00	5.00						
	Physical Collocation - 2-Fiber Cross-Connect	<u> </u>	<u> </u>	UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92					-	
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	B=101			, <u>, </u>								
	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92		l		l	1	L

COLLOCAT	TON - Alabama												Attachi	ment: 4	Evhil	oit: D
COLLOCAL	nuvalla		1 1								Svc Order	Svc Order	Incremental		Incremental	
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ьсэ	0300			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec							Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			CI	LO, ULDO3,												
			UL	LD12, ULD48,												
			U1	1TO3, U1T12,												
				1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			DL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
	1 Trysical Collocation - 4-1 iber Cross-Goriffect			LO, ULDO3,	1 2 11 7	4.33	20.00	13.00	3.71	0.25						
				LD12, ULD48,												
				1TO3, U1T12,												
				1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			DL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.		CI	LO	PE1BW	156.33										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		CI	LO	PE1CW	15.34										
	Physical Collocation - Security Access System - Security System											l				
1 1	per Central Office		CI	LO	PE1AX	45.70					I	]				
$\vdash$	Physical Collocation - Security Access System - New Access		<del>   </del>	-	,	.0 0					<del> </del>	1				
	Card Activation, per Card		CI	LO	PE1A1	0.05	27.79	27.79								
	Card Activation, per Card		CI	LO	FLIAI	0.05	21.13	21.13								
	Blacket October 1997															
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card		CI	LO	PE1AA		7.79	7.79								
	Physical Collocation - Security Access System - Replace Lost or															
	Stolen Card, per Card			LO	PE1AR		22.78	22.78								
	Physical Collocation - Security Access - Initial Key, per Key		CL	LO	PE1AK		13.10	13.10								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key		CL	LO	PE1AL		13.10	13.10								
	Physical Collocation - Space Availability Report per premises			LO	PE1SR		1,075.17	1,075.17								
	Triyotodi Concodiion Cpaco / Wallability (Toport poi promisco			EANL,UEA,UDN,U		1	1,070.17	1,070.11								
				C,UAL,UHL,UCL,U												
				Q,CLO,UDL,												
	BOT Bot Assessments orients 6/4/00 0 Wiss Committee															
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			NCVX, UNCDX,												
$\overline{}$	per cross-connect			NCNX	PE1PE	0.08										
				EANL,UEA,UDN,U												
				C,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,		EC	Q,CLO, USL,												
	per cross-connect		U	NCVX, UNCDX	PE1PF	0.17										
			UE	EANL,UEA,UDN,U												
1 1				C,UAL,UHL,UCL,U		l					I	]				
1 1				Q,CLO,WDS1L,W								l				
1 1				S1S, USL, U1TD1,		l					I	]				
1 1				XTD1, UNC1X,		l					I	]				
1 1	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			LDD1, USLEL,		l						l				
1 1				NLD1, USLEL,	PE1PG	1.20					l	1				
-	per cross-connect	-			FEIFG	1.20					<b>-</b>	<b> </b>				
1 1				EANL,UEA,UDN,U								l				
1 1				C,UAL,UHL,UCL,U		l					I	]				
				Q,CLO,UE3,												
			U1	1TD3, UXTD3,												
			U)	XTS1, UNC3X,												
1 1			U	NCSX, ULDD3,								l				
1 1				1TS1, ULDS1,		l					I	]				
1 1	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			NLD3, UDL,								l				
1 1	per cross-connect			DLSX	PE1PH	10.67					I	]				
<del></del>	por oroso connect	-		EANL,UEA,UDN,U		10.07						<del> </del>				
1 1				C,UAL,UHL,UCL,U							l	1				
1 1						l						l				
1 1				Q,CLO, ULDO3,							l	1				
1 1				LD12, ULD48,		l					I	]				
1 1				1TO3, U1T12,								l				
1	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,		U1	1T48, UDLO3,					1	l		l				
1 1	per cross-connect			DL12, UDF	PE1B2	36.40										

COLLOCA	ATION - Alabama												Attach	ment: 4	Exhil	bit: D
3322007			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	1								per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring					oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,												
	per cross-connect			UDL12, UDF	PE1B4	49.09										
h + + -	Physical Collocation - Request Resend of CFA Information, per			ODL12, ODI	I LID4	43.03										
	CLLI			CLO	PE1C9		77.56									
	Nonrecurring Collocation Cable Records - per request			CLO	PE1CR		759.29	488.11	133.00	133.00						
	Nonrecurring Collocation Cable Records - Per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	FLICK		139.29	400.11	133.00	133.00						
	cable record	1		CLO	PE1CD		326.92	326.92	189.12	189.12				Ì		Ì
<del>                                     </del>	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per	1	1	010	ILIOD		320.92	320.92	105.12	103.12	1	1				
	each 100 pair	1		CLO	PE1CO		4.81	4.81	5.90	5.90				Ì		Ì
<b> </b>	Nonrecurring Collocation Cable Records - DS1, per T1TIE	<del>                                     </del>	<del>                                     </del>	CLO	PE1C0 PE1C1		2.25	2.25	2.76	2.76			-	<b> </b>	-	-
<b> </b>	Nonrecurring Collocation Cable Records - DS1, per 1111E  Nonrecurring Collocation Cable Records - DS3, per T3TIE	<del>                                     </del>	<del>                                     </del>	CLO	PE1C1 PE1C3		7.88	7.88	9.66	9.66			-	<b> </b>	-	-
<b></b>	Nonrecurring Collocation Cable Records - DS3, per 1311E  Nonrecurring Collocation Cable Records - Fiber Cable, per 99	1	1	CLO	re103		7.88	7.88	9.66	9.66	-					
	fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
<b></b>	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1CB PE1BT			10.73	77.13	77.13						
<b></b>	Physical Collocation - Security Escort - Basic, per Hall Hour			CLU,CLURS	PEIBI		16.93	10.73								
	District College Control Control Control			01 0 01 000	DEAGE		00.05	40.00								
<b></b>	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
				0.00.000												
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT	20.00	27.17	16.98								
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit															
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit															
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700	1												Ì		Ì
	prs or fraction thereof	]		CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable	1										<u> </u>		]		<u> </u>
	Support Structure, per cable, per linear ft.	ļ	<u> </u>	CLO,UDF	PE1ES	0.0011								ļ		ļ
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.	<u> </u>		CLO, UE3, USL	PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects - Application	1														
	Fee, per application	1		CLO	PE1DT		584.22									
PHYSICAL C	COLLOCATION															
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res	1		UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus	<u> </u>		UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1						-					I		1	
	Wire Voice Grade PBX Trunk - Res	<u> </u>		UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1						-					I		1	
	Wire Analog - Bus	<u></u>	<u></u>	UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66	<u></u>	L	<u></u>	L
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN	<u></u>		UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66			<u></u>	<u> </u>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
L l	Wire ISDN	<u>L</u>	<u>L_</u>	UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44	<u></u>	15.66	<u> </u>	<u> </u>	<u> </u>	<u></u>
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1	1		UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73	1	15.66		Ì		Ì
	COLLOCATION															

COLLOCAL	ION - Alabama													ment: 4		bit: D
				-							Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svo	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.00
						Rec	Nonrec		F'		001150	001111		Rates(\$)	0011411	
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLOAC	PE1JA PE1JC	5.41									<u> </u>	
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects		-	CLOAC	PE1JC PE1P2	0.02	12.30	11.80	6.03	F 44						
	Adjacent Collocation - 2-wire Cross-Connects			UEA,UHL,UDL,UCL,	PE IPZ	0.02	12.30	11.80	6.03	5.44					<u> </u>	<del> </del>
,	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - 4-Wire Cross-Connects  Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P4 PE1P1	1.03	22.03	15.93	6.40	5.73						
	Adjacent Collocation - DS1 Cross-Connects  Adjacent Collocation - DS3 Cross-Connects		<del>                                     </del>	CLOAC	PE1P1 PE1P3	13.95	20.89	15.93	7.38	5.79		<del> </del>		-	<b> </b>	<del> </del>
	Adjacent Collocation - DS3 Cross-Connects  Adjacent Collocation - 2-Fiber Cross-Connect		<del>                                     </del>	CLOAC	PE1F3	2.36	20.89	15.20	7.38	5.92		<b></b>			-	<b>├</b> ──
	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect		<del>                                     </del>	CLOAC	PE1F2 PE1F4	4.52	25.55	19.86	9.71	8.25		<del> </del>		-	<b> </b>	<b>├</b>
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	4.52	1.576.69	19.00	0.51	0.23						
<del></del>	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLUAC	PEIJB		1,576.09		0.51		-	-		-	+	<del></del>
	per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning			CLOAC	12110	04.00	ICB									+
	Note: ICB means Individual Case Basis			OLONO			IOD									+
PHYSICAL CO	LLOCATION IN THE REMOTE SITE										1	1		-	1	<del>                                     </del>
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										
ı l	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56							1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38		Ì							1
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										-
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62							1	

ODUF/	ADUF	/EODUF/CMDS - Alabama												Attachr	ment: 7	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-		Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		1
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/A	DUF/O	EDUF/CMDS															
-	ACCES	S DAILY USAGE FILE (ADUF)															
		ADUF: Message Processing, per message				N/A	0.007037										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
(		IAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message				N/A	0.000011										
		ODUF: Message Processing, per message				N/A	0.004101										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message				N/A	0.004										
<u> </u>		CMDS: Data Transmission (CONNECT:DIRECT), per message		_		N/A	0.001										
E		CED OPTIONAL DAILY USAGE FILE (EODUF)		1			0.00										
		EODUF: Message Processing, per message  If no rate is identified in the contract, the rate for the specific				N/A	0.22		l	1	L	1					

Version 2Q02: 07/11/02

#### AMENDMENT TO THE

# AGREEMENT BETWEEN MOMENTUM BUSINESS SOLUTIONS, INC.

## AND

## BELLSOUTH TELECOMMUNICATIONS, INC. DATED JUNE 12, 2002

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc., ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002, ("Agreement") to be effective upon the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add to the rates in Exhibit B of Attachment 2, the rates set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.
- 4. Neither party waives any right to seek clarification from the Commission regarding retroactive application of the rates contained in this Amendment.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.	BellSouth Telecommunications, Inc.
By:Signature of file	By: Signature on file
Name: Alan L. Creighton	Name: Elizabeth R. A. Shiroishi
Title: President & CEO	Title: Assistant Director
Date: September 4, 2002	Date: September 5, 2002

UNBL	JNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: B
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svo Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	The "Zo	I one" shown in the sections for stand-alone loops or loops as part of	of a comb	ination	refers to Geographica	ally Deaverag	ed UNE Zones.									JOWAN	SOWAN
		ww.interconnection.bellsouth.com/become_a_clec/html/interconnection.			3.,	,			,,		3	.,					
UNBL	INDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
	Excha	inge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA &	TN, th	e desired features w	ill need to be	ordered using	retail USOCs									
	2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
		Alabama Extended Local Dialing Port without Caller ID capability			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33			15.66			
	<u> </u>	Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33			15.66			1
		20W Odago Elifo Fort Without Caller 12 Capability			OLI OIL	OLITA	1.00	2.00	2.21	1.42	1.00			10.00			1
	FEAT	URES															
		All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00					15.66			
	2 WID	L E VOICE GRADE LINE PORT RATES (BUS)															-
	Z-VVIR																
		Alabama Extended Local Dialing Port without Caller ID capability			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33			15.66			
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33			15.66			
	FEAT																
	1	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00					15.66			1
	<u> </u>																1
UNBL	INDLE	D PORT/LOOP COMBINATIONS - COST BASED RAT	ES														
	> Cost	Based Rates are applied where BellSouth is required by FCC and	/or State	Commi	ssion rule to provide l	Jnbundled Lo	cal Switching o	r Switch Ports.		ı			ı				
		ires shall apply to the Unbundled Port/Loop Combination - Cost B							undled Port se	ection of this Ra	te Exhibit.						
	> End (	Office and Tandem Switching Usage and Common Transport Usage	ge rates i	n the P	ort section of this rate	exhibit shall	apply to all com	binations of loo	p/port network	elements excep	t for UNE Coin	Port/Loop C	Combinations	i.			
		first and additional Port nonrecurring charges apply to Not Curren	tly Comb	ined Co	mbos. For Currently	Combined C	ombos, the non	recurring charg	es shall be tho	se identified in t	the Nonrecurring	g - Currently	/ Combined :	sections.			
	Addition	nal NRCs may apply also and are categorized accordingly.			T		1			T	1	T	ı	ı			
	1																1
	2 WID	I E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	I CO														-
	Z-VVIK	E VOICE GRADE LOOP WITH 2-WIRE LINE FORT (F	(E3)														+
	LINE P	L ort/Loop Combination Rates															+
	OIL I	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										1
	<u> </u>	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										1
		2-Wire VG Loop/Port Combo - Zone 3		3			34.80										+
		2 1110 10 200011 011 0011150 20110 0		Ŭ			04.00										+
	UNFI	oop Rates															+
	311L LC	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55										1
	1	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.04										<b>†</b>
	1	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33.65										<b>†</b>
	1			Ť			55.50										†
	2-Wire	Voice Grade Line Port Rates (Res)															
		Alabama Extended Local Dialing Port without Caller ID capability				UEPWA											1
	ļ			<u> </u>	UEPRX		1.15	40.19	19.83	24.91	6.63			15.66			
	1	Low Usage Line Port without Caller ID capability	<del>                                     </del>		UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63			15.66			1
	FEATU	RES															1

CATEGORY	RATE ELEMENTS										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
	RATE ELEMENTS											0.00.00.				oremental
	RATE ELEMENTS										Submitted	Submitted		Charge -	Charge -	Charge -
	RATE ELEMENTS										Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
		Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
A											1 -	T.	Electronic-	Electronic-	Electronic-	Electronic-
A													1st	Add'l	Disc 1st	Disc Add'l
A							<b>N</b> 1		T 81	B'						L
F			-		-	Rec	Nonred			g Disconnect	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	COMAN
<del></del>	All Features Offered	-		UEPRX	UEPVF	1.98	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	15.66	SOMAN	SOMAN	SOMAN
	All Features Offered		<b></b>	UEPRX	UEPVF	1.98	0.00	0.00					15.00			├──
LOCALI	NUMBER PORTABILITY	-			+											$\vdash$
	Local Number Portability (1 per port)		+ +	UEPRX	LNPCX	0.35					1					<del></del>
<del></del>	Eccal Number 1 ortability (1 per port)			OLITA	LIVIOX	0.55				1	1					<del></del>
NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											<del>                                     </del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1					
	Switch-as-is			UEPRX	USAC2		0.10	0.10					15.66			i
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change	1		UEPRX	USACC		2.80	0.41	Ì	1			15.66			1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						1.44			1			15.66			1
	· · · · · · · · · · · · · · · · · · ·															
ADDITIO	ONAL NRCs	<u></u>														
2	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
P	Activity			UEPRX	USAS2	0.00	0.00	0.00					15.66			<u> </u>
																ĺ
2-WIRE \	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															L
																<u> </u>
	rt/Loop Combination Rates															<b></b>
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										<b></b>
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										<b></b>
2	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										<b></b>
	an Batta		-		1											<del></del>
	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55				-						<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										├──
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65					1					<del></del>
<del></del>	2-vviie voice Grade Loop (GLT) - Zone 3		3	OLI DA	OLILX	33.03				1	1					<del></del>
2-Wire V	Voice Grade Line Port (Bus)				+ +											<b>—</b>
	70100 01000 21110 1 011 (200)															
										İ						
^	Alabama Extended Local Dialing Port without Caller ID capability	1		UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63			15.66			1
lr lr	Incoming Only without Caller ID capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63			15.66			ſ
	NUMBER PORTABILITY															
L	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATUR		ļ			1				ļ	ļ	ļ					<b></b>
	All Features Offered		$\sqcup$	UEPBX	UEPVF	1.98	0.00	0.00		ļ			15.66			<b>├</b>
	OUDDING OUADOES (NDC.)	<b> </b>	1		1					-	<u> </u>			ļ	ļ	<del></del>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b></b>	<b></b>							-						<del></del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10		1			15.66			1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	<del>                                     </del>	1	UEPBA	USACZ		0.10	0.10		<del>                                     </del>	1		10.00			<del>                                     </del>
	Switch with change	1		UEPBX	USACC		2.80	0.41		1			15.66			1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del>     </del>	ULPDA	USACC		2.00	0.41	1	<del> </del>	<del>                                     </del>		13.00	1	1	
	Subsequent Database Update	1					1.44			1			15.66			1
<del>-    </del>	Cassagasin Bulubuo Opunio	<del>                                     </del>	<del>     </del>		+ +		1.74			<del>                                     </del>	<b> </b>		10.00			<del></del>
ADDITIC	ONAL NRCs	1	<del>     </del>		+ +	-				<b>-</b>						<del>                                     </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	<del>                                     </del>							<u> </u>	1					
	Activity	1		UEPBX	USAS2		0.00	0.00	Ì	1			15.66			1

UNBL	INDLE	NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	bit: B
												Svc Order	Svc Order	Incremental			Incremental
												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	Ī	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
										T. M	. B'				D-1(A)		
				1			Rec	Nonrec			g Disconnect	COMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	Tho "70	ne" shown in the sections for stand-alone loops or loops as part o	of a comb	ination	rofore to Goographics	IIIv Doovoraa	od LINE Zonos	First	Add'I	First	Add'I					SUMAN	SUMAN
		ww.interconnection.bellsouth.com/become_a_clec/html/interconn			reiers to Geographica	ally Deaverag	ed ONL Zones.	To view Geogr	apriically Deave	eraged ONL 20	ne Designations	by Ceriliai	Office, refer	to internet we	DSILE.		
LINIDI			ection.min	1	ı	1	1		I				1	ı	1	ı	ı
UNBU	NULEI	D LOCAL EXCHANGE SWITCHING(PORTS)															
	Excha	inge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA &	TN, the	e desired features wi	ill need to be	e ordered using	retail USOCs									
	2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
		Florida Area Calling Port without Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80			11.90			
		Florida Extended Dialing for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80			11.90			
		Florida Extended Dialing for use with CREX7 and without Caller						-									
		ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80			11.90			
		Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80			11.90			
		,															
	FEAT	JRES															
		All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00					11.90			
	2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80			11.90			
		mooning only minout canon is capability			02.03	02. 52	11.10	0	0.00	1.00	1.00			11100			
	FEATU	JRES															
		All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00					11.90			
		All Available vertical i eatures		1	OLFOD	OLFVI	2.20	0.00	0.00					11.50			
IINRI	NDI FI	PORT/LOOP COMBINATIONS - COST BASED RAT	FS														
0.100	1	TORRIZOR COMBINITIONS COOL BROZE WA															
						<u> </u>		0 : 1 5 :		L	L		l				
		Based Rates are applied where BellSouth is required by FCC and															
		res shall apply to the Unbundled Port/Loop Combination - Cost B					• •										
		Office and Tandem Switching Usage and Common Transport Usage															
		irst and additional Port nonrecurring charges apply to Not Curren	tly Combi	ined Co	mbos. For Currently	Combined C	combos, the non	recurring charg	es shall be tho	se identified in	the Nonrecurrin	g - Currently	Combined s	sections.			
	Addition	nal NRCs may apply also and are categorized accordingly.															
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	RFS)				İ			1	1						
	_ ,,,,,,	- 10102 010 D2 2001 WHITE WIRE 2 M2 1 OR 1 (1	1	1													
	LINE D-	ort/Loop Combination Rates		+		<del>                                     </del>	<del>                                     </del>			<b>-</b>	<b>-</b>	-			-		-
	UNE PO																
		2-Wire VG Loop/Port Combo - Zone 1		1			14.11										
		2-Wire VG Loop/Port Combo - Zone 2		2			18.23										
		2-Wire VG Loop/Port Combo - Zone 3		3			33.04										
	LINE L	oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.94			<del> </del>	<del> </del>			1	1	1	1
										<del>                                     </del>	<del>                                     </del>	-	-		<del>                                     </del>	-	<del>                                     </del>
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	17.06										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.87										
						L	<u> </u>				L						
	2-Wire	Voice Grade Line Port Rates (Res)															
		Florida Area Calling Port without Caller ID capability			UEPRX	UEPA9	1.17	53.31	26.46	1	1			11.90	İ	İ	İ
		Florida Extended Dialing for use with CREX7 and Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	<b>†</b>	<b>†</b>			11.90			
		Florida Extended Dialing for use with CREX7 and without Caller		1	52. TO	<u> </u>	1.17	ا د.دا	20.40	<del>                                     </del>	<del>                                     </del>	-	-	11.90	<del> </del>		
		ID capability			UEPRX	UEPA8	1.17	53.31	26.46	1	1			11.90			

ONBONDLE	NETWORK ELEMENTS - Florida													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
							Nonrec	urring	Nonrecurring	Disconnect			088	Rates(\$)		
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.17	53.31	26.46					11.90			
FEATU			1	HEDDY	HEDVE	2.20	0.00	0.00					44.00			
-	All Features Offered		1	UEPRX	UEPVF	2.26	0.00	0.00					11.90			
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.102	0.102					11.90			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITAX	UUAUZ		0.102	0.102					11.50			
	Switch with change			UEPRX	USACC		0.102	0.102					11.90			
ADDITI	ONAL NRCs		1													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					11.90			
	Activity			ULFRA	U3A32	0.00	0.00	0.00					11.90			
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	1	2			14.11 18.23										
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3		+	33.04										
	2 THIS TO ESSENT ON COMING COMES		Ť			00.01										
	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.94										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX	17.06 31.87										
	2-Wile Voice Grade Loop (SLT) - Zone 3		3	UEPBA	UEPLA	31.07										
2-Wire	Voice Grade Line Port (Bus)															
	, ,															
	Incoming Only without Caller ID capability			UEPBX	UEPBE	1.17	53.31	26.46					11.90			
LOCAL	NUMBER PORTABILITY		1													
LUCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	2000 Hamber Cortability (1 per pert)			OLI DA	LITTON	0.00										
FEATU																
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00					11.90			
NONDE	CURRING CHARGES (NDCs). CURRENTLY COMPINED	1	+													
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	+						1							
	Switch-as-is			UEPBX	USAC2		0.102	0.102					11.90			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -					İ										
	Switch with change		$\sqcup \sqcup$	UEPBX	USACC		0.102	0.102					11.90			
ADDITI	ONAL NRCs	1	+													
AUUITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	$\vdash$		1				-							
	Activity			UEPBX	USAS2	0.00	0.00	0.00					11.90			
	•															
NBUNDLE	PORT LOOP COMBINATIONS - MARKET RATES															<u> </u>
	et Rates shall apply where BellSouth is not required to provide ur	Ļ	$oxed{oxed}$											l		

<sup>&</sup>gt; Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules.

This includes unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines.

The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville).

BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.

<sup>&</sup>gt; The Market Rate for unbundled ports includes all available features in all states.

UNBUNDLE	NETWORK ELEMENTS - Florida											Attach	ment: 2	Exhi	oit: B
											Submitted	Incremental	Incremental Charge -		Incremental Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect		T =		Rates(\$)		
> End	Office and Tandem Switching Usage and Common Transport Usa	na rates	in the D	ort section of this rate	a avhihit chall	apply to all com	First	Add'I				SOMAN s which have t		SOMAN	SOMAN
	lot Currently Combined scenarios where Market Rates apply, the														
	ed section. Additional NRCs may apply also and are categorized			argoo aro notoa ar aro	, , , , , , , , , , , , , , , , , , ,	anional rivo co.	annio for odom		or currently combined coordinate	00, 1110 1101111	oouring one	igoo aro notoa		Janonay	
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
LINE Po	ort/Loop Combination Rates									-					
ONLIG	2-Wire VG Loop/Port Combo - Zone 1		1			26.94									
	2-Wire VG Loop/Port Combo - Zone 2		2			31.06									
	2-Wire VG Loop/Port Combo - Zone 3		3			45.87									
LINE L	op Rates	1			<del>                                     </del>					<del>                                     </del>			<del>                                     </del>		
ONE EC	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPRX	UEPLX	17.06				1			<b>-</b>		
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	31.87									
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX										
2-Wiro	Voice Grade Line Port (Res)	1			<del>                                     </del>					<del>                                     </del>			<del>                                     </del>		
Z-Wile	voice Grade Line Fort (Nes)														
	Florida Area Calling Port without Caller ID capability			UEPRX	UEPA9	14.00	90.00	90.00				11.90			
	Florida Extended Dialing for use with CREX7 and Caller ID			UEPRX	UEPA1	14.00	90.00	90.00				11.90			
	Florida Extended Dialing for use with CREX7 and without Caller ID capability			UEPRX	UEPA8	14.00	90.00	90.00				11.90			
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	14.00	90.00	90.00				11.90			
				<del></del>			00.00								
LOCAL	NUMBER PORTABILITY			UEBBY	LUBOY										
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									
FEATU	RES														
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00							
NONRE	CURRING CHARGES - CURRENTLY COMBINED	-								1					
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50				11.90			
	2-Wire Voice Grade Loop / Line Port Combination - Switch with														
	change			UEPRX	USACC		41.50	41.50				11.90			
ADDITI	ONAL NRCs	1			-					1			-		
ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1			<u> </u>					<u> </u>			t		
	Subsequent			UEPRX	USAS2		0.00	0.00				11.90			
2.W/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1			ļ						-				
Z-WIRE	VOIGE GRADE LOOF WITH 2-WIRE LINE FORT (BUS)				1					1			<b> </b>		
UNE Po	ort/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1		1	<u> </u>		26.94		-							
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3		<del>                                     </del>	31.06 45.87				<del>                                     </del>			<del>                                     </del>		
	2 11110 10 Loop/1 of Contido - Zone 3	1	-		1	45.07				1			<b>-</b>		
UNE Lo	op Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.94		-							
<del></del>	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPBX UEPBX	UEPLX UEPLX	17.06 31.87					-				
	2 11110 10100 Crade Loop (OLT) - 20116 0		5	OLI DA	OLILA	31.07									
2-Wire	Voice Grade Line Port (Bus)														
	Land to Oak a Mark Oak a Daniel Mark			LIEDDY	HEDDE	44.00	00.00	20.22				44.00			
<b></b>	Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00		1		11.90	<del>                                     </del>		
LOCAL	NUMBER PORTABILITY	1			1					1			<b>-</b>		
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
							, The state of the						l		

### Exhibit 1 Exhibit 1

UNBUNE	LED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhil	oit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	Y RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			oss	Rates(\$)	l.	L										
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FE	ATURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NC	NRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					11.90			
	2-Wire Voice Grade Loop / Line Port Combination - Switch with															
	change			UEPBX	USACC		41.50	41.50					11.90			
AD	DITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					11.90			

UNBL	NDLE	D NETWORK ELEMENTS - Georgia												Attachi	ment: 2	Exhil	bit: B
CATE		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted Manually	Incremental Charge -		Incremental Charge -	Incremental Charge -
	1							Nonred	urring	Nonrecurrin	g Disconnect			088	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									7144		7.00.	0020		00,			
	http://w	one" shown in the sections for stand-alone loops or loops as part oww.interconnection.bellsouth.com/become_a_clec/html/interconnection.			refers to Geographica	Ily Deaverage	ed UNE Zones.	To view Geogr	aphically Deave	eraged UNE Zo	ne Designations	s by Central	Office, refer	to Internet We	bsite:		
UNBL	NDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															L
	F	Dorto								ļ							<b></b> '
		ange Ports	0/ 1 4 0	Th1 11 1													<b></b>
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA &	IN, the	desired features wi	II need to be	oraerea using	retail USOCS									<del>                                     </del>
	2-WID	L RE VOICE GRADE LINE PORT RATES (RES)								1							<del></del>
	2 ****	2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID															<del></del>
		capability			UEPSR	UEPWC	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Grade Georgia Basic Dialing Port for use with Caller ID			UEPSR	UEPWQ	1.85	17.16	17.16					18.94	8.42		
		2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPSR	UEPWR	1.85	17.16	17.16					18.94	8.42		
		Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.85	17.16	17.16					18.94	8.42		<b>-</b>
		UDEO															<b></b> '
	FEAT	URES			UEPSR	LIEDVE	0.00	0.00	0.00					40.04	0.40		├──
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
	2-WIR	LE VOICE GRADE LINE PORT RATES (BUS)															
		2-Wire voice unbundled Georgia basic dialing port without Caller ID - bus			UEPSB	UEPWD	1.85	17.16	17.16					18.94	8.42		
		2-Wire voice unbundled Georgia basic dialing port with Caller ID - bus			UEPSB	UEPWP	1.85		17.16					18.94	8.42		
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.85	17.16 17.16	17.16					18.94	8.42		
		, ,															
	CEAT	URES											-				<del></del>
	FEAT	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		<del>                                     </del>
		All Available vertical realures			UEFSB	UEPVF	0.00	0.00	0.00					10.94	0.42		
	EXCH	  ANGE PORT RATES (DID & PBX)								1		1	-				<del>                                     </del>
		2-Wire voice unbundled Georgia basic dialing port - 2-way PBX			UEPSE	UEPPQ	1.85	17.16	17.16				1	18.94	8.42		
		2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPSP	UEPWS											
ļ		Outdial Trunk  2-Wire voice unbundled Georgia basic dialing port - 2-Way		$\vdash$	UEPSP		1.85	17.16	17.16	1			-	18.94	8.42		<del>                                     </del>
		Trunk			UEPSP	UEPWT	1.85	17.16	17.16					18.94	8.42		<b></b>
<u> </u>										-			-				<del>                                     </del>
	FEATU																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					18.94	8.42		<del></del>
UNBL	NDLE	D PORT/LOOP COMBINATIONS - COST BASED RAT	ES														
	0	David Britania and Fall Land Britania and Fall Control of Control	( 01	<u> </u>		1.1		0.345.0		<u> </u>			L				<del></del>
		Based Rates are applied where BellSouth is required by FCC and			•		-		undled Dest	notion of this D	ata Evhiltit						<del>                                     </del>
		ures shall apply to the Unbundled Port/Loop Combination - Cost B Office and Tandem Switching Usage and Common Transport Usage										Port/Loon C	`ombinations				<del></del>
	> Liiu (	Onice and Tandem Switching Usage and Common Transport Usag	ge rates II	i iiie PC	or section of this rate	evilinir 211911 !	appry to all com	DI 100 DI 100	P/POIT HETWORK	erements excep	or 101 ONE COIN	i on/Loop C	ombinations		l .	1	

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	oit: B
GIIDGIIDEE	NETWORK ELEMENTO GOORGIA										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											'	•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Manne		Namaanuulua	Discount			000	Detec(t)		
-						Rec	Nonred		Nonrecurring		201150	001111		Rates(\$)	001111	0011411
, The	first and additional Part paperaguering charges apply to Not Curren	thy Comb	inad Cou	mboo For Currently	Combined C	Comboo the non	First	Add'I	First	Add'I		SOMAN		SOMAN	SOMAN	SOMAN
	first and additional Port nonrecurring charges apply to Not Curren nal NRCs may apply also and are categorized accordingly.	itiy Comb	inea Coi	mbos. For Currently	Combined C	combos, the nor	rrecurring charg	es snall be tho	se identilled in ti	ne Nonrecum	g - Currently	/ Combined	sections.			
Additio	Tai NRCs may apply also and are categorized accordingly.	1	1 1		ı	1	I				1	ı				
		<u> </u>														
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	RES)														
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2	1	2			14.26					1					
<del>                                     </del>	·	<b> </b>									<u> </u>	<b> </b>	<b>-</b>	-	-	
	2-Wire VG Loop/Port Combo - Zone 3	<b>!</b>	3			21.62					ļ	ļ				
		]									ļ					
UNE L	oop Rates		<u> </u>											<u> </u>		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80			_						_	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
<b> </b>	2-Wile Voice Glade Loop (GL1) - Zone 3	ļ	3	OLITA	OLI LX	19.03										
ļ		<u> </u>														
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID			HEDDY	UEPWC	4.70	00.44	45.05	0.45	0.04			00.07	7.00	44.47	0.04
-	capability			UEPRX		1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Grade Georgia Basic Dialing Port for use with			UEPRX	UEPWQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
<b> </b>	Caller ID  2-Wire voice unbundled Georgia basic dialing port - outgoing	ļ		OLITA		1.79	22.14	15.25	0.40	3.91			33.67	1.00	11.17	3.91
	only			UEPRX	UEPWR	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Low Goage Enter on without Ganer is capability			OLITO	OLI IXI	1.70	22.17	10.20	0.40	0.01	1		00.07	7.00	11.17	0.01
FEATU	IRES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110400		0.04	0.0400					00.07	7.00	44.47	0.04
	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		UEPRX	USAC2		2.01	0.3108			1	1	33.67	7.88	11.17	3.91
	Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			ULFKA	USACC		2.01	0.3100					33.07	7.00	11.17	3.91
	Subsequent Database Update															
		<b>†</b>				İ							1			
ADDIT	IONAL NRCs													1		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	<u></u>		UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
								·								
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												ļ			
<b></b>	1	<b> </b>	$\sqcup$								ļ	ļ				
UNE P	ort/Loop Combination Rates	<b> </b>			1	10.50					ļ	}	<b>!</b>	1	1	
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	<del>                                     </del>	1 2			12.59 14.26					<u> </u>		<del>                                     </del>			
<del></del>	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	3			21.62	-				<b>_</b>	1	<del></del>	1	-	
<del>                                     </del>	2-vviile vo Loop/Fort Combo - Zone 3	<del>                                     </del>	3		1	21.02					<del>                                     </del>	1	t	1	1	
UNFI	oop Rates	1	1 1		1	1						1	<b>I</b>		1	
0.42 2	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>†</b>	1	UEPBX	UEPLX	10.80							1			
	2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	12.47							1			
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
				-						_						
2-Wire	Voice Grade Line Port (Bus)															

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1		1	Dee	Nonrec	curring	Nonrecurring	Disconnect		1	OSS	Rates(\$)	I	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port without Caller				UEPWD	. ==										
$\vdash$	ID - bus  2-Wire voice unbundled Georgia basic dialing port with Caller ID		1	UEPBX		1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	- bus			UEPBX	UEPWP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Incoming Only without Caller ID capability			UEPBX	UEPBE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCA	AL NUMBER PORTABILITY			HEDDY	LNDOV	0.05										
<b></b>	Local Number Portability (1 per port)		+	UEPBX	LNPCX	0.35					-					
FEAT	URES		1 1													
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1									<del>                                     </del>	<u> </u>			<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1 1	OLFBX	USACZ		2.01	0.3100					33.07	7.00	11.17	3.91
	Switch with change			UEPBX	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update															
ADDI	TIONAL NRCs		+								-					
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1 1													
	Activity			UEPBX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
0.14	DE VOICE OR ARE LOOP WITH A WIRE LINE PORT (REG. PRV)															
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		+ +										-			
UNE	Port/Loop Combination Rates		1 1													
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
LINE	Loop Rates		+								-					
- ONE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83										
	V															
2-Wir	e Voice Grade Line Port Rates (RES - PBX)  2-Wire voice unbundled Georgia basic dialing port - 2-way PBX		+ +										-			
	Trunk			UEPRG	UEPPQ	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
				-		-										
LOC/	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
EEAT	URES		+ +								1	1	-			-
FEAT	All Features Offered	1	+ +	UEPRG	UEPVF	0.00	0.00	0.00			1	+	33.67	7.88	11.17	3.91
			† †	020	02	0.00	2.00	2.00					55.07	7.00		3.51
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
$\vdash$	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	UEPRG	USAC2		2.01	0.3108			1	1	33.67	7.88	11.17	3.91
	2-vvire voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
	CONVERSION OWNER ORIGINGS		1 1	OLI IVO	OUACC		2.01	0.5106					55.07	1.00	11.17	3.91
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
										•			22.07		11 17	3.91
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			-	1	33.67	7.88	11.17	
				UEPRG	USAS2	0.00	14.64	14.64					19.99	19.99	19.99	19.99

UNBU	INDLE	NETWORK ELEMENTS - Georgia			•		1								ment: 2		bit: B
													Svc Order		Incremental		Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEC	ODV	DATE EL EMENTO		7	BCS	usos			DATEC(A)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEG	OKT	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-		Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
		2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
	UNF I	oop Rates								İ							
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80									<del></del>	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47									<del></del>	
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEPPX	UEPLX	19.83									<del></del>	
		2-Wile Voice Grade Loop (GL 1) - Zone 3		3	OLFFX	OLFLX	19.03			1						<del></del>	1
	2 Wire	Voice Grade Line Port Rates (BUS - PBX)								1						<del></del>	1
	Z-VVIIE	2-Wire voice unbundled Georgia basic dialing port - 1-Way				1										<del></del>	
		Outdial Trunk			UEPPX	UEPWS	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - 2-Way				LIEDAGE								55.5.			
		Trunk			UEPPX	UEPWT	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
	FEATU	RES All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED				1											
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								İ							İ
		Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														ĺ	
		Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33.67	7.88	11.17	3.91
	ADDITI	DNAL NRCs														<b>├</b>	
	ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -								1						<del></del>	1
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt					0.00	0.00						55.5.			
		Group						14.64	14.64					19.99	19.99	19.99	19.99
UNBU	INDLE	PORT LOOP COMBINATIONS - MARKET RATES															
		et Rates shall apply where BellSouth is not required to provide ur															
		udes unbundled port/loop combinations that are Currently Comb															
		op 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdal											1 464 :	the Cost Dee		andian in line.	
		outh currently is developing the billing capability to mechanically arket Rates and reserves the right to true-up the billing difference		ecurring	and non-recurring iv	larket Rates in	this section. If	i the interim wh	ere BellSouth C	cannot bili Mark	et Rates, Belloc	uth shall bil	i the rates in	the Cost-Base	ea section pre	eaing in lieu	
		Market Rate for unbundled ports includes all available features in															
<b>-</b>		office and Tandem Switching Usage and Common Transport Usa			ort section of this rate	e exhibit shall	apply to all con	nbinations of loc	pp/port network	elements excer	ot for UNE Coin	Port/Loon (	Combination	s which have a	a flat rate usan	e charge	<b>†</b>
		ot Currently Combined scenarios where Market Rates apply, the															
L		ed section. Additional NRCs may apply also and are categorized															<u> </u>
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ														
<u> </u>	LIME S	rt/I can Cambination Bates	-			ļ				-	-					<del></del>	
<del> </del>		rt/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	<del>                                     </del>	1		<del>                                     </del>	24.80			<del>                                     </del>						<del></del>	<del>                                     </del>
		2-Wire VG Loop/Port Combo - Zone 2	<u> </u>	2			26.47									<del>                                     </del>	<del> </del>
		2-Wire VG Loop/Port Combo - Zone 3	1	3		1	33.83			1	Ì						

UNB	UNDLE	NETWORK ELEMENTS - Georgia											Attach	ment: 2	Exhi	bit: B
		-									Svc Orde	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitte	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											T.	1.	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring Disconn				Rates(\$)		
							1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															L	
		op Rates														
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83								L	
		Voice Grade Line Port (Res)													L	
		2-Wire Voice Grade Georgia Basic Dialing Port without Caller ID				UEPWC										
		capability			UEPRX		14.00	90.00	90.00				33.67	7.88	11.17	3.91
		2-Wire Voice Grade Georgia Basic Dialing Port for use with				UEPWQ										
<u> </u>	1	Caller ID	ļ	1	UEPRX		14.00	90.00	90.00			1	33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port - outgoing			LIEBBY	UEPWR										
<u> </u>	+	only	ļ	$\vdash$	UEPRX		14.00	90.00	90.00	<b> </b>		1	33.67	7.88	11.17	3.91
	1	Low Usage Line Port without Caller ID capability	<b></b>	$\longmapsto$	UEPRX	UEPRT	14.00	90.00	90.00			1	33.67	7.88	11.17	3.91
	1.000	NUMBER ROPTARIUTY	<b></b>	$\longmapsto$		1						1	ļ	-	<b></b>	ļ
	LOCAL	NUMBER PORTABILITY		-	UEBBY/	LNBOY									<b>.</b>	
	1	Local Number Portability (1 per port)	<u> </u>	$\vdash \!$	UEPRX	LNPCX	0.35			<del>                                     </del>		1	1	-	<b>↓</b>	1
	FEATU	250		-											ļ	
	FEATU			-	UEDDV		2.22									
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				33.67	7.88	11.17	3.91
				-		-				<del>                                     </del>						
	NONRE	CURRING CHARGES - CURRENTLY COMBINED														
		O Wire Vaire Conde Lane / Line Bort Combination Contab on in			HEDDY	110400	0.00	44.50	44.50				22.67	7.00	44.47	2.04
	+	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		-	UEPRX	USAC2	0.00	41.50	41.50	<del>                                     </del>			33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Switch with			HEDDY	110400		44.50	44.50				22.67	7.00	44.47	2.04
	+	change		-	UEPRX	USACC		41.50	41.50	<del>                                     </del>			33.67	7.88	11.17	3.91
	ADDITI	DNAL NRCs		-		-				<del>                                     </del>						
	ADDITI	NRC - 2-Wire Voice Grade Loop/Line Port Combination -	1	-		_					_	-				
					HEDDY	110400		0.00	0.00				22.67	7.88	11.17	3.91
-		Subsequent	1		UEPRX	USAS2		0.00	0.00	+	-	+	33.67	7.00	11.17	3.91
	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		-								1				
	Z-WINL	VOICE GRADE LOOF WITH 2-WIRE LINE FORT (BOS)		-								1				
	LINE PO	rt/Loop Combination Rates		<b>-</b>		+					+	+				
		2-Wire VG Loop/Port Combo - Zone 1		1		-	24.80			1	-	+				
		2-Wire VG Loop/Port Combo - Zone 2		2		+	26.47			†	+	+			<del>                                     </del>	
<b>-</b>		2-Wire VG Loop/Port Combo - Zone 3		3			33.83									
		2 1110 10 2000/1 011 0011100 20110 0		Ŭ			00.00								<del>                                     </del>	
	UNE Lo	op Rates	<b>†</b>									1	1	1		1
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80					1	i e	İ		i e
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83					1	1			1
		• • •										1	1			1
	2-Wire	/oice Grade Line Port (Bus)														
		2-Wire voice unbundled Georgia basic dialing port without Caller	•			LIEDWD										
		ID - bus	<u></u>	L_	UEPBX	UEPWD	14.00	90.00	90.00	<u>                                       </u>		<u> </u>	33.67	7.88	11.17	3.91
		2-Wire voice unbundled Georgia basic dialing port with Caller ID				LIEDWD										
		- bus	<u></u>		UEPBX	UEPWP	14.00	90.00	90.00				33.67	7.88	11.17	3.91
		Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00				33.67	7.88	11.17	3.91
	LOCAL	NUMBER PORTABILITY														
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35									
	FEATU														<u> </u>	
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			1	33.67	7.88	11.17	3.91
			ļ											1	<u> </u>	
	NONRE	CURRING CHARGES - CURRENTLY COMBINED										1			<b></b>	
			1			1					1	1		I		
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50			ı	33.67	7.88	11.17	3.91

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<b> </b>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
	Change			ULFBA	USACC		41.50	41.50					33.07	7.00	11.17	3.91
ADDITI	ONAL NRCs		h t													
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2.WIDE	 EVOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	1	<del>                                     </del>										1			1
Z-WIKL			<del>                                     </del>													
UNE Po	ort/Loop Combination Rates	1	1 1		1											
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3	<u> </u>	3			33.83							<u> </u>			<u> </u>
LINE	oop Rates	1	+ +		+							<del>                                     </del>	-			-
ONE EC	2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEPRG	UEPLX	10.80					1		t			t
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83										
2-Wire	Voice Grade Line Port Rates (RES - PBX)		<b>├</b>													
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk			UEPRG	UEPPQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	ITUIK		<del>                                     </del>	OLFING		14.00	90.00	90.00					33.07	7.00	11.17	3.91
LOCAL	I . Number Portability		<del>                                     </del>													
200712	Local Number Portability (1 per port)		h t	UEPRG	LNPCP	3.15										
FEATU																
	All Features Offered	1	<del>                                     </del>	UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONRE	I ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1		1								1			1
- NOMA	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1 1													
	Conversion - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change		<b>├</b>	UEPRG	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDITI	I ONAL NRCs	-	-										-			-
ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1													
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group		<b>├</b>				14.64	14.64					19.99	19.99	19.99	19.99
<del>                                     </del>		1	$\vdash$													
<del>-  </del>	<u> </u>	1	$\vdash$													
2-WIRE	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	+	<del>├─</del> ┼		+							<del>                                     </del>	<del>                                     </del>			<del>                                     </del>
	Dort/Loon Combination Dot-	1	1									1	-			-
UNE	Port/Loop Combination Rates	1	1			2.2-						1	-			1
	2-Wire VG Loop/Port Combo - Zone 1	1	1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2	1	2			26.47						1	-			1
	2-Wire VG Loop/Port Combo - Zone 3	1	3		1	33.83					1	-				ļ
IIN'E I	an Peter	1	1													
UNE	Loop Rates	1		LIEBBY	LIEBUY							-	-			-
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.80						1	-			1
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPPX	UEPLX	12.47						-				$\vdash$
<del>                                     </del>	2-Wire Voice Grade Loop (SL 1) - Zone 3	+	3	UEPPX	UEPLX	19.83						<del>                                     </del>	<del>                                     </del>			$\vdash$
2 10/:	Voice Crede Line Bert Betse (BUC BBV)	1	+ +		+							<del>                                     </del>	-			<del> </del>
Z-VVIP	e Voice Grade Line Port Rates (BUS - PBX)				1						<u> </u>	1				1

# Exhibit 1 Exhibit 1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
						В	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk			UEPPX	UEPWS	14.00	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	14.00	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCAL	NUMBER PORTABILITY															<del>                                     </del>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATU																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					33.67	7.88	11.17	3.91
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															+
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		41.50	41.50					33.67	7.88	11.17	3.91
ADDITI	ONAL NRCs															-
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99

NBUNDLE	D NETWORK ELEMENTS - Kentucky	,			1						1 -	T =		ment: 2		bit: B
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1														
The "Z	Zone" shown in the sections for stand-alone loops or loops as part of a	combinatio	n refers	to Geographically Dea	averaged UNE	Zones. To view	Geographically D	Deaveraged UN	Zone Designati	ons by Central Of	fice, refer to I	nternet Webs	site:			ı
	www.interconnection.bellsouth.com/become_a_clec/html/interconnection			· ,			0.,				•					
NBUNDLE	ED LOCAL EXCHANGE SWITCHING(PORTS)															
	nange Ports															
NOTE	: Although the Port Rate includes all available features in GA, K	Y, LA & T	N, the d	esired features will	need to be or	dered using reta	ail USOCs									
2-WI	RE VOICE GRADE LINE PORT RATES (RES)	1							<b></b>							<u> </u>
	Kentucky Extended Local Dialing Port without Caller ID capability	1		UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13		7.86				<u> </u>
	Low Usage Line Port without Caller ID capability	1		UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13		7.86				ļ
		1	$\vdash$		-											<b> </b>
FF A	TURES	1			1				<b>-</b>					1		
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				7.86				
	7 III 7 Wallable Volucial Federale			02.0.0	02. 11	0.00	0.00	0.00				7.00				
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)															
	Kentucky Extended Local Dialing Port without Caller ID capability			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13		7.86				
	Incoming Only without Caller ID capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13		7.86				
					+				<b>†</b>							
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				7.86				
						0.00	5.55									
IBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED RATE	S														
	t Based Rates are applied where BellSouth is required by FCC and/or S			•		-										
	tures shall apply to the Unbundled Port/Loop Combination - Cost Based															
	Office and Tandem Switching Usage and Common Transport Usage ra											- 4 -1-1:4:1	NDC			
	rirst and additional Port nonrecurring charges apply to Not Currently Coalso and are categorized accordingly.	ombined Ci	ombos.	For Currently Combin	ied Combos, tr	ie nonrecurring cr	larges shall be tr	iose identined ii	Title Nonrecurin	ig - Currently Con	biried section	s. Additional	NRCS may			
		1														
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (R	ES)							1							<u> </u>
	The state of the s	Τ,							1							
UNE	Port/Loop Combination Rates	1							1							
	2-Wire VG Loop/Port Combo - Zone 1	1	1		1	10.79			1							1
	2-Wire VG Loop/Port Combo - Zone 2	1	2		1	15.52			1							1
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
		1														
UNE	Loop Rates	1														
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	30.59										
2-Wir	e Voice Grade Line Port Rates (Res)															
	Kentucky Extended Local Dialing Port without Caller ID capability	1		UEPRX	UEPWE		24.05	45 ***	0.05	0		7.0-				
		1	1 1	UEPKX		1.15	21.29	15.49	2.85	2.67	1	7.86		1		
	Low Lleage Line Port without Caller ID conshills	+		HEDDY	HEDDE	445	24.20	45.40	205	2.27		700				
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67		7.86				

NBUNDLED NE	ETWORK ELEMENTS - Kentucky				·	·	·	·	·	·		·	Attach	ment: 2	Exhi	bit: B
EGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremer Charge
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
All F	Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				7.86				
	MBER PORTABILITY															
	cal Number Portability (1 per port)		-	UEPRX	LNPCX	0.35										
LUC	carriumber Fortability (1 per port)			ULFKA	LINFOX	0.33					1					
NONRECUE	RRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Vire Voice Grade Loop / Line Port Combination - Conversion -															
	itch-as-is			UEPRX	USAC2		0.10	0.10				7.86				
2-W	Vire Voice Grade Loop / Line Port Combination - Conversion -															1
Swit	itch with change			UEPRX	USACC		0.10	0.10				7.86				
ADDITIONA																
	Vire Voice Grade Loop/Line Port Combination - Subsequent															
Acti	ivity	-		UEPRX	USAS2	0.00	0.00	0.00				7.86				-
2 WIDE VOI	ICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)					-					1		-			+
Z-VVIKE VOI	ICE GRADE LOOF WITH 2-WIRE LINE FORT (B03)				+	-					1					+
LINE Port/L	oop Combination Rates															+
	Vire VG Loop/Port Combo - Zone 1		1			10.79										
	Vire VG Loop/Port Combo - Zone 2		2			15.52										1
	Vire VG Loop/Port Combo - Zone 3		3			31.74										1
UNE Loop F																
	Vire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	Vire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										<del>                                     </del>
2-W	Vire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										<del>                                     </del>
2-Wire Voic	ce Grade Line Port (Bus)															+
																†
Ken	ntucky Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67		7.86				
Inco	ominy Only without Caller ID capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67		7.86				
	MBER PORTABILITY															
Loc	cal Number Portability (1 per port)			UEPBX	LNPCX	0.35										4
FEATURES	Features Offered	+	1	UEPBX	UEPVF	0.00	0.00	0.00				7.86	<del>                                     </del>			
All F	reatures Offered			UEPBX	UEPVF	0.00	0.00	0.00			1	7.86	-			+
NONRECUE	RRING CHARGES (NRCs) - CURRENTLY COMBINED	+			+	<del>                                     </del>							<b>-</b>			<del>                                     </del>
	Vire Voice Grade Loop / Line Port Combination - Conversion -	1	1 1		1	t					1		<u> </u>			<del>                                     </del>
	itch-as-is			UEPBX	USAC2		0.10	0.10				7.86	1			
	Vire Voice Grade Loop / Line Port Combination - Conversion -		1 1			1	20									1
	itch with change			UEPBX	USACC		0.10	0.10				7.86	1			
ADDITIONA																
	Vire Voice Grade Loop/Line Port Combination - Subsequent			·												
Acti	ivity	1	1 1	UEPBX	USAS2	0.00	0.00	0.00	1			7.86	1	1		1

UNBUNDLE	NETWORK ELEMENTS - Louisiana													ment: 2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			1	Submitted	Manual Svc	Charge -	Charge -	Charge -
						Rec	Nonrec			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
															<del>                                     </del>	
The "Zo http://w	ne" shown in the sections for stand-alone loops or loops as part ww.interconnection.bellsouth.com/become_a_clec/html/interconn	of a comb ection.htr	ination n	refers to Geographica	ally Deaverag	ed UNE Zones.	To view Geogra	aphically Deave	eraged UNE Zo	ne Designations	s by Central	Office, refer	to Internet We	bsite:		ı
UNBUNDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
															<b></b> '	
	nge Ports														<b></b>	
NOTE:	Although the Port Rate includes all available features in GA,	KY, LA &	TN, the	desired features wi	II need to be	e ordered using	retail USOCs								<b></b>	
															<b></b> '	
2-WIR	E VOICE GRADE LINE PORT RATES (RES)  Louisiana Extended Local Dialing Port without Caller ID				UEPWG										<b></b> '	
	Louisiana Calling Plan Port without Caller ID capability			UEPSR UEPSR	UEPRQ	1.52 1.52	2.31 2.31	2.21 2.21				15.20 15.20			<del>                                     </del>	
	Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.52	2.31	2.21				15.20			<del>                                     </del>	
	20W Coago Emo Fort Militar Canor 12 Capability			02. 0.1	02.111		2.01					10.20				
FEAT	JRES														1	
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00				15.20				
															<b></b> '	
2-WID	E VOICE GRADE LINE PORT RATES (BUS)														<del>                                     </del>	
Z-VVIK	Louisiana Extended Local Dialing Port without Caller ID														<del>                                     </del>	
	capability			UEPSB	UEPWH	1.52	2.31	2.21				15.20			i '	
	Louisiana Business Area Calling Port without Caller ID capability				UEPBA										1	
				UEPSB		1.52	2.31	2.21				15.20			<b></b> '	
	Incoming Only without Caller ID capability				UEPBE	1.52	2.31	2.21				15.20			<del>                                     </del>	
FEATU	JRES														ĺ	
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00				15.20				
I INDUNE E	PORT!! OOR COMPINATIONS COOT DAGED DATE														<b></b> '	
DURONDLEI	PORT/LOOP COMBINATIONS - COST BASED RAT	ES													<del>                                     </del>	
					<u> </u>		0 11 1 5 1								<del>                                     </del>	
	Based Rates are applied where BellSouth is required by FCC and														<b> </b>	
	res shall apply to the Unbundled Port/Loop Combination - Cost B Office and Tandem Switching Usage and Common Transport Usa										Port/Loop C	'ombinations			<del>                                     </del>	
	irst and additional Port nonrecurring charges apply to Not Curren														<del> </del>	
	al NRCs may apply also and are categorized accordingly.	,				, , , , , , , , , , , , , , , , , , , ,	3 3				,				i '	
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	RES)														
UNE Po	ort/Loop Combination Rates														<u> </u>	
	2-Wire VG Loop/Port Combo - Zone 1		1			13.13				ļ					<u> </u>	
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75				1					<b> </b>	
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62									<u> </u>	
LINE	op Rates	<del>                                     </del>	$\vdash$							1						<b>-</b>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		1									1	1	ļ	ļ	<b></b>	<del>                                     </del>
-+	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPI X	18 26									1 .	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										

CATEORY   RATE ELEMENTS   Interim Zone   BCS   USOC   RATE(\$4\$)   Both mines Solicinated Charge   Ch	INDLED	NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhil	bit: B
CATEODAY   RATE ELEMENTS   Interim   Zone   BGS   USOC   RATES(\$)   Submitted   Category   Catego			1									Svc Order	Svc Order				Incremental
CATEGORY   AATE ELEMENTS   Interim   Zone   BCS   USCC   AATE   CATEGORY   Part   St.   Part   Part   St.   Part   St.   Part   St.   Part   St.   Part   St.																Charge -	Charge -
ATTECORY RATE GLEMENTS Intelligence of the control																	Manual Svc
Bischmone   Bisc	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)							Order vs.	Order vs.
Text									***			per Lor	per Lor			Electronic-	Electronic-
Continues Extended Local Dating Print without Caller ID   Lighting   First   Addrt   First   Addrt   First   Addrt   SOMEO   SOMAN																Disc 1st	Disc Add'l
Coursing Enfonded Locar Daling Pirt without Celler ID   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPRX   UEPX														131	Addi	DISC 1St	Disc Add I
Commission Exerced Local Dailing Port attributed Caller D   UEPRIX   UEPR							Pec										
Copacity							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Coulsing Capitality Plant Port without Caller 1D capability   UEPRX   UEPRX   UEPRX   1.36   38.85   19.08   15.20						UEPWG											
Low Usage Line Provided Caster ID capability   UEPRX																	
FEATURES																	
AP Features Offined	L	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.36	38.85	19.08				15.20				
AF readures Officed																	
LOCAL NUMBER PORTABILITY   LOCAL NUMBER PORTAB																	
	P	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00				15.20				
NonRecUrring CHARGES (IRCs) - CURRENTLY COMBINED																	
Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   Subsequent Database Update Database Update   Subsequent		UEPRX	LNPCX	0.35													
Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Service Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   Subsequent Database Update Database Update   Subsequent	<b>├</b>		+								1			<b></b>			
Santch-as-is   JUPRX   USACZ   0.10   0.10   15.20			<b></b>	<b>├</b>		+				ļ				ļ	ļ		<b></b>
2-Vitro Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update   UEPRX			1		HEDDY	110400		0.40	0.40				45.00				
Switch with change				1	UEPRX	USAC2		0.10	0.10				15.20				
2-Wire Voice Grade Loop / Line Port Combination - Conversion   Subsequent Database Update   Subsequent Database Update   Subsequent Database Update   Subsequent   Subsequen			•										4= 00				
Subsequent Database Update					UEPRX	USACC		0.10	0.10				15.20				
ADDITIONAL NRCS			1														
2-Wire Voice Grade Loop/Line Port Combination - Subsequent   Lippa	٥	Subsequent Database Update															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent   UEPRX USAS2 0.00 0.00   15.20		WAL VIDA															
Activity USASZ 0.00 0.00 0.00 15.20																	
### VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)    VINE PORT/LOOP Combination Rates					HEDDY	110400	0.00	0.00	0.00				45.00				
UNE POTALOP Combination Rates	P	Activity		1	UEPRX	USAS2	0.00	0.00	0.00				15.20				
UNE POTALOP Combination Rates	O MUDE I	VOICE OF A DE LOOP WITH A WIDE LINE BORT (DUO)															
2-Wire VL CopyPort Combo - Zone 1	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
2-Wire VL CopyPort Combo - Zone 1				<b>!</b>													-
2   2   2   2   2   2   2   2   3   5   5   5   5   5   5   5   5   5				_			10.10										-
2-Wire Voice Grade Loop (SL1) - Zone 1																	-
UNE Loop Rates																	-
2-Wire Voice Grade Loop (SL1) - Zone 1		2-Wire VG Loop/Port Combo - Zone 3	1	3			49.62										<b></b>
2-Wire Voice Grade Loop (SL1) - Zone 1	LINEL	an Datas	1	1													
2-Wire Voice Grade Loop (SL1) - Zone 2   2   UEPBX   UEPLX   22.39			1	1	LIEDBY	LIEDLY	11 77					ļ					-
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPBX   UEPLX   48.26			1														
2-Wire Voice Grade Line Port (Bus)  Louisiana Extended Local Dialing Port without Caller ID capability  Louisiana Business Area Calling Port without Caller ID capability  Louisiana Business Area Calling Port without Caller ID capability  UEPBX  UEPBA  1.36  38.85  19.08  15.20  15.20  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY  LOCAL NUMBER PORTABILITY  UEPBX  UEPBX  LINPCX  0.35  LINPCX  0.35  FEATURES  All Features Offered  UEPBX  UEPBX  UEPVF  0.00  0.00  0.00  15.20  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-ass-is  UEPBX  USACC  0.10  0.10  15.20  15.20																	-
Louisiana Extended Local Dialing Port without Caller ID   UEPBX   UEPWH   1.36   38.85   19.08   15.20		2-Wile Voice Grade Loop (SLT) - Zone 3		3	UEPBA	UEPLA	40.20										-
Louisiana Extended Local Dialing Port without Caller ID   UEPBX   UEPWH   1.36   38.85   19.08   15.20	2-Wire V	Joice Grade Line Bort (Bus)		<del>                                     </del>		+						1					
Capability				1													
Louisiana Business Area Calling Port without Caller ID capability					HEDRY	UEPWH	1 36	38.85	10.08				15.20				
Incoming Only without Caller ID capability				1	OLI DX		1.50	30.03	13.00				13.20				
Incoming Only without Caller ID capability	L	Louisiana Business Area Calling Port without Caller ID capability			HEDRY	UEPBA	1 36	38.85	10.08				15.20				
LOCAL NUMBER PORTABILITY  LOCAL Number Portability (1 per port)  UEPBX  LNPCX  0.35  FEATURES  All Features Offered  UEPBX  UEPVF  0.00  0.00  0.00  15.20  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  Switch-as-is  UEPBX  USAC2  0.10  0.10  15.20  15.20  UEPBX  USAC2  0.10  0.10  15.20				1		HEDRE											
Local Number Portability (1 per port)		nconning Only without Caller ID capability		1	OLFBX	OLFBL	1.30	30.03	19.00				13.20				
Local Number Portability (1 per port)	LOCAL	NUMBER PORTABILITY	<del>                                     </del>	╁		+ -											<del>                                     </del>
FEATURES			1	+ +	UEPRX	LNPCX	0.35										<del>                                     </del>
All Features Offered		( Stability ( Pol Porty	1	<del>                                     </del>	02. 5	2 0.1	0.00										<b>†</b>
All Features Offered	FEATUR	ES	1	t t		1								1	1		1
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  UEPBX USAC2  0.10 0.10 15.20  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			t	t	UEPBX	UEPVF	0.00	0.00	0.00				15,20				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	t t	* * * *	t	† †			2.20	2.20	2.30				12.20				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change  2-Wire Voice Grade Loop / Line Port Combination - Conversion -  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	NONREC	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		1 1		1											
Switch-as-is				1 1													
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change UEPBX USACC 0.10 0.10 15.20 15.20			1		UEPBX	USAC2		0.10	0.10				15.20				
Switch with change UEPBX USACC 0.10 0.10 15.20 2-Wire Voice Grade Loop / Line Port Combination - Conversion -																	
2-Wire Voice Grade Loop / Line Port Combination - Conversion -			1		UEPBX	USACC		0.10	0.10				15.20				
				1 1													
		Subsequent Database Update	1														
		•		1 1													
ADDITIONAL NRCs	ADDITIO	NAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent				1 1													
Activity   UEPBX USAS2 0.00 0.00 0.00 15.20			1		UEPBX	USAS2	0.00	0.00	0.00				15.20		1		

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhib	oit: B
		1										Syc Order	Svc Order		Incremental		
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												po. 20.1	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred		Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NIDI E	D DODT I COD COMPINIATIONS MADVET DATES															
ONRO	NDLE	D PORT LOOP COMBINATIONS - MARKET RATES															
	> Mark	set Rates shall apply where BellSouth is not required to provide un	bundled	local sy	vitching or switch port	s per FCC ar	nd/or State Com	mission rules				•					
		cludes unbundled port/loop combinations that are Currently Comb							n for and ucare	with 4 or more	DS0 oquivalant	linoc					
		Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale															
		South currently is developing the billing capability to mechanically		curring	and non-recurring Ma	arket Rates in	n this section. In	n the interim wh	ere BellSouth of	cannot bill Marke	et Rates, BellSo	uth shall bil	I the rates in	the Cost-Base	ed section pred	eding in lieu	
	of the N	Market Rates and reserves the right to true-up the billing difference	€.														
		Market Rate for unbundled ports includes all available features in															
		Office and Tandem Switching Usage and Common Transport Usa			ort coction of this rate	ovhibit chall	apply to all con	objections of loa	on/nort notwork	olomonte ovecr	at for LINE Coir	Port/Loop (	Combination	c which have c	flat rate usag	o chargo	
		Not Currently Combined scenarios where Market Rates apply, the			arges are listed in the	First and Ad	ditional NRC co	lumns for each	Port USOC. Fo	or Currently Con	nbined scenario	s, the Nonre	ecurring chai	rges are listed	in the NRC - C	urrently	
	Combin	ned section. Additional NRCs may apply also and are categorized	according	ηly.													
	2-WIRF	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)					İ			İ	1	İ		İ	İ		
							†			i e	1	l	1	†	†		
	LINE	ort/Lean Cambination Rates					<b></b>			<b></b>	<b> </b>	<b> </b>	<b> </b>	<b> </b>	<b> </b>		
	UNE PO	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77										
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39										
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26										
		2 Trino TO ECOP/I Cit Combo Ecolo C		_			02.20										
		D-1															
	UNE LO	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	22.39										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	48.26										
		2 11110 10100 01440 2000 (021) 20110 0		_	02.101	OL: LX	10.20										
	0.140	Mailer Over to Live Book (Book															
	2-wire	Voice Grade Line Port (Res)															
		Louisiana Extended Local Dialing Port without Caller ID				UEPWG											
		capability			UEPRX		14.00	90.00	90.00					31.92	7.32		
		Louisiana Calling Plan Port without Caller ID capability			UEPRX	UEPRQ	14.00	90.00	90.00					31.92	7.32		
		Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	14.00	90.00	90.00					31.92	7.32		
		Low osage Line i oit without caller ib capability			OLITOX	OLIKI	14.00	30.00	30.00					31.32	1.02		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	FEATU	IRES															
	ILAIO				UEPRX	LIED\/E	0.00	0.00	0.00					24.00	7.00		
	<b> </b>	All Features Offered			UEPKA	UEPVF	0.00	0.00	0.00		ļ	<b> </b>	<b>.</b>	31.92	7.32		
											]						
	NONRE	ECURRING CHARGES - CURRENTLY COMBINED					<u> </u>				L		<u> </u>	<u> </u>	<u> </u>		
																_	
	l	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2	1	41.50	41.50	1	1	l	1	31.92	7.32		
	<del> </del>				OLI IVA	00/102	1	71.30	71.30	1	1	<b> </b>	1	31.32	1.52		
	l	2-Wire Voice Grade Loop / Line Port Combination - Switch with			LIEBBY	110100	1			1	1	l	1				
		change			UEPRX	USACC		41.50	41.50			l		31.92	7.32		
							<u> </u>				L		<u> </u>	<u> </u>	<u> </u>		
	ADDITI	IONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	l	Subsequent			UEPRX	USAS2	0.00	0.00	0.00			l	ĺ	31.92	7.32		
	<b> </b>	Oubsequelit			OLITA	USASZ	0.00	0.00	0.00	-	<del> </del>	<del>                                     </del>	-	31.92	1.32		
												l					
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		]			<u> </u>			<u> </u>	L	L	L		L		
																_	
	UNF P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			25.77			1	-		<b>.</b>	1	1		
	<b> </b>										ļ	<b> </b>	<b>.</b>	ļ	ļ		
		2-Wire VG Loop/Port Combo - Zone 2		2			36.39				]						
		2-Wire VG Loop/Port Combo - Zone 3		3			62.26				L		<u> </u>	<u> </u>	<u> </u>		
	UNFI	pop Rates															
	J.12 EC			1	UEPBX	UEPLX	11.77			1	1	<b> </b>	1	<del> </del>	<del> </del>		
	<b> </b>	2-Wire Voice Grade Loop (SL1) - Zone 1									ļ	<b> </b>	<b>.</b>	ļ	ļ		
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	22.39				]						
_	1	2-Wire Voice Grade Loop (SL1) - Zone 3	_	3	LIFPBX	LIFPLX	48 26				1	1	1		1		

# Exhibit 1 Exhibit 1

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: B
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs.	Incremental Charge -	
							B	Nonrec	urring	Nonrecurring Dis	sconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			ļ	1		ļ											ļ
	2-Wire	Voice Grade Line Port (Bus)															
		Louisiana Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWH	14.00	90.00	90.00					31.92	7.32		
		Louisiana Business Area Calling Port without Caller ID capability			UEPBX	UEPBA	14.00	90.00	90.00					31.92	7.32		
		Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00					31.92	7.32		<u> </u>
	LOCAL	I . NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										<u> </u>
	FEATU	I RES		1													+
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					31.92	7.32		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					31.92	7.32		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50		•			31.92	7.32		
		-															
		ONAL NRCs	<b> </b>	1 1		1											<b></b>
		NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00					31.92	7.32		

UNBL	INDLE	D NETWORK ELEMENTS - Mississippi												Attachi	ment: 2	Exhi	oit: B
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
0475		DATE EL EMENTO		<b>-</b>	200				D.4.TEQ(6)			Elec		Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	The "70	Lone" shown in the sections for stand-alone loops or loops as part of	of a comb	ination	refers to Geographics	Illy Deaverag	ed LINE Zones	To view Geogr	anhically Deav	eraged LINE Zor	ne Decianations	hy Central	Office refer	to Internet We	heita:	l	l .
		ww.interconnection.bellsouth.com/become_a_clec/html/interconn			refers to Geographica	my Deaverag	ed OINE ZOITES.	To view Geogr	apriicany Deave	eraged ONE Zor	ie Designations	by Certifal	Office, refer	to internet vve	DSILE.		
UNRI		D LOCAL EXCHANGE SWITCHING(PORTS)															
0	T																
	Excha	ange Ports															
	_	Although the Port Rate includes all available features in GA,	KY I A &	TN the	desired features wi	Il need to be	ordered using	retail USOCs									
	NOTE:	Antibugh the Fort Rule molddes an available reactives in OA,	LITTE	1.11, 1.11	c desired realares wi	II IICCG to be	oracica asing	100000									
	2-WIR	E VOICE GRADE LINE PORT RATES (RES)															
-	2 ****	Mississippi Extended Local Dialing Port without Caller ID															
		capability			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33		15.75				
		Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33		15.75				
	FEAT																
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00				15.75				
-																	
	2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
-	2 ****	Mississippi Extended Local Dialing Port without Caller ID															
		capability			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33		15.75				
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33		15.75				
	FFAT	UDEC								1							
	FEAT																
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00				15.75				
	EVCU	ANCE DODE DATES (DID & DDV)								1							
	EXCH	ANGE PORT RATES (DID & PBX) PBX 2-Way Combo MS Local Opt 2 Calling Port				LIEDAE		01.45	44.00								
		PBX 2-Way Combo MS Local Opt 2 Calling Port			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92		15.75				
	FEAT	IDEC															
-	FEAT				LIEDOD	LIED\ /E	0.50	0.00	0.00				45.75				
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00	1			15.75				
-																	
UNBL	NDLE	D PORT/LOOP COMBINATIONS - COST BASED RAT	ES														
	> Cost	I Based Rates are applied where BellSouth is required by FCC and	/or State	Commi	ssion rule to provide I	Jnbundled I c	cal Switching o	r Switch Ports				1	1	I.			
	_	res shall apply to the Unbundled Port/Loop Combination - Cost B							oundled Port se	ection of this Ra	te Exhibit						
		Office and Tandem Switching Usage and Common Transport Usa										Port/Loop C	Combinations				
		first and additional Port nonrecurring charges apply to Not Curren															
		nal NRCs may apply also and are categorized accordingly.	,					3				,					
	2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	RES)							1							
			,							<u> </u>			<b>†</b>				
	UNE P	Drt/Loop Combination Rates								<u> </u>			<b>†</b>				
		2-Wire VG Loop/Port Combo - Zone 1	1	1			12.22			<b>—</b>			<b>†</b>				
$\vdash$		2-Wire VG Loop/Port Combo - Zone 1		2			17.13			<del>                                     </del>							
$\vdash$		2-Wire VG Loop/Port Combo - Zone 2		3			26.26			<del>                                     </del>							
-		2-Wire VG Loop/Port Combo - Zone 4		4			44.91			<del>                                     </del>							<del>                                     </del>
	l	Z-VVIIG VO LOOP/FOR COINDO - ZONE 4		4		l	44.91	l		l	l	l .	1	L	L	L	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: B
													Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
04750000	DATE ELEMENTO		<b>-</b>	D00				D.4.TEQ(A)			Elec		Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
1					1		Nonrec	urring	Nonrecurrin	g Disconnect	1		OSS	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
								,,,,,,		7.44	0020					
LINE	oop Rates									+	+					
UNE L		-		UEPRX	LIEDLY	10.00				-	-					
	2-Wire Voice Grade Loop (SL1) - Zone 1		1		UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										
2-Wire	Voice Grade Line Port Rates (Res)															
2-1110	Mississippi Extended Local Dialing Port without Caller ID										1					
1 1	capability	1		UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58		15.75		1		
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58		15.75				
						20				1	1	1				
FEATU	JRES .															
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00				15.75				
LOCAL	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPRX	USAC2		0.0988	0.0988				15.75				
-	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-	UEPRX	USACZ		0.0988	0.0988		+	+	15.75				
	Switch with change			UEPRX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLITOR	00/100		0.0000	0.0000				10.70				
	Subsequent Database Update															
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.75				
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
1005 5	and the second contribution But to				1					+	1					
UNE P	ort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1	-	1			12.22				-	-					
	2-Wire VG Loop/Port Combo - Zone 1		2		1	17.13				+	+					
<del>                                     </del>	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	<b>-</b>	3		+ -	26.26				+	<del>                                     </del>	<b> </b>		<b> </b>		
	2-Wire VG Loop/Port Combo - Zone 3	1	4		1	44.91				+	1			1		
										1	1					
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL1) - Zone 3	<u> </u>	3	UEPBX	UEPLX	25.04				1	<u> </u>	<u> </u>				
	2-Wire Voice Grade Loop (SL1) - Zone 4	ļ	4	UEPBX	UEPLX	43.68				1				ļ		
0.147	Voice Crede Line Bert (Bus)	<b> </b>	<b> </b>							1	<del>                                     </del>					
2-Wire	Voice Grade Line Port (Bus)	<del>                                     </del>	-		<del>                                     </del>					+	1			<b> </b>		
1 1	Mississippi Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58		15.75				
<del>                                     </del>	Incoming Only without Caller ID capability	<del>                                     </del>	<del>                                     </del>	UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58	+	15.75		<del> </del>		
<del>                                     </del>	incoming only without called to capability	<b>-</b>	<del>                                     </del>	OLIDA	OLIBE	1.23	70.31	13.04	24.30	0.50	<del>                                     </del>	10.70		<b> </b>		
LOCAL	L NUMBER PORTABILITY	1	1		1					+	1			1		
1 2 3/1	Local Number Portability (1 per port)	<b>i</b>		UEPBX	LNPCX	0.35				1				1		
FEATU	JRES															
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00				15.75				
		<u> </u>								1	<u> </u>	<u> </u>				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>								<u> </u>	1			l		

NRONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: B
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						_	Nonrec	urrina	Nonrecurrin	g Disconnect		1	oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.0988	0.0988				15.75				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update															
ADDIT	ONAL NRCs		<b>├</b>													
AUUIII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<del>├─</del> ┼		+					1	-	1		-		<del></del>
	Activity			UEPBX	USAS2	0.00	0.00	0.00				15.75				
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
LINE P	ort/Loop Combination Rates															
O.U.E.T.	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2		2		+	17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3		+	26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE L	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wire	I Voice Grade Line Port Rates (BUS - PBX)															
	PBX 2-Way Combo MS Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17		15.75				
LOCAL	 . Number Portability	1	$\vdash$		+ -					1	1					<del> </del>
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATU	I RFS		1		+					1						
ILATO	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00				15.75				
NONRE	L ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		$\vdash$		+ -					1	<del>                                     </del>					<del>                                     </del>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91				15.75				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.96	1.91				15.75				
ADDIT	ONAL NRCs	ļ	<b>├</b>		+					1						<b></b>
ADDITI	ONAL NRCs  2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.75				
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group			UEPPA	U5A52	0.00	7.36	7.36				15.75				

CATEGORY  RATE ELEMENTS  Interim  Zone  BCS  USOC  RATES(\$)  BCS  USOC  RATES(\$)  RATES(\$)  Manually per LSR per LSR Por LSR P	UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: B
ATT ELEMENTS In Marine Date   BCS													Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
### CATEGORY   RATE CLEMENTS   Model   2008   RATES   Declarate													Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
PEATURES    Pearl Storm in the section for standards from the control of the cont					_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
Red Notewarding Sections 5   Section	CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR				Order vs.
Roo Noncentral Recommends December 1  Roo Noncentral Recommends Decemb																		Electronic-
The Annual Process drawn in the exclusions for stand alone bage or impact and an interpretation for the control of the process of the control of the process of the control of the process of the control of the process of the control of the process															1st	Add'l	Disc 1st	Disc Add'l
The Annual Process drawn in the exclusions for stand alone bage or impact and an interpretation for the control of the process of the control of the process of the control of the process of the control of the process of the control of the process							-	_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
Interpretable Port Rate Includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  Local bease Line Port ARTES (RES)  Local bease Line Port ARTES (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port RATES (BUS)  Local bease Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Colle								Rec					SOMEC	SOMAN			SOMAN	SOMAN
Interpretable Port Rate Includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  Local bease Line Port ARTES (RES)  Local bease Line Port ARTES (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port RATES (BUS)  Local bease Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Colle																		
Interpretable Port Rate Includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  NOTE: Although the Port Rate includes all evaluable features in GA, KY, LA TM, the desired restures will need to be ordered using retail USCCs.  Local bease Line Port ARTES (RES)  Local bease Line Port ARTES (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port artes (RES)  Local bease Line Port RATES (BUS)  Local bease Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port RATES (BUS)  Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Control Line Port College Colle																		
UNBINICED COAL EXCHANGE SWITCHING(PORTS)  Exchange Ports  NOTE ATHORY in the Ordered Unity (PORT) in the Ordered U						refers to Geographica	ally Deaverag	ed UNE Zones.	To view Geogr	aphically Deav	eraged UNE Zo	ne Designations	by Central	Office, refer	to Internet We	bsite:		
Exchange Ports  NOTE Atthough the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs  2-WINE VOICE GRADE LINE PORT RATES (RES)  Lord belong the Port without Caller to Coupelaility  UEPSR UEPSR 2:19 2:160 2:1	LINIBU			ection.nti	1		1	1			1	1			1	1	1	
NOTE: Although the Port Rate includes all available features in OA, XY, LA, & TN, the desired features will need to be ordered using retail USOCS	UNBU	NDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
NOTE: Although the Port Rate includes all available features in OA, XY, LA, & TN, the desired features will need to be ordered using retail USOCS																		
2-WIRE VOICE GRADE LINE PORT RATES (RES)    Book Lisage Line Port without Caller 1D capability   UEPSR UEPRT 2.10 21.60 21.60   76.04 12.76																		
Low Usage Line Port without Callet D capability   UEPSK   UEPK   2.19   2.100   2.100   2.100   2.00   1.276		NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA &	TN, the	desired features wi	ill need to be	e ordered using	retail USOCs									
Low Usage Line Port without Callet D capability   UEPSK   UEPK   2.19   2.100   2.100   2.100   2.00   1.276																		
FEATURES		2-WIR																
All Available Vertical Frantiures			Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
All Available Vertical Frantiures								-										
All Available Vertical Frantiures	<b> </b>		IDEC	-	$\vdash$		<del>                                     </del>	<del>                                     </del>			<del> </del>	-						<del>                                     </del>
2-WIRE VOICE GRADE LINE PORT RATES (BUS)  DEPSE  DE	<u> </u>	FEAT		-		LIEDOD	LIED' (E	0.40	0.00	2.22	-				00.01	10.70		<del>                                     </del>
Incoming Only without Callier ID capability  UEPSB UEPSE 2:19 21:60 21:60 21:60 26:94 112.76    Incoming Only without Callier ID capability   UEPSB UEPVF 3:40 0:00 0:00 0:00 0:00 0:00 0:00 0:00	-		All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		-
Incoming Only without Caller ID capability																		<del>                                     </del>
Incoming Only without Caller ID capability		2-WIR	E VOICE GRADE LINE PORT RATES (RUS)				-											
FEATURES    All Available Vertical Features	-	2 *****				UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		<del>                                     </del>
All Available Vertical Features UEPSB UEPVF 3.40 0.00 0.00 0.00 0.00 0.00 0.00 0.00			arconning only marcat canonic sociation,			02. 03	02.02	20	21.00	21.00					20.01	12.70		
All Available Vertical Features  UEPSB UEPVF 3.40 0.00 0.00 0.00 0.00 0.00 0.00 0.00																		
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES  > Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.  > Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.  > End Office and Tandem switching Usage and Common Transport Usage areas in the Port section of this rate exhibit apply to all combinations of loopport network elements except for UNE Coin PortLoop Combinations.  > The first and additional Port nonrecurring charges apply to Not Currenty Combined Combos. For Currenty Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currenty Combined sections, Additional NRCs may apply also and are categorized accordingly.    Quite Volice GRADE LOOP WITH 2-WIRE LINE PORT (RES)		FEAT	URES															
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features Shall apply to the Unbundled Port Section Port/Loop Combinations. > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  1 1 13.03  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03  2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features Shall apply to the Unbundled Port Section Port/Loop Combinations. > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  1 1 13.03  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03  2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2																		
> Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit. > Features Shall apply to the Unbundled Port Section Port/Loop Combinations. > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections. Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  1 1 13.03  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03  2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				<u> </u>														
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.  > End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.  > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections.  Additional NRCs may apply also and are categorized accordingly.  2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03 1	UNBU	NDLE	PORT/LOOP COMBINATIONS - COST BASED RAT	ES														
> Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.  > End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.  > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined Sections.  Additional NRCs may apply also and are categorized accordingly.  2-Wire VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03 1																		
> End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.  > The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.  Additional NRCs may apply also and are categorized accordingly.		> Cost I	Based Rates are applied where BellSouth is required by FCC and	l/or State	Commis	ssion rule to provide l	Jnbundled Lo	ocal Switching o	r Switch Ports.									
> The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.  Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  1 1 1 13.03  2-Wire VG Loop/Port Combo - Zone 1 1 1 13.03  2-Wire VG Loop/Port Combo - Zone 2 2 2 21.33  2-Wire VG Loop/Port Combo - Zone 3 3 3 32.61  UNE Loop Rates  1 UEPRX UEPLX 10.75  2-Wire Voice Grade Loop (SL1) - Zone 1 1 UEPRX UEPLX 10.75  2-Wire Voice Grade Loop (SL1) - Zone 2 2 UEPRX UEPLX 19.05  2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 19.05  1		> Featu	res shall apply to the Unbundled Port/Loop Combination - Cost B	Based Rat	e sectio	n in the same manne	r as they are	applied to the S	Stand-Alone Uni	oundled Port se	ection of this Ra	te Exhibit.						
Additional NRCs may apply also and are categorized accordingly.  2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1 1 13.03 1 2-Wire VG Loop/Port Combo - Zone 2 2 2 2 2 13.33 1 2-Wire VG Loop/Port Combo - Zone 3 3 3 3 32.61 1 1 UNE Loop Rates  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 1 1 UEPRX UEPLX 10.75 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2 2 UEPRX UEPLX 19.05 1 2-Wire Voice Grade Loop (SL1) - Zone 3 3 UEPRX UEPLX 30.33 1 UEPRX UEPLX 30.33 1 UEPRX UEPLX 30.33 1 UEPRX UEPLX 30.33 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.35 1 UEPRX UEPLX 30.36 1 UEPRX UEPLX 30.36 1 UEPRX UEPLX 30.37 1 UEPRX UEPLX 30.36 1 UEPRX UEPLX 30.37 1 UEPRX UEPLX 30.36 1 UEPRX UEPLX 30.37 1 UEPRX UEPLX 30.37 1 UEPRX UEPLX 30.38 1 UEPRX UEPRX UEPLX 30.37 1 UEPRX																		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)  UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 1 1 1 13.03				tly Combi	ned Co	mbos. For Currently	Combined C	combos, the nor	recurring charg	es shall be tho	se identified in	the Nonrecurrin	g - Currently	Combined s	sections.			
UNE Loop Rates		Addition	nal NRCs may apply also and are categorized accordingly.	1						1		T			T			
UNE Loop Rates																		
UNE Loop Rates																		
2-Wire VG Loop/Port Combo - Zone 1		2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (F	RES)														
2-Wire VG Loop/Port Combo - Zone 1																		
2-Wire VG Loop/Port Combo - Zone 2   2   21.33   32.61		UNE Po	ort/Loop Combination Rates		$\Box$													
2-Wire VG Loop/Port Combo - Zone 3   3   32.61			2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
UNE Loop Rates			2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
UNE Loop Rates			2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
2-Wire Voice Grade Loop (SL1) - Zone 1																		
2-Wire Voice Grade Loop (SL1) - Zone 1		UNE La	pop Rates	1				1				İ						
2-Wire Voice Grade Loop (SL1) - Zone 2   2   UEPRX   UEPLX   19.05					1	UEPRX	UEPLX	10.75										
2-Wire Voice Grade Loop (SL1) - Zone 3   3   UEPRX   UEPLX   30.33																		
2-Wire Voice Grade Line Port Rates (Res)  Low Usage Line Port without Caller ID capability  UEPRX UEPRT 2.28 79.59 63.97  FEATURES	<del></del>		1 1 1	<del>                                     </del>							1							<del>                                     </del>
Low Usage Line Port without Caller ID capability UEPRX UEPRT 2.28 79.59 63.97 40.18 9.45  FEATURES	<del></del>		12.00 0.000 200p (02.) 2010 0	<del>                                     </del>	<u> </u>	J2. 100	0212/	30.33			1							<del>                                     </del>
Low Usage Line Port without Caller ID capability UEPRX UEPRT 2.28 79.59 63.97 40.18 9.45  FEATURES	<del></del>	2-10/:	Voice Grade Line Bort Pates (Res)					<del> </del>										<del>                                     </del>
FEATURES		Z-AAILG	· · · · · · · · · · · · · · · · · · ·	-		HEDDY	HEDDT	0.00	70.50	60.07	<del> </del>	-			40.10	0.45		₩
	<del></del>		Low osage Line Fort without Caller ID capability	1	$\vdash$	UEPKA	UEPKI	2.28	79.59	63.97	1				40.18	9.45		<del>                                     </del>
	<b>-</b>	FEATII	I RES	1			<b> </b>	<del>                                     </del>			1	1						<del>                                     </del>
						UEPRX	UEPVF	3.40	0.00	0.00					40.18	9.45		
												<u> </u>					<u> </u>	

UNDU	INDLE	NETWORK ELEMENTS - North Carolina											1 -		ment: 2		bit: B
														Incremental	Incremental	Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEG	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
												p	p	Electronic-	Electronic-	Electronic-	Electroni
														1st	Add'l	Disc 1st	Disc Add
														151	Auu	DISC 1St	DISC AUG
							Б	Nonrec	urring	Nonrecurrin	ng Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										1
		, , , , ,															
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02.700	00/102		2	0.10					10.10	0.10		1
		Switch with change			UEPRX	USACC		2.77	0.40					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del>                                     </del>	OL. TO	00/100			0.10					10.10	0.10		+
		Subsequent Database Update						1.42						40.18	9.45		
		oubsequent batabase opuate		<b>-</b>		+		1.72						40.10	3.43		+
	Δηριτι	ONAL NRCs		+		+				<del>                                     </del>	1					<del>                                     </del>	<del></del>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	+ +		+ +	ŀ			1	1	1	1		1	1	<del>                                     </del>
		Activity			UEPRX	USAS2	0.00	0.00	0.00				İ	40.18	9.45		
	-	ACTIVITY		<del>                                     </del>	UEPKA	U3A32	0.00	0.00	0.00					40.16	9.45		
	0.14(10)	VOICE OF A DE LOOP WITH A WIPE LINE BODT (BUO)		-													
	Z-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)		-													
	L			<b>├</b>													
	UNE Po	ort/Loop Combination Rates		L			10.00										
		2-Wire VG Loop/Port Combo - Zone 1		1			13.03										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			32.61										
		oop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										
	2-Wire	Voice Grade Line Port (Bus)															
		Incoming Only without Caller ID capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATU	RES															
		All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED					ĺ										
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1					1	İ					1
		Switch-as-is			UEPBX	USAC2		2.77	0.40				İ	40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -								İ	İ	İ				İ	1
		Switch with change			UEPBX	USACC		2.77	0.40				İ	40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			<u> </u>				2.10	İ	1	İ			3.10	İ	<b>†</b>
		Subsequent Database Update						1.42						40.18	9.45		
		and the second s		1 1						1		1			30	1	<b>†</b>
	ADDITI	ONAL NRCs		1 1		† †				1	1	1			1	<del> </del>	t
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		† †			l			1		1				1	<b>†</b>
		Activity			UEPBX	USAS2	0.00	0.00	0.00	l		1	1	40.18	9.45	Ì	1
	<del>                                     </del>	, with		+	OLI DA	00,102	0.00	0.00	0.00		+	<del> </del>		70.10	0.40	-	$\vdash$
	<del>                                     </del>			+		+ -					+	<del> </del>				-	<del>                                     </del>
INDI	IND! E	D PORT LOOP COMBINATIONS - MARKET RATES		+		+ -					+	<del> </del>				-	<del>                                     </del>
JINDU	NULL	FOR I LOUP COMIDINATIONS - MARKET RATES		<b> </b>		1											4
	1		1		tching or switch po												1

This includes unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines.

> The Market Rate for unbundled ports includes all available features in all states.

<sup>&</sup>gt; The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville).

<sup>&</sup>gt; BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim where BellSouth cannot bill Market Rates, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.

<sup>&</sup>gt; End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge

UNBI	JNDLEI	D NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Fxhil	bit: B
0.,5	JIIDEL	THE THORK ELEMENTO HOLD GOING										Svc Order	Svc Order	Incremental	Incremental		
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												<b>,</b>	<b>P</b>	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 130	DISC Add I
							Rec		curring	Nonrecurring					Rates(\$)		
								First	Add'l	First		SOMEC				SOMAN	SOMAN
		lot Currently Combined scenarios where Market Rates apply, the			arges are listed in the	First and Add	ditional NRC co	lumns for each	Port USOC. F	or Currently Cor	mbined scenari	os, the Nonre	ecurring cha	rges are listed	in the NRC - 0	Currently	
	Combin	ed section. Additional NRCs may apply also and are categorized	l accordin	gly.													
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Po	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			24.75										
		2-Wire VG Loop/Port Combo - Zone 2		2			33.05										
		2-Wire VG Loop/Port Combo - Zone 3		3			44.33										
	UNELO	oop Rates															
	1	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>†</b>	1	UEPRX	UEPLX	10.75		<del> </del>	1	<u> </u>	1	1			<del> </del>	<b>†</b>
	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 2	<del>                                     </del>	2	UEPRX	UEPLX	19.05		<b> </b>	<del> </del>	t	1	†	1		<b> </b>	+
		2-Wire Voice Grade Loop (SL1) - Zone 2		3	UEPRX	UEPLX	30.33										<del>                                     </del>
	1	2 11.10 15.00 Grado Ecop (GE1) - 20116 0	1	-	OLI IXX	OLILA	30.33			1	<b>-</b>		1	<b> </b>			<del> </del>
	2-Wire	Voice Grade Line Port (Res)															
		Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	14.00	90.00	90.00					40.18	9.45		ļ
																	ļ
	LOCAL	NUMBER PORTABILITY															ļ
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										ļ
																	ļ
	FEATU																
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					40.18	9.45		
																	ļ
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															ļ
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2	0.00	41.50	41.50					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
		change			UEPRX	USACC		41.50	41.50					40.18	9.45		
	ADDITI	ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	LINE D	and the same Occasion in the state of the st															
	UNE PO	ort/Loop Combination Rates	1	$\vdash$		1	01		<del> </del>	<del>                                     </del>	<del>                                     </del>	ļ	1	<del>                                     </del>	-	1	<del> </del>
	<b>_</b>	2-Wire VG Loop/Port Combo - Zone 1	<b>!</b>	1		ļ	24.75		<b> </b>	<b>.</b>	-			-	1		<b>↓</b>
	<b>_</b>	2-Wire VG Loop/Port Combo - Zone 2	<b>!</b>	2		ļ	33.05		<b> </b>	<b>.</b>	-			-	1		<b>↓</b>
	1	2-Wire VG Loop/Port Combo - Zone 3	1	3		1	44.33		<del> </del>	<del>                                     </del>	<del>                                     </del>	ļ	1	<del>                                     </del>	-	1	<del> </del>
	ļ		<b> </b>	$\vdash \vdash$		ļ				ļ		<u> </u>					<b>_</b>
		pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										
	1	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	30.33										1
	1		1	l J					]					_		<u> </u>	
	2-Wire	Voice Grade Line Port (Bus)															
	1	Incoming Only without Caller ID capability			UEPBX	UEPBE	14.00	90.00	90.00	İ	1	i e	İ	40.18	9.45	İ	
	1				<del>* = : = : :</del>		00	22.00	23.00	İ	1	i e	İ		3.10	İ	
	LOCAL	NUMBER PORTABILITY	<b>†</b>	1 1		Ì			1	1	t			t		1	1
	T	Local Number Portability (1 per port)	<b>†</b>	1 1	UEPBX	LNPCX	0.35		1	1	t			t		1	1
	1	(. Far bon)	<b>†</b>				0.00		1	1	t			t		1	1
	FEATU	RES	1						İ	İ	1			İ	İ	İ	
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED										1	1				
			•									•					

# Exhibit 1 Exhibit 1

UNBU	JNDLE	NETWORK ELEMENTS - North Carolina												Attachi	ment: 2	Exhi	bit: B
																Incremental	Incremental
														Charge -		Charge -	Charge -
04.754	2001	DATE EL EMENTO		<b>-</b>	500				D 4 T F O (6)			Elec					Manual Svc
CATE	SURY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
		change			UEPBX	USACC		41.50	41.50					40.18	9.45		
	ADDITI	ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
		Subsequent			UEPBX	USAS2	0.00	0.00	0.00					40.18	9.45		

UNBU	NDLE	D NETWORK ELEMENTS - South Carolina												Attachi	ment: 2	Exhi	bit: B
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			ļ				Rec		curring		g Disconnect				Rates(\$)		
<b></b>			1					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as part ww.interconnection.bellsouth.com/become_a_clec/html/interconr			refers to Geographica	ally Deaverag	ed UNE Zones.	To view Geogr	aphically Deave	eraged UNE Zo	one Designation	s by Central	Office, refer	to Internet We	bsite:		
UNBU	NDLE	D LOCAL EXCHANGE SWITCHING(PORTS)															
		inge Ports															
	NOTE:	Although the Port Rate includes all available features in GA,	KY, LA &	TN, the	e desired features wi	ill need to be	ordered using	g retail USOCs									
	0 M/ID	E VOICE OR ARE LINE BORT RATES (RES)	-							ļ							
$\longmapsto$	∠-vviK	E VOICE GRADE LINE PORT RATES (RES)  South Carolina Extended Local Dialing Port without Caller ID	+			<b> </b>				<b> </b>	<del>                                     </del>	+					
		capability			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33		15.69				
		South Carolina Area Calling Port without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33		15.69				
		Low Usage Line Port without Caller ID capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33		15.69				
$\longmapsto$	FEAT	IDEC	<del>                                     </del>			-					+	<del>                                     </del>	-				<del>                                     </del>
$\vdash$	FEAI	All Available Vertical Features	-		UEPSR	UEPVF	3.04	0.00	0.00		+		45.00				
<b>-</b>		Ali Avaliable vertical Features			UEPSK	UEPVF	3.04	0.00	0.00	1			15.69				
			1														
	2-WIR	E VOICE GRADE LINE PORT RATES (BUS)															
		South Carolina Extended Local Dialing Port without Caller ID				UEPWM											
<b></b>		capability South Carolina Business Area Calling Port without Caller ID			UEPSB		1.65	2.38	2.28	1.42	1.33		15.69				
		capbility			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33		15.69				
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33		15.69				
	FEAT																
$\vdash$		All Available Vertical Features	-		UEPSB	UEPVF	3.04	0.00	0.00		+		15.69				
UNBU	NDLE	D PORT/LOOP COMBINATIONS - COST BASED RAT	ΓES														
	> Cost I	Based Rates are applied where BellSouth is required by FCC and	d/or State	Commi	ssion rule to provide U	Jnbundled Lo	ocal Switching o	r Switch Ports.									
	> Featu	res shall apply to the Unbundled Port/Loop Combination - Cost E	Based Rat	e sectio	n in the same manne	r as they are	applied to the S	Stand-Alone Un	bundled Port se	ection of this Ra	ate Exhibit.						
		Office and Tandem Switching Usage and Common Transport Usa															
		first and additional Port nonrecurring charges apply to Not Currer nal NRCs may apply also and are categorized accordingly.	ntly Comb	ined Co	mbos. For Currently	Combined C	combos, the nor	recurring charg	ges shall be tho	se identified in	the Nonrecurrin	ng - Currently	/ Combined	sections.			
$\vdash \vdash \vdash$	Auditiof	iai nicos may appiy aiso and are categorized accordingly.				1				1	1	1					
			+			<b> </b>				<b> </b>	+	+					<del>                                     </del>
	2-WIR	I E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (I	RES)			<del>                                     </del>				<b>-</b>	+	+					<del>                                     </del>
$\vdash$		- 10.01 0.0 BE 1001 111111 111111 111111 11111 11111	1								<b>†</b>	1					
	UNE Po	Drt/Loop Combination Rates	1								<u> </u>	<b>†</b>					
		2-Wire VG Loop/Port Combo - Zone 1	1	1			14.89				<u> </u>	<b>†</b>					
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52				1	<b>T</b>					<u> </u>
		2-Wire VG Loop/Port Combo - Zone 3		3		İ	27.17			İ		1					
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.76										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04										
ļ	2-Wire	Voice Grade Line Port Rates (Res)	<u> </u>			<u> </u>	<u>                                     </u>	<u>                                     </u>	<u>                                     </u>	<u> </u>		<u> </u>	<u></u>		<u> </u>	<u> </u>	

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonred			g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	South Carolina Extended Local Dialing Port without Caller ID capability			UEPRX	UEPWL	1.13	37.93	16.72				15.69				
	South Carolina Area Calling Port without Caller ID capability			UEPRX	UEPRS	1.13	37.93	16.72				15.69				
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.13	37.93	16.72				15.69				
FEAT			-	HEDDY	LIEDVE	0.04	0.00	0.00				45.00				
	All Features Offered	-		UEPRX	UEPVF	3.04	0.00	0.00				15.69				
LOCA	L NUMBER PORTABILITY	1	1		+											
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35				<u> </u>						
							_	_								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ	1		1					ļ	1	ļ				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021101	00/102		0.10	0.10				10.00				
	Switch with change			UEPRX	USACC		0.10	0.10				15.69				
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
0 14/15	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
2-VVIN	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	1										-			
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE I	Loop Rates		-										1			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04										
2-Wir	 e Voice Grade Line Port (Bus)				+								1			
2-4411	South Carolina Extended Local Dialing Port without Caller ID															
	capability	<u>L_</u>	<u> </u>	UEPBX	UEPWM	1.13	37.93	16.72			<u> </u>	15.69	<u></u>		<u> </u>	
	South Carolina Business Area Calling Port without Caller ID				UEPBB											
	capbility	<u> </u>	1	UEPBX		1.13 1.13	37.93	16.72		1	-	15.69	<u> </u>			
	Incoming Only without Caller ID capability	<del> </del>	+ +	UEPBX	UEPBE	1.13	37.93	16.72		1	-	15.69				
LOCA	L NUMBER PORTABILITY		1 1													
	Local Number Portability (1 per port)	İ		UEPBX	LNPCX	0.35										
FEAT	All Features Offered	<u> </u>	$\vdash$	UEPBX	UEPVF	3.04	0.00	0.00		1	1	15.60				
	All Features Offered	<u> </u>	1	UEPBA	UEPVF	3.04	0.00	0.00		1		15.69				
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	t		1					İ	1					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1			2 27 102		50	50		İ						
	Switch with change			UEPBX	USACC		0.10	0.10				15.69				
ADDI	FIONAL NRCs	-	$\vdash$		+					1	+	<b> </b>				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0.00	0.00	0.00				15.69				

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
												Svc Order	Svc Order			Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
																<u> </u>	
		one" shown in the sections for stand-alone loops or loops as part of			refers to Geographica	lly Deaverag	ed UNE Zones.	To view Geogr	aphically Deave	eraged UNE Zor	ne Designations	s by Central	Office, refer	to Internet We	bsite:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interconne	ection.ntn	n	1		ı			ı	1	1		1	ı		
UNBU	NDLE	D LOCAL EXCHANGE SWITCHING(PORTS)														<b></b>	
																<b></b>	
		inge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, I	KY, LA &	TN, the	e desired features wi	I need to be	ordered using	g retail USOCs								L	
	2-WIR	E VOICE GRADE LINE PORT RATES (RES)														<u></u> '	
		Tennessee Area Plus Port without Caller ID capability			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Tennessee Extended Local Dialing Port without Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	2.00	0.00			20.35	40.54	40.00	1 40
-	<b>-</b>	capability Low Usage Line Port without Caller ID capability	<b> </b>		UEPSR	UEPRT	1.89	9.93	9.19	3.66 3.66	2.92 2.92	-	<del>                                     </del>	20.35	10.54 10.54	13.32 13.32	1.40 1.40
-	<b>-</b>	2000 Coago Line i ort without Callet ID capability	<b> </b>		OLI: OK	OFI.I/I	1.09	3.33	5.19	3.00	2.32	-	<del>                                     </del>	20.33	10.34	10.02	1.40
	FEAT	URES	1														
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		7 ii 7 valiable Vertical i editares			OLI OIL	OLI VI	0.00	0.00	0.00					20.00	10.04	10.02	1.40
	2-WIR	E VOICE GRADE LINE PORT RATES (BUS)														,	
		Tennessee Extended Local Dialing Port without Caller ID				UEPWO											
		capability			UEPSB	02	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Tennessee (BUS) inward Collierville and Memphis Local Calling Plan			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Tennessee (BUS) 2-Way Collierville and Memphis Local Calling			ULFSB		1.09	9.93	5.15	3.00	2.52			20.33	10.54	13.32	1.40
		Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Incoming Only without Caller ID capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	FEAT																
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
	EXCH	ANGE PORT RATES (DID & PBX)														<u> </u>	
		PBX Trunk Combination, Collierville and Memphis Local Calling				UEPA6										l'	1 1
-		Plan PBX 2-Way Combo First Trunk Collierville and Memphis Local			UEPSP		1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Canning Ficin			OLI OI		1.70	5.56	0.10	0.00	2.02			20.00	10.04	10.02	1.40
	FEAT	URES															$\vdash$
<b> </b>		All Available Vertical Features	1		UEPSP	UEPVF	0.00	0.00	0.00			1	<del>                                     </del>	20.35	10.54	13.32	1.40
		, a , manado voltida i datardo			0L1 01	OL: VI	0.00	0.00	0.00					20.33	10.54	10.02	1.40
-																<del>                                     </del>	$\vdash$
UNBL	INDLFI	D PORT/LOOP COMBINATIONS - COST BASED RAT	ES														
0.1.2	1		_ <u></u>														
<b>—</b>	> Cost I	I Based Rates are applied where BellSouth is required by FCC and	/or State	Commi	ssion rule to provide U	nhundled I c	cal Switching o	r Switch Ports		I.		ı	1	1			$\vdash$
-		res shall apply to the Unbundled Port/Loop Combination - Cost Ba							nundled Port of	ection of this Po	ta Evhibit					<del>                                     </del>	$\vdash$
-							• •					Port/Loon C	`ombinatio-	•		<del>                                     </del>	$\vdash$
<b> </b>		Office and Tandem Switching Usage and Common Transport Usage first and additional Port nonrecurring charges apply to Not Current														<del>                                     </del>	$\vdash$
		nal NRCs may apply also and are categorized accordingly.	ay Combi		andos. Tol Guilellly	SSITISTIFU C		coming cridity	oo anan be tilo	oo ideniiiiled iii l	no ivomecuilli	y - Ourierill)	John Diried	occiono.		1 '	1
-		and the second s	1				l			l						<del>                                     </del>	$\vdash$
														+		<del>                                     </del>	$\vdash$
-	2-WID	 E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (R	EC/									-	-	-		<del>                                     </del>	$\vdash$
-	Z-VVIR	E VOICE GRADE LOOF WITH 2-WIRE LINE PORT (R	LES										-			<del>                                     </del>	$\vdash$
-	LINES	prt/Lean Combination Bates	-													<b></b> '	$\vdash$
<u> </u>	UNE PO	ort/Loop Combination Rates	l									1				1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: B
											Svc Order	Svc Order	Incremental			
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Ì													Electronic-	Electronic-	Electronic-	Electronic-
ł													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurring	Disconnect		1	OSS	Rates(\$)		
$\leftarrow$		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18	1 01	71441	101	7.44	0020	00				
$\leftarrow$	2-Wire VG Loop/Port Combo - Zone 2	1	2			18.01	1				-					+
	2-Wire VG Loop/Port Combo - Zone 3		3				1									+
	2-Wile VG Loop/Port Combo - Zone 3		3			23.02										<del></del>
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
ı İ	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
2-Wire	Voice Grade Line Port Rates (Res)															1
	Tennessee Area Plus Port without Caller ID capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91	1		30.89	7.03		1
<del></del>	Tennessee Extended Local Dialing Port without Caller ID	1	<del>                                     </del>	OLI IIX		1.70	22.14	13.23	0.40	3.91	<del> </del>		50.09	7.03		+
	capability			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	1.70		15.25	8.45	3.91			30.89	7.03		
																1
FEATU																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		
LOCAL	NUMBER PORTABILITY			LIEDDY	LNDCV	0.25					1	1				+
	Local Number Portability (1 per port)		-	UEPRX	LNPCX	0.35	-				+	1				+
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED										-					+
- Itoltika	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															+
	Switch-as-is			UEPRX	USAC2		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		1.03	0.29					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	-														
	Subsequent Database Update						0.76						30.89	7.03		
ADDIT	IONAL NIDO:															+
ADDITI	IONAL NRCs				-		<b> </b>				-					+
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
	Activity			OLITAX	UUAUZ	0.00	0.00	0.00			1		30.03	7.00		+
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															+
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										4
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										-
IINE I	oop Rates	-	<del>                                     </del>		+		<del> </del>			-	-			-		
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.48	1		1	1	1	1	1	1		+
<del>-  </del>	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	1	2	UEPBX	UEPLX	16.31	<del> </del>				1	<b> </b>				<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX	UEPLX	21.32			1		1		1	1		1
		1					1				1					1
2-Wire	Voice Grade Line Port (Bus)															
	Tennessee Extended Local Dialing Port without Caller ID				UEPWO								1	1		
	capability		$\sqcup \sqcup$	UEPBX	JL: WU	1.70	22.14	15.25	8.45	3.91			30.89	7.03		<b></b>
	Tennessee (BUS) inward Collierville and Memphis Local Calling			HERRY	UEPB2		00.41	45.65	0.7-	00:			00.00	7.00		
	Plan Tennessee (RUS) 2 Way Colling and Memobis Local Calling	1	<del>                                     </del>	UEPBX	+	1.70	22.14	15.25	8.45	3.91	1	<del>                                     </del>	30.89	7.03		+
	Tennessee (BUS) 2-Way Collierville and Memphis Local Calling Plan			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
<del></del>	Incoming Only without Caller ID capability	1	<del>                                     </del>	UEPBX	UEPBE	1.70		15.25	8.45	3.91	+	<u> </u>	30.89	7.03		<del></del>
	incoming only without baller ib capability	1		OLI DA	OLI DL	1.70	22.14	13.23	0.40	3.91	1		50.09	7.03		†
LOCAL	NUMBER PORTABILITY								Ì				Ì	Ì		†
	Local Number Portability (1 per port)	1		UEPBX	LNPCX	0.35					İ		1	1		1
		1			1		1 1			1						1

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhi	bit: B
0												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
									- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														151	Add I	DISC ISI	DISC Add I
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATU																
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPBX	USAC2		1.03	0.29					30.89	7.03		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	110,400		4.00	0.00					20.00	7.00		
		Switch with change 2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USACC		1.03	0.29					30.89	7.03	<del></del>	-
		Subsequent Database Update						0.76						30.89	7.03		
		Subsequent Database Opuate						0.70		<b>†</b>				30.09	7.03		
-	ADDITI	I ONAL NRCs	<del>                                     </del>			<b>†</b>				<b>-</b>				<b>-</b>		<b>—</b>	<b>—</b>
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1							<b>-</b>		1		<b>-</b>		$\vdash$	<b>—</b>
		Activity			UEPBX	USAS2	0.00	0.00	0.00	I				30.89	7.03	1	1
		,					2.30	5.50	2.30	1	1			22.30	1.50		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
		(======================================															
	LINE PO	ort/Loop Combination Rates															
	OILL I	2-Wire VG Loop/Port Combo - Zone 1		1			14.18			<b>†</b>							
		2-Wire VG Loop/Port Combo - Zone 2		2			18.01									<del></del>	<del></del>
		2-Wire VG Loop/Port Combo - Zone 3		_			23.02										<del>                                     </del>
		2-Wife VG Loop/Port Combo - Zorie 3		3			23.02			-							
	UNE Lo	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32										
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
		PBX Trunk Combination, Collierville and Memphis Local Calling															
		Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		PBX 2-Way Combo First Trunk Collierville and Memphis Local				LIEDAZ											
		Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91			30.89	7.03		
		-															
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					30.89	7.03		
	FEATU																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1 T						_	]			_		1	1
	<u> </u>	Conversion - Switch-As-Is		لــــــا	UEPPX	USAC2		1.03	0.29					30.89	7.03	<b>↓</b>	1
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -						]	_	1					_	1	1
	<u> </u>	Conversion - Switch with Change	<u> </u>	<b>├</b>	UEPPX	USACC		1.03	0.29	<b>.</b>				30.89	7.03	<b>├</b>	<del></del>
-	ADDIT	ONAL NIDC-	<b> </b>	<b> </b>		1		0.76		<b>!</b>	<b> </b>			30.89	7.03	+	<del>                                     </del>
<u> </u>	ADDIT	ONAL NRCs	<b> </b>	<b> </b>		1		ļ		<b>!</b>	<b> </b>			<b>!</b>	1	+	<del>                                     </del>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					30.89	7.03	1	1
<u> </u>	1		1		UEFFA	USASZ	0.00	0.00	0.00	<del>                                     </del>	-			30.89	1.03	<del></del>	<del></del>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64	I				30.89	7.03	1	1
-	1	Oroup	1			1		14.04	14.04	t	1			30.69	1.03	<del></del>	<del>                                     </del>
-	1		1			1		1		t	1			t	1	<del></del>	<del>                                     </del>
IINP	INDI E	D PORT LOOP COMBINATIONS - MARKET RATES	<del>                                     </del>			<b>†</b>				<b>-</b>				<b>-</b>		<b></b>	<b>—</b>
CIABO	,.4DEEL	CALLEGE COMBINATIONS - MARKET RATES	}	$\vdash$		1		<u> </u>		<del> </del>	1	1		+	1	<del></del>	<del></del>
-	> Mark	L et Rates shall apply where BellSouth is not required to provide ur	hundled	local en	itching or ewitch per	ts ner FCC on	d/or State Com	nmission rules		1	1	I	I	1	l		<del>                                     </del>
<b>—</b>		cludes unbundled port/loop combinations that are Currently Comb							n for end users	with 4 or more	DS0 equivalent	lines					<del>                                     </del>
	11110 1110	rados ambandios portrioop combinations that are outlettilly comb	mica di N	or ount	and Combined in ZC	no i oi the IC	P O INIOMO III D	onocum s region	1 101 0110 05015	with a Of HIGH	DOO Equivalent	ııı 103.					

INRONDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		bit: B
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge -
											per LSK	perLSK	Electronic-		Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates(\$)		I
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdal															
	South currently is developing the billing capability to mechanically Market Rates and reserves the right to true-up the billing difference		curring	and non-recurring M	larket Rates ir	this section. Ir	the interim wh	ere BellSouth	cannot bill Mark	et Rates, BellSe	outh shall bil	I the rates in	the Cost-Bas	ed section pre	ceding in lieu	
	Market Rates and reserves the right to true-up the billing difference.  Market Rate for unbundled ports includes all available features in															<b> </b>
	I Office and Tandem Switching Usage and Common Transport Usa			ort section of this rat	e exhibit shall	apply to all con	binations of lo	op/port network	elements exce	pt for UNE Coi	Port/Loop (	Combination	s which have a	a flat rate usag	e charge	
	Not Currently Combined scenarios where Market Rates apply, the															
Combi	ned section. Additional NRCs may apply also and are categorized	according	gly.													
0 W(D	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
Z-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															<b> </b>
UNE P	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
LINE	non Potos				+											<u> </u>
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21.32										
2-Wire	Voice Grade Line Port (Res)															
	Tennessee Area Plus Port without Caller ID capability			UEPRX	UEPRR	14.00	90.00	90.00					30.89	7.03		
	Tennessee Extended Local Dialing Port without Caller ID capability			UEPRX	UEPWN	14.00	90.00	90.00					30.89	7.03		
	Low Usage Line Port without Caller ID capability			UEPRX	UEPRT	14.00	90.00	90.00					30.89	7.03		
	2011 Codgo Ento 1 of William Canol 15 capability			02.100	02	1 1100	00.00	00.00					00.00	7.00		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	UDEO															
FEATU	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					30.89	7.03		<b> </b>
	All Features Offered			OLITA	OLI VI	0.00	0.00	0.00					30.03	7.03		1
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					30.89	7.03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with			UEPRX	LICACO		41.50	41.50					20.00	7.00		
	change			UEPKX	USACC		41.50	41.50					30.89	7.03		1
ADDIT	TONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination -															
	Subsequent			UEPRX	USAS2	0.00	0.00	0.00					30.89	7.03		
0.14110	E VOICE OR ARE LOOP WITH A WIRE LINE BORT (RUO)															
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				<u> </u>											1
UNF P	Port/Loop Combination Rates				-											
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
likie i	oon Patos	1			1				<b> </b>	1						-
UNEL	2-Wire Voice Grade Loop (SL1) - Zone 1	1	1	UEPBX	UEPLX	12.48			1	1						1
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPBX	UEPLX	16.31										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32			1							İ
2-Wire	e Voice Grade Line Port (Bus)				1				ļ	ļ						
	Tennessee Extended Local Dialing Port without Caller ID capability			UEPBX	UEPWO	14.00	90.00	90.00					30.89	7.03		
	Tennessee (BUS) inward Collierville and Memphis Local Calling	1		ULFDA		14.00	90.00	90.00	1	1			30.69	1.03		1
	Plan			UEPBX	UEPB2	14.00	90.00	90.00					30.89	7.03		

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee												Attachi	ment: 2	Exhil	bit: B
0.121												Svc Order	Svc Order	Incremental			Incremental
													Submitted		Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		Manual Svc
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
									.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrecurring			g Disconnect				Rates(\$)		
		- (5)(3) 6 W 6 W 7						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tennessee (BUS) 2-Way Collierville and Memphis Local Calling			LIEDDY	UEPB3	44.00	00.00	00.00					00.00	7.00		
-		Plan			UEPBX UEPBX	UEPBE	14.00 14.00	90.00 90.00	90.00					30.89 30.89	7.03 7.03		
		Incoming Only without Caller ID capability		-	UEPBX	UEPBE	14.00	90.00	90.00				-	30.89	7.03		
	LOCAL	I NUMBER PORTABILITY															<del></del>
	LOCAL	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
		Ecoca Number 1 ortability (1 per pert)			OLI DA	LIVI OX	0.00										
	FEATU	RES															
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					30.89	7.03		
	NONRE	CURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					30.89	7.03		
		2-Wire Voice Grade Loop / Line Port Combination - Switch with															
		change			UEPBX	USACC		41.50	41.50					30.89	7.03		
	ADDITI	ONAL NRCs															
		NRC - 2-Wire Voice Grade Loop/Line Port Combination -			LIEDBY	USAS2	0.00	0.00	0.00					30.89	7.03		İ
		Subsequent		-	UEPBX	USA52	0.00	0.00	0.00				-	30.89	7.03		
																	<del></del>
	2 WIDE	I VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															-
	Z-VVIKE	VOICE GRADE LOOP WITH 2-WIRE LINE FORT (BUS - FBA)															
-																	
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
		2-Wire VG Loop/Port Combo - Zone 2		2			30.31										
		2-Wire VG Loop/Port Combo - Zone 3		3			35.32										
	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21.32				1	1					
		2-Wile Voice Grade Loop (SL 1) - Zolle 3		3	UEFFX	UEPLA	21.32										-
	0.145	Water Conda Line Book Boken (BUO, BBW)									-						
	2-wire	Voice Grade Line Port Rates (BUS - PBX) PBX Trunk Combination, Collierville and Memphis Local Calling															-
		Plan			UEPPX	UEPA6	14.00	90.00	90.00					30.89	7.03		
		PBX 2-Way Combo First Trunk Collierville and Memphis Local			OLITA		14.00	30.00	30.00					30.03	7.00		-
		Calling Plan			UEPPX	UEPA7	14.00	90.00	90.00		1			30.89	7.03		1
-	LOCAL	I . Number Portability		<del>   </del>		1					<del>                                     </del>	<del>                                     </del>		t			<del>                                     </del>
	JOUAL	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00		1			1			
		, , , , , , , , , , , , , , , , , , , ,		1	<del></del>		20	2,00	2.00								
	FEATU																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					30.89	7.03		
							•										
	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				l l		[ l			I			l	l _		1
		Conversion - Switch-As-Is		<b> </b>	UEPPX	USAC2		41.50	41.50					30.89	7.03		<del></del>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY	110400		44.50	44.50		I			20.00	7.00		1
		Conversion - Switch with Change		$\vdash$	UEPPX	USACC		41.50	41.50	ļ	<del>                                     </del>	1	-	30.89	7.03	-	<del></del>
	ADDIT	I ONAL NRCs	-	<del></del>		1				1	<b>+</b>	}	-	<del> </del>	1	1	<del>                                     </del>
	ADDIT	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		<del> </del>					<del> </del>	<b> </b>		<del>                                     </del>			<del>                                     </del>
1		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00		I			30.89	7.03		1
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt					2.30	5.50	5.50	1	<u> </u>			55.55			t
1		Group						14.64	14.64	Ì	I			30.89	7.03		1
	•		•							•	•		•			•	

# AMENDMENT TO THE

# AGREEMENT BETWEEN MOMENTUM BUSINESS SOLUTIONS, INC. AND

# BELLSOUTH TELECOMMUNICATIONS, INC. DATED JUNE 12, 2002

Pursuant to this Amendment, (the "Amendment"), Momentum Business Solutions, Inc., ("Momentum"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated June 12, 2002, ("Agreement") to be effective 30 days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and Momentum entered into the Agreement on June 12, 2002, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to add to the rates in Exhibit B of Attachment 2, the rates set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
- 2. All of the other provisions of the Agreement, dated June 12, 2002, shall remain in full force and effect.
- 3. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Momentum Business Solutions, Inc.	BellSouth Telecommunications, Inc.
By: Signature on file	By: Signature on file
Name: Alan Creighton	Name: Elizabeth R. A. Shiroishi
Title: President & CEO	By Pat C. Finlen Title: Assistant Director
Date: November 19, 2002	Date: November 22, 2002

UNBL	JNDLE	NETWORK ELEMENTS - Alabama											A	tachment:	2	Exhil	bit: B
														OSS F	RATES (\$)		
CATE	GORY	RATE ELEMENT	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted	Svc Order Submitted	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
												Elec per LSR	Manually	Order vs. Electronic-1st	Electronic-	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonre	curring	NRC Dis	sconnect	,					
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBL	JNDLE	O PORT/LOOP COMBINATIONS - COST BASED R	ATES														
	4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH POR	Т														
	Excha	nge Ports Associated with 4-Wire DS1 Loop with	Chann	elizat	ion with Port												
	Excha	nge Ports															
		Unbundled Exchange Ports, 2-Wire Channelized –															
		Outdial – (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	1.15						15.66				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	1.15						15.66				
		_					·										

UNBU	INDLE	D NETWORK ELEMENTS - Kentucky											At	tachment:	2	Exhil	bit: B
														OSS F	RATES (\$)		
CATE	GORY	RATE ELEMENT	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre	curring	NRC Dis	connect						
			<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLE	D PORT/LOOP COMBINATIONS - COST BASED R	AIES														
																	$\vdash$
	4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH POR	T														
	Excha	ange Ports Associated with 4-Wire DS1 Loop with	Chanr	nelizat	tion with Port												İ
	Excha	ange Ports															
		Unbundled Exchange Ports, 2-Wire Channelized- Outdial-(AL, KY, LA, MS, & TN)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00		7.86				
		Unbundled Exchange Ports, 2-Wire Channelized- Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00		7.86				
		Unbundled Exchange Ports, 2-Wire Channelized- Outdial-Kentucky Only-Calling Plan			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00		7.86				
		Unbundled Exchange Ports, 2-Wire Channelized- Two Way-Kentucky Only-Calling Plan			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00		7.86				
									•								

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana											At	ttachment:	2	Exhi	bit: B
														OSS F	RATES (\$)		
CATEG	ORY	RATE ELEMENT	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	NRC Dis	connect						
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLE	D PORT/LOOP COMBINATIONS - COST BASED R	ATES														
	4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH POR	T														
	Excha	inge Ports Associated with 4-Wire DS1 Loop with	Chanr	nelizat	ion with Port												
	Excha	inge Ports															
		Unbundled Exchange Ports, 2-Wire Channelized –															
		Outdial - (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00		15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00		15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Outdial-Louisiana Only-Calling Plan			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00		15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Two Way-Louisiana Only-Calling Plan			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00		15.20				
LINDII	NDI E	D PORT/LOOP COMBINATIONS - MARKET BASEI	DAT														
UNDU	NDLE	D FOR 1/LOOP COMBINATIONS - MARKET BASE	KAII														
	4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH POR	T														
	Excha	inge Ports Associated with 4-Wire DS1 Loop with	Chanr	nelizat	ion with Port												
		inge Ports			-												
		Unbundled Exchange Ports, 2-Wire Channelized –															
		Outdial - (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00		15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00	<u> </u>	15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-							_								
		Outdial-Louisiana Only-Calling Plan			UEPPX	UEPC2	14.00	0.00	0.00	0.00	0.00		15.20				
		Unbundled Exchange Ports, 2-Wire Channelized-															
		Two Way-Louisiana Only-Calling Plan			UEPPX	UEPC3	14.00	0.00	0.00	0.00	0.00		15.20				

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi	1		1	1						1	A	ttachment:	2	Exhil	oit: B
														OSS F	RATES (\$)		ļ
CATE	GORY	RATE ELEMENT	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec		Nonrecurring		NRC Disconnect						
								First	Add'l	First	Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
IINBI	INDI F	 D PORT/LOOP COMBINATIONS - COST BASED R	ATES														
O.V.D.		DI ONIZZO O COMBINATIONO COOL BACED N	1														
	4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH POR	Т														
	Excha	ange Ports Associated with 4-Wire DS1 Loop with	Chanr	neliza	tion with Port												
	Excha	ange Ports															
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Unbundled Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Unbundled Exchange Ports, 2-Wire Channelized- Outdial-Mississippi Only-Calling Plan			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00		15.75			1.97	
		Unbundled Exchange Ports, 2-Wire Channelized- Two Way-Mississippi Only-Calling Plan			UEPPX	UEPA5	1.23	0.00	0.00	0.00	0.00		15.75			1.97	

NBUNDLE	D NETWORK ELEMENTS - Tennessee		, ,									A	ttachment:	2	Exhi	bit: B
													OSS F	RATES (\$)		
CATEGORY	RATE ELEMENT	Interim	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	,	NRC Dis							
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDLE	D PORT/LOOP COMBINATIONS - COST BASED R	ATES														
4-WIF	l RE DS1 LOOP WITH CHANNELIZATION WITH POR	I RT														
Exch	ange Ports Associated with 4-Wire DS1 Loop with	Chanı	nelizat	ion with Port												
Exch	ange Ports															
	Unbundled Exchange Ports, 2-Wire Channelized- Outdial-(AL, KY, LA, MS, & TN)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized- Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Tennessee Only – Calling Plan -			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Tennessee Only – Calling Plan -			UEPPX	UEPXV	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
INBUNDLE	D PORT/LOOP COMBINATIONS - MARKET BASE	D RAT	ES													
4-WIF	 RE DS1 LOOP WITH CHANNELIZATION WITH POR	l RT														
Exch	ange Ports Associated with 4-Wire DS1 Loop with	Chani	nelizat	ion with Port												
	ange Ports															
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN)			UEPPX	UEPCY	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized- Combination (AL, KY, LA, MS, & TN)			UEPPX	UEPCT	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial – Tennessee Only – Calling Plan -			UEPPX	UEPCZ	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way - Tennessee Only – Calling Plan -			UEPPX	UEPXV	14.00	0.00	0.00	0.00	0.00			30.89	7.03		
						Ì										

# 4.2.11.5 Remote Call Forwarding

- 4.2.11.5.1 As an option, BellSouth shall make available to Momentum an unbundled port with Remote Call Forwarding capability ("URCF service"). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, Momentum will ensure that the following conditions are satisfied:
- 4.2.11.5.2 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.11.5.3 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.5.4 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.5.5 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.5.6 In addition to the charge for the URCF service port, BellSouth shall charge Momentum the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage, incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

UNEs - Ala	abama												Attachment	2	Exhibit C	
CATE	RATE ELEMENTS EGORY	Interim	Zone	BCS	usoc		F	RATES(\$)					OSS R	ATES(\$)		
											Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
							Nonrecu	ırring	Nonrecurring	g Disconnect						
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDI	ED LOCAL EXCHANGE SWITCHING(PORTS)															
O. I.D O. I.D Z.	UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY															1
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															+
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UFRAC	2.07	21.93	21.93					27.37	12.97	17.77	1.44
	Unbundled Remote Call Forwarding Service, Aced Calling - Res			UEPVR	UERLC	2.07	21.93	21.93					27.37	12.97	17.77	
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.07	21.93	21.93					27.37	12.97	17.77	
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.07	21.93	21.93					27.37	12.97	17.77	
	Non-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.80	0.41					40.71	9.58		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is Unbundled Remote Call Forwarding Service - Conversion with allowed ch	nange														
	(PIC and LPIC)	-		UEPVR	USACC		2.80	0.41								
	UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.07	21.93	21.93					27.37	12.97	17.77	1.44
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERLC	2.07	21.93	21.93					27.37	12.97	17.77	
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.07	21.93	21.93					27.37	12.97	17.77	
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		<b>†</b>	UEPVB	UERTR	2.07	21.93	21.93			1	1	27.37	12.97	17.77	1.44
	Unbundled Remote Call Forwarding Service, Intel 2717 Eds  Unbundled Remote Call Forwarding Service Expanded and Exception Local	al		02. 12	OZ	2.57	200	250			1	1	201	.2.57		
	Calling			UEPVB	UERVJ	2.07	21.93	21.93					27.37	12.97	17.77	1.44
	Non-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.80	0.41					40.71	9.58		
	Unbundled Remote Call Forwarding Service - Conversion with allowed ch (PIC and LPIC)	nange		UEPVB	USACC		2.80	0.41								

Page 1 of 9 05/23/02

JNEs - Florida													Attachment 2	!	Exhibit C	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		F	RATES(\$)					OSS R	ATES(\$)		
											Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sw Order vs. Electronic-D Add'l
							Nonrecu	ırring	Nonrecurrin	g Disconnect						
						Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED LO	DCAL EXCHANGE SWITCHING(PORTS)															
UNE	BUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY															
UNE	BUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res				UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling - Res				UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA - Res				UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		U	EPVR l	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
Non	-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is		U	EPVR I	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		U	EPVR L	USACC		0.102	0.102								
UNE	BUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		U	EPVB L	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus				UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus				UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		U	EPVB (	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		U	EPVB I	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				
Non	-Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is		U	EPVB (	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		U	EPVB L	USACC		0.102	0.102								

Page 2 of 9 05/23/02

UNEs - Georg	a											Attachment 2		Exhibit C	
	RATE ELEMENTS	Interim	Zone	BCS	USOC										
CATEGO			1					RATES(\$)				OSS R	ATES(\$)		
								·		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
							Nonrec	urrina	Nonrecurring Disconnect						
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										- JOINLEG	2.511044	22.0041			
	LOCAL EXCHANGE SWITCHING(PORTS)														
	NBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY														
U	NBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling, Res				UERAC	1.85	17.16	17.16				18.94	8.42		
	Unbundled Remote Call Forwarding Service, Local Calling - Res				UERLC	1.85	17.16	17.16				18.94	8.42		
	Unbundled Remote Call Forwarding Service, InterLATA - Res				UERTE	1.85	17.16	17.16				18.94	8.42		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.85	17.16	17.16				18.94	8.42		
N	on-Recurring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.01	0.31				33.67	7.88	11.17	3.91
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31							
	NBUNDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		+	LIED\/D	UERAC	1.85	17.16	17.16				18.94	8.42		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus				UERLC	1.85	17.16	17.16				18.94	8.42		+
	Unbundled Remote Call Forwarding Service, Local Calling - Bus				UERTE	1.85	17.16	17.16				18.94	8.42		+
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus				UERTR	1.85	17.16	17.16				18.94	8.42		+
<del>                                     </del>	Onburbled Nemote Oail Forwarding Service, IntraLATA - Dus		+-	OLI VD	JEININ	1.00	17.10	17.10		+	1	10.94	0.42		+
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.85	17.16	17.16				18.94	8.42		
N	on-Recurring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.01	0.31				33.67	7.88	11.17	3.91
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31							

Page 3 of 9 05/23/02

INEs - Kentucky									·			Attachment 2	!	Exhibit C	
	RATE ELEMENTS	Interim	Zone	BCS	usoc										
CATEGORY	NATE ELLINEATO	iii.ci iiii	20116	500	0000		RA	TES(\$)				OSS F	ATES(\$)		
								- ( )		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Electronic-Disc	Incrementa Charge - Manual Sv Order vs. Electronic-D Add'I
							Nonrecur	rring	Nonrecurring Disconnect						<del>                                     </del>
								Ü							
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
										1					
	XCHANGE SWITCHING(PORTS)														
	ED PORT WITH REMOTE CALL FORWARDING CAPABILITY														
UNBUNDLE	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling, Res				UERAC	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, Local Calling - Res				UERLC	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, InterLATA - Res				UERTE	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	3.74	3.63			7.86				
Non-Recurr	ring														
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10			7.86				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC														
	and LPIC)			UEPVR	USACC		0.10	0.10							
UNBUNDLE	ED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service, Area Calling - Bus				UERAC	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus				UERLC	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.49	3.74	3.63			7.86				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63			7.86				
Non-Recurr															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10			7.86				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			HEPV/R	USACC		0.10	0.10							

Page 4 of 9 05/23/02

UNEs - Louis	iana												Attachment 2		Exhibit C	
	RATE ELEMENTS	Interim	Zone	BCS	usoc											
CATE			200	500	0000			RATES(\$)					OSS R	ATES(\$)		
											Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
							Nonrec		N	na Disconnect						
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																L
	LOCAL EXCHANGE SWITCHING(PORTS)															
	UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY															1
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															1
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21				15.20				I
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21				15.20				ı
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21				15.20				ı
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21				15.20				ı
	Non-Recurring															ı
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10				15.20				i
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and															ĺ
	LPIC)			UEPVR	USACC		0.10	0.10								I
																ĺ
	UNBUNDLED REMOTE CALL FORWARDING - Bus															ĺ
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.52	2.31	2.21				15.20				i
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.52	2.31	2.21				15.20				i i
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB		1.52	2.31	2.21				15.20				ĺ
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.52	2.31	2.21				15.20				ĺ
											1	1				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21				15.20				l
	Non-Recurring						·									1
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10				15.20				ı
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and I.PIC)			UEPVB			0.10	0.10								

Page 5 of 9 05/23/02

Es - Mississippi										Attachment 2	2	Exhibit C	
	RATE ELEMENTS Interim	Zone BCS USOC											
CATEGORY				R	ATES(\$)					OSS R	ATES(\$)		
								Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'I	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'I
				Nonrecurr	•		g Disconnect						
			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	N SOMA
	EXCHANGE SWITCHING(PORTS)												
	ED PORT WITH REMOTE CALL FORWARDING CAPABILITY												
UNBUNDL	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE												
	Unbundled Remote Call Forwarding Service, Area Calling, Res	UEPVR UERA		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling - Res	UEPVR UERL		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Res	UEPVR UERT		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res	UEPVR UERT	R 1.41	2.39	2.29	1.42	1.33		15.75				
Non-Recur													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	UEPVR USAC	2	0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	UEPVR USAC		0.0988	0.0988								
UNBUNDL	.ED REMOTE CALL FORWARDING - Bus												
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	UEPVB UERA		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	UEPVB UERL		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	UEPVB UERT		2.39	2.29	1.42	1.33		15.75				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	UEPVB UERT	1.41	2.39	2.29	1.42	1.33		15.75				-
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling	UEPVB UERV	J 1.41	2.39	2.29	1.42	1.33		15.75				
Non-Recur													
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	UEPVB USAC	2	0.0988	0.0988				15.75				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	UEPVB USAC		0.0988	0.0988								

Page 6 of 9 05/23/02

- North Carolina													Attachment 2		Exhibit C	
	RATE ELEMENTS	Interim	Zone	BCS	USOC											
CATEGORY								RATES(\$)					OSS RA	TES(\$)		
											Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremen Charge Manual S Order vs Electronic- Add'I
							Nonrec	urring	Nonrecurrir	ng Disconnect						
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INDLED LOCAL E	XCHANGE SWITCHING(PORTS)															
	ED PORT WITH REMOTE CALL FORWARDING CAPABILITY															
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<del>                                     </del>													
	Unbundled Remote Call Forwarding Service, Area Calling, Res		-	UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Area Calling, Res		<del>                                     </del>	UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res		-	UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76		
Non-Recur				OLF VIX	OLIVIIX	2.13	21.00	21.00					20.34	12.70		
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is		<del>                                     </del>	UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40					20.94	12.70		
UNBUNDLE	ED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		 I
Non-Recur	ring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								I

Page 7 of 9

Es - South Carolina	T									,			Attachment 2		Exhibit C	
	RATE ELEMENTS	Interim	Zone	BCS	USOC											
CATEGORY								RATES(\$)			OSS RATES(\$)					
											Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Increment Charge - Manual St Order vs Electronic-I Add'l
							Nonrec		Nama	- Di						
		+	+		+	Rec	First	Add'l	Nonrecurring Disconnect First Add'I		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
BUNDLED LOCAL 5	EXCHANGE SWITCHING(PORTS)															
	EXCHANGE SWITCHING(PORTS)  ED PORT WITH REMOTE CALL FORWARDING CAPABILITY															
	ED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
0.120.122	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				<b>†</b>
Non-Recur																<b>†</b>
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10				15.69				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
LINBLINDI	ED REMOTE CALL FORWARDING - Bus															
CINDOINDE	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33		15.69				+
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33		15.69				<b>†</b>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33		15.69				<b>†</b>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33		15.69				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33		15.69				
Non-Recui																
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10				15.69				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								

Page 8 of 9 05/23/02

UNEs - Tennessee													Attachment	2	Exhibit C	
CATECORY	RATE ELEMENTS						В	ATES(\$)			OSS RATES(\$)					
CATEGORY							R	41E5(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'I
																<del></del>
						Rec	Nonrecurring First Add'l		Nonrecurring Disconnect First Add'l		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1100		Aug I	11100	Auu	00	COMPAT	John	COMPAR	O marit	- Compar
	CHANGE SWITCHING(PORTS)															<del></del>
	D PORT WITH REMOTE CALL FORWARDING CAPABILITY D REMOTE CALL FORWARDING SERVICE - RESIDENCE															
UNBUNDLE				LIED) (D	UERAC	1.89	0.00	0.10	3.66	2.92			20.35	10.54	13.32	4.40
	Unbundled Remote Call Forwarding Service, Area Calling, Res Unbundled Remote Call Forwarding Service, Local Calling - Res				UERLC	1.89	9.93 9.93	9.19 9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling - Res  Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR		1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, InterLATA - Res				UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Recurr				UEFVK	UEKIK	1.09	9.93	9.19	3.00	2.92			20.33	10.54	13.32	1.40
Non-Kecun	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)				USACC		1.03	0.29					20.00	10.54	10.02	1.40
UNBUNDLE	D REMOTE CALL FORWARDING - Bus															-
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non-Recurr																
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		1.03	0.29								

05/23/02